

FOR FURTHER TRAN

AD-E000152
NRL Report 8186

AD A 054371

AD No. —
DDC FILE COPY

A Low-Frequency Limitation of FACT

R. M. FITZGERALD

*Applied Ocean Acoustics Branch
Acoustic Division*

12

January 31, 1978



DDC
RECEIVED
MAY 30 1978
B

NAVAL RESEARCH LABORATORY
Washington, D.C.

(18) SBIE

(19) AD-E000 152

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER	(14) NRL-8786	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle)	(6) A LOW-FREQUENCY LIMITATION OF FACT	5. DATE OF REPORT & PERIOD COVERED Interim report on a continuing NRL problem.	
7. AUTHOR	(10) Raymond M. Fitzgerald	6. PERFORMING ORG. REPORT NUMBER	
9. PERFORMING ORGANIZATION NAME AND ADDRESS	Naval Research Laboratory Washington, D. C. 20375	8. CONTRACT OR GRANT NUMBER(s)	
11. CONTROLLING OFFICE NAME AND ADDRESS	Naval Electronics Systems Command Washington, D. C. 20360	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	XF52-552-701, 70107, 62759N, S01-64 201
12. REPORT DATE	(12) January 31, 1978	13. NUMBER OF PAGES	(11) 31 Jan 78
14. MONITORING AGENCY NAME AND ADDRESS (if different from Controlling Office)	(16) F52552	15. SECURITY CLASS. (of this report)	UNCLASSIFIED
16. DISTRIBUTION STATEMENT	(17) XF52552.787	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
Approved for public release; distribution unlimited.			
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)			
18. SUPPLEMENTARY NOTES			
19. KEY WORDS (Continue on reverse side if necessary; and identify by block number)			
FACT Fast Asymptotic Coherent Transmission Low Frequency			
20. ABSTRACT (Continue on reverse side if necessary; and identify by block number)			
The inapplicability of the Fast Asymptotic Coherent Transmission (FACT) ray trace model at 14 Hz is demonstrated by comparison with normal mode calculations whose predictions have been experimentally confirmed.			

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE
574 0102-LF-014-6801

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

257 950

218

A LOW-FREQUENCY LIMITATION OF FACT

The Fast Asymptotic Coherent Transmission (FACT) model [1,2] is a corrected ray theory model for calculating acoustic transmission loss (TL) in the ocean. Although it is generally realized that as a ray model FACT is more accurate at high frequencies, the model has been employed for frequencies into the infrasonic spectrum. The purpose of this report is to document a low-frequency case wherein the predictions of FACT are qualitatively incorrect when compared with those of a wave theory calculation.

The ocean environment was described in the calculations as follows. In the wave theory calculation, the sound speed C as a function of depth in meters is given by

$$\begin{aligned} C(0) &= 1539 \text{ m/s} && \text{(ocean surface),} \\ C(1100) &= 1485 \text{ m/s} && \text{(SOFAR axis),} \\ C(5500) &= 1552 \text{ m/s} && \text{(ocean bottom).} \end{aligned}$$

At intermediate depths we take C^{-2} to be a linear function of depth. The result is an approximately bilinear profile having a thermocline, SOFAR channel, and depth excess. For the FACT calculation, 42 points along the above profile were calculated and used to describe the profile.

The ocean bottom was modeled as an absorber or scatterer which directed the incident energy away from the direction of propagation. This was accomplished in the FACT model by disregarding those rays which intersected the bottom. In the wave model, the bottom effect was simulated by calculating the modes as though the bottom were a hard reflector and then dropping from the modal summation the modes whose phase velocity exceeded the speed of sound at the bottom.

Calculations were performed for two frequencies and two source depths in an effort originally aimed at modeling an experimental acoustic TL curve [3]. The input parameters to the calculations were:

source depths	21 m, 104 m,
receiver depths	1100 m,
source frequencies	13.86 Hz, 110.85 Hz.

The dark and light lines in the figures refer respectively to the high and low frequencies.

Figure 1 shows the TL for a source depth of 104 m as calculated with a normal mode separation of the wave equation implemented on a digital computer. Examination of this figure reveals that the low-frequency energy is carried by two groups of modes which produce zones of constructive interference every 34.7 n.mi. and 36.3-n.mi., respectively. At the higher frequency, zones of constructive interference appear only with the 36.3 n.mi. period. The TL curve of Fig. 2 shows the same effect when both sources are at the 21-m depth.

RECEIVED	
NOV 15 1977	
A	

R. M. FITZGERALD




Fig. 1 - Normal mode calculation of TL (dB) vs Range (n.mi.) for source depth of 104 m.




Fig. 2 -- Normal mode calculation of TL (dB) vs Range (n.mi.) for source depth of 21 m.

R. M. FITZGERALD

Figures 3 to 8 show the results of the FACT calculations. All combinations of source depth, frequency, and type of ray addition (incoherent, semicoherent, fully coherent) are represented. Although the high-frequency FACT calculations produce convergence zones whose positions agree with those produced by the high-frequency normal mode calculations, none of the FACT calculations shows the aforementioned low-frequency effect.

A normal mode model which allows for discontinuous profile changes in range has been developed and exercised in order to test its predictions against experiment [4]. Figure 9, which was taken from Ref. 4, shows the TL calculated using, not the environmental parameters given earlier, but only archival sound speed and bottom characteristics for the geographic area of the experiment of Ref. 3. The first 700 km of Fig. 9 again show the double periodicity in the low-frequency TL curve not modeled by FACT.

As explained in Ref. 3, the additional low-frequency TL peaks with a period of 34.7 n.mi. are due to the excitation of modes whose phase velocities are less than the speed of sound at the surface. These modes correspond to energy traveling via purely refracted (RR) paths. The discrepancy between ray and wave models thus cannot be attributed to different methods for treating the bottom. Rather, the problem seems to lie in the insufficient allowance by FACT for RR excitation by a low-frequency source located in the thermocline near the surface. The reality of the additional low-frequency TL peaks with period 34.7 n.mi. has been confirmed in the experimental data reported in Ref. 3.

I am grateful to Dr. John Hanna, who had the FACT model run with the given inputs.

REFERENCES

1. C.W. Spofford, "The FACT Model, Vol. 1," Office of Naval Research, Maury Center Report MC-109 (Nov. 1974).
2. C.L. Baker, and C.W. Spofford, "The FACT Model, Vol. II," Office of Naval Research, Acoustic Environmental Support Detachment, AESD TN-74-01 (Dec. 1974).
3. A.N. Guthrie, et al., "Long-Range Low-Frequency CW Propagation in the Deep Ocean: Antigua-Newfoundland," J. Acoust. Soc. Am. 56, 58-69 (Jul. 1974).
4. K.E. Evans, "A Normal Mode Model for Estimating Low-Frequency Acoustic Transmission Loss in the Deep Ocean," Ph.D. Thesis, Naval Postgraduate School, Monterey, California (Sept. 1975).




Fig. 3 -- FACT calculation of TL (dB) vs Range (n.mi.) for source depth of 104 m with incoherent summation of rays.

R. M. FITZGERALD




Fig. 4 — FACT calculation of TL (dB) vs Range (n.mi.) for source depth of 104 m with semicoherent summation of rays.




Fig. 5 — FACT calculation of TL (dB) vs Range (n.mi.) for source depth of 104 m with fully coherent summation of rays.




Fig. 6 — FACT calculation of TL (dB) vs Range (n.mi.) for source depth of 21 m with incoherent summation of rays.




Fig 7 — FACT calculation of TL (dB) vs Range (n.mi.) for source depth of 21 m with semicoherent summation of rays.

R. M. FITZGERALD




Fig. 8 — FACT calculation of TL (dB) vs Range (n.mi.) for source depth of 21 m with fully coherent summation of rays.

NRL REPORT 8186




Fig. 9 — Normal mode calculation of TL (dB) vs Range (km) for source depth of 104 m using archival environmental parameters (Climatology results).



DEPARTMENT OF THE NAVY

OFFICE OF NAVAL RESEARCH
875 NORTH RANDOLPH STREET
SUITE 1425
ARLINGTON VA 22203-1995

IN REPLY REFER TO:

5510/1
Ser 321OA/011/06
31 Jan 06

MEMORANDUM FOR DISTRIBUTION LIST

Subj: DECLASSIFICATION OF LONG RANGE ACOUSTIC PROPAGATION PROJECT
(LRAPP) DOCUMENTS

Ref: (a) SECNAVINST 5510.36

Encl: (1) List of DECLASSIFIED LRAPP Documents

1. In accordance with reference (a), a declassification review has been conducted on a number of classified LRAPP documents.
2. The LRAPP documents listed in enclosure (1) have been downgraded to UNCLASSIFIED and have been approved for public release. These documents should be remarked as follows:

Classification changed to UNCLASSIFIED by authority of the Chief of Naval Operations (N772) letter N772A/6U875630, 20 January 2006.

DISTRIBUTION STATEMENT A: Approved for Public Release; Distribution is unlimited.

3. Questions may be directed to the undersigned on (703) 696-4619, DSN 426-4619.

A handwritten signature in black ink, appearing to read "B. F. Link", is positioned above the typed name.

BRIAN LINK
By direction

Subj: DECLASSIFICATION OF LONG RANGE ACOUSTIC PROPAGATION PROJECT
(LRAPP) DOCUMENTS

DISTRIBUTION LIST:

NAVOCEANO (Code N121LC – Jaime Ratliff)
NRL Washington (Code 5596.3 – Mary Templeman)
PEO LMW Det San Diego (PMS 181)
DTIC-OCQ (Larry Downing)
ARL, U of Texas
Blue Sea Corporation (Dr. Roy Gaul)
ONR 32B (CAPT Paul Stewart)
ONR 321OA (Dr. Ellen Livingston)
APL, U of Washington
APL, Johns Hopkins University
ARL, Penn State University
MPL of Scripps Institution of Oceanography
WHOI
NAVSEA
NAVAIR
NUWC
SAIC

Declassified LRAPP Documents

Report Number	Personal Author	Title	Publication Source (Originator)	Pub. Date	Current Availability	Class.
DASC 012-C-77	Unavailable	LRAPP PACIFIC DYNAMIC ARCHIVE (U) SEPTEMBER 1976	Daniel Analytical Services Corporation	770201	NS; ND	U
SAI-78-527-WA	Spofford, C. W.	NELANT DATA ASSESSMENT APPENDIX III-MODELING REPORT	Science Applications, Inc.	770225	ADA 0011680	U
PSI TR 036049	Barnes, A. E., et al.	OCEAN ROUTE ENVELOPES	Planning Systems Inc.	770419	ND	U
Unavailable	Unavailable	TAP II BEAMFORMING SYSTEM SOFTWARE FINAL REPORT	Bunker-Ramo Corp. Electronic Systems Division	770501	ADC011789	U
S01037C8	Unavailable	TAP 2 PROCESSING SYSTEM FINAL REPORT HARDWARE DOCUMENTATION (U)	Bunker-Ramo Corp. Electronic Systems Division	770501	ADC011790; NS; ND	U
Unavailable	Weinberg, H.	GENERIC FACT	Naval Underwater Systems Center	770601	ADB019907	U
Unavailable	Unavailable	TASSRAP II OB SYSTEM TEST	Analysis and Technology, Inc.	770614	ADA955352	U
Unavailable	Unavailable	LRAPP TECHNICAL SUPPORT	Texas Instruments, Inc.	770624	ND	U
Unavailable	Bessette, R. J., et al.	TASSRAP INPUT MODULE	Analysis and Technology, Inc.	770729	ADA955340	U
Unavailable	Unavailable	TAP-II PHASE II FINAL REPORT	Bunker-Ramo Corp. Electronic Systems Division	770901	ADC011791	U
Unavailable	Unavailable	LONG RANGE ACOUSTIC PROPAGATION PROJECT (LRAPP)	Xonics, Inc.	770930	ADA076269	U
SAI78696WA	Unavailable	REVIEW OF MODELS OF BEAM-NOISE STATISTICS (U)	Science Applications Inc.	771101	NS; ND	U
TRACORT77RV109	Unavailable	FINAL REPORT FOR CONTRACT N00014-76-C-0066 (U)	Tracor Sciences and Systems	771130	ADC012607; NS; ND	U
Unavailable	Unavailable	LONG RANGE ACOUSTIC PROPAGATION PROJECT (LRAPP)	Xonics, Inc.	771231	ADB041703	U
Unavailable	Homer, C. I.	SUS SOURCE LEVEL ERROR ANALYSIS	Underwater Systems, Inc.	780120	ND	U
Unavailable	Fitzgerald, R. M.	LOW-FREQUENCY LIMITATION OF FACT	Naval Research Laboratory	780131	ADA054371	U
Unavailable	Unavailable	MIDWATER ACOUSTIC MEASUREMENT SYSTEM - PAR AND ACODAC	Texas Instruments, Inc.	780228	ADB039924	U
ORI TR 1245	Moses, E. J.	OPTIONS, REQUIREMENTS, AND RECOMMENDATIONS FOR AN LRAPP ACOUSTIC ARRAY PERFORMANCE MODEL	ORI, Inc.	780331	ND	U
Unavailable	Hosmer, R. F., et al.	COMBINED ACOUSTIC PROPAGATION IN EASTPAC REGION (EXERCISE CAPER): INITIAL ACOUSTIC ANALYSIS	Naval Ocean Systems Center	780601	ADB032496	U
LRAPPRC78023	Watrous, B. A.	LRAPP EXERCISE ENVIRONMENTAL DATA INVENTORY, JUNE 1978 (U)	Naval Ocean R&D Activity	780601	NS; ND	U
TR052085	Solomon, L. P., et al.	HISTORICAL TEMPORAL SHIPPING (U)	Planning Systems Inc.	780628	NS; ND	U