

AD-A054 458

ARMY ELECTRONICS COMMAND WHITE SANDS MISSILE RANGE N--ETC F/G 4/2  
12828D LANCE MISSILE NO. 3314, ROUND NO. 312 ESL (3 MARCH 1978)--ETC(U)  
MAR 78

UNCLASSIFIED

ECOM-DR-968

NL

| OF |  
AD  
A054458



END  
DATE  
FILMED  
6-78  
DDC

AD A 054458

AD No.           

DDC FILE COPY

12  
P

METEOROLOGICAL DATA REPORT

120200 LARCH  
MISSILE NO. 3314, ROUND NO. 312 ESL  
(3 MARCH 1978)

BY

WARR METEOROLOGICAL TEAM

DDC  
FORM 12  
MAY 30 1978  
RESOLVED

ATMOSPHERIC SCIENCES LABORATORY  
WHITE SANDS MISSILE RANGE, NEW MEXICO

ECOM

UNITED STATES ARMY ELECTRONICS COMMAND

DISCLAIMER

The findings in this report  
constitute an official Department  
Army position, unless so designated  
in authorized documents.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER 14 ECOM-DR-968V	2. GOVT ACCESSION NO. 9 Meteorological data rept.	3. RECEIPT # [ ]	4. PERFORMING ORG. REPORT NUMBER
4. TITLE (and Subtitle) 6 12828D Lance Missile No. 3314, Round No. 312 ESL (3 March 1978).	5. TYPE OF REPORT & PERIOD COVERED		
7. AUTHOR(s) WSMR Meteorological Team	8. CONTRACT OR GRANT NUMBER(s) 16 DA Task 1T665702D127-02 17 42		
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 12 26p.		
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Command Atmospheric Sciences Laboratory White Sands Missile Range, New Mexico	11	12. REPORT DATE Mar 78	13. NUMBER OF PAGES 29
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Electronics Command Ft. Monmouth, New Jersey	15. SECURITY CLASS. (of this report) UNCLASSIFIED		
15a. DECLASSIFICATION/DOWNGRADING SCHEDULE			
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.			
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)			
18. SUPPLEMENTARY NOTES			
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) 1. Ballistics 2. Meteorology 3. Wind			
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Meteorological data gathered for the launching of 12828D Lance, Missile Number 3314, Round Number 312 ESL, are presented in tabular form.			

ABSTRACT

Abstract

400 844 Gu



CONTENTS

	PAGE
INTRODUCTION -----	1
DISCUSSION -----	1
<b>TABLES</b>	
I. Surface Observations taken at LC-33 -----	1
II. Pilot-Balloon-Measured Wind Data, Released at 1520 MST -----	2
III. Pilot-Balloon-Measured Wind Data, Released at 1530 MST -----	4
IV. WSD Significant Level Data (Release Time: 1520 MST) -----	6
V. WSD Upper Air Data (Release Time: 1520 MST) -----	8
VI. WSD Mandatory Levels (Release Time: 1520 MST) -----	15
VII. SMR Significant Level Data (Release Time: 1520 MST) -----	16
VIII. SMR Upper Air Data (Release Time: 1520 MST) -----	18
IX. SMR Mandatory Levels (Release Time: 1520 MST) -----	22

<b>ACCESSION for</b>		
NTTS	White Section	<input checked="" type="checkbox"/>
DOC	Buff Section	<input type="checkbox"/>
UNANNOUNCED		<input type="checkbox"/>
JUSTIFICATION.....		
BY.....		
DISTRIBUTION/AVAILABILITY CODES		
Dist.	AVAIL. and/or SPECIAL	
A		

**INTRODUCTION**

12828D Lance, Missile Number 3314, Round Number 312 ESL, was launched from LC-33, White Sands Missile Range (WSMR), New Mexico, at 1530 HRS MST, 3 March 1978. The scheduled launch time was 1530 HRS MST.

**DISCUSSION**

Meteorological data were recorded and reduced by the WSMR Meteorological Team, Atmospheric Sciences Laboratory (ASL), WSMR, New Mexico. The data are presented in the following tabulations.

ELEVATION	3,987	FEET/MSL
PRESSURE	874.8	MBS
TEMPERATURE	18.0	°C
RELATIVE HUMIDITY	25	%
DEW POINT	-2.3	°C
DENSITY	1,043	GM/M <sup>3</sup>
WIND SPEED	28	MPH
WIND DIRECTION	270	DEGREES
CLOUD COVER	1 1	Cu Ac

**TABLE I. SURFACE OBSERVATIONS TAKEN AT LC-33  
AT 1530 HRS MST/3 MARCH 1978**

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)	HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
SUR	240	20.0	2100	266	28.0
100	257	20.5	2200	267	27.0
200	273	21.0	2300	265	27.0
300	276	23.5	2400	263	26.5
400	279	25.5	2500	262	26.0
500	280	25.0	2600	260	25.5
600	281	24.5	2700	261	24.5
700	277	26.0	2800	261	23.5
800	272	27.5	2900	261	24.5
900	270	28.5	3000	260	25.0
1000	268	29.5	3100	260	26.5
1100	270	29.0	3200	259	27.5
1200	271	28.5	3300	259	28.5
1300	270	28.5	3400	258	29.0
1400	269	28.5	3500	260	30.5
1500	269	29.5	3600	261	32.0
1600	268	30.5	3700	262	32.0
1700	267	30.5	3800	262	32.0
1800	265	30.5	3900	264	32.0
1900	265	30.0	4000	265	32.0
2000	264	29.0	4100	264	31.0

TABLE II. PILOT-BALLOON-MEASURED WIND DATA, RELEASED FROM LC-33  
AT 1520 HRS MST/3 MARCH 1978.  
12828D LANCE, MISSILE NO. 3314, ROUND NO. 312 ESL

PIBAL RELEASE POINT WSTM COORDINATES:

X = 486,296.83    Y = 185,251.85    Z = 3,986.67

APPROXIMATELY: 815 FEET SSE OF LAUNCHER.

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)	HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
4200	262	30.0	6700	280	21.5
4300	262	28.0	6800	285	20.5
4400	262	26.0	6900	286	20.5
4500	261	26.0	7000	287	20.5
4600	259	26.0	7100	285	22.5
4700	262	26.5	7200	283	24.0
4800	265	26.5	7300	284	26.0
4900	266	26.5	7400	285	28.0
5000	266	26.0	7500	284	28.0
5100	267	26.0	7600	283	27.5
5200	268	25.5	7700	284	28.0
5300	268	25.0	7800	284	28.0
5400	267	24.5	7900	285	27.5
5500	267	24.5	8000	286	27.0
5600	267	24.5	8100	290	27.0
5700	269	23.5	8200	294	27.0
5800	271	22.0	8300	296	27.5
5900	272	22.0	8400	298	27.5
6000	273	21.5	8500	300	28.0
6100	274	21.5	8600	301	28.5
6200	275	21.0	8700	303	29.5
6300	275	21.5	8800	304	30.5
6400	274	21.5	8900	304	31.0
6500	275	22.0	9000	304	31.0
6600	275	22.0			

TABLE II. (CONT)

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)	HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
SUR	270	20.0	2100	262	24.0
100	281	21.0	2200	266	25.5
200	292	21.5	2300	265	26.0
300	293	22.5	2400	263	26.0
400	293	23.0	2500	265	24.5
500	288	22.5	2600	267	22.5
600	282	21.5	2700	270	21.5
700	281	21.5	2800	272	20.5
800	280	21.5	2900	272	22.0
900	277	23.5	3000	272	23.0
1000	273	25.0	3100	273	23.5
1100	269	26.0	3200	273	23.5
1200	264	26.5	3300	273	23.5
1300	261	24.0	3400	272	23.5
1400	258	21.5	3500	273	24.0
1500	255	21.5	3600	274	24.5
1600	252	21.0	3700	276	24.5
1700	249	21.0	3800	278	24.5
1800	246	20.5	3900	280	26.0
1900	252	21.5	4000	281	27.0
2000	258	22.5	4100	282	27.0

TABLE III. PILOT-BALLOON-MEASURED WIND DATA, RELEASED FROM LC-33  
 AT 1530 HRS MST/3 MARCH 1978  
 12828D LANCE, MISSILE NO. 3314, ROUND NO. 312 ESL

PIBAL RELEASE POINT WSTM COORDINATES:

X = 486,296.83    Y = 185,251.85    Z = 3,986.67

APPROXIMATELY: 815 FEET SSE OF LAUNCHER.

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
4200	282	27.0
4300	284	27.5
4400	285	27.5
4500	284	27.5
4600	282	27.5
4700	282	27.5
4800	282	27.0
4900	283	25.5
5000	284	24.0
5100	284	24.5
5200	284	24.5
5300	281	24.5
5400	278	24.5
5500	278	24.5
5600	278	24.0
5700	277	24.5
5800	276	25.0
5900	276	24.5
6000	275	23.5
6100	277	23.0
6200	279	22.5
6300	279	22.0
6400	278	21.5
6500	277	21.5
6600	276	21.0

HEIGHT (FEET)	DIRECTION (DEGREES)	SPEED (MPH)
6700	277	21.0
6800	277	21.0
6900	279	21.5
7000	280	21.5
7100	284	23.5
7200	287	25.0
7300	286	27.0
7400	285	28.5
7500	287	30.0
7600	288	31.0
7700	292	30.5
7800	296	30.0
7900	296	29.5
8000	296	29.0
8100	298	28.5
8200	300	28.0
8300	301	29.5
8400	302	31.0
8500	302	31.5
8600	302	31.5
8700	298	32.5
8800	294	33.5
8900	295	34.5
9000	296	35.0

TABLE III. (CONT)

NOTE: WIND DIRECTION DATA ARE REFERENCED TRUE NORTH.

STATION ALTITUDE 3989.00 FEET MSL  
 3 MAR. 78  
 ASCENSION NO. 149

SIGNIFICANT LEVEL DATA  
 V620020149  
 WHITE SANDS  
 TABLE IV.

GEODETIC COORDINATES  
 32.40043 LAT DEG  
 106.37033 LON DEG

PRESSURE GEOMETRIC ALTITUDE	TEMPERATURE AIR	REL. HUM. PERCENT
MILLIBARS MSL FEET	DEGREES CENTIGRADE	
872.1	17.7	28.0
864.4	16.2	27.0
850.0	14.2	28.0
747.4	2.6	48.0
700.0	-1.4	61.0
673.8	-4.5	71.0
637.4	-7.2	43.0
612.2	-9.1	37.0
604.0	-7.6	18.0
587.6	-6.8	20.0
545.6	-11.1	46.0
520.4	-12.7	41.0
500.0	-15.4	48.0
483.2	-18.0	36.0
431.4	-25.2	38.0
409.2	-26.8	18.0
400.0	-25.8	16.0
382.8	-27.8	18.0
343.6	-34.1	
331.4	-35.6	
306.4	-36.2	
300.0	-35.6	
250.0	-41.5	
220.2	-44.8	
200.0	-47.8	
161.8	-54.6	
150.0	-59.4	
128.2	-64.6	
121.6	-65.0	
100.0	-71.4	



STATION ALTITUDE 3989.00 FEET MSL  
 3 MAR. 78 1520 HRS MST  
 ASCENSION NO. 149

UPPER AIR DATA  
 U620020149  
 WHITE SANDS  
 TABLE V.

GEODETIC COORDINATES  
 32.40043 LAT DEG  
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	TEMPERATURE DEWPOINT CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
							DIRECTION DEGREES(TN)	SPEED KNOTS	
3989.0	872.1	17.7	-1.0	28.0	1042.0	665.2	300.0	300.0	1.000258
4000.0	871.8	17.6	-1.1	28.0	1041.8	665.1	299.6	299.6	1.000257
4500.0	856.4	15.1	-3.5	27.6	1032.8	662.1	284.9	284.9	1.000252
5000.0	840.9	13.2	-4.1	29.7	1020.8	659.9	273.5	273.5	1.000248
5500.0	825.5	11.6	-4.3	32.5	1004.0	658.0	265.1	265.1	1.000245
6000.0	810.4	9.9	-4.7	35.4	995.4	656.1	259.0	259.0	1.000242
6500.0	795.6	8.2	-5.1	38.3	983.0	654.1	261.0	261.0	1.000239
7000.0	781.1	6.6	-5.7	41.2	970.8	652.2	263.1	263.1	1.000236
7500.0	766.8	4.9	-6.3	44.0	958.9	650.2	266.1	266.1	1.000232
8000.0	752.8	3.2	-7.0	46.9	947.1	648.3	269.6	269.6	1.000229
8500.0	738.8	1.9	-7.3	50.3	934.0	646.7	275.4	275.4	1.000226
9000.0	724.9	.7	-7.5	54.1	920.3	645.3	281.1	281.1	1.000223
9500.0	711.3	-.4	-7.7	57.8	906.9	643.9	286.6	286.6	1.000219
10000.0	697.9	-1.6	-8.0	61.8	893.8	642.5	290.2	290.2	1.000216
10500.0	684.6	-3.2	-8.5	66.8	881.9	640.6	292.2	292.2	1.000213
11000.0	671.5	-4.7	-9.4	69.3	869.8	638.9	294.0	294.0	1.000210
11500.0	658.6	-5.6	-12.2	59.5	856.3	637.7	295.4	295.4	1.000203
12000.0	645.9	-6.6	-15.3	49.7	843.1	636.4	294.1	294.1	1.000198
12500.0	633.4	-7.5	-18.1	42.1	829.9	635.2	292.3	292.3	1.000193
13000.0	621.1	-8.4	-19.8	39.1	816.7	634.1	288.8	288.8	1.000189
13500.0	609.0	-8.5	-23.1	29.6	801.2	633.9	285.2	285.2	1.000184
14000.0	597.2	-7.3	-27.0	18.8	782.1	635.4	290.3	290.3	1.000178
14500.0	585.6	-7.0	-25.5	21.2	766.1	635.7	301.6	301.6	1.000175
15000.0	574.2	-8.1	-23.3	28.1	754.3	634.4	305.4	305.4	1.000173
15500.0	563.0	-9.3	-21.9	35.0	742.7	633.1	305.6	305.6	1.000171
16000.0	552.0	-10.4	-20.8	41.9	731.3	631.7	304.8	304.8	1.000169
16500.0	541.2	-11.4	-20.9	45.1	719.6	630.6	301.1	301.1	1.000167
17000.0	530.5	-12.1	-22.0	43.0	707.3	629.7	297.7	297.7	1.000163
17500.0	520.0	-12.7	-23.2	41.1	695.2	628.9	294.5	294.5	1.000160
18000.0	509.7	-14.1	-23.5	44.6	685.0	627.2	291.7	291.7	1.000158

STATION ALTITUDE 3989.00 FEET MSL  
 3 MAR. 78 1520 HRS MST  
 ASCENSION NO. 149

UPPER AIR DATA  
 620020149  
 WHITE SANDS  
 TABLE V. (CONT)

GEODETIC COORDINATES  
 32.40043 LAT DEG  
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DIRECTION DEGREES(TN)	SPEED KNOTS	INDEX OF REFRACTION
18500.0	499.5	-15.5	47.7	674.9	625.6	290.2	60.7	1.000155
19000.0	489.5	-17.0	40.5	665.4	623.6	288.9	62.4	1.000152
19500.0	479.6	-18.5	36.1	655.8	621.8	287.8	63.8	1.000149
20000.0	469.8	-19.8	36.5	645.7	620.2	287.0	63.9	1.000147
20500.0	460.1	-21.1	36.9	635.8	618.6	286.3	64.1	1.000144
21000.0	450.7	-22.4	37.2	626.0	617.0	286.2	65.1	1.000142
21500.0	441.5	-23.7	37.6	616.4	615.3	286.6	67.0	1.000139
22000.0	432.4	-25.1	38.0	607.0	613.7	287.5	69.4	1.000137
22500.0	423.4	-25.8	30.9	596.1	612.8	288.6	72.2	1.000134
23000.0	414.6	-26.4	22.9	585.2	612.0	289.3	74.2	1.000131
23500.0	405.9	-26.4	17.3	573.1	611.9	289.8	75.5	1.000128
24000.0	397.4	-26.1	16.3	560.4	612.4	290.0	76.5	1.000126
24500.0	389.1	-27.1	17.3	550.8	611.2	290.8	78.6	1.000123
25000.0	380.9	-28.1	18.0	541.5	609.9	291.7	80.6	1.000121
25500.0	372.8	-29.3	17.8	532.7	608.3	292.6	82.7	1.000119
26000.0	364.9	-30.6	17.6	524.0	606.8	293.5	85.2	1.000117
26500.0	357.1	-31.8	17.4	515.5	605.2	294.3	88.6	1.000115
27000.0	349.5	-33.1	17.2	507.2	603.6	295.0	91.9	1.000113
27500.0	342.0	-34.3	14.9**	498.8	602.1	295.2	93.9	1.000111
28000.0	334.6	-35.2	4.6**	489.9	601.0	295.3	95.9	1.000109
28500.0	327.4	-35.7		480.3	600.3	294.7	95.7	1.000107
29000.0	320.3	-35.9		470.2	600.1	293.8	94.3	1.000105
29500.0	313.3	-36.0		460.3	599.9	291.9	96.5	1.000103
30000.0	306.5	-36.2		450.6	599.7	290.0	102.3	1.000100
30500.0	299.8	-35.6		439.7	600.4	288.7	113.3	1.000098
31000.0	293.2	-36.3		431.4	599.5	288.3	120.5	1.000096
31500.0	286.8	-37.1		423.2	598.6	288.0	126.3	1.000094
32000.0	280.5	-37.8		415.1	597.7	288.0	121.3	1.000092
32500.0	274.3	-38.5		407.2	596.8	287.9	116.2	1.000091
33000.0	268.3	-39.2		399.5	595.9	286.1	110.6	1.000089

\*\* AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

UPPER AIR DATA  
 U620020149  
 #WHITE SANDS  
 TABLE V. (CONT)

STATION ALTITUDE 3989.00 FEET MSL  
 3 MAR. 78  
 1520 HRS MST  
 ASCENSION NO. 149

GEODETIC COORDINATES  
 32.40043 LAT DEG  
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES(TN)	SPEED KNOTS	
33500.0	262.4	-39.9	391.9	594.9	288.2	106.1	1.000087	
34000.0	256.6	-40.7	384.5	594.0	288.5	107.1	1.000086	
34500.0	251.0	-41.4	377.2	593.1	288.5	108.0	1.000084	
35000.0	245.4	-42.0	369.8	592.3	288.4	108.9	1.000082	
35500.0	239.8	-42.6	362.4	591.6	288.2	109.0	1.000081	
36000.0	234.5	-43.2	355.2	590.8	287.9	108.8	1.000079	
36500.0	229.2	-43.8	348.1	590.0	287.6	105.9	1.000078	
37000.0	224.1	-44.3	341.2	589.3	287.4	102.4	1.000076	
37500.0	219.0	-45.0	334.4	588.5	286.9	102.1	1.000074	
38000.0	214.0	-45.7	327.8	587.6	286.3	102.4	1.000073	
38500.0	209.2	-46.4	321.4	586.6	286.0	107.6	1.000072	
39000.0	204.4	-47.1	315.1	585.7	285.8	113.6	1.000070	
39500.0	199.8	-47.8	308.9	584.8	284.9	113.0	1.000069	
40000.0	195.1	-48.6	302.7	583.8	283.7	110.3	1.000067	
40500.0	190.6	-49.3	296.7	582.8			1.000066	
41000.0	186.1	-50.1	290.7	581.8			1.000065	
41500.0	181.8	-50.9	284.9	580.8			1.000063	
42000.0	177.6	-51.6	279.3	579.9			1.000062	
42500.0	173.5	-52.4	273.7	578.9			1.000061	
43000.0	169.4	-53.1	268.3	577.9			1.000060	
43500.0	165.5	-53.9	262.9	576.9			1.000059	
44000.0	161.6	-54.7	257.7	575.8			1.000057	
44500.0	157.8	-55.2	253.3	573.8			1.000056	
45000.0	154.0	-57.7	249.1	571.8			1.000055	
45500.0	150.3	-59.3	244.9	569.8			1.000055	
46000.0	146.7	-60.1	239.9	568.6			1.000053	
46500.0	143.1	-61.0	234.9	567.5			1.000052	
47000.0	139.6	-61.8	230.1	566.4			1.000051	
47500.0	136.2	-62.6	225.3	565.3			1.000050	
48000.0	132.9	-63.4	220.7	564.2			1.000049	

XX WIND DATA INVALID DUE TO MISSING RAW AZIMUTH AND ELEVATION ANGLES.

STATION ALTITUDE 3989.00 FEET MSL  
 3 MAR. 78 1520 HRS MST  
 ASCENSION NO. 149

UPPER AIR DATA  
 0620020149  
 WHITE SANDS  
 TABLE V. (CONT)

GEODETIC COORDINATES  
 32.40043 LAT DEG  
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREE CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES(TN)	SPEED KNOTS	
48500.0	129.6	-64.2		216.1	563.1			1.000048
49000.0	126.4	-64.7		211.3	562.5			1.000047
49500.0	123.3	-64.9		206.2	562.2			1.000046
50000.0	120.2	-65.4		201.5	561.6			1.000045
50500.0	117.2	-66.2		197.3	560.4			1.000044
51000.0	114.2	-67.0		193.1	559.3			1.000043
51500.0	111.4	-67.9		189.0	558.2			1.000042
52000.0	108.6	-68.7		185.0	557.0			1.000041
52500.0	105.8	-69.5		181.1	555.9			1.000040
53000.0	103.2	-70.4		177.2	554.7			1.000039
53500.0	100.6	-71.2		173.5	553.6			1.000039
54000.0	98.0	-71.7		169.4	553.0			1.000038
54500.0	95.5	-72.0		165.3	552.5			1.000037
55000.0	93.0	-72.3		161.3	552.1			1.000036
55500.0	90.6	-72.7		157.5	551.6			1.000035
56000.0	88.3	-73.0		153.7	551.2			1.000034
56500.0	86.0	-73.3		150.0	550.7			1.000033
57000.0	83.8	-71.2		144.6	553.6			1.000032
57500.0	81.7	-68.5		139.1	557.3			1.000031
58000.0	79.6	-65.8		133.8	561.0			1.000030
58500.0	77.6	-65.8		130.5	560.9			1.000029
59000.0	75.7	-66.7		127.7	559.8			1.000028
59500.0	73.8	-67.5		125.0	558.7			1.000028
60000.0	71.9	-68.3		122.4	557.6			1.000027
60500.0	70.1	-69.1		119.8	556.5			1.000027
61000.0	68.4	-69.2		116.8	556.3			1.000026
61500.0	66.6	-69.3		113.9	556.3			1.000025
62000.0	64.9	-69.3		111.0	556.2			1.000025
62500.0	63.3	-69.3		108.2	556.2			1.000024
63000.0	61.7	-69.4		105.5	556.1			1.000023

XX WIND DATA INVALID DUE TO MISSING RAM AZIMUTH AND ELEVATION ANGLES.

STATION ALTITUDE 3989.00 FEET MSL  
 3 MAR. 78  
 ASCENSION NO. 149

UPPER AIR DATA  
 0620020149  
 WHITE SANDS  
 TABLE V. (CONT)

GEODETTIC COORDINATES  
 32.40043 LAT DEG  
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES(TN)	SPEED KNOTS	
6350.0	60.1	-69.4		102.8	556.1	249.4	14.2	1.000023
6400.0	58.6	-69.5		100.2	556.0	249.8	14.1	1.000022
6450.0	57.1	-69.5		97.7	556.0	254.2	14.0	1.000022
6500.0	55.7	-69.5		95.2	555.9	258.6	14.0	1.000021
6550.0	54.3	-69.6		92.8	555.8	265.9	13.9	1.000021
6600.0	52.9	-69.6		90.5	555.8	275.0	14.1	1.000020
6650.0	51.5	-69.7		88.2	555.7	283.3	13.7	1.000020
6700.0	50.2	-69.7		86.0	555.7	293.5	10.3	1.000019
6750.0	49.0	-69.2		83.7	556.4	312.2	7.6	1.000019
6800.0	47.8	-68.5		81.3	557.3	343.2	4.3	1.000018
6850.0	46.6	-67.8		79.1	558.2	49.8	4.3	1.000018
6900.0	45.5	-67.1		76.9	559.2	75.0	6.1	1.000017
6950.0	44.3	-66.5		74.7	560.1	83.1	6.1	1.000017
7000.0	43.3	-65.8		72.7	561.0	91.2	6.2	1.000016
7050.0	42.2	-65.1		70.7	561.9	84.7	3.4	1.000016
7100.0	41.2	-64.5		68.7	562.8	30.4	0.9	1.000015
7150.0	40.1	-63.8		66.8	563.7	298.1	2.9	1.000015
7200.0	39.2	-63.1		64.9	564.6	290.2	6.2	1.000014
7250.0	38.2	-62.5		63.1	565.5	288.0	9.4	1.000014
7300.0	37.3	-61.8		61.4	566.4	291.1	12.6	1.000014
7350.0	36.3	-61.1		59.7	567.3	293.0	15.8	1.000013
7400.0	35.4	-60.5		58.1	568.1	294.5	19.0	1.000013
7450.0	34.6	-59.8		56.4	569.0	296.3	22.2	1.000013
7500.0	33.7	-59.1		54.9	569.9	297.6	25.3	1.000012
7550.0	32.9	-58.5		53.4	570.8	298.3	25.7	1.000012
7600.0	32.1	-57.8		51.9	571.7	298.8	24.5	1.000012
7650.0	31.3	-57.1		50.5	572.6	299.3	23.4	1.000011
7700.0	30.5	-56.5		49.1	573.5	302.2	17.6	1.000011
7750.0	29.8	-55.9		47.8	574.2	308.3	11.7	1.000011
7800.0	29.1	-55.5		46.6	574.7	325.3	6.2	1.000010

102531073 TOP DEE  
 3540043 74 USE  
 GEODETTIC COORDINATES

TABLE V. (CONT)  
 WHITE SANDS  
 0620020149  
 UPPER AIR DATA

STATION ALTITUDE 3989.00 FEET MSL  
 3 MAR. 78  
 ASCENSION NO. 149

GEODETIC COORDINATES  
 32.40043 LAT DEG  
 106.37033 LON DEG

UPPER AIR DATA  
 0620020149  
 WHITE SANDS  
 TABLE V. (CONT)

STATION ALTITUDE 3989.00 FEET MSL  
 3 MAR. 78  
 1520 HRS MST  
 ASCENSION NO. 149

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
		AIR DEGREES	DEWPOINT CENTIGRADE				DIRECTION DEGREES(TN)	SPEED KNOTS	
78500.0	28.4	-55.2		45.4	575.1	31.9		3.5	1.000010
79000.0	27.7	-54.9		44.2	575.6	83.9		7.2	1.000010
79500.0	27.1	-54.5		43.1	576.1	94.6		10.7	1.000010
80000.0	26.4	-54.2		42.1	576.5	98.1		11.1	1.000009
80500.0	25.8	-53.8		41.0	577.0	101.3		11.6	1.000009
81000.0	25.2	-53.5		40.0	577.4	103.8		9.8	1.000009
81500.0	24.6	-53.1		39.0	577.9	107.5		6.1	1.000009
82000.0	24.0	-52.8		38.0	578.3	121.7		2.6	1.000008
82500.0	23.5	-52.4		37.0	578.8	228.6		1.8	1.000008
83000.0	22.9	-52.1		36.1	579.2	256.7		5.0	1.000008
83500.0	22.4	-51.7		35.2	579.7	262.5		8.5	1.000008
84000.0	21.9	-51.4		34.3	580.1	263.0		10.7	1.000008
84500.0	21.3	-51.0		33.5	580.6	263.1		12.5	1.000007
85000.0	20.8	-50.7		32.6	581.1	263.1		14.3	1.000007
85500.0	20.3	-50.3		31.8	581.5	260.2		13.5	1.000007
86000.0	19.9	-50.0		31.0	581.9	256.7		12.5	1.000007
86500.0	19.4	-49.7		30.3	582.3	252.5		11.6	1.000007
87000.0	19.0	-49.5		29.5	582.7	244.1		9.7	1.000007
87500.0	18.5	-49.2		28.8	583.0	232.2		8.2	1.000006
88000.0	18.1	-48.9		28.1	583.4	218.9		7.3	1.000006
88500.0	17.7	-48.6		27.4	583.7	227.4		7.9	1.000006
89000.0	17.3	-48.3		26.8	584.1	234.5		8.6	1.000006
89500.0	16.9	-48.1		26.1	584.5	243.9		10.1	1.000006
90000.0	16.5	-47.8		25.5	584.8	259.5		15.2	1.000006
90500.0	16.1	-47.5		24.9	585.2	267.0		20.8	1.000006
91000.0	15.7	-47.2		24.3	585.6	270.8		25.9	1.000005
91500.0	15.4	-47.0		23.7	585.9	272.3		28.8	1.000005
92000.0	15.0	-46.7		23.1	586.3	273.6		31.8	1.000005
92500.0	14.7	-46.4		22.5	586.6	274.2		33.5	1.000005
93000.0	14.3	-46.1		22.0	587.0	273.6		32.3	1.000005

10775003 FOR USE  
 2514003 FOR USE  
 GEODETIC COORDINATES  
 UPPER AIR DATA  
 WHITE SANDS  
 TABLE V. (CONT)

UPPER AIR DATA  
 0620020149  
 WHITE SANDS  
 TABLE V. (CONT)

STATION ALTITUDE 3989.00 FEET MSL  
 3 MAR. 78  
 1520 HRS MST  
 ASCENSION NO. 149

GEODETIC COORDINATES  
 32.40043 LAT DEG  
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION DEGREES(TN)	SPEED KNOTS	INDEX OF REFRACTION
9350.0	14.0	-45.7		21.5	587.5	273.1	31.1	1.000005
9400.0	13.7	-45.2		20.9	588.2	272.9	30.9	1.000005
9450.0	13.4	-44.7		20.4	588.9	273.6	32.8	1.000005
9500.0	13.1	-44.2		19.9	589.5	274.2	34.6	1.000004
9550.0	12.8	-43.7		19.4	590.2			1.000004
9600.0	12.5	-43.2		18.9	590.8			1.000004
9650.0	12.2	-42.6		18.5	591.5			1.000004
9700.0	11.9	-42.1		18.0	592.1			1.000004
9750.0	11.7	-41.6		17.6	592.8			1.000004
9800.0	11.4	-41.1		17.1	593.4			1.000004

STATION ALTITUDE 3989.00 FEET MSL  
 3 MAR. 78  
 ASCENSION NO. 149

MANDATORY LEVELS  
 U620020149  
 WHITE SANDS  
 TABLE VI.

GEODETIC COORDINATES  
 32.40043 LAT DEG  
 106.37033 LON DEG

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUM.	WIND DATA	
MILLIBARS	FEET	AIR DEGREES	DEWPOINT CENTIGRADE	PERCENT	DIRECTION DEGREES(TN)	SPEED KNOTS
850.0	4706.	14.2	-4.0	28.	279.8	14.2
800.0	6368.	8.7	-5.0	37.	260.5	21.5
750.0	8101.	2.9	-7.1	47.	270.7	23.5
700.0	9920.	-1.4	-7.9	61.	289.8	19.6
650.0	11639.	-6.2	-14.3	53.	294.5	27.9
600.0	13682.	-7.4	-27.3	18.	288.9	39.1
550.0	14097.	-10.6	-20.7	43.	304.0	49.5
500.0	14984.	-15.4	-23.9	48.	290.2	60.7
450.0	21058.	-22.5	-33.1	37.	286.3	65.4
400.0	24864.	-25.8	-44.1	16.	289.9	76.3
350.0	26994.	-33.0	-49.5	17.	295.0	92.1
300.0	30517.	-35.6			288.5	114.7
250.0	34627.	-41.5			288.5	108.4
200.0	39530.	-47.8			284.6	112.4
175.0	42394.	-52.1			9999.0	9999.0XX
150.0	45624.	-59.4			9999.0	9999.0XX
125.0	49317.	-64.8			9999.0	9999.0XX
100.0	53720.	-71.4			270.5	58.8
80.0	58042.	-66.3			269.6	18.8
70.0	60686.	-69.2			223.3	4.4
60.0	63706.	-69.4			249.6	14.1
50.0	67273.	-69.7			311.7	7.6
40.0	71700.	-63.7			290.7	5.8
30.0	77596.	-56.0			319.6	7.4
25.0	81424.	-53.3			111.6	4.4
20.0	84173.	-50.1			252.1	11.5
15.0	92387.	-48.7			273.9	32.8

XX WIND DATA INVALID DUE TO MISSING RAW AZIMUTH AND ELEVATION ANGLES.

ASCENSION NO. 149  
 3 MAR. 78  
 STATION ALTITUDE 3989.00 FEET MSL  
 GEODETIC COORDINATES  
 32.40043 LAT DEG  
 106.37033 LON DEG

STATION ALTITUDE 3997.30 FEET MSL  
 3 MAR. 78  
 ASCENSION NO. 19

SIGNIFICANT LEVEL DATA  
 V620060019  
 S M R  
 TABLE VII.

GEODETIC COORDINATES  
 32.48034 LAT DEG  
 106.42307 LON DEG

PRESSURE MILLIBARS	GEOMETRIC ALTITUDE MSL FEET	AIR TEMPERATURE DEGREES CENTIGRADE	DEWPOINT TEMPERATURE CENTIGRADE	REL. HUM. PERCENT
872.3	3997.3	17.6	.7	32.0
850.0	4722.5	14.3	-3.5	29.0
770.8	7394.3	6.8	-5.2	42.0
700.0	9953.1	-1.2	-9.3	54.0
666.3	11235.7	-4.7	-9.5	69.0
653.9	11718.9	-7.0	-7.7	95.0
637.8	12355.7	-8.3	-9.1	94.0
629.3	12697.3	-8.5	-14.4	62.0
612.3	13393.2	-9.1	-20.5	39.0
587.8	14424.7	-11.4	-23.4	36.0
563.8	15473.3	-11.2	-23.9	34.0
531.3	16960.9	-13.4	-23.5	42.0
523.8	17315.2	-14.1	-23.2	46.0
514.3	17771.2	-13.4	-22.5	46.0
500.0	18472.5	-15.0	-27.6	33.0
456.8	20685.5	-21.1	-32.2	36.0
441.8	21489.9	-23.2	-32.5	42.0
435.3	21844.7	-24.2	-34.7	37.0
400.0	23848.3	-28.3	-40.1	31.0
394.3	24186.4	-26.9	-41.3	24.0
388.3	24548.3	-27.4	-41.3	25.0
344.3	27349.2	-33.3	-46.5	25.0
321.8	28897.5	-35.2	-47.8	26.0
300.0	30495.8	-35.8	-48.7	25.0
261.8	33573.7	-39.0		
250.0	34603.9	-41.1		
242.3	35297.4	-42.5		
232.3	36228.1	-42.9		
200.0	39496.6	-47.6		
176.8	42136.3	-51.6		

STATION ALTITUDE 3997.30 FEET MSL  
 3 MAR. 78 1520 HRS MST  
 ASCENSION NO. 19

SIGNIFICANT LEVEL DATA  
 U620060019  
 S M R  
 TABLE VII. (CONT)

GEODETIC COORDINATES  
 32.48034 LAT DEG  
 106.42307 LON DEG

PRESSURE GEOMETRIC ALTITUDE	TEMPERATURE AIR	REL. HUM. PERCENT
MILLIBARS MSL FEET	DEGREES CENTIGRADE	
150.0	-58.7	
140.8	-61.8	
126.8	-65.5	
119.8	-64.7	
110.8	-67.2	

U620060019  
 S M R  
 TABLE VII. (CONT)  
 GEODETIC COORDINATES  
 32.48034 LAT DEG  
 106.42307 LON DEG

STATION ALTITUDE 3997.30 FEET MSL  
 3 MAR. 78 1520 HRS MST  
 ASCENSION NO. 19

UPPER AIR DATA  
 J620060019  
 S M R  
 TABLE VIII.

GEODETIC COORDINATES  
 32.48034 LAT DEG  
 106.42307 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
		AIR DEGREES	DEWPOINT CENTIGRADE				DIRECTION DEGREES(TN)	SPEED KNOTS	
3997.3	872.3	17.6	.7	32.0	1042.2	665.2	260.0	24.1	1.000261
4000.0	872.2	17.6	.7	32.0	1042.2	665.2	260.0	24.1	1.000261
4500.0	856.8	15.3	-2.2	29.9	1032.3	662.4	261.3	23.9	1.000254
5000.0	841.4	13.5	-3.5	30.4	1020.3	660.3	262.5	23.8	1.000249
5500.0	826.1	12.1	-3.7	32.8	1006.7	658.7	263.8	23.7	1.000246
6000.0	811.2	10.7	-4.0	35.2	993.4	657.1	265.1	23.6	1.000243
6500.0	796.5	9.3	-4.4	37.6	980.2	655.4	266.4	23.5	1.000239
7000.0	782.0	7.9	-4.8	40.1	967.3	653.8	267.8	23.4	1.000236
7500.0	767.7	6.5	-5.3	42.5	954.6	652.1	271.4	23.3	1.000233
8000.0	753.4	4.9	-6.1	44.8	942.1	650.3	276.1	23.5	1.000229
8500.0	739.4	3.3	-6.8	47.2	929.8	648.4	280.7	23.8	1.000225
9000.0	725.6	1.8	-7.6	49.5	917.7	646.5	285.2	24.2	1.000222
9500.0	712.0	.2	-8.5	51.9	905.8	644.7	289.5	24.4	1.000218
10000.0	698.7	-1.3	-9.3	54.5	894.0	642.8	293.7	24.7	1.000215
10500.0	685.4	-2.7	-9.3	60.4	881.4	641.2	297.4	25.3	1.000212
11000.0	672.4	-4.1	-9.4	66.2	869.0	639.6	299.7	26.3	1.000209
11500.0	659.5	-6.0	-8.3	83.2	858.2	637.4	301.8	27.3	1.000208
12000.0	646.7	-7.6	-8.3	94.6	846.7	635.5	302.0	28.6	1.000206
12500.0	634.2	-8.4	-11.1	80.5	833.1	634.4	300.2	30.3	1.000200
13000.0	621.6	-8.8	-16.8	52.0	818.5	633.8	298.5	32.0	1.000191
13500.0	609.7	-9.3	-20.8	38.7	804.6	633.0	294.6	34.3	1.000186
14000.0	597.8	-10.5	-22.2	37.2	792.2	631.6	290.1	37.1	1.000182
14500.0	586.0	-11.4	-23.5	35.9	779.5	630.5	286.4	40.1	1.000179
15000.0	574.5	-11.3	-23.7	34.9	763.8	630.6	286.4	41.7	1.000175
15500.0	563.2	-11.2	-23.9	34.1	748.7	630.7	286.4	43.2	1.000172
16000.0	552.1	-12.0	-23.7	36.8	735.9	629.8	291.8	45.5	1.000169
16500.0	541.2	-12.7	-23.6	39.5	723.4	628.9	296.2	51.8	1.000166
17000.0	530.5	-13.5	-23.5	42.4	711.2	628.0	297.1	60.6	1.000164
17500.0	519.9	-13.8	-22.9	46.0	697.9	627.6	295.2	68.0	1.000161
18000.0	509.6	-13.9	-24.1	41.8	684.4	627.4	291.8	68.8	1.000157

UPPER AIR DATA  
 620060019  
 S M R  
 TABLE VIII. (CONT)

STATION ALTITUDE 3997.30 FEET MSL  
 3 MAR. 78  
 ASCENSION NO. 19

GEODETIC COORDINATES  
 32.48034 LAT DEG  
 106.42307 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
		AIR DEGREES CENTIGRADE	DEWPOINT CENTIGRADE				DIRECTION DEGREES(TN)	SPEED KNOTS	
18500.0	499.4	-15.1	-27.7	33.0	673.9	626.0	290.4	57.9	1.000154
19000.0	489.3	-16.5	-28.7	33.7	663.8	624.3	290.1	52.9	1.000151
19500.0	479.5	-17.8	-29.7	34.4	653.9	622.6	290.3	59.2	1.000149
20000.0	469.8	-19.2	-30.7	35.1	644.2	620.9	290.5	65.1	1.000146
20500.0	460.3	-20.6	-31.8	35.7	634.6	619.2	290.8	67.2	1.000144
21000.0	450.9	-21.9	-32.3	36.3	625.0	617.6	291.1	69.4	1.000142
21500.0	441.6	-23.2	-32.5	41.9	615.4	616.0	291.5	71.1	1.000139
22000.0	432.5	-24.5	-35.1	36.5	605.8	614.4	291.9	72.6	1.000137
22500.0	423.4	-25.5	-36.4	35.0	595.6	613.1	291.6	74.0	1.000134
23000.0	414.6	-26.6	-37.8	33.5	585.6	611.8	291.2	75.4	1.000132
23500.0	405.9	-27.6	-39.1	32.0	575.8	610.5	289.7	77.7	1.000130
24000.0	397.4	-27.7	-40.5	27.9	563.9	610.4	289.9	81.3	1.000127
24500.0	389.1	-27.3	-41.3	24.9	551.3	610.8	289.0	84.4	1.000124
25000.0	380.8	-28.4	-42.1	25.0	541.9	609.6	290.4	85.9	1.000122
25500.0	372.8	-29.4	-43.1	25.0	532.7	608.3	292.1	88.2	1.000119
26000.0	364.8	-30.5	-44.0	25.0	523.6	606.9	293.7	90.5	1.000117
26500.0	357.1	-31.5	-44.9	25.0	514.7	605.6	295.0	92.2	1.000115
27000.0	349.5	-32.6	-45.8	25.0	506.0	604.3	296.3	93.3	1.000113
27500.0	342.0	-33.5	-46.6	25.1	497.1	603.1	297.3	93.9	1.000111
28000.0	334.7	-34.1	-47.0	25.4	487.6	602.4	297.4	97.1	1.000109
28500.0	327.4	-34.7	-47.4	25.7	478.3	601.6	296.8	100.8	1.000107
29000.0	320.4	-35.2	-47.8	25.9	469.0	600.9	295.9	104.3	1.000105
29500.0	313.4	-35.4	-48.1	25.6	459.2	600.7	294.7	105.7	1.000103
30000.0	306.6	-35.6	-48.4	25.3	449.6	600.5	293.1	105.3	1.000101
30500.0	299.9	-35.8	-48.7	25.0**	440.2	600.2	291.3	105.4	1.000099
31000.0	293.4	-36.3	-50.7	20.9**	431.5	599.5	289.6	107.5	1.000096
31500.0	287.0	-36.8	-52.9	16.8**	423.0	598.9	288.9	111.9	1.000095
32000.0	280.7	-37.4	-55.6	12.8**	414.7	598.2	288.5	116.5	1.000093
32500.0	274.5	-37.9	-59.0	8.7**	406.5	597.6	288.4	121.4	1.000091
33000.0	268.5	-38.4	-64.2	4.7**	398.5	596.9			1.000089

\*\* AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

STATION ALTITUDE 3997.30 FEET MSL  
 3 MAR. 78 1520 HRS MST  
 ASCENSION NO. 19

UPPER AIR DATA  
 V620060019  
 S M R  
 TABLE VIII. (CONT)

GEODETIC COORDINATES  
 32.48034 LAT DEG  
 106.42307 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES DEWPOINT CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES(TN)	SPEED KNOTS	
33500.0	262.7	-38.9	60.0	390.6	596.2			1.000087
34000.0	256.9	-39.9		383.6	595.0			1.000085
34500.0	251.2	-40.9		376.7	593.7			1.000084
35000.0	245.6	-41.9		369.9	592.4			1.000082
35500.0	240.1	-42.6		362.8	591.5			1.000081
36000.0	234.7	-42.8		355.0	591.3			1.000079
36500.0	229.4	-43.3		347.7	590.6			1.000077
37000.0	224.2	-44.0		340.9	589.7			1.000076
37500.0	219.2	-44.7		334.2	588.8			1.000074
38000.0	214.2	-45.4		327.7	587.9			1.000073
38500.0	209.3	-46.2		321.3	586.9			1.000072
39000.0	204.6	-46.9		315.0	586.0			1.000070
39500.0	200.0	-47.6		308.9	585.1			1.000069
40000.0	195.4	-48.4		302.7	584.1			1.000067
40500.0	190.8	-49.1		296.8	583.1			1.000066
41000.0	186.4	-49.9		290.9	582.1			1.000065
41500.0	182.1	-50.6		285.1	581.1			1.000064
42000.0	177.9	-51.4		279.5	580.1			1.000062
42500.0	173.7	-52.4		274.1	578.9			1.000061
43000.0	169.6	-53.4		268.9	577.5			1.000060
43500.0	165.6	-54.4		263.8	576.2			1.000059
44000.0	161.7	-55.5		258.8	574.8			1.000058
44500.0	157.9	-56.5		253.8	573.4			1.000057
45000.0	154.1	-57.5		249.0	572.1			1.000055
45500.0	150.5	-58.6		244.3	570.7			1.000054
46000.0	146.8	-59.7		239.7	569.1			1.000053
46500.0	143.3	-60.9		235.2	567.5			1.000052
47000.0	139.8	-62.1		230.7	566.0			1.000051
47500.0	136.4	-62.9		226.0	564.8			1.000050
48000.0	133.0	-63.8		221.3	563.7			1.000049

\*\* AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

STATION ALTITUDE 3997.30 FEET MSL  
 3 MAR. 78 1520 HRS MST  
 ASCENSION NO. 19

UPPER AIR DATA  
 620060019  
 S M R  
 TABLE VIII. (CONT)

GEODETIC COORDINATES  
 32.48034 LAT DEG  
 106.42307 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION DEGREES(TN)	SPEED KNOTS	INDEX OF REFRACTION
48500.0	129.7	-64.7		216.8	562.5			1.000048
49000.0	126.5	-65.5		212.2	561.4			1.000047
49500.0	123.4	-65.1		206.6	561.9			1.000046
50000.0	120.3	-64.8		201.2	562.4			1.000045
50500.0	117.3	-65.4		196.7	561.6			1.000044
51000.0	114.4	-66.2		192.6	560.5			1.000043
51500.0	111.6	-67.0		188.5	559.4			1.000042

STATION ALTITUDE 3997.30 FEET MSL  
 3 MAR. 78 1520 HRS MST  
 ASCENSION NO. 19

MANDATORY LEVELS  
 U620060019  
 S M R  
 TABLE IX.

GEODETIC COORDINATES  
 32.48034 LAT DEG  
 106.42307 LON DEG

PRESSURE MILLIBARS	GEOPOTENTIAL FFET	TEMPERATURE		REL. HUM. PERCENT	WIND DATA	
		AIR DEGREES CENTIGRADE	DEWPOINT CENTIGRADE		DIRECTION DEGREES(TN)	SPEED KNOTS
850.0	4721.	14.3	-3.5	29.	261.8	23.9
800.0	4386.	9.7	-4.3	37.	266.1	23.5
750.0	4128.	4.5	-6.2	45.	277.3	23.6
700.0	3953.	-1.2	-9.3	54.	293.3	24.7
650.0	3873.	-7.3	-8.0	95.	302.5	28.2
600.0	3709.	-10.2	-21.9	38.	290.8	36.7
550.0	3610.	-12.1	-23.7	37.	293.2	46.1
500.0	3480.	-15.0	-27.6	33.	290.4	58.0
450.0	3359.	-22.0	-32.3	39.	291.2	69.7
400.0	3264.	-28.3	-40.1	31.	289.0	80.4
350.0	3193.	-32.5	-45.8	25.	296.3	93.3
300.0	3052.	-35.8	-48.7	25.	291.1	105.7
250.0	3464.	-41.1				
200.0	3952.	-47.6				
175.0	4219.	-52.0				
150.0	4564.	-58.7				
125.0	4933.	-65.3				