

AD-A055 434

TEXAS TECH UNIV LUBBOCK DEPT OF ELECTRICAL ENGINEERING F/G 12/1  
RESOLUTION SPACE, NETWORKS AND NON-SELF-ADJOINT SPECTRAL THEORY--ETC(U)  
MAR 78 R SAEKS AFOSR-74-2631


UNCLASSIFIED

AFOSR-TR-78-0A99 NI

1 OF 1  
AD  
A055 434



END  
DATE  
FILMED  
8 -78  
DDC



MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS-1963-A

AFOSR-TR- 78 - 0899

FOR FURTHER TRAN

A011486

2

SR

AD A 055434

9 INTERIM SCIENTIFIC REPORT. 1 Apr 77-31 Mar 78,

ON

6 RESOLUTION SPACE, NETWORKS AND NON-SELF-ADJOINT SPECTRAL THEORY.

by

10 R. Saeks

11 31 Mar 78

12 13p.

AFOSR Grant 74-2631

15 ✓ AFOSR-74-2631

16 23p4

17 A6

18 AFOSR/

19 TR-78-0899

DDC RECEIVED JUN 19 1978

Handwritten initials

Approved for public release; distribution unlimited.

406820

JOB

AD No. DDC FILE COPY

## Abstract

Research conducted under the auspices of AFOSR Grant 74-2631 on "Resolution Space, Networks, and Non-Self-Adjoint Spectral Theory" during the period April 1, 1977 through March 31, 1978 is surveyed. Specific attention is given to the solution of a Wiener-Hopf-like "Basic Stochastic Optimization Problem", the solution of the feedback system stability problem for nonlinear and time-varying systems, and the formulation of a theory of systems defined in a Banach resolution space.

## I. Introduction

The theory of operators defined on a resolution space was initiated a decade ago as a mathematical setting in which to formulate a unified theory of linear networks and systems.<sup>11,13</sup> With the aid of recent progress in stability theory<sup>14</sup> and Wiener-Hopf optimization<sup>4,21,22,23</sup>, that goal is now in sight. Indeed, it has been surpassed in several areas wherein surprising inroads have been made into the nonlinear theory.<sup>5,14,15</sup>

Our research during the past year may naturally be subdivided into three areas dealing with Wiener-Hopf optimization theory, stability theory, and the development of the foundations for a theory of operators on a Banach resolution space. The Wiener-Hopf work began with the formulation of a Wiener filter for operators on resolution space<sup>21,22,23</sup> which has since been extended into a "basic stochastic optimization problem" which subsumes most (all?) of the quadratic optimization problems studied in linear system theory.<sup>4</sup> These include the Wiener and Kalman filters, the servomechanism and optimal regulator problems, the principle of optimality, and the separation principle. The resultant theory

Approved for release  
Distribution unlimited

is applicable to time-variant, distributed, and finite time linear systems as well as the classical linear lumped time-invariant systems. It is limited only by the requirement that certain covariance operators have a finite trace and questions surrounding the existence of the "causal part" of an operator.<sup>22</sup>

Our work in the stability area has been centered on the formulation of necessary conditions for the stability of a general nonlinear feedback system.<sup>14</sup> This has been achieved, in part, through the formulation of homology theory for the set of causal invertible operators on a resolution space. Here, our previously developed theorem to the effect that the causal invertibility property is a homotopic invariant<sup>16</sup> is employed to map the set of all causal invertible operators on a resolution space onto an appropriate abelian semigroup in such a manner that the operators which admit a causal inverse (and hence define a stable feedback system) are mapped onto the units of the semigroup. By explicitly constructing his homology for various classes of operator we have successfully replicated most of the classical necessary and sufficient conditions for feedback system stability.<sup>14</sup> Moreover, the technique employed appears to be applicable to large classes of time-variant and nonlinear systems; a possibility which is presently being explored.

Our third major area of activity during the past year has been directed toward the extension of the resolution space concept from Hilbert to Banach space. The most spectacular result in this endeavor has been the formulation of a miniphase operator factorization theory for operators defined on a Banach space in which the factor space is a Hilbert space.<sup>23,24</sup> This, in turn, implies that the reproducing kernel resolution space for a (reflexive) Banach space valued random variable is a Hilbert space and that the

scattering variables for a network defined in Banach space take their values in a Hilbert space.<sup>23,24</sup> In other areas a class of Orlicz resolution spaces have been defined which have a "quasi-pythagorean" property that allows much of the Hilbert resolution space theory to be extended to an Orlicz resolution space.

## II. Wiener-Hopf Theory

Our "basic stochastic optimization problem" is characterized by the block diagram of figure 1.<sup>4</sup> Here,  $\alpha$  and  $\beta$  are given stochastic processes,




Figure 1. Block diagram for the "basic stochastic optimization problem".

the  $L_i$  are (not necessarily causal) operators on a resolution space, and we are required to find a causal operator,  $D_0$ , which minimizes

$$1. \quad J(D) = E\{ ||R||^2 + ||e||^2 \}$$

over the set of all causal operators. A solution to this problem is given by

$$2. \quad D_0 = M^{-L} [M^{*-R} L_3^* (L_2 Q_\alpha L_1^* + L_2 Q_{\alpha\beta}) N^{*-L}]_C N^{-R}$$

where M and N are left and right miniphase factorizations of

$$3. \quad L_3^* L_3^* + L_4^* L_4^* = M^* M$$

and

$$4. \quad L_1 Q_\alpha L_1^* + Q_\beta + L_1 Q_{\alpha\beta} + Q_{\beta\alpha} L_1^* = N N^*$$

respectively, and  $[ ]_C$  denotes the "causal part" operator. This solution is well defined whenever the "causal part" exists and  $\alpha$ ,  $\beta$ , and the  $L_i$  are restricted in such a way as to guarantee the finiteness of  $J(D_0)$ .<sup>4</sup>

Interestingly, this single "basic stochastic optimization problem" includes most of the quadratic optimization problems classically studied in system theory. For instance, the restricted Wiener filter derived by Tung<sup>21,22,23</sup> corresponds to the special case where  $\alpha$  and  $\beta$  are independent,  $L_1 = L_2 = L_3 = 1$ , and  $L_4 = 0$ . A less restricted form of the Wiener filter is obtained by letting  $L_3 = 1$  and  $L_4 = 0$  with  $\alpha, \beta, L_1$  and  $L_2$  arbitrary. In particular, if  $L_1 = 1$  and  $L_2 = P$  (and ideal predictor) this reduces to the classical Wiener predictor.<sup>4</sup> Similarly, by letting the  $L_i$  represent the constituent operators which make up a state model a Kalman filter may be obtained. In this case, the recent theorem of Stienberger<sup>20</sup> is used to transform equation 2. into the feedback structure classically associated with the Kalman filter.

To convert the "basic stochastic optimization problem" into a classical open loop control problem, one takes  $L_4$  to be non-zero with our choice of  $\alpha$ ,  $\beta$ , and the  $L_i$  defining the various classical input-output and state space control problems. The resultant open loop controllers may then be used to determine equivalent

feedback controllers via the classical transformation of variables. Of course, one must further verify the stability of the resultant feedback controllers. For the case of a state space feedback controller or an input-output controller with causal open loop gain, this presents no difficulty. For the general case, however, the stability of the resultant feedback control system remains an open question.<sup>4</sup>

The applicability of the solution to the "basic stochastic optimization problem" given by equation 2. is limited only by the existence of the "causal part" and the requirement that  $J(D_0)$  be finite. The former problem was studied several years ago and, unfortunately, proved to be highly ill-posed.<sup>5,6,13,17</sup> The basic difficulty lies with the fact that the "causal part" operator, viewed as a Banach space mapping from the bounded operators to the causal operators, is not closed.<sup>18</sup> Indeed, both the sets of operators which admit a well defined causal part and those which do not admit a causal part, can be shown to be dense in the bounded operators.<sup>6,8</sup> Of course, many sufficient conditions for the existence of a "causal part" are known.<sup>6,7,8</sup> On the other hand, we believe that the finiteness questions surrounding  $J(D_0)$  can be resolved. Indeed, a careful inspection of the derivation of equation 2.<sup>4</sup> will reveal that the given solution is "formally valid" without the finiteness restriction.

### III. Stability Theory

Our main activity during the past year in the stability area has been the development of a homology theory for the class of causal invertible operators.<sup>14</sup> Basically, this homology is the

abelian<sup>1</sup> semigroup formed by the connected components in the set of causal invertible operators. By invoking our previously derived theorem to the effect that the property of a causal operator having a causal inverse is a homotopic invariant<sup>16</sup> it then follows that a causal operator has a causal inverse if and only if the connected component in which it lies is a unit in the semigroup. Indeed, this result is a virtual tautology. Interestingly, however, we have discovered that for many classes of operator this homology may be computed explicitly yielding an immediate necessary and sufficient condition for a causal operator to admit a causal inverse. By working with the return difference operator for a feedback system, this, in turn, has permitted us to replicate all of the classical necessary and sufficient conditions for feedback system stability. This includes the classical and multivariable Nyquist criteria, the multidimensional Nyquist criterion, and finite dimensional condition, and the stability condition for systems defined on  $l_2^+$ .<sup>14</sup>

Although homology is usually considered to be an extremely abstract concept, it is ideally suited for our application wherein it transforms a problem defined in an infinite dimensional space of

<sup>1</sup>Rigorously, one must "abelianize" this semigroup by factoring out its commutator. In practice, however, the commutator has been trivial in every example thus far constructed.

(possibly) nonlinear operators into an equivalent problem in an abelian semigroup. Indeed, this semigroup has proven to be finitely generated in every example thus far constructed. As such, we believe that the above described homological approach is potentially capable of yielding necessary and sufficient conditions for the stability of large classes of time-variant and nonlinear feedback systems.

Linear time-invariant systems, either in the multivariable or single-input single-output case are characterized by the semigroup of positive integers yielding the classical result to the effect that a causal operator admits a causal inverse if and only if it is homotopic to the identity. (i.e. it lies in the same connected component as the identity.) Since our homology is dependent only on the homotopic equivalence class of an operator this result can be extended immediately to the class of nonlinear and time-variant operators which are homotopic to a linear time-invariant operator.<sup>14</sup> The open questions are: "how big is this class of nonlinear and time-variant operators?" and "how does one compute the equivalence class of such an operator?". Although not universal, we believe that the above described necessary and sufficient condition for the causal invertibility (i.e. stability) of those nonlinear and time-variant operators which are homotopic to a linear time-variant operator subsumes the existing literature on causal invertibility. Indeed, to our knowledge, every existing sufficient condition for stability (instability) is essentially a proof that the given return difference operator is (is not) homotopic to the identity.

#### IV. Banach Resolution Space

Our efforts to extend the resolution space concept to Banach spaces have been directed along two lines of inquiry. First, we have developed a causal operator factorization theory for positive self-adjoint operators which map a reflexive Banach space to its dual.<sup>23,24</sup> A little analysis with the classical theory will reveal that this is precisely the class of operators with which one must deal when working with systems defined in Banach space. For instance, the covariance of a random variable taking values in a reflexive Banach space,  $B$ , is such an operator as is the hermitian part of a passive impedance.<sup>23,24</sup> The key to this factorization theory is the fact that the given mapping is factored through a Hilbert space rather than a Banach space. When applied to the covariance of a Banach space valued random process, this implies that its reproducing kernel space is Hilbert space rather than a Banach space, whereas the application of this factorization theory to the hermitian part of a passive impedance defined in Banach space yields scattering variables defined in Hilbert space.<sup>23,24</sup>

Although the factorization theory described above is valid in an arbitrary Banach resolution space<sup>1</sup> the extension of classical results related to strict causality and the additive operator decomposition requires additional structure. This is achieved by a subclass of the Banach resolution spaces termed Orlicz resolution spaces which have a "pythagorean" property which allows the convergence arguments typically used in Hilbert resolution space

<sup>1</sup>For the purpose of this theory the self-adjointness condition associated with the resolution of the identity used in Hilbert resolution space theory is subsumed by the simple requirement that the resolution of the identity be made up of contractive idempotents.

to be extended to an Orlicz resolution space. As such, virtually the entirety of Hilbert resolution space theory may be extended to an Orlicz resolution space. We, however, believe that this is the largest class of Banach resolution spaces to which the classical theory can be fully extended.

#### V. References

1. Brandon, D., M.S. Thesis, Texas Tech Univ., 1977.
2. Cooper, G.R., and C.D. McGillem, Probabilistic Methods of Signal and System Analysis, New York, Holt, Rinehart and Winston, 1971.
3. DeCarlo, R.A., Saeks, R., and J. Murray, "Multivariable Nyquist Theory", Int. Jour. on Control, Vol. 25, pp. 657-675, (1977).
4. DeSantis, R., Saeks, R., and L. Tung, "Basic Optimal Estimation and Control Problems in Hilbert Space", unpublished notes, Texas Tech University., 1977.
5. DeSantis, R., and W.A. Porter, "On Time Related Properties of Nonlinear Systems", SIAM Jour. on Appl. Math., Vol. 24, pp. 188-206, (1973).
6. DeSantis, R., Ph.D. Thesis, Univ. of Michigan, 1971.
7. DeSantis, R., "Causality Properties of Hilbert-Schmidt Operators", Proc. of the Alerton Conf. on Circuits and Systems, Univ. of Illinois, Oct. 1973.
8. Gohberg, I.C., and M.G. Krein, Theory and Application of Volterra Operators in Hilbert Space, Providence, AMS, 1970.
9. Liu, R.W., private communication.
10. Murray, J., "Spectral Factorization and the Stability of Multidimensional Digital Filters", IEEE Trans. on Circuits and Systems, (to appear).
11. Porter, W.A., "Some Circuit Theory Concepts Revisited", Int. Jour. on Control, Vol. 12, pp. 433-448, (1970).
12. Rudin, W., Real and Complex Analysis, New York, McGraw-Hill, 1966.
13. Saeks, R., "Causality in Hilbert Space", SIAM Review, Vol. 12, pp. 357-383, (1970).
14. Saeks, R., and J. Murray, unpublished notes, Texas Tech Univ., 1977.

15. Saeks, R., "On the Encirclement Condition and its Generalization", IEEE Trans. on Circuits and Systems, Vol. CAS-22, pp. 780-785, (1975).
16. Saeks, R., and R.A. DeCarlo, "Stability and Homotopy", Proc. of the NEC Int. Fourum on Multivariable Control, Chicago, NEC, 1978, (to appear).
17. Saeks, R., Resolution Space, Operators and Systems, Heidelberg, Springer-Verlag, 1973.
18. Saeks, R., and R.A. Goldstein, "Cauchy Integrals and Spectral Measures", Indiana Univ. Math. Jour., Vol. 22, pp. 367-378, (1972).
19. Saeks, R., "Reproducing Kernel Resolution Space and its Applications", Jour. of the Franklin Inst., Vol. 302, pp. 331-335, (1976).
20. Stienberger, M., Ph.D. Thesis, Univ. of So. Calif., 1977.
21. Tung, L., and R. Saeks, "Wiener-Hopf Techniques in Resolution Space", Proc. of the 2nd Inter. Symp. on the Operator Theory of Networks and Systems, Texas Tech Univ., Aug. 1977, pp. 28-33.
22. Tung, L., Saeks, R., and R. DeSantis, "Wiener-Hopf Filtering in Hilbert Resolution Space", Unpublished notes, Texas Tech Univ., 1977.
23. Tung, L., Ph.D. Thesis, Texas Tech Univ., 1977.
24. Tung, L., and R. Saeks, "Reproducing Kernel Resolution Space and its Applications II", Jour. of the Franklin Inst., (to appear).
25. Youla, D.C., Jabr. H.A., and J.J. Bongiorno, "Modern Wiener-Hopf Design of Optimal Controllers - Parts I and II", IEEE Trans. on Auto. Cont., Vol. AC-21, pp. 1-13 and pp. 319-338, (1976).
26. Jabr, H.A., Ph.D. Thesis, Polytechnic Inst. of New York, 1975.

ACCESSION BY	
DTIC	DTIC SOURCE <input checked="" type="checkbox"/>
DDI	DDI SOURCE <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODE	
CLASS.	AVAIL. CODE/SPECIAL
A	

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER <b>AFOSR-TR- 78 - 0899</b>	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle)  RESOLUTION SPACE, NETWORKS AND NON-SELF-ADJOINT SPECTRAL THEORY	5. TYPE OF REPORT & PERIOD COVERED  Interim	
	6. PERFORMING ORG REPORT NUMBER	
7. AUTHOR(s)  R. Saeks	8. CONTRACT OR GRANT NUMBER(s)  AFOSR 74-2631	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Texas Tech University Department of Electrical Engineering Lubbock, TX 79409	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS  61102F 2304/A6	
11. CONTROLLING OFFICE NAME AND ADDRESS Air Force Office of Scientific Research/NM Bolling AFB, DC 20332	12. REPORT DATE 1978	
	13. NUMBER OF PAGES 11	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	15. SECURITY CLASS (of this report) UNCLASSIFIED	
	15a. DECLASSIFICATION DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report)  Approved for public release; distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)  Kyquist criterion, Wiener-Hopf Optimization, Banach Space, Resolution space		

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)  
 Research conducted under the auspices of AFOSR Grant 74-2631 on "Resolution Space, Networks and Non-Self-Adjoint Spectral Theory" during the period April 1, 1977 through March 31, 1978 is surveyed. Specific attention is given to the solution of a Wiener-Hopf-like "Basic Stochastic Optimization Problem", the solution of the feedback system stability problem for nonlinear and time-varying systems, and the formulation of a theory of systems defined in a Banach resolution space.