

AD-A056 410

ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND ABERD--ETC F/G 6/6
BIOMONITORING - A FINAL METHOD TO MEASURE POLLUTION ABATEMENT, (U)
JUN 78 E S BENDER, P F ROBINSON

UNCLASSIFIED

NL

| OF |
AD
A056410



END
DATE
FILMED
8-78
DDC

AD A 056410

*BENDER & ROBINSON

LEVEL II

1

12 SP

11 Jun 78

6

BIOMONITORING - A FINAL METHOD TO MEASURE
POLLUTION ABATEMENT

JUN 1978

10

EDWARD S. BENDER
PAUL F. ROBINSON

CHEMICAL SYSTEMS LABORATORY

U.S. ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND
ABERDEEN PROVING GROUND, MD 21010

DDC
RECEIVED
JUL 10 1978
D

AD No. JDC FILE COPY

The final goal of the Army's water pollution abatement program is to protect aquatic plants and animals by maintaining conditions favorable to life in the nation's waterways. Although most of this work involves monitoring chemical and physical characteristics of water, pollution is essentially a biological problem in that its primary effects are on living things. Therefore, it is appropriate to measure the success or failure of a pollution control system by monitoring the responses of aquatic plants or animals to the treated wastewater. Biological monitoring, or biomonitoring, of a treated effluent or waste stream thus provides the ultimate evaluation of pollution abatement. Legislators recognized the basic need for such monitoring by requiring in Public Law 92-500 (1972) that biomonitoring be conducted on all waste discharges. A biomonitoring system is now being tested at Radford Army Ammunition Plant (RAAP) in southwestern Virginia for just this purpose.

Biological monitoring is not a new concept. In the 19th century, coal miners used canaries to warn them when the air contained toxic gases. When the canary fainted, miners left the shaft for clean air above ground. Over twenty years ago, Rachel Carson in her book Silent Spring interpreted the death of birds and other wildlife as a symptom of the effects of pesticides on the environment. Each year the scientific literature contains numerous studies of organisms possessing either extreme tolerance or extreme sensitivity to environmental pollutants. Tolerant species are abundant in the

78 06 12 054

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

414 170 144

presence of a contaminant, while sensitive plants and animals may disappear even when only small quantities of a pollutant are present.

The biomonitoring system consists of: a series of special tanks in which the "breathing rates" are measured; a wastewater distribution and dilution system; and a mini-computer to collect, store, and analyze the data. The entire system, with holding tanks and a diluter, is housed in a trailer, so that the system can be moved to any location.

The changes in "breathing rates" correlate directly to conditions which can occur when an acid spill, system upset, or other problem occurs on a manufacturing line. The alarm advises the plant manager that the quality of the waste stream has deteriorated and he must take appropriate action. Although the system cannot identify

[illegible]

78 06 12 054

BENDER & ROBINSON

the pollutant, it provides a warning more rapidly than conventional water quality monitoring and at a fraction of the cost.

Many Army production facilities have large containing ponds that can hold treated wastewaters for several days. After the alarm is sounded, the wastewater could be impounded in lieu of discharge. The pollutants can be identified by chemical analysis and additional treatment can be applied. Continuous information from the biomonitoring system provides a tool that enables management to recommend additional wastewater treatment when necessary.

In Europe and Africa, biomonitoring systems are being used to assay drinking water taken from large rivers polluted by industrial discharges. If fish, which are more sensitive to pollutants than man, show no signs of toxicity after exposure, the water is pumped into the drinking-water reservoirs.

Although the United States has no biomonitoring systems in practical use today, passage in 1977 of the Toxic Substance Control Act and Toxic Substances Act by the United States Congress should encourage their development. Under these laws all manufacturers will be required to demonstrate that their wastewaters do not have a toxic, mutagenic, or persistent effect upon the aquatic organisms in the receiving waters. Some industries are spending up to one million dollars to develop toxicological data for each compound present in their wastewater. The price for these data is high but, even so, the results may not apply to wastewaters of variable and complex composition such as those from ammunition plants. Therefore, a continuous evaluation is also needed. Ultimately, biomonitoring may become the final test of the adequacy of wastewater treatment and the method to safeguard environmental quality.