

AD-A056 583


AKRON UNIV OHIO INST OF POLYMER SCIENCE
CHEMISTRY OF SILANE COUPLING REACTIONS. II. REACTION OF DIMETHY--ETC(U)
JUL 78 P DREYFUSS, L J FETTERS, A N GENT
F/G 13/8
N00014-76-C-0408
NL

UNCLASSIFIED

TR-4

| OF |

AD
A056583



END
DATE
FILMED
8-78
DDC

LEVEL

OFFICE OF NAVAL RESEARCH

Contract ⁽¹⁵⁾ ~~NA~~ 014-76-C-0408

Project NR 092-555

(12)
SC

(14) TR-4

(9) Technical Report, No. 4

(6) CHEMISTRY OF SILANE COUPLING REACTIONS.
II. REACTION OF DIMETHYLMETHOXYSILANATED
POLY(BUTADIENE) WITH TRIETHYLSILANOL
AND WITH GLASS.

by

(10) P./Dreyfuss, L. J./Fetters ~~A.~~ A. N./Gent

Institute of Polymer Science
The University of Akron
Akron, Ohio 44325

(11) 11 Jul ~~1978~~ 78

DDC
JUL 25 1978
F

(12) 19p.

Reproduction in whole or in part is permitted for
any purpose of the United States Government

Approved for Public Release; Distribution Unlimited

AD No. **AD A 056583**
DDC FILE COPY

481 069

78 07 17 020

Gen

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER Technical Report 4	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Chemistry of Silane Coupling Reactions II. Reaction of Dimethylmethoxysilanated Poly(butadiene) with Triethylsilanol and with Glass		5. TYPE OF REPORT & PERIOD COVERED Technical Report
7. AUTHOR(s) P. Dreyfuss, L. J. Fetters and A. N. Gent		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Institute of Polymer Science The University of Akron Akron, Ohio 44325		8. CONTRACT OR GRANT NUMBER(s) N00014-76-C-0408
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Power Program Arlington, Virginia 22217		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NR 092-555
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE July 11, 1978
		13. NUMBER OF PAGES 15
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Submitted for publication in Macromolecules		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Bonding, Silanes, Poly(butadiene), Glass		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Poly(butadiene) having a dimethylmethoxysilane endgroup has been found to react with a model silanol, triethylsilanol, in the same way as a simple silane does, yielding the addition product, methanol, and dimers of the two starting materials. This reaction takes place readily at room temperature in benzene solution. A corresponding addition reaction between silanated poly(butadiene) and the OH groups present on the surface of glass has		

DD FORM 1 JAN 73 1473

EDITION OF 1963 IS OBSOLETE
S/N 0102-1014-201

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

therefore been inferred. This is corroborated by a greater degree of retention of silanated poly(butadiene) compared to unsilanated poly(butadiene) on glass slides subjected to thorough washing, and by direct observation of polymer particles, about 0.3 μ m in size, adhering to the glass treated with silanated poly(butadiene).

micrometer

Abstract

Poly(butadiene) having a dimethylmethoxysilane endgroup has been found to react with a model silanol, triethylsilanol, in the same way as a simple silane does, yielding the addition product, methanol, and dimers of the two starting materials. This reaction takes place readily at room temperature in benzene solution. A corresponding addition reaction between silanated poly(butadiene) and the OH groups present on the surface of glass has therefore been inferred. This is corroborated by a greater degree of retention of silanated poly(butadiene) compared to unsilanated poly(butadiene) on glass slides subjected to thorough washing, and by direct observation of polymer particles, about 0.3 μ m in size, adhering to the glass treated with silanated poly(butadiene).

ACCESSION for	
NTIS	Write Section ☒
DDC	Diff. Section ☐
UNANNOUNCED	☐
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	
A	

Introduction

In studying the effect of chemical bonding on the adhesion of elastomers to various substrates, it is important to separate the effects of two reactions: chemical bonding to the substrate, and crosslinking the elastomer to form a coherent solid. The first reaction can in principle be achieved by silane coupling (1-5) and the second by free-radical processes, so that it seems possible, at least in principle, to carry them out independently. In order to study the first reaction, a poly(butadiene) sample with a silane endgroup has been prepared. The reactions of this material with triethylsilanol, a model substance containing OH groups comparable to those on glass, and with glass itself, are reported here. To avoid crosslinking the poly(butadiene) these reactions have been carried out under mild conditions, at room temperature and in the presence of a stabilizer.

Experimental

a) Materials

Sample I of silanated poly(butadiene) was prepared by anionic polymerization of butadiene in benzene using sec-butyllithium as initiator (6), and then terminating the reactive chain end by adding an excess of dimethyldichlorosilane. The resulting dimethylchlorosilanated-poly(butadiene) was then

converted to the corresponding methoxysilane $(PB)Me_2SiOMe$ by adding excess methanol. The polymer was isolated by precipitation in methanol. The product was purified by dissolving in benzene and reprecipitating again with methanol. Gel permeation chromatography (GPC) tracings indicated a bimodal molecular weight distribution with approximately half the product having a number-average molecular weight $\bar{M}_n$ of 1.5×10^5 and the other half having $\bar{M}_n = 3.0 \times 10^5$, Figure 1. We surmise that about half the poly(butadiene) had combined by endlinking to form the disiloxane $(PB)Me_2SiOSiMe_2(PB)$. On this basis the silicon content of the polymer is computed to be $\sim 6.7 \times 10^{-6}$ moles of silicon per g of polymer.

Sample II of silanated poly(butadiene) was similarly prepared except that the reactive chain end was terminated by adding dimethylmethoxychlorosilane, which gave $(PB)Me_2SiOMe$ without further addition of methanol. This polymer had a unimodal molecular weight distribution with $\bar{M}_n \sim 1.8 \times 10^5$.

A sample of poly(butadiene) of similar microstructure, but with unreactive endgroups (Diene 35NFA), was obtained from the Firestone Tire and Rubber Company. It was dissolved in benzene and precipitated into methanol twice before use.

Monomers and solvents were the same as described in the preceding paper (7).

b) Reactions with Et_3SiOH and Et_4Si

Reactions for examination by gas liquid chromatography (GLC) were carried out in 2 dram vials with polyethylene snap caps. Two solutions, A and B, were prepared first. Solution A consisted of $(\text{PB})\text{Me}_2\text{SiOMe}$ dissolved in 83% of the total amount of benzene. Solution B contained benzene, octane, stabilizer PBNA, and Et_3SiOH or Et_4Si . At the beginning of the GLC experiment, solution B was added to solution A. The amounts of reactants used in each experiment are given in Table I.

For the GPC study sample I of $(\text{PB})\text{Me}_2\text{SiOMe}$ (0.49g) was dissolved in benzene (50 ml) before acetic acid (0.1 ml) and Et_3SiOH (0.1 ml) were added. After standing for 68 hrs the polymer was precipitated into methanol and dried in a vacuum oven.

c) Reactions with glass

A solution of poly(butadiene) (2.5g) and stabilizer Neozon A (0.05g) in dry benzene (300 ml) was prepared by shaking overnight. Fisherbrand precleaned Microscope Slides (Cat. No. 12-550A) were used as substrates for reaction with the silanated polymer. They were washed successively with boiling 2% Micro Solution, freshly

redistilled water, boiling 1% H_3PO_4 , and freshly redistilled water before drying at $150^\circ C$ for 1.5 hr and storing in a dessicator over P_2O_5 . Similar results were obtained, however, with slides which were used without further cleaning. All glassware, dishes and racks were washed before use with hot 2% Micro Solution (International Products Corp.), water, distilled water, and acetone and then dried at $150^\circ C$ for 1.5 hr.

Six slides in a stainless steel rack were weighed and immersed in the poly(butadiene) solution for 2.25 hrs. with stirring every 15 min. The slides and rack were then transferred into 3 successive baths of fresh dry benzene (300 ml each) at two hour intervals. Each bath was stirred every 15 min. The purpose of this benzene washing was to remove unreacted poly(butadiene) from the glass slides. Each solution was later evaporated to dryness and all dishes, slides and racks were dried to constant weight in vacuo at room temperature. The slides were then examined by optical and scanning electron-microscopy.

In some experiments with sample II of silanated poly(butadiene) the unreacted poly(butadiene) from the immersion solution was isolated by precipitation into methanol and then examined by GPC.

Table I

Quantities Used for Gas Chromatography Studies

Expt. No	Et ₃ SiOH ^a μl	Et ₄ Si μl	(PB)Me ₂ SiOMe ^b g	octane μl	benzene ml	PBNA g
1	96	-	0.05	35	1.2	0.1
2	-	113	0.05	35	1.2	0.1

^a96 μl Et₃SiOH = 6.0×10^{-4} moles assuming pure Et₃SiOH. See the preceding paper (7) for a discussion of the purity of this compound.

^b0.05g is equivalent to 6.7×10^{-7} moles of silicon. Even this low concentration gave a very viscous solution that was difficult to sample with a 100 μl syringe.

d) Chromatography

All gas liquid chromatography was carried out using the Hewlett Packard 5750 Chromatogram described in the preceding paper (7).

Gel permeation chromatograms of dilute polymer solutions in tetrahydrofuran at 37°C were obtained on a Waters Associates Ana-Prep Chromatogram. Details of the GPC analysis have been described elsewhere (8).

e) Microscopy

Glass slides were examined at x45 to x100 using a Leitz Orthoplan Microscope fitted with a Polaroid Land Camera. In experiments with water droplets, drops of 0.05 to 0.1 μ l were placed on the slide using a microliter syringe. Slides were also examined with a JSM-U3 Scanning Electron Microscope, after staining with osmium tetroxide and/or coating with gold.

Results and Discussion

a) Reactions with model compounds

Silanated poly(butadiene) was mixed with either Et_3SiOH or Et_4Si (experiments 1 and 2 in Table I). In the former case methanol was formed in a few seconds indicating a rapid reaction between the endgroups of the silanated poly(butadiene) and the OH groups of triethylsilanol. This reaction is presumably the same as that found before between a small-molecule siloxane and triethylsilanol (7). It resulted then in rapid formation of the

addition product and also in a significant degree of dimerization of the silane. Although in the present case the adduct was not detected directly (it can be inferred, however, from the rapid evolution of methanol), clear indications of an enhanced "dimerization" of the poly(butadiene) were obtained from GPC results, Figure 1. A greater portion of the poly(butadiene) was found to have doubled in molecular weight as a result of the silanol reaction. As before, $\text{Et}_3\text{SiOSiEt}_3$ was identified by gas liquid chromatography among the reaction products. Thus, the polysiloxane appears to react with silanols in exactly the same way as the simple siloxane studied previously, with rapid formation of an adduct and some dimerization of the reagents.

Control experiments with Et_4Si gave no indication of reaction. Also, addition of Et_3SiOH to the unfunctionalized poly(butadiene) led to no formation of methanol or increase in molecular weight.

b) Reaction with glass

The amount of silanol groups present on the surface of glass is too small to permit direct observation of methanol as before. Evidence for the formation of a reaction product between the silanated poly(butadiene) and glass was therefore

sought by examining the degree of retention of the polymer on the glass surface after applying it in dilute solution, in comparison with the unfunctionalized poly(butadiene), by GPC study of the poly(butadiene) isolated, and by microscopic examination of the slides.

In both cases most of the polymer adhering to the glass slides could be removed by repeated washing with benzene. Of the total amount washed off (~ 0.04 and ~ 0.02 g for the silanated and unsilanated poly(butadiene), respectively) 81, 12, and 7 percent of the silanated poly(butadiene) was removed in three successive washings, compared to 98, 2, and 0 percent of the unsilanated material. The total amounts of poly(butadiene) recovered from the washings and original solutions were 93 and 99.2% of the original weights used for the silanated and unsilanated poly(butadiene), respectively. Thus,

the silanated materials adhered more strongly and resisted removal to a greater degree than the unfunctionalized polymer, which was almost completely removed in the first washing.


Number average molecular weights $\bar{M}_n$ of silanated poly(butadiene) II isolated by precipitation after treating slides were determined by GPC. The $\bar{M}_n$ of the polymer was found to be increased from about 1.8×10^5 to 2.5×10^5 and 3.0×10^5 in two typical experiments whereas the number average molecular weight of the unsilanated poly(butadiene) did not change significantly. An increase in $\bar{M}_n$ and a shift toward doubled $\bar{M}_n$ would be expected if the silanated poly(butadiene) dimerized under reaction conditions in the same way that trimethylmethoxysilane did (7).

Examination of the slides by optical microscopy (x45) did not reveal any adhering polymer. Significantly different wetting behavior by water was found, however. Drops of water spread uniformly on clean slides, formed regular circular droplets on the slides treated with unsilanated poly(butadiene) and formed irregularly-shaped drops on the slides treated with silanated poly(butadienes). Because of the irregular shape of the drops no attempt was made to measure contact angles.

Examination by SEM gave no evidence of adhering polymer on slides treated with the unfunctionalized polybutadiene. On the other hand slides treated with silanated polybutadiene were found to have widely-separated discrete particles, about 300 nm in diameter, adhering to them, as shown in Figure 2. The dimensions of these particles are rather larger than those expected for isolated polybutadiene molecules of 150,000-300,000 molecular weight (with a root-mean-square molecular end-to-end distance $(\overline{R^2})^{\frac{1}{2}}$ of about 40-60 nm) and therefore they probably represent aggregates of several polymer molecules. It seems probable that polybutadiene is quite incompatible with glass and does not spread over the surface even when it is chemically bonded by endlinking.

Conclusions

Silanated poly(butadiene) having a number-average molecular weight of 150,000 appears to react with triethylsilanol in exactly the same way as the simple silane Me_3SiOMe . The overall reaction can be written:



Three of these reaction products have been identified directly, and the fourth, the addition product, can therefore be inferred with some confidence.

Similar reactions of silanated poly(butadiene) with OH groups on the surface of glass slides have been inferred from the greater retention of the silanated poly(butadiene) compared to unsilanated poly(butadiene) against washing and the direct observation of microscopic particles, presumably of poly(butadiene), adhering to the glass at widely-separated points. These results suggest that poly(butadiene) with a silane endgroup can be used as a coupling agent to form primary chemical bonds between poly(butadiene) and glass surfaces. An experimental investigation of this system will be reported elsewhere.

Acknowledgement

This work forms part of a program of research on the adhesion of elastomers supported by a research grant from the Office of Naval Research. We are also indebted to Dr. L. H. Peebles for his helpful comments and suggestions.

References


1. R. L. Kaas and J. L. Kardos, Polym. Eng. Sci. 11, 11 (1971).
2. A. N. Gent and E. C. Hsu, Macromolecules, 7, 933 (1974).
3. H. Inoue and S. Kohama, J. Appl. Polym. Sci., 19, 1939 (1975).
4. T. W. Greenlee, Adhesion Science and Technology, 9A, L.-H. Lee, Ed., 1975, p. 339.


5. A. Ahagon and A. N. Gent. J. Polym. Sci.: Polym.-Phys. Ed., 13, 1285 (1975).
6. M. Morton and L. J. Fetters, Rubb. Revs., 48, 359 (1975).
7. P. Dreyfuss, Preceding Paper.
8. L. J. Fetters and M. Morton, Macromolecules, 7, 552 (1974).

Figure Legends

Figure 1--GPC tracing of $(PB)Me_2SiOMe$ before and after reaction with Et_3SiOH . — before; ---- after.

Figure 2--Electronmicrograph of glass slide treated with $(PB)Me_2SiOMe$, X1400.





DISTRIBUTION LIST

	<u>No. Copies</u>
Office of Naval Research Code 473 Arlington, VA 22217 Attn: Dr. Miller	10
Office of Naval Research Branch Office 1030 East Green Street Pasadena, CA 91106 Attn: Dr. R. Marcus	1
Office of Naval Research Branch Office 836 S. Clark Street Chicago, IL 60606 Attn: Dr. J. Smith	1
Defense Documentation Center Bldg. 5 Cameron Station Alexandria, VA 22314	12
Office of Naval Research Branch Office 495 Summer Street Boston, MA 02210 Attn: Dr. L. H. Peebles	1
Office of Naval Research Resident Representative The Ohio State University Research Center 1314 Kinnear Road Columbus, Ohio 43212	1
U. S. Naval Research Laboratory Code 2627 Washington, DC 20375	6
U. S. Naval Research Laboratory Code 2629 Washington, DC 20375	6

Naval Research Laboratory
Code 6100
Washington, DC 20375

1

Naval Air Systems Command
Code 440
Washington, DC 20360
Attn: Dr. H. Rosenwasser

1

Naval Sea Systems Command
SEA-0331
Washington, DC 20362
Attn: Mr. J. Murrin

1

Naval Sea Systems Command
SEA-0332
Washington, DC 20362
Attn: Dr. A. Amster

1

Naval Surface Weapons Center
Research and Technology Dept.-MR
Silver Spring, MD 20910

1

Naval Weapons Center
Research Department
Code 60
China Lake, CA 93555

1

Naval Weapons Center
Code 608
China Lake, CA 93555
Attn: Ronald L. Derr

3

Air Force Office of Scientific Research
Directorate of Aerospace Sciences
Bolling Air Force Base
Washington, DC 20332

1

Air Force Office of Scientific Research
Directorate of Chemical Sciences
Bolling Air Force Base
Washington, DC 20332

1

Air Force Office of Scientific Research
Directorate of Physics
Bolling Air Force Base
Washington, DC 20332

1

Arnold Adicoff, Code 6058 Naval Weapons Center Research Dept. China Lake, CA 93555	(1)	R. C. Corley AFRPL/RCS Edwards, CA 93523	(1)
B. J. Alley AMSMI-RKC US AMC Redstone Arsenal, AL 35809	(1)	D. B. Davis Thiokol/Masatch Division P.O. Box 524 Brigham City, UT 84302	(1)
Dr. S. John Bennett Thiokol Corp. Brigham City, UT 84302	(1)	John H. DeRyke Chemical Systems Div/United Technologies P.O. Box 358 Sunnyvale, CA 94083	(1)
Robert A. Biggers AFRPL/MKPB Edwards, CA 93523	(1)	James Dietz MS 243 Thiokol Corp/Masatch Division P.O. Box 524 Brigham City, UT 84302	(1)
John E. Branigan AFRPL/RPRP Edwards, CA 93523	(1)	A. J. DiMillo Propellant R&D Aerojet General Corp. P.O. Box 15847 Sacramento, CA 95813	(1)
G. W. Burdette Code 753 Naval Weapons Center China Lake, CA 93555	(1)	R. J. DuBois Hercules Inc/Bacchus Works P.O. Box 98 - MS 8131 Magna, UT 84044	(1)
Dr. E. A. Burns TRW Systems Bldg 0-1 Room 2020 One Space Park Redondo Beach, CA 90278	(1)	Hiram W. H. Dykes AMSMI-RKC US AMC Redstone Arsenal, AL 35809	(1)
C. D. Chandler Hercules, Inc. Radford Army Ammunition Plant Radford, VA 24141	(1)	Dr. W. David English TRW Systems Bldg 0-1, Room 2020 One Space Park Redondo Beach, CA 90278	(1)
John E. Christian Hercules/ABL P.O. Box 210 Cubertland, MD 21502	(1)	D. M. French Code 6012 Naval Ordnance Station Indian Head, MD 20640	(1)
Albert Z. Conner Hercules, Inc. Research Center Wilmington, DE 19899	(1)	W. A. Gogis, Fleet Support Naval Ordnance Station Indian Head, MD 20640	(1)

Larry H. Gordon MS 500-209
NASA/Lewis Research Center
21000 Brookpark Road
Cleveland, OH 44135

(1)

H. E. Marsh, 125/159
Jet Propulsion Laboratory
4800 Oak Grove Drive
Pasadena, CA 91103

(1)

Phillip H. Graham
Atlantic Research Corp.
7511 Wellington Road
Gainesville, VA 22065

(1)

James D. Martin
Atlantic Research Corp.
5390 Cherokee Avenue
Alexandria, VA 22314

(1)

P. J. Klaas
Aerojet Solid Propulsion Co.
P.O. Box 13400
Sacramento, CA 95813

(1)

United Aircraft Corp/UTS
J. C. Matthews, Quality Control Lab.
1050 E. Arques Ave.
Sunnyvale, CA 94088

(1)

David Knoop
Olin-Energy Systems Div.
Badger Army Ammunition Plant
Baraboo, WI 53913

(1)

John O. McCary
Olin Corp - P.O. Box 222
St. Marks, FL 32355

(1)

Joseph A. Kohlbeck, 114B
Hercules, Inc. MS 8115
Bacchus Works, P. O. Box 98
Magna, UT 84044

(1)

Fred H. Meyers, Jr. NAAA
AFML, ASSB
WPAFB, OH 45433

(1)

J. L. Koury
AFRPL/MKMB
Edwards, CA 93523

(1)

Roy R. Miller
Hercules/ABL
P.O. Box 210
Cumberland, MD 21502

(1)

Seymour Laber
Dept. of the Army
Picatinny Arsenal, SMJPA-ADEP-2
Dover, NJ 07801

(1)

A. H. Muenker
Esso Research & Engineering
P.O. Box 8
Linden, NJ 07036

(1)

R. D. Law
Thiokol/Wasatch Division
Box 524
Brigham City, UT 84302

(1)

J. T. Nakamura
AFRPL/DYCA
Edwards, CA 93523

(1)

Dr. A. R. Lawrence
Code RM
Naval Ordnance Station
Indian Head, MD 20640

(1)

William Oetjen
Thiokol Corp/Quality Dept.
Huntsville, AL 35807

(1)

Nathan M. Liszt
SARPA-FR-G-R Bldg. 162S
Picatinny Arsenal
Feltman Res. Lab.
Dover, NJ 07801

(1)

J. M. Robinson
Autonetics - Dept 646-20, Bldg. 69
3370 Miraloma Ave.
Anaheim, CA 92803

(1)

W. Roe
RPMCB
AFRPL
Edwards, CA 93523

(1)

Dr. R. E. Rogers (1)
Thiokol Corp/Development Section
Huntsville, AL 35807

T. P. Rudy. R & A (1)
United Technology Center
P.O. Box 358
Sunnyvale, CA 94088

W. Selig (1)
Lawrence Radiation Lab - L-404
P.O. Box 808
Livermore, CA 94550

E. H. Steger (1)
Susquehanna Corp.
Atlantic Research Group
Chem. & Phys. Prop. Lab.
P.O. Box 38
Gainesville, VA 22065

Donald H. Stewart, Code 4539 (1)
Properties Analysis Branch
Naval Weapons Center
China Lake, CA 93555

Anthony Taschler (1)
Picatinny Arsenal
Products Assurance Dir.
SMUPA-QA-A-P
Dover, NJ 07801

R. J. Thiede (1)
Olin-Energy Systems Div.
Badger Army Ammunition Plant
Baraboo, WI 53913

Lewis R. Toth (1)
CIT-JPL
4800 Oak Grove Drive
Pasadena, CA 91103

J. Tuono (1)
Code 50210
Naval Ordnance Station
Indian Head, MD 20640

Norman VanderHyde (1)
AFRPL/MKPC
Edwards, CA 93523

U.S. Army Research Office (1)
Chemistry Division
P.O. Box 12211
Research Triangle Park, NC 27709

U.S. Army Research Office (1)
Physics Division
P.O. Box 12211
Research Triangle Park, NC 27709

Dr. T. J. Reinhart, Jr. Chief
Composite and Fibrous Materials
Branch

Nonmetallic Materials Division
Air Force Materials Laboratory (AFSC)
Wright-Patterson Air Force Base,
Ohio 45433 (1)