

AD-A058 728

AEROSPACE CORP EL SEGUNDO CALIF IVAN A GETTING LABS
CURVE-OF-GROWTH FUNCTION FOR A RANDOM ARRAY OF VOIGT LINES.(U)

F/G 20/13

AUG 78 S J YOUNG

F04701-77-C-0078

UNCLASSIFIED

TR-0078(3623)-1


SANSO-TR-78-122

NL

| OF |
AD
A058728



END
DATE
FILMED
11-78
DDC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

12
SC

LEVEL II

Curve-of-Growth Function for a Random Array of Voigt Lines

STEPHEN J. YOUNG

~~Chemistry and Physics Laboratory~~
The Ivan A. Getting Laboratories
The Aerospace Corporation
El Segundo, Calif. 90245

DDC
SEP 14 1978
F

25 August 1978

Interim Report

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED

Prepared for

AIR FORCE ROCKET PROPULSION LABORATORY
Edwards Air Force Base, Calif. 93523

SPACE AND MISSILE SYSTEMS ORGANIZATION
AIR FORCE SYSTEMS COMMAND
Los Angeles Air Force Station
P.O. Box 92960, Worldway Postal Center
Los Angeles, Calif. 90009

78 09 07 026

AD A058728

DDC FILE COPY


This interim report was submitted by The Aerospace Corporation, El Segundo, CA 90245, under Contract No. F04701-77-C-0078 with the Space and Missile Systems Organization, Deputy for Advanced Space Programs, P.O. Box 92960, Worldway Postal Center, Los Angeles, CA 90009. It was reviewed and approved for The Aerospace Corporation by S. Siegel, Director, Chemistry and Physics Laboratory. Lieutenant Arturo Fernandez, SAMSO/YCPT, was the project officer for Advanced Space Programs.

This report has been reviewed by the Information Office (OI) and is releasable to the National Technical Information Service (NTIS). At NTIS, it will be available to the general public, including foreign nations.

This technical report has been reviewed and is approved for publication. Publication of this report does not constitute Air Force approval of the report's findings or conclusions. It is published only for the exchange and stimulation of ideas.




Arturo Fernandez, Lt, USAF
Project Officer



Robert W. Lindemuth, Lt Col, USAF
Chief, Technology Plans Division

FOR THE COMMANDER



LEONARD E. BALTZELL, Col, USAF
Asst. Deputy for Advanced Space Programs

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 18 SAMSO-TR-78-122	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) 6 CURVE-OF-GROWTH FUNCTION FOR A RANDOM ARRAY OF VOIGT LINES	5. TYPE OF REPORT & PERIOD COVERED Interim rept.	
7. AUTHOR(s) 10 Stephen J. Young	14 TR-0078(3623)-1	8. CONTRACT OR GRANT NUMBER(s) 15 F04701-77-C-0078
9. PERFORMING ORGANIZATION NAME AND ADDRESS The Aerospace Corporation El Segundo, Calif. 90245	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 12 8 p.	
11. CONTROLLING OFFICE NAME AND ADDRESS Air Force Rocket Propulsion Laboratory Edwards Air Force Base, Calif. 93523	12. REPORT DATE 28 August 1978	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Space and Missile Systems Organization Air Force Systems Command Los Angeles, Calif. 90009	13. NUMBER OF PAGES 5	
15. SECURITY CLASS. (of this report) Unclassified		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Band Model Theory Radiative Transport		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The accuracy of two approximations to the curve-of-growth function $V(a, x)$ for a random array of Voigt lines with exponential line strength distribution is examined. An heuristic extension of the Rodgers and Williams approximation for isolated Voigt lines is accurate to better than 9% for all x and a . A modified version of the approximation used in the NASA plume radiation code is accurate to better than 4% for all x and a .		

DD FORM 1473
(IFACSIMILE)

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

409 944

Gur

CURVE-OF-GROWTH FUNCTION FOR A RANDOM ARRAY OF VOIGT LINES

The curve-of-growth function for a random array of Voigt lines whose strengths are distributed exponentially is⁽¹⁾

$$V(a, x) = \frac{2}{\sqrt{\pi}} \int_0^{\infty} \frac{xK(a, y)}{1 + xK(a, y)} dy \quad (1)$$

where

$$K(a, y) = \frac{a}{\pi} \int_{-\infty}^{\infty} \frac{e^{-u^2}}{a^2 + (y - u)^2} du$$

$$a = \sqrt{\ln 2} \bar{\gamma}_L / \bar{\gamma}_D$$

$$x = \sqrt{\frac{\ln 2}{\pi}} \frac{\bar{S}u}{\bar{\gamma}_D}$$

$\bar{S}$, $\bar{\gamma}_L$, and $\bar{\gamma}_D$ are, respectively, the mean line strength, Lorentz (collision) halfwidth, and Doppler halfwidth of the lines comprising the array, and u is the optical depth of the medium.

Gille and Ellingson⁽¹⁾ evaluated $V(a, x)$ by numerical quadrature and presented their results in the form

$$V(a, x) = \dot{C}(x, a) F(a, x) \quad (2)$$

ACCESSION for	
NTIS	White Section ☒
DDC	B if Section ☐
UNANNOUNCED	☐
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
OF	SPECIAL
A	

78 09 07 026
-1-

$F(a, x)$ is the curve-of-growth function that would result if the lines were purely Lorentzian

$$F(a, x) = \frac{x}{\sqrt{1 + 2(x/2a\sqrt{\pi})}} \quad (3)$$

$C(x, a)$ is tabulated in Table 1 of Ref. 1. The connection between the present notation and that of Ref. 1 is $x \equiv R$ and $a \equiv d/2$. The accuracy of the two following approximations is determined by comparison to this solution.

Rodgers and Williams⁽²⁾ devised an approximation for the curve of growth of an isolated Voigt line by combining the curves of growth for pure Lorentz and Doppler lines. An heuristic extension of their method to an array of Voigt lines yields

$$V(a, x) = \sqrt{F^2(a, x) + E^2(x) - \left[\frac{F(a, x) E(x)}{x} \right]^2} \quad (4)$$

where $F(a, x)$ is given by Eq. (3), and $E(x)$ is the curve-of-growth function for an array of Doppler lines⁽³⁾

$$E(x) = \frac{2}{\sqrt{\pi}} \int_0^{\infty} \frac{x e^{-u^2}}{[1 + x \exp(-u^2)]} du \quad (5)$$

The isolated line version of Eq. (4) displays a maximum error of $\sim 8\%$. It occurs near the point $a = 0.4$, $x = 1$ and along the curve $ax \approx 15$ for $a \lesssim 0.0008$ (see Fig. 3 of Ref. 2). For an array of lines, the error topography is qualitatively similar, but the error is more near 9% around the point and only $\sim 4\%$ along the curve.

The NASA radiation code⁽⁴⁾ employs a model that also combines the curves of growth for purely Lorentz and Doppler arrays in order to approximate the curve of growth for a Voigt array. In a form consistent with Eqs. (2) and (4), it is

$$V(a, x) = x \sqrt{1 - 1/\sqrt{Y(a, x)}} \quad (6)$$

$$Y(a, x) = \left[1 - \left(\frac{F(a, x)}{x} \right)^2 \right]^{-2} + \left[1 - \left(\frac{E(x)}{x} \right)^2 \right]^{-2} - 1$$

Two forms of this approximation are considered. In the first form, $E(x)$ is taken as

$$E(x) = 0.62714 \sqrt{\ln \left[1 + \left(\frac{x}{0.62714} \right)^2 \right]} \quad (7)$$

which is consistent with the actual function prescribed in the NASA code. In this case, errors up to 18% occur over the (x, a) plane and fall below 10% only for $a \geq 0.3$. The explanation for large errors below $a \approx 0.3$ is that Eq. (7) is derived from an approximation to the isolated line curve-of-growth function $D(x)$ rather than to $E(x)$ itself. If the proper expression [Eq. (5)] is used for $E(x)$ in Eq. (6), the maximum error falls to less than 4% and occurs only for $a \leq 0.0005$ and $x \geq 3 \times 10^4$.

REFERENCES

1. J. C. Gille and R. G. Ellingson, Appl. Opt. 7, 471 (1968).
2. C. D. Rodgers and A. P. Williams, JQSRT 14, 319 (1974).
3. W. Malkmus, J. Opt. Soc. Am. 58, 1214 (1968).
4. C. B. Ludwig, W. Malkmus, J. E. Reardon, and J. A. L. Thomson, Handbook of Infrared Radiation from Combustion Gases, ed. R. Goulard and J. A. L. Thomson, NASA SP-3080, Washington, D.C. (1973).

THE IVAN A. GETTING LABORATORIES

The Laboratory Operations of The Aerospace Corporation is conducting experimental and theoretical investigations necessary for the evaluation and application of scientific advances to new military concepts and systems. Versatility and flexibility have been developed to a high degree by the laboratory personnel in dealing with the many problems encountered in the nation's rapidly developing space and missile systems. Expertise in the latest scientific developments is vital to the accomplishment of tasks related to these problems. The laboratories that contribute to this research are:

Aerophysics Laboratory: Launch and reentry aerodynamics, heat transfer, reentry physics, chemical kinetics, structural mechanics, flight dynamics, atmospheric pollution, and high-power gas lasers.

Chemistry and Physics Laboratory: Atmospheric reactions and atmospheric optics, chemical reactions in polluted atmospheres, chemical reactions of excited species in rocket plumes, chemical thermodynamics, plasma and laser-induced reactions, laser chemistry, propulsion chemistry, space vacuum and radiation effects on materials, lubrication and surface phenomena, photosensitive materials and sensors, high precision laser ranging, and the application of physics and chemistry to problems of law enforcement and biomedicine.

Electronics Research Laboratory: Electromagnetic theory, devices, and propagation phenomena, including plasma electromagnetics; quantum electronics, lasers, and electro-optics; communication sciences, applied electronics, semiconducting, superconducting, and crystal device physics, optical and acoustical imaging; atmospheric pollution; millimeter wave and far-infrared technology.

Materials Sciences Laboratory: Development of new materials; metal matrix composites and new forms of carbon; test and evaluation of graphite and ceramics in reentry; spacecraft materials and electronic components in nuclear weapons environment; application of fracture mechanics to stress corrosion and fatigue-induced fractures in structural metals.

Space Sciences Laboratory: Atmospheric and ionospheric physics, radiation from the atmosphere, density and composition of the atmosphere, aurorae and airglow; magnetospheric physics, cosmic rays, generation and propagation of plasma waves in the magnetosphere; solar physics, studies of solar magnetic fields; space astronomy, x-ray astronomy; the effects of nuclear explosions, magnetic storms, and solar activity on the earth's atmosphere, ionosphere, and magnetosphere; the effects of optical, electromagnetic, and particulate radiations in space on space systems.

THE AEROSPACE CORPORATION
El Segundo, California