

ADA059036

12
B.S.

LEVEL II

IMPROVED PROCEDURES FOR DETERMINING
SEISMIC SOURCE DEPTHS FROM DEPTH
PHASE INFORMATION

QUARTERLY REPORT

Edward Page
Richard Houck

January 1, 1978 to
March 31, 1978

DDC
RECEIVED
SEP 25 1978
B

Sponsored by:
Advanced Research Project Agency
ARPA Order No. 1620

APPROVED FOR PUBLIC RELEASE
DISTRIBUTION UNLIMITED

78 08 17 012

DDC FILE COPY

Notice of Disclaimer

The views and conclusions contained in this document are those of the author and should not be interpreted as necessarily representing the official policies, either expressed or implied, of the Advanced Research Projects Agency, the Air Force Technical Applications Center, or the U.S. Government.

78 08 17 012

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 9 Quarterly rept. 1	2. GOVT ACCESSION NO. Jan-31 Mar 78	3. REPORTS CATALOG NUMBER
4. TITLE (and Subtitle) Improved Procedures for Determining Seismic Source Depths from Depth Phase Information. #A052518	5. TYPE OF REPORT & PERIOD COVERED Quarterly Report 1/1/78-3/31/78	
	6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(s) Edward Page, Richard Houck	8. CONTRACT OR GRANT NUMBER(s) 15 F08606-77-C-0007, WARPA Order-1620	
9. PERFORMING ORGANIZATION NAME AND ADDRESS ENSCO, Inc., 5408A Port Royal Road Springfield, VA 22151	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS VT/7710	
11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE 11 May 78	13. NUMBER OF PAGES 8
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) VELA Seismological Center 312 Montgomery Street Alexandria, VA 22314	15. SECURITY CLASS. (of this report) Unclassified 128p	
15a. DECLASSIFICATION/DOWNGRADING SCHEDULE		
16. DISTRIBUTION STATEMENT (of this Report) APPROVED FOR PUBLIC RELEASE DISTRIBUTION UNLIMITED		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Seismic depth, depth phase, echo detection		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) All planned program development work on the Seismic Data Analysis Center (SDAC) version of the source depth determination program has been completed. In addition, the program has been modified to process seismograms from the Area of Interest (AI) data set. One event, AI Event No. 1 (7/26/77), was run as a test, and a depth estimate of 21 Km was obtained.		

Handwritten signature

**SUBJECT: Improved Procedures for Determining Seismic
Source Depths from Depth Phase Information**

AFTAC Project No..... VELA T/8710
ARPA Order No..... 2251
ARPA Program Code No..... 6F10
Name of Contractor..... ENSCO, INC.
Contract No..... F08606-77-C-0007
Effective Date of Contract..... 1 October 1977
Reporting Period..... 1 January 1978 to
31 March 1978
Amount of Contract..... \$160,833
Amount of Last Contract Modification..... \$70,910
Contract Expiration Date..... 30 September 1978
Project Scientist..... Edward A. Page
(703)321-9000

ACCESSION for		
NTIS	White Section	<input checked="" type="checkbox"/>
DDC	Buff Section	<input type="checkbox"/>
UNANNOUNCED		<input type="checkbox"/>
JUSTIFICATION _____		
BY _____		
DISTRIBUTION/AVAILABILITY CODES		
Dist.	AVAIL.	and/or SPECIAL
A		

INTRODUCTION AND SUMMARY

During this quarter, program development was completed, and processing of events from the Area of Interest (AI) data set was started. The final program development work consisted of implementation of the new significance level and narrow band threshold algorithms developed during the previous quarter. After this was completed, the program was modified to read seismograms from AI data tapes. The first event in this data set, AI Event No. 1, was processed and a depth estimate of 21 Km was obtained.

MAJOR ACCOMPLISHMENTS

All planned program development tasks have been completed. The final work, completed during this quarter, was the implementation of the new significance level and narrow band threshold algorithms, which are described in detail in the previous Quarterly Report. Briefly, the new significance level algorithm gives improved significance level estimates, along with estimated significance level standard deviations. The narrow band threshold algorithm computes the shallowest interpretable depth, resulting from data bandwidth, for a given set of seismograms. Both of these program features are designed to aid the analyst in interpreting the final depth plots.

Processing of AI data was started by modifying the depth determination program to read seismograms from the AI data tapes. In its present form, the program is capable of reading seismograms from Seismic Research Observatory (SRO) and

Special Data Collection System (SDCS) stations, assuming seismogram numbers are in increasing order on an event tape. Array data can also be processed, but a maximum of 15 stations can be used, and seismograms with different sample intervals cannot be mixed in a single run. More data can be processed if additional program modifications are made.

The first event in the AI data set, AI Event No. 1 (7/26/77), was run to test these modifications. Seismograms from five SRO stations were processed; these are shown in Figure 1. Cepstrums were computed using 12.8 sec. windows for the first 51.6 sec. of each seismogram. In the time interval examined, only P arrivals were significant, and the resulting P depth plot is shown in Figure 2. From this plot, the estimated source depth for AI Event No. 1 is 21 Km; further analysis is necessary, however, before reliability grade can be assigned to this estimate.




Figure 1. AI Event No. 1, Seismograms

P PHASE

AVE AMPLITUDE- 6.771 E12 MIN AMPLITUDE- 0.0 011

DEPTH PLOTS


PLOT SET 1

STATIONS 1 2 3 4 5

CENTRAL WAVELENGTH- 12.0 SEC

DATA ANALYZED FROM 0.0 TO 51.2 SEC

WAVEFORM THRESHOLD- 0.80 SEC 2.7 DB



SEISMO-SINE-CHARTS GRAPHIC CONTROLS CORPORATION BUFFALO, NEW YORK

Figure 2. AI Event No. 1, P Depth Plot