



DEPARTMENT OF THE ARMY  
 U.S. ARMY MEDICAL INTELLIGENCE AND INFORMATION AGENCY  
 WASHINGTON, D.C. 20314

①

USAMIIA TRANSLATION

AD A059962

DDC FILE COPY

Number:

14  
 USAMIIA-K-9111

Date Completed:

14  
 Sep 1978

Language:

German

Geographic Area:

West Germany

English Title:

RESULTS FROM UNIT MEDICAL OFFICER HEALTH REPORTS DURING  
 1976 CALENDAR YEAR

Foreign Title:

(Ergebnisse aus den gesundheitsberichten der truppenaerzte  
 im kalender jahr 1976)

Author:

Not Given

Source Document:

21  
 Statistische Informationen No. 117

Pages Translated:

All (4 pp)

Publisher:

Fed. Def. Min.

Date/Place Publication: January 1978, West Germany

Distribution Statement: Approved for public release: distribution unlimited

29 098

421 211

JK

## RESULTS FROM UNIT MEDICAL OFFICER HEALTH REPORTS DURING 1976 CALENDAR YEAR

A. Preface

This article presents the most important results derived from the health reports of unit medical officers for the 1976 calendar year. According to the provisions of Central Service Regulation 45/2, unit M.O.s report their activities within the units and duty stations they take care of on a monthly basis. These routine reports among other things present an overview of how many soldiers reported for sick call for the first time and how many of them were relieved of all duty for at least one calendar day because of these health problems. The basis for the monthly reports consists of the unit medical officer's report (Form San/Bw/0290) and the sick call record (Form San/Bw/0200). In the unit medical officer's report, unit M.O.s report on the number of military personnel they take care of and, in detail, on their activities, for example, showing how many soldiers they sent to the hospitals or to doctors and dentists. The patient cards--made out for military personnel relieved of all duties for at least one day due to health problems--provide individually-related and more detailed information on the type of illness or injury and the duration for which these men are relieved of duty.

In the following we report on sicknesses but not on persons who were taken ill or who were injured. One and the same soldier therefore can be recorded statistically several times during the year covered by the report on account of repeated illness and/or injuries.

The proportions reported here always pertained to 1,000 military personnel within the particular pertinent actual strength (o/oo of actual personnel strength).

Table 1. Total incoming sick reports for Bundeswehr West German armed forces personnel by organizational sectors, 1972-1976.

1 Berichts jahr	2 Soldaten insgesamt		3 davon			
	3 Anzahl	4 auf 1 000 Soldaten der zugehörigen Ist Stärke	4 Heer	5 Luft waffe	6 Männer	7 ZMD Bw 1
1972			2 203 881	4 864.3	4 613.1	4 376.1
1973	2 097 832	4 488.0	4 527.1	4 322.3	3 987.8	5 188.4
1974	2 108 748	4 340.3	4 440.5	4 214.0	3 704.6	4 804.8
1975	2 059 630	4 292.2	4 412.8	4 109.0	3 532.4	4 188.5
1976	2 038 460	4 222.4	4 404.4	3 908.3	3 214.8	3 833.0


Legend: 1--report year; 2--military personnel, total; 3 --including; 4--army; 5--air force; 6--navy; 7--central military duty stations, Bundeswehr (including federal ministry and central MC duty stations, Bundeswehr); 8 -- number; 9 -- per 1,000 mil. pers. of pertinent actual strength.

B. Total Incoming Sick Reports

In 1976, a total of 2,038,460 military personnel reported for sick call (new patients) in the units and duty stations of the Bundeswehr and were examined by unit M.O.s (see Table 1). Compared to the preceding year,



Diagram Showing Total Patient Volume, Bundeswehr Personnel, 1967-1976, per 1,000 Military Personnel, Actual Personnel Strength.



Legend: 1--colds and flu; 2--miscellaneous illnesses and injuries.

In the organizational sectors, the total patient volume varied also in 1976 (see Table 2). This time the army revealed the highest coefficient with 547.3 o/oo of actual personnel strength (1975: 580.8 o/oo of actual personnel strength). The air force came second with 593.3 o/oo of actual personnel strength (1975: 584.3 o/oo of actual personnel strength). It was followed by the navy with 443.8 o/oo of actual personnel strength (1975: 483.9 o/oo of actual personnel strength) and ZMILBw [central military duty stations, west German armed forces] (including BMV [defense ministry] and ZSanDBw [central MC duty stations, West German armed forces]) with 383.1 o/oo of actual personnel strength (1975: 434.8 o/oo of actual personnel strength).

Table 3 provides data on the total patient volume broken down by career groups. Among the EM, as during all years, the patient influx rate was higher than among the officers and NCOs; in 1976 it was 620.5 o/oo of actual personnel strength (1975: 661.7 o/oo of actual personnel strength). Among the officers the total patient influx came to 349.2 o/oo of actual personnel strength (1975: 379.3 o/oo of actual personnel strength) and among the NCOs the figure was 391.7 o/oo of actual personnel strength (1975: 420.1 o/oo of actual personnel strength).

Among the officers and NCOs, the 1976 figure in each case was about 30 o/oo points lower than during the preceding year and among the EM it was about 40 o/oo points lower.

Table 3. Total Patient Volume, Bundeswehr Personnel, by organizational Sectors and Career Groups, 1972-1976, per 1,000 soldiers of pertinent actual personnel strength.

1 Year	2 Soldaten Insgesamt	3 davon				7 Zusatz Bew.
		4 Heer	5 Luft waffe	6 Marine		
<b>10 Offiziere</b>						
1972	383.9	382.7	420.8	381.1	432.8	
1973	381.3	382.8	401.1	276.7	417.6	
1974	373.6	384.9	422.3	288.5	382.0	
1975	378.3	386.5	464.6	291.0	348.1	
1976	349.2	342.0	482.3	228.9	303.2	
<b>11 Unteroffiziere</b>						
1972	410.9	404.8	442.9	343.2	472.1	
1973	408.4	391.1	448.2	278.9	517.7	
1974	408.8	382.4	477.9	388.3	502.1	
1975	470.0	398.3	487.8	387.5	478.8	
1976	391.7	374.3	481.8	324.8	448.2	
<b>12 Mannschaften</b>						
1972	673.8	681.8	624.0	631.9	478.8	
1973	678.9	684.1	652.5	686.3	649.9	
1974	688.5	685.3	684.8	690.6	685.8	
1975	661.7	665.9	663.6	671.8	667.1	
1976	620.5	627.3	608.3	608.9	498.4	

Legend: [for items 1-7 please see table 1, above]; 10--officers; 11--NCOs; 12--EM.

D. Total Patient Volume by Months

The monthly development of the total patient influx for the various time intervals can be seen in Table 4. Here we always brought the monthly figures up to the same monthly duration for comparison purposes and we projected for one year. In 1976, the monthly figure for March was highest with 858.8 o/oo of actual personnel strength for one year (1975: 510.8 o/oo of actual personnel strength and one year). Continuing in sequence we this

time had February next with 701.9 o/oo of actual personnel strength and one year (1975: 906.3 o/oo of actual personnel strength and one year), as well as January with 572.5 o/oo of actual personnel strength and one year (1975: 848.9 o/oo of actual personnel strength and one year). Colds and flu this time revealed high figures in March with 430.6 o/oo of actual personnel strength and one year (1975: 233.0 o/oo of actual personnel strength and one year), in February with 266.7 o/oo of actual personnel strength and one year (1975: 495.9 o/oo of actual personnel strength and one year), as well as April with 234.0 o/oo of actual personnel strength and one year (1975: 163.7 o/oo of actual personnel strength and one year). From Table 4 we can furthermore read off the monthly comparison values for 1975 and the average figures for 1972-1976, both for the total patient influx and for colds and flu.

Table 4. Total Patient Volume and Number of Colds and Flu Among Armed Forces Personnel by Months, 1975, 1976, and 1972-1976, per 1,000 Military Personnel, Actual Personnel Strength and One Year.

1 Monat	2 Gesamttrankenkung			3 darunter		
	4 Zugang & Erkrankungs- krankheiten und Grippe					
	1975	1976	1972/76	1975	1976	1972/76
Januar 5	848.9	572.5	788.3	326.8	117.7	270.7
Februar 6	906.3	701.9	769.9	495.9	266.7	337.2
März 7	810.8	854.8	637.8	233.0	430.6	284.8
April 8	624.9	541.9	557.3	163.7	234.0	166.7
Mai 9	425.0	573.0	518.3	105.5	131.8	132.4
Juni 10	494.7	398.8	438.4	113.0	81.9	103.2
Juli 11	472.9	453.1	486.9	81.3	83.3	88.4
August 12	482.0	474.8	505.3	105.1	84.3	110.1
September 13	539.2	458.0	515.8	129.8	109.5	126.8
Oktober 14	588.3	501.2	501.6	177.7	129.7	171.1
November 15	551.1	548.1	570.7	162.4	146.7	161.6
December 16	392.5	351.9	399.0	186.4	124.6	178.2

Legend: 1--months; 2--total patient volume; 3--including; 4--number of colds and flu; 5--January; 6--February; 7--March; 8--April; 9--May; 10--June; 11--July; 12--August; 13--September; 14--October; 15--November; 16--December.

#### E. Total Patient Volume by Major Illness Groups

A look at the individual diagnosis groups provides more information on the distribution of illness frequency in the total patient volume.

In 1976, as during the preceding year, just about 4/5 (78.5%) of the total patient volume involved personnel who were relieved of all duty for at least one day due to illness and a good 1/5 (21.5%) were so relieved on account of injuries as a result of accidents, intoxications, and acts of violence; this means that 418.0 o/oo of actual personnel strength were registered because of illness (1975: 450.8 o/oo of actual personnel strength) and 114.4 o/oo of actual personnel strength on account of

Injuries (1975: 118.7 o/oo of actual personnel strength). Table 5 shows the frequencies of major illness groups for 1975 and 1976 for West German armed forces personnel, including the organizational sectors. Major illness group VIII, "Diseases of the Respiratory Organs," as during every year, in 1976 likewise was in first place. A good 1/3 of the total patient influx (36.8%) was taken up by this major group. In other words, 196.1 o/oo of actual personnel strength (1975: 223.3 o/oo of actual personnel strength. After some interval in terms of frequency, we next had major group XVII, "Accidents, Intoxications, and Acts of Violence" with, as we said before, 111.4 o/oo of actual personnel strength. Third in line was major group I, "Infectious and Parasite Diseases" with 51.1 o/oo of actual personnel strength (1975: 51.9 o/oo of actual personnel strength). It was followed by major group IX, "Diseases of the Digestive Organs," with 37.9 o/oo of actual personnel strength (1975: 41.2 o/oo of actual personnel strength). Additional data on the frequencies of major disease groups can be found in Table 5.

Legend: 1--major disease group (numbers in parentheses = item number in armed forces disease list); 2--military personnel, total; 3--including; 4--army; 5--air force; 6--navy; 7--central military duty stations, armed forces (including defense ministry and central MC duty stations, armed forces); 8--number; 9--per 1,000 military personnel of pertinent actual personnel strength. I. infectious and parasite diseases (000-136); II. tumors (growth) (145-239); III. disorders of internal secretory glands, malnutrition and metabolism diseases (240-279); IV. diseases of the blood and blood-forming organs (285-289); V. psychoses, neuroses, personality disorders and feeble-mindedness (291-315); VI. diseases of the nervous system and the sensory organs (320-389); VII. diseases of the circulatory system (390-458); VIII. diseases of the respiratory organs (460-519); IX. diseases of the digestive organs (520-577); X. diseases of the urinary and sex organs (580-629); XII. diseases of the skin and the subcutaneous connective tissue (680-709); XIII. diseases of the bones, joints, and locomotor organs (710-738); XIV. congenital malformations (743-758); [no XV in original]; XVI. symptoms and insufficiently described illnesses (781-796); XVII. accidents, intoxications, and acts of violence (802-999); 10--grand total.

Table 6, Legend: 1--diagnosis group (numbers in parentheses = item number in armed forces illness list); 2--military personnel, total; 3--including; 4--army; 5--air force; 6--navy; 7--central military duty stations, armed forces (including defense ministry and central MC duty station, armed forces); 8--number; 9--per 1,000 soldiers of pertinent actual personnel strength; 10--colds and flu (460-570); 11--diarrhea illnesses (gastroenteritis) (009); 12--sprains (840-848); 13--contusions and bruises (920-929); 14--bone fractures (including skull fracture) (812-829); 15--head injuries (850-854); 16--inflammation of the gastric mucosae (535); 17--superficial injuries (910-918); 18--inflammation of the tonsils (chronic tonsillitis) (500); 19--appendicitis (540-543); 20--total; 21--all other ailments and injuries; 22--grand total.

Table 5. Total Patient Volume, Armed Forces Military Personnel, by Major Illness Groups in Organizational Sectors, 1975 and 1976.

1. Krankheiten-Übergruppe (Zahlen in Klammern = Pos. Nr. im Krankheitenverzeichnis der Bw)	2. Soldaten insgesamt		3. davon					
	Anzahl	1975	1976	auf 1 000 Soldaten der zugehörigen In-Sätze				
				1975	1976	1975	1976	1975
I. Infektiose und parasitäre Krankheiten (000-136)	24 893	24 616	61,9	61,1	62,9	61,1	62,0	63,0
II. Neuliderungen (Gedächtnis) (148-228)	1 768	1 678	3,7	3,6	3,2	4,2	3,8	4,3
III. Störungen der inneren Sekretorischen Drüsen, Ernährungsmangel und Stoffwechselstörungen (240-278)	1 803	1 606	3,9	3,5	2,7	4,7	4,3	4,6
IV. Krankheiten des Blutes und der blutbildenden Organe (288-328)	231	222	0,7	0,7	0,7	0,8	0,6	0,3
V. Pyruvat-, Sauerstoff- und Stoffwechselstörungen und Stoffwechsel (331-358)	4 486	4 416	9,3	9,1	9,2	9,3	9,8	9,9
VI. Krankheiten des Nervensystems und der Sinnesorgane (370-389)	6 198	5 304	10,8	11,0	10,6	12,1	10,1	13,0
VII. Krankheiten des Kreislaufsystems (390-488)	6 645	5 600	12,2	11,6	11,6	11,2	9,2	16,8
VIII. Krankheiten der Atmungsorgane (460-618)	107 128	94 680	221,3	196,1	200,8	203,8	184,3	148,4
IX. Krankheiten der Verdauungsorgane (620-677)	19 778	18 276	41,2	37,9	28,3	39,4	32,0	31,1
X. Krankheiten der Haut und Geschlechtsorgane (680-828)	3 880	6 708	12,9	18,9	13,9	14,7	12,6	12,6
XI. Krankheiten der Haut und des Unterhautgewebes (830-872)	10 374	10 266	21,6	21,3	22,0	21,0	19,8	12,4
XIII. Krankheiten der Knochen, Gelenke und Bewegungsorgane (110-238)	16 083	16 047	33,5	33,2	34,8	30,3	28,3	30,8
XIV. Angeborene Missbildungen (243-288)	482	488	0,9	1,0	1,0	1,1	0,9	1,1
XVI. Symptome und mangelhaft bezeichnete Krankheiten (781-798)	11 610	11 722	24,0	24,3	26,4	24,1	17,6	18,2
XVII. Unfälle, Vergiftungen und Gewaltverletzungen (802-898)	66 978	66 220	118,7	114,4	120,0	111,8	87,8	82,7
10. insgesamt	272 376	257 016	609,5	623,4	647,3	633,3	443,8	383,1

Table 6. The Ten Most Frequent Diagnosis Groups Among Armed Forces Personnel, by Organizational Sectors, 195 and 196

① Diagnose Gruppe (Zahlen in Klammern = Post. Nr. im Krankheitsverzeichnis der Bw)	2 Soldaten insgesamt				3 davon			
	1976				1976			
	1976	1976	1976	1976	Freie	Luftwaffe	Marine	Zivil by Bw-1
Erhaltungskrankheiten und Grippe (880-870)	104	114	104	114				
Durchfallerkrankungen (Gastroenterit) (608)	14	14	14	14				
Verletzungen (840-848)	14	14	14	14				
Prellungen und Quetschungen (920-928)	14	14	14	14				
Knochenbrüche (einschl. Schlüsselbein) (802-808)	14	14	14	14				
Kopferkrankheiten (850-854)	14	14	14	14				
Magen-Darm-Erkrankungen (838)	14	14	14	14				
Oberflächliche Verletzungen (810-818)	14	14	14	14				
Mundentzündung (einschl. Tonsillit) (800)	14	14	14	14				
Appendizitis (840-843)	14	14	14	14				
Zusammen alle übrigen Krankheiten und Verletzungen	20	21	20	21				
Insgesamt	273 276	287 018	288 0	292 4	847,3	638,3	443,8	282,1

Looking at the diagnosis groups, we find the following frequencies in 1976 (see Table 6): colds (flu infection, acute tonsillitis, acute bronchitis, and the like) and flu, as during all years, were in first place with 79,968 cases, in other words, 165.6 o/oo of actual personnel strength (1975: 186.9 o/oo of actual personnel strength); after some distance we next come to diarrhea cases (gastroenteritis) with 15,672 cases or 32.5 o/oo of actual personnel strength (1975: 33.4 o/oo of actual personnel strength); third in line came sprains with 15,174 cases or 31.4 o/oo of actual personnel strength (1975: 32.2 o/oo of actual personnel strength). Next in frequency came contusions and bruises (11,371 cases or 23.6 o/oo of actual personnel strength), bone fractures, including skull fracture (7,849 cases or 16.3 o/oo of actual personnel strength), and head injuries (6,343 cases or 13.1 o/oo of actual personnel strength). Further data on selected diagnosis groups and their frequencies in the organizational sectors can be seen in Table 6.

#### F. Patient Movement

According to Table 7, the initial inventory of ill and injured military personnel--who had been released from all duty for at least one day--came to 4,397, in other words, 9.1 o/oo of actual personnel strength (the deviations in the figures on the initial inventory of the report year as compared to the final inventory of the preceding year can be explained in the light of corrections). Together with 257,016 sick call cases during the report year, unit M.O.s thus had treated a total of 261,413 cases, in other words, 541.5 o/oo of actual personnel strength (1975: 580.0 o/oo of actual personnel strength); unit M.O.s completed treatment of 257,275 cases in 1976, in other words, 532.9 o/oo of actual personnel strength (1975: 571.3 o/oo of actual personnel strength). Table 7 provides further information on the type of recovery processing.

Table 7. Patient Movement, Armed Forces Personnel, Organizational Sectors, 1976.

① Krankenbewegung	2 Soldaten insgesamt		3 davon			
	8 Anzahl	9 auf 1 000 Soldaten der zugehörigen Verbandsstärke	4	5	6	7
			Luftwaffe	Marine	Militärärztliche Dienststellen	Militärärztliche Dienststellen
10 Anfangsbestand	4 397	9.1	8.7	10.7	8.5	8.8
11 Gesamtkrankenzugang	257 016	532.4	547.3	529.3	443.8	383.1
12 Abgeschlossene Krankheitsfälle	261 413	541.5	598.0	550.0	452.3	391.8
13 Gesamtkrankenzugang	257 275	532.9	547.3	541.0	448.0	382.9
14						
15 Verwundungsunfähig	192 724	399.2	414.3	367.2	382.1	332.3
16 Verwundungsunfähig	61 284	126.9	123.8	167.0	59.4	47.6
17 Verwundungsunfähig	7 515	15.7	5.7	3.2	2.9	1.2
18 Gestorben	728	1.5	1.5	1.6	1.5	1.8
19 Unvollständiger Abgang	42	0.1	0.0	0.0	0.1	-
20 Endbestand	4 138	8.6	8.7	8.0	8.3	8.0

Legend: 1--patient movement; 2--military personnel, total; 3--including; 4--air force; 5--air force; 6--navy; 7--central military duty stations, armed forces (\*); 8--number; 9--per 1,000 soldiers of pertinent actual personnel strength; 10--initial inventory; 11--total patient influx; 12--total

patients treated; 13--total patients discharged; 14--including; 15--fit for duty; 16--limited service; 17--deceased; 18--miscellaneous discharge; 19--final inventory; (\*) including federal defense ministry and central MC duty stations, armed forces; (\*\*) deviations in numbers on initial inventory of report year as compared to final inventory of preceding year are based on corrections.

Table 8. Average Duty Time Lost per Illness Among Armed Forces Personnel Relieved From all Duty, According to Treatment Places, Career Groups, and Organizational Sectors, 1976, days.

1 Behandlungsort 2 Laufbahngruppe	3 Durchschnittlicher Dienstausfall der Soldaten insgesamt	4 davon				
		5 Heer	6 Luftwaffe	7 Marine	8 (MIO B.V*)	
1972	11.1	10.9	11.6	11.2	15.3	
1973	10.9	10.6	11.6	10.9	14.8	
1974	10.8	10.4	11.5	10.8	14.4	
1975	10.6	10.3	11.2	10.7	13.6	
1976	10.4	10.1	11.1	10.9	13.7	
1976) Sanitätsbereich auf Stufe 10	4.9	4.2	4.8	2.6	5.7	
zu Hause 11	3.6	3.5	3.8	3.5	3.3	
12 Zivilkrankenhaus	11.3	11.6	10.9	11.7	11.0	
13 BW-Krankenhaus	15.2	15.1	15.1	15.2	12.2	
1976) Offiziere 14	15.3	15.5	14.0	15.5	14.4	
Unteroffiziere 15	12.8	14.2	12.0	15.2	14.9	
Mannschaften 16	12.7	12.7	12.7	12.8	13.6	
	8.6	8.3	10.7	9.6	12.2	

Legend: 1--treatment place; 2--career group; 3--average duty time lost of military personnel, total; 4--including; 5--army; 6--air force; 7--navy; 8--central military duty stations, armed forces (including defense ministry and central MC, armed forces); 9--MC sector; 10--restricted to barracks; 11--home; 12--civilian hospital or sanitarium; 13--armed forces hospital; 14--officers; 15--NCOs; 16--EM.

#### G. Average Duty Time Lost

The average duty time lost per man--among those relieved of all duty for at least one day on account of health problems--came to 10.4 days during the report year (1975: 10.6 days) (See Table 8).

In 1976, military personnel getting in-patient treatment in MC sectors [dispensaries] spent 4.9 days (1975: 5.1 days), while they spent 15.3 days in military hospitals (1975: 15.8 days), and 15.2 days in civilian hospitals (1975: 15.6 days). On the average, military personnel relieved of all duty spent 11.3 days (1975: 11.1 days) at home on account of health problems while they spent 3.6 days restricted to barracks (1975: 3.5 days).

## H. Average Daily Sick Call

The average daily sick call, in o/oo of actual personnel strength with figures rounded off, tells us how many soldiers were relieved of all duty due to health problems per day on an annual average. Table 9 shows the 1976 results of the average daily sick call, broken down by organizational sectors and career groups.

Table 9. Average Daily Sick Call Volume for Military Personnel Relieved of All Duty, by Organizational Sectors and Career Groups, 1976, per 1,000 soldiers of pertinent actual personnel strength, values rounded off.

1 Laufbahngruppe	2 Soldaten insgesamt	3 davon			
		4 Armer	5 Luftwaffe	6 Marine	7 ZMitt (Su*)
1972	18	18	17	15	19
1973	17	17	18	18	20
1974	17	16	18	15	19
1975	17	18	18	14	16
1976	15	18	18	13	14
(1976) Offiziere 8	13	13	15	10	12
Unteroffiziere 9	14	13	16	11	16
Mannschaften 10	16	16	17	16	16

Legend: 1--career group; 2--military personnel, total; 3--including; 4--army; 5--air force; 6--navy; 7--central military duty stations, armed forces (including defense ministry and central MC duty stations, armed forces); 8--officers; 9--NCOs; 10--EM.

In 1976, the average daily sick call volume for armed forces personnel was a good 15 o/oo of actual personnel strength (1975: 17 o/oo of actual personnel strength).

The figures varied in the organizational sectors. They were highest again in the air force with a good 16 o/oo of actual personnel strength (1975: 18 o/oo of actual personnel strength). The army had an average daily sick call rate of 15 o/oo of actual personnel strength (1975: 16 o/oo of actual personnel strength), whereas the central military duty stations of the armed forces (including defense ministry and central MC duty stations, armed forces) showed a good 14 o/oo of actual personnel strength (1975: 16 o/oo of actual personnel strength) and the navy had a good 13 o/oo of actual personnel strength (1975: 14 o/oo of actual personnel strength).

The following figures for the average daily sick call rate were determined for the career groups in 1976: on the average, officers revealed a sick call rate of 13 o/oo of actual personnel strength per day (1975: 14 o/oo of actual personnel strength); NCOs revealed a daily average of barely 14 o/oo of actual personnel strength (1975: 15 o/oo of actual personnel strength) and EM showed a figure of 16 o/oo of actual personnel strength (1975: 18 o/oo of actual personnel strength).

### Summary

In 1976, M.O. reports revealed the following results, among others:

1. The total sick call report rate (new cases) came to 4,222.4 o/oo of actual personnel strength.
2. The total patient volume--cases involving military personnel relieved of all duty for at least one day--came to 576,016 cases, in other words, 532.4 o/oo of actual personnel strength.
3. Army personnel took the lead in the total sick call rate with a figure of 547.3 o/oo of actual personnel strength.
4. In March--projected for one year--the total monthly sick call rate was highest with 858.8 o/oo of actual personnel strength.
5. The major group of "illnesses of the respiratory organs" was most heavily represented among the total patient rate with 196.9 o/oo of actual personnel strength.
6. The diagnoses on "colds" (flu infection, acute tonsillitis, acute bronchitis, and the like) and flu were made most frequently with 165.6 o/oo of actual personnel strength.
7. The average duty time lost per sick soldier came to 10.4 days. Military personnel getting in-patient treatment in MC sectors [dispensaries] stayed there an average of 4.9 days while they spent 15.3 days on the average in military hospitals and 15.2 days in civilian hospitals.
8. The average daily sick call rate came to a good 15 o/oo of actual personnel strength among armed forces personnel.

4