AD-A062 122 COLORADO STATE UNIV FORT COLLINS DEPT OF CHEMISTRY F/G 7/2
POTENTIOMETRIC INVESTIGATION OF DIALUMINUM HEPTACHLORIDE FORMAT--ETC(U)
NOV 78 R J GALE, R A OSTERYOUNG N00014-77-C-0004
UNCLASSIFIED TR-8 NL

1 OF 1
AD
A062 122

END
DATE
FILMED
3-79
DDC


1·0
1·1
1·25
1·4
1·6
1·8
2·0
2·2
2·5
2·8
3·15
3·5
4·0
4·5
NATIONAL BUREAU OF STANDARDS
MICROCOPY RESOLUTION TEST CHART

LEVEL II

12

SC

OFFICE OF NAVAL RESEARCH

Contract (15) N00014-77-C-0004

(9) TECHNICAL REPORT NO. 8 (14) TR-8

(6) "POTENTIOMETRIC INVESTIGATION OF DIALUMINUM HEPTACHLORIDE FORMATION IN ALUMINUM CHLORIDE: 1-BUTYLPYRIDINIUM CHLORIDE MIXTURES".

by

(10) R. J. Gale and R. A. Osteryoung

Prepared for publication in

Inorganic Chemistry

(12) 20p.

Department of Chemistry
Colorado State University
Fort Collins, Colorado 80523

(11) November 1978

404 992

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER: Technical Report No. 8	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle): "Potentiometric Investigation of Dialuminum Heptachloride Formation in Aluminum Chloride: 1-Butylpyridinium Chloride Mixtures"		5. TYPE OF REPORT & PERIOD COVERED: Technical 6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s): R. J. Gale and R. A. Osteryoung		8. CONTRACT OR GRANT NUMBER(s): N00014-77-C-0004
9. PERFORMING ORGANIZATION NAME AND ADDRESS: Department of Chemistry, Colorado State University, Fort Collins, Colorado 80523		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS: Chemistry Program, Office of Naval Research, Arlington, VA 22217		12. REPORT DATE: November 1978 13. NUMBER OF PAGES: 14
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office): Office of Naval Research, 1030 East Green Street, Pasadena, CA 91106		15. SECURITY CLASS. (of this report): Unclassified 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT (of this Report)

Approved for Public Release; Distribution Unlimited

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

Prepared for publication in Inorganic Chemistry

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Chloroaluminate melts; Potentiometry; Dissociation constants

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

The solvent acid-base properties of $AlCl_3$: 1-butylpyridinium chloride melts from 2.2:1.0 to 0.6:1.0 molar ratios, respectively, have been investigated by potentiometry. An equilibrium constant K_1 for the dissociation reaction.

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-014-6601

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

20. (continued)

$$2\ AlCl_4^- \rightleftarrows Al_2Cl_7^- + Cl^-$$

was determined to be $<3.83 \times 10^{-13}$ at 30°C. The 1-butylpyridinium cation is spontaneously reduced by elemental aluminum in the basic composition range.

ABSTRACT

The solvent acid-base properties of $AlCl_3$: 1-butylpyridinium chloride melts from 2.2:1.0 to 0.6:1.0 molar ratios, respectively, have been investigated by potentiometry. An equilibrium constant K_3 for the dissociation reaction

$$2\ AlCl_4^- \rightleftarrows Al_2Cl_7^- + Cl^-$$

was determined to be $<3.83 \times 10^{-13}$ at 30°C. The 1-butylpyridinium cation is spontaneously reduced by elemental aluminum in the basic composition range.

INTRODUCTION

Considerable interest has been shown recently in molten salt mixtures that are liquid at ambient temperatures, in view of the possibilities for their use as novel matrix solvents or electrolytes. The fused aluminum halide: alkylpyridinium halide systems are low melting, relatively easy to synthesize, and miscible with organic solvents such as benzene[1-4]. An investigation of the ionic species equilibria in $AlCl_3$: 1-butylpyridinium chloride mixtures, by Raman spectroscopy[5], has indicated that the association reaction

$$2\ AlCl_4^- + Al_2Cl_6 \rightleftarrows 2\ Al_2Cl_7^- \qquad (1)$$

is virtually complete and that no molecular aluminum chloride could be detected in the 2:1 molar ratio mixture at room temperature.

The following equilibria have been commonly used to relate the major solvent species in $AlCl_3$:MCl systems, M usually being an alkali metal cation[6-11]

$$Al^{3+} + 4\ Cl^- \rightleftarrows AlCl_4^- \qquad (2)$$

$$Al_2Cl_7^- + Cl^- \rightleftarrows 2\ AlCl_4^- \qquad (3)$$

$$Al_2Cl_6 + Cl^- \rightleftarrows Al_2Cl_7^- \qquad (4)$$

$$2\ AlCl_3 \rightleftarrows Al_2Cl_6 \qquad (5)$$

$$AlCl_4^- + Al_2Cl_6 \rightleftarrows Al_3Cl_{10}^- \qquad (6)$$

If an aluminum reference electrode behaves as a reversible indicator electrode, model equilibria may be applied to potentiometric titration data using the Nernst equation,

$$E = E_o + \frac{RT}{3F} \ln {}^{a}Al^{3+}/{}^{a}Al(0) \qquad (7)$$

which, incorporated with the association constants for reactions (2) and (3), gives for a reference state (superscript o) and any other state i

(superscript i),

$$\Delta E = \frac{RT}{3F}\ell n(a^{o}_{AlCl_4^-}/a^{i}_{AlCl_4^-}) + \frac{4RT}{3F}\ell n(a^{i}_{Cl^-}/a^{o}_{Cl^-}) \qquad (8)$$

Hence, an electrochemical cell of the type,

$Al|RCl, AlCl_3(ref)$;fritted disc;$AlCl_3(c), RCl|Al$

where R represents an alkylpyridinium cation, may be used as a p Cl electrode. The purpose of the present investigation is twofold, (i) to quantitatively assess the association constants for the major ionic equilibria, and (ii) to examine the effects that the nature of the cationic moiety of the halide salt have on the solvent equilibria.

EXPERIMENTAL

Melts were prepared by mixing accurately weighed quantities of purified aluminum chloride and 1-butylpyridinium chloride. The purification procedures for these compounds are described elsewhere[5]. In order to avoid discoloration and thermal decomposition, the pieces of aluminum chloride were added slowly, with stirring, to the 1-butylpyridinium chloride crystals in the cell. The colorless solvents can be titrated either by weighed additions of 1-butylpyridinium chloride to an acidic melt or by anodization of an aluminum electrode to a basic melt, which is tantamount to the addition of $AlCl_3$. The former procedure was finally adopted because of a spontaneous reaction of aluminum with the solvent in melts which contain an excess of free chloride ions, *vide infra.*

The electrochemical cell employed for the potentiometric titrations was made of Pyrex and the reference electrode compartment, containing coiled aluminum wire (m 5N Alfa Products), was isolated with a fritted

Pyrex disc. The electrolyte level in the reference electrode compartment was maintained very slightly higher than that of the bulk solution. A proportional thermoelectric controller was used to control the temperature of the melt to ±1°C using a Pyrex-sheathed Chromel-Alumel thermocouple (Thermo Electric 400). All operations were made under a drybox atmosphere of purified argon.

RESULTS

Figure 1 illustrates the results of experimental titrations from approximately 2.0:1.0 to 0.6:1.0 molar ratio $AlCl_3$: 1-butylpyridinium chloride at 30°C, 60°C and 120°C, respectively. The overall features of the sigmoidal curve are distinct in several respects from those obtained for the $AlCl_3$: NaCl melt at 175°C (6). Firstly, the potential difference between the plateau regions in figure 1 is larger by a factor of approximately 2-3 than that of the $AlCl_3$:NaCl melt, resulting in a greater p Cl range. Secondly, the data for the basic portion of the curve were less reproducible than those for the acidic regions and a blue coloration appearing at the aluminum electrode is an indication that secondary reaction occurs. Finally, unlike the potential data for the high temperature $AlCl_3$:NaCl systems, the curve changes slope again in the region of the 2:1 molar ratio melt composition.

Estimation of equilibria constants

An approximate conditional equilibrium constant for the potentiometric data of figure 1, in terms of the major equilibrium reaction (1), may be obtained using equation (8). The activities of any free Al^{3+} ions, $Al_3Cl_{10}^-$ ions, molecular Al_2Cl_6 or $AlCl_3$ are disregarded for the purposes of this

calculation with respect to the major ionic constituents of the melt, namely $AlCl_4^-$, $Al_2Cl_7^-$ and Cl^-. The liquid junction potential at the Pyrex frit reference was neglected[6,7]. Then, at 30°C,

$$K_3' = \frac{[Al_2Cl_7^-][Cl^-]}{[AlCl_4^-]^2} = 3.83 \times 10^{-13}$$

The potential function represented by equation (8) is shown in figure 1 as a solid line for this value of K_3'. Compared to the $AlCl_3$:NaCl system at 175°C[6,7], the experimental change in potential with molar composition steepens between the 1.6:1 and 2.2:1 molar ratios and more closely follows the form of equation (8). Obviously, this model is inappropriate for aluminum chloride:1-butylpyridinium chloride ratios in excess of 2:1. In addition, the estimation of the equilibrium constant in this manner assumes that the positive shift due to the mixed potential arising from the spontaneous reduction of the 1-butylpyridinium cation by elemental aluminum is not significant (<1.0:1.0 mole ratio range). This will be true if the exchange reaction for the aluminum couple is large relative to the cathodic reduction currents; however, the magnitude of K_3' should be regarded as a minimum value. Figure 2 illustrates the changes in the species composition calculated for the K_3' value of 3.83×10^{-13}. The chloride ion mole fraction almost spans the range found in the proton/hydroxyl equilibrium in water.

Potentiometric curves were obtained at 30°C, 60°C, 120°C and 175°C but did not reveal any significant differences in the potential span. This is unlike the $AlCl_3$:NaCl system at higher temperatures which has a 25% reduction in the potential span at 250°C compared to that at 175°C.[7]

DISCUSSION

The results of this potentiometric study are consistent with the Raman spectral data and indicate that the formation of $Al_2Cl_7^-$ ion proceeds to a greater extent in the $AlCl_3$:1-butylpyridinium chloride system than in the previously studied alkali metal halide systems (Table I). Unfortunately, it is difficult to compare directly the absolute values for the equilibrium constant K_3. Different model systems have been used and in certain cases there are restrictions in the accessible stability of liquidus temperature ranges. Torsi and Mamantov[11] have reported an increase in K_3 through the cation series $Li^+ < Na^+ < K^+ < Cs^+$, at 400°C. This finding essentially agrees with the interpretations by Ikeuchi and Krohn[12], or Schulze *et al.*[8] who use a 3-parameter model and report a decrease in the equilibrium constants for reaction (4) at 450°C; $Na^+(2 \times 10^{-6}) < Rb^+(1.1 \times 10^{-8}) < Cs^+(1 \times 10^{-9})$; K_3 for this model remains relatively constant (Table I). The direct correlation between the cationic radii and extent of $Al_2Cl_7^-$ ion formation may relate to the inverse ionic field strength as one might expect anionic complexes to be more stable with decreasing cationic polarizability[11]. The value of K_3 obtained with the relatively large, organic 1-butylpyridinium cation is consistent with this general trend.

The major effect of temperature variation, from 30°C to 175°C, is consistent with a change in the reaction equilibrium, according to the relation

$$\Delta G = -RT \ln K_3.$$

On the basis of the equilibrium constants obtained from the potentiometric curves for this system (Table I), the free energy remains approximately constant throughout the 145°C temperature span at $(7.1 \pm 0.3)10^4$ J mol^{-1}. Unfortunately,

precise thermodynamical data is precluded because of the corrosion process which occurs in the basic $AlCl_3$:1-butylpyridinium chloride systems. One practical consequence of the increased $Al_2Cl_7^-$ ion formation and the lower activity of free Al_2Cl_6 in these molten mixtures, relative to the $AlCl_3$:NaCl system, is that sublimation losses of Al_2Cl_6 are minimal even at 175°C. They may be also useful solvent systems for stabilizing unusually low valence metallic ion species.

Acknowledgements

This work was supported by the Office of Naval Research under contract N00014-77-C-0004.

TABLE I

Mole fraction equilibrium constants for $Al_2Cl_7^-$ ion formation in $AlCl_3$: M Cl[a] melts from potentiometric data.

System	K_3[b]	Temperature/°C	Reference
$AlCl_3$:1-butylpyr. Cl	$<3.83 \times 10^{-13}$	30	This work
"	$<5.66 \times 10^{-12}$	60	"
"	$<3.61 \times 10^{-10}$	120	"
"	$<1.19 \times 10^{-8}$	175	"
$AlCl_3$:NaCl	1.06×10^{-7}	175	[6]
"	8.00×10^{-8}	175	[7]
"	7.77×10^{-8}	175	[10]
"	1.33×10^{-7}	175	[9]
$AlCl_3$:LiCl	1.6×10^{-4}	400	[11]
$AlCl_3$:NaCl	1.0×10^{-5}	400	[11]
$AlCl_3$:KCl	1.6×10^{-6}	400	[11]
$AlCl_3$:CsCl	4.0×10^{-8}	400	[11]
$AlCl_3$:NaCl	5.78×10^{-7}	450	[8]
$AlCl_3$:RbCl	2.87×10^{-7}	450	[8]
$AlCl_3$:CsCl	7.58×10^{-7}	450	[8]

a. M represents a cationic species.

b. Dissociation constant for $2\ AlCl_4^- \rightleftarrows Al_2Cl_7^- + Cl^-$

REFERENCES

1. H.L. Chum, V.R. Koch, L.L. Miller, and R.A. Osteryoung, J. Am. Chem. Soc., 97, 3624 (1975).

2. V.R. Koch, L.L. Miller, and R.A. Osteryoung, J. Am. Chem. Soc., 98, 5277 (1976).

3. H.L. Chum, D. Koran, and R.A. Osteryoung, J. Organometallic Chem., 140, 349 (1977).

4. J. Robinson and R.A. Osteryoung , in press, J. Am. Chem. Soc.

5. R.J. Gale, B. Gilbert, and R.A. Osteryoung , in press, Inorg. Chem.

6. L.G. Boxall, H.L. Jones, and R.A. Osteryoung, J. Electrochem. Soc., 120, 223 (1973).

7. G. Torsi and G. Mamantov, Inorg. Chem. 10, 1900 (1971).

8. K. Schulze, D. Steinle and H. Hoff, Z. Naturforsch, 28a, 1847 (1973).

9. B. Tremillon and G. Letisse, J. Electroanal. Chem., 17, 371 (1968).

10. A.A. Fannin, Jr., L.A. King, and D.W. Seegmiller, J. Electrochem. Soc., 119, 801 (1972).

11. G. Torsi and G. Mamantov, Inorg. Chem., 11, 1439 (1972).

12. H. Ikeuchi and C. Krohn, Acta Chem. Scand., A28, 48 (1974).

Figure 1

Potentiometric data for $AlCl_3$:1-butylpyridinium chloride versus Al(0)/2:1 mole ratio mixture reference; x 30°C, o 60°C, • 120°C; —— theory (30°C).


0
-0·2
-0·4
-0·6
-0·8
-1·0
-1·2
EMF / V
2:1
1·5:1
1·0:1·0
0·5:1
MOLE RATIO AlCl3 : BuPyrCl

Figure 2

Mole fraction, N, of the major species in the melt at 30°C as a function of the net $AlCl_3$:RCl mole ratio.


-2
-4
-6
-8
-10
-12
-14
LOG N
$AlCl_4^-$
$Al_2Cl_7^-$
Cl^-
1·8:1
1·6:1
1 4:1
1·2:1
1:1
0 8:1
0 6:1
MOLE RATIO

TECHNICAL REPORT DISTRIBUTION LIST, 359

	No. Copies
Dr. H. Richtol Chemistry Department Rensselaer Polytechnic Institute Troy, New York 12181	1
Dr. A. B. Ellis Chemistry Department University of Wisconsin Madison, Wisconsin 53706	1
Dr. M. Wrighton Chemistry Department Massachusetts Institute of Technology Cambridge, Massachusetts 02139	1
Larry E. Plew Naval Weapons Support Center Code 3073, Building 2906 Crane, Indiana 47522	1
S. Ruby DOE (STOR) 600 E Street Washington, D.C. 20545	1
Dr. Aaron Wold Brown University Department of Chemistry Providence, Rhode Island 02192	1
Dr. R. C. Chudacek McGraw-Edison Company Edison Battery Division Post Office Box 28 Bloomfield, New Jersey 07003	1
Dr. A. J. Bard University of Texas Department of Chemistry Austin, Texas 78712	1
Dr. M. M. Nicholson Electronics Research Center Rockwell International 3370 Miraloma Avenue Anaheim, California 92803	1
Dr. M. G. Sceats University of Rochester Department of Chemistry Rochester, New York 14627	1

472:GAN:716:tam
78u472-608

TECHNICAL REPORT DISTRIBUTION LIST, 359

	No. Copies
Dr. Paul Delahay New York University Department of Chemistry New York, New York 10003	1
Dr. R. A. Osteryoung Colorado State University Department of Chemistry Fort Collins, Colorado 80521	1
Dr. E. Yeager Case Western Reserve University Department of Chemistry Cleveland, Ohio 41106	1
Dr. D. N. Bennion University of California Chemical Engineering Department Los Angeles, California 90024	1
Dr. R. A. Marcus California Institute of Technology Department of Chemistry Pasadena, California 91125	1
Dr. J. J. Auborn Bell Laboratories Murray Hill, New Jersey 07974	1
Dr. Adam Heller Bell Telephone Laboratories Murrary Hill, New Jersey 07974	1
Dr. T. Katan Lockheed Missiles & Space Co, Inc. P.O. Box 504 Sunnyvale, California 94088	1
Dr. Joseph Singer, Code 302-1 NASA-Lewis 21000 Brookpark Road Cleveland, Ohio 44135	1
Dr. E. Brummer EIC Incorporated Five Lee Street Cambridge, Massachusetts 02139	1
Library P. R. Mallory and Company, Inc. Northwest Industrial Park Burlington, Massachusetts 01803	1
Dr. P. J. Hendra University of Southhampton Department of Chemistry Southhampton SO9 5NH United Kingdom	1
Dr. Sam Perone Purdue University Department of Chemistry West Lafayette, Indiana 47907	1
Dr. Royce W. Murray University of North Carolina Department of Chemistry Chapel Hill, North Carolina 27514	1
Naval Ocean Systems Center San Diego, California 92152 Attn: Technical Library	1
Dr. J. H. Ambrus The Electrochemistry Branch Materials Division, Research & Technology Department Naval Surface Weapons Center White Oak Laboratory Silver Spring, Maryland 20910	1
Dr. G. Goodman Globe-Union Incorporated 5757 North Green Bay Avenue Milwaukee, Wisconsin 53201	1
Dr. J. Boechler Electrochimica Corporation Attention: Technical Library 2485 Charleston Road Mountain View, California 94040	1
Dr. P. P. Schmidt Oakland University Department of Chemistry Rochester, Michigan 48063	1

472:GAN:716:tam
78u472-608

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	No. Copies
Office of Naval Research 800 North Quincy Street Arlington, Virginia 22217 Attn: Code 472	2
ONR Branch Office 536 S. Clark Street Chicago, Illinois 60605 Attn: Dr. George Sandoz	1
ONR Branch Office 715 Broadway New York, New York 10003 Attn: Scientific Dept.	1
ONR Branch Office 1030 East Green Street Pasadena, California 91106 Attn: Dr. R. J. Marcus	1
ONR Area Office One Hallidie Plaza, Suite 601 San Francisco, California 94102 Attn: Dr. P. A. Miller	1
ONR Branch Office Building 114, Section D 666 Summer Street Boston, Massachusetts 02210 Attn: Dr. L. H. Peebles	1
Director, Naval Research Laboratory Washington, D.C. 20390 Attn: Code 6100	1
The Assistant Secretary of the Navy (R,E&S) Department of the Navy Room 4E736, Pentagon Washington, D.C. 20350	1
Commander, Naval Air Systems Command Department of the Navy Washington, D.C. 20360 Attn: Code 310C (H. Rosenwasser)	1
Defense Documentation Center Building 5, Cameron Station Alexandria, Virginia 22314	12
U.S. Army Research Office P.O. Box 1211 Research Triangle Park, N.C. 27709 Attn: CRD-AA-IP	1
Naval Ocean Systems Center San Diego, California 92152 Attn: Mr. Joe McCartney	1
Naval Weapons Center China Lake, California 93555 Attn: Dr. A. B. Amster Chemistry Division	1
Naval Civil Engineering Laboratory Port Hueneme, California 93401 Attn: Dr. R. W. Drisko	1
Professor K. E. Woehler Department of Physics & Chemistry Naval Postgraduate School Monterey, California 93940	1
Dr. A. L. Slafkosky Scientific Advisor Commandant of the Marine Corps (Code RD-1) Washington, D.C. 20380	1
Office of Naval Research 800 N. Quincy Street Arlington, Virginia 22217 Attn: Dr. Richard S. Miller	1
Naval Ship Research and Development Center Annapolis, Maryland 21401 Attn: Dr. G. Bosmajian Applied Chemistry Division	1
Naval Ocean Systems Center San Diego, California 91232 Attn: Dr. S. Yamamoto, Marine Sciences Division	1

Encl 1

TECHNICAL REPORT DISTRIBUTION LIST, 051C

	No. Copies
Dr. M. B. Denton University of Arizona Department of Chemistry Tucson, Arizona 85721	1
Dr. R. A. Osteryoung Colorado State University Department of Chemistry Fort Collins, Colorado 80521	1
Dr. B. R. Kowalski University of Washington Department of Chemistry Seattle, Washington 98105	1
Dr. S. P. Perone Purdue University Department of Chemistry Lafayette, Indiana 47907	1
Dr. D. L. Venezky Naval Research Laboratory Code 6130 Washington, D.C. 20375	1
Dr. H. Freiser University of Arizona Department of Chemistry Tuscon, Arizona 85721	
Dr. Fred Saalfeld Naval Research Laboratory Code 6110 Washington, D.C. 20375	1
Dr. H. Chernoff Massachusetts Institute of Technology Department of Mathematics Cambridge, Massachusetts 02139	1
Dr. K. Wilson University of California, San Diego Department of Chemistry La Jolla, California	1
Dr. A. Zirino Naval Undersea Center San Diego, California 92132	1
Dr. John Duffin United States Naval Postgraduate School Monterey, California 93940	1
Dr. G. M. Hieftje Department of Chemistry Indiana University Bloomington, Indiana 47401	1
Dr. Victor L. Rehn Naval Weapons Center Code 3813 China Lake, California 93555	1
Dr. Christie G. Enke Michigan State University Department of Chemistry East Lansing, Michigan 48824	1
Dr. Kent Eisentraut, MBT Air Force Materials Laboratory Wright-Patterson AFB, Ohio 45433	1
Walter G. Cox, Code 3632 Naval Underwater Systems Center Building 148 Newport, Rhode Island 02840	1