

AD-A062 208

NAVAL POSTGRADUATE SCHOOL MONTEREY CALIF
DISCRETE TIME SERIES GENERATED BY MIXTURES. III. AUTOREGRESSIVE--ETC(U)
SEP 78 P A JACOBS, P A LEWIS
NPS55-78-022

F/G 12/1

NSF-77-09020

NL

UNCLASSIFIED

| OF |

AD
A062 208



END
DATE
FILMED
3-79
DDC

② LEVEL II

NPS55-78-022

NAVAL POSTGRADUATE SCHOOL

Monterey, California

DDC FILE COPY AD A062208



DDC
REFILED
DEC 18 1978
REGULATED
B

JA

DISCRETE TIME SERIES GENERATED
BY MIXTURES III:
AUTOREGRESSIVE PROCESSES (DAR(p))
by
P. A. Jacobs
and
P. A. W. Lewis
September 1978

Approved for public release; distribution unlimited.

78 12 11 172

NAVAL POSTGRADUATE SCHOOL
MONTEREY, CALIFORNIA

Rear Admiral T. F. Dedman
Superintendent


J. R. Borsting
Provost

Reproduction of all or part of this report is authorized.

This report was prepared by:




P. A. Jacobs, Associate Professor
Department of Operations Research




P. A. W. Lewis, Professor
Department of Operations Research
and Statistics

Reviewed by:

Released by:



Michael G. Sovereign, Chairman
Department of Operations Research



William M. Tolles
Dean of Research

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER (14) NPS55-78-022	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) (16) Discrete Time Series Generated by Mixtures, III. Autoregressive Processes (DAR(p)). I A 039467		5. TYPE OF REPORT & PERIOD COVERED (9) Technical rept.
7. AUTHOR(s) (10) P. A. Jacobs and P. A. W. Lewis		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Arlington, Virginia 22217		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 61153N, RR014-05-01 N 0001478WR80012
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) (16) RR01405 (17) RR0140502		12. REPORT DATE (11) September 1978
		13. NUMBER OF PAGES
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited. (12) 49 p. (15) NSF-77-090205 NSF-AF-476		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Discrete Time Series Discrete Random Variable Mixtures Marginal Distribution Autoregressive Processes Correlation Structure Markov Chain DAR(p) Process Stationary Sequence		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A scheme for obtaining a stationary sequence of discrete random variables which has p-th order Markov dependence and a specified marginal distribution is presented. This DAR(p) process, which is a particular p-th order Markov chain, has the physical and correlation structure of an autoregressive process of order p. The process and its transition matrix are determined by the specified marginal distribution and by several other parameters which, independently of the marginal distribution, determine the correlation structure. CONTINUED		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-034-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

80 12 257 450

next page
alt

20 Continued.

Correlational properties and initial conditions for stationarity of the process are studied. Asymptotic properties for the process are also obtained.

ACCESSION for		
NTIS	White Section	<input checked="" type="checkbox"/>
DDC	Buff Section	<input type="checkbox"/>
UNANNOUNCED		<input type="checkbox"/>
JUSTIFICATION		
BY		
DISTRIBUTION/AVAILABILITY CODES		
Dist.	AVAIL. and/or	SPECIAL
A		

DISCRETE TIME SERIES GENERATED BY MIXTURES III:
AUTOREGRESSIVE PROCESSES (DAR(p))

by

P. A. Jacobs*

and

P. A. W. Lewis**

Naval Postgraduate School
Monterey, California

0. ABSTRACT

A scheme for obtaining a stationary sequence of discrete random variables which has p-th order Markov dependence and a specified marginal distribution is presented. This DAR(p) process, which is a particular p-th order Markov chain, has the physical and correlation structure of an autoregressive process of order p. The process and its transition matrix are determined by the specified marginal distribution and by several other parameters which, independently of the marginal distribution, determine the correlation structure. Correlational properties and initial conditions for stationarity of the process are studied. Asymptotic properties for the process are also obtained.

* Support under National Science Foundation Grant NSF-77-09020 is gratefully acknowledged.

** Support under Office of Naval Research Grant NR042-284 and National Science Foundation Grant AF476 is gratefully acknowledged.

1. INTRODUCTION

In Jacobs and Lewis (1978a) a scheme for obtaining a sequence of discrete random variables with first order Markov dependence and with a given marginal distribution is presented. The process is a Markov chain and has the physical and correlation structure of a first order autoregressive process. In this paper we extend this result and present a scheme for obtaining a stationary sequence of discrete random variables with p -th order Markov dependence and having a given marginal distribution. The process is a p -th order Markov chain and has the physical and correlation structure of a higher order autoregressive process, i.e. X_n depends explicitly on X_{n-1}, \dots, X_{n-p} . As with the models in Jacobs and Lewis (1978a) the process is specified by the stationary marginal distribution of X_n and several other chosen parameters which, independently of the marginal distribution, determine the correlation structure.

This DAR(p) process is defined as follows. Let $\{Y_n\}$ be a sequence of independent identically distributed random variables taking values in E a discrete subset of the real line with distribution π . Let $\{V_n\}$ be a sequence of independent $\{0,1\}$ -random variables with

$$P\{V_n = 1\} = 1 - P\{V_n = 0\} = \rho$$

for $0 \leq \rho < 1$. Let $\{A_n\}$ be a sequence of independent random variables taking values in $\{1,2,\dots,p\}$ with $P\{A_n = i\} = \alpha_i \geq 0$, $i = 1,2,\dots,p$ where $\sum_{i=1}^p \alpha_i = 1$. Put

$$(1.1) \quad X_n = V_n X_{n-1} + (1 - V_n) Y_n$$

for $n = 1, 2, \dots$. Then $\{X_n\}$ is called the DAR(p) process (discrete autoregressive process of order p). It will be shown in Section 3 that it is possible to obtain an initial distribution for $(X_{-p+1}, \dots, X_1, X_0)$ which makes the sequence $\{X_n\}$ stationary with marginal distribution π .

In Section 2 we will study the correlational structure of the stationary DAR(p) process, obtaining Yule-Walker type equations and discussing their solution for the DAR(2) and DAR(3) process.

Section 3 discusses the asymptotic properties of the DAR(p) process; it is shown that the process is ϕ -mixing in the sense of Billingsley (1968) and consequently that, with the usual definitions, sample means, covariances and quantiles converge almost surely and are asymptotically normal.

The process as defined at (1.1) has the property that all of the serial correlations $r(k) = \text{corr}(X_{n+k}, X_n)$, $k = \pm 1, \pm 2, \dots$, are greater than or equal to zero. This problem can be overcome quite simply if π is a symmetric distribution. The process then becomes a full analog to the standard linear AR(p) process (see e.g., Box and Jenkins, 1970). A discussion of the correlation properties of this extended DAR(p) process is given. When π is not symmetric it is necessary to consider schemes such as coupling two DAR(p) processes over a bivariate sequence $\{Y_n, Y'_n\}$, where

the Y_n 's and Y'_n 's are negatively correlated. Since this leads into the question of multivariate DAR(p) processes, it will be explicated elsewhere.

2. CORRELATIONAL PROPERTIES

Let $\{X_n\}$ be a stationary DAR(p) process having marginal distribution π and parameters $\rho, \alpha_i, i = 1, \dots, p$, and let $m = E(Y_n) = E(X_n)$. From (1.1) it follows that the dependence in the DAR(p) process is due to the random selection procedure by which X_n chooses one of the $Y_k; k \leq n$. In other words it is possible to write X_n as a random index model over $Y_k, k \leq n$, although the indexing variables for each n are correlated. To derive the correlation structure it is easier to work with the autoregressive formulation (1.1). Note that with probability $\rho\alpha_j, X_{n+k} = X_{n+k-j}$ for $j = 1, \dots, p$. This observation allows one to derive Yule-Walker equations for the serial correlations $r(k) = \text{Corr}(X_{n+k}, X_n)$ quite simply. For example, if we center the X_n 's to give $X'_n = X_n - m$, then multiplying (1.1) by X'_{n-1} and taking expectations

$$\begin{aligned} r(1) &= E(X'_n X'_{n-1}) \\ &= E(X'_{n-1} V_n X'_{n-A_n}) + E(X'_{n-1} (1-V_n) Y_n - m) \\ &= \rho\alpha_1 r(0) + \rho\alpha_2 r(1) + \dots + \rho\alpha_p r(p-1). \end{aligned}$$

Continuing this way, the complete set of Yule-Walker equations is obtained:

$$(2.1) \quad r(1) = \rho\alpha_1 r(0) + \rho\alpha_2 r(1) + \cdots + \rho\alpha_p r(p-1),$$

$$(2.2) \quad r(2) = \rho\alpha_1 r(1) + \rho\alpha_2 r(0) + \cdots + \rho\alpha_p r(p-2),$$

$$\vdots \quad \quad \quad \vdots \quad \quad \quad \vdots \quad \quad \quad \vdots$$

$$(2.3) \quad r(p) = \rho\alpha_1 r(p-1) + \rho\alpha_2 r(p-2) + \cdots + \rho\alpha_p r(0),$$

and, for $k \geq 1$,

$$(2.4) \quad r(p+k) = \rho\alpha_1 r(p+k-1) + \rho\alpha_2 r(p+k-2) + \cdots + \rho\alpha_p r(k).$$

Clearly, when $\rho = 0$ all $r(k)$'s, $k = 1, 2, \dots$ are zero, so that one is interested in solving the equations for $0 < \rho < 1$.

To see that the serial correlations are all positive or zero, let $q(i)$ be the probability that X_n and X_{n+i} choose the same random variable Y_k , where, because of the backward definition of the autoregression, $k \leq n$. Then $q(i)$ also satisfies equations (2.1)-(2.4). Hence $r(i) = q(i)$, $i = 1, 2, \dots$ and the correlations for the DAR(p) process are always nonnegative.

If we define a generating function

$$\beta(z) = \sum_{j=1}^{\infty} z^j r(j) \quad \text{for } 0 \leq z,$$

then from (2.1) - (2.4) we have that

$$(2.5) \quad \beta(z) = \{z[\rho\alpha_1 r(0) + \dots + \rho\alpha_p r(p-1)] + z^2[\rho\alpha_2 r(0) + \dots + \rho\alpha_p r(p-2)] + z^p[\rho\alpha_p r(0)]\} \{1 - z\rho\alpha_1 - z^2\rho\alpha_2 - \dots - z^p\rho\alpha_p\}^{-1}.$$

The roots of the characteristic equation

$$(2.6) \quad 1 - z\rho\alpha_1 - z^2\rho\alpha_2 - \dots - z^p\rho\alpha_p = 0$$

can be used to expand $\beta(z)$ by partial fractions to obtain expressions for $r(k)$. The roots can also be used to characterize the behavior of the autoregressive function $\{r(k)\}$. This will be illustrated for the DAR(2) and DAR(3) processes.

First we note that since ρ and the α_i 's are greater than or equal to zero, the left-hand side of (2.6) equals 1 at $z = 0$, $(1-\rho) > 0$ at $z = 1$, and since it is monotone in z for $z \geq 0$, there is one and only one positive root for a value of $z > 1$. All other roots are negative or imaginary. (For $p = 1$, the root is $z_1 = 1/\rho$.)

Another consequence of (2.6) concerns the quantity c defined in Jacobs and Lewis (1978b). We have

$$\lim_{m \rightarrow \infty} m \operatorname{var} \left(\frac{X_1 + \dots + X_m}{m} \right) = \operatorname{var}(X_1)c,$$

where

$$c = 1 + 2 \sum_{j=1}^{\infty} r(j).$$

From (2.5)

$$\begin{aligned}(2.7) \quad c &= 1 + 2\beta(1) \\ &= 1 + 2\rho\{r(0) + (1-\alpha_1) r(1) + (1-\alpha_1-\alpha_2) r(2) \\ &\quad + \dots + (1-\alpha_1 - \dots - \alpha_{p-1}) r(p-1)\}/(1-\rho) \\ &\geq 1 + \frac{2\rho}{1-\rho} .\end{aligned}$$

The inequality follows because all of the serial correlations $r(k)$ are nonnegative.

Example 2.1. The DAR(2) process.

In the definition (1.1) let $P\{A_n=1\} = 1 - P\{A_n=2\} = \alpha$ for $0 \leq \alpha \leq 1$. If $\alpha = 1$ the DAR(2) process reduces to the DAR(1) process which was studied in Jacobs and Lewis (1978 a,b). The Yule-Walker equations are easily solved to give

$$(2.7) \quad r(1) = \rho\alpha[1 - \rho(1-\alpha)]^{-1}$$

and

$$\begin{aligned}(2.8) \quad r(2) &= \{\rho(1-\rho) + 2\rho\alpha[\rho-1]\}\{1 - \rho(1-\alpha)\}^{-1} \\ &= r(1)[(1-\rho)\alpha^{-1} + 2\rho - 1] .\end{aligned}$$

If $\alpha = 1$, $r(1) = \rho$, $r(2) = \rho^2$, .. as it should for a first order Markov chain; if $\alpha = 0$, then $r(1) = 0$, $r(2) = \rho$, $r(3) = 0$, $r(4) = \rho^2$, To obtain possible values of $r(1)$ and $r(2)$ note that from (2.7)

$$r(1) (1-r(1))^{-1} = \alpha \rho (1-\rho)^{-1} .$$

Thus for fixed $r(1)$, ρ must be greater than or equal to $r(1)$ since $0 \leq \alpha \leq 1$. Further, for fixed $r(1)$ and $\rho \geq r(1)$

$$(2.9) \quad \alpha = r(1) [1 - r(1)]^{-1} (1-\rho) \rho^{-1} .$$

Suppose $r(1)$ is fixed and $\rho \geq r(1)$; then substituting (2.9) into (2.8) yields

$$r(2) = -r(1) + \rho [1 + r(1)] \geq r(1)^2 .$$

It now follows that the admissible region for $r(1)$ and $r(2)$ is $1 > r(2) \geq r(1)^2$.

Note that

$$(2.10) \quad \frac{r(1) + r(2)}{1 + r(1)} = \rho$$

and

$$\rho \alpha = \frac{r(1) [1 + r(2)]}{1 - r(1)^2} .$$

Hence, it is possible to obtain estimates for ρ and α from estimates of the first two serial correlations.

To study the autoregressive function note that the characteristic equation (2.6) becomes

$$1 - z\rho\alpha - z^2\rho(1-\alpha) = 0$$

which has two real roots, for $0 \leq \alpha < 1$,

$$z_{1,2} = \{\rho\alpha \pm a\}\{-2\rho(1-\alpha)\}^{-1},$$

where

$$a = [(\rho\alpha)^2 + 4\rho(1-\alpha)]^{1/2}.$$

Since $a \geq [(\rho\alpha)^2]^{1/2} = \rho\alpha$, one root is positive, and the other is negative. Also the negative root is dominant in absolute value. Thus, the autocorrelation function for the DAR(2) process is non-negative and is a mixture of the larger inverse of the positive root decaying geometrically and the smaller (in absolute value) inverse of the negative root decaying in absolute value geometrically but oscillating in sign. Specifically,

$$(2.12) \quad r(k) = b_1 z_1^{-k} + b_2 z_2^{-k}$$

for b_1 and b_2 given as

$$b_1 = z_1^{-1} [1 - z_2^{-2}] \{(z_1^{-1} - z_2^{-1})(1 + z_1^{-2} z_2^{-2})\}^{-1}$$

$$b_2 = z_2^{-1} (1 - z_1^{-2}) \{(z_1^{-1} - z_2^{-1})(1 + z_1^{-1} z_2^{-2})\}^{-1}.$$

Eventually the larger inverse root z_2^{-1} dominates in $r(k)$ and the decay is geometric.

Example 2.2. The DAR(3) process.

In definition (1.1) let

$$P\{A_n=1\} = \alpha_1, \quad P\{A_n=2\} = \alpha_2, \quad P\{A_n=3\} = 1 - \alpha_1 - \alpha_2$$

for $0 \leq \alpha_1$, $0 \leq \alpha_2$, $0 \leq \alpha_1 + \alpha_2 \leq 1$. If $\alpha_1 + \alpha_2 = 1$ then the process reduces to the DAR(2) process. The Yule-Walker equations become

$$(2.13) \quad r(1) = \rho\alpha_1 + \rho\alpha_2 r(1) + \rho(1 - \alpha_1 - \alpha_2)r(2);$$

$$(2.14) \quad r(2) = \rho\alpha_1 r(1) + \rho\alpha_2 + \rho(1 - \alpha_1 - \alpha_2)r(1);$$

$$(2.15) \quad r(3) = \rho\alpha_1 r(2) + \rho\alpha_2 r(1) + \rho(1 - \alpha_1 - \alpha_2);$$

$$(2.16) \quad r(k) = \rho\alpha_1 r(k-2) + \rho\alpha_2 r(k-2) + \rho(1 - \alpha_1 - \alpha_2)r(k-3)$$

for $k \geq 3$. Thus from (2.13) and (2.14)

$$r(1) = [\rho\alpha_1 + \rho^2(1 - \alpha_1 - \alpha_2)\alpha_2][1 - \rho\alpha_2 - \rho^2(1 - \alpha_1 - \alpha_2)(1 - \alpha_2)]^{-1};$$

$$r(2) = \rho\alpha_2 + \rho(1 - \alpha_2)r(1);$$

and

$$r(3) = \rho^2\alpha_1\alpha_2 + \rho(1 - \alpha_1 - \alpha_2) + \{\rho^2\alpha_1(1 - \alpha_2) + \rho\alpha_2\}r(1) .$$

Since equations (2.13)-(2.16) are linear in $\alpha_1' = \rho\alpha_1$, $\alpha_2' = \rho\alpha_2$, and ρ with coefficients involving $r(1)$, $r(2)$ and $r(3)$, they can be solved for α_1' , α_2' and ρ , and thus for α_1 , α_2 and ρ . To facilitate this note that (2.13)-(2.15) can be rewritten as

$$(2.13') \quad r(1) = \alpha_1'[1 - r(2)] + \alpha_2'[r(1) - r(2)] + \rho r(2);$$

$$(2.14') \quad r(2) = \alpha_2'[1 - r(1)] + \rho r(1);$$

$$(2.15') \quad r(3) = \alpha_1'[r(2) - 1] + \alpha_2'[r(1) - 1] + \rho.$$

Hence estimates for ρ , α_1 , and α_2 can be obtained from the usual estimates of the serial correlations $r(1)$, $r(2)$ and $r(3)$.

Problems will arise in solving the equations (2.13')-(2.15') if ρ is close to zero, since when $\rho = 0$ all the quantities in the equation are identically zero.

The characteristic equation (2.6) becomes

$$(2.17) \quad 0 = 1 - \rho\alpha_1 z - \rho\alpha_2 z^2 - \rho(1 - \alpha_1 - \alpha_2)z^3.$$

Again we require that $\alpha_1 + \alpha_2 < 1$, so that the process does not reduce to the DAR(2) case. To find the roots of (2.17), let

$$a = \frac{1}{3} \left[3 \frac{\alpha_1}{1 - \alpha_1 - \alpha_2} - \left(\frac{\alpha_2}{1 - \alpha_1 - \alpha_2} \right)^2 \right],$$

$$b = \frac{1}{27} \left\{ 2 \left(\frac{\alpha_2}{1 - \alpha_1 - \alpha_2} \right)^2 - 9 \frac{\alpha_1 \alpha_2}{(1 - \alpha_1 - \alpha_2)^2} - 27 \frac{1}{\rho(1 - \alpha_1 - \alpha_2)} \right\}$$

and

$$d = \frac{b^2}{4} + \frac{a^3}{27} .$$

The value of d can be either positive or negative. If $d > 0$, equation (2.17) has one real positive root and two imaginary roots and the autocorrelation function will have a "damped sine wave" appearance, but the function will eventually decrease geometrically. If $d < 0$, then all the roots of the cubic are real and unequal, one being positive and greater than one, the other two being negative. Hence the autocorrelation function is a mixture of a geometrically decreasing term, and two terms which decrease geometrically in absolute value but oscillate in sign. Table 1 gives values for the first nine correlations for a DAR(3) process with $\rho = 0.9$ for various values of α_1 and α_2 .

Example 2.3. The DAR(p) process.

The Yule-Walker equations (2.1)-(2.4) can be reparametrized with $\phi_1 = \rho\alpha_1$, $\phi_2 = \rho\alpha_2, \dots, \phi_p = \rho\alpha_p$, the parameters all lying between 0 and 1, with the constraint that

$$(2.18) \quad 0 \leq \phi_1 + \phi_2 + \dots + \phi_p < 1 .$$

Then it can be seen that the Yule-Walker equations are in exactly the same form as those given for the usual AR(p) process in Box and Jenkins (1970, p. 55). The parameter space for the DAR(p)

TABLE 1
 VALUES FOR THE FIRST NINE CORRELATIONS FOR A DAR(3) PROCESS
 WITH $\rho = 0.9$ FOR VARIOUS VALUES OF α_1 AND α_2 .
 (Recall that $\alpha_1 + \alpha_2 < 1$.)

α_1	α_2	r(1)	r(2)	r(3)	r(4)	r(5)	r(6)	r(7)	r(8)	r(9)
0	0	0	0	.9	0	0	.81	0	0	.729
0	0.5	.58	.71	.71	.58	.64	.58	.55	.55	.51
0	0.9	.40	.85	.41	.72	.41	.62	.40	.54	.38
0.05	0.9	.44	.85	.44	.73	.43	.63	.41	.55	.38
0.1	0.8	.59	.83	.59	.70	.56	.61	.52	.53	.48
0.3	0.6	.75	.81	.71	.70	.64	.61	.58	.54	.51
0.45	0.45	.80	.80	.74	.70	.65	.61	.58	.54	.51
0.5	0	.76	.68	.76	.68	.61	.62	.58	.54	.52
0.6	0.3	.84	.80	.75	.69	.65	.60	.56	.53	.49
0.8	0.1	.87	.79	.74	.68	.63	.58	.54	.50	.46
0.9	0	.88	.79	.73	.67	.62	.57	.52	.48	.44

process is more restricted than that for ϕ_1, \dots, ϕ_p in the AR(p) case, but the solutions are the same. The parameter ρ does not appear explicitly in this parametrization; however the parametrization is useful in the next section and when negative correlation is considered.

3. ASYMPTOTIC PROPERTIES

3.1. Preliminaries: Aperiodicity and the Doeblin Condition

Let $\{X_n\}$ be a real-valued DAR(p) process with discrete state space E having parameters ρ and $\{\alpha_i; i = 1, 2, \dots, p\}$ and with distribution π for the error sequence Y_n . From the definition (1.1) it follows that $Z_n = (X_n, X_{n+1}, \dots, X_{n+p-1})$ is a Markov chain having state space F which is the pth-order product space of E with itself. Let P denote the transition matrix of $\{Z_n\}$. Then for $\tilde{i}, \tilde{k} \in F$, $\tilde{k} = (k_1, \dots, k_p)$, $\tilde{i} = (i_1, \dots, i_p)$

$$(3.1) \quad P(\tilde{i}, \tilde{k}) \geq (1-\rho)^p \pi(k_1) \cdots \pi(k_p) .$$

For C a subset of F let

$$\mu(C) = \sum_{\tilde{k} \in C} \pi(k_1) \cdots \pi(k_p) = \sum_{\tilde{k} \in C} \mu(\tilde{k}) .$$

The asymptotic theory for DAR(p) processes is based on the following result.

PROPOSITION (3.1). The Markov chain $\{Z_n\}$ is aperiodic and satisfies the Doeblin hypothesis D as generalized by Doob [p. 192, [1953]].

PROOF. Fix a subset C of F such that

$$\delta = \inf_{\underline{k} \in C} \mu(\underline{k}) > 0 .$$

Let A be a subset of F with $\mu(A) \leq \mu(C)/2$. Then

$$\begin{aligned} P(\underline{i}, A^c \cap C) &= \sum_{\underline{k} \in A^c \cap C} \frac{P(\underline{i}, \underline{k})}{\mu(\underline{k})} \mu(\underline{k}) \\ &\geq \sum_{\underline{k} \in A^c \cap C} (1-\rho)^p \mu(\underline{k}) \\ &= (1-\rho)^p \mu(A^c \cap C) \\ &\geq (1-\rho)^p \mu(C)/2 \\ &\geq (1-\rho)^p \delta/2 , \end{aligned}$$

since $\mu(A) \leq \mu(C)/2$. Hence,

$$\begin{aligned} (3.2) \quad P(\underline{i}, A) &= 1 - P(\underline{i}, A^c) \\ &\leq 1 - P(\underline{i}, A^c \cap C) \\ &\leq 1 - \frac{1}{2} (1-\rho)^2 \delta . \end{aligned}$$

The result now follows.

We will use proposition (3.1) to show existence of a unique limiting distribution for $\{Z_n\}$, and to show that the stationary DAR(ρ) process is ϕ -mixing.

3.2. Stationarity Conditions

It follows from Proposition (3.1) that there exists a unique limiting distribution ν for $\{Z_n\}$ and constants $\gamma \geq 0$ and β , $0 \leq \beta < 1$ such that

$$(3.3) \quad |P^n(\nu, A) - \nu(A)| \leq \gamma \beta^n, \quad n = 1, 2, \dots$$

for all subsets A of F (cf. Doob [1953, p. 221]). A stationary DAR(p) process is obtained by using ν as the initial distribution for $(X_{-p+1}, X_{-p+2}, \dots, X_0)$. To see that ν has marginal distribution π , let $\{\gamma_n(j), j \in E\}$ denote the marginal distribution of the first component of Z_n and put $\gamma(j) = \lim_{n \rightarrow \infty} \gamma_n(j)$. Note that

$$\lim_{n \rightarrow \infty} \gamma_n(j) = \sum_{i=1}^p \rho \alpha_i \lim_{n \rightarrow \infty} \gamma_{n-i}(j) + (1-\rho) \pi(j).$$

Hence, $\gamma(j) = \rho \gamma(j) + (1-\rho) \pi(j)$ and the marginal distribution of the stationary DAR(p) process is π as asserted in Section 1.

Example 3.1. The DAR(2) process.

Let $\{X_n\}$ be a DAR(2) process with the same parametrization as in Example 2.1. If

$$(3.4) \quad \gamma(s_1, s_2) = \lim_{n \rightarrow \infty} E[\exp\{-s_1 X_{n+1} - s_2 X_{n+2}\}],$$

and

$$\beta(s_1) = \lim_{n \rightarrow \infty} E[\exp\{-s_1 X_n\}]$$

then $\gamma(s_1, s_2)$ satisfies the equation

$$(3.5) \quad \gamma(s_1, s_2) = (1-\rho) \beta(s_1) \beta(s_2) + \rho \alpha \beta(s_1 + s_2) + \rho(1-\alpha) \gamma(s_1, s_2) .$$

Solving (3.5) we get

$$\gamma(s_1, s_2) = \gamma(s_2, s_1) = (1 - r(1)) \beta(s_1) \beta(s_2) + r(1) \beta(s_1 + s_2)$$

and inverting the transform results in

$$(3.6) \quad v(i, j) = \lim_{n \rightarrow \infty} P\{X_{n+1}=i, X_{n+2}=j\} = \begin{cases} (1-r(1)) \pi(i) \pi(j), & i \neq j, \\ r(1) \pi(j) + (1-r(1)) \pi(j)^2, & i=j. \end{cases}$$

where $r(1) = \alpha \rho \{1 - \rho(1-\alpha)\}^{-1} = \text{corr}(X_n, X_{n+1})$ in the stationary process. Note that $\sum_{j \in E} v(i, j) = \sum_{j \in E} v(j, i) = \pi(i)$, as expected.

In simulating a random variable with distribution v it is simpler to use the conditional distribution

$$v(j|i) = \lim_{n \rightarrow \infty} P\{X_{n+2}=j | X_{n+1}=i\} = \begin{cases} \{1 - r(1)\} \pi(j) , & j \neq i, \\ r(1) + (1-r(1)) \pi(i), & j = i. \end{cases}$$

Note that we can now generate a stationary sequence of random variables X_n , $n = 1, 2, \dots$ with any marginal distribution π and

second-order autoregressive (AR(2)) correlation structure. From (3.6) or the conditional distribution it is not hard to show that, with $m = E(Y_n) = E(X_n)$,

$$(3.7) \quad E[X_n | X_{n-1} = x_{n-1}] = \{1 - r(1)\}m + r(1)x_{n-1},$$

$$(3.8) \quad E[X_n | X_{n+1} = x_{n+1}] = \{1 - r(1)\}m + r(1)x_{n+1},$$

$$(3.9) \quad \text{Var}[X_n | X_{n-1} = x_{n-1}] = \{1 - r(1)\} E(X_n^2) + r(1)\{1 - r(1)\}x_{n-1}^2 \\ - \{1 - r(1)\}^2 m^2 - 2r(1)(1 - r(1))mx_{n-1}.$$

Directly from (1.1) we have, for example, that

$$(3.10) \quad E[X_n | X_{n-1} = x_{n-1}; X_{n-2} = x_{n-2}] \\ = \rho\alpha x_{n-1} + \rho(1-\alpha)x_{n-2} + (1-\rho)m;$$

$$(3.11) \quad \text{Var}[X_n | X_{n-1} = x_{n-1}; X_{n-2} = x_{n-2}] \\ = (1-\rho) \text{Var}(Y_n) + \rho\alpha(1-\rho\alpha)x_{n-1}^2 + \rho(1-\alpha)(1-\rho)x_n^2 \\ + (1-\rho) \rho E[Y_n^2] + 2\rho^2\alpha(1-\alpha)x_{n-1}x_n \\ + 2\rho(1-\rho)m[\alpha x_{n-1} + (1-\alpha)x_n].$$

The regressions (3.7) and (3.8) might suggest that the DAR(2) process is time-reversible, but this is not so. To see this, note that

$$\begin{aligned}
\gamma(s_1, s_2, s_3) &= \lim_{n \rightarrow \infty} E[\exp\{-s_1 X_{n+1} - s_2 X_{n+2} - s_3 X_{n+3}\}] \\
&= \rho \alpha \gamma(s_1, s_2 + s_3) + \rho(1-\alpha) \gamma(s_1 + s_3, s_2) \\
&\quad + (1-\rho) \beta(s_3) \gamma(s_1, s_2) .
\end{aligned}$$

Since $\gamma(s_1, s_2, s_3) \neq \gamma(s_3, s_2, s_1)$ it follows that the stationary DAR(2) process is not time reversible.

Example 3.2. The DAR(3) process.

Let $\{X_n\}$ be a DAR(3) process with the same parametrization as in Example (2.2). As before let

$$\gamma(s_1, s_2) = \lim_{n \rightarrow \infty} E[\exp\{-s_1 X_{n+1} - s_2 X_{n+2}\}] ,$$

and let

$$\beta(s_1) = \lim_{n \rightarrow \infty} E[\exp\{-s_1 X_n\}];$$

$$\delta(s_1, s_2) = \lim_{n \rightarrow \infty} E[\exp\{-s_1 X_{n-1} - s_2 X_{n+1}\}];$$

and

$$\Gamma(s_1, s_2, s_3) = \lim_{n \rightarrow \infty} E[\exp\{-s_1 X_{n+1} - s_2 X_{n+2} - s_3 X_{n+3}\}] .$$

Put $\phi_1 = \rho \alpha_1$, $\phi_2 = \rho \alpha_2$, and $\phi_3 = \rho(1 - \alpha_1 - \alpha_2)$. Then, from the definition (1.1), and accounting for the possibility of X_{n+3} taking values X_{n+2} , X_{n+1} , X_n or Y_{n+3} , we have

$$\begin{aligned}
(3.12) \quad \Gamma(s_1, s_2, s_3) & \\
&= (1-\rho) \beta(s_3) \gamma(s_1, s_2) + \phi_1 \gamma(s_1, s_2 + s_3) \\
&\quad + \phi_2 \gamma(s_1 + s_3, s_2) + \phi_3 \Gamma(s_3, s_1, s_2) .
\end{aligned}$$

Also

$$\begin{aligned}
(3.13) \quad \gamma(s_1, s_2) & \\
&= (1-\rho) \beta(s_1) \beta(s_2) + \phi_1 \beta(s_1 + s_2) + \phi_2 \gamma(s_2, s_1) + \phi_3 \delta(s_1, s_2)
\end{aligned}$$

and

$$\begin{aligned}
(3.14) \quad \delta(s_1, s_2) & \\
&= (1-\rho) \beta(s_1) \beta(s_2) + \phi_1 \gamma(s_1, s_2) + \phi_2 \gamma(s_1 + s_2) + \phi_3 \gamma(s_2, s_1) .
\end{aligned}$$

Solving (3.13) and (3.14) simultaneously for $\gamma(s_1, s_2)$ and $\delta(s_1, s_2)$, it follows that

$$\gamma(s_1, s_2) = (1 - r(1)) \beta(s_1) \beta(s_2) + r(1) \beta(s_1 + s_2) ,$$

where $r(1) = \text{corr}(X_n, X_{n+1})$ is given in Example (2.2). Hence, inverting the transform,

$$(3.15) \quad v(i,j) = \begin{cases} (1-r(1)) \pi(i) \pi(j) , & \text{if } i \neq j, \\ r(1) \pi(j) , & \text{if } i = j. \end{cases}$$

The expression (3.12) can now be used to obtain an expression for $\Gamma(s_3, s_1, s_2)$, and substituting back into (3.12) we get

$$(3.16) \quad \Gamma(s_1, s_2, s_3) \\ = \{1 - \phi_3^3\}^{-1} \{ (1-\rho) [\beta(s_3)\gamma(s_1, s_2) + \phi_3\beta(s_2)\gamma(s_3, s_1) \\ + \phi_3^2\beta(s_1)\gamma(s_2, s_3)] + \phi_1[\gamma(s_1, s_2 + s_3) + \phi_3\gamma(s_3, s_1 + s_2) \\ + \phi_3^2\gamma(s_2, s_3 + s_1)] + \phi_2[\gamma(s_1 + s_3, s_2) + \phi_3\gamma(s_3 + s_2, s_1) \\ + \phi_3^2\gamma(s_2 + s_1, s_3)] \} .$$

Note that $\Gamma(s_1, s_2, s_3) \neq \Gamma(s_3, s_2, s_1)$ in general and hence the stationary DAR(3) process is not time reversible.

3.3. Mixing Results

The following result follows directly from (3.3).

PROPOSITION 3.2. The stationary DAR(p) process is ϕ -mixing in the sense of Billingsley [1968] with $\phi(k) = \gamma\beta^k$.

This last result implies that all of the asymptotic results in Jacobs and Lewis [1978b] are true for the DAR(p) process modulo constants. In particular the usual estimates of covariances, percentiles and quantiles converge almost surely to the true covariances, percentiles and quantiles and the estimates are asymptotically normal. Further, a chi-square goodness of fit test can be obtained for the marginal distribution of the stationary DAR(p) process. For further details see Jacobs and Lewis [1978b].

4. EXTENSIONS

One possible drawback of the DAR(p) process as defined in (1.1) is that all of the correlations are positive. We will now discuss a variation of the DAR(p) process which allows negative correlation for the case in which the marginal distribution π is symmetric about zero. The case of nonsymmetric π is more difficult and will be considered elsewhere.

Let $\{V_n\}$, $\{A_n\}$, and $\{Y_n\}$ be as in Section 1 and suppose that π is symmetric about zero. Let

$$(4.1) \quad X_n = V_n a_{A_n} X_{n-A_n} + (1 - V_n) Y_n,$$

where $\{a_k; k = 1, \dots, p\}$ is a fixed sequence of numbers that are either -1 or 1.

Put $Z_n = (X_n, X_{n+1}, \dots, X_{n+p-1})$. Then $\{Z_n\}$ is a Markov chain with a transition matrix P which satisfies (3.1). Thus Propositions (3.1) and (3.2) still hold, as well as (3.3).

Let $\{X_n\}$ be a stationary process defined by the modified DAR(p) scheme of (4.1) and put $r(k) = \text{corr}(X_n, X_{n+k})$. The Yule-Walker equations for this process are

$$(4.2) \quad r(1) = \phi_1 + \phi_2 r(1) + \dots + \phi_p r(p-1);$$

$$(4.3) \quad \begin{array}{ccccccc} r(2) & = & \phi_1 r(1) & + & \phi_2 & + & \dots + \phi_p r(p-2); \\ \vdots & & \vdots & & \vdots & & \vdots \end{array}$$

$$(4.4) \quad r(p) = \phi_1 r(p-1) + \phi_2 r(p-2) + \dots + \phi_p r(0);$$

$$(4.5) \quad r(p+k) = \phi_1 r(p+k-1) + \phi_2 r(p+k-2) + \dots + \phi_p r(k) ;$$

for $k \geq 1$ where $\phi_k = a_k \rho^k$, $k = 1, \dots, p$.

Equations (4.2)-(4.4) have the same form as the Yule-Walker equation on page 55 of Box and Jenkins (1970) but the set of possible values of ϕ_i , $i = 1, \dots, p$ is more restrictive. In particular we always have that

$$(4.6) \quad |\phi_1| + |\phi_2| + \dots + |\phi_p| < 1$$

Example 4.1. The modified DAR(1) process.

Let $A_n \equiv 1$ and $a_1 = -1$. Then

$$X_{n+1} = -V_{n+1} X_n + (1 - V_{n+1}) Y_{n+1}$$

and $r(k) = (-1)^k \rho^k$. If $a_1 = 1$ the process is the same as that in Section 1. When $a_1 = -1$ the modified DAR(1) process is Markovian with transition matrix

$$P(i, j) = P\{X_{n+1} = j | X_n = i\} = \begin{cases} (1-\rho) \pi(j), & -i \neq j, \\ \rho + (1-\rho) \pi(j), & -i = j. \end{cases}$$

Example 4.2. The modified DAR(2) process.

Let $P\{A_n = 1\} = 1 - P\{A_n = 2\} = \alpha$, $0 \leq \alpha < 1$. Solving equations (4.2)-(4.4) we obtain

$$r(1) = a_1^{\rho\alpha} [1 - a_2^{\rho(1-\alpha)}]^{-1},$$

$$r(2) = \rho [a_2(1-\alpha) - \rho(1 - 2\alpha)] [1 - a_2^{\rho(1-\alpha)}]^{-1},$$

and

$$r(3) = \rho^2 \alpha [2a_1 a_2 (1-\alpha) - a_1^{\rho(1 - 2\alpha)}] [1 - a_2^{\rho(1-\alpha)}]^{-1}.$$

Note that if $a_1 = 1$ (respectively $a_1 = -1$), the $r(1) > 0$, (respectively $r(1) < 0$) and $r(2)$ can be either positive or negative. The analogue of the characteristic equation (2.6) is

$$(4.6) \quad 1 - a_1^{\rho\alpha} z - a_2^{\rho(1-\alpha)} z^2 = 0.$$

If $a_2 = 1$, then (4.6) has two real roots; if $a_2 = -1$, then (4.6) may have imaginary roots. Thus the autocorrelation function can either have a "damped sine wave" appearance or be a mixture of terms which decrease geometrically in absolute value but may oscillate in sign.

For the modified DAR(2) process the range of values which the parameters ϕ_1 and ϕ_2 can take is not as broad as for the AR2 case, for which we have (Box and Jenkins [1970, p. 58])

$$\phi_2 + \phi_1 < 1,$$

$$\phi_2 - \phi_1 < 1,$$

$$-1 < \phi_2 < 1,$$

which allows ϕ_1 to range between -2 and +2. By contrast for the modified DAR(2) (for symmetric distributions) we have

$$|\phi_2| + |\phi_1| < 1,$$

$$-1 < \phi_1 < 1,$$

$$-1 < \phi_2 < 1.$$

Thus we have a diamond of possible values in the (ϕ_1, ϕ_2) plane, with apexes $(0,1)$, $(1,0)$, $(0,-1)$, $(-1,0)$. With this restriction the behavior of the serial correlations for the modified DAR(2) process is the same as the behavior for the AR(2) process which is pictured in the figure in Box and Jenkins (1970).

A limiting stationary distribution can be derived for this modified DAR(2) process, as was done for the ordinary DAR(2) process in Example 3.1.

REFERENCES

- Billingsley, P. (1968). Convergence of Probability Measures.
New York: Wiley.
- Box, G.E.P. and Jenkins, G.M. (1970). Time Series Analysis.
San Francisco: Holden-Day.
- Doob, J. L. (1953). Stochastic Processes. New York: Wiley.
- Jacobs, P.A. and Lewis, P.A.W. (1978a). Discrete Time Series
Generated by Mixtures. I: Correlational and Runs
Properties. J.R. Statist. Soc. B, 40, 94-105.
- Jacobs, P.A. and Lewis, P.A.W. (1978b). Discrete Time Series
Generated by Mixtures. II: Asymptotic Properties.
J.R. Statist. Soc. B, 40, to appear.

DISTRIBUTION LIST

NO. OF COPIES

STATISTICS AND PROBABILITY PROGRAM
OFFICE OF NAVAL RESEARCH
CODE 436
ARLINGTON
VA

22217

1

OFFICE OF NAVAL RESEARCH
NEW YORK AREA OFFICE
715 BROADWAY - 5TH FLOOR
ATTN: DR. ROBERT GRAFTON
NEW YORK, NY

10003

1

DIRECTOR
OFFICE OF NAVAL RESEARCH BRANCH OFF
536 SOUTH CLARK STREET
ATTN: DEPUTY AND CHIEF SCIENTIST
CHICAGO, IL

60605

1

LIBRARY
NAVAL OCEAN SYSTEMS CENTER
SAN DIEGO
CA

92152

1

NAVY LIBRARY
NATIONAL SPACE TECHNOLOGY LAB
ATTN: NAVY LIBRARIAN
CAY ST. LOUIS
MS

39522

1

NAVAL ELECTRONIC SYSTEMS COMMAND
NAVELEX 320
NATIONAL CENTER NO. 1
ARLINGTON
VA

20360

1

DIRECTOR NAVAL RESEARCH LABORATORY
ATTN: LIBRARY (ONRL)
CODE 2029
WASHINGTON, D.C.

20375

1

DEFENSE DOCUMENTATION CENTER
CAMERON STATION

2

ALEXANDRIA
VIRGINIA 22314

TECHNICAL INFORMATION DIVISION
NAVAL RESEARCH LABORATORY

1

WASHINGTON, D. C.

20375

	NO. OF COPIES
OFFICE OF NAVAL RESEARCH SAN FRANCISCO AREA OFFICE 760 MARKET STREET SAN FRANCISCO CALIFORNIA 94102	1
TECHNICAL LIBRARY NAVAL ORDNANCE STATION INDIAN HEAD MARYLAND 20640	1
NAVAL SHIP ENGINEERING CENTER PHILADELPHIA DIVISION TECHNICAL LIBRARY PHILADELPHIA PENNSYLVANIA 19112	1
BUREAU OF NAVAL PERSONNEL DEPARTMENT OF THE NAVY TECHNICAL LIBRARY WASHINGTON D. C. 20370	1
LIBRARY CODE 0212 NAVAL POSTGRADUATE SCHOOL MONTEREY CALIFORNIA 93940	1
PROF. M. AEDEL-HAMEED DEPARTMENT OF MATHEMATICS UNIVERSITY OF NORTH CAROLINA CHARLOTTE NC 28223	1
PROF. T. W. ANDERSON DEPARTMENT OF STATISTICS STANFORD UNIVERSITY STANFORD , CALIFORNIA 94305	1
PROF. F. J. ANSCOMBE DEPARTMENT OF STATISTICS YALE UNIVERSITY NEW HAVEN CONNECTICUT 06520	1
PROF. L. A. ARCIAN INSTITUTE OF INDUSTRIAL ADMINISTRATION UNION COLLEGE SCHENECTADY, NEW YORK 12308	1
PROF. C. R. BAKER DEPARTMENT OF STATISTICS UNIVERSITY OF NORTH CAROLINA CHAPEL HILL, NORTH CAROLINA 27514	1

PROF. R. E. BECHOFER 1
DEPARTMENT OF OPERATIONS RESEARCH
CORNELL UNIVERSITY
ITHACA
NEW YORK 14850

PROF. N. J. BERSHAD 1
SCHOOL OF ENGINEERING
UNIVERSITY OF CALIFORNIA
IRVINE,
CALIFORNIA
92664

P. J. BICKEL 1
DEPARTMENT OF STATISTICS
UNIVERSITY OF CALIFORNIA
BERKELEY, CALIFORNIA 94720

PROF. F. W. BLICK 1
DEPARTMENT OF MATHEMATICS
UNIVERSITY OF PITTSBURGH
PITTSBURGH
PA 15260

PROF. JOSEPH BLUM 1
DEPT. OF MATHEMATICS, STATISTICS
AND COMPUTER SCIENCE
THE AMERICAN UNIVERSITY
WASHINGTON
DC 20016

PROF. R. A. BRADLEY 1
DEPARTMENT OF STATISTICS
FLORIDA STATE UNIVERSITY
TALLAHASSEE, FLORIDA 32306

PROF. R. E. BARLOW 1
OPERATIONS RESEARCH CENTER
COLLEGE OF ENGINEERING
UNIVERSITY OF CALIFORNIA
BERKELEY
CALIFORNIA 94720

MR. C. N. BENNETT 1
NAVAL COASTAL SYSTEMS LABORATORY
CODE P761
PANAMA CITY,
FLORIDA
32401

PROF. U. N. BIFAT 1
COMPUTER SCIENCE / OPERATIONS
RESEARCH CENTER
SOUTHERN METHODIST UNIVERSITY
DALLAS,
TEXAS 75275

PROF. W. R. BLISCHKE 1
DEPT. OF QUANTITATIVE
BUSINESS ANALYSIS
UNIVERSITY OF SOUTHERN CALIFORNIA
LOS ANGELES, CALIFORNIA 90007

	NO. OF COPIES
DR. DERRILL J. BORDELON NAVAL UNDERWATER SYSTEMS CENTER CODE 21 NEWPORT RI	1
C2840	
J. E. BOYER JR DEPT. OF STATISTICS SOUTHERN METHODIST UNIVERSITY DALLAS TX	1
75275	
DR. J. CHANDRA U. S. ARMY RESEARCH P. O. BOX 12211 RESEARCH TRIANGLE PARK, NORTH CAROLINA 27706	1
PROF. F. CHERNOFF DEPT. OF MATHEMATICS MASS INSTITUTE OF TECHNOLOGY CAMBRIDGE, MASSACHUSETTS 02139	1
PROF. C. DERMAN DEPARTMENT OF CIVIL ENGINEERING AND ENGINEERING MECHANICS COLUMBIA UNIVERSITY NEW YORK NEW YORK	1
10027	
PROF. R. L. DISNEY VIRGINIA POLYTECHNIC INSTITUTE AND STATE UNIVERSITY DEPT. OF INDUSTRIAL ENGINEERING AND OPERATIONS RESEARCH BLACKSBURG, VA	1
24061	
MR. J. DOWLING DEFENSE LOGISTICS STUDIES INFORMATION EXCHANGE ARMY LOGISTICS MANAGEMENT CENTER FORT LEE, VIRGINIA 20390	1
PROF. J. D. ESARY DEPT. OF OPERATIONS RESEARCH AND ADMINISTRATIVE SCIENCES NAVAL POSTGRADUATE SCHOOL MONTEREY, CALIFORNIA 93940	1
DR. M. J. FISCHER DEFENSE COMMUNICATIONS AGENCY 1860 WIEHLE AVENUE RESTON VIRGINIA 22070	1

NO. OF COPIES

PROF. C. P. GAVER
DEPT. OF OPERATIONS RESEARCH
NAVAL POSTGRADUATE SCHOOL
MONTEREY
CA

1

93940

MR. GENE F. GLEISSNER
APPLIED MATHEMATICS LABORATORY
DAVID TAYLOR NAVAL SHIP RESEARCH
AND DEVELOPMENT CENTER
BETHESDA
MD

1

20084

PROF. S. S. GUPTA
DEPARTMENT OF STATISTICS
FURDUE UNIVERSITY
LAFAYETTE
INDIANA 47907

1

PROF. D. L. HANSON
DEPT OF MATH. SCIENCES
STATE UNIVERSITY OF NEW YORK,
BINGHAMTON
BINGHAMTON
NY

1

13901

PROF. F. J. HARRIS
DEPT. OF ELECTRICAL ENGINEERING
SAN DIEGO STATE UNIVERSITY
SAN DIEGO
CA

1

92182

PROF. L. H. HERBACH
DEPT. OF OPERATIONS RESEARCH AND
SYSTEMS ANALYSIS
POLYTECHNIC INSTITUTE OF NEW YORK
BROOKLYN
NY

1

11201

PROF. M. J. HINICH
DEPARTMENT OF ECONOMICS
VIRGINIA POLYTECHNIC INSTITUTE
AND STATE UNIVERSITY
BLACKSBURG,
VIRGINIA 24061

1

PROF. W. M. HIRSCH
INSTITUTE OF MATHEMATICAL SCIENCES
NEW YORK UNIVERSITY
NEW YORK
NEW YORK 10453

1

PROF. C. L. IGLEHART
DEPARTMENT OF OPERATIONS RESEARCH
STANFORD UNIVERSITY
STANFORD,
CALIFORNIA
94350

1

NO. OF COPIES

PROF. J. B. KACANE
DEPARTMENT OF STATISTICS
CARNEGIE-MELLON
PITTSBURGH,
PENNSYLVANIA
15213 1

DR. RICHARD LAU
DIRECTOR
OFFICE OF NAVAL RESEARCH BRANCH OFF
1030 EAST GREEN STREET
PASADENA
CA 91101 1

DR. A. R. LAUFER
DIRECTOR
OFFICE OF NAVAL RESEARCH BRANCH OFF
1030 EAST GREEN STREET
PASADENA
CA 91101 1

PROF. M. LEADBETTER
DEPARTMENT OF STATISTICS
UNIVERSITY OF NORTH CAROLINA
CHAPEL HILL
NORTH CAROLINA 27514 1

DR. J. S. LEE
J. S. LEE ASSOCIATES, INC.
2001 JEFFERSON DAVIS HIGHWAY
SUITE EC2
ARLINGTON
VA 22202 1

PROF. L. C. LEE
DEPARTMENT OF STATISTICS
VIRGINIA POLYTECHNIC INSTITUTE
AND STATE UNIVERSITY
BLACKSBURG
VA 24061 1

PROF. R. S. LEVENWORTH
DEPT. OF INDUSTRIAL AND SYSTEMS
ENGINEERING
UNIVERSITY OF FLORIDA
GAINSVILLE,
FLORIDA 32611 1

PROF. G. LIEBERMAN
STANFORD UNIVERSITY
DEPARTMENT OF OPERATIONS RESEARCH
STANFORD CALIFORNIA 94305 1

NO. OF COPIES

DR. JAMES F. MAAR 1
 NATIONAL SECURITY AGENCY
 FCPT MEADE, MARYLAND
 20755

PROF. R. W. MADSEN 1
 DEPARTMENT OF STATISTICS
 UNIVERSITY OF MISSOURI
 COLUMBIA
 MO

65201

DR. N. R. MANN 1
 SCIENCE CENTER
 ROCKWELL INTERNATIONAL CORPORATION
 P.O. BOX 1089
 THOUSAND OAKS,
 CALIFORNIA 91360

DR. W. H. MARLOW 1
 PROGRAM IN LOGISTICS
 THE GEORGE WASHINGTON UNIVERSITY
 707 22ND STREET, N. W.
 WASHINGTON, D. C.
 20037

PROF. E. MASRY 1
 DEPT. APPLIED PHYSICS AND
 INFORMATION SERVICE
 UNIVERSITY OF CALIFORNIA
 LA JOLLA
 CALIFORNIA

92093

DR. BRUCE J. McDONALD 1
 SCIENTIFIC DIRECTOR
 SCIENTIFIC LIAISON GROUP
 OFFICE OF NAVAL RESEARCH
 AMERICAN EMBASSY - TOKYO
 APO SAN FRANCISCO

96503

PROF. J. A. MUCKSTADT 1
 DEPT. OF OPERATIONS RESEARCH
 CORNELL UNIVERSITY
 ITHACA,
 NEW YORK
 14850

DR. JANET M. MYRE 1
 THE INSTITUTE OF DECISION SCIENCE
 FOR BUSINESS AND PUBLIC POLICY
 CLAREMONT MEN'S COLLEGE
 CLAREMONT
 CA

91711

MR. H. NISSELSOHN 1
 BUREAU OF THE CENSUS
 ROOM 2C25
 FEDERAL BUILDING 3
 WASHINGTON,
 D. C. 20533

	NO. OF COPIES
MISS B. S. ORLEANS NAVAL SEA SYSTEMS COMMAND (SEA 03F) RM 10508 ARLINGTON VIRGINIA 20360	1
PROF. C. B. OWEN DEPARTMENT OF STATISTICS SOUTHERN METHODIST UNIVERSITY DALLAS TEXAS 75222	1
DR. A. PETRASOVITS ROOM 207B, FOOD AND DRUG BLDG. TUNNEY'S PASTURE OTTAWA, ONTARIO K1A-0L2, CANADA	1
PROF. S. L. PHENIX SIBLEY SCHOOL OF MECHANICAL AND AEROSPACE ENGINEERING CORNELL UNIVERSITY ITHACA NY 14850	1
DR. A. L. POWELL DIRECTOR OFFICE OF NAVAL RESEARCH BRANCH OFF 495 SUMMER STREET BOSTON MA 02210	1
MR. F. R. PRIORI CCDE 224 OPERATIONS TEST AND ONRS EVALUATION FORCE (OPTEVFOR) NORFOLK, VIRGINIA 20360	1
PROF. M. L. PURI DEPT. OF MATHEMATICS F.C. BOX F INDIANA UNIVERSITY FOUNDATION BLOOMINGTON IN 47401	1
PROF. H. ROBBINS DEPARTMENT OF MATHEMATICS COLUMBIA UNIVERSITY NEW YORK, NEW YORK 10027	1

	NO. OF COPIES
PROF. M ROSENBLATT DEPARTMENT OF MATHEMATICS UNIVERSITY OF CALIFORNIA SAN DIEGO LA JOLLA CALIFORNIA 92093	1
PROF. S. M. ROSS COLLEGE OF ENGINEERING UNIVERSITY OF CALIFORNIA BERKELEY CA 94720	1
PROF. I RUBIN SCHOOL OF ENGINEERING AND APPLIED SCIENCE UNIVERSITY OF CALIFORNIA LOS ANGELES, CALIFORNIA 90024	1
PROF. I. R. SAVAGE DEPARTMENT OF STATISTICS YALE UNIVERSITY NEW HAVEN, CONNECTICUT 06520	1
PROF. L. L. , JR. SCHARF DEPARTMENT OF ELECTRICAL ENGINEERING COLORADO STATE UNIVERSITY FT. COLLINS, COLORADO 80521	1
PROF. R. SERFLING DEPARTMENT OF STATISTICS FLORIDA STATE UNIVERSITY TALLAHASSEE FLORIDA 32306	1
PROF. W. R. SCHUCANY DEPARTMENT OF STATISTICS SOUTHERN METHODIST UNIVERSITY DALLAS, TEXAS 75222	1
PROF. C. O. SIEGMUND DEPT. OF STATISTICS STANFORD UNIVERSITY STANFORD CA 94305	1
PROF. M. L. SPOOMAN DEPT. OF ELECTRICAL ENGINEERING POLYTECHNIC INSTITUTE OF NEW YORK BROOKLYN, NEW YORK 11201	1
PROF. N. SINGPURWALLA DEPT. OF OPERATIONS RESEARCH THE GEORGE WASHINGTON UNIVERSITY 707 22ND ST. N. W. WASHINGTON, D. C. 20052	1

NO. OF COPIES

DR. A. L. SLAFKOSKY
 SCIENTIFIC ADVISOR
 COMMANDANT OF THE MARINE CORPS
 WASHINGTON ,
 D. C.
 20380 1

MR. CHARLES S. SMITH
 OASD (IGL),
 PENTAGON
 WASHINGTON
 DC 20301 1

DR. D. E. SMITH
 DESMATICS INC.
 P.O. BOX 618
 STATE COLLEGE
 PENNSYLVANIA
 16801 1

PROF. W. L. SMITH
 DEPARTMENT OF STATISTICS
 UNIVERSITY OF NORTH CAROLINA
 CHAPEL HILL
 NORTH CAROLINA 27514 1

PROF. H. SOLOMON
 DEPARTMENT OF STATISTICS
 STANFORD UNIVERSITY
 STANFORD ,
 CALIFORNIA
 94305 1

MR. GLENN F. STAHLY
 NATIONAL SECURITY AGENCY
 FORT MEADE ,
 MARYLAND 20755 1

MR. DAVID A. SWICK
 ADVANCED PROJECTS GROUP
 CODE 8103
 NAVAL RESEARCH LAB.
 WASHINGTON
 DC 20375 1

MR. WENDELL G. SYKES
 ARTHUR D. LITTLE, INC.
 ACCORN PARK
 CAMBRIDGE
 MA 02140 1

PROF. J. R. THOMPSON
 DEPARTMENT OF MATHEMATICAL SCIENCE
 RICE UNIVERSITY
 HOUSTON,
 TEXAS
 77001 1

	NO. OF COPIES
PROF. W. A. THOMPSON DEPARTMENT OF STATISTICS UNIVERSITY OF MISSOURI COLUMBIA, MISSOURI 65201	1
PROF. F. A. TILLMAN DEPT. OF INDUSTRIAL ENGINEERING KANSAS STATE UNIVERSITY MANHATTAN KS	1
66506	
PROF. J. W. TUKEY DEPARTMENT OF STATISTICS PRINCETON UNIVERSITY PRINCETON, N. J. 08540	1
PROF. A. F. VEINOTT DEPARTMENT OF OPERATIONS RESEARCH STANFORD UNIVERSITY STANFORD CALIFORNIA 94305	1
DANIEL H. WAGNER STATION SQUARE ONE FAC I, PENNSYLVANIA 19301	1
PROF. GRACE WAHBA DEPT. OF STATISTICS UNIVERSITY OF WISCONSIN MADISON WI	1
53706	
PROF. K. T. WALLENIS DEPARTMENT OF MATHEMATICAL SCIENCES CLEMSON UNIVERSITY CLEMSON, SOUTH CAROLINA 29631	1
PROF. G. S. WATSON DEPARTMENT OF STATISTICS PRINCETON, N. J. 08540	1
PROF. BERNARD WIDROW STANFORD ELECTRONICS LAB STANFORD UNIVERSITY STANFORD CA	1
94305	
PROF. G. E. WHITEHOUSE DEPT. OF INDUSTRIAL ENGINEERING LEHIGH UNIVERSITY BETHLEHEM PA	1
18015	

NO. OF COPIES

PROF. S. ZACKS 1
 DEPT. OF MATHEMATICS AND STATISTICS
 CASE WESTERN RESERVE UNIVERSITY
 CLEVELAND,
 OHIO
 44106

PROF. M. ZIA-PASSAN 1
 DEPARTMENT OF INDUSTRIAL AND
 SYSTEMS ENGINEERING
 ILLINOIS INSTITUTE OF TECHNOLOGY
 CHICAGO 60616
 IL

DR. DAVID BRILLINGER 1
 STATISTICS DEPT.
 UNIVERSITY OF CALIFORNIA
 BERKELEY,
 CALIFORNIA
 94720

DR. CHIN CHEN 1
 COMMONWEALTH ASSOCIATES, INC.
 209 E. WASHINGTON
 JACKSON, MI
 49201

PROFESSOR PETER CHEN 1
 ALFRED P. SLEMAN SCHOOL OF MGMT
 MASS INSTITUTE OF TECHNOLOGY
 50 MEMORIAL DRIVE
 CAMBRIDGE,
 MASSACHUSETTS 02139

DR. E. CINLAR 1
 O.R. DEPT.
 NORTHWESTERN UNIVERSITY
 EVANSTON,
 ILLINOIS
 60201

DR. GUY C. CORYNEN 1
 L. 156 UNIV OF CALIFORNIA
 LAWRENCE LIVERMORE LABORATORY
 P. O. BOX 808
 LIVERMORE, CALIFORNIA
 94550

DR. MICHAEL A. CRANE 1
 CONTROL ANALYSIS CORPORATION
 800 WELCH ROAD
 PALO ALTO, CALIFORNIA 94304

DR. D. F. CALEY 1
 STATISTICS DEPT. (I A S)
 AUSTRALIAN NATIONAL UNIVERSITY
 CANBERRA, A. C. T. 2606
 AUSTRALIA

NO. OF COPIES

HSU DER-AM
SCH OF ENGR./APPLIED SCI.
DEPT. OF CIVIL & GEOLOGICAL ENGR.
THE ENGINEERING QUADRANGLE
PRINCETON
NEW JERSEY 08540

1

ASSISTANT DEAN EAV ELDREDGE
SCHOOL OF BUSINESS ADMINISTRATION
UNIVERSITY OF EVANSVILLE
EVANSVILLE
INDIANA
47732

1

DR. G. W. FISHMAN
CURRICULUM IN O. R.
UNIVERSITY OF NORTH CAROLINA
PHILLIPS ANNEX, CHAPPEL HILL
NORTH CAROLINA
27514

1

DR. A. V. HOLLEN
DEPARTMENT OF PHYSIOLOGY
THE UNIVERSITY
LEEDS LS2 9JT
ENGLAND

1

DR. EUGENE C. POMER
MANAGEMENT SCI. & ENGINEERING DEPT.
C.W. POST COLLEGE
OF LONG ISLAND UNIVERSITY
GREENVALE, NEW YORK
11548

1

DR. D. VERE JONES
DEPT. OF MATHEMATICS,
VICTORIA UNIVERSITY OF WELLINGTON,
P. O. BOX 196
WELLINGTON, NEW ZEALAND

1

J. M. LIITTSCHWAGER
SYSTEMS DIVISION
COLLEGE OF ENGINEERING
THE UNIVERSITY OF IOWA
IOWA CITY, IOWA
52242

1

Y. W. DE KWAADSTENIET
DEPARTMENT OF BIOLOGY
FREE UNIVERSITY
DE BOELELAAN 1087
AMSTERDAM-BUITENVELDER
THE NETHERLANDS

1

JACK P. LANCOLT
DEFENCE & CIVIL INST. OF ENVIR. MED
1133 SHEPARD AVE. WEST
PO BOX 2000 DOWNSVIEW
ONTARIO,
CANADA

1

NO. OF COPIES

MR. FRANK MCNOLTY
1142 PCME AVE.
SUNNYVALE, CA
94087

1

DR. P. A. F. MCGRAN
STATISTICS DEPT. (I A S)
AUSTRALIAN NATIONAL UNIVERSITY
CANNBERRA, A. C. T 2606
AUSTRALIA

1

G. W. MORRISON
OAK RIDGE NATIONAL LABORATORY
OAK RIDGE, TENNESSE
37830

1

MR. BRADLEY NICKY
USDA - FOREST SERVICE
P. O. BOX 5007
FIVERSIDE
CALIFORNIA
92507

1

DR. DAVID CAKES
DEPT. OF STATISTICS
HARVARD UNIVERSITY
SCIENCE CENTER, 1 OXFORD ST.
COMBRIDGE, MA.
02132

1

Professor Emanuel Parzen, Director
Institute of Statistics
Teaxs A&M University
College Station, TX 77843

1

MR ART PETERSON
DEPT. OF BIOSTATISTICS SC-32
UNOVERSITY OF WASHINGTON
SEATTLE, WASHINGTON
98195

1

DAVID W. ROBINSON
CONTROL ANALYSIS CORPORATION
800 WELCH ROAD
PALO ALTO
CALIFORNIA
94204

1

C. H. SAUER (21-129)
THOMAS J. WATSON RESEARCH CENTER
F.C. BOX 218
YCRKTOWN HEIGHTS, NEW YCRK
10598

1

NO. OF COPIES

MR. C. A. STEELE JR
 P. O. BOX 45
 MAGNOLIA, MA
 01930

1

PROF P. SULLO
 SCHOOL OF MANAGEMENT
 RENSSELAER POLYTECHNIC
 INSTITUTE
 TROY, N.Y.
 12181

1

DR. ROBERT TRAPPL
 INSTITUT FÜR ALLGEMEINE UND
 VERGLEICHENDE PHYSIOLOGIE DER
 UNIVERSITÄT WIEN
 SCHWARZSPANIERSTRASSE 17
 A-1090 WIEN ÖSTERREICH (AUSTRIA)

1

PALL A. WILLIS
 POLY TECHNICA
 2824 W. GEORGE MASON
 FALLS CHURCH, VA. 22042

1

TUNCEL M. YEGULALP
 KRLMB SCHCOL OF MINES
 918 S.W. MLDD
 COLUMBIA UNIVERSITY
 520 W. 120TH ST.
 NEW YORK, N.Y. 10027

1

SHIEGKI YOKOYAMA
 RESEARCH CENTER OF APPLIED
 INFORMATION SCIENCES
 TOHOKU UNIVERSITY
 KATAHIRA-CHO 2-1,
 SENDAI 980 JAPAN

1

Dean of Research
 Code 012
 Naval Postgraduate School
 Monterey, Ca. 93940

1

Library (Code 55)
 Naval Postgraduate School
 Monterey, CA 93940

1

NO. OF COPIES

Professor P. A. W. Lewis Code 55Lw Naval Postgraduate School Monterey, CA 93940	50
Professor P. A. Jacobs Code 55Jc Naval Postgraduate School Monterey, CA 93940	50
R. J. Stampfel Code 55 Naval Postgraduate School Monterey, CA 93940	1

