

AD-A062 878

BIOMEDICAL RESEARCH INST ROCKVILLE MD
BACTERIOLOGICAL EVALUATION OF HUMAN TISSUE FOR TRANSPLANTATION --ETC(U)
DEC 78 V P PERRY

F/G 6/5

N00014-77-C-0754

NL

UNCLASSIFIED

1 OF 1
ADA
062878



END
DATE
FILMED

3 -79

DDC

AD A062878

DDC FILE COPY

LEVEL

12

15

Office of Naval Research

Contract # ~~N00014-77-C-0754~~

Task No. NR 204-068

9

Annual Report ~~Number One~~ no. 1,

6

Bacteriological Evaluation of Human Tissue for Transplantation and Reparative Surgery.

10

by

Vernon P. Perry

Biomedical Research Institute

12111 Parklawn Drive

Rockville Maryland 20852

11

11 Dec ~~1978~~

12

12 p.

DDC
RECEIVED
JAN 4 1979
F

This document has been approved for public release and sale; its distribution is unlimited.

Reproduction in whole or in part is permitted for any purpose of the U.S. Government

388 117

78 12 11 073

log

ANNUAL
~~Progress~~ Report *710.1*

**Bacteriological Evaluation of Human
Tissues for Transplantation and
Reparative Surgery**

ONR Contract N00014-77-C-0754

Submitted to

**Office of Naval Research
Microbiology Program
800 N. Quincy Street
Arlington Virginia 22217**

from

**Biomedical Research Institute
12111 Parklawn Drive
Rockville Maryland 20852**

ACCESSION for	
NTIS	White Section <input checked="" type="checkbox"/>
DDC	Buff Section <input type="checkbox"/>
UNCLASSIFIED	<input type="checkbox"/>
CLASSIFICATION	<i>per file</i>
BY	
DISTRIBUTION (AVAILABILITY CODES)	
	SPECIAL
A	

Vernon P. Perry

Vernon P. Perry
Director

11
~~20~~ December 1978

78 12 11 073

I. Background

This project was originally established to evaluate the environment in which freeze dried tissue deposits were stored and to reassess the sterility of stored tissues after various periods of time. All freeze dried tissue deposits originally procured and stored at the Naval Medical Center were transferred to the Biomedical Research Institute and placed under a constant storage temperature of +4°C. Prior to transfer from the NNMC the tissue deposits were stored at an ambient temperature that fluctuated considerable beyond a normal room temperature of 21°C.

The reassessment of sterility for each deposit was to have begun with the initiation of the contract, however, the Human Use Committee at the NNMC decided that such a study would not be necessary and emphasis on this project was then shifted to a clinical evaluation which would expand upon the bacteriological study. To facilitate this study all data on the 5000 tissue deposits on hand were entered into the BRI computer system and programs were developed to provide for an effective inventory of the tissue. Other computer programs are being developed to provide a control of the data supplied by the civilian and military clinical collaborators for the U.S. Navy Tissue Bank, and an objective evaluation of the clinical effectiveness of the tissue processed by the U.S. Navy Tissue Bank.

II. Materials and Methods

A. Tissues

A Tissue Bank Repository and Distribution Center for the evaluation of human tissues has been established at the Biomedical Research Institute. All tissues are received from the U.S. Navy Tissue Bank in Bethesda, Maryland, and are transferred to a +4°C cold room monitored by an alarm system. All requests for tissue shipments are transmitted to the BRI by the Officer in Charge of the U.S. Navy Tissue Bank and such shipments are made as directed.

B. Inventory

A computer program was developed for entering each deposit of tissue into an inventory system. The basic information includes; a tissue deposit number; tissue type; tissue size and/or dimensions; and location in the cold room (Room number, shelving unit number, shelf number and tier). A master list of tissues is available both at the U.S. Navy Tissue Bank and at the BRI.

C. Shipments

Upon receipt of an authorization to ship each deposit of tissue, the deposit is selected from the inventory list where its specific location is identified and the tissue is packaged in plastic air bubble material and then into a cardboard box and prepared for mailing using conventional mail delivery service. Along with each shipments there is a appropriate set of instructions to be used for reconstituting the freeze dried tissue (See appendix A) and a Patient Consent Form (See appendix B).

III. Results

To date, 615 tissue shipments were made. A breakdown by tissue types is as follows:

Bone	398;	Dental Bone	97;
Skin	98;	and Fascia	22.

As previously indicated, tissues were shipped to both civilian and military collaborators. Each collaborator, prior to receiving the tissues, agrees to provide information essential to the clinical evaluation of that tissue. At periodic intervals the collaborator returns to the Tissue Bank the information requested; such information includes; pre- and post-operative x-rays when appropriate, the results of bacteriological studies conducted at the time of use, and in addition to other specific information requested based on the type of tissue used, observations on wound healing.

IV. Projected Studies

During the second year of this study, computer programs will be expanded and developed for conducting the clinical evaluation. Emphasis will be placed on providing the following information for each Tissue Bank Case:

- Tissue Bank Case Number
- Preoperative x-ray
- Patient Authorization Form
- Privacy Act
- Deposit/Withdrawal Form
- Operative Data
- Surgical Procedure Performed

Grafting Material
Chemotherapy
Radiation Therapy
Operative Report
Pathology Report
Narrative or Discharge Summary
X-rays 6 mo, 1 year, over 1 year
Office notes 6 mo, 1 year, over 1 year
Complications

In general, the above information will be programmed such that, for example, where forms are required a "date required" will be fed into the computer and when the collaborator supplies the required information the "data required" will be converted to a "yes" indicating that the form has been received.

A second program will be developed based on the identity of the clinical collaborator and will evaluate the effectiveness of the collaborator in supplying the information required for an effective clinical evaluation of freeze dried tissues. Each collaborator will be identified by full name and address and a listing of all tissues shipped by deposit number. In order to continue to receive tissues as requested, the computer print out must show that the required post operative information on patients receiving prior shipped tissues have been transmitted to the Tissue Bank.

V. Other Supplemental Information

During the course of the project it was proposed that mouse burn infection model could simulate burn wound sepsis in humans and it was further proposed to study physiologically related response to endotoxin and the effect of passive immunization with highly specific rabbit antitoxin serum. Specifically, our objective was to obtain homogeneous biologically active P. aeruginosa endotoxin A in amounts necessary to produce antisera and Toxoid and to provide this material to the Naval Medical Research Institute.

Endotoxin A was purified in milligram amounts from crude *Pseudomonas* culture filtrates using affinity chromatography. The purity, toxicity and enzymatic activity was assessed and the material supplied to the investigation at the Microbiology Department at NMRI. The toxin and antitoxin were used in passive hemagglutination and enzyme linked immunosorbent studies conducted by these investigators.

RECONSTITUTION OF FREEZE-DRIED TISSUES

1. Since RECONSTITUTED freeze-dried tissue must be UTILIZED or DISCARDED, we ask that you reconstitute only the deposits that you expect to use. Return ALL un-opened, non-reconstituted deposits as soon as possible.
2. Soft tissues should be reconstituted 30 minutes prior to use. Ground cortical and ground cancellous bone may be rehydrated for 30 minutes prior to implantation. Once reconstituted, all tissue should be kept in a refrigerator at +4° C until used, then discarded if not used within 24 hours after hydration.
3. Bone which is to be sawed, shaped, or drilled should be reconstituted at least 3 hours prior to use. Large bone deposits such as whole femurs and long shafts should be soaked in saline solution for 18 to 24 hours in order to achieve complete hydration. Cortical plates in Baxter bottles should be laid on their side during rehydration. The same antibiotic used in pre-, intra- or post-operative surgery could be added to the saline solution.

EQUIPMENT (STERILE)

1000 or 250 ml bottle of IV saline
IV administration set
18 gauge needles

Liquid sterilizing agent
1 large Kocher clamp
1 towel clip (large)

PROCEDURE:

1. Remove metal cap from deposit jar. (If silicone or hard-rubber seal is present, cut carefully with a scalpel and remove.)
2. Wipe or soak the rubber stopper with the sterilizing solution (70% alcohol or betadine).
3. Introduce normal physiologic saline, with your choice of antibiotic, in sufficient quantity to cover the tissue completely when the container is on its side. This is best accomplished by utilizing the regular intravenous administration set.
4. Gentle intermittent agitation of the tissue is recommended, especially when the tissue being reconstituted is bone. When reconstitution is complete, the tissue should be stored in a refrigerator at +4° C until needed at the operating table.
5. The remaining vacuum should be released by wiping the rubber stopper with a cold sterilant and inserting an 18 gauge needle prior to attempting to remove the stopper. The same procedure is used for large rubber stoppered tubes. Extreme care should be taken to avoid accidental contamination of the tissue.
6. The Kocher Clamp is used to tear the metal wrapper free around the mouth of the jar, then grasp the rubber stopper and remove with a towel clip.
7. Once the stopper is removed we recommend that a bacterial culture be taken (if an antibiotic has not been used), then care must be taken not to contaminate the lip of the unit while dispensing the allograft tissue into a sterile container.

PRECAUTIONS:

1. All tissues processed and freeze-dried prior to 1973 were soaked in a penicillin-streptomycin solution. Determinations of the residual amounts remaining in the tissue have not been done. *Please re-check the allergic status of your patient before implanting this tissue.*
2. Should difficulties be encountered or questions arise about tissue reconstitution, please call for assistance at 202-295-1121, U. S. Navy Tissue Bank, Naval Medical Research Institute, Bethesda, Maryland.

TB0005/77

PATIENT CONSENT FORM

Patient's Name: _____

1. I understand that human tissue obtained from the U.S. Navy Tissue Bank, Bethesda, Maryland, will be transplanted into my body as part of the operative procedure I am to undergo. I have been informed that precautions have been taken to keep the tissue free of contamination, but sterility cannot be guaranteed.

2. I understand that the transplantation of this tissue is an experimental procedure, and I am willing to enter into a research agreement with my physician and the U.S. Navy Tissue Bank in order to use it. This agreement provides that in submitting to its implantation in my body, I am aware that the results of the use of this tissue cannot be guaranteed.

Witness: _____

Date: _____

Signed: _____
Patient, Parent or Guardian

Date: _____

Typed Name: _____

Address: _____

SSN# _____
(if applicable)

Please sign and return one copy to the Tissue Bank.

Exhibit B

OFFICE OF NAVAL RESEARCH
MICROBIOLOGY PROGRAM
STANDARD DISTRIBUTION LIST

Number of Copies:

(12) ✓ Administrator, Defense Documentation Center
Cameron Station
Alexandria, VA 22314

(6) ✓ Director, Naval Research Laboratory
Attention: Technical Information Division
Code 2027
Washington, D. C. 20390

(6) ✓ Code 102IP (ONRL DOC)
Office of Naval Research
800 N. Quincy Street
Arlington, VA 22217

(3) ✓ Office of Naval Research
Department of the Navy
Code 443
Arlington, VA 22217

(2) ✓ Commanding Officer (Code 00)
Naval Medical Research & Development Command
National Naval Medical Center
Bethesda, Maryland 20014

(2) ✓ Technical Reference Library
Naval Medical Research Institute
National Naval Medical Center
Bethesda, Maryland 20014

(2) ✓ Office of Naval Research
Department of the Navy
Code 200
Arlington, VA 22217

(1) ✓ Office of Naval Research Branch Officer
495 Summer Street
Boston, Massachusetts 02100

(1) ✓ Office of Naval Research Branch Office
536 South Clark Street
Chicago, Illinois 60605

Enclosure (3)

STANDARD DISTRIBUTION LIST (Cont'd)

Number of Copies:

(1) ✓ Office of Naval Research Branch Office
1030 East Green Street
Pasadena, California 91101

(1) ✓ Commanding Officer
U. S. Naval Medical Research Unit #2
Box 14
APO, San Francisco 96263

(1) Commanding Officer
U. S. Naval Medical Research Unit #3
FPO, New York 09527

(1) ✓ Commanding Officer
U. S. Naval Medical Research Unit #5
APO, New York 09319

(1) ✓ Officer in Charge
Submarine Medical Research Laboratory
U. S. Naval Submarine Base, New London
Groton, Connecticut 06342

(1) Scientific Library
Naval Biosciences Laboratory
Naval Supply Center
Oakland, California 94625

(1) Scientific Library
Naval Aerospace Medical Research Institute
Naval Aerospace Medical Center
Pensacola, Florida 32512

(1) ✓ Commanding Officer
U. S. Naval Air Development Center
ATTN: Aerospace Medical Research Department
Johnsville, Warminster, Pennsylvania 18974

(1) ✓ Commanding General
U. S. Army Medical Research & Development
Command
Forrestal Building
Washington, D. C. 20314
ATTN: MEDDH-Sr

STANDARD DISTRIBUTION LIST (Cont'd)

Number of Copies

(1) ✓

Director of Life Sciences
Air Force Office of Scientific Research
Bolling Air Force Base
Washington, D. C. 20032

(1) ✓

STIC-22
4301 Suitland Road
Washington, D. C. 20390

(1) ✓

Director
Walter Reed Army Institute of Research
Walter Reed Army Medical Center
Washington, D. C. 20012