

AD-A064 876

NAVAL POSTGRADUATE SCHOOL MONTEREY CALIF
NON-STATIONARY INFINITE SERVER MODELS AND THEIR RELATIVES. (U)
OCT 78 D P GAVER, J P LEHOCZKY

F/6 12/1

UNCLASSIFIED

NPS55-78-026

NL

1 OF 1
AD A064 876



END
DATE
FILMED
4-79

DDC

LEVEL #



NPS55-78-026

NAVAL POSTGRADUATE SCHOOL

Monterey, California



ADA 064876

DDC FILE COPY

NON-STATIONARY INFINITE SERVER MODELS

AND THEIR RELATIVES

by

D. P. Gaver

and

J. P. LEHOCZKY

October 1978

DDC
FEB 26 1979
A

Approved for public release; distribution unlimited.


79 02 23 119


Naval Postgraduate School
Monterey, California

Rear Admiral T. F. Dedman
Superintendent


Jack R. Borsting
Provost

This report was prepared by:



D. P. Gaver, Professor
Department of Operations Research


J. P. Lehoczky, Professor
Carnegie-Mellon University

Reviewed by:


Michael G. Sovereign, Chairman
Department of Operations Research

Released by:


William Tolles
Dean of Research

| REPORT DOCUMENTATION PAGE | | READ INSTRUCTIONS BEFORE COMPLETING FORM |
|---|---|---|
| 1. REPORT NUMBER NPS55-78-026 | 2. GOVT ACCESSION NO. | 3. RECIPIENT'S CATALOG NUMBER |
| 4. TITLE (and Subtitle) Non-Stationary Infinite Server Models and Their Relatives | 5. TYPE OF REPORT & PERIOD COVERED Technical Repts | 6. PERFORMING ORG. REPORT NUMBER |
| 7. AUTHOR(s) D. P. Gaver and L. P. Lehoczky | 8. CONTRACT OR GRANT NUMBER(s) | |
| 9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940 | 10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS | |
| 11. CONTROLLING OFFICE NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940 | 12. REPORT DATE October 1978 | 13. NUMBER OF PAGES 41 |
| 14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Donald P. Gaver John P. Lehoczky | 15. SECURITY CLASS. (of this report) Unclassified | 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE |
| 16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited. 42 p. | | |
| 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) | | |
| 18. SUPPLEMENTARY NOTES | | |
| 19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Compound Poisson Process Service Systems Non-stationary Processes | | |
| 20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A backward equation technique is used to derive properties of a time-dependent infinite server system subject to compound Poisson demand. The method is used to suggest a model leading to Zipf's law. | | |

79 02 23 119

TABLE OF CONTENTS

| | Page |
|--|------|
| 1. Introduction | 1 |
| 2. A Backward Equation for System Occupancy: Poisson Arrivals | 2 |
| 3. Compound Poisson (Bunched) Arrivals | 5 |
| 4. Bunch Division into Two Classes | 9 |
| 5. Related Problems, or "Sons and Daughters of M/G/∞" | 12 |
| 5.1. Zipf's Law and Pareto Tails | 14 |
| REFERENCES | 20 |

| | |
|---------------------------------|---|
| ACCESSOR VR | |
| RTIS | Printed <input checked="" type="checkbox"/> |
| DOB | Doc. System <input type="checkbox"/> |
| UNANNOUNCED | <input type="checkbox"/> |
| JUSTIFICATION | |
| BY | |
| DISTRIBUTION/AVAILABILITY STATE | |
| Dist. | AVAIL. STATE OR SPECIAL |
| A | |

NON-STATIONARY INFINITE SERVER MODELS AND THEIR RELATIVES

by

Donald P. Gaver*
Naval Postgraduate School and
Monterey, CA 93940

John P. Lehoczky
Carnegie-Mellon University
Pittsburgh, PA 15213

1. Introduction

The waiting-time model characterized by (i) Poisson arrivals to (ii) an unlimited number of servers, these characterized by (iii) independent service times of arbitrary distribution--usually called the M/G/ ∞ system--has a special significance and utility that stems from the simplicity of its solution. That is, if $N(t)$, $t \geq 0$, denotes the number of arrivals being served at time t , conveniently referred to as system occupancy, and if $N(0) = 0$, then $N(t)$ itself has the Poisson distribution. This fact is well-known when the Poisson arrival rate is a constant, λ , and $F(x)$ is the distribution of service times perhaps with finite mean $E[S] = \mu^{-1} < \infty$; in this latter case the limiting distribution ($t \rightarrow \infty$) is always Poisson with parameter $E[S] = \lambda/\mu$; see Parzen (1962). Such a model approximately characterizes

- a) the number of occupied channels in a system of parallel, lightly-loaded telephone or communication channels (see Feller (1967)).
- b) the number of items undergoing repair in a logistics system,
- c) the number of vehicles simultaneously using a city's free-way system (see Newell (1966)).
- d) the number of drug "particles" inhabiting a particular organ (compartment) in a human or animal body at time t (see Gaver and Lehoczky (1977)).

* Research partially supported by National Science Foundation Grant Number MCS-77-07587 at the Naval Postgraduate School.

In this paper it is shown that $N(t)$ possesses a Poisson distribution even if the arrival rate is time dependent, denoted by $\lambda(t)$, and if the distribution of the service time S_t , of an arrival at t is itself dependent upon t , i.e. is $F(x;t)$, t being a parameter. Furthermore, if arrivals occur in bunches--is compound Poisson--then $N(t)$ itself has the compound Poisson distribution. Incidentally, if $\lambda(t) = \lambda$, a constant, arriving bunches are geometrically distributed, and service times are exponential, the limiting distribution of $N(t)$ is shown to be the negative binomial. The simple methods used are extended to study multivariate process models, and also to shot-noise, storage, and Zipf's law.

2. A Backward Equation for System Occupancy: Poisson Arrivals

The distribution of $N(t)$ may be approached as follows. Let $N(t,u)$ denote the system occupancy at t that arrived after time u , $0 \leq u \leq t$; clearly one takes $N(t,0) = N(t)$, and $N(t,t) = 0$ with probability one. Let

$$p_n(t,u) = P\{N(t,u) = n\} \quad (2.1)$$

Hold t fixed, and consider the possible events that may occur in a time period of length du . Write $\bar{F}(x,t) = P\{S_t > x\} = 1 - F(x,t)$, and observe that either (a) no arrival occurs that remains a system occupant by time t , an event of probability $1 - \lambda(u)du \bar{F}(t-u,u) + o(du)$, or (b) one arrival occurs and

remains an occupant at t , an event of probability $\lambda(u)du \bar{F}(t-u,u) + o(du)$. All other possibilities are negligible.

Thus

$$p_n(t, u + du) = [1 - \lambda(u)du \bar{F}(t-u,u)] p_n(t, u) + \lambda(u)du \bar{F}(t-u,u) p_{n-1}(t, u) + o(du) \quad (2.2)$$

Now subtract $p_n(t, u)$ from each side, divide by du , and let $du \rightarrow 0$. The result is the backward equation

$$\frac{-dp_n(t, u)}{du} = -\lambda(u) \bar{F}(t-u, u) p_n(t, u) + \lambda(u) \bar{F}(t-u, u) p_{n-1}(t, u),$$

$$n = 1, 2, 3, \dots \quad (2.3)$$

and

$$\frac{-dp_0(t, u)}{du} = -\lambda(u) \bar{F}(t-u, u) p_0(t, u) \quad (2.4)$$

The equation (2.4) may be integrated from u to t to give

$$p_0(t, u) = \exp\left[-\int_u^t \lambda(v) \bar{F}(t-v, v) dv\right], \quad (2.5)$$

and when $u \rightarrow 0$ this shows that

$$p_0(t, 0) = P\{N(t)=0\} = \exp\left[-\int_0^t \lambda(v) \bar{F}(t-v, v) dv\right].$$

Invocation of the earlier equation (2.3) shows inductively that

$$\begin{aligned}
 p_n(t,0) &= P\{N(t) = n\} \\
 &= \exp\left[-\int_0^t \lambda(v) \bar{F}(t-v,v) dv\right] \frac{1}{n!} \left[-\int_0^t \lambda(v) \bar{F}(t-v,v) dv\right]^n
 \end{aligned}
 \tag{2.6}$$

and thus $N(t)$ has a Poisson distribution.

An approach via generating functions is easy and direct.

Define

$$E[z^{N(t,u)}] = g(z,t;u) = \sum_{n=0}^{\infty} z^n P\{N(t,u) = n\}.
 \tag{2.7}$$

Note that the contribution to occupancy at time t from arrivals in $(u, u + du)$, $\Delta N(t,u) = N(t,u) - N(t, u + du)$ is independent of the contribution from arrivals after $u + du$ by Poisson process properties, so the convolution property of the generating function leads to writing

$$\begin{aligned}
 g(z,t;u) \\
 &= [z \lambda(u) du \bar{F}(t-u,u) + 1 - \lambda(u) du \bar{F}(t-u,u)] g(z,t; u + du) + o(du).
 \end{aligned}
 \tag{2.8}$$

Next subtract $g(z,t,u + du)$ from each side, divide by du and let $du > 0$. The result is

$$\frac{dg(z,t;u)}{du} = (z-1) \lambda(u) du \bar{F}(t-u, u) g(z,t;u)
 \tag{2.9}$$

This equation is immediately solved to produce

$$g(z,t;u) = \exp\left[(z-1) \int_u^t \lambda(v) \bar{F}(t-v,v) dv\right], \quad (2.10)$$

which is recognized to be the generating function of the Poisson distribution (2.6).

3. Compound Poisson (Bunched) Arrivals

Next consider the situation in which the number of arrivals that occur together is random. In other words, bunches of arrivals occur together, and the bunch sizes are discrete random variables, so the arrival process is a (time-dependent) compound Poisson; see Feller (1967). Let $B(u)$ be the size of a bunch that arrives at time u ; its distribution and generating function are, respectively,

$$\begin{aligned} P\{B(u) = k\} &= b_k(u) & k &= 1, 2, \dots \\ E[z^{B(u)}] &= h(z,u) = \sum_{k=1}^{\infty} z^k b_k(u) \end{aligned} \quad (3.1)$$

Again, let $g(z,t,u)$ be the generating function of $N(t,u)$ as in (2.7). Notice that $g(z,t,u)$ represents the contribution to $N(t,u)$ arising from arrivals in $(u, u + du)$ plus the independent contribution from $(u + du, t)$; see (2.8). To derive the g.f. of the contribution from (u, du) , denoted by

ΔN , condition on the event of an arrival and bunch size $B(u)$;
by independence of the services,

$$E[z^{\Delta N} | \text{arrival in } (u, du), B(u)] \\ = [z\bar{F}(t-u, u) + F(t-u, u)]^{B(u)} \quad (3.2)$$

Now removal of the condition on $B(u)$ yields

$$E[z^{\Delta N} | \text{arrival in } (u, u + du)] = h[(z-1)\bar{F}(t-u, u) + 1, u]. \quad (3.3)$$

Of course

$$E[z^{\Delta N} | \text{no arrival in } (u, u + du)] = z^0 = 1,$$

so

$$E[z^N] = \lambda(u)du h[(z-1)\bar{F}(t-u, u) + 1, u] + 1 - \lambda(u)du + o(du) \quad (3.4)$$

and thus

$$g(z, t, u) = [\lambda(u)du h[(z-1)\bar{F}(t-u, u) + 1, u] + 1 - \lambda(u)du] g(z, t, u+du) \\ + o(du), \quad (3.5)$$

which leads to the differential equation

$$-\frac{dg}{du} = \lambda(u) \{h[(z-1)\bar{F}(t-u, u) + 1, u] - 1\} g(z, t, u), \quad (3.6)$$

The solution of which is the generating function

$$g(z,t;u) = \exp\left[- \int_u^t \lambda(v) \{1-h[(z-1) \bar{F}(t-v,v) + 1, v]\} dv\right] \quad (3.7)$$

Although inversion of (3.7) to produce a simple and familiar expression for the probabilities $\{p_n(t), n = 0,1,2,\dots\}$ seems beyond the realm of possibility, certain facts do emerge. For example, differentiation of $g(z,t;0)$ yields moments,

$$E[N(t)] = \left. \frac{dg}{dz} \right|_{z=1} = \int_0^t \lambda(v) E[B(v)] \bar{F}(t-v,v) dv, \quad (3.8)$$

$$\text{Var}[N(t)] = E[N(t)] + \int_0^t \lambda(v) E[B(v) \cdot (B(v)-1)] (\bar{F}(t-v,v))^2 dv,$$

and so forth. Note that $\text{Var}[N(t)]/E[N(t)] > 1$ if bunch sizes are sometimes greater than unity, as is to be expected. Furthermore, setting $z = 0$ yields

$$P\{N(t) = 0\} = p_0(t,0) = \exp\left\{- \int_0^t \lambda(v) h[F(t-v,v), v] dv\right\} \quad (3.9)$$

The form of the general coefficient of z^j may be deduced from consideration of (3.2) and (3.3). The coefficient of z^j in $h[(z-1) \bar{F}(t-u,u) + 1, u]$ is the probability of exactly j "successes"--meaning survivals to time t from u in $B(u)$ Bernoulli trials, hence

$$h[(z-1) \bar{F}(t-u, u) + 1, u] = \sum_{j=0}^{\infty} z^j c_j(u) \quad (3.10)$$

$$c_j(u) = \sum_{k=0}^{\infty} b_k(u) \binom{k}{j} (\bar{F}(t-u, u))^j (F(t-u, u))^{k-j}, \quad j = 0, 1, 2, \dots$$

Thus an alternative expression for g is

$$g(z, t; u) = \exp\left[- \int_u^t \lambda(v) \left\{ 1 - \sum_{j=0}^{\infty} z^j c_j(v) \right\} dv\right]$$

Since $\{c_j(v), j = 0, 1, 2, \dots\}$ is a discrete probability distribution for every v , as is evident from (3.10), $N(t, u)$ clearly has a compound Poisson distribution.

Of interest is the following

EXAMPLE. Suppose $\lambda(v) = \lambda$, $\bar{F}(x, v) = e^{-\theta x}$, $b_k(u) = (1-\alpha)\alpha^{k-1}$, $k = 1, 2, \dots$. This is the case of stationary "stuttering Poisson" arrivals. Substitution into (3.7) yields for $u = 0$,

$$\begin{aligned} g(z, t; 0) &= \exp \left[- \int_0^t \lambda \left\{ 1 - \frac{(1-\alpha) [(z-1)e^{-\theta(t-v)} + 1]}{1 - \alpha [(z-1)e^{-\theta(t-v)} + 1]} \right\} dv \right] \\ &= \exp \left[\lambda \int_0^t \frac{(z-1) e^{-\theta(t-v)} dv}{(1 - \alpha - \alpha [(z-1) e^{-\theta(t-v)}])} \right] \\ &= \exp \left[\frac{-\lambda}{\theta\alpha} \ln \left\{ \frac{1 - \alpha - \alpha [(z-1)]}{1 - \alpha - \alpha (z-1) e^{-\theta t}} \right\} \right] \\ &= \left[\frac{1 - \alpha - \alpha (z-1) e^{-\theta t}}{1 - \alpha z} \right]^{\lambda/\theta\alpha} \end{aligned}$$

as t tends to infinity the latter generating function approaches

$$g(z, \infty; 0) = \lim_{t \rightarrow \infty} g(z, t; 0) = \left(\frac{1 - \alpha}{1 - \alpha z} \right)^{\lambda / \theta \alpha}$$

the generating function of the negative binomial distribution. Hence the long-run distribution of server occupancy is, in this particular case, a familiar form that may readily be used in various applications in place of the ordinary Poisson that results from (2.6) or (2.10) under similar circumstances.

4. Bunch Division into Two Classes

Suppose that bunches arrive in a Poisson manner, but that each bunch is independently fragmented into subbunches of type 1 and type 2 customers with probability p_1 and p_2 respectively (although these probabilities may be time-dependent also, we do not bother with this). Items of type i are served in accordance with distribution $F_i(x, u)$. This setup may model demands on certain logistics systems, e.g. by landing aircraft with different failure categories. Although the number of types of arrivals is limited to two, there is no difficulty in extending it to more types if necessary.

Following the pattern leading to (3.5) one may write

$$\begin{aligned}
E[z_1^{N_1(t,u)} z_2^{N_2(t,u)}] &= g(z_1, z_2, t; u) \\
&= \{ \lambda(u) du h[p_1(z_1-1) \bar{F}_1(t-u, u) + p_2(z_2-1) \bar{F}_2(t-u, u) + 1 - \lambda(u) du] \\
&\quad \times g(z_1, z_2, t; u + du) \} \tag{4.1}
\end{aligned}$$

where $N_i(t, u)$ is the contribution to system occupancy of the type i arrivals between u and t . It then follows that

$$\begin{aligned}
-\frac{dg}{du} &= -\lambda(u) \{ 1 - h[p_1(z_1-1) \bar{F}_1(t-u, u) + p_2(z_2-1) \bar{F}_2(t-u, u) + 1, u] \\
&\quad \times g(z_1, z_2, t; u) \} , \tag{4.2}
\end{aligned}$$

from which the joint generating function

$$\begin{aligned}
g(z_1, z_2, t; 0) &= \exp\left[- \int_0^t \lambda(v) \{ 1 - h[p_1(z_1-1) \bar{F}_1(t-v, v) + p_2(z_2-1) \bar{F}_2(t-v, v) + 1, v] \} dv\right] \tag{4.3}
\end{aligned}$$

appears. Moments are obtained by differentiation; see (3.8); to obtain means and variances simply replace $\lambda(u)$ by $p_i \lambda(u)$. The covariance results from partial differentiations of the exponent at $z_1 = 1, z_2 = 1$:

$$\begin{aligned}
\text{cov}[N_1(t), N_2(t)] &= \int_0^t \lambda(v) E[B(v)(B(v)-1)] p_1 p_2 \bar{F}_1(t-v, v) \bar{F}_2(t-v, v) dv \tag{4.4} \\
&\text{which is always positive.}
\end{aligned}$$

EXAMPLE. Let $\lambda(u) = \lambda$, $h(z,u) = (1-\alpha)z/(1-\alpha z)$. If

$\bar{F}_i(x,u) = e^{-\theta_i x}$ then the following results:

$$g(z_1, z_2, t; 0) = \exp \left\{ -\lambda \int_0^t \left\{ \frac{p_1(z_1-1)e^{-\theta_1 v} + p_2(z_2-1)e^{-\theta_2 v}}{1-\alpha + \alpha[p_1(z_1-1)e^{-\theta_1 v} + p_2(z_2-1)e^{-\theta_2 v}]} \right\} dv \right\} \quad (4.5)$$

which, regrettably, cannot be integrated in closed form unless

$\theta_1 = \theta_2$ (= 1 for convenience) in that case we find that as

$t \rightarrow \infty$

$$g(z_1, z_2, \infty, 0) = \left[\frac{1-\alpha}{1-\alpha p_1 z_1 - \alpha p_2 z_2} \right]^{\lambda/\alpha} \quad (4.6)$$

This is the generating function of a bivariate distribution with negative binomial marginal distribution.

5. Related Problems, or "Sons and Daughters of M/G/∞"

Models for shot-noise, see Rice (1954), and for dams and rainfall and runoff, see Gaver and Miller (1962), share the general structure of the previous infinite server models. Time-dependent versions of these will be formulated and briefly discussed using the backward equation approach.

Let $\lambda(u)$ be the rate of arrival of a certain event at time u , and let $\tilde{e}(u,t)$ denote the random effect at time t of an event at time u , $0 \leq u \leq t$. In general $\tilde{e}(u,t)$ will be real-valued random variable; in the shot noise application it represents the response at time t of an electrical circuit to an impulse at time u , and in the case of a dam or storage system it may be the amount of water in the reservoir resulting from a rainstorm at time u . Let the Laplace transform of $\tilde{e}(u,t)$ be

$$\phi(s,t;u) = E[e^{-s\tilde{e}(u,t)}] \quad (5.1)$$

Now write down a backward differential equation for

$$\psi(s,t;u) = E[e^{-sX(t,u)}], \quad (5.2)$$

$X(t,u)$ being the combined effect at t of all of the (sub, or component) effects occurring after u and before t :

$$X(t,u) = \sum_{i=0}^{A(t,u)} \tilde{e}(u_i, t) = \int_u^t \tilde{e}(s,t) dN(s) \quad (5.3)$$

where $A(t)$ is the number of (Poisson) events in (u,t) , and u_i is the instant at which the i th such event occurs. It is seen that

$$\frac{\partial \psi}{\partial u} = [\lambda(u) - \lambda(u) \phi(s,t;u)] \psi(s,t;u), \quad (5.4)$$

exactly as was true for (3.6), and thus

$$\psi(s,t;u) = \exp\left\{ \int_u^t \lambda(v) [\phi(s,t;v) - 1] dv \right\} \quad (5.5)$$

EXAMPLE. Let $\lambda(u) = \lambda$ and $g(u,t) = se^{-\theta(t-u)}$, $\theta > 0$, S having the exponential distribution with density $\mu e^{-\mu x}$. It follows that

$$\phi(s,t;u) = \frac{\mu}{\mu + se^{-\theta(t-u)}} \quad (5.6)$$

and thence that

$$\begin{aligned} \psi(s,t;0) &= \exp \left\{ \int_0^t \lambda \frac{se^{-\theta(t-u)}}{\mu + se^{-\theta(t-u)}} du \right\} \\ &= \left(\frac{\mu + se^{-\theta t}}{\mu + s} \right)^{\lambda/\theta} \rightarrow \left(\frac{\mu}{\mu + s} \right)^{\lambda/\theta} \end{aligned} \quad (5.7)$$

as $t \rightarrow \infty$, so in the long run the total effect has gamma distribution. See Gaver and Miller (1962) for the same result derived differently.

5.1. Zipf's Law and Pareto Tails

Let $\lambda(u) = e^{-\alpha u}$ and let $e(u,t) = S(u) e^{-\theta(t-u)}$, $\theta > 0$, $S(u)$ having the distribution $F(\cdot)$; successive $S(u)$ values are independent. This setup models a collection of organisms that are born at random times and grow independently and exponentially thereafter. We are interested in the fraction of all those born in $(0,t)$ that exceed size x at time t ; we shall see that the fraction exhibits the "Pareto tail" associated with Zipf's law; see Mandelbrodt (1978).

Let $\tilde{I}(x,u,t)$ denote the indicator function

$$\tilde{I}(x,u,t) = \begin{cases} 1 & \text{if } e(u,t) > x \\ 0 & \text{if } e(u,t) \leq x. \end{cases} \quad (5.3)$$

In the present model define

$$p_x(u,t) \equiv E[\tilde{I}(x,u,t)] = \tilde{F}(xe^{-\theta(t-u)}) \quad (5.9)$$

although what follows next does not require the latter explicit form.

Now introduce the bivariate generating function

$$g(z_a, z_x, t; u) = E[z_a^{A(t,u)} z_x^{N_x(t,u)}] \quad (5.10)$$

where $A(t,u)$ is the number of arrivals (births) in (u,t) , and $N_x(t,u)$ is the number of those organisms born in (u,t) that exceed x in size at time t ; we put $A(t,0) = A(t)$, and $N_x(t) = N_x(t,0)$. Then by the backward argument analogous to that producing (2.8),

$$g(z_a, z_x, t; u)$$

$$= [z_a z_x \lambda(u) du p_x(u,t) + z_a \lambda(u) du (1-p_x(u,t)) + 1 - \lambda(u) du] \quad (5.11)$$

$$\times g(z_a, z_x, t; u+du) + o(du),$$

which leads to a differential equation with solution

$$g(z_a, z_x, t; 0) = \exp\left\{\int_0^t \lambda(u) du [z_a (z_x - 1) p_x(u, t) + (z_a - 1)]\right\} \quad (5.12)$$

This shows that $A(t)$ and $N_x(t)$ have a bivariate Poisson distribution; from (5.10) one finds

$$m(t) = E[A(t)] = \text{Var}[A(t)] = \int_0^t \lambda(u) du ,$$

$$m_x(t) = E[N_x(t)] = \text{Var}[N_x(t)] = \int_0^t \lambda(u) p_x(u, t) du \quad (5.13)$$

$$\text{Cov}[A(t), N_x(t)] = \int_0^t \lambda(u) p_x(u, t) du = m_x(t) .$$

Under many interesting circumstances, a notable instance being the specific model beginning this example, both $E[A(t)]$ and $E[N_x(t)] \rightarrow \infty$ as $t \rightarrow \infty$.

$$E[A(t)] = \int_0^t e^{\alpha u} du = \frac{1}{\alpha} (e^{\alpha t} - 1) \sim \frac{1}{\alpha} e^{\alpha t} ,$$

$$E[N_x(t)] = \int_0^t e^{\alpha u} du \bar{F}(x e^{-\theta(t-u)})$$

$$= e^{\alpha t} \frac{1}{\theta x^{\alpha/\theta}} \int_{x e^{-\theta t}}^x z^{\alpha/\theta - 1} \bar{F}(z) dz \quad (5.14)$$

$$\sim \frac{e^{\alpha t}}{\theta x^{\alpha/\theta}} \int_0^x z^{\alpha/\theta - 1} \bar{F}(z) dz$$

provided the integral exists.

Now define

$$f(x,t) = \frac{E[N_x(t)]}{E[A(t)]} \sim \frac{\alpha}{\theta} \frac{1}{x^{\alpha/\theta}} \int_0^x z^{\alpha/\theta-1} \bar{F}(z) dz, \quad (t \rightarrow \infty) \quad (5.15)$$

the long-time average fraction of those organisms born before t and that exceed x in size at t ; clearly for large x this fraction exhibits the "Pareto tail" behavior: $x^{-\alpha/\theta}$, provided that the integral exists for large x , as will be assumed.

It will now be shown that with high probability the above law should actually hold for observed data in the following sense. Form the ratio of observable random variables $N_x(t)/A(t)$; this ratio should approximate to $f(x,\infty)$ as $t \rightarrow \infty$. To show that this is so, consider, for $\epsilon > 0$,

$$P \left\{ \frac{N_x(t)}{A(t)} \leq f(x,t) + \epsilon \right\} = P\{N_x(t) - A(t)[f(x,t) + \epsilon] \leq 0\}. \quad (5.16)$$

For the specific model of this example both $E[A(t)]$ and $E[N_x(t)] \rightarrow \infty$ as $t \rightarrow \infty$, consequently it can be shown (e.g. by the continuity theorem for characteristic functions) that $(A(t), N_x(t))$ are approximately bivariate normal for large t with parameters given by (5.13). Therefore

$$E[N_x(t) - A(t)[f(x,t) + \epsilon]] = -E[A(t)]\epsilon$$

$$\begin{aligned} \text{Var}[N_x(t) - A(t)[f(x,t) + \epsilon]] &= \text{Var}[N_x(t)] + [f(x,t) + \epsilon]^2 \text{Var}[A(t)] \\ &\quad - 2[f(x,t) + \epsilon] \text{cov}[N_x(t), A(t)] \\ &= m_x(t) + [f(x,t) + \epsilon]^2 m(t) - 2[f(x,t) + \epsilon] m_x(t) \\ &= m(t) \{f(x,t) + [f(x,t) + \epsilon]^2 - 2[f(x,t) + \epsilon] f(x,t)\} \\ &= m(t) \{f(x,t)(1 - f(x,t)) + \epsilon^2\} \end{aligned} \tag{5.17}$$

Now use the normal approximation to assess the probability (5.16):

$$\begin{aligned} P \left\{ \frac{N_x(t)}{A(t)} \leq f(x,t) + \epsilon \right\} &= P\{N_x(t) - A(t)[f(x,t) + \epsilon] \leq 0\} \\ &\approx \frac{1}{\sqrt{2\pi}} \int_{-\infty}^{\frac{m(t)\epsilon}{[m(t)\{f(x,t)(1-f(x,t))+\epsilon^2\}]^{1/2}}} e^{-z^2/2} dx \end{aligned} \tag{5.18}$$

As $t \rightarrow 0$ the fraction $f(x,t)$ approaches the (finite) right side of (5.15) and then, since $m(t) \rightarrow \infty$, the integral approaches unity; a similar argument shows that $N_x(t)/A(t) > f(x,t) - \epsilon$ with probability approaching unity. It follows that the ratio $N_x(t)/A(t)$ is a consistent estimator of $f(x,t)$ at the point x as $t \rightarrow \infty$. The statement (5.18) can also be used to supply approximate confidence limits for $f(x,t)$.

An alternative formulation leads to similar asymptotic results. Suppose that the arrival rate is now taken to be $k\lambda(u)$, k being a parameter that will later approach infinity; see Barbour (1974) for an analogous model and analysis. The interpretation is that when k becomes large organism births occur thick and fast--even more so, of course, for later times than earlier when (now) $\lambda(u) = ke^{\alpha u}$ as in our example. Now all analysis goes through as before, and the average fraction function is

$$f_k(x,t) = \frac{E[N_x(t)]}{E[A(t)]} = \frac{1}{x^{\alpha/\theta}} \frac{e^{\alpha t}}{\theta(e^{\alpha t}-1)} \int_0^x z^{\alpha/\theta-1} \bar{F}(z) dz, \quad (5.19)$$

independent of k , while

$$m(t;k) = E[A(t)] = k \int_0^t \lambda(u) du = \frac{k}{\alpha} (e^{\alpha t}-1) = km(t) \quad (5.20)$$

As $k \rightarrow \infty$ a central limit theorem argument once again applies (here for every finite t) to show that

$$P \left\{ \frac{N_x(t)}{A(t)} \leq f_k(x,t) + \epsilon \right\} \cong \frac{1}{\sqrt{2\pi}} \int_{-\infty}^{\infty} km(t)\epsilon / [km(t) \{f_k(x,t) (1-f_k(x,t)+\epsilon^2)\}]^{1/2} e^{-z^2/2} dz \quad (5.21)$$

and the latter probability clearly approaches unity as $k \rightarrow \infty$, this

time for every t . The asymptotic normality also allows approximate confidence limits to be placed on $f_k(x,t)$.

We emphasize that the above analysis applies just to any single x -value. Analogous results should be derivable for any finite sequence of x -values, and thence extended by continuity to all real values, obtaining results similar to the Glivenko-Cantelli theorem for ordinary distribution functions. This, and other, generalizations are under development and will be reported in a subsequent paper.

REFERENCES

- Barbour, A.D. (1974). On a functional central limit theorem for Markov population processes. Adv. Appl. Probability, 6, pp. 21-39.
- Feller, W. (1967). An Introduction to Probability Theory and Its Applications, Vol. I, John Wiley and Sons, New York.
- Gaver, D. P. and Lehoczky, J. P. (1977). A diffusion approximation analysis of a general n-compartment system. Math. Biosciences Elsevier - North Holland, New York, pp. 127-148.
- Gaver, D. P. and Miller, R. G., Jr. (1962). Limiting distributions for some storage problems, Chapter 7 of Studies in Applied Probability and Management Science. Stanford University Press, Stanford, California.
- Mandelbrodt, B. (1978). Fractals: Form, Chance, and Dimension, W. H. Freeman and Co., San Francisco, California.
- Newell, G. F. (1966), Equilibrium probability distributions for low density highway traffic. J. Appl. Probability, 3, pp. 247-260.
- Parzen, M. (1962). Stochastic Processes. Holden-Day, Inc., San Francisco, California.
- Rice, S. O. (1954). Mathematical analysis of random noise, in N. Wax, ed., Selected Papers on Noise and Stochastic Processes, Dover, New York.

DISTRIBUTION LIST

| | No. of Copies |
|--|---------------|
| STATISTICS AND PROBABILITY PROGRAM OFFICE OF NAVAL RESEARCH CODE 436 ARLINGTON VA 22217 | 1 |
| OFFICE OF NAVAL RESEARCH NEW YORK AREA OFFICE 715 BROADWAY - 5TH FLOOR ATTN: CR. ROBER GRAFTON NEW YORK, NY 10003 | 1 |
| DIRECTOR OFFICE OF NAVAL RESEARCH BRANCH OFF 536 SOUTH CLARK STREET ATTN: DEPUTY AND CHIEF SCIENTIST CHICAGO, IL 60605 | 1 |
| LIBRARY NAVAL OCEAN SYSTEMS CENTER SAN DIEGO CA 92152 | 1 |
| NAVY LIBRARY NATIONAL SPACE TECHNOLOGY LAB ATTN: NAVY LIBRARIAN BAY ST. LOUIS MS 39522 | 1 |
| NAVAL ELECTRONIC SYSTEMS COMMAND NAVELEX 32C NATIONAL CENTER NO. 1 ARLINGTON VA 20360 | 1 |
| DIRECTOR NAVAL RESEARCH LABORATORY ATTN: LIBRARY (ONRL) CODE 2025 WASHINGTON, D.C. 20375 | 1 |
| DEFENSE DOCUMENTATION CENTER CAMERON STATION ALEXANDRIA VIRGINIA 22314 | 2 |
| TECHNICAL INFORMATION DIVISION NAVAL RESEARCH LABORATORY WASHINGTON, D. C. 20375 | 1 |

| | No. of Copies |
|---|---------------|
| OFFICE OF NAVAL RESEARCH SAN FRANCISCO AREA OFFICE 760 MARKET STREET SAN FRANCISCO CALIFORNIA 94102 | 1 |
| TECHNICAL LIBRARY NAVAL CREWANCE STATION INDIAN HEAD MARYLAND 20640 | 1 |
| NAVAL SHIP ENGINEERING CENTER PHILADELPHIA DIVISION TECHNICAL LIBRARY PHILADELPHIA PENNSYLVANIA 19112 | 1 |
| BUREAU OF NAVAL PERSONNEL DEPARTMENT OF THE NAVY TECHNICAL LIBRARY WASHINGTON D. C. 20370 | 1 |
| LIBRARY CODE 0212 NAVAL POSTGRADUATE SCHOOL MONTEREY CALIFORNIA 93940 | 2 |
| PROF. M. AEDEL-FAMEED DEPARTMENT OF MATHEMATICS UNIVERSITY OF NORTH CAROLINA CHARLOTTE NC 28223 | 1 |
| PROF. T. W. ANDERSON DEPARTMENT OF STATISTICS STANFORD UNIVERSITY STANFORD , CALIFORNIA 94305 | 1 |
| PROF. F. J. ANSCOMBE DEPARTMENT OF STATISTICS YALE UNIVERSITY NEW HAVEN CONNECTICUT 06520 | 1 |
| PROF. L. A. ARCIA INSTITUTE OF INDUSTRIAL ADMINISTRATION UNION COLLEGE SCHENECTADY, NEW YORK 12308 | 1 |

| | No. of Copies |
|---|---------------|
| PROF. C. R. BAKER DEPARTMENT OF STATISTICS UNIVERSITY OF NORTH CAROLINA CHAPEL HILL, NORTH CAROLINA 27514 | 1 |
| PROF. R. E. BECHTNER DEPARTMENT OF OPERATIONS RESEARCH CORNELL UNIVERSITY ITHACA NEW YORK 14850 | 1 |
| PROF. N. J. BERSHAD SCHOOL OF ENGINEERING UNIVERSITY OF CALIFORNIA IRVINE, CALIFORNIA 92664 | 1 |
| P. J. BICKEL DEPARTMENT OF STATISTICS UNIVERSITY OF CALIFORNIA BERKELEY, CALIFORNIA | 1 |
| | 94720 |
| PROF. F. W. BLOCK DEPARTMENT OF MATHEMATICS UNIVERSITY OF PITTSBURGH PITTSBURGH PA | 1 |
| | 15260 |
| PROF. JOSEPH BLUM DEPT. OF MATHEMATICS, STATISTICS AND COMPUTER SCIENCE THE AMERICAN UNIVERSITY WASHINGTON DC | 1 |
| | 20016 |
| PROF. R. A. BRADLEY DEPARTMENT OF STATISTICS FLORIDA STATE UNIVERSITY TALLAHASSEE, FLORIDA | 1 |
| | 32306 |
| PROF. R. E. BARLOW OPERATIONS RESEARCH CENTER COLLEGE OF ENGINEERING UNIVERSITY OF CALIFORNIA BERKLEY CALIFORNIA | 1 |
| | 94720 |
| MR. C. N. BENNETT NAVAL COASTAL SYSTEMS LABORATORY CODE P761 PANAMA CITY, FLORIDA 32401 | 1 |

| | No. of Copies |
|--|---------------|
| PROF. L. N. BHAT COMPUTER SCIENCE / OPERATIONS RESEARCH CENTER SOUTHERN METHODIST UNIVERSITY DALLAS TEXAS 75275 | 1 |
| PROF. W. R. ELISCHKE DEPT. OF QUANTITATIVE BUSINESS ANALYSIS UNIVERSITY OF SOUTHERN CALIFORNIA LOS ANGELES, CALIFORNIA 90007 | 1 |
| DR. DERRILL J. BERDELON NAVAL UNDERWATER SYSTEMS CENTER COCE 21 NEWPORT RI 02840 | 1 |
| J. E. BYER JR DEPT. OF STATISTICS SOUTHERN METHODIST UNIVERSITY DALLAS TX 75275 | 1 |
| DR. J. CHANDRA U. S. ARMY RESEARCH F. G. FOX 12211 RESEARCH TRIANGLE PARK, NORTH CAROLINA 27706 | 1 |
| PROF. F. CHERNOFF DEPT. OF MATHEMATICS MASS INSTITUTE OF TECHNOLOGY CAMBRIDGE, MASSACHUSETTS 02139 | 1 |
| PROF. C. LERMAN DEPARTMENT OF CIVIL ENGINEERING AND ENGINEERING MECHANICS COLUMBIA UNIVERSITY NEW YORK NEW YORK 10027 | 1 |
| PROF. R. L. DISNEY VIRGINIA POLYTECHNIC INSTITUTE AND STATE UNIVERSITY DEPT. OF INDUSTRIAL ENGINEERING AND OPERATIONS RESEARCH BLACKSBURG, VA 24061 | 1 |
| MR. J. DWLING DEFENSE LOGISTICS STUDIES INFORMATION EXCHANGE ARMY LOGISTICS MANAGEMENT CENTER FORT LEE VIRGINIA 20390 | 1 |

| | No. of Copies |
|--|---------------|
| PROF. J. C. ESARY DEPT. OF OPERATIONS RESEARCH AND ADMINISTRATIVE SCIENCES NAVAL POSTGRADUATE SCHOOL MONTEREY, CALIFORNIA 93940 | 1 |
| DR. M. J. FISCHER DEFENSE COMMUNICATIONS AGENCY 1860 WHEELER AVENUE RESTON VIRGINIA 22070 | 1 |
| PROF. D. P. GAVER DEPT. OF OPERATIONS RESEARCH NAVAL POSTGRADUATE SCHOOL MONTEREY CA 93940 | 1 |
| MR. GENE F. GLEISSNER APPLIED MATHEMATICS LABORATORY DAVID TAYLOR NAVAL SHIP RESEARCH AND DEVELOPMENT CENTER BETHESDA MD 20084 | 1 |
| PROF. S. S. GUPTA DEPARTMENT OF STATISTICS PURDUE UNIVERSITY LAFAYETTE INDIANA 47907 | 1 |
| PROF. D. L. HANSEN DEPT. OF MATH. SCIENCES STATE UNIVERSITY OF NEW YORK, BINGHAMTON BINGHAMTON NY 13901 | 1 |
| PROF. F. J. HARRIS DEPT. OF ELECTRICAL ENGINEERING SAN DIEGO STATE UNIVERSITY SAN DIEGO CA 92182 | 1 |
| PROF. L. F. HERBACH DEPT. OF OPERATIONS RESEARCH AND SYSTEMS ANALYSIS POLYTECHNIC INSTITUTE OF NEW YORK BROOKLYN NY 11201 | 1 |
| PROF. M. J. FINCH DEPARTMENT OF ECONOMICS VIRGINIA POLYTECHNIC INSTITUTE AND STATE UNIVERSITY BLACKSBURG VIRGINIA 24061 | 1 |

No. of Copies

PROF. W. M. FIRSCH
INSTITUTE OF MATHEMATICAL SCIENCES
NEW YORK UNIVERSITY
NEW YORK
NEW YORK 10453

1

PROF. D. L. IGLEHART
DEPARTMENT OF OPERATIONS RESEARCH
STANFORD UNIVERSITY
STANFORD,
CALIFORNIA
94350

1

PROF. J. B. KADANE
DEPARTMENT OF STATISTICS
CARNEGIE-MELLON
PITTSBURGH,
PENNSYLVANIA
15213

1

DR. RICHARD LAL
DIRECTOR
OFFICE OF NAVAL RESEARCH BRANCH OFF
1030 EAST GREEN STREET
PASADENA
CA 91101

1

DR. A. R. LAUFER
DIRECTOR
OFFICE OF NAVAL RESEARCH BRANCH OFF
1030 EAST GREEN STREET
PASADENA
CA 91101

1

PROF. M. LEADBETTER
DEPARTMENT OF STATISTICS
UNIVERSITY OF NORTH CAROLINA
CHAPEL HILL
NORTH CAROLINA 27514

1

DR. J. S. LEE
J. S. LEE ASSOCIATES, INC.
2001 JEFFERSON DAVIS HIGHWAY
SUITE 802
ARLINGTON
VA 22202

1

PROF. L. E. LEE
DEPARTMENT OF STATISTICS
VIRGINIA POLYTECHNIC INSTITUTE
AND STATE UNIVERSITY
BLACKSBURG
VA 24061

1

PROF. R. S. LEVENWORTH
DEPT. OF INDUSTRIAL AND SYSTEMS
ENGINEERING
UNIVERSITY OF FLORIDA
GAINSVILLE,
FLORIDA 32611

1

No. of Copies

FRCF. P. A. W. LEWIS 1
 DEPT. OF OPERATIONS RESEARCH AND
 ADMINISTRATIVE SCIENCES
 NAVAL POST GRADUATE SCHOOL
 MONTEREY, CALIFORNIA
 93940

FRCF G. LIEBERMAN 1
 STANFORD UNIVERSITY
 DEPARTMENT OF OPERATIONS RESEARCH
 STANFORD CALIFORNIA 94305

DR. JAMES R. MAAR 1
 NATIONAL SECURITY AGENCY
 FORT MEADE, MARYLAND
 20755

FRCF. R. W. MACSEN 1
 DEPARTMENT OF STATISTICS
 UNIVERSITY OF MISSOURI
 COLUMBIA
 MO 65201

DR. N. R. MANN 1
 SCIENCE CENTER
 ROCKWELL INTERNATIONAL CORPORATION
 P.O. BOX 1085
 THOUSAND OAKS,
 CALIFORNIA 91320

DR. W. F. MARLOW 1
 PROGRAM IN LOGISTICS
 THE GEORGE WASHINGTON UNIVERSITY
 707 22ND STREET, N. W.
 WASHINGTON, D. C.
 20037

PROF. E. MASRY 1
 DEPT. APPLIED PHYSICS AND
 INFORMATION SERVICE
 UNIVERSITY OF CALIFORNIA
 LA JOLLA
 CALIFORNIA 92093

DR. BELCE J. MCCONALD 1
 SCIENTIFIC DIRECTOR
 SCIENTIFIC LIAISON GROUP
 OFFICE OF NAVAL RESEARCH
 AMERICAN EMBASSY - TOKYO
 APO SAN FRANCISCO 96503

PROF. J. A. MUCKSTADT 1
 DEPT. OF OPERATIONS RESEARCH
 CORNELL UNIVERSITY
 ITHACA,
 NEW YORK
 14850

| | No. of Copies |
|---|---------------|
| DR. JANET M. MYHRE THE INSTITUTE OF DECISION SCIENCE FOR BUSINESS AND PUBLIC POLICY CLAREMONT MEN'S COLLEGE CLAREMONT CA 91711 | 1 |
| MR. F. NISSELSOHN BUREAU OF THE CENSUS ROOM 2025 FEDERAL BUILDING 3 WASHINGTON, D. C. 20333 | 1 |
| MISS B. S. CRILEANS NAVAL SEA SYSTEMS COMMAND (SEA 03F) RM 10508 ARLINGTON VIRGINIA 20360 | 1 |
| FRCF. D. E OWEN DEPARTMENT OF STATISTICS SOUTHERN METHODIST UNIVERSITY DALLAS TEXAS 75222 | 1 |
| PROF. E. PARZEN STATISTICAL SCIENCE DIVISION STATE UNIVERSITY OF NEW YORK AT BUFFALO AMHERST NEW YORK 14226 | 1 |
| DR. A. PETRASOVITS ROOM 207B, FOOD AND DRUG BLDG. TUNNEY'S PASTURE OTTAWA, ONTARIO K1A-CL2, CANADA | 1 |
| FRCF. S. L. PICENIX SIELEY SCHOOL OF MECHANICAL AND AEROSPACE ENGINEERING CORNELL UNIVERSITY ITHACA NY 14850 | 1 |
| DR. A. L. POWELL DIRECTOR OFFICE OF NAVAL RESEARCH BRANCH OFF 495 SUMMER STREET BOSTON MA 02210 | 1 |
| MR. F. R. FRICFI CODE 224 OPERATIONS TEST AND UNRS EVALUATION FORCE (OPTEVFOR) NORFOLK, VIRGINIA 20360 | 1 |

| | No. of Copies |
|---|---------------|
| PROF. M. L. PURI DEPT. OF MATHEMATICS P.O. BOX F INDIANA UNIVERSITY FOUNDATION ELCOMINGTON IN 47401 | 1 |
| PROF. H. ROBBINS DEPARTMENT OF MATHEMATICS COLUMBIA UNIVERSITY NEW YORK, NEW YORK 10027 | 1 |
| PROF. M. ROSENBLATT DEPARTMENT OF MATHEMATICS UNIVERSITY OF CALIFORNIA SAN DIEGO LA JOLLA CALIFORNIA 92093 | 1 |
| PROF. S. M. ROSS COLLEGE OF ENGINEERING UNIVERSITY OF CALIFORNIA BERKELEY CA 94720 | 1 |
| PROF. I. RUBIN SCHOOL OF ENGINEERING AND APPLIED SCIENCE UNIVERSITY OF CALIFORNIA LOS ANGELES, CALIFORNIA 90024 | 1 |
| PROF. I. R. SAVAGE DEPARTMENT OF STATISTICS YALE UNIVERSITY NEW HAVEN, CONNECTICUT 06520 | 1 |
| PROF. L. L. SCHARF JR DEPARTMENT OF ELECTRICAL ENGINEERING COLORADO STATE UNIVERSITY FT. COLLINS, COLORADO 80521 | 1 |
| PROF. R. SERFLING DEPARTMENT OF STATISTICS FLORIDA STATE UNIVERSITY TALLAHASSEE FLORIDA 32306 | 1 |
| PROF. W. R. SCHLANY DEPARTMENT OF STATISTICS SOUTHERN METHODIST UNIVERSITY DALLAS, TEXAS 75222 | 1 |

| | No. of Copies |
|--|---------------|
| PROF. C. C. SIEGMUND DEPT. OF STATISTICS STANFORD UNIVERSITY STANFORD CA | 1 |
| 54305 | |
| PROF. M. L. SPODMAN DEPT. OF ELECTRICAL ENGINEERING POLYTECHNIC INSTITUTE OF NEW YORK BRICKLYN, NEW YORK 11201 | 1 |
| PROF. N. SINGPURWALLA DEPT. OF OPERATIONS RESEARCH THE GEORGE WASHINGTON UNIVERSITY 707 22ND ST. N. W. WASHINGTON, D. C. | 1 |
| 20052 | |
| DR. A. L. SLAFKOSKY SCIENTIFIC ADVISOR COMMANDANT OF THE MARINE CORPS WASHINGTON, D. C. 20380 | 1 |
| MR. CHARLES S. SMITH CASD (I&L), PENTAGON WASHINGTON DC | 1 |
| 20301 | |
| DR. C. E. SMITH DESMATIC INC. P.O. BOX 618 STATE COLLEGE PENNSYLVANIA 16801 | 1 |
| PROF. W. L. SMITH DEPARTMENT OF STATISTICS UNIVERSITY OF NORTH CAROLINA CHAPEL HILL NORTH CAROLINA 27514 | 1 |
| PROF. H. SELDMAN DEPARTMENT OF STATISTICS STANFORD UNIVERSITY STANFORD, CALIFORNIA 54305 | 1 |
| MR. GLENN F. STAFLY NATIONAL SECURITY AGENCY FORT MEADE, MARYLAND 20755 | 1 |

| | No. of Copies |
|--|------------------------------------|
| MR. DAVID A. SWICK ADVANCED PROJECTS GROUP CODE 81C3 NAVAL RESEARCH LAB. WASHINGTON DC | 1 20375 |
| MR. WENDELL G. SYKES ARTHUR C. LITTLE, INC. ACORN PARK CAMBRIDGE MA | 1 02140 |
| PROF. J. R. THOMPSON DEPARTMENT OF MATHEMATICAL SCIENCE RICE UNIVERSITY HOUSTON, TEXAS 77001 | 1 |
| PROF. W. A. THOMPSON DEPARTMENT OF STATISTICS UNIVERSITY OF MISSOURI COLUMBIA, MISSOURI 65201 | 1 |
| PROF. F. A. TILLMAN DEPT. OF INDUSTRIAL ENGINEERING KANSAS STATE UNIVERSITY MANHATTAN KS | 1 66506 |
| PROF. J. W. TUKEY DEPARTMENT OF STATISTICS PRINCETON UNIVERSITY PRINCETON, N. J. 08540 | 1 |
| PROF. A. F. VEINOTT DEPARTMENT OF OPERATIONS RESEARCH STANFORD UNIVERSITY STANFORD CALIFORNIA 94305 | 1 |
| DANIEL H. WAGNER STATION SQUARE ONE FAULT, PENNSYLVANIA 15301 | 1 |
| PROF. GRACE WAHBA DEPT. OF STATISTICS UNIVERSITY OF WISCONSIN MADISON WI | 1 53706 |

| | No. of Copies |
|--|---------------|
| PROF. PETER BLOOMFIELD STATISTICAL DEPT. PRINCETON UNIVERSITY PRINCETON, N. J. | 1 |
| C8540 | |
| PROF. G. G. BROWN DEPT. OF OP NAVAL POSTGRADUATE SCHOOL MONTEREY CALIFORNIA | 1 |
| 53940 | |
| R. W. BUTTERWORTH SYSTEMS EXPLORATION WEBSTER ST. MONTEREY CALIFORNIA | 1 |
| 93940 | |
| DR. JAMES CAPRA 7218 DELFIELD STREET CHEVY CHASE MARYLAND | 1 |
| 20015 | |
| DR. D. R. COX DEPT. OF MATHEMATICS IMPERIAL COLLEGE LONDON SW7 | 1 |
| ENGLAN | |
| DEFENSE DOCUMENTATION CTR. CAMERON STATION ALEXANDRIA VIRGINIA | 1 |
| 22314 | |
| ECON. AND MAN. SCI. CTR. NORTHWESTERN UNIV. EVANSTON ILLINOIS | 1 |
| 602 C1 | |
| MAN. SCE. RES. CTR. FACULTY OF COM. AND BUS. ADMIN. UNIV. OF BRITISH COLUMBIA VANCOUVER BRITISH COLUMBIA V6T 1W5 | 1 |
| CANADA | |
| DR. M. CHASS PAIN. DEPT. NORTHWESTERN UNIV. EVANSTON ILLINOIS | 1 |
| 602 01 | |

| | No. of Copies |
|---|---------------|
| PROF. K. T. WALLENIS DEPARTMENT OF MATHEMATICAL SCIENCES CLEMSON UNIVERSITY CLEMSON, SOUTH CAROLINA 29631 | 1 |
| PROF. G. S. WATSON DEPARTMENT OF STATISTICS PRINCETON, N. J. 08540 | 1 |
| PROF. BERNARD WIDROW STANFORD ELECTRONICS LAB STANFORD UNIVERSITY STANFORD CA | 1 |
| 94305 | |
| PROF. G. I. WHITEHOUSE DEPT. OF INDUSTRIAL ENGINEERING LEHIGH UNIVERSITY BETHLEHEM PA | 1 |
| 18015 | |
| PROF. S. ZACKS DEPT. OF MATHEMATICS AND STATISTICS CASE WESTERN RESERVE UNIVERSITY CLEVELAND., OHIO 44106 | 1 |
| PROF. M. ZIA-HASSAN DEPARTMENT OF INDUSTRIAL AND SYSTEMS ENGINEERING ILLINOIS INSTITUTE OF TECHNOLOGY CHICAGO IL | 1 |
| 60616 | |
| HEAD, MATH. SCI SECTION NAT. SCIENCE FOUNDATION 1800 G STREET, N.W. WASHINGTON, D.C. | 1 |
| 20550 | |
| PROF. A. F. ANDRUS DEPT. OF CP NAVAL POSTGRADUATE SCHOOL MONTEREY CALIFORNIA | 1 |
| 93940 | |
| PROF. C. R. BARR DEPT. OF CP NAVAL POSTGRADUATE SCHOOL MONTEREY CALIFORNIA | 1 |
| 93940 | |

| | No. of Copies |
|---|---------------|
| DR. R. ELASHOFF BIOMATHEMATICS UNIV. OF CALIF. LCS ANGELES CALIFORNIA | 1 |
| 90024 | |
| PROF. GEORGE S. FISHMAN UNIV. OF NORTH CAROLINA CUR. IN OR AND SYS. ANALYSIS PHILLIPS ANNEX CHAPEL HILL, NORTH CAROLINA | 1 |
| 20742 | |
| DR. R. GNANACESIKAN BELL TELEPHONE LAB HOLMDEL, N. J. | 1 |
| 07735 | |
| DR. A. J. COLEMAN CHIEF, CR DIV. 2CS, C2, ADMIN. A428 U.S. DEPT. OF COMMERCE WASHINGTON, D.C. | 1 |
| 20234 | |
| DR. H. FIGGINS 53 BONN 1, POSTFACH 589 NASSESTRASSE 2 | 1 |
| WEST GERMANY | |
| DR. P. T. HOLMES DEPT. OF MATH. CLEMSON UNIV. CLEMSON SOUTH CAROLINA | 1 |
| 29631 | |
| DR. J. A. HOCKI BELL TELEPHONE LABS HOLMDEL NEW JERSEY | 1 |
| 07733 | |
| DR. ROBERT HOCKE MATH. DEPT. WEST INGHOUSE RES. LABS CHURCHILL BCFC PITTSBURGH, PENNSYLVANIA | 1 |
| 15235 | |
| DR. D. L. IGLEHART DEPT. OF C.F. STANFORD UNIV. STANFORD CALIFORNIA | 1 |
| 94305 | |

| | No. of Copies |
|---|---------------|
| DR. PATRICIA JACCS CR DEPT. NAVAL POSTGRADUATE SCHCOL MONTEREY CALIFORNIA | 1 |
| 93940 | |
| DR. H. KOBAYASHI IBM YORKTOWN HEIGHTS NEW YORK | 1 |
| 10598 | |
| DR. JOHN LEBOCZKY STATISTICS DEPARTMENT CARNEGIE-MELLON UNIVERSITY PITTSBURGH PENNSYLVANIA | 1 |
| 15213 | |
| LIBRARY CCDE 55 NAVAL POSTGRADUATE SCHCOL MONTEREY CALIFORNIA | 1 |
| 93940 | |
| DR. A. LEMOINE 1020 GUINCA ST. PALO ALTO, CALIFORNIA | 1 |
| 94301 | |
| DR. J. MACQUEEN UNIV. OF CALIF. LOS ANGELES CALIFORNIA | 1 |
| 90024 | |
| FRCE. K. T. MARSHALL DEPT. OF CE NAVAL POSTGRADUATE SCHCOL MONTEREY CALIFORNIA | 1 |
| 93940 | |
| DR. M. MAZUMDAR MATH. DEPT. ESTINGHOUSE RES. LABS COURCHILL BOFC PITTSBURGH PENNSYLVANIA | 1 |
| 15235 | |
| DR. LEON F. MCGINNIS SCHOOL OF IND. AND SYS. ENG. GEORGIA INST. OF TECH. ATLANTA GEORGIA | 1 |
| 30332 | |

| | No. of Copies |
|---|----------------------------|
| DR. D. R. MCNEIL DEPT. OF STATISTICS PRINCETON UNIV. PRINCETON NEW JERSEY | 1 08540 |
| PROF. P. R. MILCH DEPT. OF OR NAVAL POSTGRADUATE SCHOOL MONTEREY CALIFORNIA | 1 93940 |
| DR. F. MCSTELLER STAT. DEPT. HARVARD UNIV. CAMBRIDGE MASSACHUSETTS | 1 02139 |
| PROF. R. R. READ DEPT. OF OR NAVAL POSTGRADUATE SCHOOL MONTEREY CALIFORNIA | 1 93940 |
| DR. M. REISER IBM THOMAS J. WATSON RES. CTR. YORKTOWN HEIGHTS NEW YORK | 1 10598 |
| DEAN OF RESEARCH CODE 013 NAVAL POSTGRADUATE SCHOOL MONTEREY CALIFORNIA | 1 93940 |
| PROF. F. F. RICHARDS DEPT. OF OR NAVAL POSTGRADUATE SCHOOL MONTEREY CALIFORNIA | 1 93940 |
| DR. J. RICREAN DEPT. OF MATHEMATICS ROCKEFELLER UNIV. NEW YORK NEW YORK | 1 10021 |
| DR. LINUS SCHRAGE UNIV. OF CHICAGO GRAD. SCHOOL OF BUS. 5836 GREENWOOD AVE. CHICAGO, ILLINOIS | 1 60637 |

| | No. of Copies |
|--|----------------------------|
| DR. PAUL SCHWEITZER THOMAS J. WATSON RESEARCH CTR9 POST OFFICE BOX 218 YORKTOWN HEIGHTS NEW YORK | 1 10598 |
| DR. RICHARD SCRENSON CODE 303 NPRDC 271 CATALINA BLVD. SAN DIEGO CALIFORNIA | 1 92152 |
| PROF. M. G. SOVEREIGN DEPT. OF NAVAL POSTGRADUATE SCHOOL MONTEREY CALIFORNIA | 1 93940 |
| DR. V. SRINIVASAN GRADUATE SCHOOL OF BUSINESS STANFORD UNIVERSITY STANFORD CALIFORNIA | 1 94305 |
| DR. R. M. STARK STATISTICS AND COMPUTER SCI. UNIV. OF DELAWARE NEWARK DELAWARE | 1 19711 |
| PROF. RICHARD VANSLYKE RES. ANALYSIS CORP. BEECHWOOD OLD TAPPEN ROAD GLEN COVE, NEW YORK | 1 11542 |
| PROF. JOHN W. TUKEY FINE HALL PRINCETON UNIV. PRINCETON NEW JERSEY | 1 08540 |
| DR. THOMAS C. VARLEY OFFICE OF NAVAL RESEARCH CODE 434 ARLINGTON VA | 1 22217 |
| PROF. G. WATSON FINE HALL PRINCETON UNIV. PRINCETON NEW JERSEY | 1 08540 |

| | No. of Copies |
|--|---------------|
| Dr. Roy Welsch M.I.T., Solan School Cambridge, MA 02139 | 1 |
| Dean of Research 012 Naval Postgraduate School Monterey, Ca. 93940 | 1 |
| Professor D. P. Gaver Code 55Gv Naval Postgraduate School Monterey, Ca. 93940 | 20 |
| R. J. Stampfel Code 55 Naval Postgraduate School Monterey, Ca. 93940 | 1 |