


AD-A065 387

NIELSEN ENGINEERING AND RESEARCH INC MOUNTAIN VIEW CALIF F/G 20/4  
FURTHER LASER VELOCIMETER MEASUREMENTS OF SLENDER-BODY WAKE VOR--ETC(U)  
AUG 78 R G SCHWIND, J MULLEN  
NEAR-TR-168 DAAK40-77-C-0070  
NL

UNCLASSIFIED

OF /  
ADA  
065387



LEVEL II

5

AD A0 65387



DDC FILE COPY

DISTRIBUTION STATEMENT A

Approved for public release;  
Distribution Unlimited

DDC  
RECEIVED  
06 MAR 1979  
E

79 02 05 034

NIELSEN ENGINEERING  
AND RESEARCH, INC.

OFFICES: 510 CLYDE AVENUE / MOUNTAIN VIEW, CALIFORNIA 94043 / TELEPHONE (415) 959-9457

DDC FILE COPY AD A0 65387

FURTHER LASER VELOCIMETER MEASUREMENTS  
OF SLENDER-BODY WAKE VORTICES

by

Richard G. Schwind and Joseph Mullen, Jr.  
Nielsen Engineering & Research, Inc.  
510 Clyde Avenue  
Mountain View, CA 94043

Final Report  
for the period  
March 7, 1977 - May 7, 1978

Approved for public release;  
distribution unlimited

NEAR TR 168

August 1978

Prepared for

Aeroballistics Directorate  
U. S. Army Missile Research Development,  
and Engineering Laboratory  
U. S. Army Missile Command  
Redstone Arsenal, AL 35809

ACCESSION for	
NTIS	Wallo Section
DDC	Buff Section
UNANNOUNCED	
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AVAIL. SOD. OR SPECIAL
A	

79 03 05 034



20. (Continued)

Surface flow visualization shows a complicated pattern of multiple separation and attachment lines. Asymmetric breaks in the primary separation lines are believed to be associated with the tearing loose of attached vortex sheets and the subsequent formation of a new sheet. Three-dimensional laser velocimeter measurements were performed on the leeward side of the model at several cross sections and at  $X = 2.8, 4.9, \text{ and } 6.3$  for  $\alpha = 37\frac{1}{2}$  deg. Vortical regions rapidly become more and more diffusive and asymmetric in nature with downstream distance. Crossflow vector plots do not show distinct vortex centers toward the rear of the model.

alpha

## TABLE OF CONTENTS

<u>Section</u>	<u>Page No.</u>
1. INTRODUCTION	1
2. TEST APPARATUS	2
3. PROCEDURES	4
4. RESULTS	9
5. PRELIMINARY ANALYSIS OF THE DATA	12
6. CONCLUSIONS	16
REFERENCES	17
LIST OF SYMBOLS	18
TABLES 1 THROUGH 9	20
FIGURES 1 THROUGH 23	60

FURTHER LASER VELOCIMETER MEASUREMENTS OF  
SLENDER-BODY WAKE VORTICES

by Richard G. Schwind and Joseph Mullen, Jr.  
Nielsen Engineering & Research, Inc.

1. INTRODUCTION

The rational modeling of flow phenomena is an effective means for predicting the aerodynamic characteristics of missile configurations. A significant portion of the modeling for moderate and high angles of attack concerns the body separation vortices. The correctness of the flow modeling can only be determined by comparisons with measurements. The present investigation was performed to increase the meager amount of flow measurements available in the separation region.

A laser velocimeter was used to obtain three-dimensional flow measurements in a non-intrusive manner on the leeward side of an ogive-cylinder model. Surface flow visualization and force measurements were also obtained. This study was sponsored by the U. S. Army Missile Command and is an extension of a previous investigation (refs. 1 and 2). As in reference 1, this is a data report for documenting the experiment. The model, laser velocimeter, and instrumentation were supplied by the NASA Ames Research Center,\* and the test was performed in the U. S. Army R&T Laboratory 7- by 10-Foot Wind Tunnel at Ames.

---

\*The author is particularly grateful to Dr. Kenneth Orloff of the Large Scale Aerodynamics Branch for the use of his laser velocimeter and associated instrumentation.

## 2. TEST APPARATUS

An existing ogive-cylinder wind-tunnel test model was used for this test program. It was borrowed from the NASA Ames Aerodynamics Branch. This was the model used in the previous NEAR flow field investigation (refs. 1 and 2). It has been the subject of extensive testing by personnel of the Aerodynamics Branch (refs, 3, 4, 5, 6). In the investigations by Ames personnel the forces and moments on the body have been measured and the surface flow and the vortical flow field have been visualized, the latter by use of the vapor-screen technique. The model is shown in Figure 1. It has a 3.5 length-to-diameter ratio ogive nose with a sharp point (nose apex total angle of  $32.9^\circ$ ) and the same length cylindrical afterbody. The diameter is 15.24 cm (6 in.). The model was mounted on a 3.81-cm (1.5-in) diameter six-component task force balance. The balance was mounted into a 5.7-cm (2.25-in) diameter sting. This sting pivoted in pitch about a post that was attached to the tunnel floor as shown in Figure 2. The model centerline was located 4.5 diameters from the tunnel wall in order to make use of an existing laser velocimeter. The test was performed in the U. S. Army R&T Laboratory 7- by 10-Foot Wind Tunnel located at NASA Ames Research Center. This is a low speed, closed-circuit, atmospheric tunnel of rectangular cross section.

The laser velocimeter (LV) used for the flow field measurements was designed by Dr. Ken Orloff of the Large Scale Aerodynamics Branch of NASA Ames. It was lent for this experiment. It incorporates two dual-scatter crossed-beam systems that operate independently at wave-lengths of 488.0 (blue) and 514.5 (green) nanometers. These beams originate from a single 4-watt argon laser. A schematic of the optical path is shown in Figure 3. The two LV systems are mounted at a  $30^\circ$  angle to each other (the green system above the blue) to make the LV sensitive to the two cross-flow components of velocity (described later). The three

fixed-focus lenses of the LV (the center one is the receiving optics) show through the window in Figure 2. Except for use of the fixed-focus lenses and the arrangement of the two sets of transmitting optical components the instrument is similar to an earlier version designed by Grant and Orloff (ref. 7). Also, this instrument contained acousto-optic cells in each channel to eliminate directional ambiguity. The top (green) channel was rotated  $90^\circ$  to obtain the axial velocity component.

The laser velocimeter was placed on a traversing table that could translate in the three perpendicular directions by operating motors. The LV was tilted on this table so that the axis of the blue beams was inclined upwards at  $7.74^\circ$  (thus the green beams were directed downwards at  $22.26^\circ$ ).

The LV frequency signals were either analyzed automatically by frequency trackers, or the frequency determined manually using frequency analyzers. This is discussed in detail later. The LV frequencies, three traversing table positions, four normal and side force gages, and tunnel Q were sensed by transducers and the signals delivered to a PDP 11-05 minicomputer. The computer system contained a floppy disk drive for accessible storage and a cathode ray tube display with copier for hard copies.

### 3. PROCEDURES

Upon assembly the model contained several surface irregularities in the form of bolt holes, pin holes and seams. The seams came at  $2/3$  of a diameter from the nose (the end of the nose cap), at  $3-1/2$  diameters (the end of the ogive forebody), and along the longitudinal seams of the clam-shell style afterbody. Most of these holes and seams were filled with a polyester resin-based filler (body putty) and the model smoothed and buffed before being placed in the wind tunnel. Two holes for mounting pins and the nose seam were waxed over. The model was frequently washed with solvent and wiped dry with rags.

Two model pitch angles were used in the test,  $22-1/2$  and  $37-1/2$  degrees, the same as used in the previous investigation (refs. 1 and 2). To establish at the higher angle of attack from which side of the missile the asymmetric flow pattern would originate, a strip of tape was added near the nose on the left hand side looking upstream. This tape strip helped to stabilize the flow. It was 0.5 cm wide by 0.026 cm thick. It was placed between 1.75 and 10.3 cm behind the tip ( $0.11$  to  $0.68 X/D$ ). The six-component body balance upon which the model was mounted was previously calibrated by an outside group using established procedures. Its calibration was checked in the wind tunnel. Interactions were included in the data reduction equations.

Carbon black flow visualization was performed at two different wind tunnel speeds, 18.2 and 36.4 meters per second (60 and 120 feet per second), and two pitch angles, 22.5 and 37.5 degrees. The resulting Reynolds numbers, based upon the free stream velocity and model diameter, are  $Re_D = 0.18 \cdot 10^6$  and  $0.37 \cdot 10^6$ . A carbon black recipe was developed for each of those conditions for the best visualization of the fine structure of the surface flow. Since the mixture and its method of application may have some effect on the results, these items are described. At the

higher speed the solvent consisted of 60% kerosene and 40% no. 10 weight oil. To this was added 25% carbon black. For the lower speed, the solvent was 87% kerosene and 13% no. 10 weight oil. Again, 25% carbon black was used. The mixture was painted onto the model with a bristle brush and the painting process was continued while the tunnel was started up. This procedure minimized sagging of the mixture due to gravity. Approximately 20 seconds was required after the painting process was stopped to establish the desired flow speed. The surface pattern established itself quickly, but the solvent either gradually evaporated or ran off along the separation lines; and this process took approximately 45 minutes.

The tunnel was then shut down, the nose carefully removed and a carrying handle attached to the model. The model was removed from the balance and taken to a special photographic chamber. This chamber was a framework covered with cheese cloth. It was designed to eliminate destructive highlights. The nose was reinstalled once the model was in the chamber and photographs were taken at every 60° of rotation. The nose was always reassembled to the model with the same orientation.

Setting up the laser velocimeter required the establishment of a coordinate system. The three-dimensional LV traversing table was repeatedly adjusted until the intersection point of the laser velocimeter laser beams followed thin nylon strings attached to plum bobs at the front, middle and rear of the vertical plane through the model. The model was then mounted and the LV wind tunnel coordinate system established using the nose tip at zero pitch angle. The LV position and model angle transducers were then calibrated. The computer was programmed to translate between wind tunnel and missile coordinate systems and vice versa. Position checks were made by aligning the LV on various parts of the model body. The accuracy in determining the position of the LV focus point with respect to the model is believed to have been


$\pm 0.8$  mm (.030 inches, .005 D) in each of the coordinate directions. Because of the configuration of the LV with its two sets of beams at  $30^\circ$ , the far side of the model was completely in the shadow of the beams and no measurements could be taken there. Furthermore, the top of the shadow zone extended upward away from the model at about an  $8^\circ$  angle due to the angle of the lower set of beams. The limit on how close the LV focus point could approach the body depended upon the reflections into either photomultiplier tube from any beam reflecting off some combination of the body and the window.

Data points were obtained with the LV system by traversing each horizontal row in a missile cross section twice. The first time the row was traversed both sets of beams were oriented vertically and two cross-flow vectors in wind tunnel coordinates were measured. For the repeat traverse the top LV beams were rotated  $90^\circ$  to measure the horizontal velocity component. The position was nearly always reproduced upon the second traverse within  $\pm .001$  D in the horizontal position, and  $\pm .006$  D in the vertical plane. The basis for resolving the two non-orthogonal LV velocities measured in the wind tunnel cross flow plane to orthogonal velocity components in the same plane was through the following relationship which is based on the sketch shown:

$$\frac{UGR1}{\cos\beta} = UR = \frac{UBL}{\cos(\beta+30^\circ)}$$

Thus:

$$\beta = \tan^{-1} \left( 1.7320 - 2 \frac{UBL}{UGR1} \right)$$



Wind tunnel cross flow plane, looking upstream

The resulting velocity components in wind tunnel coordinates are:

$$\begin{aligned} U1 &= UGR2 && \text{(axial component, positive direction downstream)} \\ U2 &= UR \sin (\beta+\gamma) \\ U3 &= UR \cos (\beta+\gamma) \end{aligned}$$

In missile coordinates the dimensionless velocity components are:

$$\begin{aligned}U &= (U_1 \cos \alpha - U_3 \sin \alpha) / U_\infty \\V &= U_2 / U_\infty \\W &= (U_1 \sin \alpha + U_3 \cos \alpha) / U_\infty\end{aligned}$$

While velocity components were measured in a wind-tunnel coordinate system and then resolved into missile coordinates, it is emphasized that the measurement points were located in missile cross-sectional planes.

There were two ways to obtain laser velocimeter readings. The simpler was to command the computer to sample the tracker values 19 times in one-thirtieth second intervals and average the values. However, the signal-to-noise ratio was generally poor in the region of the flow with moderate to large vorticity levels. Tracking the signals became unreliable or impossible. In these cases the frequency was manually read on Hewlett Packard 141T-8443A spectrum analyzers and the resulting values typed into the minicomputer. Each crossflow vector was plotted in its proper location on the CRT display. The data point could be retaken before continuing. This was occasionally necessary if the tracker quit tracking just before sampling took place. In a cross section the lateral position of data points in each row was nearly always the same, simplifying subsequent data reduction. The vertical spacing was chosen to obtain an adequate definition of the flow field. Obtaining data points near vortex centers was usually very difficult. Reading one point in that region could consume as much time as required for the rest of the entire row.

The design concept used for the crossflow two-dimensional LV system created a system that was bulky in the vertical dimension. This particular LV was designed for another tunnel and could only be accommodated at the Army 7- by 10-Foot Wind Tunnel by replacing one of the large tunnel doors with a full length piece of plate glass. Even so, to take measurements in planes perpendicular to the model centerline, as was done, required that

the model be translated along the tunnel axial direction between the measurements taken in the front two planes and the rear plane. Upon completing this translation the balance forces and moments were checked for agreement with the previous values before continuing the test.

#### 4. RESULTS

Model normal- and side-force coefficients,  $C_N$  and  $C_Y$ , and pitching- and yawing-moment coefficients,  $C_m$  and  $C_n$ , are presented in Figures 4 and 5. Figure 4 presents the results for the model at  $22\text{-}1/2^\circ$  (no tape) and Figure 5, for  $37\text{-}1/2^\circ$  with tape. The values are plotted versus the Reynolds number based upon the crossflow velocity. Data for the same body taken in the NASA/Ames 12-Foot Wind Tunnel by Keener, et al. (ref. 6) is shown. The reason for poor agreement in Figure 4, but good agreement in Figure 5 is unknown.

The crossflow vector plot for  $X = 6.3$  ( $x/L = .9$ ) at the model angle of  $22\text{-}1/2^\circ$  is presented in Figure 6 (the view is looking upstream in cross-section plots). The Reynolds number,  $Re_D$  is  $0.37 \cdot 10^6$ . The dots show the positions of the vortex centers. These were obtained by interpolating velocity components between the surrounding data points. Figure 7 shows axial velocities at the same cross section and same conditions as in Figure 6. All velocities have been made dimensionless using the free-stream velocity.

Table 1 contains the individual data point positions  $X, Y, Z$ , and measured velocity components  $U, V, W$  both in missile coordinates. The raw frequency data  $UB1$  and  $UG1$  are the blue and green channel readings in the tunnel cross section plane, and  $UG2$  is the green channel reading in the axial direction. Also included in Table 1 are  $RMSB$  and  $RMSG$ . These are the root mean square values from the sampling of the trackers for  $UB1$  and  $UG1$ , respectively. By comparing these values for these cases the relative unsteadiness can be noted. When the frequencies were read manually on the analyzers the rms values were automatically set equal to these readings. Thus, the manually read values can be easily determined. Table 2 contains the dimensionless circulation ( $GAM$ ) and vorticity ( $VORTIC$ ) in the cross section for each set of four adjacent data points (approximately rectangular in

shape). Circulation has been made dimensionless by using the factor:  $\pi \times \text{body diameter} \times V_\infty \times \sin \alpha$ . Positive values are in the counterclockwise sense. The grid center location, XC and YC and area are included.

Tables 1 and 2 have row and point numbers. The row in Table 2 lies half way between the rows in Table 1, and similarly for the point numbers on each row. Values from Table 2 have been used to determine vorticity contours, see Figure 8.

Three cross sections were probed at the model pitch angle of  $37\text{-}1/2^\circ$  and  $Re_D = 0.23 \cdot 10^6$ . A strip of tape was located on the model nose as previously described. The cross sections at  $X = 2.8, 4.9$  and  $6.3$  (40, 70 and 90 percent of the length) were probed. The data are contained in Tables 3, 5, and 7, respectively. The resulting circulation and vorticity values are presented in Tables 4, 6, and 8, respectively. Figures 9-17 contain the crossflow vector plot, and axial velocity and vorticity contour plots for each of these three cross sections. Figure 18 presents an overlay of some of the vorticity contours from the same three cases. This shows the relative position of the vortical regions in the three cross sections.

Sets of photographs from four carbon black surface flow visualization cases are presented in Figures 19-22. The set of photographs in each figure show the model surface pattern at 6 different angles,  $60^\circ$  apart in rotation. The first case, Figure 19, is for the pitch angle of  $22\text{-}1/2^\circ$  (no tape). The flow conditions are the same as for the flow field described above in Figures 6-8.

The remaining three flow visualization cases are for the pitch angle for  $37\text{-}1/2^\circ$ . The first of these (Figure 20) is with the tape strip in place and  $Re_D = 0.18 \cdot 10^5$ , the same as for the LV measurements reported in Reference 1. Figures 21 and 22 are for the cross flow Reynolds number of the present experiment,

$0.37 \cdot 10^5$ . The first case is without the tape strip. Figure 22 shows the case with the tape strip in place, so the flow field conditions are the same as for the measurements shown in Figures 9 to 17. Separation and attachment lines as shown in this last set of photographs were read and are indicated on the cross flow vector plots in Figures 9, 12 and 15. Also, the positions as indicated in this set of photographs for the two primary separation lines along the entire length of the model are indicated in Figure 23.

## 5. PRELIMINARY ANALYSIS OF THE DATA

As previously noted the purpose of this report is to present the results of the experiment, and not to analyze them. Some observations on these results are made here, however, but no comparisons to previous tests or theoretical methods are made. Further manipulation of the results is also possible and should be performed.


Some blemishes in the carbon black oil surfaces can be noted. The blank spot near  $\theta = 0$  in Figure 22 is a spot that did not get painted. This appears to have had only a very local effect on the pattern. The uniformly dark areas, particularly in Figures 19 and 20, are areas where the carbon black did not flow. Smudges and scrapes of the flow pattern after its formation - during handling - show on the nose in Figure 21, and just above the mid section of Figure 22. These do not affect the use of the photographs. The flow patterns across the longitudinal seams and large bolt holes (both filled with polyester-based resin and sanded smooth) show no indication of discontinuities. The seam at  $X = .50$  and the body pin hole does show signs of discontinuous surface heights. However, none of the major features in the separation lines can be readily traced to these junction effects.

The primary (first) separation lines showing in Figure 19,  $\alpha = 22-1/2^\circ$ , are quite symmetric. For the first 55% of the length these separation lines are very close to  $\pm 100^\circ$ . Then the separation lines move further aft to nearly  $\pm 120^\circ$  for the remainder of the body length. For the next case (Figure 20,  $\alpha = 37-1/2^\circ$ , lower Reynolds number) large asymmetry in the primary separation lines is noted on the rear half of the model, greater than  $+90^\circ$  in the  $60^\circ$  photo, and much less than  $-90^\circ$  in the  $240^\circ$  photo.

Figures 21 and 22 show the model at  $\alpha = 37-1/2^\circ$ ,  $Re_D = 0.37 \cdot 10^6$ , and respectively, without and with the tape strip. A striking difference between these two sets of

photographs are the two breaks in the separation line on each side for the case with the tape. These breaks in the separation lines are placed asymmetrically with respect to each other. These breaks in the separation lines are believed to be associated with vortex sheets tearing loose from the body and a new sheet forming. The attachment lines were marked with dashed lines on the model in this latter set of photographs to make their identification easier. The angles of the separation and attachment lines were read on enlarged photographs and are marked on the cross vector plots in Figures 9, 12, and 15. The location of these points has been determined to within three quarters of a degree. The locations of the first separation line on each side of the model has been read for nearly the entire length of the body. These are shown in Figure 23. The breaks in the separation lines show in detail in this figure.

The separation and attachment points indicated in Figure 9 ( $X = 2.8$ ) and on the left side of Figure 12 ( $X = 4.9$ ) contain an extra pair of singular points. A schematic is shown here of a local flow field which satisfies all separation and attachment points and the nearby measured flow vectors for the  $X = 4.9$  case. The extra set of singular points in this case is associated with the first break in the vortex sheet.



Returning to the surface flow visualization in Figure 21, the case at  $\alpha = 37\text{-}1/2^\circ$  but without the tape strip, no breaks in the separation lines are noted. Possibly the severe flow unsteadiness that was observed for this case is due to an oscillation of

the separation lines for the breaks. The resulting carbon black surface flow pattern of some average for the flow would not be meaningful. Also, since one placement of a tape strip produced large changes in the flow pattern, one could reason that possibly other placements would produce other results. The good agreement for the force and moment coefficients between this test with the tape strip and the 12-Foot Wind Tunnel results of Keener, et al (ref. 6) for the same model but without a tape strip indicates otherwise.

Some analysis of the crossflow plots from the  $\alpha = 37\text{-}1/2^\circ$  LV measurements are in order. The two counter-rotating vortices at  $X = 2.8$  that are evident in the vector and vorticity plots, Figures 9 and 11, have 15 to 25 percent excess velocity in the vortex cores (as compared to the free-stream velocity). These vortices have the character of swirling jets. The circulation inside the  $\Omega = \pm 0.5$  contours and above the bottom traverse line are  $-0.169$  and  $+0.306$ . While the vortex center on the left side could not be located by interpolating velocity components to find the  $U = V = 0$  point, the center was selected from the vortex plot to be at  $Y = .17$  and  $Z = .61$ . The circulations on the left and right sides of the  $\Omega = 0$  line are  $-.151$  and  $+0.291$ . The vorticity is relatively concentrated and virtually all the circulation is contained within the  $\Omega = \pm 0.5$  contours (see Table 9).

Comparing the vorticity contour plots for  $X = 2.8$  and  $4.9$  (Figures 11 and 14) it is noted that the left vortex center has moved up and to the right, and the right vortex has moved upwards and become greatly elongated. In the lower left of Figure 14 vorticity from the top of another clockwise vortex is evident. Continuing downstream to  $X = 6.3$  the vortical regions enlarge significantly while vorticity levels are reduced. The resulting circulations are actually larger (see Table 9). For convenience in visualizing the growth of vortical regions a superposition of selected vorticity contours for  $X = 2.8, 4.9,$  and  $6.3$  is shown in

Figure 18. The shaded areas show the central regions of the vortices. No concentrated vortex cores are evident at  $X = 6.3$  from the crossflow vector plot, Figure 15.

## 6. CONCLUSIONS

The flow over an ogive-cylinder model with a length-to-diameter ratio of seven has been investigated at incompressible flow speeds. Forces and moments, surface flow visualization, and three-dimensional laser velocimeter measurements have been obtained at pitch angles of  $22.5^\circ$  and  $37.5^\circ$ . Forces and moments have been compared to data previously obtained over a wide range of Reynolds numbers with this model. This comparison shows the flow to be transitional in nature.

Surface flow visualization shows a complicated pattern of multiple separation and attachment lines. Asymmetric breaks in the primary separation lines are believed to be associated with the tearing loose of attached vortex sheets and the subsequent formation of a new sheet.

Three-dimensional laser velocimeter measurements were performed on the leeward side of the model at  $X = 6.3$  for  $\alpha = 22\text{-}1/2^\circ$ , and at  $X = 2.8, 4.9,$  and  $6.3$  for  $\alpha = 37\text{-}1/2^\circ$ . Vortical regions rapidly become more and more diffusive and asymmetric in nature with downstream distance. Crossflow vector plots do not show all the vortex cores at the  $X = 4.9$  and  $6.3$  locations. At  $X = 2.8$ , which is located on the nose, the vortices have a greater velocity component along the body axis than free-stream velocity, but farther aft at  $X = 4.9$  and  $6.3$  velocity defects are evident in the center of the vortical regions.

## REFERENCES

1. R. G. Schwind and D. M. Kline: Data Report on Laser Anemometer Measurements of Missile Body-Separation Vortices. Nielsen Engineering & Research TR 91, June 1975.
2. J. E. Fidler, R. G. Schwind and J. N. Nielsen: An Investigation of Slender-Body Wake Vortices. Nielsen Engineering & Research TR 108, February 1976.
3. E. R. Keener and G. T. Chapman: Onset of Aerodynamic Side Forces at Zero Sideslip on Symmetric Forebodies at High Angles of Attack, AIAA Paper No. 74-770.
4. G. T. Chapman, E. R. Keener, and G. N. Malcolm: Asymmetric Aerodynamic Forces on Aircraft at High Angles of Attack - Some Design Guides, in Stall/Spin Problems of Military Aircraft, AGARD CP 199, June 1976.
5. E. R. Keener and J. Taleghani: Wind Tunnel Investigations of the Aerodynamic Characteristics of Five Forebody Models at High Angles of Attack at Mach Numbers from 0.25 to 2.0, NASA TMX 73,076, December 1975.
6. E. R. Keener, G. T. Chapman, L. Cohen, and J. Taleghani: Side Forces on a Tangent Ogive Forebody with a Fineness Ratio of 3.5 at High Angles of Attack and Mach Numbers from 0.1 to 0.7, NASA TMX-3437, February 1977.
7. Grant, G. R. and Orloff, K. L.: Two-Color Dual-Beam Backscatter Laser Doppler Velocimeter, Applied Optics, Vol. 12, December 1973.

## LIST OF SYMBOLS

$C_m$	Pitching moment coefficient, $C_m = M_m/SQD$
$C_n$	Yawing moment coefficient, $C_n = M_n/SQD$
$C_N$	Normal force coefficient, $C_N = N/SQ$
$C_Y$	Side force coefficient, $C_Y = Y/SQ$
D	Diameter of model afterbody, 15.24 cm (6 in.)
L	Model length, 106.68 cm (42 in.)
$M_m$	Pitching moment about $x/L = 0.5$
$M_n$	Yawing moment about $x/L = 0.5$ , positive force on nose in +Y direction
N	Normal force
Q	Free stream dynamic head
$Re_D$	Reynolds number based upon $U_\infty$ and D
RMSB,RMSG	Root mean square of blue, green, beam laser velocimeter raw data
S	Cross sectional area of model afterbody
s	Distance along a path in the model cross flow plane, divided by body diameter
U,V,W	Velocity components in body coordinates X,Y,Z divided by $U_\infty$
$U_\infty$	Free stream velocity
UB1,UG1,UG2	Laser velocimeter raw data
UBL,UGR1,UGR2	Velocities perpendicular to the axis and in the plane of the blue, green (oriented vertically), and green (rotated horizontally) LV beams
UR	Resultant velocity from UBL and UGR1
U1,U2,U3	Velocity components in wind tunnel coordinates
v	resultant velocity in the model cross flow plane divided by $U_\infty$
X,Y,Z	Body coordinates/D (see Figure 1)

LIST OF SYMBOLS (concluded)

Y	Side force (positive in Y-direction), lateral coordinate
YC,ZC	Vortex center in Y, Z coordinates
$\alpha$	Model pitch angle
$\beta$	Angle between UR and UGR
$\gamma$	Angle between $Z_w$ and UGR
$\Gamma, \text{GAM}$	Dimensionless circulation, positive in counter-clockwise sense, $\frac{1}{\pi \sin \alpha} \int \bar{v} \cdot \bar{ds}$
$\theta$	Angle about model axis, see Figure 23
$\Omega$	Dimensionless vorticity, $\Gamma$ divided by the area of the enclosed quadrilateral (lengths made dimensionless by D)

Table 1. Flow Field Velocities at 22.5° Pitch Angle and X = 6.3

NPT	RUN	IY	JZ	LUDIR	UT	P	U	V	Z	UB1	UG1	UG2	RMSB	RMSG
26	017	1	1	1	36.540	16.846	0.949	-0.010	0.357	178.3	129.8	764.1	138.4	129.0
1	017	2	1	1	0.357	0.949	0.934	-0.010	0.384	166.7	178.3	760.1	157.0	147.4
2	017	3	1	1	0.384	0.934	0.942	-0.015	0.359	189.3	178.2	762.1	168.5	178.3
3	017	4	1	1	0.359	0.942	0.932	0.022	0.356	194.2	206.2	762.1	194.8	200.5
4	017	5	1	1	0.356	0.932	0.947	0.056	0.358	206.5	247.9	762.1	208.0	248.2
5	017	6	1	1	0.358	0.947	0.941	0.063	0.355	176.5	227.7	768.1	177.0	223.1
6	017	7	1	1	0.355	0.941	0.941	0.141	0.358	152.1	257.0	758.1	152.7	257.4
7	017	8	1	1	0.358	0.941	0.935	0.293	0.356	36.7	259.4	760.1	35.7	259.4

NPT	RUN	IY	JZ	LUDIR	UT	P	U	V	Z	UB1	UG1	UG2	RMSB	RMSG
52	017	1	2	1	0.67002	0.58312E-02	0.945	-0.002	0.439	148.7	145.5	752.1	148.8	145.6
1	017	2	2	1	0.439	0.945	0.952	0.012	0.440	120.6	137.5	752.1	129.6	137.6
2	017	3	2	1	0.440	0.952	0.933	0.005	0.439	176.7	179.2	752.1	177.0	179.3
3	017	4	2	1	0.439	0.933	0.936	0.028	0.441	182.8	201.8	752.1	182.3	202.0
4	017	5	2	1	0.441	0.936	0.928	0.044	0.439	176.8	208.2	754.1	176.1	208.5
5	017	6	2	1	0.439	0.928	0.933	0.084	0.441	156.1	218.0	754.1	150.4	219.1
6	017	7	2	1	0.441	0.933	0.932	0.069	0.438	163.9	213.3	754.1	163.9	215.7
7	017	8	2	1	0.438	0.932	0.935	0.119	0.439	123.5	213.3	710.0	123.5	213.3
8	017	9	2	1	0.439	0.935	0.896	0.334	0.438	-74.0	181.3	662.0	-74.0	181.3
9	017	10	2	1	0.438	0.896	0.815	0.350	0.438	-69.3	359.5	601.9	-69.3	359.5
10	017	11	2	1	0.438	0.815	0.900	0.076	0.439	-473.0	-413.6	589.8	-473.0	-413.6
11	017	12	2	1	0.438	0.900	0.893	-0.075	0.438	-407.2	-463.7	589.8	-407.2	-463.7

Table 1. Continued

MPT	RUN	IY	JZ	LUDIR	UT	P	U	UB1	UG1	UG2	RMSB	RMSG
26	014	16	4	1	36.588	16.940	0.948	181.1	95.8	740.1	82.3	96.7
IPT	RUN	I	X	Y	Z	U	U	UB1	UG1	UG2	RMSB	RMSG
1	014	1	6.300	-1.000	0.519	0.021	0.465	124.6	109.6	744.1	124.6	124.6
2	014	2	6.303	-0.982	0.518	0.027	0.486	129.5	109.3	744.1	124.6	124.6
3	014	3	6.300	-0.840	0.522	0.086	0.526	157.4	227.3	744.1	124.6	124.6
4	014	4	6.301	-0.630	0.516	0.085	0.534	123.5	217.3	744.1	124.6	124.6
5	014	5	6.302	-0.560	0.519	0.128	0.525	121.5	217.3	744.1	124.6	124.6
6	014	6	6.301	-0.420	0.523	0.116	0.528	133.5	217.3	744.1	124.6	124.6
7	014	7	6.301	-0.420	0.523	0.116	0.528	133.5	217.3	744.1	124.6	124.6
8	014	8	6.300	-0.350	0.527	0.152	0.484	103.5	197.3	742.1	124.6	124.6
9	014	9	6.298	-0.281	0.529	0.152	0.484	103.5	197.3	742.1	124.6	124.6
10	014	10	6.299	-0.210	0.524	0.080	0.497	37.4	21.3	639.0	124.6	124.6
11	014	11	6.295	-0.142	0.512	0.095	0.499	37.4	21.3	639.0	124.6	124.6
12	014	12	6.297	-0.071	0.518	0.087	0.495	37.4	21.3	639.0	124.6	124.6
13	014	13	6.297	-0.071	0.518	0.087	0.495	37.4	21.3	639.0	124.6	124.6
14	014	14	6.302	-0.003	0.519	0.179	0.493	37.4	21.3	639.0	124.6	124.6
15	014	15	6.303	0.066	0.519	0.179	0.493	37.4	21.3	639.0	124.6	124.6
16	014	16	6.298	0.136	0.523	0.322	0.412	37.4	21.3	639.0	124.6	124.6

MPT	RUN	IY	JZ	LUDIR	UT	P	U	UB1	UG1	UG2	RMSB	RMSG
26	015	20	5	1	6.5149	0.54230	0.949	107.9	124.1	744.1	104.3	124.6
IPT	RUN	I	X	Y	Z	U	U	UB1 <td>UG1 <td>UG2 <td>RMSB <td>RMSG</td> </td></td></td>	UG1 <td>UG2 <td>RMSB <td>RMSG</td> </td></td>	UG2 <td>RMSB <td>RMSG</td> </td>	RMSB <td>RMSG</td>	RMSG
1	015	1	6.298	-1.000	0.525	0.028	0.497	107.9	124.1	744.1	104.3	124.6
2	015	2	6.298	-0.980	0.522	0.023	0.493	117.9	137.1	744.1	104.3	124.6
3	015	3	6.297	-0.840	0.525	0.042	0.499	117.9	137.1	744.1	104.3	124.6
4	015	4	6.299	-0.701	0.521	0.062	0.511	114.2	150.2	742.1	104.3	124.6
5	015	5	6.299	-0.631	0.521	0.076	0.523	107.7	152.0	742.1	104.3	124.6
6	015	6	6.297	-0.561	0.523	0.110	0.520	104.3	152.0	742.1	104.3	124.6
7	015	7	6.298	-0.489	0.525	0.078	0.507	100.0	157.1	742.1	104.3	124.6
8	015	8	6.299	-0.420	0.525	0.120	0.518	98.0	157.1	742.1	104.3	124.6
9	015	9	6.298	-0.349	0.521	0.085	0.522	111.5	180.3	742.1	104.3	124.6
10	015	10	6.298	-0.279	0.522	0.157	0.521	209.7	321.5	742.1	104.3	124.6
11	015	11	6.300	-0.210	0.520	0.117	0.511	209.7	321.5	742.1	104.3	124.6
12	015	12	6.299	-0.170	0.524	0.137	0.508	377.3	451.7	742.1	104.3	124.6
13	015	13	6.297	-0.002	0.525	0.137	0.508	377.3	451.7	742.1	104.3	124.6
14	015	14	6.297	-0.002	0.525	0.137	0.508	377.3	451.7	742.1	104.3	124.6
15	015	15	6.300	0.070	0.523	0.166	0.499	562.8	738.9	742.1	104.3	124.6
16	015	16	6.301	0.143	0.520	0.238	0.499	562.8	738.9	742.1	104.3	124.6
17	015	17	6.303	0.209	0.520	0.146	0.487	748.4	989.5	742.1	104.3	124.6
18	015	18	6.302	0.280	0.521	0.146	0.487	748.4	989.5	742.1	104.3	124.6
19	015	19	6.301	0.349	0.522	0.122	0.494	81.2	119.2	651.0	104.3	124.6
20	015	20	6.294	0.421	0.523	0.152	0.443	26.1	41.1	722.0	104.3	124.6

THIS PAGE IS BEST QUALITY PRACTICABLE  
FROM COPY FURNISHED TO DDC

Table 1. Continued

NPT	RUN	IV	JZ	LUDIR	UT	P	U	Z	U	U	U	UB1	UG1	UG2	RMSB	RMSG
104	016	20	6	1	3.4111	0.14870	0.949	0.602	0.018	0.482	134.3	116.8	744.1	104.3	116.9	
IPT	70	1	6.299	-1.000	0.949	0.602	0.018	0.476	0.024	0.476	134.3	116.8	744.1	104.3	116.9	
79	016	2	6.300	-0.981	0.950	0.603	0.024	0.476	0.043	0.476	134.3	116.8	744.1	104.3	116.9	
80	016	3	6.300	-0.848	0.949	0.600	0.043	0.486	0.067	0.486	134.3	116.8	744.1	104.3	116.9	
81	016	4	6.301	-0.696	0.941	0.592	0.067	0.506	0.070	0.506	134.3	116.8	744.1	104.3	116.9	
82	016	5	6.305	-0.560	0.943	0.590	0.087	0.508	0.070	0.508	134.3	116.8	744.1	104.3	116.9	
83	016	6	6.299	-0.420	0.943	0.590	0.086	0.508	0.095	0.508	134.3	116.8	744.1	104.3	116.9	
84	016	7	6.299	-0.299	0.938	0.594	0.095	0.516	0.095	0.516	134.3	116.8	744.1	104.3	116.9	
85	016	8	6.299	-0.170	0.949	0.602	0.095	0.516	0.095	0.516	134.3	116.8	744.1	104.3	116.9	
86	016	9	6.300	-0.020	0.949	0.602	0.095	0.516	0.095	0.516	134.3	116.8	744.1	104.3	116.9	
87	016	10	6.296	0.200	0.949	0.602	0.095	0.516	0.095	0.516	134.3	116.8	744.1	104.3	116.9	
88	016	11	6.300	0.211	0.950	0.597	0.082	0.513	0.211	0.513	134.3	116.8	744.1	104.3	116.9	
89	016	12	6.304	0.139	0.950	0.597	0.082	0.513	0.211	0.513	134.3	116.8	744.1	104.3	116.9	
90	016	13	6.298	0.070	0.949	0.604	0.082	0.513	0.211	0.513	134.3	116.8	744.1	104.3	116.9	
91	016	14	6.299	0.001	0.949	0.602	0.082	0.513	0.211	0.513	134.3	116.8	744.1	104.3	116.9	
92	016	15	6.299	0.088	0.949	0.602	0.082	0.513	0.211	0.513	134.3	116.8	744.1	104.3	116.9	
93	016	16	6.301	0.140	0.949	0.602	0.082	0.513	0.211	0.513	134.3	116.8	744.1	104.3	116.9	
94	016	17	6.298	0.210	0.949	0.603	0.082	0.513	0.211	0.513	134.3	116.8	744.1	104.3	116.9	
95	016	18	6.298	0.281	0.949	0.603	0.082	0.513	0.211	0.513	134.3	116.8	744.1	104.3	116.9	
96	016	19	6.303	0.348	0.949	0.603	0.082	0.513	0.211	0.513	134.3	116.8	744.1	104.3	116.9	
97	016	20	6.301	0.348	0.949	0.603	0.082	0.513	0.211	0.513	134.3	116.8	744.1	104.3	116.9	
98	016	20	6.300	0.421	0.955	0.602	0.082	0.513	0.211	0.513	134.3	116.8	744.1	104.3	116.9	

NPT	RUN	IV	JZ	LUDIR	UT	P	U	Z	U	U	U	UB1	UG1	UG2	RMSB	RMSG
104	016	24	7	1	35.865	16.438	0.953	0.644	0.027	0.481	134.3	116.8	744.1	104.3	116.9	
IPT	70	1	6.298	-1.000	0.953	0.644	0.027	0.477	0.024	0.477	134.3	116.8	744.1	104.3	116.9	
79	016	2	6.301	-0.980	0.941	0.635	0.024	0.477	0.043	0.477	134.3	116.8	744.1	104.3	116.9	
80	016	3	6.299	-0.848	0.941	0.644	0.043	0.484	0.067	0.484	134.3	116.8	744.1	104.3	116.9	
81	016	4	6.302	-0.696	0.942	0.636	0.067	0.487	0.055	0.487	134.3	116.8	744.1	104.3	116.9	
82	016	5	6.300	-0.560	0.941	0.640	0.067	0.489	0.063	0.489	134.3	116.8	744.1	104.3	116.9	
83	016	6	6.299	-0.420	0.943	0.640	0.067	0.489	0.067	0.489	134.3	116.8	744.1	104.3	116.9	
84	016	7	6.304	-0.299	0.943	0.635	0.100	0.497	0.100	0.497	134.3	116.8	744.1	104.3	116.9	
85	016	8	6.299	-0.170	0.948	0.644	0.145	0.518	0.145	0.518	134.3	116.8	744.1	104.3	116.9	
86	016	9	6.302	-0.020	0.948	0.644	0.145	0.518	0.145	0.518	134.3	116.8	744.1	104.3	116.9	
87	016	10	6.301	0.211	0.948	0.643	0.150	0.500	0.150	0.500	134.3	116.8	744.1	104.3	116.9	
88	016	11	6.298	0.070	0.948	0.643	0.150	0.500	0.150	0.500	134.3	116.8	744.1	104.3	116.9	
89	016	12	6.300	0.140	0.948	0.642	0.133	0.498	0.133	0.498	134.3	116.8	744.1	104.3	116.9	
90	016	13	6.298	0.070	0.948	0.642	0.133	0.498	0.133	0.498	134.3	116.8	744.1	104.3	116.9	
91	016	14	6.299	0.001	0.948	0.645	0.175	0.491	0.175	0.491	134.3	116.8	744.1	104.3	116.9	
92	016	15	6.299	0.069	0.948	0.644	0.148	0.488	0.148	0.488	134.3	116.8	744.1	104.3	116.9	
93	016	16	6.301	0.139	0.948	0.639	0.148	0.488	0.148	0.488	134.3	116.8	744.1	104.3	116.9	
94	016	17	6.301	0.210	0.948	0.641	0.066	0.488	0.066	0.488	134.3	116.8	744.1	104.3	116.9	
95	016	18	6.304	0.278	0.948	0.642	0.066	0.488	0.066	0.488	134.3	116.8	744.1	104.3	116.9	
96	016	19	6.304	0.351	0.948	0.637	0.066	0.488	0.066	0.488	134.3	116.8	744.1	104.3	116.9	
97	016	20	6.303	0.421	0.948	0.636	0.066	0.488	0.066	0.488	134.3	116.8	744.1	104.3	116.9	
98	016	21	6.305	0.489	0.948	0.636	0.066	0.488	0.066	0.488	134.3	116.8	744.1	104.3	116.9	
99	016	22	6.303	0.550	0.948	0.635	0.066	0.488	0.066	0.488	134.3	116.8	744.1	104.3	116.9	
100	016	23	6.303	0.620	0.948	0.635	0.066	0.488	0.066	0.488	134.3	116.8	744.1	104.3	116.9	
101	016	24	6.301	0.702	0.948	0.636	0.066	0.488	0.066	0.488	134.3	116.8	744.1	104.3	116.9	

THIS PAGE IS BEST QUALITY PRACTICABLE  
 FROM COPY FURNISHED TO DDC

Table 1. Continued

MPT	RUN	IV	JZ	LUDIR	UT	P
26	013	26	8	1	36.402	16.768
IPT	RUN	I	X	Y	Z	U
1	013	1	6.295	-0.999	0.684	0.931
2	013	2	6.297	-0.980	0.684	0.940
3	013	3	6.299	-0.840	0.676	0.939
4	013	4	6.300	-0.630	0.672	0.941
5	013	5	6.291	-0.630	0.675	0.943
6	013	6	6.298	-0.561	0.680	0.922
7	013	7	6.297	-0.490	0.680	0.950
8	013	8	6.298	-0.420	0.680	0.944
9	013	9	6.299	-0.350	0.672	0.913
10	013	10	6.297	-0.279	0.685	0.967
11	013	11	6.299	-0.210	0.680	0.976
12	013	12	6.299	-0.141	0.678	1.002
13	013	13	6.299	-0.071	0.673	1.006
14	013	14	6.291	0.000	0.673	0.970
15	013	15	6.298	0.069	0.683	0.961
16	013	16	6.299	0.140	0.676	0.923
17	013	17	6.295	0.211	0.676	0.988
18	013	18	6.295	0.280	0.693	0.963
19	013	19	6.297	0.350	0.686	0.976
20	013	20	6.297	0.420	0.681	0.972
21	013	21	6.299	0.490	0.684	0.970
22	013	22	6.296	0.560	0.685	0.969
23	013	23	6.301	0.631	0.673	0.975
24	013	24	6.297	0.700	0.672	0.977
25	013	25	6.297	0.841	0.684	0.970
26	013	26	6.299	0.982	0.684	0.970
			U	U	U	U
			0.451	0.451	0.451	0.451
			0.460	0.460	0.460	0.460
			0.478	0.478	0.478	0.478
			0.491	0.491	0.491	0.491
			0.466	0.466	0.466	0.466
			0.513	0.513	0.513	0.513
			0.485	0.485	0.485	0.485
			0.491	0.491	0.491	0.491
			0.498	0.498	0.498	0.498
			0.510	0.510	0.510	0.510
			0.302	0.302	0.302	0.302
			0.136	0.136	0.136	0.136
			0.060	0.060	0.060	0.060
			-0.214	-0.214	-0.214	-0.214
			-0.226	-0.226	-0.226	-0.226
			-0.135	-0.135	-0.135	-0.135
			-0.118	-0.118	-0.118	-0.118
			-0.234	-0.234	-0.234	-0.234
			0.434	0.434	0.434	0.434
			0.445	0.445	0.445	0.445
			0.435	0.435	0.435	0.435
			0.447	0.447	0.447	0.447
			0.440	0.440	0.440	0.440
			0.466	0.466	0.466	0.466
			0.460	0.460	0.460	0.460
			U	U	U	U
			0.931	0.931	0.931	0.931
			0.940	0.940	0.940	0.940
			0.939	0.939	0.939	0.939
			0.941	0.941	0.941	0.941
			0.922	0.922	0.922	0.922
			0.950	0.950	0.950	0.950
			0.944	0.944	0.944	0.944
			0.913	0.913	0.913	0.913
			0.967	0.967	0.967	0.967
			1.002	1.002	1.002	1.002
			0.970	0.970	0.970	0.970
			0.961	0.961	0.961	0.961
			0.923	0.923	0.923	0.923
			0.988	0.988	0.988	0.988
			0.963	0.963	0.963	0.963
			0.976	0.976	0.976	0.976
			0.972	0.972	0.972	0.972
			0.970	0.970	0.970	0.970
			0.969	0.969	0.969	0.969
			0.975	0.975	0.975	0.975
			0.977	0.977	0.977	0.977
			0.970	0.970	0.970	0.970
			U	U	U	U
			0.931	0.931	0.931	0.931
			0.940	0.940	0.940	0.940
			0.939	0.939	0.939	0.939
			0.941	0.941	0.941	0.941
			0.922	0.922	0.922	0.922
			0.950	0.950	0.950	0.950
			0.944	0.944	0.944	0.944
			0.913	0.913	0.913	0.913
			0.967	0.967	0.967	0.967
			1.002	1.002	1.002	1.002
			0.970	0.970	0.970	0.970
			0.961	0.961	0.961	0.961
			0.923	0.923	0.923	0.923
			0.988	0.988	0.988	0.988
			0.963	0.963	0.963	0.963
			0.976	0.976	0.976	0.976
			0.972	0.972	0.972	0.972
			0.970	0.970	0.970	0.970
			0.969	0.969	0.969	0.969
			0.975	0.975	0.975	0.975
			0.977	0.977	0.977	0.977
			0.970	0.970	0.970	0.970
			U	U	U	U
			0.931	0.931	0.931	0.931
			0.940	0.940	0.940	0.940
			0.939	0.939	0.939	0.939
			0.941	0.941	0.941	0.941
			0.922	0.922	0.922	0.922
			0.950	0.950	0.950	0.950
			0.944	0.944	0.944	0.944
			0.913	0.913	0.913	0.913
			0.967	0.967	0.967	0.967
			1.002	1.002	1.002	1.002
			0.970	0.970	0.970	0.970
			0.961	0.961	0.961	0.961
			0.923	0.923	0.923	0.923
			0.988	0.988	0.988	0.988
			0.963	0.963	0.963	0.963
			0.976	0.976	0.976	0.976
			0.972	0.972	0.972	0.972
			0.970	0.970	0.970	0.970
			0.969	0.969	0.969	0.969
			0.975	0.975	0.975	0.975
			0.977	0.977	0.977	0.977
			0.970	0.970	0.970	0.970
			U	U	U	U
			0.931	0.931	0.931	0.931
			0.940	0.940	0.940	0.940
			0.939	0.939	0.939	0.939
			0.941	0.941	0.941	0.941
			0.922	0.922	0.922	0.922
			0.950	0.950	0.950	0.950
			0.944	0.944	0.944	0.944
			0.913	0.913	0.913	0.913
			0.967	0.967	0.967	0.967
			1.002	1.002	1.002	1.002
			0.970	0.970	0.970	0.970
			0.961	0.961	0.961	0.961
			0.923	0.923	0.923	0.923
			0.988	0.988	0.988	0.988
			0.963	0.963	0.963	0.963
			0.976	0.976	0.976	0.976
			0.972	0.972	0.972	0.972
			0.970	0.970	0.970	0.970
			0.969	0.969	0.969	0.969
			0.975	0.975	0.975	0.975
			0.977	0.977	0.977	0.977
			0.970	0.970	0.970	0.970
			U	U	U	U
			0.931	0.931	0.931	0.931
			0.940	0.940	0.940	0.940
			0.939	0.939	0.939	0.939
			0.941	0.941	0.941	0.941
			0.922	0.922	0.922	0.922
			0.950	0.950	0.950	0.950
			0.944	0.944	0.944	0.944
			0.913	0.913	0.913	0.913
			0.967	0.967	0.967	0.967
			1.002	1.002	1.002	1.002
			0.970	0.970	0.970	0.970
			0.961	0.961	0.961	0.961
			0.923	0.923	0.923	0.923
			0.988	0.988	0.988	0.988
			0.963	0.963	0.963	0.963
			0.976	0.976	0.976	0.976
			0.972	0.972	0.972	0.972
			0.970	0.970	0.970	0.970
			0.969	0.969	0.969	0.969
			0.975	0.975	0.975	0.975
			0.977	0.977	0.977	0.977
			0.970	0.970	0.970	0.970
			U	U	U	U
			0.931	0.931	0.931	0.931
			0.940	0.940	0.940	0.940
			0.939	0.939	0.939	0.939
			0.941	0.941	0.941	0.941
			0.922	0.922	0.922	0.922
			0.950	0.950	0.950	0.950
			0.944	0.944	0.944	0.944
			0.913	0.913		

THIS PAGE IS BEST QUALITY PRACTICABLE  
FROM COPY FURNISHED TO DDC

Table 1. Continued

NPT	RUN	IV	JZ	LVDIR	UT	P	U	UD1	UG1	UG2	RMSB	RMSG
78	012	26	9	1	35.964	16.558	0.460	69.2	88.7	738.1	69.5	89.0
53	012	1	6.297	-1.980	0.765	0.952	0.467	71.7	98.9	732.1	71.4	99.0
54	012	2	6.297	-0.841	0.766	0.945	0.454	61.1	98.9	732.1	65.2	102.2
55	012	3	6.302	-0.700	0.756	0.943	0.472	64.8	116.7	732.1	65.5	117.8
56	012	4	6.306	-0.630	0.757	0.943	0.468	48.3	113.7	732.1	59.9	116.8
57	012	5	6.303	-0.559	0.754	0.938	0.467	49.3	115.7	732.1	49.2	116.6
58	012	6	6.304	-0.490	0.753	0.940	0.464	36.4	118.4	738.1	27.7	116.7
59	012	7	6.301	-0.420	0.759	0.947	0.467	23.5	118.4	738.1	27.5	116.6
60	012	8	6.305	-0.350	0.754	0.933	0.477	19.8	129.6	736.1	22.5	119.0
61	012	9	6.297	-0.280	0.767	0.947	0.466	16.4	129.6	734.1	18.8	130.3
62	012	10	6.299	-0.210	0.762	0.929	0.431	17.8	137.2	710.0	18.7	139.2
63	012	11	6.303	-0.140	0.755	0.931	0.431	16.7	137.2	662.0	16.7	139.2
64	012	12	6.302	-0.071	0.754	0.925	0.235	16.6	137.2	662.0	13.1	137.5
65	012	13	6.298	0.000	0.764	0.926	0.042	16.6	137.2	662.0	13.1	137.5
66	012	14	6.299	0.069	0.762	0.971	0.104	16.6	137.2	567.8	13.1	137.5
67	012	15	6.299	0.139	0.763	0.970	0.159	16.6	137.2	585.8	13.1	137.5
68	012	16	6.299	0.210	0.763	0.970	0.051	16.6	137.2	585.8	13.1	137.5
69	012	17	6.299	0.280	0.763	0.951	0.321	16.6	137.2	662.0	13.1	137.5
70	012	18	6.299	0.350	0.763	0.976	0.426	16.6	137.2	662.0	13.1	137.5
71	012	19	6.299	0.420	0.764	0.970	0.426	16.6	137.2	700.0	13.1	137.5
72	012	20	6.299	0.490	0.764	0.960	0.435	16.6	137.2	738.1	13.1	137.5
73	012	21	6.299	0.560	0.763	0.975	0.403	16.6	137.2	738.1	13.1	137.5
74	012	22	6.299	0.630	0.763	0.970	0.424	16.6	137.2	738.1	13.1	137.5
75	012	23	6.299	0.700	0.763	0.974	0.424	16.6	137.2	738.1	13.1	137.5
76	012	24	6.299	0.770	0.763	0.957	0.434	16.6	137.2	738.1	13.1	137.5
77	012	25	6.299	0.841	0.763	0.963	0.448	16.6	137.2	738.1	13.1	137.5
78	012	26	6.299	0.980	0.763	0.963	0.448	16.6	137.2	738.1	13.1	137.5



THIS PAGE IS BEST QUALITY PRACTICABLE  
FROM COPY FURNISHED TO DDC

Table 1. Continued

MPT	RUN	IV	JZ	LUDIR	UT	P
26	012	26	11	2	36.046	16.633
1	012	1	X	Y	Z	U
2	012	2	6.311	-1.000	0.920	0.046
3	012	3	6.307	-0.981	0.916	0.055
4	012	4	6.307	-0.701	0.922	0.075
5	012	5	6.310	-0.520	0.921	0.091
6	012	6	6.306	-0.360	0.923	0.100
7	012	7	6.308	-0.489	0.920	0.078
8	012	8	6.311	-0.420	0.920	0.138
9	012	9	6.311	-0.379	0.914	0.156
10	012	10	6.303	-0.209	0.932	0.151
11	012	11	6.305	-0.140	0.927	0.240
12	012	12	6.307	-0.070	0.926	0.152
13	012	13	6.310	0.000	0.921	0.109
14	012	14	6.309	0.070	0.923	0.085
15	012	15	6.310	0.139	0.920	-0.191
16	012	16	6.309	0.211	0.922	-0.190
17	012	17	6.308	0.279	0.920	-0.122
18	012	18	6.310	0.350	0.926	-0.119
19	012	19	6.310	0.421	0.921	-0.107
20	012	20	6.310	0.491	0.922	-0.107
21	012	21	6.310	0.560	0.919	-0.100
22	012	22	6.310	0.631	0.922	-0.078
23	012	23	6.310	0.700	0.922	-0.070
24	012	24	6.310	0.770	0.922	-0.070
25	012	25	6.311	0.839	0.922	-0.070
26	012	26	6.311	0.900	0.922	-0.070
UB:			50.2	0.419		
			6.454	0.454		
			45.7	0.459		
			24.3	0.452		
			8.1	0.456		
			16.0	0.430		
			-37.7	0.416		
			-57.8	0.413		
			-77.0	0.388		
			-124.5	0.365		
			-140.1	0.306		
			-63.6	0.089		
			-206.3	-0.025		
			3.1	0.141		
			0.332	0.270		
			3.585	0.337		
			5.5	0.388		
			7.8	0.393		
			6.0	0.404		
			6.4	0.405		
			6.3	0.418		
UG:			0.4	0.419		
			80.7	0.454		
			101.0	0.459		
			83.9	0.452		
			74.2	0.456		
			66.8	0.430		
			56.8	0.416		
			36.7	0.413		
			1.7	0.388		
			-53.5	0.365		
			-56.9	0.306		
			-343.1	0.089		
			-302.9	-0.025		
			-119.8	0.141		
			-31.7	0.270		
			-28.8	0.337		
			-7.2	0.388		
			-7.1	0.393		
			-7.1	0.404		
			15.8	0.405		
UBS:			2.9	0.419		
			4.8	0.454		
			45.7	0.459		
			24.3	0.452		
			8.1	0.456		
			16.0	0.430		
			-37.7	0.416		
			-57.8	0.413		
			-77.0	0.388		
			-124.5	0.365		
			-140.1	0.306		
			-63.6	0.089		
			-206.3	-0.025		
			3.1	0.141		
			0.332	0.270		
			3.585	0.337		
			5.5	0.388		
			7.8	0.393		
			6.0	0.404		
			6.4	0.405		
			6.3	0.418		
UGS:			0.4	0.419		
			80.7	0.454		
			101.0	0.459		
			83.9	0.452		
			74.2	0.456		
			66.8	0.430		
			56.8	0.416		
			36.7	0.413		
			1.7	0.388		
			-53.5	0.365		
			-56.9	0.306		
			-343.1	0.089		
			-302.9	-0.025		
			-119.8	0.141		
			-31.7	0.270		
			-28.8	0.337		
			-7.2	0.388		
			-7.1	0.393		
			-7.1	0.404		
			15.8	0.405		
BMS:			2.9	0.419		
			4.8	0.454		
			45.7	0.459		
			24.3	0.452		
			8.1	0.456		
			16.0	0.430		
			-37.7	0.416		
			-57.8	0.413		
			-77.0	0.388		
			-124.5	0.365		
			-140.1	0.306		
			-63.6	0.089		
			-206.3	-0.025		
			3.1	0.141		
			0.332	0.270		
			3.585	0.337		
			5.5	0.388		
			7.8	0.393		
			6.0	0.404		
			6.4	0.405		
			6.3	0.418		
BMSG:			0.4	0.419		
			80.7	0.454		
			101.0	0.459		
			83.9	0.452		
			74.2	0.456		
			66.8	0.430		
			56.8	0.416		
			36.7	0.413		
			1.7	0.388		
			-53.5	0.365		
			-56.9	0.306		
			-343.1	0.089		
			-302.9	-0.025		
			-119.8	0.141		
			-31.7	0.270		
			-28.8	0.337		
			-7.2	0.388		
			-7.1	0.393		
			-7.1	0.404		
			15.8	0.405		
			17.1	0.418		







Table 2. Vorticities and Circulations for 22.5° Pitch Angle and X = 6.3

POINT ROW	VC	ZC	AREA	GAM	VORTIC
1	-0.991	0.403	0.001470	-0.000179	-0.1217
1	-0.910	0.403	0.010253	0.000701	0.0684
2	-0.770	0.401	0.010826	0.001565	0.1246
3	-0.665	0.399	0.006751	0.000694	0.1066
4	-0.585	0.388	0.005849	-0.000682	-0.1039
5	-0.525	0.388	0.005849	0.000682	0.1039
6	-0.454	0.387	0.005452	0.001962	0.1367
7	-0.385	0.387	0.005452	0.001962	0.1367
8	-0.314	0.385	0.005221	0.005921	0.4060
9	-0.245	0.381	0.002760	-0.007836	-2.2201
10	-0.175	0.576	0.002644	-0.015301	-2.8362
11	-0.105	0.578	0.002517	-0.024486	-5.7873
12	-0.035	0.583	0.002774	-0.019284	-8.3594
13	0.105	0.582	0.002009	-0.009146	-9.2976
14	0.175	0.581	0.002009	-0.008313	-9.7857
15	0.245	0.579	0.002386	0.005573	-2.2584
16	0.314	0.578	0.002554	0.008371	2.5850
17	0.385	0.565	0.002421	0.008875	2.6810
18	0.385	0.565	0.002421	0.008875	2.6810
19	0.385	0.565	0.002421	0.008875	2.6810

POINT ROW	VC	ZC	AREA	GAM	VORTIC
1	-0.991	0.403	0.001470	-0.000179	-0.1217
1	-0.910	0.403	0.010253	0.000701	0.0684
2	-0.770	0.401	0.010826	0.001565	0.1246
3	-0.665	0.399	0.006751	0.000694	0.1066
4	-0.585	0.388	0.005849	-0.000682	-0.1039
5	-0.525	0.388	0.005849	0.000682	0.1039
6	-0.454	0.387	0.005452	0.001962	0.1367
7	-0.385	0.387	0.005452	0.001962	0.1367
8	-0.314	0.385	0.005221	0.005921	0.4060
9	-0.245	0.381	0.002760	-0.007836	-2.2201
10	-0.175	0.576	0.002644	-0.015301	-2.8362
11	-0.105	0.578	0.002517	-0.024486	-5.7873
12	-0.035	0.583	0.002774	-0.019284	-8.3594
13	0.105	0.582	0.002009	-0.009146	-9.2976
14	0.175	0.581	0.002009	-0.008313	-9.7857
15	0.245	0.579	0.002386	0.005573	-2.2584
16	0.314	0.578	0.002554	0.008371	2.5850
17	0.385	0.578	0.002554	0.008875	2.6810
18	0.385	0.565	0.002421	0.008875	2.6810
19	0.385	0.565	0.002421	0.008875	2.6810

POINT ROW	VC	ZC	AREA	GAM	VORTIC
1	-0.991	0.478	0.001474	0.000517	0.3509
1	-0.910	0.478	0.010820	-0.000676	-0.0619
2	-0.770	0.480	0.011225	-0.001286	-0.1148
3	-0.665	0.479	0.006445	-0.002100	-0.3856
4	-0.585	0.479	0.006424	-0.001787	-0.3295
5	-0.525	0.478	0.005560	-0.002943	-0.5893
6	-0.454	0.478	0.005854	-0.001302	-0.2225
7	-0.385	0.478	0.005767	0.004529	0.7853
8	-0.315	0.481	0.00559	-0.02226	-3.8
9	-0.253	0.483	0.0047	-0.0077	-1.6
10	-0.253	0.483	0.0047	-0.0077	-1.6

POINT ROW	VC	ZC	AREA	GAM	VORTIC
1	-0.990	0.540	0.000878	0.000719	0.8191
1	-0.910	0.540	0.00581	-0.002004	-0.3045
2	-0.770	0.541	0.005995	0.000335	0.0559
3	-0.665	0.540	0.002939	0.000455	0.1548
4	-0.585	0.537	0.002791	0.000286	0.1382
5	-0.525	0.538	0.002878	0.001800	0.6253
6	-0.464	0.539	0.002729	0.000506	0.1854
7	-0.385	0.540	0.002759	-0.000707	-0.2584
8	-0.315	0.543	0.002812	-0.005807	-3.3803
9	-0.245	0.544	0.002437	-0.005875	-2.4109
10	-0.175	0.537	0.002703	-0.004856	-1.7965
11	-0.106	0.540	0.002675	0.004025	1.5047
12	-0.037	0.543	0.002574	0.017644	6.5085
13	0.033	0.540	0.003060	0.014269	4.6622
14	0.103	0.541	0.002859	0.004655	1.6316
15	0.103	0.541	0.002859	0.004655	1.6316

POINT ROW	VC	ZC	AREA	GAM	VORTIC
1	-0.990	0.621	0.000724	-0.000211	-0.2917
1	-0.910	0.620	0.005262	0.002922	0.5552
2	-0.769	0.621	0.006300	0.004082	0.6478
3	-0.665	0.617	0.003079	0.000646	0.2099
4	-0.585	0.617	0.002947	-0.000659	-0.0275
5	-0.525	0.621	0.002631	-0.000156	-0.0596
6	-0.455	0.621	0.002310	-0.001187	-0.5141
7	-0.385	0.621	0.002338	-0.002315	-0.9129
8	-0.315	0.623	0.002740	-0.001716	-0.4892
9	-0.245	0.621	0.002378	-0.006102	-2.1203
10	-0.175	0.621	0.003335	-0.003338	-1.0319
11	-0.105	0.618	0.002877	-0.005830	-2.0254
12	-0.035	0.623	0.002881	-0.004638	-1.0097
13	0.035	0.623	0.002909	-0.000011	-0.0039
14	0.104	0.621	0.002828	0.010269	3.6275
15	0.175	0.621	0.002871	0.015288	5.8132
16	0.245	0.620	0.003016	0.010688	3.5438
17	0.314	0.618	0.002931	0.009146	3.1262
18	0.314	0.619	0.002929	0.009158	3.1262
19	0.385	0.619	0.002929	0.009158	3.1262

THIS PAGE IS BEST QUALITY PRACTICABLE  
FROM COPY FURNISHED TO DDC



Table 2. Concluded

POINT NO	VORTICITY AND CIRCULATION	GAM	VORTIC	POINT NO	VORTICITY AND CIRCULATION	GAM	VORTIC
	VC				VC		
1	0.900	0.003127	0.000099	1	0.900	0.001028	-0.3550
2	-0.910	0.002700	0.001208	2	-0.911	0.002025	0.0214
3	0.770	0.002518	0.002114	3	0.771	0.002566	0.0087
4	0.805	0.010928	-0.000000	4	-0.666	0.011441	-0.0636
5	0.908	0.010795	0.001466	5	0.595	0.011445	0.0065
6	0.524	0.001078	0.001778	6	-0.528	0.011555	-0.0572
7	0.455	0.011098	0.000577	7	0.456	0.011175	-0.0731
8	0.384	0.011442	0.002227	8	-0.386	0.011079	-0.00312
9	0.314	0.010903	0.000039	9	0.315	0.011455	-0.00032
10	-0.244	0.010093	-0.001461	10	-0.245	0.011288	0.2914
11	0.175	0.010274	-0.002200	11	0.175	0.011512	0.2873
12	0.105	0.010662	-0.016472	12	-0.105	0.011471	-0.001221
13	0.035	0.010815	-0.016702	13	0.034	0.011536	-0.005499
14	0.035	0.011871	-0.009777	14	0.034	0.011743	0.002248
15	0.104	0.011581	0.007682	15	0.104	0.011388	-0.008270
16	0.175	0.011687	0.008453	16	0.174	0.011256	-0.0725
17	0.245	0.011331	0.002493	17	0.245	0.011302	-0.00787
18	0.315	0.010906	0.002093	18	0.315	0.011108	-0.001243
19	0.385	0.010034	0.001364	19	0.384	0.011146	0.00518
20	0.456	0.011087	0.001852	20	0.464	0.011319	0.005276
21	0.525	0.010872	0.000475	21	0.524	0.011264	0.00000
22	0.595	0.01052	0.000005	22	0.584	0.011125	0.002086
23	0.665	0.010872	0.000715	23	0.665	0.011740	-0.0308
24	0.776	0.023048	0.001898	24	0.769	0.023011	-0.003915
25	0.900	0.023534	0.002814	25	0.900	0.023536	0.001427
STOP				STOP			

POINT NO	VORTICITY AND CIRCULATION	GAM	VORTIC	POINT NO	VORTICITY AND CIRCULATION	GAM	VORTIC
	VC				VC		
1	1.123	0.001508	0.000165	1	1.123	0.001065	0.1092
2	1.121	0.011207	0.001910	2	1.121	0.011207	0.1792
3	1.120	0.011140	0.001990	3	1.120	0.011140	0.1795
4	1.118	0.006504	0.000161	4	1.118	0.006504	0.0292
5	1.116	0.005781	0.000199	5	1.116	0.005781	0.0345
6	1.118	0.005574	-0.000227	6	1.118	0.005574	-0.0399
7	1.118	0.005510	0.000076	7	1.117	0.005510	0.0137
8	1.119	0.005521	-0.000704	8	1.119	0.005521	-0.1276
9	1.119	0.005745	-0.001187	9	1.119	0.005745	-0.2066
10	1.118	0.005543	-0.001597	10	1.118	0.005543	-0.2719
11	1.118	0.005724	-0.002814	11	1.118	0.005724	-0.3663
12	1.117	0.005535	-0.002150	12	1.117	0.005535	-0.3885
13	1.117	0.005331	0.001871	13	1.117	0.005331	0.3136
14	1.119	0.005057	0.003954	14	1.119	0.005057	0.7819
15	1.123	0.005019	0.006730	15	1.123	0.005019	1.3488
16	1.123	0.005159	0.003440	16	1.123	0.005159	0.6668
17	1.120	0.005135	-0.000129	17	1.120	0.005135	-0.0251
18	1.119	0.005313	0.000175	18	1.119	0.005313	0.0329
19	1.119	0.005362	-0.000057	19	1.119	0.005362	-0.0096
20	1.118	0.005712	-0.000464	20	1.118	0.005712	-0.0706
21	1.117	0.005377	-0.005594	21	1.117	0.005377	-1.0404
22	1.117	0.005657	-0.001959	22	1.117	0.005657	-0.3462
23	1.117	0.005193	-0.002129	23	1.117	0.005193	-0.4100
24	1.121	0.005356	-0.003977	24	1.121	0.005356	-0.4851
25	1.124	0.005578	-0.003342	25	1.124	0.005578	-0.3490

Table 3. Flow Field Velocities at 37.5° Pitch Angle and X = 2.8

NPT	RUN	IY	JZ	I	J	LUDIR	UT	P	U	V	W	UB1	UC1	UC2	RMSB	RMSG
138	025	7	1	1	2	36.168	16.747									
IPT	RUN	I	X	Y	Z				U		W	UB1	UC1	UC2	RMSB	RMSG
116	025	1	2.800	-0.979	0.500			0.816	0.041	0.703	129.5	159.2	787.4	129.5	159.2	
117	025	2	2.800	-0.841	0.498			0.822	0.059	0.787	139.5	139.5	797.9	139.5	139.5	
118	025	3	2.799	-0.701	0.501			0.847	0.075	0.820	149.4	235.3	822.2	149.4	205.3	
119	025	4	2.802	-0.560	0.497			0.837	0.107	0.855	153.4	233.3	828.2	153.4	233.3	
120	025	5	2.799	-0.490	0.499			0.832	0.141	0.843	147.4	233.4	838.2	147.4	253.4	
121	025	6	2.798	-0.421	0.500			0.838	0.212	0.862	121.5	281.4	797.0	121.5	281.4	
122	025	7	2.794	-0.352	0.510			0.781	0.364	0.844	65.6	341.5		65.6	341.5	

NPT	RUN	IY	JZ	I	J	LUDIR	UT	P	U	V	W	UB1	UC1	UC2	RMSB	RMSG
115	025	17	2	1	2	36.353	16.919									
IPT	RUN	I	X	Y	Z				U		W	UB1	UC1	UC2	RMSB	RMSG
93	025	1	2.795	-0.979	0.556			0.850	0.009	0.729	81.1	86.7	793.5	81.1	86.7	
94	025	2	2.798	-0.840	0.554			0.930	0.070	0.693	112.9	-156.7	783.8	81.2	86.9	
95	025	3	2.795	-0.699	0.556			0.843	0.070	0.774	100.1	-151.7	797.2	100.1	152.2	
96	025	4	2.797	-0.555	0.554			0.738	0.117	0.733	117.5	205.2	723.1	117.5	205.2	
97	025	5	2.799	-0.490	0.552			0.822	0.147	0.820	117.3	227.3	814.2	117.3	227.3	
98	025	6	2.801	-0.421	0.550			0.823	0.178	0.836	125.8	259.4	816.2	125.8	259.4	
99	025	7	2.799	-0.349	0.552			0.812	0.215	0.878	159.4	321.5	820.2	159.4	321.5	
100	025	8	2.802	-0.280	0.550			0.877	0.146	0.778	37.7	143.2	820.2	37.7	143.2	
101	025	9	2.804	-0.210	0.548			1.130	-0.120	0.383	-773.0	-563.8	800.2	-773.0	-563.8	
102	025	10	2.804	-0.141	0.547			1.183	0.041	0.327	-1003.7	-968.4	872.0	-1003.7	-968.4	
103	025	11	2.799	-0.070	0.553			1.142	0.093	0.109	-1147.4	-1074.5	872.0	-1147.4	-1074.5	
104	025	12	2.802	-0.001	0.553			1.064	0.201	-0.109	-1305.2	-1046.5	529.9	-1305.2	-1046.5	
105	025	13	2.804	0.071	0.547			1.056	0.422	0.156	-1328.9	-1000.4	505.5	-1328.9	-1000.4	
106	025	14	2.804	0.140	0.546			1.056	0.509	-0.175	-1458.6	-1064.5	505.5	-1458.6	-1064.5	
107	025	15	2.797	0.210	0.556			0.989	0.509	-0.080	-1366.8	-786.1	517.5	-1366.8	-786.1	
108	025	16	2.799	0.279	0.554			0.993	0.707	0.389	-876.0	-263.4	724.0	-876.0	-263.4	
109	025	17	2.795	0.351	0.555			0.933	0.462	0.649	-743.4	-13.0	808.2	-743.4	-13.0	

Table 3. Continued

MPT	RUN	IPT	IV	JZ	LUDIR	UT	P	U	UB1	UG1	UC2	RMSB	RMSG
23	025	20	3	1	2	35.401	16.045	0.835	0.733	0.11	775.6	103.7	111.6
1	2.795	0.980	0.602	0.055	0.077	0.035	0.055	170.6	11.3	775.6	103.7	111.6	111.6
2	2.797	-0.841	0.600	0.077	0.077	0.024	0.077	103.4	165.2	789.5	83.9	161.5	161.5
3	2.801	-0.841	0.600	0.077	0.077	0.024	0.077	103.4	165.2	789.5	83.9	161.5	161.5
4	2.799	-0.841	0.595	0.077	0.077	0.024	0.077	103.4	165.2	789.5	83.9	161.5	161.5
5	2.796	-0.841	0.597	0.077	0.077	0.024	0.077	103.4	165.2	789.5	83.9	161.5	161.5
6	2.795	-0.841	0.604	0.077	0.077	0.024	0.077	103.4	165.2	789.5	83.9	161.5	161.5
7	2.795	-0.841	0.605	0.077	0.077	0.024	0.077	103.4	165.2	789.5	83.9	161.5	161.5
8	2.797	-0.841	0.603	0.077	0.077	0.024	0.077	103.4	165.2	789.5	83.9	161.5	161.5
9	2.799	-0.841	0.602	0.077	0.077	0.024	0.077	103.4	165.2	789.5	83.9	161.5	161.5
10	2.800	-0.841	0.596	0.077	0.077	0.024	0.077	103.4	165.2	789.5	83.9	161.5	161.5
11	2.804	-0.841	0.596	0.077	0.077	0.024	0.077	103.4	165.2	789.5	83.9	161.5	161.5
12	2.806	-0.841	0.591	0.077	0.077	0.024	0.077	103.4	165.2	789.5	83.9	161.5	161.5
13	2.806	-0.841	0.597	0.077	0.077	0.024	0.077	103.4	165.2	789.5	83.9	161.5	161.5
14	2.798	-0.841	0.600	0.077	0.077	0.024	0.077	103.4	165.2	789.5	83.9	161.5	161.5
15	2.806	-0.841	0.593	0.077	0.077	0.024	0.077	103.4	165.2	789.5	83.9	161.5	161.5
16	2.796	-0.841	0.602	0.077	0.077	0.024	0.077	103.4	165.2	789.5	83.9	161.5	161.5
17	2.795	-0.841	0.602	0.077	0.077	0.024	0.077	103.4	165.2	789.5	83.9	161.5	161.5
18	2.799	-0.841	0.600	0.077	0.077	0.024	0.077	103.4	165.2	789.5	83.9	161.5	161.5
19	2.805	-0.841	0.594	0.077	0.077	0.024	0.077	103.4	165.2	789.5	83.9	161.5	161.5
20	2.805	-0.841	0.595	0.077	0.077	0.024	0.077	103.4	165.2	789.5	83.9	161.5	161.5

THIS PAGE IS BEST QUALITY PRACTICABLE  
FROM COPY FURNISHED TO DDC

MPT	RUN	IPT	IV	JZ	LUDIR	UT	P	U	UB1	UG1	UC2	RMSB	RMSG
92	025	23	4	1	2	36.303	16.873	0.834	0.749	0.124	777.7	108.7	124.8
1	2.800	-0.840	0.653	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
2	2.801	-0.840	0.649	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
3	2.801	-0.840	0.649	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
4	2.800	-0.840	0.651	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
5	2.802	-0.840	0.650	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
6	2.801	-0.840	0.653	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
7	2.801	-0.840	0.652	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
8	2.802	-0.840	0.650	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
9	2.800	-0.840	0.650	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
10	2.800	-0.840	0.652	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
11	2.800	-0.840	0.650	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
12	2.800	-0.840	0.652	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
13	2.801	-0.840	0.649	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
14	2.802	-0.840	0.648	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
15	2.803	-0.840	0.648	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
16	2.801	-0.840	0.648	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
17	2.800	-0.840	0.652	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
18	2.801	-0.840	0.653	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
19	2.800	-0.840	0.652	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
20	2.801	-0.840	0.652	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
21	2.803	-0.840	0.649	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
22	2.801	-0.840	0.654	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8
23	2.793	-0.840	0.652	0.023	0.023	0.834	0.023	108.5	1.1	124.4	777.7	108.7	124.8





Table 3. Continued

NPT	RUN	IY	JZ	LUDIR	UT	P		U	UB1	UG1	UC2	RMSB	RMSG
						1	2						
23	026	23	7	1	36.590	17.307							
IPT	026	1	2	797	0.801	0.820	0.041	0.711	67.8	97.8	767.5	68.3	98.3
	026	2	2	800	0.799	0.832	0.067	0.701	81.5	81.5	767.5	68.3	98.3
	026	3	2	804	0.801	0.840	0.101	0.714	19.6	95.6	778.4	32.8	82.8
	026	4	2	797	0.801	0.842	0.147	0.697	28.5	83.4	771.4	30.7	83.8
	026	5	2	798	0.801	0.852	0.150	0.680	44.7	83.4	756.8	47.1	89.8
	026	6	2	801	0.801	0.856	0.170	0.646	91.5	37.2	756.8	91.6	69.8
	026	7	2	802	0.801	0.867	0.206	0.582	129.4	25.3	756.8	135.9	40.8
	026	8	2	798	0.801	0.867	0.206	0.582	129.4	25.3	756.8	135.9	40.8
	026	9	2	798	0.800	0.927	0.310	0.330	411.1	42.3	708.0	411.1	180.2
	026	10	2	795	0.800	0.948	0.373	0.196	603.3	1.8	603.3	603.3	365.2
	026	11	2	795	0.801	0.992	0.459	0.084	777.4	77.4	610.0	777.4	551.8
	026	12	2	800	0.801	1.067	0.536	0.022	901.0	704.0	589.8	900.0	204.0
	026	13	2	801	0.801	1.067	0.536	0.022	901.0	704.0	589.8	900.0	204.0
	026	14	2	797	0.801	1.067	0.536	0.022	901.0	704.0	589.8	900.0	204.0
	026	15	2	797	0.801	1.067	0.536	0.022	901.0	704.0	589.8	900.0	204.0
	026	16	2	798	0.801	1.067	0.536	0.022	901.0	704.0	589.8	900.0	204.0
	026	17	2	798	0.801	1.067	0.536	0.022	901.0	704.0	589.8	900.0	204.0
	026	18	2	797	0.801	1.067	0.536	0.022	901.0	704.0	589.8	900.0	204.0
	026	19	2	803	0.801	1.067	0.536	0.022	901.0	704.0	589.8	900.0	204.0
	026	20	2	799	0.801	1.067	0.536	0.022	901.0	704.0	589.8	900.0	204.0
	026	21	2	798	0.801	1.067	0.536	0.022	901.0	704.0	589.8	900.0	204.0
	026	22	2	803	0.801	1.067	0.536	0.022	901.0	704.0	589.8	900.0	204.0
	026	23	2	803	0.801	1.067	0.536	0.022	901.0	704.0	589.8	900.0	204.0
NPT	46	23	8	1	36.312	17.045							
	IPT	24	2	804	0.848	0.811	0.022	0.678	43.2	66.4	743.8	44.2	66.8
		25	2	802	0.849	0.826	0.033	0.687	34.1	66.4	757.6	36.3	66.8
		26	2	804	0.847	0.840	0.033	0.681	10.2	55.8	757.6	15.5	66.8
		27	2	804	0.851	0.837	0.132	0.660	55.8	44.4	754.3	55.4	66.8
		28	2	801	0.850	0.846	0.151	0.633	93.4	20.8	745.1	93.3	66.8
		29	2	802	0.847	0.877	0.165	0.621	176.8	17.9	745.1	177.2	66.8
		30	2	803	0.850	0.864	0.231	0.551	354.1	17.9	754.1	355.0	66.8
		31	2	803	0.849	0.864	0.231	0.475	475.1	17.9	754.1	475.0	66.8
		32	2	806	0.848	0.854	0.211	0.368	674.0	17.9	754.1	674.0	66.8
		33	2	801	0.852	0.862	0.230	0.174	770.4	17.9	754.1	770.4	66.8
		34	2	801	0.850	0.862	0.230	0.089	889.0	17.9	754.1	889.0	66.8
		35	2	801	0.848	0.854	0.211	0.090	900.0	17.9	754.1	900.0	66.8
		36	2	802	0.848	0.852	0.154	0.052	952.0	17.9	754.1	952.0	66.8
		37	2	802	0.846	0.848	0.086	0.022	986.0	17.9	754.1	986.0	66.8
		38	2	807	0.843	0.828	0.320	0.271	977.0	17.9	754.1	977.0	66.8
		39	2	806	0.844	0.833	0.441	0.519	959.0	17.9	754.1	959.0	66.8
		40	2	801	0.852	0.804	0.378	0.600	600.0	17.9	754.1	600.0	66.8
		41	2	802	0.848	0.874	0.346	0.643	643.0	17.9	754.1	643.0	66.8
		42	2	802	0.848	0.874	0.346	0.643	643.0	17.9	754.1	643.0	66.8

Table 3. Concluded

MPT	RUN	IV	JZ	LUDIR	UT	P	1.3091		U	UB1	UG1	UG2	RMSB	RMSG
							1	2						
43	026	20	2.807	0.558	0.843	0.840	-0.293	0.668	195.3	-31.0	765.0	195.3	-31.0	
44	026	21	2.802	0.699	0.849	0.839	-0.215	0.697	181.4	17.0	763.2	181.4	17.0	
45	026	22	2.802	0.840	0.847	0.823	-0.164	0.866	164.8	39.1	752.6	165.0	39.5	
46	026	23	2.803	0.982	0.849	0.815	-0.141	0.683	145.0	35.9	748.8	145.8	37.1	
50	026	3	2.798	0.558	0.952	0.856	0.109	0.665	-76.0	6.3	753.7	76.7	16.2	
51	026	4	2.798	0.489	0.952	0.851	0.125	0.826	-101.5	-6.9	743.3	101.8	29.7	
52	026	5	2.800	0.421	0.949	0.866	0.138	0.685	-130.4	-28.1	728.9	130.6	67.7	
53	026	6	2.801	0.351	0.949	0.887	0.151	0.583	-171.0	-55.5	724.0	172.3	129.9	
54	026	7	2.802	0.281	0.951	0.894	0.156	0.478	-244.0	-89.0	698.0	250.2	201.0	
55	026	8	2.805	0.219	0.946	0.902	0.144	0.373	-318.8	-129.6	674.0	337.5	349.6	
56	026	9	2.806	0.171	0.945	0.925	0.136	0.277	-377.4	-206.7	647.0	471.0	505.7	
57	026	10	2.804	0.071	0.944	0.935	0.089	0.191	-447.0	-341.5	622.0	589.0	639.6	
58	026	11	2.808	0.070	0.942	0.965	0.021	0.098	-508.0	-439.6	602.0	721.0	811.0	
59	026	12	2.799	0.138	0.952	0.964	-0.116	0.296	-425.2	-511.8	676.0	425.2	511.0	
60	026	13	2.803	0.211	0.950	0.956	-0.257	0.311	-288.1	-481.8	704.0	174.7	400.3	
61	026	14	2.799	0.279	0.952	0.942	-0.287	0.412	-181.0	-400.2	718.9	174.7	314.0	
62	026	15	2.804	0.348	0.948	0.912	-0.319	0.435	-73.4	-314.1	734.6	21.7	236.0	
63	026	16	2.801	0.419	0.953	0.882	-0.270	0.517	38.5	-236.0	742.6	38.5	169.1	
64	026	17	2.799	0.488	0.953	0.875	-0.267	0.615	94.5	-168.6	748.3	94.5	109.4	
65	026	18	2.801	0.560	0.953	0.845	-0.201	0.640	105.5	-109.4	748.3	105.5	150.0	
66	026	19	2.800	0.701	0.951	0.803	-0.169	0.662	147.3	18.1	731.8	147.3	203.0	
67	026	20	2.800	0.839	0.951	0.818	-0.129	0.660	109.3	10.0	735.8	109.3	13.0	
68	026	21	2.800	0.981	0.952	0.818	-0.129	0.660	109.3	10.0	735.8	109.3	13.0	

STOP

THIS PAGE IS BEST QUALITY PRACTICABLE  
FROM COPY FURNISHED TO DDC

THIS PAGE IS BEST QUALITY PRACTICABLE  
FROM COPY FURNISHED TO DDO

Table 4. Vorticities and Circulations for 37.5° Pitch Angle and X = 2.8

POINT ROW	VC	ZC	AREA	GAR	VORTIC
1	-0.910	0.527	0.007831	-0.00393	-0.0591
2	-0.770	0.527	0.007768	-0.00340	-0.3141
3	-0.630	0.527	0.007645	-0.00303	-0.0897
4	-0.525	0.526	0.007431	-0.00261	0.2742
5	-0.455	0.525	0.007363	-0.00256	0.2713
6	-0.385	0.528	0.007247	-0.002676	1.1321

POINT ROW	VC	ZC	AREA	GAR	VORTIC
1	-0.910	0.578	0.006425	-0.002656	-0.4134
2	-0.770	0.577	0.006375	-0.002625	-0.0440
3	-0.630	0.576	0.006297	-0.002597	-0.0688
4	-0.525	0.575	0.006207	-0.002542	-0.3824
5	-0.455	0.576	0.006145	-0.002521	-0.5140
6	-0.385	0.578	0.006071	-0.002493	-0.3744
7	-0.314	0.577	0.006016	-0.002479	-1.2698
8	-0.245	0.576	0.005959	-0.002468	-4.4768
9	-0.175	0.573	0.005883	-0.002450	-3.3828
10	-0.105	0.572	0.005793	-0.002437	-1.7269
11	-0.036	0.571	0.005687	-0.002427	-0.2393
12	0.036	0.572	0.005602	-0.002420	0.0886
13	0.105	0.574	0.005517	0.002417	4.0289
14	0.175	0.576	0.005430	0.002417	8.6638
15	0.244	0.578	0.005346	0.002417	8.1096
16	0.315	0.578	0.005266	0.002417	8.1096

POINT ROW	VC	ZC	AREA	GAR	VORTIC
1	-0.910	0.626	0.005995	0.003019	0.4316
2	-0.770	0.625	0.005946	0.002905	0.4182
3	-0.630	0.623	0.005874	0.002818	0.4440
4	-0.525	0.623	0.005743	0.002743	0.3322
5	-0.455	0.625	0.005675	0.002675	1.2832
6	-0.384	0.627	0.005627	0.002672	0.8256
7	-0.314	0.628	0.005589	0.002677	-0.8487
8	-0.244	0.627	0.005547	0.002673	-3.9277
9	-0.174	0.625	0.005502	0.002671	-7.9748
10	-0.104	0.622	0.005452	0.002671	-5.6510
11	0.034	0.622	0.005402	0.002671	-2.1144
12	0.104	0.624	0.005352	0.002671	-2.1368
13	0.175	0.624	0.005300	0.002671	1.1693
14	0.244	0.623	0.005255	0.002671	3.3619
15	0.315	0.626	0.005214	0.002671	5.2356
16	0.385	0.626	0.005179	0.002671	3.4486
17	0.455	0.625	0.005149	0.002671	-0.8932
18	0.525	0.623	0.005124	0.002671	-0.5910
19	0.595	0.623	0.005104	0.002671	-0.3842

POINT ROW	VC	ZC	AREA	GAR	VORTIC
1	-0.910	0.678	0.007327	-0.001101	-0.1503
2	-0.770	0.675	0.007251	-0.000720	-0.0980
3	-0.630	0.675	0.007191	-0.000337	-0.0450
4	-0.525	0.677	0.007166	-0.001406	-0.3848
5	-0.455	0.675	0.007146	-0.000698	-0.2500
6	-0.385	0.675	0.007145	-0.002328	-0.6764
7	-0.315	0.677	0.007151	-0.006527	-1.8380
8	-0.245	0.677	0.007154	-0.010993	-3.0928
9	-0.175	0.676	0.007170	-0.006462	-1.7448
10	-0.104	0.675	0.007144	-0.00364	-0.1087
11	0.034	0.675	0.007122	-0.006603	-0.1762
12	0.105	0.675	0.007177	-0.002233	-0.0074
13	0.175	0.675	0.007138	0.002394	3.3154
14	0.245	0.674	0.007144	0.00459	8.2126
15	0.314	0.676	0.007113	0.002951	6.2525
16	0.384	0.678	0.007152	0.011525	3.2642
17	0.455	0.679	0.007152	0.011376	0.3668
18	0.525	0.678	0.007152	-0.002414	-0.6252
19	0.595	0.676	0.007152	0.000020	0.0926
20	0.665	0.676	0.007152	0.001083	0.1560
21	0.735	0.678	0.007152	0.001397	0.2487
22	0.805	0.678	0.007152	0.001397	0.2487

POINT ROW	VC	ZC	AREA	GAR	VORTIC
1	-0.909	0.730	0.007132	0.006602	0.0844
2	-0.770	0.727	0.007223	-0.000244	-0.0337
3	-0.630	0.727	0.007017	0.000370	0.0527
4	-0.525	0.728	0.007528	0.000781	0.2214
5	-0.455	0.727	0.007377	-0.000934	-0.2472
6	-0.315	0.727	0.007578	-0.000986	-0.2708
7	-0.245	0.726	0.007378	-0.003219	-0.9528
8	-0.175	0.727	0.007388	-0.005567	-1.6713
9	-0.106	0.729	0.007381	-0.011513	-3.661
10	-0.036	0.728	0.007323	-0.003558	-0.8834
11	0.035	0.725	0.007350	-0.004708	-1.2599
12	0.106	0.727	0.007520	0.005546	1.2599
13	0.175	0.727	0.007599	0.014534	4.031
14	0.245	0.727	0.007698	0.017165	4.6417
15	0.314	0.727	0.007698	0.015917	4.4190
16	0.385	0.727	0.007698	0.011397	3.3140
17	0.455	0.727	0.007698	0.004426	1.4332
18	0.525	0.727	0.007698	0.00472	0.1568
19	0.595	0.729	0.007698	0.00698	0.3662
20	0.665	0.727	0.007383	0.001032	0.1398
21	0.735	0.725	0.007429	-0.000448	-0.0603
22	0.805	0.725	0.007429	-0.000448	-0.0603

THIS PAGE IS BEST QUALITY PRACTICABLE  
FROM COPY FURNISHED TO DDC

Table 4. Concluded

POINT NO	VORTICITY AND CIRCULATION			GAM	VORTIC
	VC	ZC	AREA		
1	0.910	0.777	0.00461	0.00117	-0.1843
2	0.770	0.776	0.00267	0.00756	-0.1206
3	0.630	0.776	0.00314	0.00374	-0.1959
4	0.525	0.777	0.00340	0.00436	-0.1888
5	0.425	0.776	0.00349	0.00476	0.1493
6	0.308	0.774	0.00341	0.00724	0.2365
7	0.315	0.774	0.00313	0.001049	0.3481
8	0.245	0.774	0.00386	0.00589	0.5282
9	0.176	0.776	0.00324	0.00583	0.1853
10	0.105	0.778	0.00339	0.00921	0.064
11	0.035	0.778	0.00322	0.00664	0.2128
12	0.035	0.778	0.00302	0.00118	0.3220
13	0.104	0.774	0.00305	0.003246	1.0000
14	0.174	0.776	0.00307	0.01239	3.0003
15	0.245	0.777	0.00379	0.01855	5.0007
16	0.315	0.776	0.00373	0.00489	1.0024
17	0.305	0.776	0.00376	0.003193	-0.0489
18	0.425	0.773	0.00344	0.003777	-1.0077
19	0.525	0.773	0.00320	0.001268	-0.0000
20	0.630	0.775	0.00375	0.001885	-0.2840
21	0.771	0.775	0.00699	0.001680	-0.2722
22	0.910	0.774	0.00669	0.000864	-0.0435

POINT NO	VORTICITY AND CIRCULATION			GAM	VORTIC
	VC	ZC	AREA		
1	0.910	0.883	0.00504	0.00173	0.1700
2	0.770	0.823	0.00711	0.00144	0.2931
3	0.630	0.824	0.00712	0.00579	0.0643
4	0.525	0.825	0.00349	0.00020	-0.0307
5	0.425	0.825	0.00333	0.00045	-0.1065
6	0.305	0.823	0.00326	0.00042	-0.1137
7	0.315	0.822	0.00321	0.00073	-0.3517
8	0.245	0.823	0.00370	0.00024	-0.1710
9	0.176	0.824	0.00358	0.00052	-0.1046
10	0.105	0.825	0.00342	0.00129	0.3742
11	0.035	0.825	0.00348	0.00029	0.0770
12	0.035	0.825	0.00377	0.00016	-0.5438
13	0.104	0.822	0.00329	0.00058	-0.1497
14	0.174	0.822	0.00347	0.001940	0.5590
15	0.245	0.822	0.00313	0.00170	0.5537
16	0.315	0.822	0.00319	0.000726	-0.2329
17	0.305	0.824	0.00342	0.001810	0.5291
18	0.425	0.824	0.00356	0.000955	0.2378
19	0.525	0.821	0.00355	0.001482	-0.4311
20	0.630	0.820	0.00709	0.00264	-0.2894
21	0.770	0.822	0.00717	0.000533	-0.0742
22	0.910	0.822	0.007396	0.000325	0.0440

Table 5. Flow Field Velocities at 37.5° Pitch Angle and X = 4.9

NPT	RUN	IY	JZ	LUDIR	UT	P	U	V	W	UB1	UG1	UC2	RMSB	RMSC
144	028	5	1	1	13.804	2.4345								
IPT	RUN	I	X	Y	Z	U	0.796	0.092	0.864	229.2	297.4	816.2	229.2	297.4
127	028	1	4.896	-0.839	0.455	0.796	0.092	0.864	229.2	297.4	816.2	229.2	297.4	
128	028	2	4.896	-0.559	0.451	0.790	0.174	0.965	307.5	437.6	848.2	307.5	437.6	
129	028	3	4.897	-0.420	0.453	0.690	0.134	0.852	279.9	379.5	746.1	279.9	379.5	
130	028	4	4.901	-0.348	0.451	0.964	-0.186	0.227	-459.1	-597.9	627.9	-459.1	-597.9	
131	028	5	4.905	-0.281	0.442	0.321	-0.113	-0.404	-658.6	-742.1	5.1	-658.6	-742.1	
NPT	RUN	IY	JZ	LUDIR <th>UT</th> <th>P</th> <th>U</th> <th>V</th> <th>W</th> <th>UB1</th> <th>UG1</th> <th>UC2</th> <th>RMSB</th> <th>RMSC</th>	UT	P	U	V	W	UB1	UG1	UC2	RMSB	RMSC
162	028	9	2	1	36.600	17.115								
IPT	RUN	I	X	Y	Z	U	0.709	0.118	0.802	219.3	307.4	806.2	219.3	307.4
145	028	1	4.902	-0.841	0.526	0.709	0.118	0.802	219.3	307.4	806.2	219.3	307.4	
146	028	2	4.902	-0.560	0.525	0.758	0.172	0.944	305.0	433.6	828.2	305.0	433.6	
147	028	3	4.901	-0.419	0.522	0.711	0.344	0.980	285.1	543.8	814.2	285.1	543.8	
148	028	4	4.898	-0.281	0.524	0.960	0.299	0.339	-618.7	-781.5	618.7	-618.7	-781.5	
149	028	5	4.906	-0.210	0.520	1.210	-0.273	0.144	-738.4	-922.3	742.1	-738.4	-922.3	
150	028	6	4.903	-0.140	0.519	1.163	-0.341	0.069	-728.4	-988.4	666.0	-728.4	-988.4	
151	028	7	4.902	-0.071	0.523	1.199	-0.376	-0.043	-872.1	-1122.6	665.9	-872.1	-1122.6	
152	028	8	4.899	-0.000	0.524	1.266	-0.527	-0.082	-828.2	-1278.8	670.0	-828.2	-1278.8	
153	028	9	4.902	0.072	0.527	1.256	-0.357	0.020	-846.1	-1114.6	710.0	-846.1	-1114.6	
NPT	RUN	IY	JZ	LUDIR	UT	P	U	V	W	UB1	UG1	UC2	RMSB	RMSC
180	028	15	3	2	36.375	16.905								
IPT	RUN	I	X	Y	Z	U	0.794	0.078	0.832	207.3	261.4	802.2	207.3	261.4
163	028	1	4.895	-0.841	0.607	0.794	0.078	0.832	207.3	261.4	802.2	207.3	261.4	
164	028	2	4.896	-0.559	0.605	0.774	0.213	0.943	227.2	391.7	822.2	227.2	391.7	
165	028	3	4.897	-0.421	0.606	0.748	0.390	0.943	205.3	479.7	822.2	205.3	479.7	
166	028	4	4.897	-0.281	0.598	0.923	0.166	0.619	-195.7	-223.1	776.1	-195.7	-223.1	
167	028	5	4.902	-0.209	0.598	1.106	-0.075	0.339	-381.3	-514.5	776.1	-381.3	-514.5	
168	028	6	4.900	-0.139	0.598	1.178	-0.026	0.189	-572.8	-814.2	776.1	-572.8	-814.2	
169	028	7	4.896	-0.069	0.605	1.178	-0.110	0.189	-71.0	-1042.5	776.1	-71.0	-1042.5	
170	028	8	4.899	0.001	0.601	1.136	-0.177	0.114	-876.0	-1102.6	671.9	-876.0	-1102.6	
171	028	9	4.901	0.072	0.604	1.145	-0.193	-0.125	-898.0	-1102.6	671.9	-898.0	-1102.6	
172	028	10	4.906	0.130	0.596	1.095	-0.067	-0.155	-1055.6	-1102.6	557.8	-1055.6	-1102.6	
173	028	11	4.901	0.210	0.603	1.051	-0.170	-0.155	-988.8	-1102.6	557.8	-988.8	-1102.6	
174	028	12	4.898	0.279	0.604	1.093	-0.273	-0.161	-1181.3	-1014.5	557.8	-1181.3	-1014.5	
175	028	13	4.906	0.349	0.593	0.993	0.215	-0.089	-1065.6	-818.8	557.8	-1065.6	-818.8	
176	028	14	4.902	0.419	0.599	0.876	0.278	0.104	-818.8	-571.8	557.8	-818.8	-571.8	
177	028	15	4.898	0.489	0.607	0.837	-0.041	0.265	-391.2	-427.6	557.8	-391.2	-427.6	

Table 5. Continued

MPT	RUN	IPT	IV	JZ	LUDIR	UT	P	UG1	UG2	RMSB	RMSG
100	028	100	17	4	1	36.171	16.715	237.3	783.3	155.4	237.3
91	028	91	2	4	1	0.677	0.110	341.5	784.6	205.4	231.5
93	028	93	3	4	1	0.676	0.180	387.6	782.1	199.3	328.6
94	028	94	4	4	1	0.669	0.250	29.4	790.1	25.2	283.4
95	028	95	5	4	1	0.667	0.066	-487.7	759.1	-478.8	-187.7
96	028	96	6	4	1	0.663	0.169	-782.5	694.0	-239.8	-782.5
97	028	97	7	4	1	0.676	0.684	-1022.8	573.8	-977.8	-1022.8
98	028	98	8	4	1	0.673	-0.066	-1262.4	605.7	-1262.4	-1262.4
99	028	99	9	4	1	0.678	0.510	-962.3	457.7	-962.3	-962.3
100	028	100	10	4	1	0.671	0.388	-118.6	457.7	-126.2	-118.6
101	028	101	11	4	1	0.676	0.388	-992.4	461.7	-1225.2	-992.4
102	028	102	12	4	1	0.677	0.194	-868.3	517.7	-1019.7	-868.3
103	028	103	13	4	1	0.672	0.049	-882.0	571.8	-926.7	-882.0
104	028	104	14	4	1	0.671	-0.072	-161.2	595.9	-307.4	-317.5
105	028	105	15	4	1	0.672	0.077	-173.2	714.0	-219.7	-161.2
106	028	106	16	4	1	0.672	-0.072	229.2	764.1	-229.2	229.2
107	028	107	17	4	1	0.677	0.773	155.4	783.3	155.4	237.3

MPT	RUN	IPT	IV	JZ	LUDIR	UT	P	UG1	UG2	RMSB	RMSG
90	028	90	18	5	1	36.268	16.806	187.2	775.6	87.7	187.2
73	028	73	1	5	1	0.753	0.139	257.4	783.9	119.5	257.4
74	028	74	2	5	1	0.750	0.185	280.1	783.9	73.5	280.1
75	028	75	3	5	1	0.749	0.274	293.4	798.1	-70.0	293.4
76	028	76	4	5	1	0.756	0.398	7.0	772.0	-321.4	7.0
77	028	77	5	5	1	0.756	0.454	-55.0	720.0	-451.2	-55.0
78	028	78	6	5	1	0.746	0.414	-587.8	641.9	-756.1	-587.8
79	028	79	7	5	1	0.747	0.522	-960.2	481.7	-1249.1	-960.2
80	028	80	8	5	1	0.751	0.271	-998.4	445.6	-1249.1	-998.4
81	028	81	9	5	1	0.751	0.525	-1032.5	415.6	-1032.5	-1032.5
82	028	82	10	5	1	0.758	0.327	-882.0	433.6	-966.8	-882.0
83	028	83	11	5	1	0.756	0.525	-972.0	467.7	-966.8	-972.0
84	028	84	12	5	1	0.753	0.327	-143.2	457.7	-317.5	-143.2
85	028	85	13	5	1	0.749	0.525	-143.2	601.0	-66.0	-143.2
86	028	86	14	5	1	0.746	0.380	39.1	601.0	-66.0	39.1
87	028	87	15	5	1	0.751	0.445	265.4	706.0	-66.0	265.4
88	028	88	16	5	1	0.748	0.133	187.2	744.1	309.0	187.2
89	028	89	17	5	1	0.747	0.055	187.2	744.1	309.0	187.2
90	028	90	18	5	1	0.747	-0.055	187.2	744.1	309.0	187.2

THIS PAGE IS BEST QUALITY PRACTICABLE FROM COPY FURNISHED TO DDC



Table 5. Continued

MPT	RUN	IY	JZ	LUDIR	UT	P	UG1	UG2	RMSB	RMSG
36	028	18	9	1	35.981	16.540				
							U	U	U	U
							0.793	0.697	0.737	109.3
							0.791	0.794	56.2	191.2
							0.797	0.797	-18.2	121.2
							0.790	0.790	-267.5	73.0
							0.788	0.788	-341.4	-3.0
							0.819	0.819	479.0	107.1
							0.843	0.843	-688.6	-681.4
							0.869	0.869	-868.1	-823.6
							0.894	0.894	-961.8	-923.8
							0.884	0.884	-1049.6	-1049.6
							0.823	0.823	-917.9	-882.0
							0.791	0.791	-883.7	-857.8
							0.773	0.773	-803.3	-792.3
							0.724	0.724	-700.0	-654.0
							0.732	0.732	-664.0	-631.2
							0.761	0.761	-564.0	-517.0
									700.0	175.3
									740.1	263.4
									758.1	277.4
									742.1	177.3

MPT	RUN	IY	JZ	LUDIR	UT	P	UG1	UG2	RMSB	RMSG
18	028	18	9	1	35.790	16.365				
							U	U	U	U
							0.793	0.681	172.7	102.7
							0.795	0.590	88.5	59.9
							0.806	0.595	174.1	159.9
							0.836	0.572	-328.0	-299.1
							0.878	0.390	-502.0	-499.2
							0.878	0.246	-671.5	-637.4
							0.919	0.154	-713.5	-713.5
							0.872	0.125	-876.0	-876.0
							0.834	0.073	-919.0	-919.0
							0.874	0.197	-992.2	-921.6
							0.764	0.397	-417.6	-261.4
							0.758	0.734	47.6	139.1
							0.683	0.813	306.8	195.3
							0.724	0.817	448.7	227.3
							0.741	0.790	291.1	195.3
									746.1	227.3

Table 5. Concluded

NPT	RUN	IY	JZ	LUDIR	UT	P					
126	028	18	10	2	36.290	16.826					
IPT	RUN	I	X	Y	Z	U	UB1	UG1	UG2	RMSB	RMSG
109	028	1	4.894	-0.840	1.355	0.128	0.651	33.0	744.0	1	33.0
110	028	2	4.898	-0.854	1.354	0.190	0.610	-15.0	728.0	0	-15.0
111	028	3	4.898	-0.862	1.353	0.190	0.542	-97.1	712.0	0	-97.1
112	028	4	4.901	-0.872	1.352	0.236	0.471	-175.3	696.0	0	-175.3
113	028	5	4.896	-0.880	1.353	0.240	0.422	-257.4	680.0	0	-257.4
114	028	6	4.894	-0.879	1.350	0.251	0.365	-319.5	662.0	0	-319.5
115	028	7	4.897	-0.868	1.355	0.263	0.312	-387.6	647.0	0	-387.6
116	028	8	4.897	-0.891	1.353	0.296	0.263	-455.7	630.0	0	-455.7
117	028	9	4.900	-0.870	1.353	0.111	0.182	-525.9	612.0	0	-525.9
118	028	10	4.897	-0.841	1.352	0.117	0.113	-620.2	595.0	0	-620.2
119	028	11	4.901	-0.829	1.350	0.128	0.152	-710.5	580.0	0	-710.5
120	028	12	4.894	-0.829	1.360	-0.011	0.230	-825.4	565.0	0	-825.4
121	028	13	4.894	-0.851	1.356	-0.178	0.330	-957.8	550.0	0	-957.8
122	028	14	4.894	-0.819	1.356	-0.232	0.400	-1081.1	535.0	0	-1081.1
123	028	15	4.896	-0.880	1.347	-0.289	0.744	-1251.4	520.0	0	-1251.4
124	028	16	4.904	-0.868	1.347	-0.389	0.744	-1454.7	505.0	0	-1454.7
125	028	17	4.892	-0.898	1.359	-0.242	0.847	-179.1	488.0	0	-179.1
126	028	18	4.894	-0.840	1.356	-0.154	0.813	269.4	472.0	0	269.4

NPT	RUN	IY	JZ	LUDIR	UT	P					
17	027	17	11	2	36.228	16.966					
IPT	RUN	I	X	Y	Z	U	UB1	UG1	UG2	RMSB	RMSG
1	027	1	4.897	-1.121	1.508	0.060	0.649	38.5	731.7	7	38.5
2	027	2	4.900	-0.911	1.502	0.083	0.639	44.5	725.5	5	44.5
3	027	3	4.903	-0.871	1.498	0.090	0.622	7.2	719.4	5	7.2
4	027	4	4.903	-0.760	1.500	0.111	0.614	-37.0	697.5	2	-37.0
5	027	5	4.899	-0.560	1.504	0.127	0.568	-99.7	682.2	2	-99.7
6	027	6	4.898	-0.420	1.506	0.143	0.524	-175.6	668.1	6	-175.6
7	027	7	4.902	-0.210	1.500	0.180	0.478	-295.4	650.6	6	-295.4
8	027	8	4.901	-0.042	1.498	0.078	0.402	-487.9	630.0	0	-487.9
9	027	9	4.904	0.172	1.499	-0.042	0.360	-691.8	612.0	0	-691.8
10	027	10	4.910	0.276	1.499	-0.136	0.326	-951.4	607.0	0	-951.4
11	027	11	4.909	0.420	1.499	-0.211	0.506	-143.9	647.0	0	-143.9
12	027	12	4.902	0.559	1.502	-0.260	0.672	19.0	730.1	0	19.0
13	027	13	4.902	0.768	1.501	-0.277	0.691	77.1	743.2	0	77.1
14	027	14	4.902	0.868	1.493	-0.270	0.691	19.0	725.0	0	19.0
15	027	15	4.909	0.979	1.490	-0.277	0.680	75.1	725.0	0	75.1
16	027	16	4.912	1.055	1.489	-0.272	0.680	93.1	738.1	0	93.1
17	027	17	4.912	1.055	1.489	-0.072	0.680	93.1	738.1	0	93.1

STOP

Table 6. Vorticities and Circulations for 37.5° Pitch Angle and X = 4.9

POINT ROW	VORTICITY AND CIRCULATION				VORTIC
	VC	ZC	AREA	GAM	
1	-0.700	0.489	0.020372	0.002791	0.1370
2	-0.490	0.488	0.009069	-0.009021	-0.3049
3	-0.246	0.488	0.007448	-0.046000	-0.1763
4	-0.200	0.484	0.005173	-0.030311	-5.8598

POINT ROW	VORTICITY AND CIRCULATION				VORTIC
	VC	ZC	AREA	GAM	
1	-0.700	0.566	0.022645	0.004116	0.1818
2	-0.490	0.564	0.011511	-0.009333	-0.0810
3	-0.246	0.563	0.011054	-0.016181	-1.3734
4	-0.245	0.560	0.005400	-0.009306	-1.7300
5	-0.175	0.558	0.005475	-0.017036	-2.1119
6	-0.105	0.561	0.005638	-0.016518	-2.3308
7	-0.035	0.563	0.005592	-0.016870	-3.0168
8	0.036	0.564	0.005531	-0.010706	-1.9602

POINT ROW	VORTICITY AND CIRCULATION				VORTIC
	VC	ZC	AREA	GAM	
1	-0.700	0.713	0.021307	-0.00024	-0.0387
2	-0.490	0.712	0.010564	-0.000485	-0.60459
3	-0.246	0.712	0.010004	-0.019109	-1.7302
4	-0.246	0.712	0.006521	-0.016883	-2.6817
5	-0.176	0.708	0.005978	-0.016190	-2.7111
6	-0.105	0.708	0.005445	-0.033446	-6.1427
7	-0.035	0.713	0.005255	-0.041648	-7.9787
8	0.035	0.713	0.005251	-0.025565	-4.8681
9	0.105	0.715	0.005254	-0.009309	-1.7715
10	0.175	0.715	0.005562	-0.002256	-0.4056
11	0.245	0.712	0.005448	-0.004934	-0.9937
12	0.315	0.712	0.004916	-0.003595	-0.7313
13	0.384	0.712	0.005220	-0.005123	-0.9814
14	0.455	0.710	0.005517	-0.009221	-1.6714
15	0.526	0.710	0.005340	-0.001884	-0.3735
16	0.630	0.712	0.010487	0.001692	0.1613

POINT ROW	VORTICITY AND CIRCULATION				VORTIC
	VC	ZC	AREA	GAM	
1	-0.700	0.787	0.020932	0.002112	0.2552
2	-0.490	0.786	0.010008	0.006616	0.6552
3	-0.246	0.788	0.008809	0.003646	0.3883
4	-0.246	0.790	0.004708	-0.000725	-0.1515
5	-0.175	0.788	0.005194	-0.009116	-1.7950
6	-0.105	0.785	0.005566	-0.006851	-1.2330
7	-0.034	0.785	0.005000	-0.014917	-2.9506
8	0.036	0.787	0.005000	-0.016982	-3.2163
9	0.106	0.787	0.004888	-0.005554	-1.3408
10	0.175	0.788	0.004454	-0.002834	-0.6363
11	0.244	0.789	0.003242	0.007722	1.4455
12	0.315	0.788	0.003561	0.012635	2.3670
13	0.385	0.788	0.003304	0.01181	2.1000
14	0.456	0.788	0.005564	0.017430	3.1384
15	0.526	0.788	0.006443	0.000034	3.0812
16	0.570	0.788	0.010017	0.017008	1.8312
17	0.670	0.787	0.010787	0.003948	0.3582

POINT ROW	VORTICITY AND CIRCULATION				VORTIC
	VC	ZC	AREA	GAM	
1	-0.700	0.641	0.019474	0.002735	0.1404
2	-0.490	0.640	0.009656	0.006708	0.6947
3	-0.246	0.637	0.009777	0.000762	0.0779
4	-0.246	0.633	0.004800	-0.005207	-1.0456
5	-0.175	0.631	0.004752	-0.007792	-1.6397
6	-0.104	0.636	0.004859	-0.003218	-0.6636
7	-0.034	0.639	0.004976	-0.003228	-0.0659
8	0.036	0.639	0.005148	-0.005835	-1.1334
9	0.106	0.638	0.005266	-0.015272	-2.8003
10	0.175	0.637	0.005309	-0.023436	-4.4745
11	0.245	0.638	0.004902	-0.010162	-2.0731
12	0.315	0.637	0.005385	0.002878	0.5345
13	0.384	0.636	0.005493	0.014912	2.7144
14	0.454	0.637	0.004835	0.012886	2.6655

THIS PAGE IS BEST QUALITY PRACTICABLE  
FROM COPY FURNISHED TO DDC

THIS PAGE IS BEST QUALITY PRACTICABLE  
FROM COPY FURNISHED TO DDC

Table 6. Cont. ident

POINT ROW	VORTICITY AND CIRCULATION	VORTICITY AND CIRCULATION	VORTICITY AND CIRCULATION	VORTICITY AND CIRCULATION
	VC	ZC	AREA	GAM
1	-0.700	0.863	0.022872	0.00424
2	-0.490	0.858	0.010992	-0.002304
3	-0.350	0.860	0.019211	-0.002153
4	-0.245	0.863	0.005518	-0.002811
5	-0.175	0.861	0.005866	-0.005621
6	-0.104	0.862	0.005346	-0.012652
7	-0.034	0.863	0.005747	-0.016488
8	0.035	0.864	0.005770	-0.016488
9	0.106	0.862	0.005701	-0.007147
10	0.175	0.859	0.005372	-0.001412
11	0.245	0.861	0.004941	0.007293
12	0.316	0.861	0.005203	0.020250
13	0.386	0.863	0.005491	0.011112
14	0.456	0.866	0.005513	0.006101
15	0.526	0.866	0.005266	0.007905
16	0.630	0.864	0.010153	0.001082
17	0.770	0.861	0.009809	0.005970

POINT ROW	VORTICITY AND CIRCULATION	VORTICITY AND CIRCULATION	VORTICITY AND CIRCULATION	VORTICITY AND CIRCULATION
	VC	ZC	AREA	GAM
1	-0.700	1.127	0.043573	0.006965
2	-0.490	1.128	0.020900	0.001997
3	-0.351	1.127	0.020121	-0.00480
4	-0.245	1.126	0.011156	-0.000817
5	-0.174	1.126	0.011150	-0.003481
6	-0.105	1.124	0.010795	-0.004337
7	-0.035	1.119	0.010909	-0.003845
8	0.035	1.120	0.010722	-0.002245
9	0.104	1.127	0.010665	-0.002483
10	0.174	1.130	0.010897	-0.003814
11	0.245	1.128	0.010802	0.004845
12	0.315	1.127	0.011315	0.015091
13	0.386	1.125	0.010638	0.019747
14	0.455	1.125	0.010380	0.012536
15	0.525	1.130	0.010384	0.003635
16	0.630	1.127	0.021107	0.002969
17	0.771	1.124	0.022298	-0.003242

POINT ROW	VORTICITY AND CIRCULATION	VORTICITY AND CIRCULATION	VORTICITY AND CIRCULATION	VORTICITY AND CIRCULATION
	VC	ZC	AREA	GAM
1	-0.700	1.270	0.041856	-0.003320
2	-0.490	1.270	0.021272	-0.001921
3	-0.351	1.276	0.031248	-0.004427
4	-0.246	1.278	0.010611	0.001610
5	-0.175	1.281	0.010704	-0.006317
6	-0.104	1.280	0.010839	0.001138
7	-0.035	1.276	0.010821	0.001011
8	0.035	1.275	0.011032	0.001774
9	0.105	1.277	0.010515	0.008313
10	0.175	1.278	0.010324	0.011340
11	0.244	1.280	0.010074	0.020270
12	0.315	1.282	0.011082	0.026117
13	0.386	1.278	0.010516	0.024302
14	0.455	1.278	0.010945	0.027773
15	0.525	1.278	0.010548	0.021073
16	0.630	1.278	0.020876	0.012693
17	0.770	1.281	0.021910	-0.001394

POINT ROW	VORTICITY AND CIRCULATION	VORTICITY AND CIRCULATION	VORTICITY AND CIRCULATION	VORTICITY AND CIRCULATION
	VC	ZC	AREA	GAM
1	-0.700	0.976	0.011159	-0.005541
2	-0.490	0.974	0.022520	-0.00480
3	-0.350	0.975	0.021735	-0.007719
4	-0.245	0.976	0.010622	-0.005851
5	-0.174	0.971	0.010281	-0.007502
6	-0.105	0.973	0.010022	-0.013833
7	-0.036	0.973	0.009479	-0.008571
8	0.036	0.974	0.009802	-0.004067
9	0.105	0.978	0.010325	-0.003417
10	0.174	0.975	0.010975	-0.008219
11	0.245	0.973	0.010953	0.017546
12	0.316	0.973	0.010381	0.024284
13	0.386	0.976	0.010288	0.017474
14	0.456	0.978	0.010289	0.016218
15	0.525	0.980	0.010222	0.010087
16	0.629	0.976	0.021242	0.005398
17	0.770	0.971	0.021191	0.000788

ROW 10: ZC = 1.43  
PT. VC GAM VORTIC  
6 .07 .0020 .45  
7 .21 .0184 .96  
8 .35 .0186 1.08  
9 .49 .0078 .41  
STOP

Table 7. Flow Field Velocities at 37.5° Pitch Angle and X = 6.3

MPT	RUN	IY	JZ	IUDIR	UT	P	U	V	W	UB1	UG1	UG2	RMSB	RMSG
43	023	1	1	1	2.9442	0.11079	0.744	0.051	0.816	241.5	278.3	761.7	241.6	278.4
35	023	1	1	1	0.501	0.081	0.724	0.081	0.824	252.4	318.3	756.8	252.5	312.5
36	023	1	1	1	0.506	0.124	0.716	0.124	0.854	266.2	357.7	759.9	266.6	357.8
37	023	1	1	1	0.504	0.178	0.671	0.178	0.851	282.9	398.1	743.2	282.4	416.0
38	023	1	1	1	0.500	0.234	0.670	0.234	0.856	292.6	398.1	729.0	292.8	398.0
39	023	1	1	1	0.497	0.154	0.623	0.154	0.843	263.2	447.2	708.0	263.2	449.6
40	023	1	1	1	0.498	0.0876	0.589	0.0876	0.808	263.2	447.2	451.7	263.2	449.6
41	023	1	1	1	0.500	0.0876	0.589	0.0876	0.808	263.2	447.2	451.7	263.2	449.6
42	023	1	1	1	0.500	0.0876	0.589	0.0876	0.808	263.2	447.2	451.7	263.2	449.6

MPT	RUN	IY	JZ	IUDIR	UT	P	U	V	W	UB1	UG1	UG2	RMSB	RMSG
23	018	20	2	1	36.340	16.663	0.748	0.046	0.814	237.1	269.9	756.1	237.3	270.0
1	018	1	1	1	0.599	0.088	0.726	0.088	0.827	248.4	313.4	756.1	249.1	313.2
2	018	1	1	1	0.597	0.169	0.716	0.169	0.836	257.0	338.0	758.1	257.0	338.2
3	018	1	1	1	0.598	0.198	0.711	0.198	0.849	269.8	366.3	758.1	269.8	366.4
4	018	1	1	1	0.599	0.148	0.705	0.148	0.852	282.1	388.8	758.1	282.1	388.6
5	018	1	1	1	0.599	0.121	0.693	0.121	0.858	295.2	435.6	756.1	295.2	435.6
6	018	1	1	1	0.599	0.148	0.666	0.148	0.861	317.9	489.1	746.0	317.9	489.1
7	018	1	1	1	0.597	0.188	0.666	0.188	0.868	341.7	574.8	746.0	341.7	574.8
8	018	1	1	1	0.598	0.131	0.633	0.131	0.875	358.9	643.0	746.0	358.9	643.0
9	018	1	1	1	0.598	0.142	0.611	0.142	0.880	374.8	716.0	746.0	374.8	716.0
10	018	1	1	1	0.598	0.178	0.608	0.178	0.885	391.7	791.5	746.0	391.7	791.5
11	018	1	1	1	0.598	0.146	0.608	0.146	0.890	414.5	868.3	746.0	414.5	868.3
12	018	1	1	1	0.598	0.146	0.608	0.146	0.895	437.3	945.1	746.0	437.3	945.1
13	018	1	1	1	0.597	0.178	0.608	0.178	0.900	451.0	1022.1	746.0	451.0	1022.1
14	018	1	1	1	0.597	0.146	0.608	0.146	0.905	474.3	1100.0	746.0	474.3	1100.0
15	018	1	1	1	0.597	0.146	0.608	0.146	0.910	497.1	1178.4	746.0	497.1	1178.4
16	018	1	1	1	0.597	0.146	0.608	0.146	0.915	520.2	1257.1	746.0	520.2	1257.1
17	018	1	1	1	0.597	0.146	0.608	0.146	0.920	543.7	1336.4	746.0	543.7	1336.4
18	018	1	1	1	0.597	0.146	0.608	0.146	0.925	567.0	1416.1	746.0	567.0	1416.1
19	018	1	1	1	0.597	0.146	0.608	0.146	0.930	590.2	1495.4	746.0	590.2	1495.4
20	018	1	1	1	0.597	0.146	0.608	0.146	0.935	613.5	1574.8	746.0	613.5	1574.8

THIS PAGE IS BEST QUALITY PRACTICABLE  
FROM COPY FURNISHED TO DDG

Table 7. Continued

NPT	RUN	IY	JZ	LUDIR	UT	U	U	U	UB1	UG1	UC2	RMSB	RMSG
46	018	23	3	1	1.1775	0.17494E-01							
IPT	RUN	I	X	Y	Z	U	U	U	UB1	UG1	UC2	RMSB	RMSG
24	018	1	6.298	0.001	0.701	0.755	0.056	0.795	207.5	248.5	700.1	207.5	248.5
25	018	2	6.297	0.040	0.704	0.746	0.090	0.792	192.7	269.5	700.1	193.4	269.5
26	018	3	6.297	0.700	0.703	0.730	0.141	0.805	192.7	299.5	700.1	193.4	299.5
27	018	4	6.298	0.550	0.702	0.730	0.141	0.816	202.5	311.5	700.1	202.5	311.5
28	018	5	6.299	0.420	0.697	0.725	0.192	0.824	190.3	342.7	700.1	197.2	342.7
29	018	6	6.297	0.350	0.702	0.745	0.255	0.791	133.5	377.5	700.1	133.5	377.5
30	018	7	6.298	0.280	0.701	0.725	0.255	0.743	155.7	395.5	700.1	155.7	395.5
31	018	8	6.298	0.210	0.703	0.877	0.138	0.453	325.4	419.5	688.0	325.4	419.5
32	018	9	6.297	0.140	0.704	0.893	0.118	0.338	455.1	439.6	688.0	455.1	439.6
33	018	10	6.298	0.070	0.702	0.903	0.093	0.301	431.1	455.8	688.0	431.1	455.8
34	018	11	6.296	0.000	0.705	0.955	0.040	0.228	525.0	477.8	688.0	525.0	477.8
35	018	12	6.296	0.070	0.704	1.005	0.079	0.071	734.4	522.4	591.8	734.4	522.4
36	018	13	6.298	0.139	0.701	1.006	0.187	0.043	700.5	540.4	591.8	700.5	540.4
37	018	14	6.298	0.210	0.707	1.026	0.402	0.008	636.6	577.8	591.8	636.6	577.8
38	018	15	6.298	0.281	0.707	0.985	0.402	0.074	518.9	626.2	555.8	518.9	626.2
39	018	16	6.298	0.350	0.704	0.985	0.402	0.074	418.9	640.4	555.8	418.9	640.4
40	018	17	6.298	0.421	0.704	0.966	0.520	0.111	305.8	682.8	555.8	305.8	682.8
41	018	18	6.299	0.490	0.705	0.913	0.387	0.262	249.6	707.0	580.0	249.6	707.0
42	018	19	6.299	0.560	0.702	0.870	0.348	0.462	100.0	727.5	580.0	100.0	727.5
43	018	20	6.298	0.630	0.704	0.876	0.125	0.570	64.0	737.2	700.0	64.0	737.2
44	018	21	6.296	0.701	0.703	0.861	0.056	0.593	42.1	752.1	728.0	42.1	752.1
45	018	22	6.295	0.770	0.698	0.861	0.056	0.592	42.1	765.1	728.0	42.1	765.1
46	018	23	6.295	0.840	0.698	0.861	0.056	0.592	42.1	778.0	728.0	42.1	778.0

NPT	RUN	IY	JZ	LUDIR	UT	U	U	U	UB1	UG1	UC2	RMSB	RMSG
60	018	23	4	1	16.706								
IPT	RUN	I	X	Y	Z	U	U	U	UB1	UG1	UC2	RMSB	RMSG
47	018	1	6.294	0.070	0.804	0.758	0.072	0.773	172.3	225.0	766.0	172.3	225.0
48	018	2	6.295	0.441	0.802	0.754	0.102	0.780	174.0	250.0	766.0	175.0	250.0
49	018	3	6.295	0.700	0.798	0.740	0.146	0.811	187.6	281.5	766.0	188.6	281.5
50	018	4	6.299	0.560	0.797	0.730	0.146	0.811	205.2	305.2	766.0	195.0	305.2
51	018	5	6.297	0.490	0.796	0.743	0.197	0.800	195.2	321.5	766.0	195.0	321.5
52	018	6	6.299	0.421	0.796	0.704	0.231	0.803	142.3	341.4	766.0	147.7	341.4
53	018	7	6.299	0.351	0.796	0.705	0.231	0.803	147.7	358.0	766.0	147.7	358.0
54	018	8	6.299	0.280	0.799	0.728	0.205	0.743	207.2	381.4	766.0	207.2	381.4
55	018	9	6.299	0.210	0.799	0.728	0.205	0.646	207.2	412.2	766.0	207.2	412.2
56	018	10	6.299	0.140	0.796	0.714	0.064	0.496	207.2	435.0	684.5	207.2	435.0
57	018	11	6.299	0.070	0.795	0.705	0.064	0.443	145.6	452.1	684.5	145.6	452.1
58	018	12	6.299	0.000	0.795	0.686	0.177	0.262	221.3	477.8	684.5	221.3	477.8
59	018	13	6.299	0.070	0.796	0.686	0.066	0.094	542.3	500.0	684.5	542.3	500.0
60	018	14	6.299	0.140	0.796	0.667	0.066	0.094	610.7	522.1	684.5	610.7	522.1
61	018	15	6.299	0.210	0.800	0.667	0.066	0.094	680.8	542.3	684.5	680.8	542.3
62	018	16	6.299	0.280	0.798	0.667	0.066	0.094	750.8	565.0	684.5	750.8	565.0
63	018	17	6.299	0.350	0.797	0.667	0.066	0.113	820.7	588.2	684.5	820.7	588.2
64	018	18	6.299	0.421	0.798	0.667	0.066	0.113	890.7	611.4	684.5	890.7	611.4
65	018	19	6.299	0.490	0.798	0.667	0.066	0.113	960.7	634.6	684.5	960.7	634.6
66	018	20	6.299	0.560	0.800	0.667	0.066	0.113	1030.7	657.8	684.5	1030.7	657.8
67	018	21	6.299	0.630	0.800	0.667	0.066	0.113	1100.7	681.0	684.5	1100.7	681.0

Table 7. Continued

MPT	RUN	IV	JZ	LUDIR	UT	P	U	UB1	UG1	UG2	RMSB	RMSG
68	018	22	6.307	0.830	0.709	0.830	0.041	0.563	-105.9	704.0	-105.9	-75.1
69	018	23	6.294	0.800	0.806	0.823	0.005	0.593	-46.1	720.0	-46.1	-43.1
MPT	RUN	IV	JZ	LUDIR	UT	P	U	UB1	UG1	UG2	RMSB	RMSG
92	018	23	6.304	0.831	0.805	0.823	0.005	0.593	-46.1	720.0	-46.1	-43.1
70	018	1	6.309	0.890	0.891	0.728	0.144	0.792	175.4	744.1	175.4	283.4
71	018	2	6.306	0.840	0.897	0.730	0.092	0.781	185.3	744.1	185.3	253.4
72	018	3	6.308	0.899	0.895	0.730	0.131	0.781	171.4	744.1	171.4	269.4
73	018	4	6.303	0.859	0.896	0.700	0.146	0.794	187.3	744.1	187.3	297.4
74	018	5	6.310	0.819	0.891	0.726	0.218	0.821	191.3	744.1	191.3	355.5
75	018	6	6.306	0.419	0.895	0.719	0.150	0.793	175.4	744.1	175.4	287.4
76	018	7	6.306	0.350	0.897	0.719	0.140	0.815	211.3	748.1	211.3	315.5
77	018	8	6.306	0.280	0.894	0.738	0.207	0.782	211.5	746.1	211.5	317.4
78	018	9	6.302	0.209	0.897	0.701	0.304	0.690	277.4	730.1	277.4	319.5
79	018	10	6.302	0.140	0.892	0.681	0.394	0.552	259.4	676.0	259.4	319.5
80	018	11	6.307	0.070	0.895	0.702	0.144	0.552	41.1	625.9	41.1	319.4
81	018	12	6.301	0.000	0.900	0.735	0.041	0.300	-173.5	547.8	-173.5	319.5
82	018	13	6.307	0.070	0.892	0.756	0.090	0.300	-181.8	547.8	-181.8	315.9
83	018	14	6.303	0.139	0.896	0.890	0.156	0.173	-291.9	557.8	-291.9	315.9
84	018	15	6.313	0.209	0.888	0.935	0.245	0.081	-746.1	557.8	-746.1	315.9
85	018	16	6.301	0.281	0.898	0.914	0.325	0.108	-700.0	555.8	-700.0	299.7
86	018	17	6.305	0.350	0.898	0.916	0.406	0.086	-808.2	569.8	-808.2	299.7
87	018	18	6.307	0.421	0.893	0.916	0.332	0.179	-808.2	569.8	-808.2	299.7
88	018	19	6.312	0.500	0.890	0.921	0.134	0.293	-481.7	625.9	-481.7	299.7
89	018	20	6.306	0.560	0.888	0.888	0.003	0.293	-399.2	625.9	-399.2	395.6
90	018	21	6.306	0.700	0.857	0.871	0.000	0.454	-243.2	625.9	-243.2	395.6
91	018	22	6.312	0.841	0.889	0.845	0.056	0.514	-139.2	622.0	-139.2	395.6
92	018	23	6.299	0.981	0.905	0.813	0.053	0.591	-47.1	702.0	-47.1	395.6
MPT	RUN	IV	JZ	LUDIR	UT	P	U	UB1	UG1	UG2	RMSB	RMSG
17	022	17	6.304	0.831	0.805	0.823	0.005	0.593	-46.1	720.0	-46.1	-43.1
1	022	1	6.299	0.891	0.999	0.763	0.089	0.755	137.6	750.1	137.6	204.3
2	022	2	6.303	0.841	1.000	0.760	0.100	0.765	144.3	750.1	144.3	219.3
3	022	3	6.303	0.891	0.998	0.747	0.137	0.778	150.6	750.1	150.6	229.3
4	022	4	6.303	0.841	0.998	0.743	0.137	0.783	151.7	746.1	151.7	229.3
5	022	5	6.301	0.791	0.997	0.723	0.166	0.817	151.7	746.1	151.7	229.3
6	022	6	6.303	0.741	0.997	0.671	0.207	0.883	151.7	746.1	151.7	229.3
7	022	7	6.301	0.691	1.002	0.695	0.190	0.883	151.7	746.1	151.7	229.3
8	022	8	6.301	0.641	1.002	0.695	0.190	0.883	151.7	746.1	151.7	229.3
9	022	9	6.307	0.591	1.000	0.764	0.263	0.469	137.6	690.9	137.6	229.3
10	022	10	6.307	0.541	0.993	0.853	0.263	0.223	-141.1	619.8	-141.1	229.3
11	022	11	6.307	0.491	0.997	0.897	0.103	0.067	-487.7	567.8	-487.7	229.3
12	022	12	6.309	0.441	0.991	0.955	0.103	0.110	-752.5	529.8	-752.5	229.3
13	022	13	6.306	0.391	0.992	0.871	0.297	0.336	-678.0	529.8	-678.0	229.3
14	022	14	6.316	0.341	0.992	0.831	0.297	0.336	-351.6	529.8	-351.6	229.3
15	022	15	6.309	0.291	0.995	0.831	0.297	0.600	-251.6	529.8	-251.6	229.3
16	022	16	6.309	0.241	0.990	0.790	0.066	0.666	-77.1	722.0	-77.1	229.3
17	022	17	6.309	0.191	0.990	0.808	0.054	0.666	33.6	734.1	33.6	229.3

THIS PAGE IS BEST QUALITY PRACTICABLE  
FROM COPY FURNISHED TO DDC

Table 7. Continued

NPT	RUN	IY	JZ	LUDIR	UT	P	U	U	U	UB1	UG1	UC2	RMSB	RMSG
51	021	17	7	1	2	27.283	9.5136							
IPT	RUN	I	X	Y	Z									
35	021	1	6.301	-1.120	1.101		0.765	0.092	0.722	130.0	139.3	750.1	130.5	199.0
36	021	2	6.302	-0.980	1.097		0.777	0.114	0.730	113.0	139.0	750.1	114.1	199.6
37	021	3	6.303	-0.840	1.096		0.777	0.149	0.739	93.0	129.5	750.1	94.1	205.2
38	021	4	6.304	-0.698	1.096		0.755	0.161	0.717	116.0	237.5	750.1	117.0	237.7
39	021	5	6.305	-0.559	1.095		0.722	0.198	0.711	149.0	359.4	742.1	150.1	349.1
40	021	6	6.305	-0.420	1.096		0.697	0.199	0.817	199.0	437.5	740.1	199.3	437.6
41	021	7	6.307	-0.280	1.104		0.667	0.247	0.859	253.0	437.6	738.1	253.2	437.6
42	021	8	6.302	-0.140	1.099		0.698	0.324	0.859	117.0	351.5	680.0	117.5	361.5
43	021	9	6.304	-0.001	1.094		0.744	0.063	0.655	11.0	59.1	680.0	11.8	59.1
44	021	10	6.300	0.141	1.102		0.848	0.192	0.392	-497.0	-359.9	550.0	-497.0	-349.0
45	021	11	6.305	0.280	1.092		0.916	0.115	0.119	-698.5	-699.9	550.0	-698.5	-699.0
46	021	12	6.304	0.422	1.097		0.942	0.184	0.085	-812.2	-670.0	550.0	-812.2	-670.0
47	021	13	6.304	0.559	1.097		0.897	0.127	0.200	-516.7	-517.7	585.0	-516.7	-517.7
48	021	14	6.308	0.701	1.104		0.853	0.013	0.477	-227.6	-217.3	674.0	-227.6	-217.3
49	021	15	6.304	0.841	1.095		0.812	-0.066	0.600	11.0	-39.1	706.0	11.0	-39.1
50	021	16	6.303	0.980	1.097		0.795	0.024	0.666	21.0	39.1	716.0	21.0	39.1
51	021	17	6.306	1.055	1.093		0.804	-0.023	0.606	67.0	49.1	732.1	67.0	49.1

NPT	RUN	IY	JZ	LUDIR	UT	P	U	U	U	UB1	UG1	UC2	RMSB	RMSG
34	021	17	8	1	2	26.100	16.657							
IPT	RUN	I	X	Y	Z									
18	021	1	6.303	-1.120	1.200		0.762	0.093	0.739	117.0	181.4	746.1	117.6	187.7
19	021	2	6.300	-0.980	1.203		0.758	0.112	0.745	126.0	217.4	744.1	127.0	211.6
20	021	3	6.302	-0.839	1.199		0.749	0.142	0.745	101.0	207.8	744.1	101.0	208.2
21	021	4	6.304	-0.699	1.198		0.724	0.160	0.733	128.0	247.8	744.1	128.0	248.0
22	021	5	6.302	-0.561	1.200		0.706	0.187	0.825	146.0	287.1	744.1	146.0	287.0
23	021	6	6.302	-0.420	1.200		0.648	0.217	0.817	247.2	362.7	744.1	247.2	362.7
24	021	7	6.304	-0.279	1.200		0.554	0.266	0.812	167.4	417.9	730.1	167.4	417.9
25	021	8	6.301	-0.140	1.195		0.625	0.459	0.682	39.7	45.7	657.0	39.7	45.7
26	021	9	6.301	0.000	1.202		0.625	0.353	0.688	39.7	45.7	657.0	39.7	45.7
27	021	10	6.306	0.141	1.198		0.709	0.372	0.366	-387.2	-387.2	557.8	-387.2	-387.2
28	021	11	6.301	0.280	1.202		0.814	0.404	0.252	-592.5	-592.5	557.8	-592.5	-592.5
29	021	12	6.305	0.421	1.198		0.901	0.502	0.166	-592.5	-592.5	587.8	-592.5	-592.5
30	021	13	6.302	0.561	1.201		0.877	0.485	0.477	-598.5	-598.5	630.0	-598.5	-598.5
31	021	14	6.304	0.700	1.200		0.847	0.150	0.407	-48.1	-48.1	630.0	-48.1	-48.1
32	021	15	6.306	0.840	1.198		0.787	0.049	0.587	-48.1	-48.1	692.0	-48.1	-48.1
33	021	16	6.304	0.981	1.200		0.685	0.062	0.671	123.0	163.2	706.0	123.0	163.2
34	021	17	6.308	1.055	1.195		0.736	-0.025	0.600	153.0	193.7	706.0	153.0	193.7

Table 7. Continued

NPT	RUN	IY	JZ	IUDIR	UT	P	UB1	UG1	UG2	RMSB	RMSG
17	021	1	10	1	35.875	16.450	93.5	162.6	748.1	93.8	162.8
		2	10	1			82.0	111.3	748.1	82.2	172.0
		3	10	1			71.6	109.3	748.1	73.2	180.5
		4	10	1			65.5	201.6	748.1	66.2	202.1
		5	10	1			77.1	247.9	748.1	77.9	248.4
		6	10	1			0.5	335.2	748.1	74.9	325.6
		7	10	1			-9.3	488.7	724.0	9.2	488.2
		8	10	1			-127.9	457.5	706.0	16.9	425.9
		9	10	1			-530.9	357.5	686.0	-127.9	357.5
		10	10	1			-706.2	271.4	619.9	-530.9	271.4
		11	10	1			-878.0	173.2	601.9	-706.2	173.2
		12	10	1			-878.0	39.5	591.9	-878.0	39.5
		13	10	1			-470.5	31.6	605.1	-704.5	31.6
		14	10	1			-235.6	25.0	655.9	-470.5	25.0
		15	10	1			-64.0	109.2	686.0	-235.6	109.2
		16	10	1			53.7	193.2	708.0	-64.0	193.2
		17	10	1						53.7	193.2

NPT	RUN	IY	JZ	IUDIR	UT	P	UB1	UG1	UG2	RMSB	RMSG
17	020	1	10	1	3.1590	0.12829	32.3	120.8	742.1	32.8	121.6
		2	10	1			55.6	148.4	742.1	56.1	148.6
		3	10	1			42.9	151.7	742.1	45.8	152.5
		4	10	1			56.9	191.7	738.0	57.6	196.8
		5	10	1			69.7	228.8	728.0	69.6	230.8
		6	10	1			31.2	239.4	728.0	37.7	239.4
		7	10	1			-12.2	247.5	704.0	-12.2	247.5
		8	10	1			-57.8	205.4	682.0	-57.8	205.4
		9	10	1			-501.0	148.2	643.9	-501.0	148.2
		10	10	1			-718.4	120.7	613.9	-718.4	120.7
		11	10	1			-566.8	203.4	609.9	-566.8	203.4
		12	10	1			-399.2	168.2	625.9	-399.2	168.2
		13	10	1			-86.4	145.1	625.9	-399.2	145.1
		14	10	1			49.4	101.2	696.0	-86.4	101.2
		15	10	1			145.4	151.2	716.0	49.4	151.2
		16	10	1						145.4	151.2
		17	10	1							151.2

THIS PAGE IS BEST QUALITY PRACTICABLE  
FROM COPY FURNISHED TO DDC

Table 7. Continued

MPT	RUN	IY	JZ	LUDIR	UT	P							
							1	2	36.391	17.024	U	U	U
IPT	019	1	6.299	0.800	1.499	0.777	0.113	0.705	UB1	UG1	UG2	RMSB	RMSG
2	019	2	6.299	-0.839	1.501	0.767	0.119	0.703	55.7	138.7	722.0	55.8	138.5
3	019	3	6.299	-0.699	1.502	0.765	0.152	0.704	58.7	148.7	728.0	59.8	148.5
4	019	4	6.298	-0.559	1.501	0.765	0.207	0.715	41.5	157.4	724.0	42.2	157.8
5	019	5	6.302	-0.420	1.499	0.765	0.239	0.703	22.9	177.0	744.0	23.9	177.8
6	019	6	6.301	-0.351	1.500	0.724	0.277	0.707	17.7	189.0	740.0	17.5	189.2
7	019	7	6.299	-0.279	1.503	0.711	0.314	0.713	15.6	222.7	774.0	15.7	222.5
8	019	8	6.302	-0.211	1.503	0.700	0.338	0.714	17.8	236.5	660.0	17.8	236.5
9	019	9	6.300	-0.139	1.499	0.681	0.428	0.703	1.8	235.9	662.0	1.8	235.7
10	019	10	6.302	-0.070	1.498	0.662	0.565	0.665	80.9	235.3	662.0	80.9	235.3
11	019	11	6.302	-0.001	1.500	0.681	0.680	0.602	180.7	235.3	662.0	180.7	235.3
12	019	12	6.308	0.070	1.501	0.717	0.660	0.573	390.5	219.2	662.0	390.5	219.2
13	019	13	6.303	0.140	1.502	0.782	0.577	0.521	551.2	219.2	662.0	551.2	219.2
14	019	14	6.303	0.210	1.499	0.777	0.678	0.505	877.2	219.2	662.0	877.2	219.2
15	019	15	6.300	0.281	1.503	0.837	0.661	0.435	1187.7	105.2	662.0	1187.7	105.2
16	019	16	6.303	0.350	1.497	0.848	0.737	0.436	1607.6	105.2	662.0	1607.6	105.2
17	019	17	6.300	0.420	1.499	0.848	0.577	0.409	2126.7	105.2	662.0	2126.7	105.2
18	019	18	6.300	0.488	1.504	0.854	0.507	0.420	2708.8	17.0	662.0	2708.8	17.0
19	019	19	6.306	0.559	1.501	0.891	0.432	0.411	3400.8	17.0	662.0	3400.8	17.0
20	019	20	6.302	0.629	1.494	0.806	0.495	0.455	4200.0	15.5	662.0	4200.0	15.5
21	019	21	6.303	0.699	1.500	0.727	0.623	0.552	5121.7	15.5	662.0	5121.7	15.5
22	019	22	6.303	0.770	1.503	0.734	0.734	0.719	6163.7	15.5	662.0	6163.7	15.5
23	019	23	6.300	0.840	1.503	0.734	0.838	0.719	7311.7	15.5	662.0	7311.7	15.5
24	023	1	6.299	-1.120	1.700	0.784	0.093	0.675	7.8	37.3	722.0	7.8	37.3
18	023	2	6.298	-0.980	1.701	0.782	0.125	0.664	21.8	90.7	721.0	21.8	90.7
19	023	3	6.298	-0.841	1.702	0.774	0.158	0.656	35.5	90.7	721.0	35.5	90.7
20	023	4	6.301	-0.702	1.699	0.771	0.190	0.649	49.8	91.9	721.0	49.8	91.9
21	023	5	6.301	-0.559	1.698	0.765	0.224	0.644	64.4	99.5	721.0	64.4	99.5
22	023	6	6.300	-0.420	1.698	0.737	0.257	0.575	79.7	107.5	721.0	79.7	107.5
23	023	7	6.302	-0.279	1.700	0.766	0.289	0.551	94.4	116.1	662.0	94.4	116.1
24	023	8	6.302	-0.140	1.698	0.817	0.355	0.467	109.2	125.0	662.0	109.2	125.0
25	023	9	6.299	0.000	1.698	0.837	0.457	0.370	124.8	134.0	662.0	124.8	134.0
26	023	10	6.302	0.139	1.704	0.830	0.572	0.370	140.8	143.0	662.0	140.8	143.0
27	023	11	6.300	0.210	1.700	0.785	0.622	0.414	157.8	152.0	662.0	157.8	152.0
28	023	12	6.304	0.281	1.702	0.765	0.655	0.414	175.8	161.0	662.0	175.8	161.0
29	023	13	6.303	0.350	1.695	0.711	0.622	0.584	194.0	170.0	662.0	194.0	170.0
30	023	14	6.303	0.420	1.700	0.657	0.637	0.584	212.4	179.0	662.0	212.4	179.0
31	023	15	6.303	0.488	1.695	0.657	0.693	0.798	230.9	188.0	662.0	230.9	188.0
32	023	16	6.305	0.559	1.695	0.579	0.838	0.798	249.9	197.0	662.0	249.9	197.0
33	023	17	6.300	0.629	1.692	0.579	0.912	0.784	269.1	206.0	662.0	269.1	206.0
34	023	18	6.300	0.699	1.692	0.579	0.988	0.784	288.1	215.0	662.0	288.1	215.0



THIS PAGE IS BEST QUALITY PRACTICABLE  
 FROM COPY FURNISHED TO DDC

Table 7. Concluded

NPT	RUN	IY	JZ	LVDIR	UT	P	UG1	UG2	RMSB	RMSG
51	022	17	15	2	36.493	17.02:	30.7	717.5	28.1	32.4
IPT	RUN	I	X	Y	Z	U	U	U	U	U
35	022	1	6.302	-1.122	2.496	0.803	0.078	0.631	0.671	0.618
36	022	2	6.304	-0.981	2.496	0.812	0.085	0.633	0.673	0.619
37	022	3	6.305	-0.841	2.497	0.820	0.090	0.638	0.678	0.620
38	022	4	6.306	-0.699	2.497	0.827	0.090	0.640	0.681	0.621
39	022	5	6.307	-0.559	2.497	0.834	0.103	0.645	0.686	0.622
40	022	6	6.308	-0.421	2.498	0.846	0.107	0.650	0.691	0.623
41	022	7	6.309	-0.280	2.498	0.852	0.123	0.655	0.696	0.624
42	022	8	6.310	-0.141	2.497	0.860	0.123	0.660	0.701	0.625
43	022	9	6.311	0.001	2.497	0.867	0.108	0.665	0.706	0.626
44	022	10	6.312	0.140	2.498	0.870	-0.104	0.670	0.711	0.627
45	022	11	6.313	0.282	2.498	0.860	-0.134	0.675	0.716	0.628
46	022	12	6.314	0.421	2.497	0.863	-0.149	0.680	0.721	0.629
47	022	13	6.315	0.559	2.497	0.843	-0.211	0.685	0.726	0.630
48	022	14	6.316	0.701	2.497	0.799	-0.195	0.690	0.731	0.631
49	022	15	6.317	0.840	2.497	0.765	-0.165	0.695	0.736	0.632
50	022	16	6.318	0.980	2.497	0.767	-0.113	0.700	0.741	0.633
51	022	17	6.319	1.055	2.499	0.752	-0.134	0.705	0.746	0.634

NPT	RUN	IY	JZ	LVDIR	UT	P	UG1	UG2	RMSB	RMSG
34	022	17	16	2	36.173	16.724	0.7	717.4	37.3	40.7
IPT	RUN	I	X	Y	Z	U	U	U	U	U
18	022	1	6.304	-1.118	2.496	0.815	0.047	0.616	0.654	0.601
19	022	2	6.305	-0.982	2.496	0.820	0.054	0.611	0.659	0.602
20	022	3	6.306	-0.842	2.499	0.824	0.050	0.616	0.664	0.603
21	022	4	6.307	-0.700	2.498	0.843	0.044	0.621	0.669	0.604
22	022	5	6.308	-0.559	2.498	0.849	0.027	0.626	0.674	0.605
23	022	6	6.309	-0.418	2.498	0.848	0.024	0.631	0.679	0.606
24	022	7	6.310	-0.279	2.495	0.853	0.022	0.636	0.684	0.607
25	022	8	6.311	-0.140	2.497	0.857	-0.006	0.641	0.689	0.608
26	022	9	6.312	0.000	2.497	0.845	-0.039	0.646	0.694	0.609
27	022	10	6.313	0.140	2.498	0.840	-0.071	0.651	0.699	0.610
28	022	11	6.314	0.279	2.498	0.837	-0.074	0.656	0.704	0.611
29	022	12	6.315	0.420	2.498	0.830	-0.086	0.661	0.709	0.612
30	022	13	6.316	0.559	2.497	0.837	-0.086	0.666	0.714	0.613
31	022	14	6.317	0.700	2.494	0.811	-0.113	0.671	0.719	0.614
32	022	15	6.318	0.839	2.496	0.804	-0.113	0.676	0.724	0.615
33	022	16	6.319	0.982	2.497	0.804	-0.099	0.681	0.729	0.616
34	022	17	6.320	1.055	2.497	0.804	-0.099	0.686	0.734	0.617

Table 8. Vorticities and Circulations for 37.5° Pitch Angle and X = 6.3

POINT ROW	VORTICITY AND CIRCULATION				POINT ROW	VORTICITY AND CIRCULATION			
	YC	ZC	AREA	GAM		YC	ZC	AREA	GAM
1	-0.910	0.550	0.013114	0.000440	1	-0.910	0.753	0.014039	-0.000670
1	-0.770	0.551	0.012919	0.001182	2	-0.770	0.750	0.013505	0.000760
3	-0.630	0.550	0.013312	0.001309	3	-0.630	0.750	0.013456	0.001046
4	-0.526	0.550	0.008811	0.00217	4	-0.526	0.750	0.008570	0.000173
5	-0.456	0.550	0.006960	0.002194	5	-0.455	0.748	0.008345	-0.000576
1	-0.385	0.548	0.007018	0.011786	6	-0.385	0.748	0.006700	-0.000615
1	-0.315	0.549	0.007108	0.004178	7	-0.315	0.749	0.006700	-0.004436
					8	-0.245	0.750	0.005719	-0.012055
					9	-0.175	0.750	0.005511	-0.006580
					10	-0.105	0.750	0.005539	-0.001813
					11	-0.035	0.750	0.005556	-0.004342
					12	0.035	0.750	0.005315	-0.004722
					13	0.105	0.749	0.006484	-0.005312
					14	0.175	0.751	0.006682	-0.004644
					15	0.245	0.751	0.006778	-0.007859
					16	0.315	0.750	0.006577	-0.008488
					17	0.385	0.751	0.006589	-0.008127
					18	0.456	0.751	0.006432	0.006946
					19	0.525	0.751	0.006600	0.002204
					20	0.630	0.751	0.013339	-0.007742
					21	0.769	0.748	0.012420	-0.002151
					22	0.910	0.749	0.013654	-0.005039

POINT ROW	VORTICITY AND CIRCULATION				POINT ROW	VORTICITY AND CIRCULATION			
	YC	ZC	AREA	GAM		YC	ZC	AREA	GAM
1	-0.910	0.848	0.012649	-0.002125	1	-0.910	0.848	0.012649	-0.002125
2	-0.770	0.846	0.013489	0.000443	2	-0.770	0.846	0.013718	0.000408
3	-0.629	0.846	0.013718	0.000408	3	-0.629	0.845	0.006811	0.000060
4	-0.524	0.845	0.006811	0.000060	4	-0.454	0.845	0.006788	-0.001508
5	-0.454	0.845	0.006788	-0.001508	5	-0.385	0.846	0.006921	0.002524
6	-0.385	0.846	0.006921	0.002524	6	-0.315	0.846	0.006925	0.001387
7	-0.245	0.847	0.006757	0.001005	7	-0.245	0.847	0.006757	0.001005
8	-0.175	0.848	0.007130	-0.013320	8	-0.175	0.848	0.007130	-0.013320
9	-0.105	0.848	0.007094	-0.013074	9	-0.105	0.848	0.007094	-0.013074
10	-0.035	0.847	0.007158	-0.014502	10	-0.035	0.847	0.007158	-0.014502
11	0.035	0.846	0.006933	-0.007855	11	0.035	0.846	0.006933	-0.007855
12	0.104	0.845	0.006850	-0.004650	12	0.104	0.845	0.006850	-0.004650
13	0.174	0.845	0.006619	-0.004288	13	0.174	0.845	0.006619	-0.004288
14	0.245	0.848	0.006817	0.000906	14	0.245	0.848	0.006817	0.000906
15	0.315	0.849	0.007114	0.008601	15	0.315	0.849	0.007114	0.008601
16	0.385	0.847	0.006979	0.007176	16	0.385	0.847	0.006979	0.007176
17	0.456	0.845	0.006524	-0.002844	17	0.456	0.845	0.006524	-0.002844
18	0.525	0.846	0.006453	-0.004890	18	0.525	0.846	0.006453	-0.004890
19	0.630	0.847	0.013564	-0.002430	19	0.630	0.847	0.013564	-0.002430
20	0.770	0.843	0.014116	0.000528	20	0.770	0.843	0.014116	0.000528
21	0.910	0.847	0.014005	0.004543	21	0.910	0.847	0.014005	0.004543
22					22				

THIS PAGE IS BEST QUALITY PRACTICABLE  
FROM COPY FURNISHED TO DDC

Table 8. Continued

ROW 5: ZC = .95

PT.	YC	GAM	VORTIC
4	-0.35	-0.021	-0.1
5	-0.21	+0.036	+0.3
6	-0.07	-0.050	-0.4
7	+0.07	-0.137	-1.0
8	+0.21	-0.211	-1.6
9	+0.35	-0.222	-1.6
10	+0.49	-0.14	-1.0

POINT ROW	VORTICITY AND CIRCULATION			GAM	VORTIC
	YC	ZC	AREA		
1	-1.051	1.049	0.013972	-0.000373	-0.0267
2	-0.911	1.048	0.013653	-0.001151	-0.0843
3	-0.770	1.047	0.013380	-0.001738	-0.1255
4	-0.630	1.047	0.013106	-0.001169	-0.0873
5	-0.490	1.049	0.013517	0.003730	0.2759
6	-0.351	1.049	0.014168	0.003593	0.2472
7	-0.210	1.051	0.014218	-0.013584	-0.9684
8	-0.070	1.049	0.013266	-0.020782	-1.5665
9	0.070	1.047	0.014238	-0.020095	-1.9670
10	0.210	1.046	0.014374	-0.018781	-1.3066
11	0.351	1.044	0.014202	-0.006383	-0.4456
12	0.491	1.044	0.014771	0.009585	0.6489
13	0.630	1.046	0.015516	0.026283	1.6927
14	0.771	1.047	0.014789	0.017214	1.1640
15	0.910	1.044	0.014511	0.006614	0.5936
16	1.018	1.042	0.007863	0.000617	0.0785

POINT ROW	VORTICITY AND CIRCULATION			GAM	VORTIC
	YC	ZC	AREA		
1	-1.050	1.251	0.013784	0.000269	-0.0195
2	-0.910	1.250	0.013847	-0.000518	-0.0374
3	-0.770	1.249	0.013995	-0.000656	-0.0640
4	-0.630	1.248	0.013732	-0.001093	-0.0786
5	-0.490	1.248	0.013691	-0.000579	-0.0423
6	-0.350	1.251	0.014309	-0.000426	-0.0587
7	-0.210	1.251	0.014449	-0.015745	-1.0887
8	-0.070	1.251	0.014319	-0.018621	-1.3633
9	0.070	1.249	0.013789	-0.046879	-3.3988
10	0.210	1.249	0.013655	-0.046302	-3.4134
11	0.350	1.250	0.013981	-0.022719	-1.6238
12	0.491	1.250	0.014133	-0.000487	-0.0345
13	0.630	1.250	0.013616	-0.001919	-0.1409
14	0.770	1.247	0.013347	-0.007867	-0.5896
15	0.911	1.248	0.013878	-0.008215	-0.6640
16	1.018	1.250	0.007857	-0.004126	-0.5251

POINT ROW	VORTICITY AND CIRCULATION			GAM	VORTIC
	YC	ZC	AREA		
1	-1.050	1.348	0.013820	-0.000616	-0.0452
2	-0.910	1.349	0.013841	-0.000251	-0.0184
3	-0.770	1.348	0.013777	0.000319	0.0232
4	-0.630	1.348	0.014357	0.001332	0.0927
5	-0.490	1.348	0.014110	0.001451	0.1028
6	-0.350	1.350	0.013531	0.002546	0.1882
7	-0.210	1.350	0.013165	0.007564	0.5746
8	-0.070	1.349	0.013161	0.010385	0.7099
9	0.070	1.349	0.013876	0.015866	1.1539
10	0.210	1.347	0.013968	0.011464	0.8266
11	0.350	1.347	0.013237	0.004463	0.3772
12	0.490	1.348	0.013394	0.001512	0.1117
13	0.630	1.347	0.013574	-0.003343	-0.2463
14	0.770	1.346	0.014057	0.000968	0.1700
15	0.911	1.348	0.013951	0.024303	1.7348
16	1.018	1.350	0.007133	0.000378	1.3147

ROW 10: ZC = 1.45

PT.	YC	GAM	VORTIC
7	-0.21	-0.052	.32
8	-0.07	-0.159	-1.12
9	.07	-0.144	-1.01
10	.21	-0.026	-.19
11	.35	-0.036	-.26
12	.49	+0.030	+.22
13	.63	+0.128	.90
14	.77	-0.009	-.07
15	.91	-0.014	-1.0

POINT ROW	VORTICITY AND CIRCULATION			GAM	VORTIC
	YC	ZC	AREA		
1	-1.051	1.049	0.013972	-0.000373	-0.0267
2	-0.911	1.048	0.013653	-0.001151	-0.0843
3	-0.770	1.047	0.013380	-0.001738	-0.1255
4	-0.630	1.047	0.013106	-0.001169	-0.0873
5	-0.490	1.049	0.013517	0.003730	0.2759
6	-0.351	1.049	0.014168	0.003593	0.2472
7	-0.210	1.051	0.014218	-0.013584	-0.9684
8	-0.070	1.049	0.013266	-0.020782	-1.5665
9	0.070	1.047	0.014238	-0.020095	-1.9670
10	0.210	1.046	0.014374	-0.018781	-1.3066
11	0.351	1.044	0.014202	-0.006383	-0.4456
12	0.491	1.044	0.014771	0.009585	0.6489
13	0.630	1.046	0.015516	0.026283	1.6927
14	0.771	1.047	0.014789	0.017214	1.1640
15	0.910	1.044	0.014511	0.006614	0.5936
16	1.018	1.042	0.007863	0.000617	0.0785

POINT ROW	VORTICITY AND CIRCULATION			GAM	VORTIC
	YC	ZC	AREA		
1	-1.050	1.159	0.014295	0.000343	0.0240
2	-0.910	1.149	0.014548	0.000281	0.0192
3	-0.769	1.147	0.014580	0.001278	0.0876
4	-0.629	1.147	0.014319	0.001560	0.1090
5	-0.490	1.147	0.014543	-0.002571	-0.1768
6	-0.350	1.150	0.014125	-0.002531	-0.1792
7	-0.210	1.150	0.013681	-0.008241	-0.6024
8	-0.070	1.148	0.014506	-0.023985	-1.6534
9	0.070	1.149	0.014300	-0.034011	-2.3652
10	0.210	1.149	0.014289	-0.028662	-2.0059
11	0.351	1.147	0.014837	-0.028537	-1.9234
12	0.491	1.148	0.014289	-0.018735	-1.3112
13	0.630	1.15	0.014122	-0.008389	-0.5940
14	0.771	1.148	0.013926	-0.000899	-0.0646
15	0.911	1.147	0.014380	-0.002087	-0.1451
16	1.018	1.146	0.007693	0.000384	0.0500

Table 8. Concluded

ROW 11: ZC = 1.60			
PT.	YC	GAM	VORTIC
9	.07	.0067	.24
10	.21	.004	.14
11	.35	.0080	.29
12	.49	.0039	.14
13	.63	.0109	.39
14	.77	.0242	.85
15	.91	.0269	.96

VORTICITY AND CIRCULATION			
POINT ROW	YC	GAM	VORTIC
1	1.749	0.013417	0.00487
2	1.748	0.012859	0.00386
3	1.748	0.013211	-0.00037
4	1.748	0.014130	-0.001261
5	1.748	0.013745	-0.002724
6	1.748	0.014130	-0.006768
7	1.749	0.013059	-0.002884
8	1.748	0.013782	-0.015513
9	1.750	0.013586	-0.016719
10	1.751	0.013786	0.006082
11	1.750	0.013763	0.019209
12	1.749	0.014332	0.020134
13	1.748	0.013776	0.017082
14	1.748	0.013404	0.011106
15	1.747	0.013914	-0.004266
16	1.745	0.007665	-0.006693

VORTICITY AND CIRCULATION			
POINT ROW	YC	GAM	VORTIC
1	-1.051	0.00632	-0.0361
2	-0.911	0.00756	-0.0115
3	-0.771	0.00672	-0.0058
4	-0.629	0.00706	-0.0093
5	-0.489	0.007714	-0.003480
6	-0.350	0.007633	-0.0165
7	-0.210	0.003306	-0.0235
8	-0.071	0.003333	-0.04980
9	0.069	0.006666	-0.07788
10	0.210	0.006809	0.1115
11	0.350	0.003148	0.0251
12	0.490	0.003266	0.07728
13	0.630	0.0031613	0.142
14	0.770	0.006973	0.2581
15	0.910	0.009393	0.3681
16	1.017	0.009190	0.4028
17	1.017	0.037146	0.4268
18	1.017	0.00615	0.4166

VORTICITY AND CIRCULATION			
POINT ROW	YC	GAM	VORTIC
1	2.746	0.009410	0.00666
2	2.748	0.005539	-0.02331
3	2.750	0.006647	0.01811
4	2.749	0.008435	-0.001794
5	2.749	0.008096	0.006410
6	2.750	0.008042	-0.00337
7	2.743	0.008784	-0.002442
8	2.749	0.009407	-0.002327
9	2.749	0.008362	-0.00368
10	2.750	0.008118	-0.001335
11	2.749	0.008933	0.005699
12	2.748	0.009417	0.003299
13	2.746	0.006504	-0.00892
14	2.748	0.008879	0.001090
15	2.749	0.008419	0.003811
16	2.748	0.008090	-0.002671
17	2.748	0.008090	-0.002671
18	2.748	0.008090	-0.002671

VORTICITY AND CIRCULATION			
POINT ROW	YC	GAM	VORTIC
1	1.900	0.028062	-0.04052
2	1.898	0.029030	-0.00058
3	1.899	0.029040	-0.001058
4	1.900	0.028508	0.001189
5	1.899	0.028222	-0.001672
6	1.900	0.028065	0.003094
7	1.899	0.028081	0.003530
8	1.899	0.028022	0.020478
9	1.901	0.028158	0.012157
10	1.902	0.028507	0.018351
11	1.901	0.028697	0.023831
12	1.902	0.028216	0.033281
13	1.901	0.028394	0.040314
14	1.901	0.029107	0.023067
15	1.901	0.028940	0.012330
16	1.899	0.015621	0.002819
17	1.899	0.015621	0.002819
18	1.899	0.015621	0.002819

Table 9. Summary of Vortex Data

	22.5	37.5		
$\alpha$		2.8	4.9	6.3
X	6.3			
First vortex originating from -Y side:				
ZC from velocity vectors	0.572	----	0.687	----
YC from velocity vectors	-0.107	----	-0.010	----
ZC using vorticity values	----	0.61	----	0.99
YC using vorticity values	----	-0.17	----	0.28
$\Gamma$ on -Y side of $\Omega = 0$	-0.356	-0.151	-0.604	----
$\Gamma$ inside $\Omega = -1$ contour	-0.28	----	-0.35	-0.41
$\Gamma$ inside $\Omega = -0.5$ contour	----	-0.169	----	----
First vortex originating from +Y side:				
ZC from velocity vectors	0.677	0.680	----	----
YC from velocity vectors	0.171	0.216	----	----
ZC using vorticity values	----	----	1.05	2.20
YC using vorticity values	----	----	0.35	1.15
$\Gamma$ on +Y side of $\Omega = 0$	0.339	0.291	0.53	----
$\Gamma$ inside $\Omega = +1$ contour	0.298	----	----	----
$\Gamma$ inside $\Omega = +0.5$ contour	----	0.306	0.44	----
$\Gamma$ inside $\Omega = +0.2$ contour	----	----	----	0.51




Figure 1.- Test model, coordinate system, and measurement planes.




Figure 2.- Model mounted in the wind tunnel. Laser velocimeter system is seen through the window.




Figure 3.- Crossflow laser velocimeter.




Figure 4.- Effect of crossflow Reynolds number on body forces and moments for  $22.5^\circ$  pitch angle.




Figure 5.- Effect of crossflow Reynolds number on body forces and moments for  $37.5^\circ$  pitch angle.




Figure 6.- Crossflow vectors at  $X = 6.3$ , for  $\alpha = 22.5^\circ$ .




Figure 7.- Axial velocity contours at  $X = 6.3$  for  $\alpha = 22.5^\circ$ .




Figure 8.- Vorticity contours at  $X = 6.3$  for  $\alpha = 22.5^\circ$ .




Figure 9.- Crossflow vectors at  $X = 2.8$  for  $\alpha = 37.5^\circ$ .




Figure 10.- Axial velocity contours at  $X = 2.8$  for  $\alpha = 37.5^\circ$ .






Figure 11.- Vorticity contours at  $X = 2.8$  for  $\alpha = 37.5^\circ$ .




Figure 12.- Crossflow vectors at  $X = 4.9$  for  $\alpha = 37.5^\circ$ .




Figure 13.- Axial velocity contours at  $X = 4.9$  for  $\alpha = 37.5^\circ$ .




Figure 14.- Vorticity contours at  $X = 4.9$  for  $\alpha = 37.5^\circ$ .




Figure 15.- Crossflow velocity vectors at  $X = 6.3$  for  $\alpha = 37.5^\circ$ .




Figure 16.- Axial velocity contours at  $X = 6.3$  for  $\alpha = 37.5^\circ$ .




Figure 17.- Vorticity contours at  $X = 6.3$  for  $\alpha = 37.5^\circ$ .






Figure 18.- Summary of vorticity contours at  $\alpha = 37.5^\circ$ .



$\theta = 0^\circ$



$60^\circ$



$120^\circ$

Figure 19.- Carbon black surface flow visualization,  
 $\alpha = 22\text{-}1/2^\circ$ ;  $Re_D = 0.37 \cdot 10^6$ .



$\theta = 180^\circ$




$240^\circ$



$300^\circ$

78

Figure 19.- Concluded.




$\theta = 0^\circ$


$60^\circ$

$120^\circ$

Figure 20.- Carbon black surface flow visualization,  $\alpha = 37.5^\circ$ ;  $Re_D = 0.18 \cdot 10^6$ , with tape strip on nose. 79



$\theta = 180^\circ$



$240^\circ$



$300^\circ$

80

Figure 20.- Concluded.





Figure 21.- Carbon black surface flow visualization,  $\alpha = 37\text{-}1/2^\circ$ ;  
 $Re_D = 0.37 \cdot 10^6$ , without tape strip on nose.



$\theta = 180^\circ$



$240^\circ$



$300^\circ$







Figure 22.- Carbon black surface flow visualization,  
 $\alpha = 37\text{-}1/2^\circ$ ;  $Re = 0.37 \cdot 10^6$ , with tape strip on nose.  
(Figures 9-18, 23 at same flow conditions)



$\theta = 180^\circ$



$240^\circ$



$300^\circ$

Figure 22.- Concluded.




Figure 23.- Location of primary separation lines from photographs of Figure 22,  $\alpha = 37-1/2^\circ$ ,  $Re = 0.37 \cdot 10^6$ , with tape strip.