AD A073444
FE-

TECHNICAL REPORT ARBRL-TR-02172

(Supersedes IMR No. 605)

COMPUTER DESCRIPTION OF BLACK HAWK HELICOPTER

Gary G. Kuehl

June 1979

US ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND
BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MARYLAND

Approved for public release; distribution unlimited.

Destroy this report when it is no longer needed.
Do not return it to the originator.

Secondary distribution of this report by originating or sponsoring activity is prohibited.

Additional copies of this report may be obtained from the National Technical Information Service, U.S. Department of Commerce, Springfield, Virginia 22161.

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The use of trade names or manufacturers' names in this report does not constitute indorsement of any commercial product.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER TECHNICAL REPORT ARBRL-TR-02172	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) COMPUTER DESCRIPTION OF BLACK HAWK HELICOPTER		5. TYPE OF REPORT & PERIOD COVERED FINAL 6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) GARY G. KUEHL		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Ballistic Research Laboratory ATTN: DRDAR-BLV Aberdeen Proving Ground, Md 21005		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 1L162618AH80
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research & Development Command US Army Ballistic Research Laboratory (DRDAR-BL) Aberdeen Proving Ground, Md. 21005		12. REPORT DATE JUNE 1979 13. NUMBER OF PAGES 324
14. MONITORING AGENCY NAME & ADDRESS(if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE N/A

16. DISTRIBUTION STATEMENT (of this Report)

Approved for public release; distribution unlimited.

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

Supersedes BRL IMR No. 605 dated May 1978

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Computer Target Description
Combinatorial Geometry Models
Black Hawk Helicopter
GIFT Computer Code
Geometric Description of Targets
Target Vulnerability Model
U.S. Utility Helicopter
Helicopter

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

A computer description of the geometry of the Black Hawk Helicopter was made. This description was made using the technique of combinatorial geometry (COM-GEOM) and will be used as input to the GIFT computer code which generates data used in target vulnerability analyses. This report describes the method used in modelling the helicopter. The appendix contains computer listings of the data comprising the computer description of the vehicle.

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

TABLE OF CONTENTS

		Page
I.	INTRODUCTION	11
II.	DISCUSSION	11
	A. Combinatorial Geometry (COMGEOM) Method	11
	B. Specific Approach to COMGEOM Modeling	14
	C. Computer Target Description	17
III.	CONCLUSIONS	18
	APPENDIX	69
	DISTRIBUTION LIST	323

LIST OF TABLES

Table		Page
I.	Combinatorial Geometry Solid Types	12
II.	Items Codes Used In Black Hawk Description	15
III.	Material Codes and Densities Used in the Black Hawk Description.	16

LIST OF ILLUSTRATIONS

Page

Figure 1 - Intersection (+), Subtraction (-), Union (or) of Solids 13

Figure 2 - Photograph of Black Hawk which has an IR Suppressor for Engine Exhaust 19

Figure 3 - Photograph of Black Hawk from Right Rear View 20

Figure 4 - Photograph of Black Hawk from Left Front View 21

Figure 5 - Computer Drawing of the COM-GEOM Description of the Black Hawk from 30 Degree Azimuth and -5 Degree Elevation Aspect 22

Figure 6 - Computer Drawing of the COM-GEOM Description of the Black Hawk from the 60 Degree Azimuth and -10 Degree Elevation Aspect 23

Figure 7 - Computer Drawing of the COM-GEOM Description of the Black Hawk from 0 Degree Azimuth and 0 Degree Elevation Aspect 24

Figure 8 - Computer Drawing of the COM-GEOM Description of the Black Hawk from the 90 Degree Azimuth and 0 Degree Elevation Aspect 25

Figure 9 - Computer Drawing of the COM-GEOM Description of the Black Hawk from the 90 Degree Azimuth and 90 Degree Aspect 26

Figure 10 - Computer Drawing with the Skin and Some Exterior Components Removed from the COM-GEOM Description of the Black Hawk from the 90 Degree Azimuth and 0 Degree Elevation Aspect 27

Figure 11 - Computer Drawing with the Skin and Most Exterior Components Removed from the COM-GEOM Description of the Black Hawk from the 90 Degree Azimuth and 90 Degree Elevation Aspect 28

Figure 12 - Computer Drawing of the Flight Controls of the COM-GEOM Description of the Black Hawk from the 45 Degree Azimuth and 30 Degree Elevation Aspect ... 29

LIST OF ILLUSTRATIONS (cont'd)

Page

Figure 13 - Computer Drawing of the Personnel and Miscellaneous Components of the COM-GEOM Description of the Black Hawk from the 45 Degree Azimuth and 30 Degree Elevation Aspect 30

Figure 14 - Computer Drawing of the Structural Components of the COM-GEOM Description of the Black Hawk from the 45 Degree Azimuth and 30 Degree Elevation Aspect 31

Figure 15 - Computer Drawing of the Power Train of the COM-GEOM Description of the Black Hawk from the 45 Degree Azimuth and 30 Degree Elevation Aspect 32

Figure 16 - Solids Used to Describe the Nose and Cabin Skin of Black Hawk 33

Figure 17 - Solids Used to Describe the Fuselage and Tail Skin of the Black Hawk 34

Figure 18 - Solids Used to Describe the Engine Cowling of the Black Hawk 35

Figure 19 - Solids Used to Describe the Windows in the Nose of the Black Hawk 36

Figure 20 - Solids Used to Describe the Cabin Doors and Windows of the Black Hawk 37

Figure 21 - Solids Used to Describe the Infrared Suppressor of the Black Hawk 38

Figure 22 - Solids Used to Describe the Rear Stabilizer of the Black Hawk 39

Figure 23 - Solids Used to Describe the Structural Components in the Nose of the Black Hawk 40

Figure 24 - Solids Used to Describe the Structural Components in the Cabin of the Black Hawk 41

Figure 25 - Solids Used to Describe the Structural Components in the Fuselage of the Black Hawk 42

LIST OF ILLUSTRATIONS (cont'd)

Page

Figure 26 - Solids Used to Describe the Structural Components in the Tail Cone of the Black Hawk 43

Figure 27 - Solids Used to Describe the Structural Components in the Tail of the Black Hawk 44

Figure 28 - Solids Used to Describe the Electrical and Panel Components in the Nose of the Black Hawk 45

Figure 29 - Solids Used to Describe the Pilot's Seat of the Black Hawk 46

Figure 30 - Solids Used to Describe an Armor Wing of the Black Hawk 47

Figure 31 - Solids Used to Describe a Machine Gun of the Black Hawk 48

Figure 32 - Solids Used to Describe the Heater of the Black Hawk 49

Figure 33 - Solids Used to Describe the Left Fuel Tank of the Black Hawk 50

Figure 34 - Solids Used to Describe Fuel Components of the Black Hawk 51

Figure 35 - Solids Used to Describe the Left Fuel Line of the Black Hawk..... 52

Figure 36 - Solids Used to Describe the APU of the Black Hawk 53

Figure 37 - Solids Used to Describe the Left Engine, Drive Train and Transmission of the Black Hawk 54

Figure 38 - Solids Used to Describe Main Rotor Blade and Connected Components of the Black Hawk 55

Figure 39 - Solids Used to Describe the Front Tail Rotor Drive Shaft Components of the Black Hawk 56

Figure 40 - Solids Used to Describe the Rear Tail Rotor Drive Shaft Components of the Black Hawk 57

LIST OF ILLUSTRATIONS (cont'd)

Page

Figure 42 - Solids Used to Describe a Tail Rotor Blade and Connected Components of the Black Hawk 58

Figure 43 - Solids Used to Describe the Left Collective Control to Servo of the Black Hawk 59

Figure 44 - Solids Used to Describe the Right Collective Control of the Black Hawk 60

Figure 45 - Solids Used to Describe the Right Cyclic Control Components of the Black Hawk 61

Figure 46 - Solids Used to Describe the Right Cyclic Control Linkage to Servo of the Black Hawk 62

Figure 47 - Solids Used to Describe the Right Directional Control Components to Servo of the Black Hawk 63

Figure 48 - Solids Used to Describe Directional Control Components from Servo to Rear Rotor of Black Hawk 64

Figure 49 - Solids Used to Describe Cyclic Control Components from Servo to Main Rotor of Black Hawk 65

Figure 50 - Solids Used to Describe the Collective Control Components from Servo to Main Rotor of the Black Hawk 66

Figure 51 - Solids Used to Describe Front Landing Gear of the Black Hawk 67

I. INTRODUCTION

The Black Hawk Project Manager's office of the Aviation Research and Development Command (AVRADCOM) requested that the Vulnerability/ Lethality Division (VLD) of the Ballistic Research Laboratory (BRL) perform a vulnerability analysis of the Black Hawk helicopter attacked by various projectiles. To accomplish this task, BRL used the Computation of Vulnerable Areas and Repair Times (COVART)[1] computer code. The data used by the COVART computer code was generated by the Geometric Information for Targets (GIFT)[2] computer code. This report documents the combinatorial geometry (COM-GEOM) target description data used by the GIFT code.

II. DISCUSSION

A. The Combinatorial Geometry (COM-GEOM) Method

The Combinatorial Geometry (COM-GEOM) method was used to generate the geometric description of the Black Hawk that is to be used as an input for the computerized vulnerability analysis of the Black Hawk. Basically, COM-GEOM is a method for synthesizing a three-dimensional representation of an object (target, etc.) from a set of elementary solids that can readily be described mathematically in a Cartesian coordinate system. The set of solids which may be used along with their respective code designations are listed in Table I.

A description of the allowed COM-GEOM solid types may be found in the GIFT code report reference[2]. These solids may be combined using the set theory operations of union (sum), intersection, and difference to approximate the basic shape of the object. A complex target is resolved into a number of portions of components which are termed regions in COM-GEOM nomenclature.

Each region is defined by using one or more solids whose dimensions, locations, and orientations are specified in a common coordinate system. The operations used to combine solids are illustrated by the two-dimensional representation shown in Figure 1. The circles labeled A and B are assumed to represent elementary solids. The three operations for combining solids are schematically illustrated by the formation of the shaded figures from the two circles.

---

1. J. Bush and R. Keith Miller, "COVART - A Simulation Program For: Computation of Vulnerable Areas and Repair Times," Joint Technical Coordinating Group for Munitions Effectiveness (JTCG/ME) Manual, published by Armament Systems, Inc., Anaheim, Ca., Aug 1975.

2. L.W. Bain, Jr., M.J. Reisinger, "The GIFT Code User Manual, VOL I, Introduction and Input Requirements," Ballistic Research Laboratory Report No. 1802, Jul 1975. AD #B006037L

Table I. Combinatorial Geometry Solid Types

Symbol	Solid
ARB	Arbitrary Convex Polyhedron
ARS	Triangular Surface Polyhedron
BOX	Box
ELL	Ellipsoid
RAW	Right Angle Wedge
RCC	Right Circular Cylinder
REC	Right Elliptical Cylinder
RPP	Rectangular Parallelepiped
SPH	Sphere
TEC	Truncated Elliptical Cone
TOR	Torus
TRC	Truncated Right Angle Cone




Figure 1 - Intersection (+), Subtraction (-), Union (OR) of Solids.

A COM-GEOM target description will consist of three parts: (1) A Solid Table which contains the specifications for each solid required to synthesize all the target regions, (2) a Region Table which specifies how the solids (identified by number) are combined to form the target regions, and (3) a Region Identification Table which assigns code numbers to further specify the region and its role in the target description. The code numbers in the Region Identification Table are used to differentiate components and air spaces. Table II identifies the type of component described for a given item code number. The Region Identification Table also includes, in the comment portion of each card, a code number (Cols 75-76) for the type of material the component most nearly represents and a percentage of material (Cols 78-80) obtained by dividing the volume of the actual component by the volume of the described component. The overall density of a component as described is obtained by multiplying the density of the material by the percentage indicated. Table III identifies the material code used in the Region Identification Table along with the density.

B. Specific-Approach to COM-GEOM Modeling

Within the general framework and rules imposed by the COM-GEOM modeling method for describing targets, a number of decisions were made before beginning the development of the COM-GEOM description of the Black Hawk helicopter.

First, there is the matter of choice of coordinate system origin and orientation, and units of measure to be used. The origin was selected to be at the intersection of the centerline of the belly of the aircraft with the rearmost location of the tail. The following conventions are used: the xy plane is horizontal: the positive x-axis extends to the front of the helicopter and the positive y-axis extends to the left (port) side of the helicopter. The positive z-axis then extends in the vertical direction to yield a right-handed coordinate system. The units of measure in this report is millimeters.

The level of complexity and detail must be determined so that the resulting description is neither too crude nor too detailed. The factors influencing this decision are somewhat subjective, but in general the least complicated description which will still be adequate for all intended applications is sought. An oversimplified description would be of little value to a user because it tends to be insensitive to changes in weapon or projectile input data, and would possibly yield erroneous output information. The case against too elaborate a description is excessive cost and time with little or no increase in the accuracy of the vulnerability data derived through the use of the description. In the Black Hawk description, all components that were identified with an effect on the vulnerability of the helicopter were described.

Table II. Item Codes Used in Black Hawk Description

Item Code Series	Type of Components
100 - 199	Skin and Structure
200 - 299	Power Plant and Drive Train
300 - 399	Electronics
351 - 379	Passengers, Seats and Heater
380 - 399	Pilot and Co-Pilot
400 - 425	Fuel Tank and Lines
426 - 450	Hydraulics
451 - 475	Oil Components
525 - 550	Flight Instruments
551 - 699	Flight Controls
700 - 799	Miscellaneous Components
800 - 809	Armor
810 - 899	Rotor Blades
900 - 999	Armament

Table III. Material Codes and Densities Used in the Black Hawk Description

Code	Density (gm/cm^3)	Material
1	7.7641	Mild Steel
2	7.7641	Rolled Homogeneous Armor
5	2.7695	Mild Aluminum
7	8 9007	Copper
9	4.4824	Titanium
11	.7444	Unbonded Nylon
14	1.2166	Plexiglass
17	2.4653	Glass
18	.9356	Rubber
22	.7972	Fuel
26	1.3200	Fiberglass
27	.0803	Cushion Rubber
28	1.0990	Personnel
31	2.7695	Aluminum Armor (5083)
34	--	Canvas
35	--	Ceramic Armor
36	.1900	Paper - Celotex
37	2.4500	Boron

The generic data used to describe the Black Hawk helicopter consisted of a set of engineering drawings, and a set of reports which contains additional drawings, sketches and photographs. Most of these data were provided by the contractor.

C. Computer Target Description

A list of the COM-GEOM description of the Black Hawk helicopter may be found in the Appendix.

The completed COM-GEOM description of the Black Hawk helicopter was subjected to various procedures for error detection. These procedures constitute the validation of the target description. There are mainly three kinds of errors that can occur in a COM-GEOM target description: (1) invalid geometric data, (2) region overlaps or gaps and (3) region inaccuracies. Invalid geometric input data (for example, invalid solid description data or invalid solid combination operators) are routinely detected by internal checks found in the GIFT subroutine "GENI" which processes these data. Therefore, the COM-GEOM description of the Black Hawk contains no errors of this kind. Overlap errors will occur in the description whenever two or more defined regions occupy the same volume in excess of a prescribed tolerance. This tolerance is specified in terms of a maximum linear distance which any ray traced through the COM-GEOM description may travel within two or more regions at the same time. Likewise, there is a tolerance prescribed for gaps in the description where a ray might exit one region before striking another. For the present COM-GEOM description, both of these values were set to 0.254 millimeters. The final description has been checked using a large number of rays closely spaced and aligned with the coordinate axis, and all gaps and overlaps that were detected have been eliminated. However, since it would not be practical to trace enough rays through the description to be absolutely certain that no such errors exist, there is a small chance that some very minor overlaps or gaps might still remain in the final target description. The GRID subroutine of GIFT will relocate a ray path up to four times if necessary to bypass such minor overlaps in order to produce a shotline path free of overlap errors.

The third kind of description error is much more difficult to detect because the GIFT subroutines cannot identify region inaccuracies directly. Region inaccuracies usually result in misplaced or misshapened components; these are detectable only through careful examination of ray tracing data or pictures produced using the GIFT graphics subroutine. Pictures of the target readily indicate major description inaccuracies. These inaccuracies have been eliminated and the final target description appears to conform quite well with the drawings and photographs.

Figures 2 through 4 are photographs of the Black Hawk helicopter, and for comparison, figures 5 through 9 are exterior views of the COM-GEOM target description of the helicopter produced on a computer plotter using the PICTUR subroutine of the GIFT code. (Note, the Black Hawk in figure 2 has the engine exhaust IR suppressors that are modeled in the COM-GEOM description. The helicopter in figures 3 and 4 do not have these suppressors.) The computer drawings correspond to orthographic projections onto planes oriented normal to the viewing direction which is specified by azimuth and elevation angles. Azimuth is measured in the horizontal xy plane counterclockwise from the positive x-axis as seen from the top, and elevation is measured in the vertical xz plane upward from xy plane.

Figures 10 through 15 are computer drawings of the COM-GEOM description of the Black Hawk helicopter with selected components temporarily deleted from the target description by use of an input option in the PICTUR subroutine of GIFT. Figures 16 through 51 are sketches of the solids used in describing components which have many connected solids.

III. CONCLUSIONS

The Black Hawk helicopter has been described using methods of Combinatorial Geometry. The description is compatible with the GIFT computer code which has been developed to generate input data for target vulnerability analyses. Based upon the comparisons made between the combinatorial geometry description of the helicopter and the drawings and photographs upon which it is based, the description approximates the helicopter to a very acceptable degree. Within the constraints adopted, a great amount of detail has been included in this description with all critical and major masking components described. The complete helicopter target description contains 1792 solids and regions and requires about 66,000 words of computer memory on a 60 bit word computer for storage of the description.



Figure 2 - Photograph of Black Hawk which has an IR Suppressor for Engine Exhaust.




Figure 3 - Photograph of Black Hawk from Right Rear View.




Figure 4 - Photograph of Black Hawk from Left Front View.




Figure 5 - Computer Drawing of the COM-GEOM Description of the Black Hawk from 30 Degree Azimuth and -5 Degree Elevation Aspect.




Figure 6 - Computer Drawing of the COM-GEOM Description of the Black Hawk from the 60 Degree Azimuth and -10 Degree Elevation Aspect.




Figure 7 - Computer Drawing of the COM-GEOM Description of the Black Hawk from 0 Degree Azimuth and 0 Degree Elevation Aspect.




Figure 8 - Computer Drawing of the COM-GEOM Description of the Black Hawk from the 90 Degree Azimuth and 0 Degree Elevation Aspect.




Figure 9 - Computer Drawing of the COM-GEOM Description of the Black Hawk from the 90 Degree Azimuth and 90 Degree Elevation Aspect.




Figure 10 - Computer Drawing with the Skin and Some Exterior Components Removed from the COM-GEOM Description of the Black Hawk from the 90 Degree Azimuth and 0 Degree Elevation Aspect.




Figure 11 - Computer Drawing with the skin and most exterior components removed from the COM-GEOM Description of the Black Hawk from the 90 Degree Azimuth and 90 Degree Elevation Aspect.




Figure 12 - Computer Drawing of the Flight Controls of the COM-GEOM Description of the Black Hawk from the 45 Degree Azimuth and 30 Degree Elevation Aspect.




Figure 13 - Computer Drawing of the Personnel and Miscellaneous Components of the COM-GEOM Description of the Black Hawk from the 45 Degree Azimuth and 30 Degree Elevation Aspect.




Figure 14 - Computer Drawing of the Structural Components of the COM-GEOM Description of the Black Hawk from the 45 Degree Azimuth and 30 Degree Elevation Aspect.




Figure 15 - Computer Drawing of the Power Train of the COM-GEOM description of the Black Hawk from the 45 Degree Azimuth and 30 Degree Elevation Aspect.




Figure 16 - Solids Used to Describe the Nose and Cabin Skin of Black Hawk.




Figure 17 - Solids Used to Describe the Fuselage and Tail Skin of the Black Hawk.




Figure 18 - Solids used to Describe the Engine Cowling of the Black Hawk.




Figure 19 - Solids Used to Describe the Windows in the nose of the Black Hawk.




Figure 20 - Solids Used to Describe the Cabin Doors and Windows of the Black Hawk.




Figure 21 - Solids Used to Describe the Infrared Suppressors of the Black Hawk.




Figure 22 - Solids Used to Describe the Rear Stabilizer of the Black Hawk.




Figure 23 - Solids Used to Describe the Structural Components in the Nose of the Black Hawk.




Figure 24 - Solids Used to Describe the Structural Components in the Cabin of the Black Hawk.




Figure 25 - Solids Used to Describe the Structural Components in the Fuselage of the Black Hawk.




Figure 24 - Solids Used to Describe the Structural Components in the Cabin of the Black Hawk.




Figure 25 - Solids Used to Describe the Structural Components in the Fuselage of the Black Hawk.




Figure 24 - Solids Used to Describe the Structural Components in the Cabin of the Black Hawk.




Figure 25 - Solids Used to Describe the Structural Components in the Fuselage of the Black Hawk.




Figure 26 - Solids used to Describe the Structural Components in the Tail Cone of the Black Hawk.




Figure 27 - Solids used to Describe the Structural Components in the Tail of the Black Hawk.




Figure 28 - Solids Used to Describe the Electrical and Panel Components in the Nose of the Black Hawk.




Figure 29 - Solids Used to Describe the Pilot's Seat of the Black Hawk.




Figure 30 - Solids Used to Describe an Armor Wing of the Black Hawk.




Figure 31 - Solids Used to Describe a Machine Gun of the Black Hawk.




Figure 32 - Solids Used to Describe the Heater of the Black Hawk.




Figure 33 - Solids Used to Describe the Left Fuel Tank of the Black Hawk.




Figure 34 - Solids used to Describe Fuel Components of the Black Hawk.




Figure 35 - Solids Used to Describe the Left Fuel Line of the Black Hawk.




Figure 36 - Solids Used Describe the APU of the Black Hawk.




Figure 37 - Solids Used to Describe the Left Engine, Drive Train and Transmission of the Black Hawk.




Figure 39 - Solids Used to Describe the Front Tail Rotor Drive Shaft Components of the Black Hawk.




Figure 38 - Solids Used to Describe a Main Rotor Blade and Connected Components of the Black Hawk.




Figure 39 - Solids Used to Describe the Front Tail Rotor Drive Shaft Components of the Black Hawk.




Figure 40 - Solids Used to Describe the Rear Tail Rotor Drive Shaft Components of the Black Hawk.




Figure 42 - Solids Used to Describe a Tail Rotor Blade and Connected Components of the Black Hawk.




Figure 43 - Solids Used to Describe the Left Collective Control to Servo of the Black Hawk.




Figure 44 - Solids Used to Describe the Right Collective Control of the Black Hawk.




Figure 45 - Solids Used to Describe the Right Cyclic Control Components of the Black Hawk.




Figure 46 - Solids Used to Describe the Right Cyclic Control Linkage to Servo of the Black Hawk.




Figure 47 - Solids Used to Describe the Right Directional Control Components to Servo of the Black Hawk.




Figure 48 - Solids Used to Describe Directional Control Components from Servo to Rear Rotor of Black Hawk.




Figure 49 - Solids Used to Describe Cyclic Control Components from Servo to Main Rotor of Black Hawk.




Figure 50 - Solids Used to Describe the Collective Control Components from Servo to Main Rotor of the Black Hawk.




Figure 51 - Solids Used to Describe Front Landing Gear of the Black Hawk.

APPENDIX

COM-GEOM Description Listing

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION

SOLID NO	TYPE	DATA VALUES						REMARKS
01	REC	11577.828	-1181.1	830.072		2362.2		
01		3681.222		-322.072	67.056		767.334	
02	REC	11577.828	-1181.1	830.072		2362.2		
02		3680.412		-322.001	66.977		766.443	
03	RPP	13589.	14478.	-264.16	264.16	762.	1524.	
04	ELLG	13065.506		817.88	2518.41			
04			1181.608				1351.28	
05	ELLG	13065.506		817.88	2517.597			
05				1350.444		1180.795		
06	ELLG	14102.842		817.88	1156.208			
06			1034.288				1182.878	
07	ELLG	14102.842		817.88			1182.065	
07		1155.395				1033.475		
08	RPP	13131.8	14462.76	-1181.1	1181.1	-25.4	1600.2	
09	RPP	14462.76	15259.05	-982.98	982.98		1092.2	
10	TEC	14660.626	-337.82	508.	-1071.626		1092.2	
10			1669.542		381.254			
10		1.3157						
11	TEC	14659.991	-337.82	508.	-1071.626		1092.2	
11			1668.678		380.467			
11		1.3171						
12	TEC	14660.626	337.82	508.	-1071.626		1092.2	
12			1669.542		381.254			
12		1.3157						
13	TEC	14659.991	337.82	508.	-1071.626		1092.2	
13			1668.678		380.467			
13		1.3171						
14	ARBB	15062.2	1181.1	508.	13868.4	1181.1	1600.2	
14		13589.	1181.1	1600.2	14660.626	1181.1	508.	
14		15062.2	264.16	508.	13868.4	264.16	1600.2	
14		13589.	264.16	1600.2	14660.626	264.16	508.	

TABLE A-I. SOLID TABLE FOR BLACK BACK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
15ARBB		15062.2	-1181.1	508.	13868.4	-1181.1	1600.2
15		13589.	-1181.1	1600.2	14660.626	-1181.1	508.
15		15062.2	-264.16	508.	13868.4	-264.16	1600.2
15		13589.	-264.16	1600.2	14660.626	-264.16	508.
16ARBB		15016.226	264.16	508.	13844.092	264.16	1600.2
16		13131.8	264.16	1600.2	13131.8	264.16	508.
16		15016.226	-264.16	508.	13844.092	-264.16	1600.2
16		13131.8	-264.16	1600.2	13131.8	-264.16	508.
17ARBB		15015.032	264.16	508.	13841.806	264.16	1600.2
17		13131.8	264.16	1600.2	13131.8	264.16	508.
17		15015.032	-264.16	508.	13841.806	-264.16	1600.2
17		13131.8	-264.16	1600.2	13131.8	-264.16	508.
18ARBB		14660.626	1181.1	508.	13589.	1181.1	1600.2
18		13131.8	1181.1	1600.2	13131.8	1181.1	508.
18		14660.626	-1181.1	508.	13589.	-1181.1	1600.2
18		13131.8	-1181.1	1600.2	13131.8	-1181.1	508.
19RPP		13131.8	13843.	-264.16	264.16	1600.2	1752.6
20RCC		13119.354	-609.6	1589.786		1219.2	
20		725.17					162.814
21RFC		13119.354	-609.6	1589.786		1219.2	
21		724.357					161.925
22ELLG		13119.354		1589.786	738.632		
22			1382.522				162.814
23ELLG		13119.354		1589.786		1381.709	
23		737.796					161.923
24RPP		13131.8	13868.4	264.16	609.6	1600.2	1752.6
25FPP		13131.8	13868.4	-609.6	-264.16	1600.2	1752.6
26ELLG		13119.354	609.6	1589.786	661.416		
26			421.894				146.05
27ELLG		13119.354	609.6	1589.786	660.603		
27			421.061				145.237

TABLE A-1. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
28	RPP	13131.8	13617.6	609.6	1041.4	1600.2	1752.6	
29	ELLG	13119.354	-609.6	1589.786	661.416			
29			421.894				146.05	
30	ELLG	13119.354	-609.6	1589.786	660.603			
30			421.081				145.237	
31	RPP	13131.8	13617.6	-1041.4	-609.6	1600.2	1752.6	
32	RPP	9296.4	13131.6	-943.102	943.102		.813	
33	RPP	9296.4	13131.6	-1183.64	1183.64	.813	1645.92	
34	REC	9296.4	898.906	817.88	3835.4			
34				828.04		282.194		
35	REC	9296.4	898.906	817.88	3835.4			
35				827.227		281.33		
36	REC	9296.4	-898.906	817.88	3835.4			
36				828.04		282.194		
37	REC	9296.4	-898.906	817.88	3835.4			
37				827.227		281.33		
38	RPP	9296.4	13131.6	-898.906	898.906	.813	1645.92	
39	ARB8	9296.4	898.906	1645.92	9296.4	482.6	1752.6	
39		9296.4	-482.6	1752.6	9296.4	-898.906	1645.92	
39		10566.4	898.906	1645.92	10566.4	482.6	1752.6	
39		10566.4	-482.6	1752.6	10566.4	-898.906	1645.92	
40	ARB8	9296.4	896.341	1645.92	9296.4	482.524	1751.965	
40		9296.4	-482.524	1751.965	9296.4	-896.341	1645.92	
40		10566.4	896.341	1645.92	10566.4	482.524	1751.965	
40		10566.4	-482.524	1751.965	10566.4	-896.341	1645.92	
41	ARB8	10566.4	898.906	1645.92	10566.4	482.6	1752.6	
41		10566.4	-482.6	1752.6	10566.4	-898.906	1645.92	
41		11963.4	898.906	1645.92	11963.4	482.6	1752.6	
41		11963.4	-482.6	1752.6	11963.4	-898.906	1645.92	
42	ARB8	10566.4	894.817	1645.92	10566.4	482.473	1751.584	
42		10566.4	-482.473	1751.584	10566.4	-894.817	1645.92	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
42		11963.4	894.817	1645.92	11963.4	482.473	1751.584	
42		11963.4	-482.473	1751.584	11963.4	-894.817	1645.92	
43	ARB8	11963.4	898.906	1645.92	11963.4	482.6	1752.6	
43		11963.4	-482.6	1752.6	11963.4	-898.906	1645.92	
43		13131.8	898.906	1645.92	13131.8	482.6	1752.6	
43		13131.8	-482.6	1752.6	13131.8	-898.906	1645.92	
44	ARB8	11963.4	896.341	1645.92	11963.4	482.524	1751.965	
44		11963.4	-482.524	1751.965	11963.4	-896.341	1645.92	
44		13131.8	896.341	1645.92	13131.8	482.524	1751.965	
44		13131.8	-482.524	1751.965	13131.8	-896.341	1645.92	
45	TEC	9296.4		817.88	-406.4		58.42	
45				2585.72		1181.1		
45		1.0288						
46	TEC	9296.4		817.88	-406.4		58.42	
46				2584.884		1177.989		
46		1.0288						
47	TEC	9296.4		817.88	-406.4		58.42	
47				2584.676		1177.211		
47		1.0288						
48	TEC	9297.035		817.712	-407.035		58.509	
48				2585.182		1180.915		
48		1.0302						
49	RPP	8890.	9296.4	-1181.1	1181.1		381.	
50	RPP	8890.	9296.4	-1181.1	1181.1	381.	825.5	
51	RPP	8890.	9296.4	-1181.1	1181.1	825.5	1752.6	
52	REC	9296.4		876.3	-406.4			
52			1879.854				876.3	
53	REC	9297.035		876.3	-407.035			
53			1879.219				874.54	
54	REC	9296.4		876.3	-406.4			
54			1879.041				874.047	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
55	TEC	8890.		876.3	-1727.2		-93.98	
55				2513.33		1148.08		
55		2.5308						
56	TEC	8890.		876.282	-1727.2		-93.98	
56				2512.245		1146.762		
56		2.5343						
57	TEC	8890.		876.277	-1727.2		-93.98	
57				2511.974		1146.434		
57		2.5352						
58	TEC	8890.		876.285	-1727.2		-93.98	
58				2512.482		1147.051		
58		2.5335						
59	RPP	7162.8	8890.	-1148.08	1148.08		381.	
60	RPP	7162.8	8890.	-1148.08	1148.08	381.	825.5	
61	RPP	7162.8	8890.	-1148.08	1148.08	825.5	1752.6	
62	TEC	8890.		876.3	-1727.2		-93.98	
62			1879.654				876.3	
62		1.2148						
63	TEC	8890.		876.28	-1727.2		-93.98	
63			1879.206				875.502	
63		1.2149						
64	TEC	8890.		876.272	-1727.2		-93.98	
64			1879.026				875.282	
64		1.215						
65	RPP	8204.2	8890.	-1148.08	114 .08		381.	
66	TEC	7162.8		782.32	-303 .76		-137.16	
66				993.14		453.644		
66		1.6325						
67	TEC	7162.8		782.312	-3032.76		-137.16	
67				992.317		452.773		
67		1.6341						

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
68	TEC	7162.8		782.32	-3032.76		-137.16	
68				721.36		540.512		
68		1.6322						
69	TEC	7162.8		782.315	-3032.76		-137.16	
69				720.542		539.689		
69		1.6336						
70	TEC	7162.8		782.315	-3032.76		-137.16	
70				720.72		539.869		
70		1.6332						
71	RPP	4130.04	7162.8	-454.66	454.66	581.66	1503.68	
72	RPP	4130.04	4130.675	-139.7	139.7	203.2	365.76	
73	TEC	4130.04		645.16	-1203.96		-54.356	
73				608.33		277.876		
73		1.3341						
74	TEC	4130.04		645.152	-1203.96		-54.356	
74				607.301		276.761		
74		1.3355						
75	TEC	4130.04		645.16	-1203.96		-54.356	
75				441.96		331.165		
75		1.251						
76	TEC	4130.04		645.155	-1203.96		-54.356	
76				440.939		330.131		
76		1.251						
77	ARB8	4130.04	431.8	365.76	4130.04	431.8	1341.12	
77		3169.92	431.8	1341.12	2926.08	431.8	365.76	
77		4130.04	-431.8	365.76	4130.04	-431.8	1341.12	
77		3169.92	-431.8	1341.12	2926.08	-431.8	365.76	
78	ARB8	4130.04	431.8	366.776	4130.04	431.8	1341.12	
78		3169.92	431.8	1341.12	2926.334	431.8	366.776	
78		4130.04	-431.8	366.776	4130.04	-431.8	1341.12	
78		3169.92	-431.8	1341.12	2926.334	-431.8	366.776	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
79	RCC	6558.28		1519.682	-3454.4		-534.67
79		149.352					
80	RCC	6558.28		1519.682	-3454.4		-534.67
80		148.717					
81	BOX	6558.28	-149.352	1519.682	-3454.4		-534.67
81			298.704		23.368		-150.622
82	BOX	6553.2	-148.717	1519.58	-3453.765		-534.568
82			297.434		23.368		-150.622
83	TEC	3108.96		701.04	-1544.32		
83				335.28		223.52	
83		1.5204					
84	TEC	3108.96		701.04	-1544.32		
84				333.675		221.887	
84		1.5254					
85	ARB8	2926.08	355.6	365.76	3169.92	355.6	1341.12
85		1534.16	355.6	1341.12	2179.32	355.6	501.142
85		2926.08	-355.6	365.76	3169.92	-355.6	1341.12
85		1534.16	-355.6	1341.12	2179.32	-355.6	501.142
86	ARB8	2924.886	355.6	367.614	3168.269	355.6	1341.12
86		1536.167	355.6	1341.12	2180.209	355.6	502.615
86		2924.886	-355.6	367.614	3168.269	-355.6	1341.12
86		1536.167	-355.6	1341.12	2180.209	-355.6	502.615
87	ARB8	2184.4	101.6	497.84	2184.4	101.6	1300.48
87		1412.24	12.7	751.84	141 .24	12.7	640.08
87		2184.4	-101.6	497.84	218 .4	-101.6	1300.48
87		1412.24	-12.7	751.84	1412.24	-12.7	640.08
88	ARB8	2184.4	99.974	499.468	2184.4	99.974	1298.517
88		1413.84	11.364	751.015	1413.84	11.364	641.414
88		2184.4	-99.974	499.468	2184.4	-99.974	1298.517
88		1413.84	-11.364	751.015	1413.84	-11.364	641.414
89	TEC	3108.96		955.04	-1544.32		

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
89			165.862		140.462		
89		1.5825					
90	TEC	3108.96		955.04	-1544.32		
90				164.262		138.862	
90		1.5924					
91	TEC	3108.96		955.04	-1290.32		
91				165.227		139.827	
91		1.4924					
92	BOX	2885.44	-177.8	365.76	-720.344		863.6
92			355.6		1016.		847.344
93	ARB8	1717.04	203.2	968.502	1516.126	203.2	1253.744
93		1062.736	203.2	1312.164	1412.24	203.2	751.84
93		1717.04	-203.2	968.502	1516.126	-203.2	1253.744
93		1062.736	-203.2	1312.164	1412.24	-203.2	751.84
94	ARB8	1719.265	203.2	968.121	1517.028	203.2	1255.24
94		1061.641	203.2	1313.919	1413.088	203.2	750.479
94		1719.265	-203.2	968.121	1517.028	-203.2	1255.24
94		1061.641	-203.2	1313.919	1413.088	-203.2	750.479
95	TEC	2523.236		731.52	-2081.276		2436.622
95		650.24				173.482	
95		1.5039					
96	TEC	2523.142		731.52	-2081.276		2436.622
96		648.132				171.709	
96		1.5126					
97	TEC	2523.198		731.52	-2081.276		2436.622
97		649.402				172.778	
97		1.5085					
98	TEC	2523.175		731.52	-2081.276		2436.622
98		648.901				172.354	
98		1.5101					
99	BOX	2885.44	-177.8	365.76	-2436.368		2921.

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
99			355.6		508.		423.672	
100	BOX	1957.502	-177.8	1478.28	685.8		-822.198	
100			355.6		-482.6		-402.59	
101	BOX	1957.502	-177.8	1478.28	-2118.614		2540.	
101			355.6		-482.6		-402.59	
102	BOX	2181.86	-177.8	502.92	-2247.9		2973.324	
102			355.6		-243.078		-183.896	
103	ARB6	1625.6	76.2	1239.52	1625.6	-76.2	1239.52	
103		1188.72	-76.2	1818.64	1188.72	76.2	1818.64	
103		1062.736		1312.164	680.658		1818.64	
104	TEC	441.96		3168.142	-218.44		235.458	
104		431.8				115.316		
104		3.6957						
105	TEC	441.518		3168.142	-217.851		234.823	
105		430.67				114.587		
105		3.7245						
106	ELLG	817.88	-50.8	3040.38	350.52			
106			447.04				254.	
107	ELLG	817.88	-50.8	3040.38		446.405		
107		349.885					253.36	
108	ELLG	817.88	-50.8	3040.38	350.52			
108			223.52				254.	
109	ELLG	817.88	-50.8	3040.38	349.885			
109				253.36		222.885		
110	RPP	467.36	1168.4	-50.8	3[illegible]5.24	2786.38	3294.38	
111	RCC	10414.	-1219.2	-6705.6		2438.4		
111		9070.086						
112	RCC	10414.	-1219.2	-6705.6		2438.4		
112		9069.451						
113	TEC	11417.808	-176.022	1653.62	-276.86		657.098	
113		1985.264				1019.81		

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
113		1.1539						
114	TEC	11417.714	-176.022	1658.62	-276.86		657.098	
114		1984.535				1019.142		
114		1.154						
115	TEC	11417.808	176.022	1658.62	-276.86		657.098	
115		1985.264				1019.81		
115		1.1539						
116	TEC	11417.714	176.022	1658.62	-276.86		657.098	
116		1984.535				1019.142		
116		1.154						
117	RPP	11353.8	13360.4		863.6	1658.62	2336.8	
118	RPP	11353.8	13360.4	-863.6		1658.62	2336.8	
119	RPP	11330.305	11353.8	685.8	863.6	1651.	2336.8	
120	RPP	11330.305	11353.8	-863.6	-685.8	1651.	2336.8	
121	ARB8	11353.8	843.28	1658.62	11353.8	690.372	2364.486	
121		9177.02	690.372	2364.486	9245.6	843.28	1658.62	
121		11353.8	-843.28	1658.62	11353.8	-690.372	2364.486	
121		9177.02	-690.372	2364.486	9245.6	-843.28	1658.62	
122	ARB8	11353.8	842.493	1659.255	11353.8	689.722	2364.486	
122		9177.02	689.722	2364.486	9245.539	842.493	1659.255	
122		11353.8	-842.493	1659.255	11353.8	-689.722	2364.486	
122		9177.02	-689.722	2364.486	9245.539	-842.493	1659.255	
123	TRC	10596.88	762.	1981.2	429.26			
123		452.12	391.16					
124	TRC	10596.88	762.	1981.2	428.625			
124		451.477	390.606					
125	TRC	10596.88	-762.	1981.2	429.26			
125		452.12	391.16					
126	TRC	10596.88	-762.	1981.2	428.625			
126		451.477	390.606					
127	RCC	10596.88	762.	1981.2	-1419.86			

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
127		452.12					
128	RCC	10596.88	762.	1981.2	-1419.86		
128		451.485					
129	RCC	10596.88	-762.	1981.2	-1419.86		
129		452.12					
130	RCC	10596.88	-762.	1981.2	-1419.86		
130		451.485					
131	ARB8	11023.6	1219.2	1795.526	11023.6	1219.2	2364.486
131		9177.02	1219.2	2364.486	9232.646	1219.2	1795.526
131		11023.6	850.646	1624.33	11023.6	690.372	2364.486
131		9177.02	690.372	2364.486	9249.385	850.646	1624.33
132	ARB8	11023.6	1219.2	1796.227	11023.6	1219.2	2364.486
132		9176.255	1219.2	2364.486	9231.813	1219.2	1796.227
132		11023.6	849.8	1624.637	11023.6	689.592	2364.486
132		9176.258	689.592	2364.486	9248.587	849.8	1624.637
133	ARB8	11023.6	-1219.2	1795.526	11023.6	-1219.2	2364.486
133		9177.02	-1219.2	2364.486	9232.646	-1219.2	1795.526
133		11023.6	-850.646	1624.33	11023.6	-690.372	2364.486
133		9177.02	-690.372	2364.486	9249.385	-850.646	1624.33
134	ARB8	11023.6	-1219.2	1796.227	11023.6	-1219.2	2364.486
134		9176.258	-1219.2	2364.486	9231.813	-1219.2	1796.227
134		11023.6	-849.8	1624.637	11023.6	-689.592	2364.486
134		9176.255	-689.592	2364.486	9248.587	-849.8	1624.637
135	RCC	10656.57		2180.59	11.989		228.6
135		508.					
136	RCC	9561.83	-1219.2	-4354.576		2489.2	
136		6646.164					
137	RCC	9561.83	-1219.2	-4354.576		2489.2	
137		6645.529					
138	ARB8	7924.8	352.298	781.812	7924.8	-352.298	781.812
138		7749.54	-352.298	2039.62	7749.54	352.298	2039.62

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
138		6696.202		492.785	6532.626		1666.748	
139ARB6		7924.8	352.298	781.812	7924.8	-352.298	781.812	
139		7749.642	-352.298	2038.985	7749.642	352.298	2038.985	
139		6696.202		492.785	6532.728		1666.113	
140TEC		7797.8	352.298	1692.402	-1244.6	-352.298	-173.482	
140		-48.26		347.218		350.52		
140		2.3485						
141TEC		7797.8	352.298	1692.402	-1244.6	-352.298	-173.482	
141		-48.166		346.555		349.849		
141		2.3545						
142TEC		7797.8	-352.298	1692.402	-1244.6	352.298	-173.482	
142		-48.26		347.218		350.52		
142		2.3485						
143TEC		7797.8	-352.298	1692.402	-1244.6	352.298	-173.482	
143		-48.166		346.555		349.849		
143		2.3543						
144RPP		6527.8	7924.8	-711.2		1143.	2387.6	
145TEC		8890.	694.436	1844.548	-1092.2	-342.138	-152.146	
145		-62.332		447.827		452.12		
145		1.2899						
146TEC		8890.	694.418	1844.546	-1092.2	-342.138	-152.146	
146		-62.243		447.195		451.452		
146		1.2904						
147TEC		8890.	-694.436	1844.548	-1092.2	342.138	-152.146	
147		-62.332		447.827		452.12		
147		1.2899						
148TEC		8890.	-694.418	1844.546	-1092.2	342.138	-152.146	
148		-62.243		447.195		451.452		
148		1.2904						
149ARB8		8890.	694.436	1143.	8890.	694.436	2387.6	
149		7701.051	337.769	2387.6	7874.483	389.796	1143.	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
149		8890.	-694.436	1143.	8890.	-694.436	2387.6	
149		7701.051	-337.769	2387.6	7874.483	-389.796	1143.	
150	ARB8	9295.638	1270.	1143.	9177.02	1270.	2364.486	
150		8813.8	1270.	2364.486	8813.8	1270.	1143.	
150		9295.638	-1270.	1143.	9177.02	-1270.	2364.486	
150		8813.8	-1270.	2364.486	8813.8	-1270.	1143.	
151	ARB8	9295.001	1270.	1143.	9176.383	1270.	2364.486	
151		8813.8	1270.	2364.486	8813.8	1270.	1143.	
151		9295.001	-1270.	1143.	9176.383	-1270.	2364.486	
151		8813.8	-1270.	2364.486	8813.8	-1270.	1143.	
152	RPP	8890.	9296.4	-762.	762.	1143.	2387.6	
153	TEC	9296.4	762.	1901.19	-406.4	-67.564	-56.642	
153		-62.332		447.827		452.12		
153		1.						
154	TEC	9296.4	762.	1901.19	-406.4	-67.564	-56.642	
154		-62.243		447.198		451.475		
154		1.						
155	TEC	9296.4	-762.	1901.19	-406.4	67.564	-56.642	
155		-62.332		447.827		452.12		
155		1.						
156	TEC	9296.4	-762.	1901.19	-406.4	67.564	-56.642	
156		-62.243		447.198		451.475		
156		1.						
157	ARB6	22860.	777.24	883.92	14665.96	777.24	883.92	
157		14665.96	777.24	76.2	22860.	777.24	76.2	
157		14137.64	1092.2	883.92	14137.64	1092.2	76.2	
158	ARB6	22860.	-777.24	883.92	14665.96	-777.24	883.92	
158		14665.96	-777.24	76.2	22860.	-777.24	76.2	
158		14137.64	-1092.2	883.92	14137.64	-1092.2	76.2	
159	ARB8	14102.08	1193.8	820.42	13632.18	1193.8	1516.38	
159		13215.62	1193.8	1516.38	13215.62	1193.8	820.42	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
159		14102.08	889.	820.42	13632.18	889.	1516.38	
159		13215.62	889.	1516.38	13215.62	889.	820.42	
160	ARB8	14102.08	-1193.8	820.42	13632.18	-1193.8	1516.38	
160		13215.62	-1193.8	1516.38	13215.62	-1193.8	820.42	
160		14102.08	-889.	820.42	13632.18	-889.	1516.38	
160		13215.62	-889.	1516.38	13215.62	-889.	820.42	
161	ARB8	14472.92	1193.8	1109.98	14472.92	1193.8	1559.56	
161		13761.72	1193.8	1559.56	14201.14	1193.8	919.48	
161		14472.92	276.86	1109.98	14472.92	276.86	1559.56	
161		13761.72	276.86	1559.56	14201.14	276.86	919.48	
162	ARB8	14472.92	-1193.8	1109.98	14472.92	-1193.8	1559.56	
162		13761.72	-1193.8	1559.56	14201.14	-1193.8	919.48	
162		14472.92	-276.86	1109.98	14472.92	-276.86	1559.56	
162		13761.72	-276.86	1559.56	14201.14	-276.86	919.48	
163	BOX	14435.607	-223.52	1049.02	-554.584		516.763	
163			447.04		-3.302		-3.531	
164	REC	11577.828	-1181.1	830.072		2362.2		
164		3676.421		-321.64	66.624		762.533	
165	ELLG	13065.506		817.88	2513.584			
165			1176.782				1346.454	
166	ELLG	14102.842		817.88	1151.382			
166			1029.452				1178.052	
167	TEC	14656.892	-337.82	508.	-1071.626		1092.2	
167			1664.411		372.034			
167		1.3244						
168	TEC	14656.892	337.82	508.	-1071.626		1092.2	
168			1664.411		372.034			
168		1.3244						
169	RPP	13378.18	13870.94	279.4	990.6	1612.9	1752.6	
170	RPP	13378.18	13870.94	-990.6	-279.4	1612.9	1752.6	
171	ELLG	13119.354		1589.786	733.806			

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
171		1377.696					157.988
172ELLG	13119.354	609.6	1589.786	656.59			
172		417.068					141.224
173ELLG	13119.354	-609.6	1589.786	656.59			
173		417.068					141.224
174TOR	11890.571	1379.22	-423.753		25.4		
174	210.82	96.52					
175RCC	11890.571	1282.7	-423.753		193.04		
175	167.96						
176RCC	11890.571	1475.74	-423.753		-350.52		
176	40.64						
177ARBB	11942.77	1275.08	-427.894	11916.935	1275.08	-377.802	
177	11728.112	1275.08	-391.706	11844.32	1275.08	-578.284	
177	11942.77	1143.	-427.894	11916.935	1143.	-377.802	
177	11728.112	1143.	-391.706	11844.32	1143.	-578.284	
178ARBB	12524.224	1249.68	-85.936	12459.35	1249.68	13.945	
178	11845.359	1275.08	-379.811	11908.975	1274.973	-472.178	
178	12524.224	1168.4	-85.936	12459.35	1168.4	13.945	
178	11845.359	1143.	-379.811	11908.975	1143.107	-472.178	
179ARBB	12647.755	1275.08	22.296	12606.792	1275.08	82.4	
179	12459.35	1275.08	13.945	12524.224	1275.08	-85.936	
179	12647.755	1143.	22.296	12606.792	1143.	82.4	
179	12459.35	1143.	13.945	12524.224	1143.	-85.936	
180ARBB	12656.82	1300.48	1.6	656.82	1300.48	149.86	
180	12557.76	1300.48	45.72	12557.76	1300.48	1.6	
180	12656.82	1117.6	1.6	12656.82	1117.6	149.86	
180	12557.76	1117.6	45.72	12557.76	1117.6	1.6	
181RCC	12976.86	1381.76	160.02		-381.		
181	407.416		101.6	-25.4		101.854	
182RPP	12656.82	13411.2	1000.76	1381.76		330.2	
183RCC	11765.026	1191.26	-407.67	-14.732	-5.842	274.066	

TABLE A-1. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
183		38.1						
184RCC		11750.294	1185.418	-133.604	-22.606	-8.89	423.926	
184		71.12						
185RCC		11707.622	1171.448	667.004	-34.036	-13.462	637.032	
185		71.12						
186RCC		11736.07	1182.624	134.62	-56.642	-22.352	1060.704	
186		55.88						
187ARB8		11737.34	1092.2	1303.02	11709.4	1092.2	1358.9	
187		11633.2	1092.2	1358.9	11595.1	1092.2	1303.02	
187		11737.34	1168.4	1303.02	11709.4	1168.4	1358.9	
187		11633.2	1168.4	1358.9	11595.1	1168.4	1303.02	
188RPP		11531.6	11912.6	1016.	1092.2	1320.8	1371.6	
189TOR		11890.571	-1379.22	-423.753		-25.4		
189		210.82	96.52					
190RCC		11890.571	-1262.7	-423.753		-193.04		
190		187.96						
191RCC		11890.571	-1475.74	-423.753		350.52		
191		40.64						
192ARB8		11942.77	-1275.08	-427.694	11918.935	-1275.08	-377.802	
192		11728.112	-1275.08	-391.706	11644.32	-1275.08	-578.284	
192		11942.77	-1143.	-427.694	11918.935	-1143.	-377.802	
192		11728.112	-1143.	-391.706	11644.32	-1143.	-578.284	
193ARB8		12524.224	-1249.68	-85.936	12459.35	-1249.68	13.945	
193		11845.359	-1275.08	-379.811	11908.975	-1274.973	-472.178	
193		12524.224	-1168.4	-85.936	12459.35	-1168.4	13.945	
193		11845.359	-1143.	-379.811	11908.975	-1143.107	-472.178	
194ARB8		12647.755	-1275.08	22.296	12606.792	-1275.08	82.4	
194		12459.35	-1275.08	13.945	12524.224	-1275.08	-85.936	
194		12647.755	-1143.	22.296	12606.792	-1143.	82.4	
194		12459.35	-1143.	13.945	12524.224	-1143.	-85.936	
195ARB8		12650.62	-1300.48	1.6	12650.62	-1300.48	149.86	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
195		12557.76	-1300.48	45.72	12557.76	-1300.48	1.6	
195		12656.82	-1117.6	1.6	12656.82	-1117.6	149.86	
195		12557.76	-1117.6	45.72	12557.76	-1117.6	1.6	
196	REC	12976.86	-1391.76	160.02		381.		
196		407.416		101.6	-25.4		101.854	
197	RPP	12656.82	13411.2	-1381.76	-1000.76		330.2	
198	RCC	11765.026	-1191.26	-407.67	-14.732	5.842	274.066	
198		38.1						
199	RCC	11750.294	-1185.418	-133.604	-22.606	8.89	423.926	
199		71.12						
200	RCC	11707.622	-1171.448	667.004	-34.036	13.462	637.032	
200		71.12						
201	RCC	11736.07	-1162.624	134.62	-56.642	22.352	1060.704	
201		55.88						
202	ARB8	11737.34	-1092.2	1303.02	11709.4	-1092.2	1358.9	
202		11633.2	-1092.2	1358.9	11595.1	-1092.2	1303.02	
202		11737.34	-1168.4	1303.02	11709.4	-1168.4	1358.9	
202		11633.2	-1168.4	1358.9	11595.1	-1168.4	1303.02	
203	RPP	11531.6	11912.6	-1092.2	-1016.	1320.8	1371.6	
204	REC	11711.94	1191.26	228.6			1437.64	
204		236.22				78.74		
205	REC	11711.94	1191.26	228.6			1437.64	
205		235.585				78.105		
206	ARB8	11546.84	482.6	170.18	11546.84	482.6	1750.06	
206		11546.84	1295.4	1541.78	11546.84	1295.4	279.4	
206		11907.52	482.6	170.18	11907.52	482.6	1750.06	
206		11907.52	1295.4	1541.78	11907.52	1295.4	279.4	
207	ARB8	11547.475	482.6	170.18	11547.475	482.6	1749.4	
207		11547.475	1295.4	1541.12	11547.475	1295.4	279.4	
207		11906.885	482.6	170.18	11906.885	482.6	1749.4	
207		11906.885	1295.4	1541.12	11906.885	1295.4	279.4	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
206	REC	11711.94	-1191.26	228.6			1437.64	
208		236.22				78.74		
209	REC	11711.94	-1191.26	228.6			1437.64	
209		234.62				77.14		
210	ARB8	11546.84	-482.6	170.18	11546.84	-482.6	1750.06	
210		11546.84	-1295.4	1541.78	11546.84	-1295.4	279.4	
210		11907.52	-482.6	170.18	11907.52	-482.6	1750.06	
210		11907.52	-1295.4	1541.78	11907.52	-1295.4	279.4	
211	ARB8	11547.475	-482.6	170.18	11547.475	-482.6	1749.4	
211		11547.475	-1295.4	1541.12	11547.475	-1295.4	279.4	
211		11906.885	-482.6	170.18	11906.885	-482.6	1749.4	
211		11906.885	-1295.4	1541.12	11906.885	-1295.4	279.4	
212	REC	11546.84		817.88	360.68			
212				1473.2		1066.8		
213	REC	11546.84		817.88	360.68			
213				1472.565		1066.165		
214	RPP	11531.6	11912.6	482.6	1191.26	170.18	1661.16	
215	RPP	11531.6	11912.6	-1168.4	-482.6	170.18	1661.16	
216	BOX	11547.475	482.6	170.18	359.41			
216			812.8	109.22		-.084	.63	
217	BOX	11547.475	-482.6	170.18	359.41			
217			-812.8	109.22		.084	.63	
218	TRC	4038.953		218.432	61.097		59.053	
218		55.88	17.78					
219	RCC	4038.953		218.432	-35.698		-34.615	
219		68.58						
220	RCC	4003.055		185.817	-410.129		-396.042	
220		58.42						
221	RCC	3621.41		-185.11	-102.408		-40.34	
221		58.42						
222	RCC	3529.355		-206.639	-36.66		165.951	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
222		83.82					
223	RCC	3534.237		-313.035	-45.255		204.493
223		50.8					
224	BOX	3584.702	-127.	-302.768	-99.39		-22.428
224			254.		-5.486		24.892
225	ARB8	3322.066	127.	-529.336	3584.702	127.	-302.768
225		3480.308	127.	-300.228	3284.982	127.	-495.554
225		3322.066	101.6	-529.336	3584.702	101.6	-302.768
225		3480.308	101.6	-300.228	3284.982	101.6	-495.554
226	ARB8	3322.066	-127.	-529.336	3584.702	-127.	-302.768
226		3480.308	-127.	-300.228	3284.982	-127.	-495.554
226		3322.066	-101.6	-529.336	3584.702	-101.6	-302.768
226		3480.308	-101.6	-300.228	3284.982	-101.6	-495.554
227	RCC	3304.032	-127.	-513.588		254.	
227		30.48					
228	RCC	3304.032	-76.2	-513.588		152.4	
228		101.6					
229	RCC	3304.032	-76.2	-513.588		152.4	
229		226.06					
230	RCC	3637.554		24.054	-156.336		-152.791
230		71.12					
231	ARB8	3757.	16.002	28.644	3653.422	16.002	63.378
231		3621.982	16.002	27.206	3664.034	16.002	-56.212
231		3757.	-16.002	28.644	3653.422	-16.002	63.378
231		3621.982	-16.002	27.206	3664.034	-16.002	-56.212
232	ARB8	3710.107	9.652	16.962	3665.426	9.652	93.609
232		3598.636	9.652	25.38	3673.813	9.652	-20.693
232		3710.107	-9.652	16.962	3665.426	-9.652	93.609
232		3598.636	-9.652	25.38	3673.813	-9.652	-20.693
233	RCC	3632.2		59.69	-141.476		275.59
233		50.8					

TABLE A-1. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
234	RCC	3284.982		735.838	242.062		-471.424
234		35.56					
235	RCC	3244.85		814.07	127.		-247.396
235		50.8					
236	ARB8	3279.14	9.652	833.12	3215.64	9.652	899.16
236		3172.46	9.652	873.76	3210.56	9.652	795.02
236		3279.14	-9.652	833.12	3215.64	-9.652	899.16
236		3172.46	-9.652	873.76	3210.56	-9.652	795.02
237	ARB8	4130.04	7.62	205.74	4130.04	7.62	365.76
237		4084.32	7.62	365.76	4058.92	7.62	254.
237		4130.04	-7.62	205.74	4130.04	-7.62	365.76
237		4084.32	-7.62	365.76	4058.92	-7.62	254.
238	REC	12588.24	898.906	817.88	792.48		
238				854.202		308.356	
239	RPP	12588.24	12994.64	914.4	1209.04	792.48	1549.4
240	REC	12590.78	898.906	817.88	408.94		
240				841.248		295.402	
241	RPP	12608.56	12999.72	914.4	1209.04	792.48	1549.4
242	REC	12677.14	898.906	817.88	241.3		
242				844.55		298.704	
243	RPP	12677.14	12918.44	914.4	1209.04	833.12	1435.1
244	REC	12656.82	898.906	817.88	241.3		
244				831.596		265.75	
245	RPP	12656.82	12898.12	914.4	1209.04	833.12	1435.1
246	RPP	11892.28	13004.6	990.6	1064.26	1549.4	1579.88
247	RPP	11892.28	13004.6	1168.4	1209.04	779.78	792.48
248	REC	12588.24	-898.906	817.88	792.48		
248				854.202		-308.356	
249	RPP	12588.24	12994.64	-1209.04	-914.4	792.48	1540.4
250	REC	12590.78	-898.906	817.88	408.94		
250				841.248		-295.402	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
251	RPP	12608.56	12999.72	-1209.04	-914.4	792.48	1549.4	
252	REC	12677.14	-898.906	817.88	241.3			
252				844.55		-298.704		
253	RPP	12677.14	12918.44	-1209.04	-914.4	833.12	1435.1	
254	REC	12656.82	-898.906	817.88	241.3			
254				831.596		-285.75		
255	RPP	12656.82	12898.12	-1209.04	-914.4	833.12	1435.1	
256	RPP	11892.28	13004.8	-1064.26	-990.6	1549.4	1579.88	
257	RPP	11892.28	13004.8	-1209.04	-1168.4	779.78	792.48	
258	RPP	11938.	12656.82	-1193.8	1193.8	792.48	1549.4	
259	REC	9817.1	898.906	817.88	1729.74			
259				859.79		313.944		
260	RPP	9817.1	11546.84	914.4	1219.2	170.18	1579.88	
261	REC	9817.1	898.906	817.88	1729.74			
261				844.55		298.704		
262	RPP	10797.54	11407.14	914.4	1209.04	845.82	1450.34	
263	RPP	9956.8	10591.8	914.4	1209.04	845.82	1450.34	
264	RPP	9263.38	11546.84	965.2	1046.48	1579.88	1610.36	
265	RPP	8696.96	11546.84	1041.4	1107.44	149.86	170.18	
266	REC	9817.1	-898.906	817.88	1729.74			
266				854.202		-308.356		
267	RPP	9817.1	11546.84	-1209.04	-914.4	170.18	1579.88	
268	REC	9817.1	-898.906	817.88	1729.74			
268				844.5.		-298.704		
269	RPP	10797.54	11407.14	-1209.0	-914.4	845.82	1450.34	
270	RPP	9956.8	10591.8	-1209.04	-914.4	845.82	1450.34	
271	RPP	9263.38	11546.84	-1046.48	-965.2	1579.88	1610.36	
272	RPP	8696.96	11546.84	-1107.44	-1041.4	149.86	170.18	
273	RPP	9824.72	11539.22	-1193.8	1193.8	170.18	1579.88	
274	RCC	9268.46	1066.8	1961.2	-1093.724		-128.905	
274		457.2						

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
275	RCC	9268.46	1066.8	1981.2	-1093.724		-126.905
		456.565					
276	BOX	9231.63	1066.8	2293.62	-1073.658		-126.543
			457.2		73.66		-624.84
277	BOX	9231.704	1066.8	2292.988	-1073.658		-126.543
			457.2		73.51		-623.578
278	BOX	9231.63	533.4	2293.62	-440.944		-51.968
			533.4		73.66		-624.84
279	BOX	9231.671	534.035	2292.914	-440.312		-51.892
			532.765		73.51		-623.578
280	RCC	8790.686	1803.73	2241.652	73.66		-624.84
		1270.33					
281	RCC	8790.686	1803.73	2241.022	73.51		-623.578
		1269.695					
282	RCC	8790.686	1739.392	2241.652	73.66		-624.84
		672.592					
283	RCC	8790.686	1739.392	2241.652	73.66		-624.84
		671.957					
284	BOX	8790.686	1549.4	2241.652	-1236.04		-145.72
			-1016.		73.66		-624.84
285	ARB6	7586.574	1493.063	1494.282	7586.574	1493.063	2099.666
		8790.686	533.4	2241.55	8790.686	533.4	1629.943
		6491.126	166.298	1612.648	6604.	76.2	1625.6
286	ARB6	7586.665	1492.176	1495.021	7586.665	1492.176	2098.881
		8789.233	533.745	2240.666	8789.233	533.745	1630.507
		6493.99	170.764	1613.088	6608.018	77.688	1626.177
287	RPP	9042.4	9266.46	536.49	1524.	1671.32	2296.16
288	TRC	8827.516	762.	1929.13	254.		29.972
		309.66	218.44				
289	BOX	9107.17	543.56	1725.724	-254.		-29.972
			436.88		-51.054		433.832

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
290	RCC	8853.17	1613.306	1698.752	-51.054	433.832	
		1269.746					
291	RCC	8853.17	1633.474	1698.752	-51.054	433.832	
		653.034					
292	RCC	9268.46	-1066.8	1981.2	-1093.724	-128.905	
		457.2					
293	RCC	9268.46	-1066.8	1981.2	-1093.724	-128.905	
		456.565					
294	BOX	9231.63	-1066.8	2293.62	-1073.658	-126.543	
			-457.2		73.66	-624.84	
295	BOX	9231.704	-1066.8	2292.988	-1073.658	-126.543	
			-457.2		73.51	-623.578	
296	BOX	9231.63	-533.4	2293.62	-440.944	-51.968	
			-533.4		73.66	-624.84	
297	BOX	9231.671	-534.035	2292.914	-440.312	-51.892	
			-532.765		73.51	-623.578	
298	RCC	8790.686	-1803.73	2241.652	73.66	-624.84	
		1270.33					
299	RCC	8790.686	-1803.73	2241.022	73.51	-623.578	
		1269.695					
300	RCC	8790.686	-1739.392	2241.652	73.66	-624.84	
		672.592					
301	RCC	8790.686	-1739.392	2241.652	73.66	-624.84	
		671.957					
302	BOX	8790.686	-1549.4	2241.6[illegible]	-1236.04	-145.72	
			1016.		73.66	-624.84	
303	ARB6	7586.574	-1493.063	1494.282	7586.574 -1493.063	2099.666	
		8790.686	-533.4	2241.55	8790.666 -533.4	1629.943	
303		6491.126	-168.298	1612.648	6604. -76.2	1625.6	
304	ARB6	7586.665	-1492.176	1495.021	7586.665 -1492.176	2098.881	
304		8789.233	-533.745	2240.686	8789.233 -533.745	1630.507	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
304		6493.99	-170.764	1613.088	6608.018	-77.688	1626.177	
305	RPP	9042.4	9268.46	-1524.	-538.48	1671.32	2296.16	
306	TRC	8827.516	-762.	1929.13	254.		29.972	
306		309.88	218.44					
307	BOX	9107.17	-543.56	1728.724	-254.		-29.972	
307			-436.88		-51.054		433.832	
308	RCC	8853.17	-1813.306	1698.752	-51.054		433.832	
308		1269.746						
309	RCC	8853.17	-1633.474	1698.752	-51.054		433.832	
309		653.034						
310	RPP	1374.14	1559.56	-233.68	233.68	1036.32	1188.72	
311	ARB8	1374.14	233.68	1036.32	1374.14	233.68	1188.72	
311		1059.18	233.68	1163.32	1059.18	233.68	1061.72	
311		1374.14	-233.68	1036.32	1374.14	-233.68	1188.72	
311		1059.18	-233.68	1163.32	1059.18	-233.68	1061.72	
312	ARB6	1059.18	233.68	1061.72	1059.18	233.68	1163.32	
312		1059.18	-233.68	1163.32	1059.18	-233.68	1061.72	
312		718.82	233.68	1112.52	718.82	-233.68	1112.52	
313	TEC	1557.02	233.68	1112.52		1905.		
313		259.08					76.2	
313		1.2289						
314	ARB8	1557.02	2138.68	1050.544	1557.02	2138.68	1174.496	
314		1465.58	2138.68	1174.496	1465.58	2138.68	1050.544	
314		1557.02	233.68	1036.32	1557.02	233.68	1188.72	
314		1374.14	233.68	1188.72	1374.14	233.68	1036.32	
315	ARB6	1374.14	233.68	1188.72	1059.18	233.68	1163.32	
315		1059.18	233.68	1061.72	1374.14	233.68	1036.32	
315		1465.58	2138.68	1174.496	1465.58	2138.68	1050.544	
316	ARB6	1465.58	2138.68	1174.496	1264.92	2138.68	1158.24	
316		1264.92	2138.68	1066.8	1465.58	2138.68	1050.544	
316		1059.18	233.68	1163.32	1059.18	233.68	1061.72	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
317	ARB5	1264.92	2138.68	1158.24	1059.18	233.68	1163.32	
317		1059.18	233.68	1061.72	1264.92	2138.68	1066.8	
317		718.82	233.68	1112.52				
318	ARB4	718.82	233.68	1112.52	993.14	2138.68	1112.52	
318		1264.92	2138.68	1158.24	1264.92	2138.68	1066.8	
319	ELL1	1557.02	2138.68	1112.52	210.82			
319		61.976						
320	RCC	1557.02	2138.68	1112.52	-91.44			
320		61.976						
321	TRC	1465.58	2138.68	1112.52	-200.66			
321		61.976	45.72					
322	TRC	1264.92	2138.68	1112.52	-271.78			
322		45.72	.003					
323	TEC	1557.02	-233.68	1112.52		-1905.		
323		259.08					76.2	
323		1.2289						
324	ARB8	1557.02	-2138.68	1050.544	1557.02	-2138.68	1174.496	
324		1465.58	-2138.68	1174.496	1465.58	-2138.68	1050.544	
324		1557.02	-233.68	1036.32	1557.02	-233.68	1188.72	
324		1374.14	-233.68	1188.72	1374.14	-233.68	1036.32	
325	ARB6	1374.14	-233.68	1188.72	1059.18	-233.68	1163.32	
325		1059.18	-233.68	1061.72	1374.14	-233.68	1036.32	
325		1465.58	-2138.68	1174.496	1465.58	-2138.68	1050.544	
326	ARB6	1465.58	-2138.68	1174.496	264.92	-2138.68	1158.24	
326		1264.92	-2138.68	1066.8	465.58	-2138.68	1066.8	
326		1059.18	-233.68	1163.32	1059.18	-233.68	1061.72	
327	ARB5	1264.92	-2138.68	1158.24	1059.18	-233.68	1163.32	
327		1059.18	-233.68	1061.72	1264.92	-2138.68	1066.8	
327		718.82	-233.68	1112.52				
328	ARB4	718.82	-233.68	1112.52	993.14	-2138.68	1112.52	
328		1264.92	-2138.68	1158.24	1264.92	-2138.68	1066.8	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO.	TYPE	DATA VALUES					REMARKS
329	ELL1	1557.02	-2138.68	1112.52	210.82		
		61.976					
330	RCC	1557.02	-2138.68	1112.52	-91.44		
		61.976					
331	TRC	1465.58	-2138.68	1112.52	-200.66		
		61.976	45.72				
332	TRC	1264.92	-2138.68	1112.52	-271.78		
		45.72	.003				
333	RCC	1384.3		1127.76	83.82		955.04
		15.24					
334	RCC	1414.78		1478.28	27.432		312.42
		38.1					
335	RPP	13131.8	15191.74	-1181.1	1181.1	377.19	381.
336	BOX	14716.76	-838.2	381.	-81.28		487.68
			1676.4		.635		.102
337	ARB8	14721.84	251.46	381.	14640.56	251.46	868.68
337		14452.6	251.46	868.68	14452.6	251.46	381.
337		14721.84	-251.46	381.	14640.56	-251.46	868.68
337		14452.6	-251.46	868.68	14452.6	-251.46	381.
338	RPP	14452.6	14732.	-250.825	250.825	381.	868.68
339	RPP	14452.6	14681.2	-250.825	250.825	657.352	660.4
340	RPP	13131.8	13868.4	-965.2	965.2	1597.66	1600.2
341	REC	13131.8		1597.66			2.54
341			924.56		673.1		
342	BOX	14456.442	261.62	1627.176	-650.748		605.79
342			2.54		-25.908		-27.94
343	BOX	14456.442	-261.62	1627.176	-650.748		605.79
343			-2.54		-25.908		-27.94
344	BOX	14130.42	1066.8	817.68	-525.78		782.32
344			-1762.56		-2.108		-1.417
345	BOX	14130.42	-1066.8	817.68	-525.78		782.32

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
345			182.88		-2.108		-1.417
346	RPP	14178.28	14180.82	-1066.8	1066.8	381.	817.88
347	ELLG	13065.506		817.88	2480.31		
347			1143.				1313.18
348	RPP	13322.3	13324.84	914.4	1140.46		377.19
349	RPP	13512.8	13515.34	914.4	1125.22	7.62	377.19
350	RPP	13695.68	13698.22	914.4	1102.36	17.78	377.19
351	RPP	13322.3	13324.84	-1140.46	-914.4		377.19
352	RPP	13512.8	13515.34	-1125.22	-914.4	7.62	377.19
353	RPP	13695.68	13698.22	-1102.36	-914.4	17.78	377.19
354	RPP	13878.56	13881.1	-1066.8	1066.8	30.48	377.19
355	BOX	14198.6	980.44	377.19	264.16	-218.44	
355		1.626	1.956				-309.88
356	BOX	14198.6	-980.44	377.19	264.16	218.44	
356		1.626	-1.956				-309.88
357	RPP	14716.76	14719.3	-731.52	731.52	187.96	377.19
358	RPP	14528.8	14531.34	-254.	254.	127.	377.19
359	RPP	13131.8	13878.56	911.86	914.4	297.18	377.19
360	RPP	13131.8	13878.56	-914.4	-911.86	297.18	377.19
361	RPP	13131.8	13878.56	302.26	304.8	15.24	377.19
362	RPP	13131.8	13878.56	-304.8	-302.26	15.24	377.19
363	RPP	13881.1	14716.76	759.46	762.	119.38	377.19
364	RPP	13881.1	14716.76	-762.	-759.46	119.38	377.19
365	RPP	13881.1	15021.56	454.66	457.2	119.38	377.19
366	RPP	13881.1	15021.56	-457.2	454.66	119.38	377.19
367	RPP	13881.1	15138.4	254.	256.54	119.38	377.19
368	RPP	13881.1	15138.4	-256.54	-254.	119.38	375.92
369	TEC	13911.58	762.	381.	1280.16		
369			548.64				345.44
369		2.8615					
370	TEC	13911.58	762.	381.	1280.16		

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
370			545.998				342.722	
370		2.8979						
371	RPP	13911.58	15191.74	762.	1066.8	35.56	377.19	
372	TEC	13911.58	-762.	381.	1280.16			
372			548.64				345.44	
372		2.8615						
373	TEC	13911.58	-762.	381.	1280.16			
373			-545.998				342.722	
373		2.8979						
374	RPP	13911.58	15191.74	-1066.8	-762.	35.56	377.19	
375	RPP	13233.4	13817.6	360.68	878.84		381.	
376	RPP	13233.4	13817.6	-878.84	-360.68		381.	
377	RPP	9296.4	9297.035	-1181.1	1181.1	.813	1551.94	
378	RPP	9761.22	9786.62	898.906	1181.1	169.926	1551.94	
379	RPP	9761.22	9786.62	-1181.1	-898.906	169.926	1551.94	
380	REC	9753.6	898.906	817.88	3378.2			
380				728.98		183.134		
381	REC	9753.6	-898.906	817.88	3378.2			
381				728.98		183.134		
382	RPP	11506.2	11531.6	898.906	1181.1	169.926	1551.94	
383	RPP	11506.2	11531.6	-1181.1	-898.906	169.926	1551.94	
384	RPP	11912.6	11938.	898.906	1181.1	169.926	1551.94	
385	RPP	11912.6	11938.	-1181.1	-898.906	169.926	1551.94	
386	RPP	12656.82	13131.8	812.8	1181.1	169.926	1551.94	
387	RPP	12660.63	13127.99	813.435	1181.1	169.926	1551.94	
388	RPP	12656.82	13131.8	-1181.1	-812.8	169.926	1551.94	
389	RPP	12660.63	13127.99	-1181.1	-813.435	169.926	1551.94	
390	RPP	9314.18	13301.98	-1066.8	1066.8	149.86	169.926	
391	RPP	9768.84	9776.46	-1066.8	1066.8	.813	149.86	
392	RPP	10185.4	10189.21	-1066.8	1066.8	.813	149.86	
393	RPP	10693.4	10697.21	-1066.8	1066.8	.813	149.86	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO.	TYPE	DATA VALUES						REMARKS
394	RPP	11140.44	11144.25	-1066.8	1066.8	.813	149.86	
395	RPP	11592.56	11600.18	-1066.8	1066.8	.813	149.86	
396	RPP	11912.6	11916.41	-1066.8	1066.8	.813	149.86	
397	RPP	12656.82	12660.63	-1066.8	1066.8	.813	149.86	
398	RPP	13127.99	13131.8	-1066.8	1066.8	.813	149.86	
399	RPP	9314.18	13131.8	266.7	270.51	.813	149.86	
400	RPP	9314.18	13131.8	800.1	803.91	.813	149.86	
401	RPP	9314.18	13131.8	-270.51	-266.7	.813	149.86	
402	RPP	9314.18	13131.8	-803.91	-800.1	.813	149.86	
403	RPP	11938.	12656.82	1079.5	1181.1	787.4	792.48	
404	RPP	11938.	12656.82	-1181.1	-1079.5	787.4	792.48	
405	RPP	9297.035	13131.8	-922.02	922.02	1546.86	1551.94	
406	RPP	9296.4	9304.02	-1041.4	1041.4	1551.94	1752.6	
407	RPP	9768.84	9776.46	-1041.4	1041.4	1551.94	1752.6	
408	RPP	10261.6	10269.22	-1041.4	1041.4	1551.94	1752.6	
409	RPP	11099.8	11107.42	-1041.4	1041.4	1551.94	1752.6	
410	RPP	11567.16	11574.78	-1041.4	1041.4	1551.94	1752.6	
411	RPP	11912.6	11920.22	-1041.4	1041.4	1551.94	1752.6	
412	RPP	12275.82	12283.44	-1041.4	1041.4	1551.94	1752.6	
413	RPP	12656.82	12664.44	-1041.4	1041.4	1551.94	1752.6	
414	RPP	13124.18	13131.8	-1041.4	1041.4	1551.94	1752.6	
415	RPP	9304.02	11734.8	406.4	414.02	1551.94	1751.584	
416	RPP	9304.02	11734.8	800.1	807.72	1551.94	1752.6	
417	RPP	9304.02	11734.8	-414.02	-406.4	1551.94	1751.584	
418	RPP	9304.02	11734.8	-807.72	-800.1	1551.94	1752.6	
419	RPP	11107.42	11567.16	-134.62	127.	1551.94	1751.584	
420	RPP	11107.42	11567.16	127.	134.62	1551.94	1751.584	
421	RPP	7162.8	7188.2	-457.2	457.2	60.96	170.18	
422	RPP	7162.8	7188.2	-457.2	457.2	170.18	1503.68	
423	REC	7162.8		782.32	25.4			
423				1066.866		367.284		

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
424	REC	7162.8		1300.988	25.4		
424			257.048				116.332
425	RPP	7162.8	7188.2	-457.2	457.2	1300.988	1503.68
426	RPP	7696.2	7721.6	-685.8	685.8		149.86
427	RPP	7696.2	7721.6	431.8	685.8	149.86	1447.8
428	RPP	7696.2	7721.6	-685.8	-431.8	149.86	1447.8
429	RPP	7696.2	7721.6	-685.8	685.8	1447.8	1574.8
430	REC	7696.2	431.8	812.038	25.4		
430				609.092		142.24	
431	REC	7696.2	-431.8	812.038	25.4		
431				609.092		142.24	
432	RPP	8204.2	8229.6	-889.	889.		149.86
433	RPP	8204.2	8229.6	622.808	889.	149.86	1518.92
434	RPP	8204.2	8229.6	-889.	-622.808	149.86	1518.92
435	RPP	8204.2	8229.6	-889.	889.	1518.92	1645.92
436	REC	8204.2	622.808	839.724	25.4		
436				648.716		155.956	
437	REC	8204.2	-622.808	839.724	25.4		
437				648.716		155.956	
438	RPP	8142.605	8143.24	-711.2	711.2	25.4	1651.
439	REC	7162.8	139.7	1486.154	558.8		123.952
439		3.952	-5.453	-17.821	1.577	24.384	-7.112
440	REC	7162.8	299.72	1399.54	533.4	-17.526	129.54
440		2.464	-14.498	-12.103	5.179	16.795	-19.055
441	REC	7696.2	282.194	1529.08	508.	103.124	96.52
441		5.1	-13.797	-12.103	.211	16.795	-19.055
442	REC	8204.2	385.318	1625.6	1092.2	-154.178	109.22
442		-.734	-14.196	-12.677	4.277	16.795	-19.055
443	REC	7162.8	381.	1270.	1041.4	363.728	215.9
443		7.031	-16.779	-5.646	1.867	8.801	-23.628
444	REC	8204.2	744.728	1485.9	1092.2	270.51	86.36

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
444		4.788	-17.275	-6.439	-.295	8.801	-23.828	
445	BOX	7696.2	610.362	1270.	508.	193.294	78.74	
445		7.216	-16.817	-5.283	.734	7.902	-24.14	
446	BOX	8204.2	803.656	1348.74	1092.2	287.02	76.2	
446		4.989	-17.447	-5.791	-.394	7.902	-24.14	
447	BOX	7162.8	420.116	1130.3	1041.4	412.242	109.22	
447		7.206	-17.297	-3.429	.564	5.164	-24.869	
448	BOX	8204.2	832.356	1239.52	1092.2	298.45	50.8	
448		5.083	-17.963	-3.782	-.254	5.164	-24.869	
449	BOX	7696.2	647.7	1094.74	508.	207.264	15.24	
449		7.181	-17.376	-3.063	-.899	4.051	-25.075	
450	BOX	8204.2	854.964	1109.98	1092.2	305.054	20.32	
450		5.111	-18.092	-3.058	-.666	4.051	-25.075	
451	BOX	7162.8	442.214	990.092	2133.6	725.424	-4.572	
451		6.081	-17.902	-2.317	-1.044	2.913	-25.232	
452	BOX	7162.8	453.39	819.912	1041.4	418.592	-4.572	
452		7.104	-17.673	-.031	-.112		-25.4	
453	BOX	8204.2	671.982	815.34	1092.2	309.118	-10.16	
453		5.167	-18.329	-.046	-.236		-25.4	
454	BOX	7162.8	449.834	659.892	1041.4	413.258	-19.812	
454		7.031	-17.653	1.339	.244	-1.826	-25.334	
455	BOX	8204.2	663.092	640.08	1092.2	311.15	-5.08	
455		5.210	-18.268	1.4	.401	-1.826	-25.334	
456	BOX	7162.8	433.832	510.032	1041.4	406.146	-35.052	
456		6.922	-17.49	3.007	.726	-4.026	-25.08	
457	BOX	8204.2	839.978	474.98	1092.2	313.436	-15.24	
457		5.225	-18.059	3.066	.805	-4.026	-25.08	
458	BOX	7696.2	626.618	414.02	508.	189.992	-40.64	
458		6.792	-17.145	4.765	.511	-6.614	-24.524	
459	BOX	8204.2	816.61	373.38	584.2	-68.58	-60.96	
459		-1.372	-17.739	6.802	-3.49	-8.773	-23.579	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO. TYPE	DATA VALUES						REMARKS
460BOX	7162.8	416.814	419.1	1549.4	188.468	-246.92	
460	3.505	-16.01	9.708	-1.816	-13.426	-21.483	
461BOX	3712.2	605.282	170.18	584.2	26.162	-17.78	
461	1.029	-15.824	10.549	-.01	-14.087	-21.133	
462BOX	7162.8	396.24	345.44	1041.4	269.494	-213.36	
462	3.581	.94	18.694	6.375	-24.587	.025	
463BOX	8204.2	665.734	132.08	1092.2	-48.26	-81.28	
463	1.422	-.051	18.999	-1.118	-25.375	.025	
464BOX	7162.8	365.252	255.016	533.4	-1.524	-120.396	
464	2.698	-14.432	12.139	-4.343	-16.82	-19.035	
465BOX	7696.2	363.728	134.62	508.	30.734	-78.74	
465	3.106	-8.824	16.596	-.476	-22.464	-11.854	
466BOX	7162.8	320.294	176.022	533.4	-132.588	-112.522	
466	1.128	-9.462	16.495	-8.113	-22.268	-12.217	
467BOX	7162.8	233.68	115.062	533.4	-220.98	-73.152	
467	-.025	-6.043	18.067	-11.085	-24.084	-8.072	
468BOX	7162.8	-12.7	60.96	533.4		-19.05	
468	.681		19.037		25.4		
469BOX	7162.8	-139.7	1466.154	558.8		123.952	
469	3.952	5.453	-17.821	1.577	-24.384	-7.112	
470BOX	7162.8	-299.72	1399.54	533.4	17.526	129.54	
470	2.464	14.498	-12.108	5.179	-16.795	-19.055	
471BOX	7696.2	-272.194	1529.08	508.	-103.124	96.52	
471	5.1	13.797	-12.103	.211	-16.795	-19.055	
472BOX	8204.2	-295.318	1625.6	1092.2	154.178	109.22	
472	-.734	14.196	-12.677	4.277	-16.795	-19.055	
473BOX	7162.8	-351.	1270.	1041.4	-363.728	215.9	
473	7.831	16.779	-5.646	1.667	-6.801	-23.628	
474BOX	8204.2	-744.728	1455.9	1092.2	-270.51	66.36	
474	4.788	17.275	-6.439	-.295	-8.801	-23.828	
475BOX	7696.2	-610.362	1270.	508.	-193.294	76.74	

TABLE A-1. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
475		7.216	16.817	-5.283	.734	-7.902	-24.14	
476	BOX	8204.2	-803.656	1348.74	1092.2	-287.02	76.2	
476		4.989	17.447	-5.791	-.394	-7.902	-24.14	
477	BOX	7162.8	-420.116	1130.3	1041.4	-412.242	109.22	
477		7.206	17.297	-3.429	.564	-5.164	-24.869	
478	BOX	8204.2	-832.358	1239.52	1092.2	-298.45	50.8	
478		5.083	17.963	-3.782	-.254	-5.164	-24.869	
479	BOX	7696.2	-647.7	1094.74	508.	-207.264	15.24	
479		7.181	17.376	-3.063	-.899	-4.051	-25.075	
480	BOX	8204.2	-854.964	1109.98	1092.2	-305.054	20.32	
480		5.111	18.092	-3.058	-.666	-4.051	-25.075	
481	BOX	7162.8	-442.214	990.092	2133.6	-725.424	-4.572	
481		6.081	17.902	-2.317	-1.044	-2.913	-25.232	
482	BOX	7162.8	-453.39	819.912	1041.4	-418.592	-4.572	
482		7.104	17.673	-.031	-.112		-25.4	
483	BOX	8204.2	-871.982	815.34	1092.2	-309.118	-10.16	
483		5.187	18.329	-.046	-.236		-25.4	
484	BOX	7162.8	-449.834	659.892	1041.4	-413.256	-19.812	
484		7.031	17.653	1.339	.244	1.826	-25.334	
485	BOX	8204.2	-863.092	640.08	1092.2	-311.15	-5.08	
485		5.210	18.268	1.4	.401	1.826	-25.334	
486	BOX	7162.8	-433.632	510.032	1041.4	-406.146	-35.052	
486		6.922	17.49	3.007	.726	4.026	-25.08	
487	BOX	8204.2	-839.978	474.98	1092.2	-313.436	-15.24	
487		5.225	18.059	3.067	.505	4.026	-25.08	
488	BOX	7696.2	-626.618	414.02	508.	-189.992	-40.64	
488		6.792	17.145	4.765	.511	6.614	-24.524	
489	BOX	8204.2	-816.61	373.38	584.2	68.58	-60.96	
489		-1.372	17.739	6.802	-3.49	8.773	-23.579	
490	BOX	7162.8	-416.814	419.1	1549.4	-188.468	-248.92	
490		3.505	16.01	9.708	-1.216	13.426	-21.483	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
491	BOX	8712.2	-605.282	170.18	584.2	-26.162	-17.78	
		1.029	15.824	10.549	-.01	14.067	-21.133	
492	BOX	7162.6	-396.24	345.44	1041.4	-269.494	-213.36	
		3.581	-.94	18.694	6.375	24.587	.025	
493	BOX	8204.2	-665.734	132.08	1092.2	46.26	-81.28	
		1.422	.051	18.999	-1.118	25.375	.025	
494	BOX	7162.8	-365.252	255.016	533.4	1.524	-120.396	
		2.698	14.432	12.139	-4.343	16.62	-19.035	
495	BOX	7696.2	-363.728	134.62	508.	-30.734	-78.74	
		3.106	8.824	16.596	-.478	22.464	-11.854	
496	BOX	7162.8	-320.294	176.022	533.4	132.588	-112.522	
		1.128	9.462	16.495	-6.113	22.268	-12.217	
497	BOX	7162.8	-233.68	115.062	533.4	220.98	-73.152	
		-.025	6.043	18.067	-11.065	24.084	-8.072	
498	RPP	7137.4	7162.8	-457.2	457.2	60.96	170.18	
499	RPP	7137.4	7162.8	-457.2	457.2	170.18	1503.68	
500	REC	7137.4		782.32	25.4			
500				906.78		367.284		
501	REC	7137.4		1300.988	25.4			
501			257.048				116.332	
502	RPP	7137.4	7162.8	-457.2	457.2	1300.988	1503.68	
503	RPP	6657.34	6682.74	-431.8	431.8	83.566	192.786	
504	RPP	6657.34	6682.74	-431.8	431.8	192.786	1437.64	
505	REC	6657.34		760.73	25.4			
505				1004.57		339.344		
506	REC	6657.34		1247.394	25.4			
506			235.966				103.886	
507	RPP	6657.34	6682.74	-431.8	431.8	1247.394	1437.64	
508	RPP	6144.26	6169.66	-406.4	406.4	107.442	216.662	
509	RPP	6144.26	6169.66	-406.4	406.4	216.662	1367.282	
510	REC	6144.26		737.362	25.4			

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
510				916.432		309.626		
511REC		6144.26		1190.244	25.4			
511			213.614				90.678	
512RPP		6144.26	6169.66	-406.4	406.4	1190.244	1367.282	
513RPP		5638.8	5664.2	-381.	381.	131.318	240.538	
514RPP		5638.8	5664.2	-381.	381.	240.538	1297.686	
515REC		5638.8		714.502	25.4			
515				629.618		280.416		
516REC		5638.8		1133.856	25.4			
516			191.262				77.47	
517RPP		5638.8	5664.2	-381.	381.	1133.856	1297.686	
518RPP		5128.26	5153.66	-355.6	355.6	155.194	264.414	
519RPP		5128.26	5153.66	-355.6	355.6	264.414	1227.582	
520REC		5128.26		691.388	25.4			
520				742.188		250.952		
521REC		5128.26		1076.96	25.4			
521			166.91				64.262	
522RPP		5128.26	5153.66	-355.6	355.6	1076.96	1227.582	
523RPP		4617.72	4643.12	-330.2	330.2	179.324	268.544	
524RPP		4617.72	4643.12	-330.2	330.2	268.544	1157.478	
525REC		4617.72		668.274	25.4			
525				654.812		221.234		
526REC		4617.72		1020.064	25.4			
526			146.558				51.054	
527RPP		4617.72	4643.12	-330.2	330.2	1020.064	1157.478	
528RPP		4130.04	4155.44	-279.4	279.4	203.2	312.42	
529RPP		4130.04	4155.44	-279.4	279.4	312.42	1067.12	
530REC		4130.04		645.16	25.4			
530				566.674		191.516		
531REC		4130.04		962.914	25.4			
531			123.952				37.846	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
532	RPP	4130.04	4155.44	-279.4	279.4	962.914	1087.12	
533	RPP	4117.34	4130.04	-279.4	279.4	365.76	474.98	
534	RPP	4117.34	4130.04	-279.4	279.4	474.98	1087.12	
535	REC	4117.34		645.16	12.7			
535				566.674		191.516		
536	REC	4117.34		962.914	12.7			
536			123.952				37.846	
537	RPP	4117.34	4130.04	-279.4	279.4	962.914	1087.12	
538	RPP	3624.58	3649.98	-254.	254.	365.76	474.98	
539	RPP	3624.58	3649.98	-254.	254.	474.98	1021.08	
540	REC	3624.58		623.57	25.4			
540				484.124		163.576		
541	REC	3624.58		909.32	25.4			
541			102.67				27.94	
542	RPP	3624.58	3649.98	-254.	254.	909.32	1021.08	
543	RPP	3362.96	3388.36	-254.	254.	365.76	474.98	
544	RPP	3362.96	3388.36	-254.	254.	474.98	985.266	
545	REC	3362.96		611.632	25.4			
545				439.674		148.59		
546	REC	3362.96		880.364	25.4			
546			68.326				18.542	
547	RPP	3362.96	3388.36	-254.	254.	880.364	985.266	
548	REC	2926.08	-228.6	365.76	26.416		105.918	
548			457.2		23.876		-6.096	
549	REC	2952.496	-228.6	471.678	120.65		462.6	
549			457.2		23.876		-6.096	
550	REC	2926.08		599.694	243.84			
550				395.478		133.604		
551	REC	2926.08		599.694	243.84			
551			79.502				11.684	
552	REC	3047.23	-228.6	853.9	26.162		104.14	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
552		457.2		23.876		-6.096	
553ARB8	3362.96	254.	952.5	3362.96	254.	985.52	
553	3061.02	254.	985.52	3048.	254.	853.44	
553	3362.96	-254.	952.5	3362.96	-254.	985.52	
553	3061.02	-254.	985.52	3048.	-254.	853.44	
554BOX	7162.8	139.7	1486.154	-3032.76		-424.688	
554	2.532	-5.38	-15.098	.996	24.384	-7.112	
555BOX	7162.8	299.72	1399.54	-3032.76	-133.35	-360.68	
555	2.106	-14.285	-12.423	1.527	16.795	-19.055	
556BOX	7162.8	381.	1270.	-3032.76	-160.274	-294.894	
556	1.572	-17.846	-6.469	1.852	8.801	-23.826	
557BOX	7162.8	420.116	1130.3	-3032.76	-165.1	-260.35	
557	1.336	-18.623	-3.767	1.854	5.164	-24.869	
558BOX	7162.8	442.214	990.092	-3032.76	-171.45	-215.138	
558	1.217	-18.893	-2.103	1.626	2.913	-25.232	
559BOX	7162.8	453.39	819.912	-3032.76	-175.514	-154.94	
559	1.057	-19.017	.056	1.298		-25.4	
560BOX	7162.8	449.634	659.892	-3032.76	-173.99	-86.868	
560	1.047	-18.969	1.4	.831	-1.826	-25.334	
561BOX	7162.8	433.832	510.032	-3032.76	-167.894	-29.972	
561	1.008	-18.778	3.033	.47	-4.026	-25.08	
562BOX	7162.8	396.24	345.44	-3032.76	-153.162	29.464	
562	.978	-18.748	3.223		-4.305	-25.032	
563BOX	7162.8	365.252	255.01	-3032.76	-137.922	75.184	
563	.983	-17.267	7.98		-10.658	-23.056	
564BOX	7162.8	291.592	176.022	-3032.76	-109.474	101.092	
564	.991	-14.839	11.965	-.086	-15.898	-19.807	
565BOX	7162.8	233.68	115.062	-3032.76	-84.074	124.968	
565	.937	-6.733	16.904		-22.565	-11.659	
566BOX	7162.8	-12.7	60.96	-3032.76		142.24	
566	.892		19.03		25.4		

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO. TYPE	DATA VALUES						REMARKS
567BOX	7162.8	-139.7	1486.154	-3032.76		-424.688	
567	2.532	5.38	-18.098	.996	-24.384	-7.112	
568BOX	7162.8	-299.72	1399.54	-3032.76	133.35	-360.68	
568	2.106	14.285	-12.423	1.527	-16.795	-19.055	
569BOX	7162.8	-381.	1270.	-3032.76	160.274	-294.894	
569	1.572	17.846	-6.469	1.852	-8.801	-23.828	
570BOX	7162.8	-420.116	1130.3	-3032.76	165.1	-260.35	
570	1.336	18.623	-3.767	1.854	-5.164	-24.869	
571BOX	7162.8	-442.214	990.092	-3032.76	171.45	-215.138	
571	1.217	18.893	-2.103	1.626	-2.913	-25.232	
572BOX	7162.8	-453.39	819.912	-3032.76	175.514	-154.94	
572	1.097	19.017	.056	1.298		-25.4	
573BOX	7162.8	-449.834	659.892	-3032.76	173.99	-86.868	
573	1.047	18.969	1.4	.831	1.826	-25.334	
574BOX	7162.8	-433.832	510.032	-3032.76	167.894	-29.972	
574	1.008	18.778	3.033	.47	4.026	-25.08	
575BOX	7162.8	-396.24	345.44	-3032.76	153.162	29.464	
575	.978	18.746	3.223		4.305	-25.032	
576BOX	7162.8	-365.252	255.016	-3032.76	137.922	75.184	
576	.983	17.267	7.981		10.658	-23.056	
577BOX	7162.8	-291.592	176.022	-3032.76	109.474	101.092	
577	.991	14.839	11.905	-.086	15.898	-19.807	
578BOX	7162.8	-233.68	115.062	-3032.76	84.074	124.968	
578	.987	8.733	16.904		22.565	-11.659	
579BOX	4130.04	-12.7	1087.12	-1203.96		-165.354	
579	2.591		-18.872		25.4		
580BOX	4130.04	166.37	1035.66	-1203.96	-52.832	-143.256	
580	2.106	-14.285	-12.423	1.527	16.795	-19.055	
581BOX	4130.04	220.726	975.106	-1203.96	-63.5	-117.094	
581	1.572	-17.844	-6.469	1.852	8.801	-23.828	
582BOX	4130.04	251.016	869.95	-1203.96	-65.532	-103.378	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
582		1.336	-18.623	-3.767	1.854	5.164	-24.869	
583	BOX	4130.04	270.764	774.954	-1203.96	-68.072	-85.344	
583		1.217	-18.893	-2.103	1.626	2.913	-25.232	
584	BOX	4130.04	277.876	664.972	-1203.96	-69.596	-61.468	
584		1.097	-19.017	.056	1.298		-25.4	
585	BOX	4130.04	275.844	573.024	-1203.96	-69.088	-34.544	
585		1.047	-18.969	1.4	.831	-1.826	-25.334	
586	BOX	4130.04	265.938	480.06	-1203.96	-66.548	-11.938	
586		1.008	-18.778	3.033	.47	-4.026	-25.08	
587	BOX	4130.04	243.078	379.984	-1203.96	-60.706		
587				19.05	1.28	-25.367		
588	BOX	4130.04	-166.37	1038.86	-1203.96	52.832	-143.256	
588		2.106	14.285	-12.423	1.527	-16.795	-19.055	
589	BOX	4130.04	-220.726	975.106	-1203.96	63.5	-117.094	
589		1.572	17.646	-6.469	1.852	-8.801	-23.828	
590	BOX	4130.04	-255.016	869.95	-1203.96	65.532	-103.378	
590		1.336	18.623	-3.767	1.854	-5.164	-24.869	
591	BOX	4130.04	-270.764	774.954	-1203.96	68.072	-85.344	
591		1.217	18.893	-2.103	1.626	-2.913	-25.232	
592	BOX	4130.04	-277.876	664.972	-1203.96	69.596	-61.468	
592		1.097	19.017	.056	1.298		-25.4	
593	BOX	4130.04	-275.844	573.024	-1203.96	69.088	-34.544	
593		1.047	18.969	1.4	.831	1.826	-25.334	
594	BOX	4130.04	-265.938	480.06	-1203.96	66.548	-11.938	
594		1.008	18.778	3.03	.47	4.026	-25.08	
595	BOX	4130.04	-243.078	379.984	-1203.96	60.706		
595				19.05	1.28	25.367		
596	BOX	2926.08	-208.28	365.76	-34.036		8.382	
596			416.56		113.284		453.39	
597	BOX	2451.1	3040.38	-208.28	208.28	819.15	863.6	
598	BOX	2665.44	-213.36	365.76	-2311.4		2771.14	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
598			426.72		-50.038		-41.656
599BOX		2161.66	-177.6	502.92	-1991.36		2633.98
599			355.6		43.967		33.249
600BOX		1918.462	-203.2	851.408	511.81		31.242
600			406.4		3.046		-49.764
601RPP		40.64	579.12	-127.	127.	3108.96	3139.44
602BOX		731.52	-152.4	2847.34	-195.072		-162.814
602			304.8		-21.082		25.4
603BOX		594.36	-152.4	3012.44	-176.53		-147.32
603			304.8		-21.082		25.4
604ARBB		14925.04	617.22	381.	14925.04	617.22	426.72
604		14782.8	617.22	386.08	14782.8	617.22	381.
604		14925.04	548.64	381.	14925.04	548.64	426.72
604		14782.8	548.64	386.08	14782.8	548.64	381.
605RCC		14790.42	584.2	424.18	129.54		37.084
605		33.02					
606RPP		14838.68	14986.	454.66	535.94	381.	477.52
607RPP		14828.52	15062.2	271.78	421.64	381.	419.1
608RPP		14843.76	15097.12	284.48	411.48	419.1	591.82
609RPP		14711.68	15136.4	80.36	236.22	381.	419.1
610RPP		14732.	15130.76	116.84	205.74	419.1	584.2
611RPP		14536.42	15163.8	-114.3	60.96	381.	419.1
612RPP		14561.82	15136.4	-86.36	35.56	419.1	640.08
613RPP		14665.96	15136.4	-236.22	-134.62	381.	576.58
614RPP		14795.34	15083.76	-467.36	-271.78	381.	576.56
615RPP		14805.66	14960.6	-581.66	-480.06	381.	482.6
616ARBB		14869.16	-601.98	381.	14869.16	-601.98	426.72
616		14732.	-601.98	386.08	14732.	-601.98	381.
616		14869.16	-670.56	381.	14869.16	-670.56	426.72
616		14732.	-670.56	386.08	14732.	-670.56	381.
617RCC		14745.02	-635.	416.814	129.54		37.084

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
617		33.02						
618PPP		14709.14	14851.38	-439.42	-297.18	604.52	665.48	
619RCC		14777.72	-370.84	665.48			91.44	
619		40.64						
620RPP		14444.98	14668.5	-210.82	-86.36	660.4	868.68	
621RPP		14444.98	14668.5	-53.34	73.66	660.4	868.68	
622RPP		14444.98	14668.5	106.68	228.6	660.4	868.68	
623BOX		14678.66	254.	619.76	135.382		22.606	
623			289.56		-20.066		120.142	
624BOX		14650.72	350.52	782.32	-7.925		47.6	
624			30.48		27.559		4.597	
625BOX		14694.916	508.	510.54	-16.713		100.228	
625			101.6		-42.596		-7.087	
626BOX		14662.404	419.1	706.12	-20.879		125.273	
626			101.6		-52.603		-8.763	
627RPP		14338.3	14439.9	-190.5	-35.56	381.	457.2	
628RPP		14297.66	14467.84	-5.08	248.92	381.	546.1	
629RPP		14315.44	14406.88	165.1	223.52	629.92	657.352	
630RPP		14315.44	14406.88	96.52	154.94	629.92	657.352	
631RPP		14315.44	14406.88	-154.94	-96.52	629.92	657.352	
632RPP		14315.44	14406.88	-223.52	-165.1	629.92	657.352	
633RPP		14180.82	14284.96	-109.22	218.44	381.	523.24	
634RPP		14229.08	14310.36	-101.6	101.6	660.4	767.08	
635RPP		14135.1	14221.46	-101.6	101.6	660.4	767.08	
636RPP		13619.48	13713.46	459.74	515.62		35.56	
637RPP		13601.7	13655.04	-541.02	-434.34		35.56	
638RPP		13601.7	13655.04	-939.8	-833.12		35.56	
639RPP		13642.34	13741.4	261.62	302.26	73.66	149.86	
640RPP		13236.48	13611.86	337.82	683.26		53.34	
641RPP		13253.72	13395.96	431.8	594.36	53.34	129.54	
642RPP		13322.3	13375.64	269.24	289.56	93.98	157.48	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO.	TYPE	DATA VALUES					REMARKS
643RPP		13103.86	13131.8	-27.94	35.56	231.14	309.88
644RPP		13045.44	14104.62	-190.5	269.24	381.	635.
645APBB		14104.62	269.24	635.	14071.6	269.24	825.5
645		13444.22	269.24	703.58	13444.22	269.24	635.
645		14104.62	-190.5	635.	14071.6	-190.5	825.5
645		13444.22	-190.5	703.58	13444.22	-190.5	635.
646BOX		14229.766	-736.6	1124.915	-123.676		-214.579
646			1473.2		31.75		-16.288
647ARBB		14103.35	269.24	807.212	14137.64	439.42	866.648
647		14105.89	439.42	884.936	14071.6	269.24	825.5
647		14103.35	-248.92	807.212	14137.64	-421.64	866.648
647		14105.89	-421.64	884.936	14071.6	-248.92	825.5
648ARBB		14203.68	737.235	863.6	14419.58	737.235	1010.92
648		14005.96	737.235	1264.92	14086.84	737.235	863.6
648		14203.68	-737.235	863.6	14419.58	-737.235	1010.92
648		14005.96	-737.235	1264.92	14086.84	-737.235	863.6
649ARBB		14202.562	736.6	863.6	14418.412	736.6	1010.895
649		14005.738	736.6	1264.082	14086.84	736.6	863.6
649		14202.562	-736.6	863.6	14418.412	-736.6	1010.895
649		14005.738	-736.6	1264.082	14086.84	-736.6	863.6
650RPP		13076.46	13261.34	-45.72	116.84	635.	812.8
651ARBB		13652.5	261.62	1653.54	14020.8	261.62	1752.6
651		13106.4	261.62	1752.6	13106.4	261.62	1653.54
651		13652.5	-261.62	1653.54	14020.8	-261.62	1752.6
651		13106.4	-261.62	1752.6	13106.4	-261.62	1653.54
652RAW		13106.4	-261.62	1653.54	73.66		
652				-76.2		523.24	
653RCC		13667.74	-25.4	1635.76		50.8	
653		50.8					
654[illegible]		13677.9	-2.54	1625.52	102.616		-50.038
654			5.08		4.572		9.396

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
6558CX		13652.5	-20.32	1625.6	79.756		-74.422	
655			5.08		8.636		9.398	
656ARB8		13632.18	15.24	1490.98	13713.46	15.24	1620.52	
656		13652.5	15.24	1630.68	13622.02	15.24	1496.06	
656		13632.18	20.32	1490.98	13713.46	20.32	1620.52	
656		13652.5	20.32	1630.68	13622.02	20.32	1496.06	
657ARB8		13241.325	485.648	1430.02	13241.325	536.448	1485.9	
657		13241.325	682.752	1485.9	13241.325	733.552	1430.02	
657		13233.4	485.648	1430.02	13233.4	536.448	1485.9	
657		13233.4	682.752	1485.9	13233.4	733.552	1430.02	
658RPP		13233.4	13241.325	485.648	733.552	1333.5	1430.02	
659BOX		13233.4	485.648	1333.5	172.72		-723.9	
659			247.904		7.709		1.839	
660BOX		13244.322	485.648	1287.78	161.798		-678.18	
660			247.904		-7.709		-1.839	
661BOX		13406.12	485.648	609.6	360.68		22.86	
661			247.904		-.5		7.91	
662BOX		13401.04	485.648	617.474	393.7		24.953	
662			247.904		-.5		7.91	
663ARB8		13469.696	350.52	695.96	13373.1	350.52	1100.836	
663		13244.322	485.648	1287.78	13406.12	485.648	609.6	
663		13463.092	346.405	694.385	13366.496	346.405	1099.261	
663		13237.718	481.533	1286.205	13399.516	481.533	608.025	
664ARB8		13469.696	350.52	695.96	13373.1	350.52	1100.836	
664		13244.322	485.648	1287.78	13406.12	485.648	609.6	
664		13476.3	354.635	697.535	13379.704	354.635	1102.411	
664		13250.926	489.763	1289.355	13412.724	489.763	611.175	
665ARB8		13469.696	868.68	695.96	13373.087	868.68	1100.893	
665		13244.322	733.552	1287.78	13406.123	733.55	609.601	
665		13476.272	864.569	697.522	13379.658	864.568	1102.477	
665		13250.926	729.437	1289.355	13412.724	729.437	611.175	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
666ARB8		13469.696	868.68	695.96	13373.1	868.68	1100.836	
666		13244.322	733.552	1287.78	13406.12	733.552	609.6	
666		13463.092	872.795	694.385	13366.496	872.795	1099.261	
666		13237.718	737.667	1286.205	13399.516	737.667	608.025	
667ARB8		13794.74	485.648	642.366	13726.16	350.524	717.581	
667		13469.696	350.52	695.96	13406.12	485.648	609.6	
667		13795.324	481.584	635.584	13726.744	346.46	710.8	
667		13470.28	346.456	689.178	13406.704	481.584	602.818	
668ARB8		13794.74	485.648	642.366	13726.16	350.524	717.581	
668		13469.696	350.52	695.96	13406.12	485.648	609.6	
668		13794.156	489.712	649.148	13725.575	354.568	724.363	
668		13469.112	354.584	702.742	13405.536	489.712	616.382	
669ARB8		13794.74	733.552	642.366	13726.16	868.677	717.581	
669		13469.696	868.68	695.96	13406.12	733.552	609.6	
669		13794.156	729.488	649.148	13725.575	864.613	724.363	
669		13469.112	864.616	702.742	13405.536	729.488	616.382	
670ARB8		13794.74	733.552	642.366	13726.16	868.677	717.581	
670		13469.696	868.68	695.96	13406.12	733.551	609.599	
670		13795.324	737.616	635.586	13726.744	872.74	710.801	
670		13470.28	872.744	689.178	13406.704	737.616	602.818	
671ARB8		13726.16	350.52	717.575	13614.4	350.52	779.78	
671		13435.762	350.52	838.2	13469.696	350.52	695.96	
671		13726.16	358.445	717.575	13614.4	358.445	779.78	
671		13435.762	358.445	838.2	13469.696	358.445	695.96	
672ARB8		13726.16	350.52	717.575	13614.4	350.52	779.78	
672		13435.762	350.52	838.2	13469.696	350.52	695.96	
672		13726.16	342.595	717.575	13614.4	342.595	779.78	
672		13435.762	342.595	838.2	13469.696	342.595	695.96	
673ARB8		13726.16	868.68	717.575	13614.4	868.68	779.78	
673		13435.762	868.68	838.2	13469.696	868.68	695.96	
673		13726.16	876.605	717.575	13614.4	876.605	779.78	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
673		13435.762	876.605	838.2	13469.696	876.605	695.96	
674ARB8		13726.16	868.68	717.575	13614.4	868.68	779.78	
674		13435.762	868.68	838.2	13469.696	868.68	695.96	
674		13726.16	860.755	717.575	13614.4	860.755	779.78	
674		13435.762	860.755	838.2	13469.696	860.755	695.96	
675BOX		13396.468	485.648	625.348	429.235		27.203	
675			247.904		-3.531		55.855	
676BOX		13241.122	485.648	1335.329	157.937		-661.975	
676			247.904		54.356		12.979	
677ARB8		13467.08	894.08	381.	13233.4	894.08	1087.12	
677		13162.28	894.08	1076.96	13274.04	894.08	381.	
677		13467.08	330.2	381.	13233.4	330.2	1087.12	
677		13162.28	330.2	1076.96	13274.04	330.2	381.	
678RPP		13350.24	13746.48	330.2	894.08	381.	416.56	
679ARB8		13241.325	-733.552	1430.02	13241.325	-682.752	1485.9	
679		13241.325	-536.448	1485.9	13241.325	-485.648	1430.02	
679		13233.4	-733.552	1430.02	13233.4	-682.752	1485.9	
679		13233.4	-536.448	1485.9	13233.4	-485.648	1430.02	
680RPP		13233.4	13241.325	-733.552	-485.648	1333.5	1430.02	
681BOX		13233.4	-733.552	1333.5	172.72		-723.9	
681			247.904		7.709		1.839	
682BOX		13244.322	-733.552	1267.78	161.798		-678.18	
682			247.904		-7.709		-1.839	
683BOX		13406.12	-733.552	609.6	360.66		22.86	
683			247.904		-.5		7.91	
684BOX		13401.04	-733.552	617.474	393.7		24.953	
684			247.904		-.5		7.91	
685ARB8		13469.696	-868.68	695.96	13373.1	-868.68	1100.836	
685		13244.322	-733.552	1267.78	13406.12	-733.552	609.6	
685		13463.092	-872.795	694.389	13366.496	-872.795	1099.261	
685		13237.718	-737.667	1266.205	13399.516	-737.667	608.025	

TABLE A-1. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
686ARB8		13469.696	-868.68	695.96	13373.087	-868.68	1100.893	
686		13244.322	-733.552	1287.78	13406.123	-733.55	609.601	
686		13476.272	-864.569	697.522	13379.658	-864.568	1102.477	
686		13250.926	-729.437	1289.355	13412.724	-729.437	611.175	
687ARB8		13469.696	-350.52	695.96	13373.087	-350.52	1100.892	
687		13244.322	-485.648	1287.78	13406.125	-485.651	609.59	
687		13476.275	-354.635	697.535	13379.656	-354.632	1102.477	
687		13250.926	-489.763	1289.355	13412.734	-489.768	611.177	
688ARB8		13469.696	-350.52	695.96	13373.1	-350.52	1100.836	
688		13244.322	-485.648	1287.78	13406.12	-485.648	609.6	
688		13463.092	-346.405	694.385	13366.496	-346.405	1099.261	
688		13237.718	-481.533	1286.205	13399.516	-481.533	608.025	
689ARB8		13794.74	-733.552	642.366	13726.16	-868.677	717.581	
689		13469.696	-868.68	695.96	13406.12	-733.552	609.6	
689		13795.324	-737.616	635.584	13726.744	-872.741	710.8	
689		13470.28	-872.744	689.178	13406.704	-737.616	602.818	
690ARB8		13794.74	-733.552	642.366	13726.16	-868.677	717.581	
690		13469.696	-868.68	695.96	13406.12	-733.552	609.6	
690		13794.156	-729.488	649.148	13725.575	-864.613	724.363	
690		13469.112	-864.616	702.742	13405.536	-729.488	616.382	
691ARB8		13794.74	-485.648	642.366	13726.16	-350.524	717.581	
691		13469.696	-350.52	695.96	13406.12	-485.648	609.6	
691		13794.156	-489.712	649.148	13725.575	-354.588	724.363	
691		13469.112	-354.584	702.742	13405.536	-489.712	616.382	
692ARB8		13794.74	-485.648	642.366	13726.16	-350.524	717.581	
692		13469.696	-350.52	695.96	13406.12	-485.649	609.599	
692		13795.324	-481.584	635.584	13726.744	-346.46	710.801	
692		13470.28	-346.456	689.178	13406.704	-481.584	602.818	
693ARB8		13726.16	-868.68	717.575	13614.4	-868.68	779.78	
693		13435.762	-868.68	683.2	13469.696	-868.68	645.96	
693		13726.16	-860.755	717.575	13614.4	-860.755	779.78	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
693		13435.762	-860.755	838.2	13469.696	-860.755	695.96
694ARBB		13726.16	-868.68	717.575	13614.4	-868.68	779.78
694		13435.762	-868.68	838.2	13469.696	-868.68	695.96
694		13726.16	-876.605	717.575	13614.4	-876.605	779.78
694		13435.762	-876.605	838.2	13469.696	-876.605	695.96
695ARBB		13726.16	-350.52	717.575	13614.4	-350.52	779.78
695		13435.762	-350.52	838.2	13469.696	-350.52	695.96
695		13726.16	-342.595	717.575	13614.4	-342.595	779.78
695		13435.762	-342.595	838.2	13469.696	-342.595	695.96
696ARBB		13726.16	-350.52	717.575	13614.4	-350.52	779.78
696		13435.762	-350.52	838.2	13469.696	-350.52	695.96
696		13726.16	-358.445	717.575	13614.4	-358.445	779.78
696		13435.762	-358.445	838.2	13469.696	-358.445	695.96
697BOX		13396.468	-733.552	625.348	429.235		27.203
697			247.904		-3.531		55.855
698BOX		13241.122	-733.552	1335.329	157.937		-661.975
698			247.904		54.356		12.979
699ARBB		13467.08	-894.08	381.	13233.4	-894.08	1087.12
699		13162.28	-894.08	1076.96	13274.04	-894.08	381.
699		13467.08	-330.2	381.	13233.4	-330.2	1087.12
699		13162.28	-330.2	1076.96	13274.04	-330.2	381.
700RPP		13350.24	13746.48	-894.08	-330.2	381.	416.56
701TRC		14007.592	800.1	952.5	343.408		-359.41
701		66.548	50.546				
702TRC		14007.592	429.26	952.5	343.408		-359.41
702		66.546	50.546				
703TRC		13555.472	702.618	746.506	452.12	97.282	205.994
703		80.772	66.548				
704TRC		13555.472	526.542	746.506	452.12	-97.282	205.994
704		80.772	66.548				
705SPH		13538.723	702.943	744.942	70.084		

TABLE A-1. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
706	SPH	13538.723	526.476	744.642	70.064		
707	REC	13555.495	614.708	665.935	-33.546		157.815
707			156.316		101.592		21.595
708	REC	13521.949	614.708	823.75	-54.719		257.437
708			146.215		105.540		22.433
709	REC	13467.441	614.708	1080.199	-54.511		256.449
709			146.215		105.540		22.433
710	RCC	13412.93	808.822	1336.65	76.314		-359.029
710		47.899					
711	RCC	13412.93	420.596	1336.65	76.314		-359.029
711		47.899					
712	TRC	13489.244	808.822	977.621	270.259		57.445
712		42.857	30.251				
713	TRC	13489.244	420.596	977.621	270.259		57.445
713		42.857	30.251				
714	RCC	13412.93	614.708	1336.65	-15.095		71.016
714		61.008					
715	ELL	13387.771	614.708	1455.011	98.633		20.965
715		85.712					
716	SPH	14007.592	500.1	952.5	66.546		
717	SPH	14007.592	429.26	952.5	66.546		
718	SPH	13489.244	808.822	977.621	42.857		
719	SPH	13489.244	420.596	977.621	42.857		
720	SPH	14315.948	-00.1	536.93	50.546		
721	SPH	14315.948	429.26	536.93	50.546		
722	REC	13759.503	808.822	1035.065	103.566		22.014
722		-10.483		49.317		45.377	
723	REC	13759.503	420.596	1035.065	103.566		22.014
723		-10.483		49.317		45.377	
724	SPH	13423.412	500.3	1257.33	50.419		
725	SPH	13423.412	429.116	1257.33	50.419		

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
726	TRC	14007.592	-429.26	952.5	343.408		-359.41
		66.548	50.546				
727	TRC	14007.592	-800.1	952.5	343.408		-359.41
		66.548	50.546				
728	TRC	13555.472	-526.542	746.506	452.12	97.282	205.994
		80.772	66.548				
729	TRC	13555.472	-702.818	746.506	452.12	-97.282	205.994
		80.772	66.548				
730	SPH	13538.723	-526.476	744.842	70.084		
731	SPH	13538.723	-702.943	744.842	70.084		
732	REC	13555.495	-614.708	665.935	-33.546		157.815
			158.316		101.592		21.595
733	REC	13521.949	-614.708	823.75	-54.719		257.437
			146.215		105.540		22.433
734	REC	13467.441	-614.708	1080.199	-54.511		256.449
			146.215		105.540		22.433
735	RCC	13412.93	-420.596	1336.65	76.314		-359.029
		47.899					
736	RCC	13412.93	-808.822	1336.65	76.314		-359.029
		47.899					
737	TRC	13489.244	-420.596	977.621	270.259		57.445
		42.857	30.251				
738	TRC	13489.244	-808.822	977.621	270.259		57.445
		42.857	30.251				
739	RCC	13412.93	-614.708	1336.6	-15.095		71.016
		51.009					
740	ELL	13387.771	-614.708	1455.0.1	98.633		20.965
		85.71					
741	SPH	14007.592	-429.26	952.5	66.548		
742	SPH	14007.592	-800.1	952.5	66.546		
743	SPH	13489.244	-420.596	977.621	42.857		

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
744	SPH	13489.244	-806.822	977.621	42.957		
745	SPH	14315.948	-429.26	836.93	50.546		
746	SPH	14315.948	-600.1	836.93	50.546		
747	REC	13759.503	-420.596	1035.065	103.566		22.014
747		-10.483		49.317		45.377	
748	REC	13759.503	-808.822	1035.065	103.566		22.014
748		-10.483		49.317		45.377	
749	SPH	13423.412	-423.116	1287.33	50.419		
750	SPH	13423.412	-806.3	1287.33	50.419		
751	BOX	13601.7	1092.2	685.34		-35.865	299.72
751			15.646	1.88	-228.6		
752	ARB8	13601.7	1056.64	985.52	13517.88	937.26	1280.16
752		13373.1	937.26	1280.16	13373.1	1056.64	985.52
752		13601.7	1071.982	969.051	13517.88	952.602	1283.691
752		13373.1	952.602	1283.691	13373.1	1071.982	989.051
753	ARB8	13385.8	1066.8	685.8	13385.8	1032.256	975.36
753		13276.58	1032.256	975.36	13342.62	1066.8	685.8
753		13385.8	1082.446	687.68	13385.8	1047.902	977.24
753		13276.58	1047.902	977.24	13342.62	1082.446	687.68
754	ARB8	13385.8	1033.297	971.321	13385.8	909.32	1250.16
754		13276.	909.32	1250.16	13276.58	1033.297	971.321
754		13385.8	1047.902	977.189	13385.8	923.925	1286.027
754		13276.	923.925	1286.027	13276.58	1047.902	977.189
755	ARB8	13345.161	1066.861	685.794	13281.88	1032.256	975.36
755		13134.34	1048.315	840.747	13134.34	1066.8	685.8
755		13345.16	1051.154	683.946	13281.88	1016.61	973.506
755		13134.34	1032.627	838.888	13134.34	1051.103	683.946
756	BOX	13601.7	-1092.2	685.34		35.865	299.72
756			-15.646	1.88	-228.6		
757	ARB8	13601.7	-1056.64	985.52	13517.88	-937.26	1280.16
757		13373.1	-937.26	1280.16	13373.1	-1056.64	985.52

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
757		13601.7	-1071.982	989.051	13517.88	-952.602	1283.691	
757		13373.1	-952.602	1283.691	13373.1	-1071.982	989.051	
758ARB8		13385.8	-1066.8	685.8	13385.8	-1032.256	975.36	
758		13276.58	-1032.256	975.36	13342.62	-1066.8	685.8	
758		13385.8	-1082.446	687.68	13385.8	-1047.902	977.24	
758		13276.58	-1047.902	977.24	13342.62	-1082.446	687.68	
759ARB8		13385.8	-1033.297	971.321	13385.8	-909.32	1280.16	
759		13208.	-909.32	1280.16	13276.58	-1033.297	971.321	
759		13385.8	-1047.902	977.189	13385.8	-923.925	1286.027	
759		13208.	-923.925	1286.027	13276.58	-1047.902	977.189	
760ARB8		13345.16	-1066.8	685.8	13281.66	-1032.256	975.36	
760		13134.34	-1048.315	840.747	13134.34	-1066.8	685.8	
760		13345.159	-1051.103	683.946	13281.66	-1016.61	973.506	
760		13134.34	-1032.645	838.89	13134.34	-1051.103	683.946	
761RPP		9314.18	9748.52	505.46	1010.92	551.18	579.12	
762RPP		9314.18	9316.72	530.86	1000.76	579.12	1496.06	
763TRC		9723.12	758.19	551.18			-381.254	
763		25.4	15.24					
764RPP		9314.18	9748.52		505.46	551.18	579.12	
765RPP		9314.18	9316.72	25.4	495.3	579.12	1496.06	
766TRC		9723.12	252.73	551.18			-381.254	
766		25.4	15.24					
767RPP		9314.18	9748.52	-505.46		551.18	579.12	
768RPP		9314.18	9316.72	-480.06	-10.16	579.12	1496.06	
769TRC		9723.12	-252.73	551.18			-381.254	
769		25.4	15.24					
770RPP		9314.18	9748.52	-1010.92	-505.46	551.18	579.12	
771RPP		9314.18	9316.72	-985.52	-515.62	579.12	1496.06	
772TRC		9723.12	-758.19	551.18			-381.254	
772		25.4	15.24					
773RPP		10500.36	10934.7	252.73	758.19	551.18	579.12	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
774	RPP	10932.16	10934.7	262.89	732.79	579.12	1496.06	
775	TRC	10525.76	505.46	551.18			-381.254	
775		25.4	15.24					
776	RPP	10500.36	10934.7	-252.73	252.73	551.18	579.12	
777	RPP	10932.16	10934.7	-242.57	227.33	579.12	1496.06	
778	TRC	10525.76		551.18			-381.254	
778		25.4	15.24					
779	RPP	10500.36	10934.7	-758.19	-252.73	551.18	579.12	
780	RPP	10932.16	10934.7	-748.03	-278.13	579.12	1496.06	
781	TRC	10525.76	-505.46	551.18			-381.254	
781		25.4	15.24					
782	RPP	11010.9	11445.24	1.27	506.73	551.18	579.12	
783	RPP	11010.9	11013.44	26.67	496.57	579.12	1496.06	
784	TRC	11419.84	254.	551.18			-381.254	
784		25.4	15.24					
785	RPP	11010.9	11445.24	-504.19	1.27	551.18	579.12	
786	RPP	11010.9	11013.44	-478.79	-8.89	579.12	1496.06	
787	TRC	11419.84	-251.46	551.18			-381.254	
787		25.4	15.24					
788	RPP	11010.9	11445.24	-1009.65	-504.19	551.18	579.12	
789	RPP	11010.9	11013.44	-984.25	-514.35	579.12	1496.06	
790	TRC	11419.84	-756.92	551.18			-381.254	
790		25.4	15.24					
791	RPP	11951.97	12457.43	248.92	683.26	551.18	579.12	
792	RPP	11962.13	12432.03	248.92	251.46	579.12	1496.06	
793	TRC	12204.7	657.86	551.18			-381.254	
793		25.4	15.24					
794	RPP	11951.97	12457.43	-683.26	-248.92	551.18	579.12	
795	RPP	11977.37	12447.27	-251.46	-248.92	579.12	1496.06	
796	TRC	12204.7	-657.86	551.18			-381.254	
796		25.4	15.24					

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
797	ELLG	9426.86	758.19	1436.22			108.001	
797			69.202		97.467			
798	RPP	9316.72	9536.999	606.628	909.752	1094.219	1328.219	
799	ARB8	9536.999	909.752	1094.219	9536.999	606.628	1094.219	
799		9316.72	606.628	1094.219	9316.72	909.752	1094.219	
799		9536.999	894.156	912.221	9536.999	622.224	912.221	
799		9316.72	622.224	912.221	9316.72	894.156	912.221	
800	ARB8	9536.999	894.156	912.221	9536.999	622.224	912.221	
800		9316.72	622.224	912.221	9316.72	894.156	912.221	
800		9517.017	930.222	652.221	9517.017	586.158	652.221	
800		9336.702	586.158	652.221	9336.702	930.222	652.221	
801	TEC	9336.702	758.19	652.221	558.157			
801			146.202				73.101	
801		1.6304						
802	TEC	9894.86	758.19	697.057			-434.835	
802			89.672		44.836			
802		1.7037						
803	TRC	9426.86	959.947	1328.219			-389.999	
803		50.198	42.885					
804	TRC	9426.86	556.433	1328.219			-389.999	
804		50.198	42.885					
805	TRC	9383.974	959.947	938.215	432.885			
805		42.885	27.292					
806	TRC	9383.974	556.433	938.215	432.885			
806		42.885	27.292					
807	ELLG	9426.86	252.73	1436.22			108.001	
807			69.202		97.467			
808	RPP	9316.72	9536.999	101.168	404.292	1094.219	1328.219	
809	ARB8	9536.999	404.292	1094.219	9536.999	101.168	1094.219	
809		9316.72	101.168	1094.219	9316.72	404.292	1094.219	
809		9536.999	388.696	912.221	9536.999	116.764	912.221	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
809		9316.72	116.764	912.221	9316.72	388.696	912.221	
810	ARB8	9536.999	388.696	912.221	9536.999	116.764	912.221	
810		9316.72	116.764	912.221	9316.72	388.696	912.221	
810		9517.017	424.762	652.221	9517.017	80.698	652.221	
810		9336.702	80.698	652.221	9336.702	424.762	652.221	
811	TEC	9336.702	252.73	652.221	558.157			
811			146.202				73.101	
811		1.6304						
812	TEC	9894.86	252.73	697.057			-434.835	
812			89.672		44.836			
812		1.7037						
813	TRC	9426.86	454.487	1328.219			-389.999	
813		50.198	42.885					
814	TRC	9426.86	50.973	1328.219			-389.999	
814		50.198	42.885					
815	TRC	9383.974	454.487	938.215	432.885			
815		42.885	27.292					
816	TRC	9383.974	50.973	938.215	432.885			
816		42.885	27.292					
817	ELLG	9426.86	-252.73	1436.22			108.001	
817			69.202		97.467			
818	RPP	9316.72	9536.999	-404.292	-101.168	1094.219	1328.219	
819	ARB8	9536.999	-101.168	1094.219	9536.999	-404.292	1094.219	
819		9316.72	-404.292	1094.219	9316.72	-101.168	1094.219	
819		9536.999	-116.764	912.221	9536.999	-388.696	912.221	
819		9316.72	-388.696	912.221	9316.72	-116.764	912.221	
820	ARB8	9536.999	-116.764	912.221	9536.999	-388.696	912.221	
820		9316.72	-388.696	912.221	9316.72	-116.764	912.221	
820		9517.017	-80.698	652.221	9517.017	-424.762	652.221	
820		9336.702	-424.762	652.221	9336.702	-80.698	652.221	
821	TEC	9336.702	-252.73	652.221	558.157			

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
821			146.202				73.101
821		1.6304					
822	TEC	9894.86	-252.73	697.057			-434.835
822			89.672		44.836		
822		1.7037					
823	TRC	9426.86	-50.973	1328.219			-389.999
823		50.198	42.885				
824	TRC	9426.86	-454.487	1328.219			-389.999
824		50.198	42.885				
825	TRC	9383.974	-50.973	938.215	432.885		
825		42.885	27.292				
826	TRC	9383.974	-454.487	938.215	432.885		
826		42.885	27.292				
827	ELLG	9426.86	-758.19	1436.22			108.001
827			69.202		97.467		
828	RPP	9316.72	9536.999	-909.752	-606.628	1094.219	1328.219
829	ARB8	9536.999	-606.628	1094.219	9536.999	-909.752	1094.219
829		9316.72	-909.752	1094.219	9316.72	-606.628	1094.219
829		9536.999	-622.224	912.221	9536.999	-894.156	912.221
829		9316.72	-894.156	912.221	9316.72	-622.224	912.221
830	ARB8	9536.999	-622.224	912.221	9536.999	-894.156	912.221
830		9316.72	-894.156	912.221	9316.72	-622.224	912.221
830		9517.017	-586.158	652.221	9517.017	-930.222	652.221
830		9336.702	-930.222	652.221	336.702	-586.158	652.221
831	TEC	9336.702	-758.19	652.221	558.157		
831			146.202				73.101
831		1.6304					
832	TEC	9894.86	-758.19	697.057			-434.835
832			89.672		44.836		
832		1.7037					
833	TRC	9426.86	-556.433	1328.219			-389.999

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
833		50.198	42.885					
834	TRC	9426.86	-959.947	1328.219			-389.999	
834		50.198	42.885					
835	TRC	9383.974	-556.433	938.215	432.885			
835		42.885	27.292					
836	TRC	9383.974	-959.947	938.215	432.885			
836		42.885	27.292					
837	ELLG	10822.02	505.46	1436.22			108.001	
837			-69.202		-97.467			
838	RPP	10711.881	10932.16	353.898	657.022	1094.219	1328.219	
839	ARB8	10711.881	353.898	1094.219	10711.881	657.022	1094.219	
839		10932.16	657.022	1094.219	10932.16	353.898	1094.219	
839		10711.881	369.494	912.221	10711.881	641.426	912.221	
839		10932.16	641.426	912.221	10932.16	369.494	912.221	
840	ARB8	10711.881	369.494	912.221	10711.881	641.426	912.221	
840		10932.16	641.426	912.221	10932.16	369.494	912.221	
840		10731.863	333.428	652.221	10731.863	677.492	652.221	
840		10912.178	677.492	652.221	10912.178	333.428	652.221	
841	TEC	10912.178	505.46	652.221	-558.157			
841			-146.202				73.101	
841		1.6304						
842	TEC	10354.02	505.46	697.057			-434.835	
842			-89.672		-44.836			
842		1.7037						
843	TRC	10822.02	303.703	1328.219			-389.999	
843		50.198	42.885					
844	TRC	10822.02	707.217	1328.219			-389.999	
844		50.198	42.885					
845	TRC	10864.906	303.703	938.215	-432.885			
845		42.885	27.292					
846	TRC	10864.906	707.217	938.215	-432.885			

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
846		42.885	27.292					
847	ELLG	10822.02		1436.22			108.001	
847			-69.202		-97.467			
848	RPP	10711.881	10932.16	-151.562	151.562	1094.219	1328.219	
849	ARB8	10711.881	-151.562	1094.219	10711.881	151.562	1094.219	
849		10932.16	151.562	1094.219	10932.16	-151.562	1094.219	
849		10711.881	-135.966	912.221	10711.881	135.966	912.221	
849		10932.16	135.966	912.221	10932.16	-135.966	912.221	
850	ARB8	10711.881	-135.966	912.221	10711.881	135.966	912.221	
850		10932.16	135.966	912.221	10932.16	-135.966	912.221	
850		10731.863	-172.032	652.221	10731.863	172.032	652.221	
850		10912.178	172.032	652.221	10912.178	-172.032	652.221	
851	TEC	10912.178		652.221	-558.157			
851			-146.202				73.101	
851		1.6304						
852	TEC	10354.02		697.057			-434.835	
852			-89.672		-44.836			
852		1.7037						
853	TRC	10822.02	-201.757	1328.219			-389.999	
853		50.198	42.885					
854	TRC	10822.02	201.757	1328.219			-389.999	
854		50.198	42.885					
855	TRC	10864.906	-201.757	938.215	-432.885			
855		42.885	27.292					
856	TRC	10864.906	201.757	938.215	432.885			
856		42.885	27.292					
857	ELLG	10922.02	-505.46	1436.22			108.001	
857			-69.202		-97.467			
858	RPP	10711.881	10932.16	-657.022	-353.898	1094.219	1328.219	
859	ARB8	10711.881	-657.022	1094.219	10711.881	-353.898	1094.219	
859		10932.16	-353.898	1094.219	10932.16	-657.022	1094.219	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
859		10711.881	-641.426	912.221	10711.881	-369.494	912.221	
859		10932.16	-369.494	912.221	10932.16	-641.426	912.221	
860ARB8		10711.881	-641.426	912.221	10711.881	-369.494	912.221	
860		10932.16	-369.494	912.221	10932.16	-641.426	912.221	
860		10731.863	-677.492	652.221	10731.863	-333.428	652.221	
860		10912.178	-333.428	652.221	10912.178	-677.492	652.221	
861TEC		10912.178	-505.46	652.221	-558.157			
861			-146.202				73.101	
861		1.6304						
862TEC		10354.02	-505.46	697.057			-434.835	
862			-89.672		-44.836			
862		1.7037						
863TRC		10822.02	-707.217	1328.219			-389.999	
863		50.198	42.885					
864TRC		10822.02	-303.703	1328.219			-389.999	
864		50.198	42.885					
865TRC		10864.906	-707.217	938.215	-432.885			
865		42.885	27.292					
866TRC		10864.906	-303.703	938.215	-432.885			
866		42.885	27.292					
867ELLG		11123.58	254.	1436.22			108.001	
867			69.202		97.467			
868RPP		11013.44	11233.719	102.438	405.562	1094.219	1328.219	
869ARB8		11233.719	405.562	1094.219	11233.719	102.438	1094.219	
869		11013.44	102.438	1094.219	11013.44	405.562	1094.219	
869		11233.719	389.966	912.221	11233.719	118.034	912.221	
869		11013.44	118.034	912.221	11013.44	389.966	912.221	
870ARB8		11233.719	389.966	912.221	11233.719	118.034	912.221	
870		11013.44	118.034	912.221	11013.44	389.966	912.221	
870		11213.737	426.032	652.221	11213.737	81.968	652.221	
870		11033.422	81.968	652.221	11033.422	426.032	652.221	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
871	TEC	11033.422	254.	652.221	558.157			
871			146.202				73.101	
871		1.6304						
872	TEC	11591.58	254.	697.057			-434.835	
872			89.672		44.836			
872		1.7037						
873	TRC	11123.58	455.757	1328.219			-389.999	
873		50.198	42.885					
874	TRC	11123.58	52.243	1328.219			-389.999	
874		50.198	42.885					
875	TRC	11080.694	455.757	938.215	432.885			
875		42.885	27.292					
876	TRC	11080.694	52.243	938.215	432.885			
876		42.885	27.292					
877	ELLG	11123.58	-251.46	1436.22			108.001	
877			69.202		97.467			
878	RPP	11013.44	11233.719	-403.022	-99.898	1094.219	1328.219	
879	ARB8	11233.719	-99.898	1094.219	11233.719	-403.022	1094.219	
879		11013.44	-403.022	1094.219	11013.44	-99.898	1094.219	
879		11233.719	-115.494	912.221	11233.719	-387.426	912.221	
879		11013.44	-387.426	912.221	11013.44	-115.494	912.221	
880	ARB8	11233.719	-115.494	912.221	11233.719	-387.426	912.221	
880		11013.44	-387.426	912.221	11013.44	-115.494	912.221	
880		11213.737	-79.428	652.221	1121 .737	-423.492	652.221	
880		11033.422	-423.492	652.221	110 .422	-79.428	652.221	
881	TEC	11033.422	-251.46	652.221	558.157			
881			146.202				73.101	
881		1.6304						
882	TEC	11591.58	-251.46	697.057			-434.835	
882			89.672		44.836			
882		1.7037						

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
883	TRC	11123.58	-49.703	1328.219			-389.999	
		50.198	42.885					
884	TRC	11123.58	-453.217	1328.219			-389.999	
		50.198	42.885					
885	TRC	11080.694	-49.703	938.215	432.885			
		42.885	27.292					
886	TRC	11080.694	-453.217	938.215	432.885			
		42.885	27.292					
887	ELLG	11123.58	-756.92	1436.22			108.001	
			69.202		97.467			
888	RPP	11013.44	11233.719	-908.482	-605.358	1094.219	1328.219	
889	AR88	11233.719	-605.358	1094.219	11233.719	-908.482	1094.219	
889		11013.44	-908.482	1094.219	11013.44	-605.358	1094.219	
889		11233.719	-620.954	912.221	11233.719	-892.886	912.221	
889		11013.44	-892.886	912.221	11013.44	-620.954	912.221	
890	AR88	11233.719	-620.954	912.221	11233.719	-892.886	912.221	
890		11013.44	-892.886	912.221	11013.44	-620.954	912.221	
890		11213.737	-584.888	652.221	11213.737	-928.952	652.221	
890		11033.422	-928.952	652.221	11033.422	-584.888	652.221	
891	TEC	11033.422	-756.92	652.221	558.157			
891			146.202				73.101	
891		1.6304						
892	TEC	11591.58	-756.92	697.057			-434.835	
892			89.672		44.836			
892		1.7037						
893	TRC	11123.58	-555.163	1328.219			-389.999	
		50.198	42.885					
894	TRC	11123.58	-958.677	1328.219			-389.999	
		50.198	42.885					
895	TRC	11080.694	-555.163	938.215	432.885			
		42.885	27.292					

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
896	TRC	11080.694	-958.677	938.215	432.885			
896		42.885	27.292					
897	ELLG	12204.7	361.6	1436.22			108.001	
897		-69.202				97.467		
898	RPP	12053.138	12356.262	251.46	471.739	1094.219	1328.219	
899	ARB8	12053.138	471.739	1094.219	12356.262	471.739	1094.219	
899		12356.262	251.46	1094.219	12053.138	251.46	1094.219	
899		12068.734	471.739	912.221	12340.666	471.739	912.221	
899		12340.666	251.46	912.221	12068.734	251.46	912.221	
900	ARB8	12068.734	471.739	912.221	12340.666	471.739	912.221	
900		12340.666	251.46	912.221	12068.734	251.46	912.221	
900		12032.668	451.757	652.221	12376.732	451.757	652.221	
900		12376.732	271.442	652.221	12032.668	271.442	652.221	
901	TEC	12204.7	271.442	652.221		558.157		
901		-146.202					73.101	
901		1.6304						
902	TEC	12204.7	829.6	697.057			-434.835	
902		-89.672				44.836		
902		1.7037						
903	TRC	12002.943	361.6	1328.219			-389.999	
903		50.198	42.885					
904	TRC	12406.457	361.6	1328.219			-389.999	
904		50.198	42.885					
905	TRC	12002.943	318.714	938.215		432.885		
905		42.885	27.292					
906	TRC	12406.457	318.714	938.215		432.885		
906		42.885	27.292					
907	ELLG	12204.7	-361.6	1436.22			108.001	
907		69.202				-97.467		
908	RPP	12053.138	12356.262	-471.739	-251.46	1094.219	1328.219	
909	ARB8	12356.262	-471.739	1094.219	12053.138	-471.739	1094.219	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
909		12053.138	-251.46	1094.219	12356.262	-251.46	1094.219	
909		12340.666	-471.739	912.221	12068.734	-471.739	912.221	
909		12068.734	-251.46	912.221	12340.666	-251.46	912.221	
910	ARBB	12340.666	-471.739	912.221	12068.734	-471.739	912.221	
910		12068.734	-251.46	912.221	12340.666	-251.46	912.221	
910		12376.732	-451.757	652.221	12032.668	-451.757	652.221	
910		12032.668	-271.442	652.221	12376.732	-271.442	652.221	
911	TEC	12204.7	-271.442	652.221		-558.157		
911		146.202					73.101	
911		1.6304						
912	TEC	12204.7	-829.6	697.057			-434.835	
912		89.672				-44.836		
912		1.7037						
913	TRC	12406.457	-361.6	1328.219			-389.999	
913		50.198	42.885					
914	TRC	12002.943	-361.6	1328.219			-389.999	
914		50.198	42.885					
915	TRC	12406.457	-318.714	938.215		-432.885		
915		42.885	27.292					
916	TRC	12002.943	-318.714	938.215		-432.885		
916		42.885	27.292					
917	RCC	12192.	1117.6	728.98			121.92	
917		19.05						
918	RCC	12192.	1097.28	825.5		284.48		
918		20.32						
919	RCC	12192.	1381.76	805.18			55.88	
919		38.1						
920	ARBB	12179.3	1343.66	861.06	12179.3	1386.84	937.26	
920		12179.3	1452.88	937.26	12179.3	1419.86	861.06	
920		12204.7	1343.66	861.06	12204.7	1386.84	937.26	
920		12204.7	1452.88	937.26	12204.7	1419.86	861.06	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
921	RPP	12171.68	12212.32	1244.6	1620.52	937.26	1140.46	
922	RPP	12171.68	12212.32	1005.84	1244.6	1023.62	1130.3	
923	RCC	12192.	1620.52	1094.74		492.76		
923		10.16						
924	RCC	12192.	-1117.6	728.98			121.92	
924		19.05						
925	RCC	12192.	-1097.28	825.5		-284.48		
925		20.32						
926	RCC	12192.	-1381.76	805.18			55.88	
926		38.1						
927	ARB8	12179.3	-1343.66	861.06	12179.3	-1386.84	937.26	
927		12179.3	-1452.88	937.26	12179.3	-1419.86	861.06	
927		12204.7	-1343.66	861.06	12204.7	-1386.84	937.26	
927		12204.7	-1452.88	937.26	12204.7	-1419.86	861.06	
928	RPP	12171.68	12212.32	-1620.52	-1244.6	937.26	1140.46	
929	RPP	12171.68	12212.32	-1244.6	-1005.84	1023.62	1130.3	
930	RCC	12192.	-1620.52	1094.74		-492.76		
930		10.16						
931	BOX	12656.82	838.2	1551.94	-123.19			
931			-118.11	30.226		21.844	84.836	
932	BOX	12387.58	838.2	1551.94	-213.36			
932			-108.712	27.94		21.844	84.836	
933	BOX	11953.24	838.2	1551.94	-63.5			
933			-108.712	27.94		21.844	84.836	
934	BOX	11864.34	838.2	1551.94	-86.36			
934			-108.712	27.94		21.844	84.836	
935	RPP	12283.44	12636.5	228.6	660.4	1564.64	1704.34	
936	RPP	12116.34	12269.78	480.06	647.7	1564.64	1704.34	
937	RPP	11971.02	12169.14	101.6	411.48	1551.94	1729.74	
938	RPP	12283.44	12636.5	-305.46	-251.46	1564.64	1704.34	
939	RPP	11971.02	12169.14	-411.48	-101.6	1551.94	1729.74	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
940	RPP	11336.02	11396.98	-419.1	-355.6	223.52	360.68
941	ARB8	12214.86	-411.48	1551.94	12214.86	-591.82	1551.94
941		12158.98	-591.82	1551.94	12075.16	-411.48	1551.94
941		12214.86	-411.48	1704.34	12214.86	-591.82	1704.34
941		12158.98	-591.82	1704.34	12075.16	-411.48	1704.34
942	RPP	11971.02	12054.84	-523.24	-452.12	1551.94	1704.34
943	BOX	12656.82	-838.2	1551.94	-123.19		
943			118.11	30.226		-21.844	84.836
944	BOX	12235.18	-820.42	1559.56	-120.904		
944			118.11	30.226		-19.812	77.47
945	BOX	12070.08	-838.2	1551.94	-78.74		
945			139.192	35.56		-21.844	84.836
946	RCC	11750.04	619.76	1965.96	37.338	-154.94	-314.96
946		19.05					
947	RCC	11768.328	472.44	1666.24	515.112		
947		19.05					
948	RCC	12656.82	254.	1625.6	474.98		50.8
948		19.05					
949	RCC	11750.04	-619.76	1965.96	37.338	170.688	-314.706
949		19.05					
950	RCC	11768.328	-457.2	1666.24	433.832		
950		19.05					
951	RCC	12608.56	-254.	1625.6	523.24		50.8
951		19.05					
952	RCC	12633.96	-365.76	1854.2	-426.72	-274.32	
952		76.2					
953	RCC	12217.4	-594.44	1854.2	-81.28	-177.8	
953		76.2					
954	RCC	12136.12	-355.6	1854.2	35.56	-279.4	
954		48.26					
955	RCC	12151.84	-314.96	1854.2	-101.6	-20.32	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
955		63.5					
956	RPP	12034.52	12095.48	-447.04	-274.32	1778.	1930.4
957	TRC	12547.6	-264.16	1854.2	-365.76	-50.8	
957		55.88	27.94				
958	ARB8	12776.2	-187.96	1930.4	12842.24	-406.4	1930.4
958		12618.72	-472.44	1930.4	12486.64	-193.04	1930.4
958		12776.2	-187.96	1752.6	12842.24	-406.4	1752.6
958		12618.72	-472.44	1752.6	12486.64	-193.04	1752.6
959	ARB8	13025.12	-203.2	1875.841	13030.2	-274.32	1879.61
959		12842.24	-406.4	1930.4	12796.52	-259.08	1930.4
959		13025.12	-203.2	1752.6	13030.2	-274.32	1752.6
959		12842.24	-406.4	1752.6	12796.52	-259.08	1752.6
960	FCC	11958.32	675.64	1854.2	497.84	-147.32	25.4
960		66.04					
961	RCC	11948.16	-650.24	1930.4			-101.6
961		63.5					
962	ARB8	9243.06	241.3	200.66	9243.06	241.3	403.86
962		8823.96	274.32	403.86	8823.96	274.32	124.46
962		9243.06	12.7	200.66	9243.06	12.7	403.86
962		8823.96	12.7	403.86	8823.96	12.7	124.46
963	ARB8	8194.04	241.3	200.66	8194.04	241.3	403.86
963		8613.14	274.32	403.86	8613.14	274.32	124.46
963		8194.04	12.7	200.66	8194.04	12.7	403.86
963		8613.14	12.7	403.86	8613.14	12.7	124.46
964	RPP	8613.14	8823.96	12.7	274.32	124.46	403.86
965	ARB8	9243.06	759.003	239.014	9243.06	791.159	403.86
965		8823.96	907.212	403.86	8823.96	861.187	167.919
965		9243.06	241.3	200.676	9243.06	241.3	403.86
965		8823.96	274.32	403.86	8823.96	274.32	124.46
966	ARB8	8194.04	759.003	239.014	8194.04	791.159	403.86
966		8613.14	907.212	403.86	8613.14	861.187	167.919

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
966		8194.04	241.3	200.676	8194.04	241.3	403.86	
966		8613.14	274.32	403.86	8613.14	274.32	124.46	
967ARB8		8823.96	861.167	170.434	8823.96	907.212	403.86	
967		8613.14	907.212	403.86	8613.14	861.167	170.434	
967		8823.96	274.32	173.685	8823.96	274.32	403.86	
967		8613.14	274.32	403.86	8613.14	274.32	173.665	
968ARB8		9243.06	791.159	403.86	9243.06	854.608	728.98	
968		8823.96	970.661	728.98	8823.96	907.212	403.86	
968		9243.06	12.7	403.86	9243.06	12.7	728.98	
968		8823.96	12.7	728.98	8823.96	12.7	403.86	
969ARB8		8194.04	791.159	403.86	8194.04	854.608	728.98	
969		8613.14	970.661	728.98	8613.14	907.212	403.86	
969		8194.04	12.7	403.86	8194.04	12.7	728.98	
969		8613.14	12.7	728.98	8613.14	12.7	403.86	
970ARB8		8823.96	907.212	403.86	8823.96	970.661	728.98	
970		8613.14	970.661	728.98	8613.14	907.212	403.86	
970		8823.96	12.7	403.86	8823.96	12.7	728.98	
970		8613.14	12.7	728.98	8613.14	12.7	403.86	
971ARB8		9243.06	854.608	728.98	9243.06	861.045	762.	
971		8823.96	982.98	792.175	8823.96	970.661	728.98	
971		9243.06	12.7	728.98	9243.06	12.7	762.	
971		8823.96	12.7	792.175	8823.96	12.7	728.98	
972ARB8		8194.04	854.608	728.98	8194.04	861.045	762.	
972		8613.14	982.98	792.175	8613.14	970.661	728.98	
972		8194.04	12.7	728.98	8194.04	12.7	762.	
972		8613.14	12.7	792.175	8613.14	12.7	728.98	
973ARB8		8823.96	939.8	728.98	8823.96	982.98	792.175	
973		8613.14	982.98	792.175	8613.14	939.8	728.98	
973		8823.96	12.7	728.98	8823.96	12.7	792.175	
973		8613.14	12.7	792.175	8613.14	12.7	728.98	
974ARB8		9243.06	861.06	762.	9243.06	861.06	955.04	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
974		8823.96	982.98	955.04	8823.96	982.98	792.175	
974		9243.06	12.7	762.	9243.06	12.7	955.04	
974		8823.96	12.7	955.04	8823.96	12.7	792.175	
975ARB8		8194.04	861.06	762.	8194.04	861.06	955.04	
975		8613.14	982.98	955.04	8613.14	982.98	792.175	
975		8194.04	12.7	762.	8194.04	12.7	955.04	
975		8613.14	12.7	955.04	8613.14	12.7	792.175	
976RPP		8613.14	8823.96	12.7	982.98	792.175	955.04	
977RPP		8636.	8788.4	165.42	304.8	160.02	320.04	
978RCC		8717.28	248.92	170.18			445.008	
978		25.4						
979RCC		8717.28	251.206	604.52		-98.806	210.82	
979		25.4						
980RCC		8717.28	154.94	804.672			471.678	
980		25.4						
981RCC		8717.28	157.734	1264.412		-118.618	228.6	
981		25.4						
982RCC		8717.28	50.8	1470.66	-675.64			
982		25.4						
983RCC		8067.04	50.8	1470.66			-647.954	
983		25.4						
984RCC		8067.04	43.434	840.486		435.61		
984		25.4						
985RCC		8068.618	472.44	299.46	-77.978	104.14	-200.406	
985		25.4						
986ARB8		8120.38	695.96		8120.38	614.68	139.7	
986		7655.56	614.68	139.7	7655.56	695.96		
986		8120.38	558.8		8120.38	528.32	109.22	
986		7655.56	528.32	109.22	7655.56	558.8		
987ARB8		9243.06	-241.3	200.66	9243.06	-241.3	403.86	
987		8823.96	-274.32	403.86	8823.96	-274.32	124.46	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
987		9243.06	-12.7	200.66	9243.06	-12.7	403.86	
987		8823.96	-12.7	403.86	8823.96	-12.7	124.46	
988ARB8		8194.04	-241.3	200.66	8194.04	-241.3	403.86	
988		8613.14	-274.32	403.86	8613.14	-274.32	124.46	
988		8194.04	-12.7	200.66	8194.04	-12.7	403.86	
988		8613.14	-12.7	403.86	8613.14	-12.7	124.46	
989RPP		8613.14	8823.96	-274.32	-12.7	124.46	403.86	
990ARB8		9243.06	-759.003	239.014	9243.06	-791.159	403.86	
990		8823.96	-907.212	403.86	8823.96	-861.187	167.919	
990		9243.06	-241.3	200.676	9243.06	-241.3	403.86	
990		8823.96	-274.32	403.86	8823.96	-274.32	124.46	
991ARB8		8194.04	-759.003	239.014	8194.04	-791.159	403.86	
991		8613.14	-907.212	403.86	8613.14	-861.187	167.919	
991		8194.04	-241.3	200.676	8194.04	-241.3	403.86	
991		8613.14	-274.32	403.86	8613.14	-274.32	124.46	
992ARB8		8823.96	-861.187	170.434	8823.96	-907.212	403.86	
992		8613.14	-907.212	403.86	8613.14	-861.187	170.434	
992		8823.96	-274.32	173.685	8823.96	-274.32	403.86	
992		8613.14	-274.32	403.86	8613.14	-274.32	173.685	
993ARB8		9243.06	-791.159	403.86	9243.06	-854.608	728.98	
993		8823.96	-970.661	728.98	8823.96	-907.212	403.86	
993		9243.06	-12.7	403.86	9243.06	-12.7	728.98	
993		8823.96	-12.7	728.98	8823.96	-12.7	403.86	
994ARB8		8194.04	-791.159	403.86	8194.04	-854.608	728.98	
994		8613.14	-970.661	728.98	8613.14	-907.212	403.86	
994		8194.04	-12.7	403.86	8194.04	-12.7	728.98	
994		8613.14	-12.7	728.98	8613.14	-12.7	403.86	
995ARB8		8823.96	-907.212	403.86	8823.96	-970.661	728.98	
995		8613.14	-970.661	728.98	8613.14	-907.212	403.86	
995		8823.96	-12.7	403.86	8823.96	-12.7	728.98	
995		8613.14	-12.7	728.98	8613.14	-12.7	403.86	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
996ARB8		9243.06	-854.608	728.98	9243.06	-861.045	762.	
996		8823.96	-982.98	792.175	8823.96	-970.661	728.98	
996		9243.06	-12.7	728.98	9243.06	-12.7	762.	
996		8823.96	-12.7	792.175	8823.96	-12.7	728.98	
997ARB8		8194.04	-854.608	728.98	8194.04	-861.045	762.	
997		8613.14	-982.98	792.175	8613.14	-970.661	728.98	
997		8194.04	-12.7	728.98	8194.04	-12.7	762.	
997		8613.14	-12.7	792.175	8613.14	-12.7	728.98	
998ARB8		8823.96	-939.8	728.98	8823.96	-982.98	792.175	
998		8613.14	-982.98	792.175	8613.14	-939.8	728.98	
998		8823.96	-12.7	728.98	8823.96	-12.7	792.175	
998		8613.14	-12.7	792.175	8613.14	-12.7	728.98	
999ARB8		9243.06	-861.06	762.	9243.06	-861.06	955.04	
999		8823.96	-982.98	955.04	8823.96	-982.98	792.175	
999		9243.06	-12.7	762.	9243.06	-12.7	955.04	
999		8823.96	-12.7	955.04	8823.96	-12.7	792.175	
300ARB8		8194.04	-861.06	762.	8194.04	-861.06	955.04	
300		8613.14	-982.98	955.04	8613.14	-982.98	792.175	
300		8194.04	-12.7	762.	8194.04	-12.7	955.04	
300		8613.14	-12.7	955.04	8613.14	-12.7	792.175	
301RPP		8613.14	8823.96	-982.98	-12.7	792.175	955.04	
302PPP		8636.	8786.4	-304.8	-165.42	160.02	320.04	
303RCC		8717.28	-248.92	170.18			445.008	
303		25.4						
304RCC		8717.28	-251.206	604.52		98.806	210.82	
304		25.4						
305RCC		8717.28	-154.94	804.672			471.678	
305		25.4						
306RCC		8717.28	-157.734	1264.412		116.618	228.6	
306		25.4						
307RCC		8717.28	-50.8	1470.66	-675.64			

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
$07		25.4					
$08FCC		8067.04	-50.5	1470.66			-647.954
$08		25.4					
$09FCC		8067.04	-43.434	840.486		-435.61	-549.91
$09		25.4					
$10FCC		8068.516	-472.44	299.466	-77.978	-104.14	-200.466
$10		25.4					
$11ARB8		8120.38	-695.96		8120.38	-614.68	139.7
$11		7655.56	-614.68	139.7	7655.56	-695.96	
$11		8120.38	-558.8		8120.38	-528.32	109.22
$11		7655.56	-528.32	109.22	7655.56	-558.8	
$12SPH		8367.08	924.56	665.48	48.26		
$13FCC		8387.08	924.56	650.24		-1064.26	
$13		20.32					
$14FCC		8387.08	-119.38	650.24	340.36		
$14		20.32					
$15FCC		8707.12	-119.38	650.24		-127.	-144.78
$15		20.32					
$16FCC		8387.08	109.22	650.24	350.52	134.62	-190.5
$16		20.32					
$17FCC		8613.14	157.48	975.36			317.754
$17		17.78					
$18FCC		8607.296	156.242	1279.906	219.964	-32.258	198.628
$18		17.78					
$19FCC		8821.42	127.	1465.326			322.834
$19		17.78					
$20FCC		8821.42	127.	1770.38	1149.858	795.782	
$20		17.78					
$21FCC		9959.34	914.4	1752.6		-607.568	
$21		17.78					
$22FCC		9964.674	328.1[illegible]	1754.95	-249.174	-171.45	527.05

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
$22		17.78					
$23RCC		8613.14	-152.4	975.36			317.754
$23		17.78					
$24RCC		8607.298	-152.4	1279.906	219.964		198.628
$24		17.78					
$25RCC		8821.42	-152.4	1465.326			322.834
$25		17.78					
$26RCC		8821.42	-152.4	1770.38	1150.112	-770.128	
$26		17.78					
$27RCC		9959.34	-914.4	1770.38		607.568	
$27		17.78					
$28RCC		9964.674	-323.85	1758.95	-249.174	171.45	527.05
$28		17.78					
$29RCC		9715.5	584.2	2286.		-1524.	
$29		17.78					
$30RCC		9697.72	584.2	2286.		228.6	-96.52
$30		17.78					
$31RCC		9697.72	-939.8	2286.		228.6	-96.52
$31		17.78					
$32RPP		8143.24	8890.	-1168.4	1168.4		977.9
$33RPP		8890.	9296.4	-1193.8	1193.8		977.9
$34TRC		8953.754	254.	1966.722	30.226		4.318
$34		45.72	38.1				
$35TRC		8953.754	254.	1966.72	-75.438		-10.922
$35		76.2	66.04				
$36RCC		8878.316	254.	1955.8	-145.796		-21.336
$36		76.2					
$37TRC		8325.358	254.	1875.028	407.162		59.436
$37		142.24	76.2				
$38RCC		8325.358	254.	1875.028	-60.198		-8.89
$38		187.96					

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
$39TPC		8265.16	254.	1864.36	-117.602		-17.018	
$39		187.96	104.14					
$40RPP		8509.	8813.8	60.96	391.16	2016.76	2146.84	
$41SPH		7896.86	-203.2	1879.6	73.66			
$42SPH		7896.86	-594.36	1879.6	73.66			
$43BOX		6985.	452.12	863.6	-134.62		134.62	
$43		159.512		159.512		95.25		
$44BOX		6985.	547.37	863.6	-228.092		228.092	
$44		159.512		159.512		114.3		
$45RCC		8890.		2255.52	-14.224		139.7	
$45		152.4						
$46RCC		8875.776		2345.22	-20.066		197.866	
$46		120.65						
$47ELL1		11026.14	762.	1981.2	345.44			
$47		139.7						
$48ELL1		11026.14	762.	1981.2	344.805			
$48		139.065						
$49RPP		11026.14	11379.2	695.96	914.4	1828.8	2133.6	
$50TPC		11026.14	762.	1981.2	-574.04			
$50		350.52	172.72					
$51TPC		11026.14	762.	1981.2	-574.04			
$51		349.855	172.055					
$52ARBP		11026.14	843.28	1658.62	11026.14	690.372	2364.486	
$52		11026.14	1117.6	2364.486	11026.14	1117.6	1658.62	
$52		10452.1	739.648	1658.62	10452.1	586.74	2364.486	
$52		10452.1	1117.6	2364.486	10452.1	1117.6	1658.62	
$53ARBP		11026.14	843.503	1659.255	11026.14	691.17	2363.851	
$53		11026.14	1117.6	2363.851	11026.14	1117.6	1659.255	
$53		10452.1	743.171	1659.255	10452.1	587.538	2363.851	
$53		10452.1	1117.6	2363.851	10452.1	1117.6	1659.255	
$54ELL1		11026.14	-762.	1981.2	345.44			

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
$54		139.7						
$55ELL1		11026.14	-762.	1981.2	344.805			
$55		139.065						
$56RPP		11026.14	11381.74	-914.4	-695.96	1828.8	2133.6	
$57TRC		11026.14	-762.	1981.2	-574.04			
$57		350.52	172.72					
$58TRC		11026.14	-762.	1981.2	-574.04			
$58		349.855	172.055					
$59ARB8		11026.14	-843.28	1658.62	11026.14	-690.372	2364.486	
$59		11026.14	-1117.6	2364.486	11026.14	-1117.6	1658.62	
$59		10452.1	-739.648	1658.62	10452.1	-586.74	2364.486	
$59		10452.1	-1117.6	2364.486	10452.1	-1117.6	1658.62	
$60ARB8		11026.14	-843.803	1659.255	11026.14	-691.17	2363.851	
$60		11026.14	-1117.6	2363.851	11026.14	-1117.6	1659.255	
$60		10452.1	-740.171	1659.255	10452.1	-587.538	2363.851	
$60		10452.1	-1117.6	2363.851	10452.1	-1117.6	1659.255	
$61TRC		10452.1	762.	1981.2	-30.48			
$61		172.72	162.56					
$62TRC		10320.02	762.	1981.2	101.6			
$62		190.5	162.56					
$63RCC		10320.02	762.	1981.2	-193.04			
$63		203.2						
$64RCC		10126.98	762.	1981.2	-365.76			
$64		187.96						
$65TRC		9761.22	762.	1981.2	-121.92			
$65		187.96	160.02					
$66RCC		9639.3	762.	1981.2	-66.04			
$66		160.02						
$67TRC		9425.94	762.	1981.2	147.32			
$67		170.18	160.02					
$68TRC		9266.46	762.	1981.2	157.48			

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
$68		203.2	170.18					
$69	RPP	10126.98	10289.54	523.24	1056.64	1981.2	2197.1	
$70	RCC	9969.5	584.2	2189.48	157.48			
$70		60.96						
$71	TRC	9969.5	584.2	2189.48	-25.4			
$71		60.96	30.48					
$72	RCC	9918.7	584.2	2189.48	25.4			
$72		27.94						
$73	RCC	10027.92	1003.3	2169.16	99.06			
$73		114.3						
$74	RCC	10027.92	1003.3	2169.16	-182.88			
$74		83.82						
$75	TEC	9845.04	1003.3	2169.16	-281.94	25.4		
$75			83.82				83.82	
$75		1.2222						
$76	TEC	9563.1	1028.7	2169.16	-330.2	66.04		
$76			68.58				68.58	
$76		2.0769						
$77	RCC	10452.1	762.	1981.2	416.56			
$77		60.96						
$78	TRC	10452.1	-762.	1981.2	-30.48			
$78		172.72	162.56					
$79	TRC	10320.02	-762.	1981.2	101.6			
$79		190.5	162.56					
$80	RCC	10320.02	-762.	1981.2	-193.04			
$80		203.2						
$81	RCC	10126.98	-762.	1981.2	-355.6			
$81		187.96						
$82	TRC	9761.22	-762.	1981.2	-121.92			
$82		187.96	160.02					
$83	RCC	9639.3	-762.	1981.2	-66.04			

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
$83		160.02						
$84	TRC	9425.94	-762.	1981.2	147.32			
$84		170.18	160.02					
$85	TRC	9268.46	-762.	1981.2	157.48			
$85		203.2	170.18					
$86	RPP	10126.98	10289.54	-1000.76	-467.36	1981.2	2197.1	
$87	RCC	9969.5	-939.8	2189.48	157.48			
$87		60.96						
$88	TRC	9969.5	-939.8	2189.48	-25.4			
$88		60.96	30.48					
$89	RCC	9918.7	-939.8	2189.48	25.4			
$89		27.94						
$90	RCC	10027.92	-520.7	2169.16	99.06			
$90		114.3						
$91	RCC	10027.92	-520.7	2169.16	-182.88			
$91		83.32						
$92	TEC	9845.04	-520.7	2169.16	-281.94	25.4		
$92			83.82				83.82	
$92		1.2222						
$93	TEC	9563.1	-495.3	2169.16	-330.2	66.04		
$93			68.58				68.58	
$93		2.0769						
$94	RCC	10452.1	-762.	1981.2	416.56			
$94		60.96						
$95	RCC	10868.66	762.	1981.2	25.4			
$95		86.36						
$96	TRC	10894.06	762.	1981.2	33.02			
$96		86.36	60.96					
$97	TRC	10949.94	762.	1981.2	-22.86			
$97		71.12	60.96					
$98	RCC	10949.94	762.	1981.2	55.88			

TABLE A-1. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
198		99.06					
199TRC	11005.82	762.	1981.2	218.44			
199		99.06	60.96				
ACCTRC	11174.222	615.95	1940.56	110.998	146.05	40.64	
ACC		177.8	93.98				
AC1RCC	11174.222	615.95	1940.56	-69.088	-90.932	-25.4	
AC1		177.8					
AC2TRC	11105.134	525.018	1915.16	-77.978	-102.616	-28.702	
AC2		170.18	96.52				
AC3RCC	11027.156	422.402	1886.458	-187.452	-246.888	-68.834	
AC3		96.52					
AC4RCC	11330.94	645.16	1965.96	101.346	-6.096		
AC4		68.58					
AC5RCC	11432.286	639.064	1965.96	60.96	-3.51		
AC5		109.22					
AC6RCC	11493.246	635.254	1965.96	258.572	-15.748		
AC6		83.82					
AC7BOX	11432.286	639.064	1856.74	-21.59	-354.838		
AC7		30.429	-1.554			218.44	
AC8RCC	11449.558	443.738	1965.96	375.158	-22.86		
AC8		7.62					
AC9RCC	10865.66	-762.	1981.2	25.4			
AC9		86.36					
A1CTRC	10894.06	-762.	1981.2	33.02			
A1C		86.36	60.96				
A11TRC	10949.94	-762.	1981.2	-22.86			
A11		71.12	60.96				
A12RCC	10949.94	-762.	1981.2	55.88			
A12		99.06					
A13TRC	11005.82	-762.	1981.2	218.44			
A13		99.06	60.96				

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
A14	TRC	11174.222	-615.95	1940.56	110.998	-146.05	40.64	
	A14	177.8	93.98					
A15	RCC	11174.222	-615.95	1940.56	-69.088	90.932	-25.4	
	A15	177.8						
A16	TRC	11105.134	-525.018	1915.16	-77.978	102.616	-28.702	
	A16	170.18	96.52					
A17	RCC	11027.156	-422.402	1886.458	-187.452	246.888	-68.834	
	A17	96.52						
A18	RCC	11330.94	-645.16	1965.96	101.346	6.096		
	A18	68.58						
A19	RCC	11432.286	-639.064	1965.96	60.96	3.81		
	A19	109.22						
A20	RCC	11493.246	-635.254	1965.96	258.572	15.748		
	A20	83.82						
A21	BOX	11432.286	-639.064	1856.74	-21.59	354.838		
	A21	30.429	1.654				218.44	
A22	RCC	11449.558	-443.738	1965.96	375.158	22.86		
	A22	7.62						
A23	TRC	10643.108		1921.764	13.462		258.826	
	A23	391.16	142.24					
A24	RCC	10635.742		1779.778	7.366		141.986	
	A24	391.16						
A25	RCC	10633.456		1734.058	2.286		45.72	
	A25	370.84						
A26	RCC	10630.408		1678.178	3.048		55.88	
	A26	340.36						
A27	TEC	10630.408		1678.178	78.74		-108.458	
	A27	340.36				340.36		
	A27	1.2072						
A28	RCC	10656.57		2180.59	50.546		963.93	
	A28	81.28						

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
A29	RCC	10658.602		2221.23	4.064		76.2	
A29		401.32						
A30	RCC	10687.558		2769.108	12.192		233.426	
A30		203.2						
A31	RCC	10699.75		3002.534	7.366		141.986	
A31		203.2						
A32	ARB8	10637.147	404.907	3101.586	10637.711	405.47	3116.806	
A32		10605.341	-.119	3143.209	10604.213	-1.247	3112.77	
A32		10774.271	404.813	3096.509	10774.835	405.376	3111.726	
A32		10808.515	-.257	3135.686	10807.388	-1.387	3105.247	
A33	BOX	10590.439	404.178	3077.909	-.104	152.202	-5.636	
A33		228.3	-.156	-6.456	2.256	2.256	60.876	
A34	BOX	10762.681	457.881	2209.838	-26.137	-97.981	4.6	
A34		98.016	-26.271	-2.659	2.444	2.444	65.949	
A35	RCC	10788.208	396.479	2211.167	3.571	3.571	96.388	
A35		17.78						
A36	RCC	10791.742	400.053	2307.554	20.869	20.869	563.106	
A36		12.7						
A37	RCC	10812.648	420.919	2870.662	2.068	2.068	55.804	
A37		17.78						
A38	BOX	10794.926	389.547	2887.741	50.221	50.221	-3.721	
A38		-25.144	25.144		3.383	3.383	91.316	
A39	ARB8	10983.758	542.455	2839.469	10988.457	547.157	2966.296	
A39		10823.387	468.297	2975.336	10821.883	466.794	2934.752	
A39		10980.956	489.367	2861.689	10984.903	493.314	2968.422	
A39		10848.531	443.151	2975.336	10847.027	441.648	2934.752	
A40	RCC	11072.193	365.077	2901.267	46.634	46.634	-3.457	
A40		78.74						
A41	TRC	10778.188	146.507	2977.022	178.303	178.303	31.041	
A41		121.92	114.3					
A42	RCC	10956.493	324.61	2901.064	60.64	60.64	10.513	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
A42		127.						
A43RCC		11002.002	370.322	2898.585	114.79	114.79	-8.509	
A43		38.1						
A44ARB8		11089.871	609.059	2937.353	11240.74	458.191	2937.353	
A44		11145.144	459.58	2928.125	11091.263	513.461	2928.125	
A44		11086.112	605.3	2835.892	11236.98	454.431	2835.892	
A44		11142.325	456.761	2852.029	11088.441	510.642	2852.029	
A45BOX		11236.98	454.431	2835.892	53.807	53.807	-3.988	
A45		-150.868	150.868		3.759	3.759	101.46	
A46ARB8		11454.244	869.262	2822.641	11457.254	872.269	2903.809	
A46		11104.918	703.13	2953.657	11099.655	697.868	2811.61	
A46		11504.534	818.972	2822.641	11507.544	821.98	2903.809	
A46		11304.28	503.768	2953.657	11299.017	498.506	2811.61	
A47TEC		11418.021	922.84	2862.694	-116.584	-116.584	8.641	
A47		-26.942	26.942		.94	.94	25.364	
A47		10.						
A48REC		11418.021	922.84	2862.694	4616.699	4616.699	-342.171	
A48		-26.942	26.942		.94	.94	25.364	
A49TEC		16034.723	5539.539	2520.523	461.127	206.088	-24.724	
A49		-26.942	26.942		.94	.94	25.364	
A49		1.						
A50AR88		15956.745	5461.564	2551.737	16306.678	5542.09	2535.786	
A50		11358.166	593.575	2902.549	11223.46	728.279	2902.549	
A50		15954.865	5459.682	2501.006	16 04.799	5540.21	2485.055	
A50		11356.284	591.696	2851.818	1' 21.58	726.399	2851.818	
A51AR85		12100.712	1336.121	2847.515	12098.83	1334.242	2796.784	
A51		11526.675	762.086	2839.189	1.528.557	763.966	2889.921	
A51		12310.798	1123.777	2817.076				
A52AR86		16306.678	5542.09	2535.786	16304.799	5540.21	2485.055	
A52		12098.83	1334.242	2796.784	12100.712	1336.121	2847.515	
A52		16323.059	5136.038	2519.703	12310.798	1123.777	2817.076	

TABLE A-1. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
A53ARB8		16035.663	5540.482	2545.888	16496.790	5746.57	2521.163	
A53		16627.902	5615.457	2521.163	15956.745	5461.564	2551.737	
A53		16033.783	5538.6	2495.159	16494.91	5744.688	2470.432	
A53		16626.022	5613.578	2470.432	15954.865	5459.682	2501.006	
A54ARB5		16306.676	5542.09	2535.786	16627.902	5615.457	2521.163	
A54		16626.022	5613.578	2470.432	16304.799	5540.21	2485.055	
A54		16323.059	5136.038	2519.703				
A55ARB4		16627.902	5615.457	2521.163	16323.059	5136.038	2519.703	
A55		16626.022	5613.578	2470.432	16867.444	5373.657	2490.724	
A56ARB8		10299.939	-69.969	3144.147	10300.97	-69.406	3159.341	
A56		10707.098	-101.775	3143.204	10705.038	-102.903	3112.813	
A56		10299.502	67.155	3139.087	10300.533	67.719	3154.279	
A56		10706.448	101.399	3135.706	10704.391	100.272	3105.318	
A57BOX		10298.189	-116.677	3120.522	-151.958	-.104	10.305	
A57		-.726	228.3	-8.425	4.12	2.256	60.76	
A58BOX		10154.044	55.565	2262.82	97.925	-26.137	-5.667	
A58		25.85	98.016	-5.39	4.463	2.444	65.842	
A59BCC		10215.248	81.092	2257.722	6.523	3.571	96.233	
A59		17.78						
A60BCC		10221.768	84.666	2353.955	38.108	20.869	562.204	
A60		12.7						
A61BCC		10259.478	105.532	2916.161	3.777	2.068	55.715	
A61		17.78						
A62BOX		10292.862	87.81	2929.867	-50.339	50.221	1.549	
A62		-25.006	-25.144	2.629	6.16	3.383	91.168	
A63ARB8		10135.746	276.642	2997.843	10144.328	281.341	3024.464	
A63		10223.701	116.271	3025.214	10220.992	114.767	2984.693	
A63		10190.686	273.84	2914.589	10198.096	277.787	3020.952	
A63		10249.707	141.415	3022.565	10245.961	139.911	2982.067	
A64BCC		10318.613	365.077	2943.761	-46.741	46.634	1.438	
A64		76.74						

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
A65	TRC	10533.451	71.072	2893.802	-174.081	178.303	49.51
A65		121.92	114.3				
A66	RCC	10359.37	249.377	2943.311	-59.21	60.64	16.795
A66		127.					
A67	RCC	10313.116	294.886	2938.64	-115.052	114.79	3.536
A67		38.1					
A68	ARB8	10079.739	382.755	3002.151	10229.781	533.624	2986.382
A68		10227.435	438.028	2977.35	10173.848	384.147	2982.981
A68		10072.873	378.996	2900.853	10222.913	529.864	2885.084
A68		10222.283	435.209	2901.376	10168.697	381.325	2907.007
A69	BOX	10222.913	529.864	2885.084	-53.929	53.807	1.659
A69		-150.043	-150.868	15.771	6.866	3.759	101.298
A70	ARB8	9808.972	747.128	2915.267	9814.464	750.138	2996.306
A70		9987.887	397.802	3028.201	9978.273	392.539	2886.38
A70		9858.985	797.418	2910.009	9864.479	800.428	2991.048
A70		10186.157	597.164	3007.36	10176.543	591.901	2865.542
A71	TEC	9759.871	710.905	2960.7	116.848	-116.584	-3.592
A71		-26.795	-26.942	2.817	1.717	.94	25.324
A71		10.					
A72	REC	9759.871	710.905	2960.7	-4627.174	4616.699	142.281
A72		-26.795	-26.942	2.817	1.717	.94	25.324
A73	TEC	5132.697	5327.607	3102.981	-207.543	461.127	-3.048
A73		-26.795	-26.942	2.817	1.717	.94	25.324
A73		1.					
A74	ARB8	5213.508	5249.629	3125.874	[illegible]31.758	5599.562	3118.427
A74		10091.499	651.05	2965.92	9957.534	516.344	2980.002
A74		5210.079	5247.749	3075.224	[illegible]128.324	5597.683	3067.776
A74		10088.067	649.168	2915.27	9954.1	514.464	2929.352
A75	ARB5	9347.269	1393.596	2988.805	9343.835	1391.714	2938.155
A75		9917.288	819.559	2920.523	9920.722	821.441	2971.173
A75		9555.267	1603.682	2936.337			

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
A76ARB6		5131.758	5599.562	3116.427	5126.324	5597.683	3067.776	
A76		9343.835	1391.714	2938.155	9347.269	1393.596	2988.805	
A76		5533.903	5615.943	3059.989	9555.267	1603.682	2936.337	
A77ARBB		5134.412	5326.547	3128.305	4926.869	5789.674	3125.259	
A77		5057.262	5920.786	3111.553	5213.508	5249.629	3125.874	
A77		5130.98	5326.667	3077.657	4923.437	5787.794	3074.609	
A77		5053.828	5918.906	3060.903	5210.079	5247.749	3075.224	
A78ARB5		5131.758	5599.562	3116.427	5057.262	5920.786	3111.553	
A78		5053.828	5918.906	3060.903	5128.324	5597.683	3067.776	
A78		5533.903	5615.943	3059.989				
A79AR54		5057.262	5920.786	3111.553	5533.903	5615.943	3059.989	
A79		5053.828	5918.906	3060.903	5294.556	6160.328	3056.006	
A8CARB8		10637.164	-404.901	3101.593	10637.723	-405.46	3116.803	
A8C		10605.34	.102	3143.198	10604.221	1.244	3112.777	
A80		10774.274	-404.825	3096.514	10774.632	-405.384	3111.729	
A80		10808.513	.254	3135.681	10807.397	1.397	3105.252	
A81BOX		10590.428	-404.19	3077.921	-.104	-152.202	-5.636	
A81		228.3	.158	-8.456	2.256	-2.256	60.876	
A82BOX		10651.551	-553.072	2262.42	26.137	97.925	-5.667	
A82		-98.010	25.65	-5.39	-2.444	4.463	65.842	
A83CC		10626.024	-491.869	2257.722	-3.571	6.523	96.233	
A83		17.78						
A84BCC		10622.45	-485.348	2353.955	-20.869	38.102	562.204	
A84		12.7						
A85BCC		10601.564	-447.235	2916.161	-2.068	3.777	55.715	
A85		17.78						
A86BOX		10619.309	-414.254	2929.867	-50.221	-50.335	1.549	
A86		25.144	-25.006	2.629	-3.383	6.18	91.168	
A87ARBB		10430.474	-571.271	2897.843	10425.775	-562.766	3024.464	
A87		10590.245	-483.415	3025.314	10592.349	-486.164	2984.693	
A87		10433.276	-518.23	2914.569	10429.389	-509.319	3020.952	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
A87		10565.702	-458.409	3022.585	10567.205	-461.155	2982.067	
A88RCC		10342.039	-388.503	2940.761	-46.634	-46.741	1.438	
A88		78.74						
A89TRC		10636.044	-173.665	2893.802	-178.303	-174.081	49.51	
A89		121.92	114.3					
A90RCC		10457.739	-347.746	2943.311	-60.64	-59.21	16.795	
A90		127.						
A91RCC		10412.23	-394.	2938.64	-114.79	-115.052	3.536	
A91		38.1						
A92ARB8		10324.361	-627.378	3002.151	10173.493	-477.335	2986.382	
A92		10269.088	-479.682	2977.35	10322.969	-533.268	2982.981	
A92		10328.12	-634.243	2900.853	10177.252	-484.203	2885.084	
A92		10271.907	-484.833	2901.376	10325.791	-538.419	2907.007	
A93BOX		10177.252	-484.203	2885.084	-53.807	-53.929	1.659	
A93		150.868	-150.043	15.771	-3.759	6.866	101.298	
A94ARB8		9959.988	-898.144	2915.267	9956.978	-892.653	2996.306	
A94		10309.314	-719.229	3028.201	10314.577	-728.843	2886.38	
A94		9909.698	-848.131	2910.009	9906.688	-842.637	2991.048	
A94		10109.952	-520.959	3007.36	10115.215	-530.573	2865.542	
A95TEC		9996.211	-947.245	2960.7	116.584	116.848	-3.592	
A95		26.942	-26.795	2.817	-.94	1.717	25.324	
A95		10.						
A96REC		9996.211	-947.245	2960.7	-4616.699	-4627.174	142.281	
A96		26.942	-26.795	2.817	-.94	1.717	25.324	
A97TEC		5379.509	-5574.419	3102.981	- 61.127	-207.543	-3.048	
A97		26.942	-26.795	2.817	-.94	1.717	25.324	
A97		1.						
A98ARB8		5457.487	-5493.609	3125.874	5107.554	-5575.358	3118.427	
A98		10056.066	-615.617	2965.92	10190.772	-749.582	2980.002	
A98		5459.367	-5497.038	3075.224	5109.434	-5578.793	3067.776	
A98		10057.948	-619.049	2915.27	10192.652	-753.016	2929.352	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO.	TYPE	DATA VALUES						REMARKS
A99ARB5		9313.52	-1359.847	2988.505	9315.402	-1363.282	2938.155	
A99		9887.557	-789.828	2920.523	9885.675	-786.394	2971.173	
A99		9103.434	-1151.849	2936.337				
BOCARB6		5107.554	-5575.358	3118.427	5109.434	-5578.793	3067.776	
B00		9315.402	-1363.282	2938.155	9313.52	-1359.847	2988.805	
B00		5091.174	-5173.213	3059.989	9103.434	-1151.849	2936.337	
BO1ARB8		5378.569	-5572.704	3128.305	4917.443	-5780.248	3125.259	
B01		4786.33	-5649.854	3111.553	5457.487	-5493.609	3125.874	
B01		5380.449	-5576.136	3077.657	4919.322	-5783.679	3074.609	
B01		4788.21	-5653.288	3060.903	5459.367	-5497.038	3075.224	
B02ARB5		5107.554	-5575.358	3118.427	4786.33	-5649.854	3111.553	
B02		4788.21	-5653.288	3060.903	5109.434	-5578.793	3067.776	
B02		5091.174	-5173.213	3059.989				
B03ARB4		4786.33	-5649.854	3111.553	5091.174	-5173.213	3059.989	
B03		4788.21	-5653.288	3060.903	4546.738	-5412.56	3056.006	
B04ARB8		11112.023	69.969	3101.586	11112.586	69.406	3116.806	
B04		10706.997	101.775	3143.209	10705.869	102.903	3112.77	
B04		11111.929	-67.155	3096.509	11112.492	-67.719	3111.726	
B04		10706.56	-101.399	3135.686	10705.729	-100.272	3105.247	
B05ELX		11111.294	116.677	3077.909	152.202	.104	-5.636	
B05		-.154	-228.3	-2.456	2.256	-2.256	60.876	
B06ELX		11164.997	-55.565	2209.833	-97.981	26.137	4.6	
B06		-26.271	-98.016	-2.659	2.444	-2.444	65.949	
B07RCC		11103.595	-81.092	2211.167	3.571	-3.571	96.386	
B07		17.78						
B08RCC		11107.169	-84.666	2307.554	20.869	-20.869	563.108	
B08		12.7						
B09RCC		11128.035	-105.532	2876.662	2.068	-2.068	55.804	
B09		17.78						
B10ELX		11096.668	-37.41	2887.741	50.221	-50.221	-3.721	
B10		25.144	25.144		3.383	-3.383	91.316	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
B11ARB8		11249.571	-276.642	2839.469	11254.273	-281.341	2966.296	
B11		11175.413	-116.271	2975.336	11173.91	-114.767	2934.752	
B11		11196.483	-273.84	2861.889	11200.43	-277.787	2968.422	
B11		11150.267	-141.415	2975.336	11148.764	-139.911	2934.752	
B12RCC		11072.193	-365.077	2901.267	46.634	-46.634	-3.457	
B12		78.74						
B13TRC		10853.623	-71.072	2877.022	178.303	-178.303	31.041	
B13		121.92	114.3					
B14RCC		11031.926	-249.377	2908.064	60.64	-60.64	10.513	
B14		127.						
B15RCC		11077.436	-294.866	2898.585	114.79	-114.79	-8.509	
B15		38.1						
B16ARB8		11316.175	-382.755	2937.353	11165.307	-533.624	2937.353	
B16		11166.696	-438.028	2928.125	11220.577	-384.147	2928.125	
B16		11312.416	-378.996	2835.892	11161.547	-529.864	2835.892	
B16		11163.877	-435.209	2852.029	11217.756	-381.325	2852.029	
B17ROX		11161.547	-529.864	2835.892	53.807	-53.807	-3.988	
B17		150.868	150.868		3.759	-3.759	101.46	
B18ARB8		11576.378	-747.128	2822.641	11579.385	-750.138	2903.809	
B18		11410.246	-397.602	2953.657	11404.984	-392.539	2811.61	
B18		11526.088	-797.418	2822.641	11529.096	-800.428	2903.809	
B18		11210.884	-597.164	2953.657	11205.622	-591.901	2811.61	
B19TEC		11629.956	-710.905	2862.694	-116.584	116.584	8.641	
B19		26.942	26.942		.94	-.94	25.364	
B19		10.						
B2CREC		11629.956	-710.905	2862.694	4616.699	-4616.699	-342.171	
B20		26.942	26.942		.94	-.94	25.364	
B21TEC		16246.655	-5327.607	2520.523	206.088	-461.127	-24.724	
B21		26.942	26.942		.94	-.94	25.364	
B21		1.						
B22ARB8		16168.68	-5249.629	2551.737	16249.206	-5599.562	2535.786	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	SOLID TYPE	DATA VALUES						REMARKS
B22		11300.691	-651.05	2902.549	11435.395	-516.344	2902.549	
B22		16166.798	-5247.749	2501.006	16247.326	-5597.683	2485.055	
B22		11298.812	-649.166	2851.818	11433.515	-514.464	2851.818	
B23ARB5		12043.237	-1393.596	2847.515	12041.358	-1391.714	2796.784	
B23		11469.202	-819.559	2839.189	11471.082	-821.441	2889.921	
B23		11830.893	-1603.682	2817.076				
B24ARB6		16249.206	-5599.562	2535.786	16247.326	-5597.683	2485.055	
B24		12041.358	-1391.714	2796.784	12043.237	-1393.596	2847.515	
B24		15843.154	-5615.943	2519.703	11830.893	-1603.682	2817.076	
B25ARB8		16247.598	-5328.547	2545.868	16453.686	-5789.674	2521.163	
B25		16322.573	-5920.786	2521.163	16166.68	-5249.629	2551.737	
B25		16245.716	-5326.667	2495.159	16451.804	-5787.794	2470.432	
B25		16320.694	-5918.906	2470.432	16166.798	-5247.749	2501.006	
B26ARB5		16249.206	-5599.562	2535.786	16322.573	-5920.786	2521.163	
B26		16320.694	-5918.906	2470.432	16247.326	-5597.683	2485.055	
B26		15843.154	-5615.943	2519.703				
B27ARB4		16322.573	-5920.786	2521.163	15843.154	-5615.943	2519.703	
B27		16320.694	-5918.906	2470.432	16080.773	-6160.328	2490.724	
B28FCC		9893.3		1986.28	-276.56		-40.64	
B28		193.04						
B29ARB8		9588.5	193.04	1754.632	9644.634	193.04	2136.648	
B29		9423.4	218.11	2148.84	9052.56	254.	1798.32	
B29		9588.5	-193.04	1754.632	9644.634	-193.04	2136.648	
B29		9423.4	-218.11	2148.84	9052.56	-254.	1796.32	
B30ARB8		9423.4	254.	2148.84	9398.	254.	2301.24	
B30		8940.5	254.	2260.6	9052.56	254.	1798.32	
B30		9423.4	-254.	2148.84	9398.	-254.	2301.24	
B30		8940.8	-254.	2260.6	9052.56	-254.	1798.32	
B31FCC		8950.706		1867.154	970.28		136.398	
B31		50.8						
B32FCC		10322.96		2019.94	248.92		33.528	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES				REMARKS
B32		63.5				
B33TRC		10302.494		2057.146	20.066	2.794
B33		50.8	35.56			
B34RCC		10264.648		2051.812	37.846	5.334
B34		76.2				
B35TRC		10264.648		2051.812	-20.066	-2.794
B35		50.8	35.56			
B36RCC		9998.964		2014.474	245.618	34.544
B36		50.8				
B37TRC		9976.898		2011.68	20.066	2.794
B37		50.8	35.56			
B38RCC		9941.052		2006.346	37.846	5.334
B38		76.2				
B39TRC		9941.052		2006.346	-20.066	-2.794
B39		50.6	35.56			
B40TRC		8930.64		1864.36	20.066	2.794
B40		45.72	35.56			
B41RCC		8930.64		1864.36	-32.766	-4.572
B41		76.2				
B42RCC		8897.874		1859.788	-64.074	-11.938
B42		53.34				
B43RCC		8813.8		1847.85	-1285.24	-180.594
B43		50.8				
B44RCC		7526.56		1667.256	-50.292	-7.112
B44		53.34				
B45RCC		7478.268		1660.144	-17.526	-2.54
B45		53.34				
B46RCC		7460.742		1657.604	-50.292	-7.112
B46		35.56				
B47RCC		7457.694		1657.604	-37.592	-5.334
B47		76.2				

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID ID NC TYPE	DATA VALUES				REMARKS
B48TRC	7400.036		1649.476	20.066	2.794
B48	45.72	35.56			
B49RCC	7400.036		1649.476	-32.766	-4.572
B49	76.2				
B50RCC	7367.27		1644.904	-84.074	-11.938
B50	53.34				
B51RCC	7283.196		1632.966	-1276.858	-179.324
B51	50.8				
B52RCC	6012.18		1453.642	-50.292	-7.112
B52	53.34				
B53RCC	5961.888		1446.53	-17.526	-2.54
B53	53.34				
B54RCC	5944.362		1443.99	-50.292	-7.112
B54	35.56				
B55RCC	5941.314		1443.99	-37.592	-5.334
B55	76.2				
B56TRC	5883.656		1435.862	20.066	2.794
B56	45.72	35.56			
B57RCC	5883.656		1435.862	-32.766	-4.572
B57	76.2				
B58RCC	5850.89		1431.29	-84.074	-11.938
B58	53.34				
B59RCC	5770.88		1419.352	-1203.96	-167.694
B59	50.8				
B60RCC	4566.92		1251.458	-50.292	-7.112
B60	53.34				
B61RCC	4516.628		1244.346	-17.526	-2.54
B61	53.34				
B62RCC	4499.102		1241.806	-50.292	-7.112
B62	35.56				
B63RCC	4496.054		1241.806	-37.592	-5.334

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO.	TYPE	DATA VALUES					REMARKS
B63		76.2					
B64TRC		4438.396		1233.678	20.066		2.794
B64		45.72	35.56				
B65RCC		4438.396		1233.678	-32.766		-4.572
B65		76.2					
B66RCC		4405.63		1229.106	-84.074		-11.938
B66		53.34					
B67RCC		4325.62		1217.168	-1376.68		-193.548
B67		50.8					
B68RCC		2948.94		1023.62	-50.292		-7.112
B68		53.34					
B69RCC		2898.648		1016.508	-12.7		-1.778
B69		35.56					
B70TRC		2865.882		1014.73	20.066		2.794
B70		45.72	35.56				
B71RCC		2865.882		1011.936	-50.292		-7.112
B71		53.34					
B72TRC		2815.59		1004.824	-13.208		-1.778
B72		53.34	33.02				
B73TRC		2760.98		997.204	41.402		5.842
B73		55.88	48.26				
B74TRC		2712.72		990.346	48.26		6.858
B74		77.47	55.88				
B75RCC		2725.42		977.9	-102.56		
B75		91.44					
B76ARBB		2725.42	91.44	886.46	2700.02	91.44	1069.34
B76		2664.206	91.44	1069.34	2562.86	91.44	886.46
B76		2725.42	-91.44	886.46	2700.02	-91.44	1069.34
B76		2664.206	-91.44	1069.34	2562.86	-91.44	886.46
B77RCC		2632.964		945.134	-67.056		79.756
B77		91.44					

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
B78TRC		2565.906		1024.89	-27.686	33.02	
B78		83.82	53.34				
B79RCC		2538.222		1057.91	-32.766	38.862	
B79		53.34					
B80TRC		2485.698		1087.12	19.558	-23.368	
B80		66.04	35.56				
B81RCC		2485.698		1087.12	-18.034	21.336	
B81		76.2					
B82TRC		2443.48		1137.666	24.384	-29.21	
B82		66.04	45.72				
B83RCC		2443.48		1137.666	-29.464	35.052	
B83		66.58					
B84RCC		1082.04		2725.42	1331.976	-1552.702	
B84		63.5					
B85RCC		1082.04		2725.42	-34.036	40.64	
B85		68.58					
B86TRC		1048.004		2766.06	-26.162	31.242	
B86		68.58	40.64				
B87RCC		1021.842		2797.302	-22.606	26.924	
B87		76.2					
B88TRC		999.236		2824.226	-17.272	20.574	
B88		53.34	33.02				
B89RCC		981.964		2844.8	-32.766	38.862	
B89		50.8					
B90TRC		923.036		2914.904	26.162	-31.242	
B90		76.2	50.8				
B91RCC		923.036		2914.904	-105.156	125.476	
B91		104.14					
B92TRC		817.88		3040.38	154.94	-60.706	
B92		134.62	66.04				
B93RCC		817.88		3040.38	-66.58	26.924	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
B93		134.62						
B94TRC		817.88	-68.58	3067.304		-160.02	62.738	
B94		134.62	81.28					
B95RCC		817.88	-228.6	3130.042		-304.8	119.38	
B95		29.21						
B96BOX		712.724	-354.33	3300.476	210.312			
B96			81.026	-31.75		-76.708	-195.834	
B97ARB8		640.08	-476.087	3387.916	830.58	-523.817	3266.125	
B97		805.18	-537.718	3230.651	607.06	-483.502	3368.995	
B97		640.08	-464.261	3383.283	830.58	-511.99	3261.490	
B97		805.18	-525.894	3226.016	607.06	-471.676	3364.362	
B98RCC		627.38	-460.37	3359.584	8.636	4.448	11.351	
B98		16.002						
B99RCC		629.92	-341.607	3313.389		-135.981	53.289	
B99		12.7						
C00RCC		627.38	-344.388	3306.295	8.636	4.448	11.351	
C00		16.002						
C01BOX		632.46	-346.817	3282.694	-43.434	11.123	28.379	
C01		25.654	13.345	34.054		-11.824	4.633	
C02ARB8		629.92	-339.179	3336.991	563.88	-366.982	3266.044	
C02		495.3	-366.982	3266.044	612.14	-334.546	3348.815	
C02		629.92	-327.355	3332.356	563.88	-355.158	3261.408	
C02		495.3	-355.158	3261.408	612.14	-322.72	3344.179	
C03BOX		655.32	-397.312	3084.236	57.404			
C03			75.997	193.921		-81.587	31.974	
C04ARB8		728.98	-374.236	3257.97	726.98	-422.43	3135.	
C04		55.88	-405.851	3158.51	55.88	-378.046	3229.458	
C04		728.98	-355.318	3250.56	726.98	-403.512	3127.586	
C04		55.88	-399.702	3156.102	55.88	-371.897	3227.047	
C05BOX		-22.86	-400.533	3140.06	76.74			
C05			38.926	99.324		-15.608	6.116	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
C06	BOX	-777.24	-399.702	3156.102	754.38		
C06			27.803	70.947		-6.149	2.411
C07	ARB8	632.46	-399.1	3305.912	632.46	-473.243	3116.72
C07		568.96	-463.05	3142.734	568.96	-409.296	3279.897
C07		632.46	-304.505	3268.84	632.46	-378.648	3079.648
C07		568.96	-368.452	3105.663	568.96	-314.698	3242.826
C08	BOX	431.8	-374.109	3105.153	137.16		
C08			55.608	141.892		-85.136	33.365
C09	TEC	431.8	-388.874	3192.78	-358.14		
C09			36.144	92.23		-42.568	16.683
C09		2.8691					
C10	ARB5	73.66	-403.774	3198.62	73.66	-373.974	3186.941
C10		431.8	-346.306	3176.097	431.8	-431.442	3209.463
C10		431.8	-325.852	3353.593			
C11	ARB4	431.8	-325.852	3353.593	73.66	-325.852	3353.593
C11		73.66	-403.774	3198.62	73.66	-373.974	3186.941
C12	TEC	73.66	-388.874	3192.78	-144.78	-3.429	-8.75
C12			12.604	32.162		-14.9	5.840
C12		1.3693					
C13	ARB5	73.66	-403.774	3198.62	73.66	-373.974	3186.941
C13		-71.12	-381.424	3179.768	-71.12	-403.182	3188.294
C13		73.66	-325.852	3353.593			
C14	ARB4	73.66	-325.852	3353.593	-71.12	-323.962	3352.851
C14		-71.12	-381.424	3179.768	-71.12	-403.182	3188.294
C15	REC	-71.12	-392.303	3184.03	-759.46		
C15			9.175	23.411		-10.879	4.262
C16	ARB5	-71.12	-323.962	3352.851	-71.12	-403.182	3188.294
C16		-830.58	-403.182	3188.294	-830.58	-323.962	3352.851
C16		-71.12	-381.424	3179.768	-830.58	-381.424	3179.768
C17	ELLG	-830.58	-392.303	3184.03	27.94		
C17			9.175	23.411		-10.879	4.262

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
C18	BOX	-858.52	-390.599	3156.354	1676.4			
C18			12.604	32.162		-21.758	8.527	
C19	TEC	-830.58	-392.303	3164.03		66.452	169.563	
C19		27.94				-10.879	4.262	
C19		46.						
C20	ARB8	668.02	-595.643	3082.846	798.83	-526.133	3260.212	
C20		836.93	-535.402	3236.562	688.34	-607.69	3052.102	
C20		668.02	-583.817	3078.211	796.83	-514.309	3255.579	
C20		836.93	-523.575	3231.929	688.34	-595.866	3047.469	
C21	RCC	695.96	-594.363	3068.704	-12.192	3.152	8.042	
C21		16.002						
C22	RCC	688.34	-457.457	3017.779		-135.981	53.289	
C22		12.7						
C23	RCC	695.96	-456.364	3015.414	-12.192	3.152	8.042	
C23		16.002						
C24	BOX	718.82	-450.616	3017.827	-30.48	-15.847	-40.439	
C24		-36.576	9.36	23.686		-11.824	4.633	
C25	ARB8	665.48	-463.37	3020.096	741.68	-487.464	2958.61	
C25		741.68	-512.488	2894.757	652.78	-469.857	3003.542	
C25		665.48	-451.543	3015.463	741.68	-475.64	2953.974	
C25		741.68	-500.665	2890.124	652.78	-458.031	2998.907	
C26	BOX	922.02	-418.628	3029.842		20.945	53.447	
C26		-208.28				-81.587	31.974	
C27	ARB8	751.84	-430.771	3113.717	883.92	-430.771	3113.717	
C27		855.98	-669.983	2484.52	779.78	-669.983	2484.521	
C27		751.84	-411.851	3106.303	883.92	-411.851	3106.303	
C27		855.98	-663.837	2482.111	779.78	-663.837	2482.111	
C28	BOX	871.22	-687.837	2406.945		28.73	73.312	
C28		-106.68				-15.608	6.116	
C29	BOX	855.98	-967.821	1706.43		275.255	702.371	
C29		-76.2				-6.149	2.411	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
C30	ARB8	716.28	-503.827	3038.678	919.48	-503.827	3038.678	
C30		891.54	-526.997	2979.557	744.22	-526.997	2979.557	
C30		716.28	-409.232	3001.607	919.48	-409.232	3001.607	
C30		891.54	-432.402	2942.486	744.22	-432.402	2942.486	
C31	BOX	894.08	-487.177	2816.637		50.046	127.704	
C31		-152.4				-85.136	33.365	
C32	TEC	817.88	-529.745	2833.319		-130.678	-333.449	
C32		-99.06				-42.568	16.683	
C32		2.8691						
C33	ARB5	817.88	-675.323	2505.708	817.88	-645.523	2494.031	
C33		817.88	-487.177	2816.637	817.88	-572.313	2849.999	
C33		645.16	-529.745	2833.319				
C34	ARB4	645.16	-529.745	2833.319	645.16	-660.423	2499.871	
C34		817.88	-675.323	2505.708	817.88	-645.523	2494.031	
C35	TEC	817.88	-660.423	2499.871	9.398	-52.827	-134.798	
C35		-34.544				-14.9	5.840	
C35		1.3693						
C36	ARB5	817.88	-675.323	2505.708	817.88	-645.523	2494.031	
C36		827.278	-702.371	2360.808	827.278	-724.129	2369.335	
C36		645.16	-660.423	2499.871				
C37	ARB4	645.16	-660.423	2499.871	645.16	-711.358	2364.331	
C37		827.278	-702.371	2360.808	827.278	-724.129	2369.335	
C38	REC	827.278	-713.25	2365.07		-277.109	-707.1	
C38		-25.146				-10.879	4.262	
C39	ARB6	645.16	-711.358	2364.331	827.278	-724.129	2369.335	
C39		827.278	-1001.238	1662.234	645.16	-988.466	1657.231	
C39		827.278	-702.371	2360.808	827.278	-979.48	1653.708	
C40	ELLG	827.278	-990.359	1657.972		10.196	26.015	
C40		-25.146				-10.879	4.262	
C41	BOX	852.424	-989.675	1627.696		611.68	1560.822	
C41		-34.544				-21.758	8.527	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
C42TEC		827.278	-990.359	1657.972	-182.118			
C42			10.196	26.015		-10.879	4.262	
C42		46.						
C43ARB8		995.68	-585.447	3108.858	805.18	-537.718	3230.651	
C43		830.58	-523.817	3266.125	1028.7	-578.033	3127.779	
C43		995.68	-573.623	3104.225	805.18	-525.894	3226.016	
C43		830.58	-511.99	3261.490	1028.7	-566.209	3123.143	
C44RCC		1008.38	-569.341	3132.557	-8.636	-4.448	-11.351	
C44		16.002						
C45RCC		1005.84	-436.141	3072.171		-135.981	53.289	
C45		12.7						
C46RCC		1008.38	-433.36	3079.265	-8.636	-4.448	-11.351	
C46		16.002						
C47BOX		1003.3	-419.108	3098.234	43.434	-11.123	-28.379	
C47		-25.654	-13.345	-34.054		-11.824	4.633	
C48ARB8		1005.84	-450.393	3053.205	1071.88	-422.59	3124.152	
C48		1140.46	-422.59	3124.152	1023.62	-455.028	3041.381	
C48		1005.84	-438.569	3048.569	1071.88	-410.766	3119.516	
C48		1140.46	-410.766	3119.516	1023.62	-443.202	3036.745	
C49BOX		980.44	-321.315	3278.155	-57.404			
C49			-75.997	-193.921		-81.587	31.974	
C50ARB8		906.78	-422.43	3135.	906.78	-374.236	3257.974	
C50		1579.88	-378.046	3229.45	1579.88	-405.851	3158.513	
C50		906.78	-403.512	3127.58	906.78	-355.318	3250.56	
C50		1579.88	-371.897	3227.0	1579.88	-399.702	3156.102	
C51BOX		1658.62	-361.607	3239.394	-78.74			
C51			-38.026	-99.324		-15.606	6.116	
C52BOX		2413.	-371.897	3227.047	-754.38			
C52			-27.803	-70.947		-6.149	2.411	
C53ARB8		1003.3	-473.243	3116.72	1003.3	-399.1	3305.912	
C53		1066.8	-409.296	3279.897	1066.8	-463.05	3142.734	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
C53		1003.3	-378.648	3079.648	1003.3	-304.505	3268.84	
C53		1066.8	-314.698	3242.826	1066.8	-368.452	3105.663	
C54	BOX	1203.96	-318.503	3247.045	-137.16			
C54			-55.608	-141.892		-85.136	33.365	
C55	TEC	1203.96	-388.874	3192.78	358.14			
C55			-36.144	-92.23		-42.568	16.683	
C55		2.8691						
C56	ARB5	1562.1	-403.774	3198.62	1562.1	-373.974	3186.941	
C56		1203.96	-346.306	3176.097	1203.96	-431.442	3209.463	
C56		1203.96	-451.897	3031.968				
C57	ARB4	1203.96	-451.897	3031.968	1562.1	-451.897	3031.968	
C57		1562.1	-403.774	3198.62	1562.1	-373.974	3186.941	
C58	TEC	1562.1	-388.874	3192.78	144.78	3.429	8.75	
C58			-12.604	-32.162		-14.9	5.840	
C58		1.3693						
C59	ARB5	1562.1	-403.774	3198.62	1562.1	-373.974	3186.941	
C59		1706.88	-374.566	3197.266	1706.88	-396.324	3205.792	
C59		1562.1	-451.897	3031.968				
C60	ARB4	1562.1	-451.897	3031.968	1706.88	-450.004	3031.226	
C60		1706.88	-374.566	3197.266	1706.88	-396.324	3205.792	
C61	REC	1706.88	-385.445	3201.53	759.46			
C61			-9.175	-23.411		-10.879	4.262	
C62	ARB6	1706.88	-450.004	3031.226	1706.88	-396.324	3205.792	
C62		2466.34	-396.324	3205.792	2466.34	-450.004	3031.226	
C62		1706.88	-374.566	3197.266	2466.34	-374.566	3197.266	
C63	ELLG	2466.34	-385.445	3201.53	-27.94			
C63			-9.175	-23.411		-10.879	4.262	
C64	BOX	2494.28	-365.392	3220.679	-1676.4			
C64			-12.604	-32.162		-21.758	8.527	
C65	TEC	2466.34	-385.445	3201.53		-66.452	-169.563	
C65		-27.94				-10.879	4.262	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
C65		46.						
C66ARB8		967.74	-465.892	3413.93	836.93	-535.402	3236.562	
C66		798.83	-526.133	3260.212	947.42	-453.845	3444.672	
C66		967.74	-454.068	3409.295	836.93	-523.575	3231.929	
C66		798.83	-514.309	3255.579	947.42	-442.018	3440.039	
C67RCC		939.8	-455.346	3423.437	12.192	-3.152	-8.042	
C67		16.002						
C68RCC		947.42	-320.292	3367.781		-135.981	53.289	
C68		12.7						
C69RCC		939.8	-319.364	3370.146	12.192	-3.152	-8.042	
C69		16.002						
C70BOX		916.94	-315.305	3363.1	30.48	15.847	40.439	
C70		36.576	-9.36	-23.886		-11.824	4.633	
C71ARB8		970.28	-326.205	3370.097	894.08	-302.108	3431.586	
C71		894.08	-277.084	3495.436	982.98	-319.717	3386.653	
C71		970.28	-314.378	3365.464	894.08	-290.284	3426.95	
C71		894.08	-265.26	3490.803	982.98	-307.891	3382.018	
C72BOX		713.74	-299.999	3332.549		-20.945	-53.447	
C72		208.28				-81.587	31.974	
C73ARB8		883.92	-365.897	3279.257	751.84	-365.897	3279.257	
C73		779.78	-113.911	3903.449	655.98	-113.911	3903.449	
C73		883.92	-346.977	3271.843	751.84	-346.977	3271.843	
C73		779.78	-107.765	3901.039	655.98	-107.765	3901.039	
C74BOX		764.54	-74.303	3972.49		-28.73	-73.312	
C74		106.68				-15.608	6.116	
C75BOX		779.78	196.223	4676.722		-275.255	-702.371	
C75		76.2				-6.149	2.411	
C76ARB8		919.48	-366.516	3383.953	716.28	-368.516	3383.953	
C76		744.22	-345.346	3443.074	891.54	-345.346	3443.074	
C76		919.48	-273.921	3346.882	716.28	-273.921	3346.882	
C76		744.22	-250.751	3406.003	891.54	-250.751	3406.003	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
C77	BOX	741.68	-205.435	3535.561		-50.046	-127.704	
C77		152.4				-85.136	33.365	
C78	TEC	817.88	-248.003	3552.241		130.678	333.449	
C78		99.06				-42.568	16.683	
C78		2.8691						
C79	ARB5	817.88	-132.225	3891.529	817.88	-102.426	3879.853	
C79		817.88	-205.435	3535.561	817.88	-290.571	3568.924	
C79		990.6	-248.003	3552.241				
C80	ARB4	990.6	-248.003	3552.241	990.6	-117.325	3885.690	
C80		817.88	-132.225	3891.529	817.88	-102.426	3879.853	
C81	TEC	817.88	-117.325	3885.690	-9.398	52.827	134.798	
C81		34.544				-14.9	5.840	
C81		1.3693						
C82	ARB5	817.88	-132.225	3891.529	817.88	-102.426	3879.853	
C82		808.482	-53.619	4016.225	808.482	-75.377	4024.752	
C82		990.6	-117.325	3885.690				
C83	ARB4	990.6	-117.325	3885.690	990.6	-62.606	4019.748	
C83		808.482	-53.619	4016.225	808.482	-75.377	4024.752	
C84	REC	808.482	-64.498	4020.49		277.109	707.1	
C84		25.146				-10.879	4.262	
C85	ARB6	990.6	-62.606	4019.748	808.482	-75.377	4024.752	
C85		808.482	201.732	4731.852	990.6	214.503	4726.846	
C85		808.482	-53.619	4016.225	808.482	223.490	4723.326	
C86	ELLG	808.482	212.611	4727.588		-10.196	-26.015	
C86		25.146				-10.879	4.262	
C87	BOX	783.336	233.685	4749.338		-611.68	-1560.822	
C87		34.544				-21.758	8.527	
C88	TEC	808.482	212.611	4727.588	182.118			
C88			-10.196	-26.015		-10.879	4.262	
C88		46.						
C89	SPH				25.4			

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NC TYPE	DATA VALUES						REMARKS
C90ARB6	13294.36	1036.32	381.	13210.54	1036.32	467.36	
C90	13210.54	904.24	467.36	13294.36	904.24	381.	
C90	13111.48	1036.32	381.	13111.48	904.24	381.	
C91RCC	13210.54	904.24	452.12		132.08		
C91	12.7						
C92RCC	13210.54	939.8	452.12	272.542		177.038	
C92	10.16						
C93RCC	13483.082	939.8	629.158	264.16		171.45	
C93	17.78						
C94ARB8	13837.92	1000.76	777.24	13827.76	1000.76	810.26	
C94	13746.48	1000.76	792.48	13769.34	1000.76	744.22	
C94	13837.92	909.32	777.24	13827.76	909.32	810.26	
C94	13746.48	909.32	792.48	13769.34	909.32	744.22	
C95RPP	13197.84	13223.24	1003.3	1016.	452.12	660.4	
C96FCC	13063.22	1008.38	637.54	152.4		7.62	
C96	12.7						
C97ARB8	13127.99	1033.78	391.16	13127.99	1033.78	678.18	
C97	13042.9	1033.78	678.18	13106.4	1033.78	403.86	
C97	13127.99	982.98	391.16	13127.99	982.98	678.18	
C97	13042.9	982.98	678.18	13106.4	982.98	403.86	
C98ARB6	13091.16	1018.54	561.34	13091.16	1018.54	647.7	
C98	13091.16	1000.76	647.7	13091.16	1000.76	561.34	
C98	12979.4	1010.92	647.7	12979.4	1005.84	647.7	
C99TRC	12992.1	1003.554	728.7		4.826	-91.186	
C99	16.002	7.366					
D00RCC	12992.1	1003.554	728.726		-36.068	660.908	
D00	16.002						
D01TRC	12992.1	967.486	1389.634		-4.826	91.186	
D01	16.002	7.366					
D02ARB8	12994.64	975.36	1457.96	12994.64	975.36	1483.36	
D02	12969.56	975.36	1483.36	12989.56	975.36	1457.96	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
DC2		13004.8	815.34	1435.1	13004.8	815.34	1506.22	
DC2		12979.4	815.34	1506.22	12979.4	815.34	1435.1	
DC3ARBB		13004.8	881.38	1435.1	12994.64	863.6	1610.36	
DC3		12989.56	863.6	1610.36	12979.4	881.38	1435.1	
DC3		13004.8	817.88	1435.1	12994.64	835.66	1610.36	
DC3		12989.56	835.66	1610.36	12979.4	817.88	1435.1	
DC4TRC		12992.1	746.76	1595.12		114.3		
DC4		12.7	5.08					
DC5RCC		12992.1	746.76	1595.12		-855.98		
DC5		12.7						
DC6TRC		12992.1	-109.22	1595.12		-30.48		
DC6		12.7	7.366					
DC7ARBB		12994.64	-127.	1602.74	12994.64	-152.4	1602.74	
DC7		12918.44	-160.02	1747.52	12918.44	-119.38	1747.52	
DC7		12994.64	-127.	1590.04	12994.64	-152.4	1590.04	
DC7		12918.44	-160.02	1734.82	12918.44	-119.38	1734.82	
DC8RCC		12918.44	-139.7	1734.82			142.24	
DC8		20.32						
DC9ARBB		12933.68	-66.04	1902.46	12936.22	-139.7	1902.46	
DC9		12900.66	-139.7	1902.46	12903.2	-66.04	1902.46	
DC9		12933.68	-66.04	1884.68	12936.22	-139.7	1884.68	
DC9		12900.66	-139.7	1884.68	12903.2	-66.04	1884.68	
DC10TRC		12887.96	-81.28	1894.84	30.48			
DC10		16.002	9.652					
DC11RCC		12887.96	-81.28	1894.84	-264.16			
DC11		16.002						
DC12RPP		12553.16	12623.8	-91.44	-71.12	1884.68	1905.	
DC13ARBB		13294.36	-248.92	381.	13210.54	-248.92	467.36	
DC13		13210.54	-309.88	467.36	13294.36	-309.88	381.	
DC13		13111.48	-248.92	381.	13111.48	-309.88	381.	
DC14RCC		13210.54	-279.4	452.12	272.542		177.038	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
D14		10.16					
D15RCC		13483.082	-279.4	629.158	264.16		171.45
D15		17.78					
D16ARB8		13837.92	-218.44	777.24	13827.76	-218.44	810.26
D16		13746.48	-218.44	792.48	13769.34	-218.44	744.22
D16		13837.92	-309.88	777.24	13827.76	-309.88	810.26
D16		13746.48	-309.88	792.48	13769.34	-309.88	744.22
D17RPP		13068.3	13223.24	-287.02	-274.32	439.42	464.82
D18ARB6		13081.	-421.64	243.84	13081.	-421.64	439.42
D18		13068.3	-421.64	439.42	13068.3	-421.64	243.84
D18		13081.	-274.32	439.42	13068.3	-274.32	439.42
D19RPP		13055.6	13093.7	-431.8	-330.2	381.	439.42
D20TRC		13075.92	-434.34	254.		30.48	
D20		12.7	9.652				
D21RCC		13075.92	-434.34	254.		-436.88	
D21		12.7					
D22TRC		13075.92	-871.22	254.		-30.48	
D22		12.7	9.652				
D23RPP		13068.3	13081.	-906.78	-876.3	241.3	337.82
D24RCC		12946.38	-891.54	325.12	170.18		
D24		16.51					
D25RPP		12987.02	12997.18	-990.6	-876.64	309.88	340.36
D26ARB6		12951.46	-871.22	332.74	12923.52	-977.9	541.02
D26		12966.7	-977.9	541.02	12966.7	-871.22	332.74
D26		12923.52	-977.9	279.4	12966.7	-977.9	279.4
D27ARB6		13086.08	-871.22	332.74	13058.14	-977.9	541.02
D27		13101.32	-977.9	541.02	13101.32	-871.22	332.74
D27		13058.14	-977.9	279.4	13101.32	-977.9	279.4
D28TRC		12992.1	-977.9	406.4			-91.44
D28		16.002	7.366				
D29RCC		12992.1	-977.9	406.4			982.98

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
D29		16.002					
D30TRC		12992.1	-977.9	1389.38			91.44
D30		16.002	7.366				
D31ARB8		12994.64	-990.6	1457.96	12994.64	-990.6	1483.36
D31		12989.56	-990.6	1483.36	12989.56	-990.6	1457.96
D31		13004.8	-815.34	1435.1	13004.8	-815.34	1506.22
D31		12979.4	-815.34	1506.22	12979.4	-815.34	1435.1
D32ARB8		13004.8	-881.38	1435.1	12994.64	-863.6	1610.36
D32		12989.56	-863.6	1610.36	12979.4	-881.38	1435.1
D32		13004.8	-817.88	1435.1	12994.64	-835.66	1610.36
D32		12989.56	-835.66	1610.36	12979.4	-817.88	1435.1
D33TRC		12992.1	-746.76	1595.12		-114.3	
D33		12.7	5.08				
D34RCC		12992.1	-746.76	1595.12		576.58	
D34		12.7					
D35TRC		12992.1	-170.18	1595.12		30.48	
D35		12.7	7.366				
D36RCC		13921.74	609.6	381.	72.898		254.
D36		13.97					
D37TOR		13856.716	609.6	674.624		25.4	
D37		143.51	13.97				
D38ARB6		14216.888	624.84	571.246	13710.92	624.84	1166.4
D38		13710.92	594.36	1166.4	14216.888	594.36	571.246
D38		13856.716	624.84	674.624	13556.716	594.36	674.624
D39RCC		13843.	609.6	864.184			71.12
D39		13.97					
D40RCC		13843.	609.6	844.804	74.422		167.132
D40		26.67					
D41ARB8		13959.84	635.	381.	14005.56	635.	436.88
D41		13868.4	635.	462.28	13893.8	635.	381.
D41		13959.84	594.2	381.	14005.56	594.2	436.88

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
D41		13868.4	584.2	462.28	13893.8	584.2	361.	
D42RPP		13881.1	14020.8	579.12	640.08	271.78	377.19	
D43RPP		13881.1	13952.22	579.12	640.08	157.48	271.78	
D44ARB8		14020.8	457.2	325.12	14020.8	457.2	358.14	
D44		13921.74	457.2	358.14	13921.74	457.2	325.12	
D44		14015.72	579.12	325.12	14015.72	579.12	358.14	
D44		13954.76	579.12	358.14	13954.76	579.12	325.12	
D45ARB8		14071.6	759.46	325.12	14071.6	759.46	358.14	
D45		13921.74	759.46	358.14	13921.74	759.46	325.12	
D45		14015.72	640.08	325.12	14015.72	640.08	358.14	
D45		13954.76	640.08	358.14	13954.76	640.08	325.12	
D46RPP		14020.8	14066.52	596.9	622.3	317.5	365.76	
D47RPP		14036.04	14069.06	594.36	744.22	325.12	358.14	
D48ARB8		14137.64	711.2	337.82	14137.64	711.2	345.44	
D48		14033.5	708.66	358.14	14033.5	708.66	325.12	
D48		14137.64	741.68	337.82	14137.64	741.68	345.44	
D48		14033.5	744.22	358.14	14033.5	744.22	325.12	
D49RPP		14109.7	14135.1	713.74	807.72	327.66	355.6	
D50RPP		14104.62	14185.9	777.24	810.26	337.82	345.44	
D51ARB8		14196.06	812.8	358.14	14163.04	807.72	358.14	
D51		14135.1	762.	358.14	14196.06	762.	358.14	
D51		14196.06	812.8	325.12	14163.04	807.72	325.12	
D51		14135.1	762.	325.12	14196.06	762.	325.12	
D52BCX		14147.8	779.78	332.74	18.288	148.844		
D52		32.766	-4.064				17.78	
D53ARB8		14046.2	599.44	231.14	14046.2	586.74	287.02	
D53		14020.8	564.2	292.1	14028.42	598.475	231.14	
D53		14046.2	619.76	231.14	14046.2	632.46	287.02	
D53		14020.8	635.	292.1	14028.42	620.725	231.14	
D54RPP		14036.04	14041.12	599.44	619.76	190.5	231.14	
D55RPP		14028.42	14046.2	596.9	637.54	193.04	218.44	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NC TYPE	DATA VALUES						REMARKS
D56RCC	14038.58	617.22	205.74		228.6		
D56	12.7						
D57RAW	13936.98	822.96	200.66	114.3			
D57		121.92				10.16	
D58BOX	13921.74	777.24	200.66	9.22	177.8		
D58	30.429	-1.575				10.16	
D59ARB8	13921.74	881.38	358.14	13881.1	881.38	358.14	
D59	13881.1	762.	358.14	14030.96	762.	358.14	
D59	13921.74	881.38	325.12	13881.1	881.38	325.12	
D59	13881.1	762.	325.12	14030.96	762.	325.12	
D60RCC	13921.74	-609.6	381.	72.898		254.	
D60	13.97						
D61TOR	13856.716	-609.6	674.624		-25.4		
D61	143.51	13.97					
D62ARB6	14216.888	-624.84	571.246	13710.92	-624.84	1168.4	
D62	13710.92	-594.36	1168.4	14216.888	-594.36	571.246	
D62	13856.716	-624.84	674.624	13856.716	-594.36	674.624	
D63RCC	13843.	-609.6	804.164			71.12	
D63	13.97						
D64RCC	13843.	-609.6	844.804	74.422		167.132	
D64	26.67						
D65ARB8	13959.84	-635.	381.	14005.56	-635.	436.88	
D65	13868.4	-635.	462.28	13893.8	-635.	381.	
D65	13959.84	-584.2	381.	14005.56	-584.2	436.88	
D65	13868.4	-584.2	462.28	13893.8	-584.2	381.	
D66RPP	13881.1	14020.8	-640.08	-579.12	271.78	377.19	
D67RPP	13881.1	13952.22	-640.08	-579.12	157.48	271.78	
D68ARB8	14020.8	-457.2	325.12	14020.8	-457.2	358.14	
D68	13921.74	-457.2	358.14	13921.74	-457.2	325.12	
D68	14015.72	-579.12	325.12	14015.72	-579.12	358.14	
D68	13954.78	-579.12	358.14	13954.78	-579.12	325.12	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
D69ARB8		14071.6	-759.46	325.12	14071.6	-759.46	358.14	
D69		13921.74	-759.46	358.14	13921.74	-759.46	325.12	
D69		14015.72	-640.08	325.12	14015.72	-640.08	358.14	
D69		13954.76	-640.08	358.14	13954.76	-640.08	325.12	
D70RPP		14020.8	14066.52	-622.3	-596.9	317.5	365.76	
D71RPP		14036.04	14069.06	-744.22	-594.36	325.12	358.14	
D72ARB8		14137.64	-711.2	337.82	14137.64	-711.2	345.44	
D72		14033.5	-708.66	358.14	14033.5	-708.66	325.12	
D72		14137.64	-741.68	337.82	14137.64	-741.68	345.44	
D72		14033.5	-744.22	358.14	14033.5	-744.22	325.12	
D73RPP		14109.7	14135.1	-807.72	-713.74	327.66	355.6	
D74RPP		14104.62	14185.9	-810.26	-777.24	337.82	345.44	
D75ARB8		14196.06	-812.8	358.14	14163.04	-807.72	358.14	
D75		14135.1	-762.	358.14	14196.06	-762.	358.14	
D75		14196.06	-812.8	325.12	14163.04	-807.72	325.12	
D75		14135.1	-762.	325.12	14196.06	-762.	325.12	
D76RCX		14147.8	-779.78	332.74	18.288	-148.844		
D76		32.766	4.064				17.78	
D77ARB8		14046.2	-599.44	231.14	14046.2	-586.74	287.02	
D77		14028.8	-584.2	292.1	14028.42	-598.475	231.14	
D77		14046.2	-619.76	231.14	14046.2	-632.46	287.02	
D77		14028.8	-635.	292.1	14028.42	-620.725	231.14	
D78RPP		14036.04	14041.12	-619.76	-599.44	190.5	231.14	
D79RPP		14028.42	14046.2	-637.54	-596.9	193.04	218.44	
D80RCC		14038.58	-617.22	205.74		-228.6		
D80		12.7						
D81RAW		13936.98	-822.96	200.66	114.3			
D81			-121.92				10.16	
D82RCX		13921.74	-777.24	200.66	9.22	-177.8		
D82		30.429	1.575				10.16	
D83ARB8		13921.74	-881.38	358.14	13881.1	-881.38	358.14	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
D83		13881.1	-762.	358.14	14030.96	-762.	358.14	
D83		13921.74	-881.38	325.12	13881.1	-881.38	325.12	
D83		13881.1	-762.	325.12	14030.96	-762.	325.12	
D84TRC		14102.842	922.02	338.836	77.978	-10.16	1.524	
D84		16.002	7.366					
D85RCC		14102.842	922.02	338.836	-966.724	124.46	-19.812	
D85		16.002						
D86TRC		13136.118	1046.48	319.024	-77.978	10.16	-1.524	
D86		16.002	7.366					
D87ARB8		13073.38	1066.8	307.34	13073.38	1066.8	406.4	
D87		13070.84	1046.48	406.4	13070.84	1046.48	307.34	
D87		12926.06	1066.8	406.4	12923.52	1046.48	406.4	
D88RPP		12710.16	13131.8	985.52	1127.76	360.68	403.86	
D89TRC		12941.3	1060.45	474.472		8.89	-90.932	
D89		16.002	7.366					
D90RCC		12941.3	1060.45	474.472		-88.9	915.416	
D90		16.002						
D91TRC		12941.3	971.55	1389.888		-8.89	90.932	
D91		16.002	7.366					
D92ARB8		12943.84	975.36	1457.96	12943.84	975.36	1483.36	
D92		12938.76	975.36	1483.36	12938.76	975.36	1457.96	
D92		12954.	815.34	1435.1	12954.	815.34	1506.22	
D92		12928.6	815.34	1506.22	12928.6	815.34	1435.1	
D93ARB8		12954.	861.38	1435.1	12943.84	863.6	1610.36	
D93		12938.76	863.6	1610.36	12928.6	861.38	1435.1	
D93		12954.	817.88	1435.1	12943.84	835.66	1610.36	
D93		12938.76	835.66	1610.36	12928.6	817.88	1435.1	
D94TRC		12941.3	746.76	1595.12		114.3		
D94		12.7	7.06					
D95RCC		12941.3	746.76	1595.12		-914.2		
D95		12.7						

TABLE A-1. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
D96TRC		12941.3	162.56	1595.12		-35.56		
D96		12.7	7.366					
D97ARB8		12954.	139.7	1602.74	12954.	114.3	1602.74	
D97		12844.78	106.68	1750.06	12844.78	147.32	1750.06	
D97		12954.	139.7	1590.04	12954.	114.3	1590.04	
D97		12644.78	106.68	1737.36	12844.78	147.32	1737.36	
D98RCC		12844.78	127.	1732.28			116.84	
D98		20.32						
D99ARB8		12865.1	127.	1849.12	12857.48	20.32	1849.12	
D99		12832.08	20.32	1849.12	12827.	127.	1849.12	
D99		12865.1	127.	1836.42	12857.48	20.32	1836.42	
D99		12832.08	20.32	1836.42	12827.	127.	1836.42	
E00TRC		12809.22	35.56	1844.04	35.56			
E00		16.002	7.366					
E01RCC		12809.22	35.56	1844.04	-185.42			
E01		16.002						
E02RPP		12583.16	12623.8	25.4	45.72	1833.88	1854.2	
E03TRC		13868.603	944.804	208.458	78.537	-5.004	-2.718	
E03		16.002	7.366					
E04RCC		13868.603	944.804	208.458	-785.317	49.987	27.076	
E04		16.002						
E05TRC		13063.286	994.791	235.534	-93.726	5.969	3.226	
E05		16.002	7.366					
E06ARB6		13017.5	1010.92	233.68	13017.5	1010.92	332.74	
E06		13014.96	990.6	332.74	13014.96	990.6	233.68	
E06		12875.251	1023.621	332.74	12874.32	1016.178	332.74	
E07ARB6		13078.46	1038.86	360.68	12933.68	1038.86	360.68	
E07		12933.68	985.52	360.68	13078.46	985.52	360.68	
E07		12999.72	1038.86	289.56	12999.72	985.52	289.56	
E08TRC		12890.5	956.342	401.32		4.318	-91.44	
E08		16.002	7.366					

TABLE A-1. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
E09RCC		12890.5	958.342	401.32		-55.88	988.06	
E09		16.002						
E10TRC		12890.5	1014.222	1389.38		-4.318	91.44	
E10		16.002	7.366					
E11ARB8		12893.04	975.36	1457.96	12893.04	975.36	1483.36	
E11		12887.96	975.36	1483.36	12887.96	975.36	1457.96	
E11		12903.2	815.34	1435.1	12903.2	815.34	1506.22	
E11		12877.8	815.34	1506.22	12877.8	815.34	1435.1	
E12ARB8		12903.2	881.38	1435.1	12893.04	863.6	1610.36	
E12		12887.96	863.6	1610.36	12877.8	881.38	1435.1	
E12		12903.2	817.88	1435.1	12893.04	835.66	1610.36	
E12		12887.96	835.66	1610.36	12877.8	817.88	1435.1	
E13TRC		12890.5	746.76	1595.12		114.3		
E13		12.7	5.08					
E14RCC		12890.5	746.76	1595.12		-477.52		
E14		12.7						
E15TRC		12890.5	269.24	1595.12		-35.56		
E15		12.7	7.366					
E16ARB8		12961.62	254.	1653.54	12961.62	213.36	1653.54	
E16		12890.5	220.98	1607.82	12890.5	246.38	1607.82	
E16		12961.62	254.	1640.84	12961.62	213.36	1640.84	
E16		12890.5	220.98	1595.12	12890.5	246.38	1595.12	
E17RCC		12961.62	233.68	1640.84			264.16	
E17		20.32						
E18RPP		12938.76	12981.94	167.64	233.68	1892.3	1905.	
E19TRC		12926.08	177.8	1597.38	35.56			
E19		16.002	7.366					
E20RCC		12926.08	177.8	1597.38	-302.26			
E20		16.002						
E21RPP		12583.16	12623.8	167.64	187.96	1887.22	1907.54	
E22ARB8		13009.88	246.38	1905.	13009.88	220.98	1905.	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
E22		12961.62	213.36	1905.	12961.62	254.	1905.	
E22		13009.88	246.38	1892.3	13009.88	220.98	1892.3	
E22		12961.62	213.36	1892.3	12961.62	254.	1892.3	
E23	TRC	12999.72	208.28	1897.38		35.56		
E23		7.62	3.81					
E24	RCC	12999.72	208.28	1897.38		-208.28		
E24		7.62						
E25	TRC	12999.72		1897.38		-17.78		
E25		7.62	3.81					
E26	RPP	12943.84	13009.88	-30.48	-10.16	1892.3	1905.	
E27	RCC	12954.	-17.78	1905.			-25.4	
E27		3.302						
E28	RPP	12908.28	12999.72	-45.72	152.4	1752.6	1879.6	
E29	TRC	14102.842	-922.02	338.836	77.978	10.16	1.524	
E29		16.002	7.366					
E30	RCC	14102.842	-922.02	338.836	-966.724	-124.46	-19.812	
E30		16.002						
E31	TRC	13136.118	-1046.46	319.024	-77.978	-10.16	-1.524	
E31		16.002	7.366					
E32	ARB6	13073.38	-1066.8	307.34	13073.38	-1066.8	406.4	
E32		13070.84	-1046.48	406.4	13070.84	-1046.48	307.34	
E32		12926.06	-1066.8	406.4	12923.52	-1046.48	406.4	
E33	RPP	12710.16	13131.8	-1127.76	-985.52	360.68	403.86	
E34	TRC	12941.3	-1060.45	474.47		-8.89	-90.932	
E34		16.002	7.366					
E35	RCC	12941.3	-1060.45	474.472		88.9	915.416	
E35		16.002						
E36	TRC	12941.3	-971.55	1389.888		8.89	90.932	
E36		16.002	7.366					
E37	ARB8	12943.84	-975.36	1457.96	12943.84	-975.36	1483.36	
E37		12938.76	-975.36	1483.36	12938.76	-975.36	1457.96	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO TYPE	DATA VALUES						REMARKS
E37	12954.	-815.34	1435.1	12954.	-815.34	1506.22	
E37	12928.6	-815.34	1506.22	12928.6	-815.34	1435.1	
E38ARB8	12954.	-881.38	1435.1	12943.84	-863.6	1610.36	
E38	12938.76	-863.6	1610.36	12928.6	-881.38	1435.1	
E38	12954.	-817.88	1435.1	12943.84	-835.66	1610.36	
E38	12938.76	-835.66	1610.36	12928.6	-817.88	1435.1	
E39TRC	12941.3	-746.76	1595.12		-114.3		
E39	12.7	5.08					
E40RCC	12941.3	-746.76	1595.12		838.2		
E40	12.7						
E41TRC	12941.3	91.44	1595.12		35.56		
E41	12.7	7.366					
E42TRC	13868.603	-944.804	208.458	78.537	5.004	-2.718	
E42	16.002	7.366					
E43RCC	13868.603	-944.804	208.458	-785.317	-49.987	27.076	
E43	16.002						
E44TRC	13083.286	-994.791	235.534	-93.726	-5.969	3.226	
E44	16.002	7.366					
E45ARB6	13017.5	-1010.92	233.68	13017.5	-1010.92	332.74	
E45	13014.96	-990.6	332.74	13014.96	-990.6	233.68	
E45	12875.251	-1023.621	332.74	12874.32	-1016.178	332.74	
E46ARB6	13078.46	-1038.86	360.68	12933.68	-1038.86	360.68	
E46	12933.68	-985.52	360.68	13078.46	-985.52	360.68	
E46	12999.72	-1038.86	289.56	12999.72	-985.52	289.56	
E47TRC	12890.5	-958.342	401.32		-4.318	-91.44	
E47	16.002	7.366					
E48RCC	12890.5	-958.342	401.32		55.88	988.06	
E48	16.002						
E49TRC	12890.5	-1014.222	1389.38		4.318	91.44	
E49	16.002	7.366					
E50ARB8	12893.04	-975.36	1487.96	12893.04	-975.36	1483.36	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
E50		12887.96	-975.36	1483.36	12887.96	-975.36	1457.96	
E50		12903.2	-815.34	1435.1	12903.2	-815.34	1506.22	
E50		12877.8	-815.34	1506.22	12877.8	-815.34	1435.1	
E51ARB8		12903.2	-881.38	1435.1	12893.04	-863.6	1610.36	
E51		12887.96	-863.6	1610.36	12877.8	-881.38	1435.1	
E51		12903.2	-817.88	1435.1	12893.04	-835.66	1610.36	
E51		12887.96	-835.66	1610.36	12877.8	-817.88	1435.1	
E52TRC		12890.5	-746.76	1595.12		-114.3		
E52		12.7	5.08					
E53RCC		12890.5	-746.76	1595.12		838.2		
E53		12.7						
E54TRC		12890.5	91.44	1595.12		35.56		
E54		12.7	7.366					
E55ARB8		14442.44	873.76	518.16	14406.88	873.76	685.8	
E55		14381.48	873.76	673.1	14320.52	873.76	513.08	
E55		14442.44	726.44	518.16	14406.88	726.44	685.8	
E55		14381.48	726.44	673.1	14320.52	726.44	513.08	
E56RCC		14345.92	698.5	528.32		175.26		
E56		12.7						
E57RCC		14345.92	711.2	528.32			-375.92	
E57		12.7						
E58ARB8		14422.12	736.6	137.16	14422.12	736.6	157.48	
E58		14290.04	736.6	182.88	14290.04	736.6	116.84	
E58		14422.12	685.8	137.16	14422.12	685.8	157.48	
E58		14290.04	685.8	182.88	14290.04	685.8	116.84	
E59BOX		14333.22	726.44	513.08	154.94	-40.64		
E59		-1.295	-4.902				30.48	
E60RCC		14422.12	685.8	533.4	-5.08		-182.88	
E60		5.08						
E61RCC		14411.198	685.8	137.16	5.842		213.36	
E61		17.78						

TABLE A-1. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
E62RCC		14335.76	711.2	264.16	279.4		-5.08	
E62		7.62						
E63ARB8		14442.44	477.52	518.16	14406.88	477.52	685.8	
E63		14381.48	477.52	673.1	14320.52	477.52	513.08	
E63		14442.44	330.2	518.16	14406.88	330.2	685.8	
E63		14381.48	330.2	673.1	14320.52	330.2	513.08	
E64RCC		14345.92	505.46	528.32		-175.26		
E64		12.7						
E65RCC		14345.92	492.76	528.32			-375.92	
E65		12.7						
E66ARB8		14422.12	518.16	137.16	14422.12	518.16	157.48	
E66		14290.04	518.16	182.88	14290.04	518.16	116.84	
E66		14422.12	467.36	137.16	14422.12	467.36	157.48	
E66		14290.04	467.36	182.88	14290.04	467.36	116.84	
E67RCX		14333.22	477.52	513.08	154.94	40.64		
E67		-1.295	4.902				30.48	
E68RCC		14422.12	518.16	533.4	-5.08		-182.88	
E68		5.08						
E69RCC		14411.198	518.16	137.16	5.842		213.36	
E69		17.78						
E70RCC		14335.76	492.76	264.16	279.4		-5.08	
E70		7.62						
E71RPP		14538.96	14579.6	462.6	731.52	223.52	299.72	
E72RCC		14599.92	594.36	377.19			-200.66	
E72		17.78						
E73RPP		14544.04	14569.44	594.36	822.96	314.96	342.9	
E74TRC		14509.496	594.36	321.056	90.424		14.224	
E74		16.002	7.366					
E75RCC		14509.496	594.36	321.056	-337.312		-52.832	
E75		16.002						
E76TRC		14172.184	594.36	266.224	-90.424		-14.224	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
E76		16.002	7.366				
E77RPP		14071.6	14107.16	792.48	952.5	248.92	261.62
E78RCC		14086.84	873.76	247.65			129.54
E78		15.24					
E79TRC		13990.574	947.674	254.762	91.186	-7.874	.762
E79		16.002	7.366				
E80RCC		13990.574	947.674	254.762	-1297.94	96.012	-8.636
E80		16.002					
E81TRC		12692.38	1043.686	263.398	-91.186	7.874	-.762
E81		16.002	7.366				
E82ARB6		12860.02	1051.56	337.82	12778.74	1061.72	337.82
E82		12778.74	1043.94	337.82	12860.02	1043.94	337.82
E82		12778.74	1061.72	248.92	12778.74	1043.94	248.92
E83RAW		12806.68	1028.7	360.68	-96.52		
E83				-25.4		60.96	
E84TRC		12844.272	1042.162	429.006	.508	6.858	-91.186
E84		16.002	7.366				
E85RCC		12844.272	1042.162	429.006	-4.064	-72.644	960.628
E85		16.002					
E86TRC		12840.208	969.516	1389.634	-.508	-6.858	91.186
E86		16.002	7.366				
E87ARB8		12842.24	975.36	1457.96	12842.24	975.36	1483.36
E87		12837.16	975.36	1483.36	12837.16	975.36	1457.96
E87		12852.4	815.34	1435.1	12852.4	815.34	1506.22
E87		12827.	815.34	1506.22	12827.	815.34	1435.1
E88ARB8		12852.4	881.38	1435.1	12842.24	863.6	1610.36
E88		12837.16	863.6	1610.36	12827.	881.38	1435.1
E88		12852.4	817.88	1435.1	12842.24	835.66	1610.36
E88		12837.16	835.66	1610.36	12827.	817.88	1435.1
E89TRC		12839.7	746.76	1595.12		114.3	
E89		12.7	5.08				

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
E90RCC		12839.7	746.76	1595.12		-325.12		
E90		12.7						
E91TRC		12839.7	421.64	1595.12		-35.56		
E91		12.7	7.366					
E92ARB8		12849.86	398.78	1600.2	12849.86	373.38	1600.2	
E92		12781.28	365.76	1600.2	12781.28	406.4	1600.2	
E92		12849.86	398.78	1587.5	12849.86	373.38	1587.5	
E92		12781.28	365.76	1587.5	12781.28	406.4	1587.5	
E93RCC		12781.28	386.08	1584.96			284.48	
E93		20.32						
E94ARB8		12801.6	386.08	1836.42	12793.98	294.64	1836.42	
E94		12768.58	294.64	1836.42	12760.96	386.08	1836.42	
E94		12801.6	386.08	1849.12	12793.98	294.64	1849.12	
E94		12768.58	294.64	1849.12	12760.96	386.08	1849.12	
E95TRC		12745.72	304.8	1844.04	35.56			
E95		16.002	7.366					
E96RCC		12745.72	304.8	1844.04	-121.92			
E96		16.002						
E97RPP		12583.16	12623.8	294.64	314.96	1833.88	1854.2	
E98RCC		12781.28	304.8	1844.04	266.7	-45.72		
E98		2.54						
E99RPP		13017.5	13027.66	162.56	266.7	1841.5	1846.58	
F00RCC		13022.58	172.72	1849.12			-20.32	
F00		2.54						
F01RPP		13009.88	13101.32		203.2	1752.6	1828.8	
F02ARB8		14442.44	-873.76	518.16	14406.88	-873.76	685.8	
F02		14381.48	-873.76	673.1	14320.52	-873.76	513.08	
F02		14442.44	-726.44	518.16	14406.88	-726.44	685.8	
F02		14381.48	-726.44	673.1	14320.52	-726.44	513.08	
F03RCC		14345.92	-698.5	522.32		-175.26		
F03		12.7						

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
F04RCC		14345.92	-711.2	528.32			-375.92	
F04		12.7						
F05ARBB		14422.12	-736.6	137.16	14422.12	-736.6	157.48	
F05		14290.04	-736.6	182.88	14290.04	-736.6	116.84	
F05		14422.12	-685.8	137.16	14422.12	-685.8	157.48	
F05		14290.04	-685.8	182.88	14290.04	-685.8	116.84	
F06BOX		14333.22	-726.44	513.08	154.94	40.64		
F06		-1.295	4.902				30.48	
F07RCC		14422.12	-685.8	533.4	-5.08		-182.88	
F07		5.08						
F08RCC		14411.198	-685.8	137.16	5.842		213.36	
F08		17.78						
F09RCC		14335.76	-711.2	264.16	279.4		-5.08	
F09		7.62						
F10ARBB		14442.44	-477.52	518.16	14406.88	-477.52	685.8	
F10		14381.48	-477.52	673.1	14320.52	-477.52	513.08	
F10		14442.44	-330.2	518.16	14406.88	-330.2	685.8	
F10		14381.48	-330.2	673.1	14320.52	-330.2	513.08	
F11RCC		14345.92	-505.46	528.32		175.26		
F11		12.7						
F12RCC		14345.92	-492.76	528.32			-375.92	
F12		12.7						
F13ARBB		14422.12	-518.16	137.16	14422.12	-518.16	157.48	
F13		14290.04	-518.16	182.88	14290.04	-518.16	116.84	
F13		14422.12	-467.36	137.16	14422.12	-467.36	157.48	
F13		14290.04	-467.36	182.88	14290.04	-467.36	116.84	
F14BOX		14333.22	-477.52	513.08	154.94	-40.64		
F14		-1.295	-4.902				30.48	
F15RCC		14422.12	-518.16	533.4	-5.08		-182.88	
F15		5.08						
F16RCC		14411.198	-518.16	137.16	5.842		213.36	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
F16		17.78						
F17	RCC	14335.76	-492.76	264.16	279.4		-5.08	
F17		7.62						
F18	RPP	14538.96	14579.6	-731.52	-482.6	223.52	299.72	
F19	RCC	14599.92	-594.36	377.19			-200.66	
F19		17.78						
F20	RPP	14544.04	14569.44	-822.96	-594.36	314.96	342.9	
F21	TRC	14509.496	-594.36	321.056	90.424		14.224	
F21		16.002	7.366					
F22	RCC	14509.496	-594.36	321.056	-337.312		-52.832	
F22		16.002						
F23	TRC	14172.184	-594.36	268.224	-90.424		-14.224	
F23		16.002	7.366					
F24	RPP	14071.6	14107.16	-952.5	-792.48	248.92	261.62	
F25	RCC	14086.84	-873.76	247.65			129.54	
F25		15.24						
F26	TRC	13990.574	-947.674	254.762	91.186	7.874	.762	
F26		16.002	7.366					
F27	RCC	13990.574	-947.674	254.762	-1297.94	-96.012	-8.636	
F27		16.002						
F28	TRC	12692.634	-1043.686	263.398	-91.186	-7.874	-.762	
F28		16.002	7.366					
F29	ARB6	12860.02	-1051.56	337.82	12778.74	-1061.72	337.82	
F29		12778.74	-1043.94	337.82	12860.02	-1043.94	337.82	
F29		12778.74	-1061.72	248.92	12778.74	-1043.94	248.92	
F30	RAW	12806.68	-1028.7	360.68	-96.52			
F30				-25.4		-60.96		
F31	TRC	12844.272	-1042.162	429.006	.508	-6.858	-91.186	
F31		16.002	7.366					
F32	RCC	12844.272	-1042.162	429.006	-4.064	72.644	960.628	
F32		16.002						

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
F33TRC		12840.208	-969.518	1389.634	-.508	6.858	91.186	
F33		16.002	7.366					
F34ARB8		12842.24	-975.36	1457.96	12842.24	-975.36	1483.36	
F34		12837.16	-975.36	1483.36	12837.16	-975.36	1457.96	
F34		12852.4	-815.34	1435.1	12852.4	-815.34	1506.22	
F34		12827.	-815.34	1506.22	12827.	-815.34	1435.1	
F35ARB8		12852.4	-881.38	1435.1	12842.24	-863.6	1610.36	
F35		12837.16	-863.6	1610.36	12827.	-881.38	1435.1	
F35		12852.4	-817.88	1435.1	12842.24	-835.66	1610.36	
F35		12837.16	-835.66	1610.36	12827.	-817.88	1435.1	
F36TRC		12839.7	-746.76	1595.12		-114.3		
F36		12.7	5.08					
F37RCC		12839.7	-746.76	1595.12		1097.28		
F37		12.7						
F38TRC		12839.7	350.52	1595.12		35.56		
F38		12.7	7.366					
F39RCC		12661.9	849.63	1470.66	393.7			
F39		21.59						
F40ARB8		12712.7	876.3	1445.26	12682.22	988.06	1610.36	
F40		12661.9	988.06	1610.36	12661.9	876.3	1445.26	
F40		12712.7	822.96	1445.26	12682.22	965.2	1610.36	
F40		12661.9	965.2	1610.36	12661.9	822.96	1445.26	
F41AR88		13055.6	876.3	1445.26	13055.6	988.06	1610.36	
F41		13035.28	988.06	1610.36	13004.8	876.3	1445.26	
F41		13055.6	822.96	1445.26	13055.6	965.2	1610.36	
F41		13035.28	965.2	1610.36	13004.6	822.96	1445.26	
F42RCC		12661.9	-849.63	1470.66	393.7			
F42		21.59						
F43AR88		12712.7	-876.3	1445.26	12682.22	-988.06	1610.36	
F43		12661.9	-988.06	1610.36	12661.9	-876.3	1445.26	
F43		12712.7	-822.96	1445.26	12682.22	-965.2	1610.36	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
F43		12661.9	-965.2	1610.36	12661.9	-822.96	1445.26	
F44ARBB		13055.6	-876.3	1445.26	13055.6	-988.06	1610.36	
F44		13035.28	-988.06	1610.36	13004.8	-876.3	1445.26	
F44		13055.6	-822.96	1445.26	13055.6	-965.2	1610.36	
F44		13035.28	-965.2	1610.36	13004.8	-822.96	1445.26	
F45RPP		12547.6	12613.64	299.72	309.88	1833.88	1930.4	
F46RCC		12573.	304.8	1905.	-187.96			
F46		25.4						
F47RCC		12552.68	304.8	1965.96	-167.64			
F47		25.4						
F48RPP		12385.04	12613.64	292.1	317.5	1905.	1965.96	
F49ARBB		12573.	342.9	1752.6	12552.68	322.58	1905.	
F49		12446.	322.58	1905.	12446.	342.9	1752.6	
F49		12573.	266.7	1752.6	12552.68	287.02	1905.	
F49		12446.	287.02	1905.	12446.	266.7	1752.6	
F50RPP		12385.04	12573.	208.28	279.4	1752.6	2032.	
F51RPP		12242.8	12385.04	208.28	294.64	1752.6	2044.7	
F52RPP		12319.	12385.04	299.72	309.88	1945.64	1986.28	
F53RPP		12303.76	12344.4	294.64	314.96	1828.8	1986.28	
F54RCC		12319.	304.8	1844.04	-35.56		-2.286	
F54		12.7						
F55RCC		12283.44	304.8	1841.754	-284.48		-15.748	
F55		12.7						
F56RCC		12024.36	304.8	1823.72	35.56		2.286	
F56		12.7						
F57RPP		11988.8	12039.6	298.45	311.15	1803.4	1981.2	
F58RPP		11938.	11988.8	311.15	323.85	1950.72	1976.12	
F59RCC		12014.2	345.44	1894.84		-574.04		
F59		20.32						
F60ARBB		12283.44	269.24	1752.6	12039.6	269.24	1920.24	
F60		11988.8	269.24	1920.24	11938.	269.24	1752.6	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
F60		12283.44	254.	1752.6	12039.6	254.	1920.24	
F60		11988.8	254.	1920.24	11938.	254.	1752.6	
F61ARB8		12283.44	152.4	1752.6	12283.44	152.4	2057.4	
F61		11988.8	152.4	2057.4	11938.	152.4	1752.6	
F61		12283.44	137.16	1752.6	12283.44	137.16	2057.4	
F61		11988.8	137.16	2057.4	11938.	137.16	1752.6	
F62ARB8		12283.44	-25.4	1752.6	12283.44	-25.4	2057.4	
F62		11988.8	-25.4	2057.4	11938.	-25.4	1752.6	
F62		12283.44	-40.64	1752.6	12283.44	-40.64	2057.4	
F62		11988.8	-40.64	2057.4	11938.	-40.64	1752.6	
F63ARB8		12283.44	-208.28	1752.6	12039.6	-208.28	1920.24	
F63		11988.8	-208.28	1920.24	11938.	-208.28	1752.6	
F63		12283.44	-223.52	1752.6	12039.6	-223.52	1920.24	
F63		11988.8	-223.52	1920.24	11938.	-223.52	1752.6	
F64ARB6		12014.2	332.74	1884.68	11988.8	332.74	1981.2	
F64		11988.8	320.04	1981.2	12014.2	320.04	1884.68	
F64		11826.24	332.74	1884.68	11826.24	320.04	1884.68	
F65RPP		11826.24	11641.48	320.04	332.74	1686.56	1915.16	
F66RPP		11714.48	11846.56	320.04	332.74	1686.56	1727.2	
F67RPP		11714.48	11755.12	320.04	332.74	1605.28	1686.56	
F68TRC		11699.24	326.39	1643.38	35.56			
F68		12.7	7.366					
F69RCC		11699.24	326.39	1643.38	-426.72			
F69		12.7						
F70TRC		11272.52	326.39	1643.38	-35.56			
F70		12.7	7.366					
F71ARB8		11308.08	350.52	1625.6	11236.96	350.52	1727.2	
F71		11155.68	350.52	1625.6	11236.96	350.52	1615.44	
F71		11308.08	337.82	1625.6	11236.96	337.82	1727.2	
F71		11155.68	337.82	1625.6	11236.96	337.82	1615.44	
F72RCC		11236.96	345.44	1617.98	-1905.		99.06	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
F72	1.27						
F73RCC	9331.96	345.44	1717.04	-559.054		-33.02	
F73	1.27						
F74RCC	8773.16	345.44	1709.42	-691.134	-106.68	-129.54	
F74	1.27						
F75RCC	8082.534	238.76	1554.48	-421.894	-116.84	-175.514	
F75	1.27						
F76RCC	7660.894	121.92	1379.22	-4687.316	-10.16	-901.954	
F76	1.27						
F77RCC	2974.848	111.76	477.012	-1974.342	-53.34	2152.142	
F77	1.27						
F78RCC	1000.76	58.42	2628.392	-12.7	101.854	489.204	
F78	1.27						
F79RCC	989.076	160.274	3116.326	-176.276	-33.274	51.054	
F79	1.27						
F80RCC	9357.36	337.82	1666.24		12.7		
F80	53.34						
F81RCC	8778.24	304.8	1653.54		8.89	-8.89	
F81	53.34						
F82RCC	8082.28	198.12	1524.		8.89	-8.89	
F82	53.34						
F83RCC	7660.64	162.56	1409.7		8.89	8.89	
F83	53.34						
F84RCC	2974.34	106.68	526.32		12.7		
F84	53.34						
F85RCC	1059.18	27.94	2628.9	-8.89	-8.89		
F85	53.34						
F86RCC	988.06	119.38	3086.1		8.89	-8.89	
F86	53.34						
F87RCC	11236.96	345.44	1617.98	267.97		-7.62	
F87	1.27						

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NC	TYPE	DATA VALUES					REMARKS
F88RCC		11503.66	345.44	1610.36		-692.15	
F88		1.27					
F89RCC		11503.66	-345.44	1610.36	-2171.7		106.68
F89		1.27					
F90RCC		9331.96	-345.44	1717.04	-559.054		-33.02
F90		1.27					
F91RCC		8773.16	-345.44	1709.42	-691.134	106.68	-129.54
F91		1.27					
F92RCC		8082.534	-238.76	1554.48	-421.894	116.84	-175.514
F92		1.27					
F93RCC		7660.894	-121.92	1379.22	-4687.316	10.16	-901.954
F93		1.27					
F94RCC		2974.848	-111.76	477.012	-2014.982	10.16	2342.896
F94		1.27					
F95RCC		960.12	-101.6	2818.892	-2.54	60.96	295.148
F95		1.27					
F96RCC		957.58	-40.64	3114.04	-27.94	20.32	193.04
F96		1.27					
F97RCC		11236.96	294.64	1612.9			12.7
F97		53.34					
F98RCC		11236.96	-294.64	1612.9			12.7
F98		53.34					
F99RCC		9357.36	-337.82	1666.24		-12.7	
F99		53.34					
G00RCC		8778.24	-304.8	1653.54		-8.89	-8.89
G00		53.34					
G01RCC		8082.28	-198.12	1524.		-8.89	-8.89
G01		53.34					
G02RCC		7660.64	-162.56	1409.7		-8.89	8.89
G02		53.34					
G03RCC		2974.34	-106.68	528.32		-12.7	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NC TYPE	DATA VALUES						REMARKS
G03	53.34						
G04RCC	911.86	-71.12	2788.92	-8.89	-8.89		
G04	53.34						
GC5RCC	1008.38	-45.72	3103.88		12.7		
G05	53.34						
G06RCC	867.156	49.53	3234.182	7.874	7.62	6.35	
G06	119.38						
G07BOX	932.18	-71.12	3190.24	-130.302		117.348	
G07		241.3		-17.018		-18.796	
G08BOX	866.14	30.48	324.104	128.27		-115.57	
GC8		38.1		-17.018		-18.796	
G09RCC	975.36	68.58	3136.9	-162.56	132.08	-30.48	
G09	12.7						
G10RPP	759.46	866.14	154.94	203.2	3063.24	3233.42	
G11RPP	12547.6	12613.64	147.32	182.88	1833.88	1930.4	
G12RCC	12573.	177.6	1905.	-167.96			
G12	25.4						
G13RCC	12552.68	177.8	1965.96	-167.64			
G13	25.4						
G14RPP	12385.04	12613.64	165.1	190.5	1905.	1965.96	
G15ARBB	12573.	215.9	1752.6	12552.68	195.58	1905.	
G15	12446.	195.58	1905.	12446.	215.9	1752.6	
G15	12573.	139.7	1752.6	12552.68	160.02	1905.	
G15	12446.	160.02	1905.	12446.	139.7	1752.6	
G16RPP	12385.04	12573.	81.28	152.4	1752.6	2032.	
G17RPP	12242.8	12385.04	81.28	167.64	1752.6	2044.7	
G18RPP	12059.92	12385.04	170.18	165.42	1879.6	1991.36	
G19ARE6	12085.32	203.2	1996.44	11953.24	203.2	2042.16	
G19	11953.24	172.72	2042.16	12085.32	172.72	1996.44	
G19	11963.4	203.2	1969.44	11963.4	172.72	1869.44	
G20TRC	11943.08	187.96	2020.824	35.052		6.096	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES					REMARKS
G20		16.002	7.366				
G21RCC		11943.08	187.96	2020.824	-483.108	-85.09	
G21		16.002					
G22TRC		11459.972	187.96	1935.734	-35.052	-6.096	
G22		16.002	7.366				
G23RPP		11419.84	11442.7	172.72	203.2	1879.6	1943.1
G24RPP		11389.36	11496.04	101.6	264.16	1811.02	1879.6
G25RCC		11805.92	218.44	1844.04	-248.92		
G25		33.02					
G26RCC		11902.44	218.44	1844.04	-436.88		
G26		25.4					
G27RCC		11805.92	134.62	1844.04	-248.92		
G27		33.02					
G28RCC		11902.44	134.62	1844.04	-436.88		
G28		25.4					
G29RCC		11389.36	190.5	1873.25	-332.74		
G29		16.002					
G30RCC		11066.78	190.5	1856.74	-10.16	-50.8	231.14
G30		16.002					
G31RCC		11066.78	139.7	2087.88	-144.78	20.32	10.16
G31		16.002					
G32RCC		10939.78	160.02	2072.64			132.08
G32		10.16					
G33RPP		12547.6	12613.64	20.32	55.88	1833.88	1930.4
G34RCC		12573.	50.8	1905.	-167.96		
G34		25.4					
G35RCC		12552.68	50.8	1965.96	-167.64		
G35		25.4					
G36RPP		12385.04	12613.64	38.1	63.5	1905.	1965.96
G37ARBA		12573.	88.9	1752.6	12552.68	68.58	1905.
G37		12446.	68.58	1905.	12446.	88.9	1752.6

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
G37		12573.	12.7	1752.6	12552.68	33.02	1905.	
G37		12446.	33.02	1905.	12446.	12.7	1752.6	
G38RPP		12385.04	12573.	-45.72	25.4	1752.6	2032.	
G39RPP		12242.8	12385.04	-45.72	40.64	1752.6	2044.7	
G40RPP		12059.92	12385.04	43.18	56.42	1879.6	1991.36	
G41ARB6		12085.32	76.2	1956.44	11953.24	76.2	2042.16	
G41		11953.24	45.72	2042.16	12085.32	45.72	1996.44	
G41		11963.4	76.2	1869.44	11963.4	45.72	1869.44	
G42TRC		11943.08	17.78	2020.824	35.052		6.096	
G42		16.002	7.366					
G43RCC		11943.08	17.78	2020.824	-483.108		-85.09	
G43		16.002						
G44TRC		11459.972	17.78	1935.734	-35.052		-6.096	
G44		16.002	7.366					
G45RPP		11419.84	11442.7	2.54	33.02	1879.6	1943.1	
G46RPP		11389.36	11496.04	-68.58	93.98	1811.02	1879.6	
G47RCC		11805.92	48.26	1844.04	-248.92			
G47		33.02						
G48RCC		11902.44	48.26	1844.04	-436.88			
G48		25.4						
G49RCC		11805.92	-35.56	1844.04	-248.92			
G49		33.02						
G50RCC		11902.44	-35.56	1844.04	-436.88			
G50		25.4						
G51RCC		11389.36		1873.25	-101.6			
G51		16.002						
G52BOX		11330.94		1866.9		350.52	241.3	
G52		-25.4				-7.112	10.414	
G53TRC		11194.034	340.36	2067.306	147.066		10.414	
G53		10.16	5.08					
G54RCC		10586.466	340.36	2024.634	607.568		42.672	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
G54		10.16						
G55TRC		10586.466	340.36	2024.634	-147.066		-10.414	
G55		10.16	5.08					
G56RPP		10429.24	10472.42	335.28	345.44	1993.9	2141.22	
G57RCC		10457.18	254.	2110.74		86.36		
G57		20.32						
G58RPP		10429.24	10579.1	254.	264.16	2098.04	2141.22	
G59RCC		10566.4	259.08	2141.22			86.36	
G59		10.16						
G60RPP		12547.6	12613.64	-106.68	-71.12	1833.88	1930.4	
G61RCC		12573.	-76.2	1905.	-167.96			
G61		25.4						
G62RCC		12552.68	-76.2	1965.96	-167.64			
G62		25.4						
G63RPP		12385.04	12613.64	-88.9	-63.5	1905.	1965.96	
G64ARB8		12573.	-38.1	1752.6	12552.68	-58.42	1905.	
G64		12446.	-58.42	1905.	12446.	-38.1	1752.6	
G64		12573.	-114.3	1752.6	12552.68	-93.98	1905.	
G64		12446.	-93.98	1905.	12446.	-114.3	1752.6	
G65RPP		12385.04	12573.	-172.72	-101.6	1752.6	1991.36	
G66RPP		12242.8	12385.04	-172.72	-86.36	1752.6	1991.36	
G67RPP		12344.4	12385.04	-63.82	-68.58	1679.6	1991.36	
G68TRC		12334.24	-76.2	1905.	35.56			
G68		16.002	9.652					
G69RCC		12100.56	-76.2	1905.	233.68			
G69		16.002						
G70TRC		12100.56	-76.2	1905.	-35.56			
G70		16.002	9.652					
G71RPP		12059.92	12095.48	-81.28	-71.12	1892.3	2006.6	
G72ARB6		12085.32	-152.4	1996.44	11953.24	-152.4	2042.16	
G72		11953.24	-182.88	2042.16	12085.32	-182.88	1996.44	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
G72		11963.4	-152.4	1869.44	11963.4	-182.88	1869.44	
G73TRC		11943.08	-167.64	2020.624	35.052		6.096	
G73		16.002	7.366					
G74PCC		11943.08	-167.64	2020.624	-483.108		-85.09	
G74		16.002						
G75TRC		11459.972	-167.64	1935.734	-35.052		-6.096	
G75		16.002	7.366					
G76RPP		11419.84	11442.7	-182.88	-152.4	1879.6	1943.1	
G77RPP		11389.36	11496.04	-254.	-91.44	1811.02	1879.6	
G78RCC		11805.92	-137.16	1844.04	-248.92			
G78		33.02						
G79RCC		11902.44	-137.16	1844.04	-436.88			
G79		25.4						
G80RCC		11805.92	-220.98	1844.04	-248.92			
G80		33.02						
G81RCC		11902.44	-220.98	1844.04	-436.88			
G81		25.4						
G82RCC		11389.36	-165.1	1844.04	-302.26			
G82		16.002						
G83RCC		11107.42	-165.1	1844.04			243.84	
G83		16.002						
G84RCC		11107.42	-147.32	2087.88		-129.54		
G84		20.32						
G85RPP		10876.28	11107.42	-274.32	-254.	2067.56	2108.2	
G86RCC		10896.6	-264.16	2108.2			132.08	
G86		10.16						
G87RPP		11557.	11765.28	261.62	365.76	1752.6	1936.02	
G88RPP		11562.08	11654.18	-347.98	-226.06	1752.6	1936.02	
G89RPP		11689.08	11722.1	-218.44	337.82	1752.6	1778.	
G90RPP		11650.98	11684.	-302.26	254.	1752.6	1778.	
G91RCX		14071.6	-1092.2	817.88	391.16		205.232	

TABLE A-I. SOLID TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

SOLID NO	TYPE	DATA VALUES						REMARKS
G91			2184.4		-1.181		2.25	
G92REC	-2040.89		812.8				279.4	
G92	16465.804				4930.394			

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION

REGION NO.		COMBINATION DATA								REMARKS
1	OR	1	7	9	-2	-11	-13	-16	-18	-157	
		-158									1- 2
	OR	1	5	8	-2	-11	-13	-16	-18	-157	1- 3
		-158	-159	-160	-161	-162					1- 4
	OR	1	5	8	10	-2	-12	-160	-161	-162	1- 5
	OR	1	5	8	12	-2	-10	-159	-161	-162	1- 6
	OR	1	3	5	10	-2	-16				1- 7
	OR	1	3	5	12	-2	-16				1- 8
2		2	7	9							
3											
4		4	1	8	-5	-157	-158	-159	-160	-161	
		-162	-181	-196							4- 2
5	OR	5	2	8							
	OR	5	8	18	-2						5- 2
6		6	1	9	-7	-157	-158				
7		7	1	9							
8											
9											
10		10	5	14	-2	-11	-161				
11		11	5	8	14						
12		12	5	15	-2	-13	-162				
13		13	5	8	15						
14		14	4	8	11	-1	-159				
15		15	4	8	13	-5	-160				
16		16	-1	-17	-163						
17		17									
18		18	4	-1	-5	-159	-160				
19											
20		20	19	-21							
21		21	19								
22											

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.		COMBINATION DATA							REMARKS
23	OR	23	24						
	OR	23	25						23- 2
24		24	22	-23	-169				
25		25	22	-23	-170				
26	OR	26	4	28	-27	-169			
	OR	26	4	28	-5	-169			26- 2
	OR	26	414	-33	-43	-651	-652	-951	26- 3
27		27	5	28					
28									
29	OR	29	4	31	-30	-170			
	OR	29	4	31	-5	-170			29- 2
	OR	29	414	-33	-43	-651	-652	-951	29- 3
30		30	5	31					
31									
32		32							
33									
34		34	33	-35	-38	-181	-206	-258	-273
35		35	33	-206					
36		36	33	-37	-38	-196	-210	-258	-273
37		37	33	-210					
38		38	-206	-210					
39		39	-40	-1021	-1125				
40		40							
41		41	-42	-946	-949	-1. 3	-1117	-1125	-1665
42		42							
43		43	-44	-1408	-1498	-1517	-1593		
44		44							
45									
46		46	49	52	-54				
47									
48									

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA						REMARKS
49	49	45	52	-46			
50	50	45	52	-47			
51	51	45	52	-48			
52	52	48	51	-53			
53	53	48					
54							
55							
56	56	59	62	-63	-65		
57							
58							
59	59	55	62	-56			
60	60	55	62	-57			
61	61	55	62	-58			
62	62	58	61	-63	-1019	-1025	
63	63	58					
64							
65	65	56	62	-64			
66	66	68	-67				
67	67	70					
68	68	67	-69	-71			
69							
70							
71	71	67	66	-70			
72	72	67	69				
73	73	75	77	-74			
74	74	75	77				
75	75	74	77	-76			
76							
77	77	74	76	-78	-233	-234	
78							
79	79	-80	-61	-89	-140	-142	

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.		COMBINATION DATA								REMARKS
80		80								
81		81	-68	-75	-82	-83	-89	-1251		
82		82								
83		83	85	-84	-90	-93	-95			
84		84	85							
85		85	84	-86	-88	-552	-597	-1267	-1684	-1703
86										
87		87	-85	-88	-94					
88		88	-85							
89		89	100	-83	-87	-90	-95			
90										
91		91								
92		92	89	-83	-91	-95				
93										
94	OR	94	90	-93						
	OR	94	84	-93						94- 2
	OR	94	87	-93						94- 3
	OR	94	96	-93						94- 4
95		95	100	-84	-87	-90	-94	-96	-102	
96										
97		97	-84	-94						
98										
99	OR	99	95	-84	-90	-97	-106	-108		
	OR	99	95	106	-108	-1 3	-1287			99- 2
100										
101	OR	101	95	-87	-94	-98	-102	-106	-108	-334
	OR	101	95	106	-98	-102	-108	-110		101- 2
102		102	95	-84	-94	-97	-333	-334		
103		103	-94	-95	-333	-334				
104	OR	104	-105	-107	-109					
	OR	104	107	-105	-108	-110				104- 2

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.		COMBINATION DATA								REMARKS
105		105								
106		106	110	-96	-105	-107				
107		107	110							
108		108	-96	-105	-109	-110	-1295			
109		109	-110							
110										
111	OR	111	121	-112	-135	-278	-296	-1230		
	OR	111	124	-112						111- 2
	OR	111	126	-112						111- 3
	OR	111	128	132	-112	-276	-278			111- 4
	OR	111	130	134	-112	-294	-296			111- 5
112										
113		113	111	117	-20	-41	-43	-114		
114		114	111	117						
115		115	111	118	-20	-41	-43	-116	-953	
116		116	111	118						
117		117	111	114	-112					
118		118	111	116	-112					
119		119	114	-121	-1047					
120		120	116	-121	-1054					
121		121	112	-38	-39	-41	-122	-124	-126	-128
		-130	-1047	-1052	-1054	-1059				121- 2
122		122	112							
123		123	132	-124	-1051					
124		124	112	132						
125		125	112	134	-126					
126		126	112	134						
127		127	112	132	-128	-276	-278			
128		128	112	132						
129		129	112	134	-130	-294	-296			
130		130	112	134						

TABLE A-11. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.		COMBINATION DATA								REMARKS
131	OR	131	111	124	-34	-38	-41	-43	-132	
	OR	131	111	128	-34	-38	-39	-41	-45	-132	131- 2
		-276	-278							131- 3
	OR	131	45	111	128	-52	-132	-276	-278	131- 4
132										
133	OR	133	111	126	-36	-38	-41	-43	-134	
	OR	133	111	130	-36	-38	-39	-41	-45	-134	133- 2
		-294	-296							133- 3
	OR	133	45	111	130	-52	-134	-294	-296	133- 4
134										
135										
136	OR	136	149	-137	-145	-147	-285	-302	-303	
	OR	136	145	-137	-284	-285				136- 2
	OR	136	147	-137	-302	-303				136- 3
	OR	136	150	152	-137	-153	-155	-1230		136- 4
	OR	136	150	153	-131	-137	-276	-278		136- 5
	OR	136	150	155	-133	-137	-294	-296		136- 6
	OR	136	284	-137	-280	-285				136- 7
	OR	136	302	-137	-298	-303				136- 8
137										
138		138	-139							
139		139								
140	OR	140	-62	-68	-81	-138	-141	-144	-285	
	OR	140	62	-55	-68	-138	-141	-144	-285	140- 2
141		141								
142	OR	142	144	-62	-68	-81	-138	-143	-303	
	OR	142	62	144	-55	-68	-138	-143	-303	142- 2
143		143								
144										
145	OR	145	137	-45	-62	-146	-149	-276	-284	
	OR	145	137	284	-62	-146	-280	-285		145- 2

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.		COMBINATION DATA									REMARKS
	OR	145	62	-55	-146						145- 3
146		146	137								
147	OR	147	137	-45	-62	-148	-149	-296	-302		
	OR	147	137	302	-62	-148	-298	-303			147- 2
	OR	147	62	-55	-148						147- 3
148		148	137								
149		149	137								
150	OR	150	128	137	-52	-151	-152	-154	-276	-278	
	OR	150	130	137	-52	-151	-152	-156	-294	-296	150- 2
	OR	150	137	154	-52	-132	-151	-152	-276	-278	150- 3
	OR	150	137	156	-52	-134	-151	-152	-294	-296	150- 4
151											
152		152	137								
153		153	137	150	-52	-149	-152	-154	-276	-278	
154		154	137	151							
155		155	137	150	-52	-149	-152	-156	-294	-296	
156		156	137	151							
157	OR	157	1	4	8	-166					
	OR	157	1	6	9	-166					157- 2
	OR	157	1	166	-164						157- 3
158	OR	158	1	4	8	-166					
	OR	158	1	6	9	-166					158- 2
	OR	158	1	166	-164						158- 3
159		159	4	-165							
160		160	4	-165							
161	OR	161	4	10	-1	-167					
	OR	161	1	4	-165						161- 2
	OR	161	1	4	-10	-164					161- 3
162	OR	162	4	12	-1	-168					
	OR	162	1	4	-165						162- 2
	OR	162	1	4	-13	-164					162- 3

TABLE A-11. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.		COMBINATION DATA					REMARKS
163		163	-1				
164							
165							
166							
167							
168							
169	OR	169	22	24	-171		
	OR	169	4	26	26	-172	169- 2
	OR	169	4	26	-165		169- 3
170	OR	170	22	25	-171		
	OR	170	4	29	31	-173	170- 2
	OR	170	4	29	-165		170- 3
171							
172							
173							
174		174	-175				
175		175	-176				
176		176					
177		177	-176	-178	-183		
178		178	-176				
179		179					
180		180	-179				
181		181	182	-5	-35		
182							
183		183					
184		184	-186				
185		185	-186	-187			
186		186					
187		187	-188				
188		188					
189		189	-190				

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.		COMBINATION DATA						REMARKS
190		190	-191					
191		191						
192		192	-191	-193	-198			
193		193	-191					
194		194						
195		195	-194					
196		196	197	-5	-37			
197								
198		198						
199		199	-201					
200		200	-201	-202				
201		201						
202		202	-203					
203		203						
204		204	206	-205	-214			
205								
206	OR	206	35	-188	-207	-212	-410	
	OR	206	205	-188	-207	-212		206- 2
207								
208		208	210	-209	-215			
209								
210	OR	210	37	-208	-211	-212		
	OR	210	209	-208	-211	-212		210- 2
211								
212	OR	212	206	214	-213	-410		
	OR	212	210	215	-213			212- 2
213	OR	213	206	214				
	OR	213	210	215				213- 2
214								
215								
216		216	35	-212				

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA					REMARKS
217	217	37	-212			
218	218					
219	219					
220	220	-222				
221	221	-220	-222			
222	222	-223				
223	223	-224				
224	224					
225	225	-224	-227			
226	226	-224	-227			
227	227					
228	228	-227				
229	229	-228				
230	230	-220				
231	231	-230	-232			
232	232	-230	-233			
233	233	-234				
234	234					
235	235	76	-234			
236	236	-235				
237	237	-218				
238	238	239	-34	-240	-243	
239	239	240				
240	240	241	-34	-245		
241	241	34				
242	242	243				
243	243	238	-242			
244	244	245				
245	245	240	-244			
246	246	-34	-206			
247	247	-34	-206			

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA							REMARKS
248	248	249	-36	-250	-253			
249	249	250						
250	250	251	-36	-255				
251	251	36						
252	252	253						
253	253	248	-252					
254	254	255						
255	255	250	-254					
256	256	-36	-210					
257	257	-36	-210					
258								
259	259	260	-34	-262	-263			
260	260	261						
261								
262	262	259	-261					
263	263	259	-261					
264	264	-34	-45					
265	265	-34	-45	-53	-55			
266	266	267	-36	-269	-270			
267	267	268						
268								
269	269	266	-268					
270	270	266	-268					
271	271	-36	-45					
272	272	-36	-45	-53	-55			
273								
274	274	277	-275					
275	275	277						
276	276	274	-277					
277								
278	278	-39	-52	-62	-279	-1068	-1076	

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.		COMBINATION DATA							REMARKS
279		279							
280	OR	280	284	-52	-62	-276	-281	-282	
	OR	280	62	284	-55	-276	-281	-282	280- 2
281		281	284	-282					
282		282	284	-52	-274	-283	-285		
283									
284									
285		285	-62	-280	-286	-1038	-1039		
286		286							
287	OR	287	275	277	-1076				
	OR	287	279	-52	-1076				287- 2
288		288	289	-52	-62	-287			
289									
290		290	281	284	-47	-62	-282	-288	-291
291									
292		292	295	-293					
293		293	295						
294		294	292	-295					
295									
296		296	-39	-52	-62	-297	-1026	-1085	-1093
297		297							
298	OR	298	302	-52	-62	-294	-299	-300	
	OR	298	62	302	-55	-294	-299	-300	298- 2
299		299	302	-300					
300		300	302	-52	-292	-301	-303		
301									
302									
303		303	-62	-298	-304				
304		304							
305	OR	305	293	295	-1093				
	OR	305	297	-52	-1093				305- 2

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA								REMARKS
306	306	307	-52	-62	-305				
307									
308	308	299	302	-47	-62	-300	-306	-309	
309									
310	310								
311	311								
312	312								
313	313	-314	-315	-316					
314	314								
315	315								
316	316								
317	317								
318	318								
319	319	-313	-314	-315	-316	-320	-321		
320	320	-314							
321	321	-314	-315	-316					
322	322	-316	-317	-318					
323	323	-316	-324	-325	-326				
324	324								
325	325								
326	326								
327	327								
328	328								
329	329	-323	-324	-325	-326	-330	-331		
330	330	-324							
331	331	-323	-324	-325	-326				
332	332	-326	-327	-328					
333	333	-310	-311	-334					
334	334								
335 OR -1568	335	2 -1604	9 -1612	166 -1615	-375	-376	-1557	-1560	-1565	335- 2

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA									REMARKS
	OR 335	5	8	166	-375	-376	-1436	-1460	-1557	335- 3
	-1560	-1565	-1568	-1604	-1607	-1612	-1615			335- 4
336	336	5	166	-337						
337	337	-338								
338										
339	339									
340	OR 340	17	-341							
	OR 340	5	11	14	-341					340- 2
	OR 340	5	13	15	-341					340- 3
	OR 340	5	18	-341						340- 4
341										
342	342	17	-340	-1791						
343	343	17	-340	-1791						
344	OR 344	5	11	14	-340	-347				
	OR 344	5	18	-340	-347					344- 2
345	OR 345	5	13	15	-340	-347				
	OR 345	5	18	-340	-347					345- 2
346	346	5	-347							
347										
348	348	2	5	-1485	-1504	-1580				
349	349	2	5	-1485	-1504	-1580				
350	350	2	5	-1485	-1504	-1580				
351	351	2	5	-1530	-1543	-1627				
352	352	2	5	-1530	-15 3	-1627				
353	353	2	5	-1530	-15 3	-1627				
354	354	2	5	-1481	-1485	-1503	-1530	-1542	-1580	
	-1627									354- 2
355	355	166	370	-1485						
356	356	166	373	-1530						
357	357	7	-365	-366	-367	-368				
358	358	2								

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.		COMBINATION DATA						REMARKS
359		359	2	5	-390			
360		360	2	5	-390			
361		361	2	5	-390			
362		362	2	5	-390			
363	OR	363	2	5	8	-1449	-1456	
	OR	363	2	7	9	-1573		363- 2
364	OR	364	2	5	8	-1473	-1480 -1620	
	OR	364	2	7	9	-1620		364- 2
365	OR	365	2	5	8	-1444	-1466	
	OR	365	2	7	9			365- 2
366	OR	366	2	5	8			
	OR	366	2	7	9			366- 2
367	OR	367	2	5	8			
	OR	367	2	7	9			367- 2
368	OR	368	2	5	8			
	OR	368	2	7	9			368- 2
369		369	2	166	371	-370		
370								
371								
372		372	2	166	374	-373		
373								
374								
375								
376								
377	OR	377	35					
	OR	377	37					377- 2
	OR	377	38					377- 3
	OR	377	40					377- 4
	OR	377	48	53	-34	-36		377- 5
378		378	35	-380				
379		379	37	-381				

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.		COMBINATION DATA									REMARKS
380											
381											
382		382	35	-380							
383		383	37	-381							
384		384	35	-380							
385		385	37	-381							
386		386	35	-387	-1390	-1396	-1486	-1488	-1504	-1580	
		-1581									386- 2
387											
388		388	37	-389	-1421	-1531	-1533	-1543	-1627	-1628	
389											
390	OR	390	35								
	OR	390	37								390- 2
	OR	390	5								390- 3
	OR	390	38								390- 4
391	OR	391	35	-38							
	OR	391	37	-38							391- 2
	OR	391	38	-399	-400	-401	-402				391- 3
392	OR	392	35	-38							
	OR	392	37	-38							392- 2
	OR	392	38	-399	-400	-401	-402				392- 3
393	OR	393	35	-38							
	OR	393	37	-38							393- 2
	OR	393	38	-399	-400	- 01	-402				393- 3
394	OR	394	35	-38							
	OR	394	37	-38							394- 2
	OR	394	38	-399	-400	-401	-402				394- 3
395	OR	395	35	-38							
	OR	395	37	-38							395- 2
	OR	395	38	-399	-400	-401	-402				395- 3
396	OR	396	35	-38							

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA									REMARKS
	OR 396	37	-38							396- 2
	OR 396	38	-399	-400	-401	-402				396- 3
397	OR 397	35	-38							
	OR 397	37	-38							397- 2
	OR 397	38	-399	-400	-401	-402				397- 3
398	OR 398	35	-38							
	OR 398	37	-38							398- 2
	OR 398	38	-399	-400	-401	-402				398- 3
399	399									
400	400									
401	401									
402	402									
403	403	35	-917							
404	404	37	-924							
405	405	-378	-379	-382	-383	-384	-385	-386	-388	
	-1403	-1432	-1493	-1512	-1538	-1551	-1588	-1635	-1640	405- 2
	-1643									405- 3
406	OR 406	35								
	OR 406	37								406- 2
	OR 406	38								406- 3
	OR 406	40	-1673	-1690						406- 4
407	OR 407	35								
	OR 407	37								407- 2
	OR 407	38								407- 3
	OR 407	40								407- 4
408	OR 408	35								
	OR 408	37								408- 2
	OR 408	38								408- 3
	OR 408	40	-1672							408- 4
409	OR 409	35								
	OR 409	37								409- 2

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.		COMBINATION DATA								REMARKS
	OR	409	38							409- 3
	OR	409	40	-1672						409- 4
410	OR	410	38	213	-947	-1669				
	OR	410	40							410- 2
411	OR	411	35	-933						
	OR	411	37	-945						411- 2
	OR	411	38	-933	-937	-939	-945	-947		411- 3
	OR	411	40							411- 4
412	OR	412	35	-932						
	OR	412	37	-945						412- 2
	OR	412	38	-932	-938	-945	-947			412- 3
	OR	412	40							412- 4
413	OR	413	35	-1640	-1643					
	OR	413	37							413- 2
	OR	413	38	-948	-951					413- 3
	OR	413	40							413- 4
414	OR	414	35							
	OR	414	37							414- 2
	OR	414	38	-651	-652	-951				414- 3
	OR	414	40							414- 4
415		415	-407	-408	-409	-410	-411	-412	-413	-414	
		-1021	-1405								415- 2
416	OR	416	38	-407	-408	-409	-410	-411	-412	-413	
		-414									416- 2
	OR	416	40	-407	-408	-409	-410	-411	-412	-413	416- 3
		-414									416- 4
417		417	-407	-408	-409	-410	-411	-412	-413	-414	
		-940	-1126	-1127	-1434	-1680	-1699				417- 2
418	OR	418	38	-407	-408	-409	-410	-411	-412	-413	
		-414	-1552								418- 2
	OR	418	40	-407	-408	-409	-410	-411	-412	-413	418- 3

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA									REMARKS
	-414									418- 4
419	419	-1688								
420	420	-1688								
421	421	57	64	-466	-467	-468	-496	-497		
422	422	57	64	-423	-440	-443	-447	-451	-452	
	-454	-456	-460	-462	-464	-466	-470	-473	-477	422- 2
	-481	-482	-484	-486	-490	-492	-494	-496		422- 3
423										
424										
425	425	57	64	423	-424	-439	-440	-469	-470	
426	426	57	64	-464	-465	-468	-495	-986		
427	427	57	64	-430	-443	-445	-447	-449	-451	
	-452	-453	-454	-456	-458	-462				427- 2
428	428	57	64	-431	-473	-475	-477	-479	-481	
	-482	-484	-486	-488	-492					428- 2
429	429	57	64	-440	-441	-470	-471			
430										
431										
432	432	57	64	-462	-463	-465	-492	-493	-495	
433	433	57	-436	-448	-444	-445	-446	-447	-448	
	-449	-450	-451	-452	-453	-454	-455	-456	-457	433- 2
	-458	-459	-463	-472						433- 3
434	434	57	-437	-473	-474	-475	-476	-477	-478	
	-479	-480	-481	-482	-483	-484	-485	-486	-487	434- 2
	-488	-489	-493							434- 3
435	435	57	64	-441	-442	-471	-472	-1674	-1691	
436										
437										
438	438	57	64	-439	-440	-441	-443	-447	-451	
	-452	-454	-456	-460	-462	-464	-465	-466	-467	438- 2
	-468	-469	-470	-471	-473	-477	-481	-482	-484	438- 3

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.		COMBINATION DATA									REMARKS
		-486	-490	-492	-494	-495	-496	-497	-982	-1007	438- 4
439		439	63	-440							
440		440	63	-441							
441		441	57	64	-442						
442	OR	442	53								
	OR	442	63	-1681							442- 2
443		443	57	-444							
444	OR	444	47								
	OR	444	57								444- 2
445		445	57	-446							
446	OR	446	47								
	OR	446	57								446- 2
447		447	57	-448							
448	OR	448	47								
	OR	448	57								448- 2
449		449	57	-450							
450	OR	450	47								
	OR	450	57								450- 2
451	OR	451	47	54							
	OR	451	57	-452							451- 2
452		452	57	-453							
453	OR	453	47								
	OR	453	57	-973							453- 2
454		454	57	-455							
455	OR	455	47								
	OR	455	57	-1012							455- 2
456		456	57	-457							
457	OR	457	47								
	OR	457	57								457- 2
458		458	57								
459		459	57	-458	-967						

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.		COMBINATION DATA					REMARKS
460		460	57	-461	-985		
461	OR	461	47	54	-965		
	OR	461	57	64	-965	-967	461- 2
462		462	57	-463	-985		
463	OR	463	54				
	OR	463	57	64			463- 2
464		464	57	64			
465		465	57	64			
466		466	57	64			
467		467	64	-468			
468		468	64				
469		469	63				
470		470	63	-471			
471		471	57	64	-472		
472	OR	472	47				
	OR	472	63	-1700			472- 2
473		473	57	64	-474		
474	OR	474	47				
	OR	474	57				474- 2
475		475	57	-476			
476	OR	476	47				
	OR	476	57				476- 2
477		477	57	-478			
478	OR	478	47				
	OR	478	57				478- 2
479		479	57	-480			
480	OR	480	47				
	OR	480	57				480- 2
481	OR	481	47				
	OR	481	57				481- 2
482		482	57	-483			

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA									REMARKS
483 OR	483	47								
OR	483	57	-998							483- 2
484	484	57	-485							
485 OR	485	47								
OR	485	57								485- 2
486	486	57	-487							
487 OR	487	47								
OR	487	57								487- 2
488	488	57								
489	489	57	-488	-992						
490	490	57	-491	-1010						
491 OR	491	47	54	-990						
OR	491	57	64	-990	-992					491- 2
492	492	57	-493	-1010						
493 OR	493	54								
OR	493	57	64							493- 2
494	494	57	64							
495	495	57	64							
496	496	57	64							
497	497	64	-467	-468						
498	498	67	69	-564	-565	-566	-577	-578		
499	499	67	69	-500	-555	-556	-557	-558	-559	
	-560	-561	-562	-563	-564	-568	-569	-570	-571	499- 2
	-572	-572	-573	-574	-5 5	-576	-577			499- 3
500										
501										
502	502	67	69	500	-501	-554	-555	-567	-568	
503	503	67	69	-564	-565	-566	-577	-578		
504	504	67	69	-505	-555	-556	-557	-558	-559	
	-560	-561	-562	-563	-568	-569	-570	-571	-572	504- 2
	-573	-574	-575	-576	-577					504- 3

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA									REMARKS
505										
506										
507	507	67	69	505	-506	-554	-555	-567	-568	
508	508	67	69	-564	-565	-566	-577	-578		
509	509	67	69	-510	-555	-556	-557	-558	-559	
	-560	-561	-562	-563	-568	-569	-570	-571	-572	509- 2
	-573	-574	-575	-576						509- 3
510										
511										
512	512	67	69	510	-511	-554	-555	-567	-568	
513	513	67	69	-564	-565	-566	-577	-578		
514	514	67	69	-515	-555	-556	-557	-558	-559	
	-560	-561	-562	-563	-568	-569	-570	-571	-572	514- 2
	-573	-574	-575	-576						514- 3
515										
516										
517	517	67	69	515	-516	-554	-555	-567		
518	518	67	69	-564	-565	-566	-577	-578		
519	519	67	69	-520	-555	-556	-557	-558	-559	
	-560	-561	-562	-563	-568	-569	-570	-571	-572	519- 2
	-573	-574	-575	-576						519- 3
520										
521										
522	522	67	69	520	-521	-554	-567			
523	523	67	69	-564	-565	-566	-577	-578		
524	524	67	69	-525	-555	-556	-557	-558	-559	
	-560	-561	-562	-563	-568	-569	-570	-571	-572	524- 2
	-573	-574	-575	-576						524- 3
525										
526										
527	527	67	69	525	-526	-554	-567			

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA									REMARKS
528	528	67	69	-72	-563	-564	-565	-566	-577	
	-578									528- 2
529	529	67	69	-530	-554	-555	-556	-557	-558	
	-559	-560	-561	-562	-563	-567	-568	-569	-570	529- 2
	-571	-572	-573	-574	-575	-576				529- 3
530										
531										
532	532	67	69	530	-531					
533	533	74	76	78	-586	-587	-594	-595		
534	534	74	76	-535	-580	-581	-582	-583	-584	
	-585	-586	-588	-589	-590	-591	-592	-593	-594	534- 2
535										
536										
537	537	74	76	535	-536	-579				
538	538	74	76	78	-586	-587	-594	-595		
539	539	74	76	-540	-580	-581	-582	-583	-584	
	-585	-586	-588	-589	-590	-591	-592	-593	-594	539- 2
540										
541										
542	542	74	76	540	-541	-579				
543	543	74	76	78	-234	-586	-587	-594	-595	
544	544	74	76	-545	-580	-581	-582	-583	-584	
	-585	-586	-589	-590	-591	-592	-593			544- 2
545										
546										
547	547	74	76	545	-546	-579				
548	548	74	76	78	-586	-587	-594	-595		
549	549	74	76	78	-550	-580	-581	-582	-583	
	-584	-585	-586	-588	-589	-590	-591	-592	-593	549- 2
	-594									549- 3
550										

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA									REMARKS
551										
552	552	74	76	550	-551	-579				
553	553	74	76	-549	-552	-579	-580	-581	-588	
	-589									553- 2
554	554	67	69							
555	555	67	69							
556	556	67	69							
557	557	67	69							
558	558	67	69							
559	559	67	69							
560	560	67	69							
561	561	67	69							
562	562	67	69							
563	563	67	69							
564	564	67	69							
565	565	67	69	-45	-72					
566	566	67	69	-45	-72					
567	567	67	69							
568	568	67	69							
569	569	67	69							
570	570	67	69							
571	571	67	69							
572	572	67	69							
573	573	67	69							
574	574	67	69							
575	575	67	69							
576	576	67	69							
577	577	67	69							
578	578	67	69	-45	-72					
579	579	74	76	78						
580	580	74	76	78						

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.		COMBINATION DATA							REMARKS
581	581	74	76	78					
582	582	74	76	78					
583	583	74	76	78					
584	584	74	76	78					
585	585	74	76	78					
586	586	74	76	78					
587	587	74	76	78					
588	588	74	76	78					
589	589	74	76	78					
590	590	74	76	78					
591	591	74	76	78					
592	592	74	76	78					
593	593	74	76	78					
594	594	74	76	78					
595	595	74	76	78					
596	596	84	86	-597	-1684	-1703			
597	597	84	-598	-1677					
598	OR 598	90							
	OR 598	84	86	-89	-95				598- 2
	OR 598	96	-83	-333	-1292	-1293	-1685	-1704	598- 3
599	OR 599	84	86	-94	-95				
	OR 599	96	-83	-94	-333	-334			599- 2
600	OR 600	84	86	-87	-598	-599			
	OR 600	88	-83	-599					600- 2
601	601	96	-598	-599					
602	602	96	-598	-599					
603	603	96	-598	-599					
604	604	2	-605						
605	605								
606	606								
607	607								

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA			REMARKS
608	608			
609	609			
610	610			
611	611			
612	612			
613	613			
614	614			
615	615			
616	616	-617		
617	617			
618	618			
619	619			
620	620			
621	621			
622	622			
623	623			
624	624			
625	625			
626	626			
627	627			
628	628			
629	629			
630	630			
631	631			
632	632			
633	633			
634	634			
635	635			
636	636	2	5	
637	637	2	5	
638	638	2	5	

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.		COMBINATION DATA					REMARKS
639		639					
640		640	2	5			
641		641	2				
642		642					
643		643					
644		644					
645		645					
646		646					
647		647					
648	OR	648	163	-649			
	OR	648	14	167	-649		648- 2
	OR	648	15	168	-649		648- 3
	OR	648	17	-649			648- 4
	OR	648	2	5	-649		648- 5
649							
650		650					
651		651	21	-653	-948	-951	
652		652					
653		653	-654	-655	-656		
654		654					
655		655					
656		656					
657		657					
658		658					
659		659	-658				
660		660	-677				
661		661	-659	-669			
662		662	-659	-660	-668	-669	
663		663					
664		664	-659	-668	-671		
665		665	-659	-669	-674		

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA						REMARKS
666	666						
667	667						
668	668	-661	-669	-671			
669	669						
670	670						
671	671						
672	672						
673	673						
674	674	-669					
675	675	-659	-660	-664	-676	-703	-704	-707
676	676	-658	-664	-665	-707	-708	-709	
677	677						
678	678	-677					
679	679						
680	680						
681	681	-680					
682	682						
683	683	-681	-691				
684	684	-681	-682	-690	-691		
685	685						
686	686	-681	-690	-693			
687	687	-681	-691	-696			
688	688						
689	689						
690	690	-683	-691	-693			
691	691	-696					
692	692						
693	693						
694	694						
695	695						
696	696						

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA							REMARKS
697	697	-681	-682	-697	-698	-728	-729	-732
698	698	-686	-687	-732	-733	-734		
699	699	-682						
700	700	-699						
701	701	-703	-716	-720				
702	702	-646	-647	-704	-717	-721		
703	703	-705	-707	-716				
704	704	-706	-707	-717				
705	705							
706	706							
707	707	-705	-706	-708				
708	708	-703	-704	-709				
709	709							
710	710	-712	-718	-724				
711	711	-713	-719	-725				
712	712	-718						
713	713	-719						
714	714	-709						
715	715	-714						
716	716	-649						
717	717	-649						
718	718							
719	719							
720	720							
721	721							
722	722	-712						
723	723	-713						
724	724	-709						
725	725	-709						
726	726	-646	-647	-728	-741	-745		
727	727	-729	-742	-746				

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA						REMARKS
728	728	-730	-732	-741			
729	729	-731	-732	-738	-742	-744	
730	730						
731	731						
732	732	-730	-731	-733			
733	733	-728	-729	-734			
734	734						
735	735	-737	-743	-749			
736	736	-738	-744	-750			
737	737	-743					
738	738	-744					
739	739	-734					
740	740	-739					
741	741	-649					
742	742	-649					
743	743						
744	744						
745	745						
746	746						
747	747	-737					
748	748	-738					
749	749	-734					
750	750	-734					
751	751	-752					
752	752						
753	753	-754					
754	754						
755	755						
756	756	-757					
757	757						
758	758	-759					

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA	REMARKS
759	759	
760	760	
761	761	
762	762	
763	763	
764	764	
765	765	
766	766	
767	767	
768	768	
769	769	
770	770	
771	771	
772	772	
773	773	
774	774	
775	775	
776	776	
777	777	
778	778	
779	779	
780	780	
781	781	
782	782	
783	783	
784	784	
785	785	
786	786	
787	787	
788	788	
789	789	

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA			REMARKS
790		790		
791		791		
792		792		
793		793		
794		794		
795		795		
796		796		
797		797		
798		798		
799		799		
800		800		
801	OR	801	-800	
	OR	802		801- 2
802				
803	OR	803		
	OR	804		803- 2
	OR	805		803- 3
	OR	806		803- 4
804				
805				
806				
807		807		
808		808		
809		809		
810		810		
811	OR	811	-810	
	OR	812		811- 2
812				
813	OR	813		
	OR	814		813- 2
	OR	815		813- 3

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.		COMBINATION DATA		REMARKS
	OR	816		813- 4
814				
815				
816				
817		817		
818		818		
819		819		
820		820		
821	OR	821	-820	
	OR	822		821- 2
822				
823	OR	823		
	OR	824		823- 2
	OR	825		823- 3
	OR	826		823- 4
824				
825				
826				
827		827		
828		828		
829		829		
830		830		
831	OR	831	-830	
	OR	832		831- 2
832				
833	OR	833		
	OR	834		833- 2
	OR	835		833- 3
	OR	836		833- 4
834				
835				

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.		COMBINATION DATA		REMARKS
836				
837		837		
838		838		
839		839		
840		840		
841	OR	841	-640	
	OR	842		841- 2
842				
843	OR	843		
	OR	844		843- 2
	OR	845		843- 3
	OR	846		843- 4
844				
845				
846				
847		847		
848		848		
849		849		
850		850		
851	OR	851	-850	
	OR	852		851- 2
852				
853	OR	853		
	OR	854		853- 2
	OR	855		853- 3
	OR	856		853- 4
854				
855				
856				
857		857		
858		858		

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA			REMARKS
859		859		
860		860		
861	OR	861	-860	
	OR	862		861- 2
862				
863	OR	863		
	OR	864		863- 2
	OR	865		863- 3
	OR	866		863- 4
864				
865				
866				
867		867		
868		868		
869		869		
870		870		
871	OR	871	-870	
	OR	872		871- 2
872				
873	OR	873		
	OR	874		873- 2
	OR	875		873- 3
	OR	876		873- 4
874				
875				
876				
877		877		
878		878		
879		879		
880		880		
881	OR	881	-880	

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.		COMBINATION DATA		REMARKS
	OR	882		881- 2
882				
883	OR	883		
	OR	884		883- 2
	OR	885		883- 3
	OR	886		883- 4
884				
885				
886				
887		887		
888		888		
889		889		
890		890		
891	OR	891	-890	
	OR	892		891- 2
892				
893	OR	893		
	OR	894		893- 2
	OR	895		893- 3
	OR	896		893- 4
894				
895				
896				
897		897		
898		898		
899		899		
900		900		
901	OR	901	-900	
	OR	902		901- 2
902				
903	OR	903		

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA			REMARKS
	OR	904		903- 2
	OR	905		903- 3
	OR	906		903- 4
904				
905				
906				
907		907		
908		908		
909		909		
910		910		
911	OR	911	-910	
	OR	912		911- 2
912				
913	OR	913		
	OR	914		913- 2
	OR	915		913- 3
	OR	916		913- 4
914				
915				
916				
917		917	-918	
918		918	-919	
919		919		
920		920		
921		921		
922		922		
923		923		
924		924	-925	
925		925	-926	
926		926		
927		927		

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.		COMBINATION DATA				REMARKS
928	928					
929	929					
930	930					
931	931					
932	932					
933	933					
934	934					
935	935	-947	-948			
936	936	-947				
937	937					
938	938	-951				
939	939					
940	940					
941	941	-950				
942	942	-950				
943	943					
944	944					
945	945					
946	946	-947	-1106			
947	947					
948	948	-1516	-1517			
949	949	-950	-1120			
950	950					
951	951					
952	952	116				
953	953	115	-952			
954	954	-952	-953	-955		
955	955					
956	956	-954	-955			
957	957	-955				
958	958	116	-952	-957	-959	

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA								REMARKS
959	959	116							
960	960								
961	961								
962	962								
963	963								
964	964	-977	-978						
965	965								
966	966	57	-433	-458	-459	-460			
967	967	57	-460	-977					
968	968								
969	969	57	-433	-455	-456	-457	-1012	-1013	-1016
970	970	-455	-457	-978	-979	-1016			
971	971								
972	972	-453							
973	973	-979	-980						
974	974								
975	975	-433	-452	-453					
976	976	-453	-979	-980					
977	977	-978							
978	978	-979	-1016						
979	979	-980							
980	980	-981							
981	981	-982	-1018						
982	982	-983							
983	983	-984							
984	984	-460	-985						
985	985	57	-986						
986	986	54	64						
987	987								
988	988								
989	989	-1002	-1003						

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA							REMARKS
990	990							
991	991	57	-434	-488	-489	-490		
992	992	57	-490	-1002				
993	993							
994	994	57	-434	-485	-486	-487	-1013	-1014
995	995	-485	-486	-487	-1003	-1004	-1014	-1015
996	996							
997	997	-434	-483					
998	998	-1004	-1005					
999	999							
1000	1000	-434	-482	-483				
1001	1001	-483	-1004	-1005				
1002	1002	-1003						
1003	1003	-1004	-1015					
1004	1004	-1005						
1005	1005	-1006						
1006	1006	-1007	-1024					
1007	1007	-1008						
1008	1008	-1009						
1009	1009	-490	-1010					
1010	1010	57	-1011					
1011	1011	76	-426					
1012	1012	969	-1013					
1013	1013	-1014						
1014	1014	-1015						
1015	1015							
1016	1016	-1013						
1017	1017	-1018						
1018	1018	-1019						
1019	1019	-1020						
1020	1020	-1021						

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA									REMARKS
1021	1021	-1022								
1022	1022	-1029								
1023	1023	-1024								
1024	1024	-1025								
1025	1025	-1026								
1026	1026	-1027								
1027	1027	-1028								
1028	1028	-1029								
1029	1029	-1030	-1031							
1030	1030	-1072								
1031	1031	-1089								
1032	1032	57	64	-432	-433	-434	-451	-452	-453	
	-454	-455	-456	-457	-458	-459	-460	-461	-462	1032- 2
	-463	-465	-481	-482	-483	-484	-485	-486	-487	1032- 3
	-488	-489	-490	-491	-492	-493	-495	-962	-963	1032- 4
	-964	-965	-966	-967	-968	-969	-970	-971	-972	1032- 5
	-973	-974	-975	-976	-977	-980	-984	-985	-986	1032- 6
	-987	-988	-989	-990	-991	-992	-993	-994	-995	1032- 7
	-996	-997	-998	-999	-1000	-1001	-1002	-1005	-1009	1032- 8
	-1010	-1011	-1013	-1017	-1023					1032- 9
1033	1033	47	54	-451	-453	-455	-457	-461	-463	
	-481	-483	-485	-487	-491	-493	-962	-965	-968	1033- 2
	-971	-974	-987	-990	-993	-996	-999			1033- 3
1034	1034	-1035								
1035	1035	-1036								
1036	1036	-1037								
1037	1037	-1038								
1038	1038	-1039								
1039	1039									
1040	1040	-1036	-1037							
1041	1041									

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA							REMARKS
1042	1042							
1043	1043	-66						
1044	1044							
1045	1045	-136	-1046					
1046	1046							
1047	1047	1049	-1048	-1077	-1100	-1101		
1048	1048	1049						
1049								
1050	1050	1052	-34	-38	-41	-1051	-1077	
1051								
1052	1052	1051	-34	-38	-41	-1048	-1053	-1077
1053	1053	1047	-1048	-1077				
1054	1054	1056	-1055	-1094	-1114	-1115		
1055	1055	1056						
1056								
1057	1057	1059	-36	-38	-41	-1058	-1094	
1058								
1059	1059	1058	-36	-38	-41	-1055	-1060	-1094
1060	1060	1054	-1055	-1094				
1061	1061							
1062	1062							
1063	1063							
1064	1064							
1065	1065							
1066	1066							
1067	1067							
1068	1068							
1069	1069	-1063						
1070	1070							
1071	1071							
1072	1072							

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA				REMARKS
1073	1073				
1074	1074				
1075	1075				
1076	1076				
1077	1077				
1078	1078				
1079	1079				
1080	1080				
1081	1081				
1082	1082				
1083	1083				
1084	1084				
1085	1085				
1086	1086	-1080			
1087	1087				
1088	1088				
1089	1089				
1090	1090				
1091	1091				
1092	1092				
1093	1093				
1094	1094				
1095	1095				
1096	1096				
1097	1097				
1098	1098	-1101			
1099	1099	-1100	-1101		
1100	1100	-1101			
1101	1101				
1102	1102	-1103			
1103	1103	-1123	-1124	-1125	

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA							REMARKS
1104	1104	-1100	-1105					
1105	1105	-1106						
1106	1106							
1107	1107	-1105	-1106	-1108				
1108	1108							
1109	1109							
1110	1110							
1111	1111							
1112	1112	-1115						
1113	1113	-1114	-1115					
1114	1114	-1115						
1115	1115							
1116	1116	-1117						
1117	1117	-1123	-1124	-1125				
1118	1118	-1114	-1119					
1119	1119	-1120						
1120	1120							
1121	1121	-1119	-1120	-1122				
1122	1122							
1123	1123	-1124	-1233	-1234				
1124	1124	-1125						
1125	1125	-1126						
1126	1126							
1127	1127	-1128						
1128	1128							
1129	1129	-1128	-1135	-1159	-1183	-1207	-1786	
1130	1130	-1128						
1131	1131	-1128	-1130					
1132	1132	-1131						
1133	1133							
1134	1134	-1129	-1135					

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA			REMARKS
1135	1135			
1136	1136			
1137	1137			
1138	1138	-1137		
1139	1139	-1140	-1142	
1140	1140	-1143		
1141	1141	-1130	-1131 -1142	
1142	1142	-1143		
1143	1143			
1144	1144			
1145	1145			
1146	1146	-1150		
1147	1147	-1150		
1148	1148	-1150	-1153	
1149	1149	-1153		
1150	1150			
1151	1151			
1152	1152			
1153	1153	-1150	-1154	
1154	1154			
1155	1155			
1156	1156	-1131		
1157	1157			
1158	1158	-1129	-1159	
1159	1159			
1160	1160			
1161	1161			
1162	1162	-1161		
1163	1163	-1164		
1164	1164	-1167		
1165	1165	-1130	-1131 -1166	

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA				REMARKS
1166	1166	-1163	-1167		
1167	1167	-1168			
1168	1168				
1169	1169				
1170	1170	-1174			
1171	1171	-1174			
1172	1172	-1174	-1177		
1173	1173	-1177			
1174	1174				
1175	1175				
1176	1176				
1177	1177	-1174	-1178		
1178	1178				
1179	1179				
1180	1180	-1131			
1181	1181				
1182	1182	-1129	-1183		
1183	1183				
1184	1184				
1185	1185				
1186	1186	-1185			
1187	1187	-1188	-1190		
1188	1188	-1191			
1189	1189	-1130	-1131	-1190	
1190	1190	-1188	-1191		
1191	1191	-1192			
1192	1192				
1193	1193				
1194	1194	-1198			
1195	1195	-1198			
1196	1196	-1198	-1201		

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA				REMARKS
1197	1197	-1201			
1198	1198				
1199	1199				
1200	1200				
1201	1201	-1198	-1202		
1202	1202				
1203	1203				
1204	1204	-1131			
1205	1205				
1206	1206	-1207			
1207	1207				
1208	1208				
1209	1209				
1210	1210	-1209			
1211	1211	-1212	-1214		
1212	1212	-1215			
1213	1213	-1130	-1131	-1214	
1214	1214	-1211	-1215		
1215	1215	-1216			
1216	1216				
1217	1217				
1218	1218	-1222			
1219	1219	-1222			
1220	1220	-1222	-1225		
1221	1221	-1225			
1222	1222				
1223	1223				
1224	1224				
1225	1225	-1222	-1226		
1226	1226				
1227	1227				

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA			REMARKS
1228	1226	-1229	-1231	
1229	1229	-1231		
1230	1230	-1231		
1231	1231			
1232	1232	-1123		
1233	1233			
1234	1234			
1235	1235			
1236	1236			
1237	1237			
1238	1238			
1239	1239			
1240	1240			
1241	1241			
1242	1242			
1243	1243	-1244		
1244	1244	-1245		
1245	1245	-1246		
1246	1246			
1247	1247	-1246		
1248	1248	-1246		
1249	1249			
1250	1250	-1251		
1251	1251	-1252		
1252	1252	-1253		
1253	1253	-1254		
1254	1254			
1255	1255	-1254		
1256	1256	-1254		
1257	1257			
1258	1258	-1258		

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA			REMARKS
1259	1259	-1260		
1260	1260	-1261		
1261	1261	-1262		
1262	1262			
1263	1263	-1262		
1264	1264	-1262		
1265	1265			
1266	1266	-1267		
1267	1267	-1268		
1268	1268			
1269	1269	-1270		
1270	1270			
1271	1271	-1272		
1272	1272	-1273		
1273	1273	-1274		
1274	1274			
1275	1275	1276		
1276				
1277	1277	-1274	-1276	
1278	1278			
1279	1279	-1280		
1280	1280	-1281		
1281	1281	-1282		
1282	1282	-1283		
1283	1283	-1284		
1284	1284	-1285		
1285	1285			
1286	1286			
1287	1287			
1288	1288			
1289	1289			

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA						REMARKS
1290	1290						
1291	1291	-1292	-1293	-1294			
1292	1292						
1293	1293						
1294	1294						
1295	1295						
1296	1296	-1295	-1304	-1327	-1350	-1373	
1297	1297	-1295	-1298	-1299	-1320	-1343	-1366
1298	1298						
1299	1299	-1298	-1300				
1300	1300						
1301	1301	-1299	-1300				
1302	1302	-1301					
1303	1303	-1304					
1304	1304						
1305	1305						
1306	1306						
1307	1307	-1304					
1308	1308	-1304					
1309	1309	1318	-1304	-1310	-1311		
1310	1310	-1304					
1311	1311	-1304					
1312	1312	1318	-1304	-1305	-1306	-1313	-1314
1313	1313	-1304	-1305	-1306			
1314	1314	-1305	-1306				
1315	1315	1318	-1306	-1316			
1316	1316	-1306					
1317	1317	1318	-1315	-1316	-1319		
1318							
1319	1319	-1316					
1320	1320	-1295	-1321	-1322	-1343	-1366	

TABLE A-II. RECION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA						REMARKS
1321	1321						
1322	1322	-1321	-1323				
1323	1323						
1324	1324	-1322	-1323				
1325	1325	-1324					
1326	1326	-1327					
1327	1327						
1328	1328						
1329	1329						
1330	1330	-1327					
1331	1331	-1327					
1332	1332	1341	-1327	-1328	-1333	-1334	
1333	1333	-1327					
1334	1334	-1327					
1335	1335	1341	-1327	-1328	-1329	-1336	-1337
1336	1336	-1327	-1328	-1329			
1337	1337	-1328	-1329				
1338	1338	1341	-1329	-1339			
1339	1339	-1329					
1340	1340	1341	-1338	-1339	-1342		
1341							
1342	1342	-1339					
1343	1343	-1295	-1344	-1345	-1366		
1344	1344						
1345	1345	-1344	-1346				
1346	1346						
1347	1347	-1345	-1346				
1348	1348	-13,7					
1349	1349	-1350					
1350	1350						
1351	1351						

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA						REMARKS
1352	1352						
1353	1353	-1350					
1354	1354	-1350					
1355	1355	1364	-1350	-1356	-1357		
1356	1356	-1350					
1357	1357	-1350					
1358	1358	1364	-1350	-1351	-1352	-1359	-1360
1359	1359	-1350	-1351	-1352			
1360	1360	-1351	-1352				
1361	1361	1364	-1352	-1362			
1362	1362	-1352					
1363	1363	1364	-1361	-1362	-1365		
1364							
1365	1365	-1362					
1366	1366	-1295	-1367	-1368			
1367	1367						
1368	1368	-1367	-1369				
1369	1369						
1370	1370	-1368	-1369				
1371	1371	-1370					
1372	1372	-1296	-1373				
1373	1373						
1374	1374						
1375	1375						
1376	1376	-1373					
1377	1377	-1373					
1378	1378	1387	-1373	-1379	-1380		
1379	1379	-1373					
1380	1380	-1373					
1381	1381	1387	-1373	-1374	-1375	-1382	-1383
1382	1382	-1373	-1374	-1375			

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA					REMARKS
1383	1383	-1375				
1384	1384	1387	-1375	-1385		
1385	1385	-1375				
1386	1386	1387	-1384	-1385	-1388	
1387						
1388	1388	-1385				
1389						
1390	1390	-1391	-1392	-1395	-1397	-1488
1391	1391					
1392	1392	-1391				
1393	1393	-1394				
1394	1394					
1395	1395	-1391	-1396			
1396	1396					
1397	1397	-1396	-1398	-1488		
1398	1398	-1396	-1399			
1399	1399					
1400	1400					
1401	1401					
1402	1402	-1401	-1403	-1639		
1403	1403	-1404	-1639			
1404	1404					
1405	1405					
1406	1406					
1407	1407	-1406	-1408	-1435		
1408	1408					
1409	1409	-1408	-1410			
1410	1410					
1411	1411	-1412				
1412	1412					
1413	1413	-1414	-1417			

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA				REMARKS
1414	1414				
1415	1415	-1416			
1416	1416				
1417	1417	-1414			
1418	1418	-1417	-1420		
1419	1419	-1418			
1420	1420				
1421	1421				
1422	1422				
1423	1423	-1422	-1424		
1424	1424				
1425	1425	-1424	-1428		
1426	1426	-1424			
1427	1427	-1424			
1428	1428				
1429	1429				
1430	1430				
1431	1431	-1430	-1432	-1642	
1432	1432	-1433	-1642		
1433	1433				
1434	1434				
1435	1435				
1436	1436				
1437	1437	1438	-1439		
1438					
1439	1439				
1440	1440	-1439			
1441	1441	-1436			
1442	1442				
1443	1443				
1444	1444				

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA				REMARKS
1445	1445	-1447	-1448		
1446	1446	-1447			
1447	1447				
1448	1448	-1447	-1449		
1449	1449				
1450	1450	-1449	-1452		
1451	1451	-1450	-1452		
1452	1452	-1484			
1453	1453				
1454	1454	-1456			
1455	1455	-1454			
1456	1456	-1455			
1457	1457	-1456	-1503		
1458	1458	-1457	-1503		
1459	1459				
1460	1460				
1461	1461	1462	-1463		
1462					
1463	1463				
1464	1464	-1463			
1465	1465	-1460			
1466	1466				
1467	1467				
1468	1468				
1469	1469	-1471	-1472		
1470	1470	-1471			
1471	1471				
1472	1472	-1471	-1473		
1473	1473				
1474	1474	-1473	-1476		
1475	1475	-1474	-1476		

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA						REMARKS
1476	1476	-1529					
1477	1477						
1478	1478	-1480					
1479	1479	-1478					
1480	1480	-1479					
1481	1481	-1480	-1542				
1482	1482	-1481	-1542				
1483	1483						
1484	1484						
1485	1485	-348					
1486	1486						
1487	1487	-1486	-1489				
1488	1488	-1397	-1486	-1487	-1489	-1508	-1584
1489	1489						
1490	1490						
1491	1491						
1492	1492	-1491	-1493	-1639			
1493	1493	-1494	-1639				
1494	1494						
1495	1495						
1496	1496						
1497	1497	-1496	-1498	-1541			
1498	1498						
1499	1499	-1498	-1500				
1500	1500						
1501	1501	-1502					
1502	1502						
1503	1503						
1504	1504						
1505	1505						
1506	1506	-1505	-1508	-1580			

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA						REMARKS
1507	1507	-1506					
1508	1508						
1509	1509						
1510	1510						
1511	1511	-1510	-1512	-1639			
1512	1512	-1513	-1639				
1513	1513						
1514	1514						
1515	1515						
1516	1516	-1515	-1517	-1554			
1517	1517						
1518	1518	-1517	-1519				
1519	1519						
1520	1520	-1521					
1521	1521	-1714					
1522	1522	-1517	-1518	-1523			
1523	1523						
1524	1524						
1525	1525						
1526	1526	-1525	-1527				
1527	1527						
1528	1528						
1529	1529						
1530	1530						
1531	1531						
1532	1532	-1531	-1534				
1533	1533	-1428	-1531	-1532	-1534	-1553	-1631
1534	1534						
1535	1535						
1536	1536						
1537	1537	-1536	-1538	-1642			

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA				REMARKS
1538	1538	-1539	-1642		
1539	1539				
1540	1540				
1541	1541				
1542	1542				
1543	1543	-1627			
1544	1544				
1545	1545	-1544	-1547	-1627	
1546	1546	-1425	-1428	-1545	
1547	1547				
1548	1548				
1549	1549				
1550	1550	-1549	-1551	-1642	
1551	1551	-1552	-1642		
1552	1552				
1553	1553				
1554	1554				
1555	1555	-701	-1556		
1556	1556	-1557			
1557	1557	-1562			
1558	1558	-1557	-1561		
1559	1559	-1556	-1557	-1560	
1560	1560				
1561	1561				
1562	1562				
1563	1563	-702	-1564		
1564	1564	-1565			
1565	1565	-1570			
1566	1566	-1565	-1569		
1567	1567	-1564	-1565	-1568	
1568	1568				

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA				REMARKS
1569	1569				
1570	1570				
1571	1571	-1562	-1570	-1572	
1572	1572	-1574			
1573	1573	-1572	-1574		
1574	1574				
1575	1575				
1576	1576				
1577	1577	-1576	-1578	-1579	
1578	1578				
1579	1579				
1580	1580	-1504	-1505		
1581	1581				
1582	1582	-1580	-1581	-1584	
1583	1583	-1582			
1584	1584	-1585			
1585	1585				
1586	1586				
1587	1587	-1586	-1588	-1639	
1588	1588	-1589	-1639		
1589	1589				
1590	1590				
1591	1591				
1592	1592	-1591	-1593	-1638	
1593	1593				
1594	1594	-1593	-1595	-1598	
1595	1595				
1596	1596	-1597			
1597	1597				
1598	1598				
1599	1599	-1598	-1600		

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA			REMARKS
1600	1600			
1601	1601	114		
1602	1602	-727	-1603	
1603	1603	-1604		
1604	1604	-1609		
1605	1605	-1604	-1608	
1606	1606	-1603	-1604	-1607
1607	1607			
1608	1608			
1609	1609			
1610	1610	-726	-1611	
1611	1611	-1612		
1612	1612	-1617		
1613	1613	-1612	-1616	
1614	1614	-1611	-1612	-1615
1615	1615			
1616	1616			
1617	1617			
1618	1618	-1609	-1617	-1619
1619	1619	-1621		
1620	1620	-1619	-1621	
1621	1621			
1622	1622			
1623	1623			
1624	1624	-1623	-1625	-1626
1625	1625			
1626	1626			
1627	1627	-1544		
1628	1628			
1629	1629	-1627	-1628	-1631
1630	1630	-1629		

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA				REMARKS
1631	1631				
1632	1632				
1633	1633				
1634	1634	-1633	-1635	-1642	
1635	1635	-1636	-1642		
1636	1636				
1637	1637				
1638	1638				
1639	1639				
1640	164C	-413	-1639		
1641	1641	-1639			
1642	1642				
1643	1643	-413	-1642		
1644	1644	-1642			
1645	1645	-1597	-1646	-1648	-1649
1646	1646				
1647	1647				
1648	1648	-1646	-1647		
1649	1649	-1646	-1650		
1650	1650				
1651	1651	-1654	-1655		
1652	1652				
1653	1653	-1652	-1654		
1654	1654	-1655			
1655	1655	-1656			
1656	1656				
1657	1657	-1655	-1656	-1658	-1659
1658	1658				
1659	1659				
1660	1660	-1651	-1659		
1661	1661	-1659	-1717		

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA					REMARKS
1662	1662	-1659	-1739			
1663	1663	-1659				
1664	1664	-1658	-1659	-1665		
1665	1665	-1666				
1666	1666	-1667				
1667	1667	-1668				
1668	1668					
1669	1669					
1670	1670					
1671	1671	-1669	-1670	-1672	-1687	-1697
1672	1672	-1673				
1673	1673	-1674				
1674	1674	-1675				
1675	1675	-1676				
1676	1676	-1677				
1677	1677	-1678				
1678	1678	-1679				
1679	1679					
1680	1680	-1672	-1673			
1681	1681	-1673	-1674			
1682	1682	-1674	-1675			
1683	1683	-1675	-1676			
1684	1684	-1676	-1677			
1685	1685	-1284	-1677	-1678		
1686	1686	-1678	-1679			
1687	1687	-1688				
1688	1688	-1689				
1689	1689	-1690				
1690	1690					
1691	1691	-1692				
1692	1692	-1693				

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA					REMARKS
1693	1693	-1694				
1694	1694	-1695				
1695	1695	-1291	-1696			
1696	1696	-1294				
1697	1697	-1687	-1688			
1698	1698	-1688	-1689			
1699	1699	-1689	-1690			
1700	1700	-1690	-1691			
1701	1701	-1691	-1692			
1702	1702	-1692	-1693			
1703	1703	-1693	-1694			
1704	1704	109	-1694	-1695		
1705	1705	-1695	-1696			
1706	1706	107	1707	-1679	-1696	-1708
1707						
1708	1708					
1709	1709					
1710	1710	-1709				
1711	1711	-1521	-1712	-1714		
1712	1712					
1713	1713					
1714	1714	-1712	-1713			
1715	1715	-1650	-1711	-1712	-1716	
1716	1716	-1711				
1717	1717					
1718	1718					
1719	1719	-1659	-1718	-1720		
1720	1720					
1721	1721					
1722	1722					
1723	1723	-1722				

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA					REMARKS
1724	1724	-1726	-1728			
1725	1725	-1726				
1726	1726					
1727	1727	-1728				
1728	1728					
1729	1729	-1730				
1730	1730	-1731				
1731	1731	-1732				
1732	1732					
1733	1733	-1502	-1734	-1736		
1734	1734					
1735	1735					
1736	1736	-1734	-1735			
1737	1737	-1716	-1733	-1734	-1738	
1738	1738	-1733				
1739	1739					
1740	1740					
1741	1741	-1659	-1740	-1742		
1742	1742					
1743	1743					
1744	1744					
1745	1745	-1744				
1746	1746	-1748	-1750			
1747	1747	-1748				
1748	1748					
1749	1749	-1750				
1750	1750					
1751	1751	-1752				
1752	1752	-1753				
1753	1753					
1754	1754					

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA				REMARKS
1755	1755				
1756	1756	-1755	-1757		
1757	1757				
1758	1758	-1757			
1759	1759	-1129			
1760	1760	-1412	-1761	-1763	
1761	1761				
1762	1762				
1763	1763	-1761	-1762		
1764	1764	-1738	-1760	-1761	-1765
1765	1765	-1760			
1766	1766	-1768	-1769		
1767	1767	-1768			
1768	1768				
1769	1769				
1770	1770				
1771	1771	-1770			
1772	1772	-1659	-1771	-1773	
1773	1773				
1774	1774				
1775	1775				
1776	1776	-1775			
1777	1777	-1779	-1781		
1778	1778	-1779			
1779	1779				
1780	1780	-1781			
1781	1781				
1782	1782	-1783			
1783	1783	-1784			
1784	1784				
1785	1785	-1784			

TABLE A-II. REGION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NO.	COMBINATION DATA							REMARKS
1786	1786							
1787	1787	-1789						
1788	1788	-1780	-1781	-1790				
1789	1789							
1790	1790							
1791	1791	2	5	-344	-345	-648	-1792	
1792								
-1								

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	PCT
1	106	0	NOSE (.032)	5	100
2	0	2	NOSE AIR		
3	0	0	DUMMY		
4	106	0	NOSE (.032)	5	100
5	0	2	NOSE AIR		
6	106	0	NOSE (.032)	5	100
7	0	2	NOSE AIR		
8	0	0	DUMMY		
9	0	0	DUMMY		
10	106	0	NOSE (.032)	5	100
11	0	2	NOSE AIR		
12	106	0	NOSE (.032)	5	100
13	0	2	NOSE AIR		
14	0	2	NOSE AIR		
15	0	2	NOSE AIR		
16	106	0	NOSE (.032)	5	100
17	0	2	NOSE AIR		
18	106	0	NOSE (.032)	5	100
19	0	0	DUMMY		
20	106	0	NOSE (.032)	5	100
21	0	2	NOSE AIR		
22	0	0	DUMMY		
23	0	2	NOSE AIR		
24	106	0	NOSE (.032)	5	100
25	106	0	NOSE (.032)	5	100
26	106	0	NOSE (.032)	5	100
27	0	2	NOSE AIR		
28	0	0	DUMMY		
29	106	0	NOSE (.032)	5	100
30	0	2	NOSE AIR		
31	0	0	DUMMY		

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	PCT
32	104	0	CABIN (.032)	5	100
33	0	0	DUMMY		
34	104	0	CABIN (.032)	5	100
35	0	2	CABIN AIR		
36	104	0	CABIN (.032)	5	100
37	0	2	CABIN AIR		
38	0	2	CABIN AIR		
39	190	0	REAR CABIN, ROOF (.025)	9	100
40	0	2	CABIN AIR		
41	105	0	CABIN SKIN,ROOF (.04)	5	100
42	0	2	CABIN AIR		
43	105	0	CABIN SKIN,ROOF (.025)	5	100
44	0	2	CABIN AIR		
45	0	0	DUMMY		
46	103	0	REAR FUSELAGE (.032)	5	100
47	0	0	DUMMY		
48	0	0	DUMMY		
49	103	0	REAR FUSELAGE (.032)	5	100
50	103	0	REAR FUSELAGE (.04)	5	100
51	103	0	REAR FUSELAGE (.025)	5	100
52	103	0	REAR FUSELAGE (.025)	9	100
53	0	2	REAR FUSELAGE AIR		
54	0	0	DUMMY		
55	0	0	DUMMY		
56	103	0	REAR FUSELAGE (.025)	5	100
57	0	0	DUMMY		
58	0	0	DUMMY		
59	103	0	REAR FUSELAGE (.032)	5	100
60	103	0	REAR FUSELAGE (.04)	5	100
61	103	0	REAR FUSELAGE (.025)	5	100
62	103	0	REAR FUSELAGE (.025)	5	100

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	PCT
63	0	2	REAR FUSELAGE AIR		
64	0	0	DUMMY		
65	103	0	REAR FUSELAGE (.025)	5	100
66	100	0	TAIL CONE (.032)	5	100
67	0	2	TAIL CONE AIR		
68	100	0	TAIL CONE (.032)	5	100
69	0	0	DUMMY		
70	0	0	DUMMY		
71	100	0	TAIL CONE (.025)	5	100
72	100	0	TAIL CONE (.025)	5	100
73	100	0	TAIL CONE (.04)	5	100
74	0	2	TAIL CONE AIR		
75	100	0	TAIL CONE (.04)	5	100
76	0	0	DUMMY		
77	100	0	TAIL CONE (.04)	5	100
78	0	0	DUMMY		
79	101	0	TAIL ROTOR SHAFT COVER (.025)	5	100
80	0	2	TAIL PYLON AIR		
81	101	0	TAIL ROTOR COVER (.025)	5	100
82	0	2	TAIL ROTOR COVER AIR		
83	102	0	TAIL PYLON (.063)	5	100
84	0	2	TAIL PYLON AIR		
85	102	0	TAIL PYLON (.063)	5	100
86	0	0	DUMMY		
87	102	0	TAIL PYLON (.063)	5	100
88	0	2	TAIL PYLON AIR		
89	102	0	TAIL PYLON (.063)	5	100
90		0	DUMMY		
91	0	2	TAIL PYLON AIR		
92	101	0	TAIL ROTOR SHAFT COVER (.025)	5	100
93	0	0	DUMMY		

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	PCT
94	102	0	TAIL PYLON (.063)	5	100
95	102	0	TAIL PYLON (.063)	5	100
96	0	0	DUMMY		
97	0	2	TAIL PYLON AIR		
98	0	0	DUMMY		
99	100	0	TAIL PYLON (.025)	5	100
100	0	0	DUMMY		
101	100	0	TAIL PYLON (.04)	5	100
102	100	0	TAIL PYLON (.025)	5	100
103	192	0	TAIL PYLON	5	10
104	102	0	TAIL PYLON (.032)	5	100
105	0	2	TAIL PYLON AIR		
106	102	0	TAIL PYLON (.025)	5	100
107	0	2	TAIL PYLON AIR		
108	102	0	TAIL PYLON (.025)	5	100
109	0	2	TAIL PYLON AIR		
110	0	0	DUMMY		
111	107	0	ENGINE COWLING	5	100
112	0	0	DUMMY		
113	107	0	ENGINE COWLING (.025)	5	100
114	0	2	ENGINE COWLING AIR		
115	107	0	ENGINE COWLING (.025)	5	100
116	0	2	ENGINE COWLING AIR		
117	107	0	ENGINE COWLING (.025)	5	100
118	107	0	ENGINE COWLING (.025)	5	100
119	107	0	ENGINE COWLING (FILL)(.025)	5	100
120	107	0	ENGINE COWLING (FILL)(.025)	5	100
121	107	0	ENGINE COWLING (.025)	5	100
122	0	2	ENGINE COWLING AIR		
123	107	0	ENGINE COWLING (.025)	5	100
124	0	2	ENGINE COWLING AIR		

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	PCT
125	107	0	ENGINE COWLING (.025)	5	10)
126	0	2	ENGINE COWLING AIR		
127	107	0	ENGINE COWLING (.025)	5	100
128	0	2	ENGINE COWLING AIR		
129	107	0	ENGINE COWLING (.025)	5	100
130	0	2	ENGINE COWLING AIR		
131	107	0	ENGINE COWLING (.025)	5	100
132	0	0	DUMMY		
133	107	0	ENGINE COWLING (.025)	5	100
134	0	0	DUMMY		
135	0	0	DUMMY		
136	107	0	ENGINE COWLING (.025)	5	100
137	0	0	DUMMY		
138	107	0	ENGINE COWLING, REAR (.025)	5	100
139	0	2	ENGINE COWLING, REAR AIR		
140	107	0	ENGINE COWLING, REAR (.025)	5	10.
141	0	2	ENGINE COWLING, REAR AIR		
142	107	0	ENGINE COWLING, REAR (.025)	5	100
143	0	2	ENGINE COWLING, REAR AIR		
144	0	0	DUMMY		
145	107	0	ENGINE COWLING, REAR (.025)	5	100
146	0	2	ENGINE COWLING, REAR AIR		
147	107	0	ENGINE COWLING, REAR (.025)	5	100
148	0	2	ENGINE COWLING, REAR AIR		
149	0	2	ENGINE COWLING, REAR AIR		
150	107	0	ENGINE COWLING, REAR (.025)	5	100
151	0	0	DUMMY		
152	0	2	ENGINE COWLING, REAR AIR		
153	107	0	ENGINE COWLING, REAR (.025)	5	100
154	0	2	ENGINE COWLING, REAR AIR		
155	107	0	ENGINE COWLING, REAR (.025)	5	10.

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	PCT
156	0	2	ENGINE COWLING, REAR AIR		
157	184	0	WINDOW, LOWER LEFT NOSE	14	100
158	184	0	WINDOW, LOWER RIGHT NOSE	14	100
159	185	0	WINDOW, PILOT SIDE	14	100
160	185	0	WINDOW, COPILOT SIDE	14	100
161	186	0	WINDSHIELD, PILOT	17	75
162	186	0	WINDSHIELD, COPILOT	17	75
163	187	0	WINDSHIELD, CENTER	14	100
164	0	0	DUMMY		
165	0	0	DUMMY		
166	0	0	DUMMY		
167	0	0	DUMMY		
168	0	0	DUMMY		
169	188	0	WINDOW, TOP PILOT	14	100
170	188	0	WINDOW, TOP COPILOT	14	100
171	0	0	DUMMY		
172	0	0	DUMMY		
173	0	0	DUMMY		
174	170	0	L FRONT LANDING GEAR TIRE	18	20
175	171	0	L FRONT LANDING GEAR RIM	1	10
176	172	0	L FRONT LANDING GEAR HUB ARM	1	50
177	172	0	L FRONT LANDING GEAR HUB ARM	1	50
178	173	0	L FRONT LANDING GEAR BOTTOM ARM	1	50
179	174	0	L FRONT LANDING GEAR BOTTOM CNT	1	50
180	174	0	L FRONT LANDING GEAR BOTTOM CNT	1	50
181	175	0	L FRONT LANDING GEAR BOTTOM MOUNT	1	5
182	0	0	DUMMY		
183	176	0	L FRONT LANDING GEAR TOP ARM	1	50
184	177	0	L FRONT LANDING GEAR TOP ARM CYL	1	50
185	177	0	L FRONT LANDING GEAR TOP ARM CYL	1	50
186	178	0	L FRONT LANDING GEAR TOP ARM ROD	1	50

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
187	179	0	L FRONT LANDING GEAR TOP ARM CNT	1	50
188	180	0	L FRONT LANDING GEAR TOP ARM MNT	1	50
189	170	0	R FRONT LANDING GEAR TIRE	18	20
190	171	0	R FRONT LANDING GEAR RIM	1	10
191	172	0	R FRONT LANDING GEAR HUB ARM	1	50
192	172	0	R FRONT LANDING GEAR HUB ARM	1	50
193	173	0	R FRONT LANDING GEAR BOTTOM ARM	1	50
194	174	0	R FRONT LANDING GEAR BOTTOM CNT	1	50
195	174	0	R FRONT LANDING GEAR BOTTOM CNT	1	50
196	175	0	R FRONT LANDING GEAR BOTTOM MOUNT	1	50
197	0	0	DUMMY		
198	176	0	R FRONT LANDING GEAR TOP ARM	1	50
199	177	0	R FRONT LANDING GEAR TOP ARM CYL	1	50
200	177	0	R FRONT LANDING GEAR TOP ARM CYL	1	50
201	178	0	R FRONT LANDING GEAR TOP ARM ROD	1	50
202	179	0	R FRONT LANDING GEAR TOP ARM CNT	1	50
203	180	0	R FRONT LANDING GEAR TOP ARM MNT	1	50
204	182	0	L LANDING GEAR COVER	5	50
205	0	0	DUMMY		
206	182	0	L LANDING GEAR COVER	5	50
207	0	0	DUMMY		
208	182	0	R LANDING GEAR COVER	5	50
209	0	0	DUMMY		
210	182	0	R LANDING GEAR COVER	5	50
211	0	0	DUMMY		
212	181	0	CABIN SKIN-LANDING GEAR AREA	5	100
213	[illegible]	2	CABIN AIR		
214	0	0	DUMMY		
215	0	0	DUMMY		
216	181	0	CABIN SKIN - LANDING GEAR AREA	5	100
217	181	0	CABIN SKIN - LANDING GEAR AREA	5	100

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
218	160	0	REAR LANDING GEAR BOTTOM MT CNT	5	40
219	161	0	REAR LANDING GEAR BOTTOM ARM	5	50
220	161	0	REAR LANDING GEAR BOTTOM ARM	5	50
221	161	0	REAR LANDING GEAR BOTTOM ARM	5	50
222	161	0	REAR LANDING GEAR BOTTOM ARM	5	50
223	162	0	REAR LANDING GEAR FORK	5	80
224	162	0	REAR LANDING GEAR FORK	5	80
225	162	0	REAR LANDING GEAR FORK	5	80
226	162	0	REAR LANDING GEAR FORK	5	80
227	162	0	REAR LANDING GEAR WHEEL HUB	5	80
228	163	0	REAR LANDING GEAR WHEEL RIM	5	10
229	164	0	REAR LANDING GEAR WHEEL TIRE	18	20
230	165	0	REAR LANDING GEAR UPPER ARM INCT	5	50
231	165	0	REAR LANDING GEAR UPPER ARM INCT	5	50
232	166	0	REAR LANDING GEAR UPPER ARM	5	50
233	166	0	REAR LANDING GEAR UPPER ARM	5	50
234	166	0	REAR LANDING GEAR UPPER ARM	5	50
235	166	0	REAR LANDING GEAR UPPER ARM	5	50
236	167	0	REAR LANDING GEAR UPPER ARM MT CNT	5	50
237	168	0	REAR LANDING GEAR LOWER ARM MOUNT	5	50
238	155	0	GUNNER DOOR, LEFT OUTER	5	20
239	0	2	GUNNER DOOR,AIR		
240	156	0	GUNNER DOOR, LEFT INNER	5	20
241	0	2	GUNNER DOOR,AIR		
242	0	2	GUNNER DOOR,AIR		
243	157	0	GUNNER DOOR,WINDOW, LEFT REAR	14	100
244	0	2	GUNNER DOOR,AIR		
245	157	0	GUNNER DOOR,WINDOW, LEFT FRONT	14	100
246	158	0	GUNNER DOOR,RAIL, LEFT TOP	5	50
247	159	0	GUNNER DOOR,RAIL, LEFT BOTTOM	5	50
248	155	0	GUNNER DOOR, RIGHT OUTER	5	20

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
249	0	2	GUNNER DOOR AIR		
250	156	0	GUNNER DOOR, RIGHT INNER	5	20
251	0	2	GUNNER DOOR AIR		
252	0	2	GUNNER DOOR AIR		
253	157	0	GUNNER DOOR WINDOW, RIGHT REAR	14	100
254	0	2	GUNNER DOOR AIR		
255	157	0	GUNNER DOOR WINDOW, RIGHT FRONT	14	100
256	158	0	GUNNER DOOR RAIL, RIGHT TOP	5	50
257	159	0	GUNNER DOOR RAIL, RIGHT BOTTOM	5	50
258	0	0	DUMMY		
259	152	0	CABIN DOOR, LEFT	5	20
260	0	2	CABIN AIR		
261	0	0	DUMMY		
262	153	0	CABIN DOOR WINDOW, FRONT LEFT	14	100
263	153	0	CABIN DOOR WINDOW, REAR LEFT	14	100
264	154	0	CABIN DOOR RAIL, TOP LEFT	5	30
265	154	0	CABIN DOOR RAIL, BOTTOM LEFT	5	30
266	152	0	CABIN DOOR, RIGHT	5	20
267	0	2	CABIN AIR		
268	0	0	DUMMY		
269	153	0	CABIN DOOR WINDOW, FRONT RIGHT	14	100
270	153	0	CABIN DOOR WINDOW, REAR RIGHT	14	100
271	154	0	CABIN DOOR RAIL, TOP RIGHT	5	30
272	154	0	CABIN DOOR RAIL, BOTTOM RIGHT	5	30
273	0	0	DUMMY		
274	193	0	IR SUPPRESSOR COWLING	5	100
275	0	2	IR SUPPRESSOR AIR		
276	193	0	IR SUPPRESSOR COWLING	5	100
277	0	0	DUMMY		
278	193	0	IR SUPPRESSOR COWLING	5	100
279	0	2	IR SUPPRESSOR AIR		

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	PCT
280	193	0	IR SUPPRESSOR COWLING	5	100
281	0	2	IR SUPPRESSOR AIR		
282	193	0	IR SUPPRESSOR COWLING	5	100
283	0	0	DUMMY		
284	0	0	DUMMY		
285	193	0	IR SUPPRESSOR COWLING	5	100
286	0	2	IR SUPPRESSOR AIR		
287	708	0	IR SUPPRESSOR CORE	5	10
288	708	0	IR SUPPRESSOR CORE	5	10
289	0	0	DUMMY		
290	708	0	IR SUPPRESSOR CORE	5	10
291	0	0	DUMMY		
292	193	0	IR SUPPRESSOR COWLING	5	100
293	0	2	IR SUPPRESSOR AIR		
294	193	0	IR SUPPRESSOR COWLING	5	100
295	0	0	DUMMY		
296	193	0	IR SUPPRESSOR COWLING	5	100
297	0	2	IR SUPPRESSOR AIR		
298	193	0	IR SUPPRESSOR COWLING	5	100
299	0	2	IR SUPPRESSOR AIR		
300	193	0	IR SUPPRESSOR COWLING	5	100
301	0	0	DUMMY		
302	0	0	DUMMY		
303	193	0	IR SUPPRESSOR COWLING	5	100
304	0	2	IR SUPPRESSOR AIR		
305	708	0	IR SUPPRESSOR CORE	5	10
306	708	0	IR SUPPRESSOR CORE	5	10
307	0	0	DUMMY		
308	708	0	IR SUPPRESSOR CORE	5	10
309	0	0	DUMMY		
310	169	0	REAR STABILIZER	5	5

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
311	169	0	REAR STABILIZER	5	5
312	169	0	REAR STABILIZER	5	5
313	169	0	REAR STABILIZER	5	5
314	169	0	REAR STABILIZER	5	5
315	169	0	REAR STABILIZER	5	5
316	169	0	REAR STABILIZER	5	5
317	169	0	REAR STABILIZER	5	5
318	169	0	REAR STABILIZER	5	5
319	169	0	REAR STABILIZER	5	5
320	169	0	REAR STABILIZER	5	5
321	169	0	REAR STABILIZER	5	5
322	169	0	REAR STABILIZER	5	5
323	169	0	REAR STABILIZER	5	5
324	169	0	REAR STABILIZER	5	5
325	169	0	REAR STABILIZER	5	5
326	169	0	REAR STABILIZER	5	5
327	169	0	REAR STABILIZER	5	5
328	169	0	REAR STABILIZER	5	5
329	169	0	REAR STABILIZER	5	5
330	169	0	REAR STABILIZER	5	5
331	169	0	REAR STABILIZER	5	5
332	169	0	REAR STABILIZER	5	5
333	637	0	CTL STABILATOR ACTUATOR RODS	5	80
334	638	0	CTL STABILATOR ACTUATOR	5	50
335	143	0	CREW FLOOR	5	50
336	144	0	NOSE BULKHEAD	5	50
337	163	0	BULKHEAD, BESIDE FEET (.025)	5	100
338	0	0	DUMMY		
339	191	0	SHELF, ELECTRICAL COMPONENTS	5	100
340	195	0	NOSE OVERHEAD FRAME	5	50
341	0	0	DUMMY		

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
342	196	0	L CENTER WINDSHIELD FRAME	5	50
343	196	0	R CENTER WINDSHIELD FRAME	5	50
344	197	0	NOSE DOORS FRAMES	5	50
345	197	0	NOSE DOORS FRAMES	5	50
346	197	0	NOSE DOORS FRAMES	5	50
347	0	0	DUMMY		
348	145	0	CREW FLOOR SUPPORT 1	5	50
349	145	0	CREW FLOOR SUPPORT 2	5	50
350	145	0	CREW FLOOR SUPPORT 3	5	50
351	145	0	CREW FLOOR SUPPORT 4	5	50
352	145	0	CREW FLOOR SUPPORT 5	5	50
353	145	0	CREW FLOOR SUPPORT 6	5	50
354	145	0	CREW FLOOR SUPPORT 7	5	50
355	145	0	CREW FLOOR SUPPORT 8	5	50
356	145	0	CREW FLOOR SUPPORT 9	5	50
357	145	0	CREW FLOOR SUPPORT 10	5	50
358	145	0	CREW FLOOR SUPPORT 11	5	50
359	146	0	CREW FLOOR SUPPORT FRONT TO AFT 1	5	50
360	146	0	CREW FLOOR SUPPORT FRONT TO AFT 2	5	50
361	146	0	CREW FLOOR SUPPORT FRONT TO AFT 3	5	50
362	146	0	CREW FLOOR SUPPORT FRONT TO AFT 4	5	50
363	146	0	CREW FLOOR SUPPORT FRONT TO AFT 5	5	50
364	146	0	CREW FLOOR SUPPORT FRONT TO AFT 6	5	50
365	146	0	CREW FLOOR SUPPORT FRONT TO AFT 7	5	50
366	146	0	CREW FLOOR SUPPORT FRONT TO AFT 8	5	50
367	146	0	CREW FLOOR SUPPORT FRONT TO AFT 9	5	50
368	146	0	CREW FLOOR SUPPORT FRONT TO AFT 10	5	50
369	147	0	CREW FLOOR SUPPORT CURVED, LEFT	5	50
370	0	0	DUMMY		
371	0	0	DUMMY		
372	148	0	CREW FLOOR SUPPORT CURVED, RIGHT	5	50

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	PCT
373	0	0	DUMMY		
374	0	0	DUMMY		
375	0	0	DUMMY		
376	0	0	DUMMY		
377	133	0	CABIN BULKHEAD (.025)	5	100
378	134	0	CABIN SUPPORT 1	5	20
379	134	0	CABIN SUPPORT 1	5	20
380	0	0	DUMMY		
381	0	0	DUMMY		
382	135	0	CABIN SUPPORT 2	5	20
383	135	0	CABIN SUPPORT 2	5	20
384	136	0	CABIN SUPPORT 3	5	20
385	136	0	CABIN SUPPORT 3	5	20
386	137	0	BROOM CLOSET, RIGHT	5	30
387	0	0	DUMMY		
388	137	0	BROOM CLOSET, LEFT	5	30
389	0	0	DUMMY		
390	139	0	CABIN FLOOR	5	50
391	140	0	CABIN FLOOR SUPPORT 1	5	50
392	140	0	CABIN FLOOR SUPPORT 2	5	50
393	140	0	CABIN FLOOR SUPPORT 3	5	50
394	140	0	CABIN FLOOR SUPPORT 4	5	50
395	140	0	CABIN FLOOR SUPPORT 5	5	50
396	140	0	CABIN FLOOR SUPPORT 6	5	50
397	140	0	CABIN FLOOR SUPPORT 7	5	50
398	140	0	CABIN FLOOR SUPPORT 8	5	50
399	140	0	CABIN FLOOR SUPPORT 9	5	50
400	140	0	CABIN FLOOR SUPPORT 10	5	50
401	140	0	CABIN FLOOR SUPPORT 11	5	50
402	140	0	CABIN FLOOR SUPPORT 12	5	50
403	194	0	L CABIN FRAME (MACH GUN)	5	100

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
404	194	0	R CABIN FRAME (MACH GUN)	5	100
405	141	0	CABIN CEILING	36	100
406	142	0	ENGINE FLOOR SUPPORT 1	5	50
407	142	0	ENGINE FLOOR SUPPORT 2	5	50
408	142	0	ENGINE FLOOR SUPPORT 3	5	50
409	142	0	ENGINE FLOOR SUPPORT 4	5	50
410	142	0	ENGINE FLOOR SUPPORT 5	5	50
411	142	0	ENGINE FLOOR SUPPORT 6	5	50
412	142	0	ENGINE FLOOR SUPPORT 7	5	50
413	142	0	ENGINE FLOOR SUPPORT 8	5	50
414	142	0	ENGINE FLOOR SUPPORT 9	5	50
415	142	0	ENGINE FLOOR SUPPORT 10	5	50
416	142	0	ENGINE FLOOR SUPPORT 11	5	50
417	142	0	ENGINE FLOOR SUPPORT 12	5	50
418	142	0	ENGINE FLOOR SUPPORT 13	5	50
419	143	0	ENGINE FLOOR EXTRA SUPPORT 1	5	50
420	143	0	ENGINE FLOOR EXTRA SUPPORT 2	5	50
421	130	0	FUSELAGE SUPPORT 1	5	20
422	130	0	FUSELAGE SUPPORT 1	5	20
423	0	0	DUMMY		
424	0	0	DUMMY		
425	130	0	FUSELAGE SUPPORT 1	5	20
426	131	0	FUSELAGE SUPPORT 2	5	20
427	131	0	FUSELAGE SUPPORT 2	5	20
428	131	0	FUSELAGE SUPPORT 2	5	20
429	131	0	FUSELAGE SUPPORT 2	5	20
430	0	0	DUMMY		
431	0	0	DUMMY		
432	132	0	FUSELAGE SUPPORT 3	5	20
433	132	0	FUSELAGE SUPPORT 3	5	20
434	132	0	FUSELAGE SUPPORT 3	5	20

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
435	132	0	FUSELAGE SUPPORT 3	5	20
436	0	0	DUMMY		
437	0	0	DUMMY		
438	198	0	BULKHEAD (BEHIND FUEL TANK)	5	100
439	151	0	FUSELAGE BRACE 1	5	20
440	151	0	FUSELAGE BRACE 2	5	20
441	151	0	FUSELAGE BRACE 2	5	20
442	151	0	FUSELAGE BRACE 2	5	20
443	151	0	FUSELAGE BRACE 3	5	20
444	151	0	FUSELAGE BRACE 3	5	20
445	151	0	FUSELAGE BRACE 4	5	20
446	151	0	FUSELAGE BRACE 4	5	20
447	151	0	FUSELAGE BRACE 5	5	20
448	151	0	FUSELAGE BRACE 5	5	20
449	151	0	FUSELAGE BRACE 6	5	20
450	151	0	FUSELAGE BRACE 6	5	20
451	151	0	FUSELAGE BRACE 7	5	20
452	151	0	FUSELAGE BRACE 8	5	20
453	151	0	FUSELAGE BRACE 8	5	20
454	151	0	FUSELAGE BRACE 9	5	20
455	151	0	FUSELAGE BRACE 9	5	20
456	151	0	FUSELAGE BRACE 10	5	20
457	151	0	FUSELAGE BRACE 10	5	20
458	151	0	FUSELAGE BRACE 11	5	20
459	151	0	FUSELAGE BRACE 11	5	20
460	151	0	FUSELAGE BRACE 12	5	20
461	151	0	FUSELAGE BRACE 12	5	20
462	151	0	FUSELAGE BRACE 13	5	20
463	151	0	FUSELAGE BRACE 13	5	20
464	151	0	FUSELAGE BRACE 14	5	20
465	151	0	FUSELAGE BRACE 14	5	20

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
466	151	0	FUSELAGE BRACE 15	5	20
467	151	0	FUSELAGE BRACE 16	5	20
468	151	0	FUSELAGE BRACE 17	5	20
469	151	0	FUSELAGE BRACE 18	5	20
470	151	0	FUSELAGE BRACE 19	5	20
471	151	0	FUSELAGE BRACE 19	5	20
472	151	0	FUSELAGE BRACE 19	5	20
473	151	0	FUSELAGE BRACE 20	5	20
474	151	0	FUSELAGE BRACE 20	5	20
475	151	0	FUSELAGE BRACE 21	5	20
476	151	0	FUSELAGE BRACE 21	5	20
477	151	0	FUSELAGE BRACE 22	5	20
478	151	0	FUSELAGE BRACE 22	5	20
479	151	0	FUSELAGE BRACE 23	5	20
480	151	0	FUSELAGE BRACE 23	5	20
481	151	0	FUSELAGE BRACE 24	5	20
482	151	0	FUSELAGE BRACE 25	5	20
483	151	0	FUSELAGE BRACE 25	5	20
484	151	0	FUSELAGE BRACE 26	5	20
485	151	0	FUSELAGE BRACE 26	5	20
486	151	0	FUSELAGE BRACE 27	5	20
487	151	0	FUSELAGE BRACE 27	5	20
488	151	0	FUSELAGE BRACE 28	5	20
489	151	0	FUSELAGE BRACE 28	5	20
490	151	0	FUSELAGE BRACE 29	5	20
491	151	0	FUSELAGE BRACE 29	5	20
492	151	0	FUSELAGE BRACE 30	5	20
493	151	0	FUSELAGE BRACE 30	5	20
494	151	0	FUSELAGE BRACE 31	5	20
495	151	0	FUSELAGE BRACE 31	5	20
496	151	0	FUSELAGE BRACE 32	5	20

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
497	151	0	FUSELAGE BRACE 33	5	20
498	10E	0	TAIL CONE SUPPORT 1	5	20
499	10E	0	TAIL CONE SUPPORT 1	5	20
500	0	0	DUMMY		
501	0	0	DUMMY		
502	10E	0	TAIL CONE SUPPORT 1	5	20
503	109	0	TAIL CONE SUPPORT 2	5	20
504	109	0	TAIL CONE SUPPORT 2	5	20
505	0	0	DUMMY		
506	0	0	DUMMY		
507	109	0	TAIL CONE SUPPORT 2	5	20
508	11C	0	TAIL CONE SUPPORT 3	5	20
509	11C	0	TAIL CONE SUPPORT 3	5	20
510	0	0	DUMMY		
511	0	0	DUMMY		
512	11C	0	TAIL CONE SUPPORT 3	5	20
513	112	0	TAIL CONE SUPPORT 4	5	20
514	112	0	TAIL CONE SUPPORT 4	5	20
515	0	0	DUMMY		
516	0	0	DUMMY		
517	112	0	TAIL CONE SUPPORT 4	5	20
518	113	0	TAIL CONE SUPPORT 5	5	20
519	113	0	TAIL CONE SUPPORT 5	5	20
520	0	0	DUMMY		
521	0	0	DUMMY		
522	114	0	TAIL CONE SUPPORT 5	5	20
523	115	0	TAIL CONE SUPPORT 6	5	20
524	115	0	TAIL CONE SUPPORT 6	5	20
525	0	0	DUMMY		
526	0	0	DUMMY		
527	115	0	TAIL CONE SUPPORT 6	5	20

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	PCT
528	116	0	TAIL CONE SUPPORT 7	5	20
529	116	0	TAIL CONE SUPPORT 7	5	20
530	0	0	DUMMY		
531	0	0	DUMMY		
532	116	0	TAIL CONE SUPPORT 7	5	20
533	117	0	TAIL CONE SUPPORT 8	5	20
534	117	0	TAIL CONE SUPPORT 8	5	20
535	0	0	DUMMY		
536	0	0	DUMMY		
537	117	0	TAIL CONE SUPPORT 8	5	20
538	118	0	TAIL CONE SUPPORT 9	5	20
539	118	0	TAIL CONE SUPPORT 9	5	20
540	0	0	DUMMY		
541	0	0	DUMMY		
542	118	0	TAIL CONE SUPPORT 9	5	20
543	119	0	TAIL CONE SUPPORT 10	5	20
544	119	0	TAIL CONE SUPPORT 10	5	20
545	0	0	DUMMY		
546	0	0	DUMMY		
547	119	0	TAIL CONE SUPPORT 10	5	20
548	120	0	TAIL CONE SUPPORT 11	5	20
549	120	0	TAIL CONE SUPPORT 11	5	20
550	0	0	DUMMY		
551	0	0	DUMMY		
552	120	0	TAIL CONE SUPPORT 11	5	20
553	121	0	REAR SHOCK MOUNT	5	20
554	149	0	TAIL CONE BRACE 1	5	20
555	149	0	TAIL CONE BRACE 2	5	20
556	149	0	TAIL CONE BRACE 3	5	20
557	149	0	TAIL CONE BRACE 4	5	20
558	149	0	TAIL CONE BRACE 5	5	20

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
559	149	0	TAIL CONE BRACE 6	5	20
560	149	0	TAIL CONE BRACE 7	5	20
561	149	0	TAIL CONE BRACE 8	5	20
562	149	0	TAIL CONE BRACE 9	5	20
563	149	0	TAIL CONE BRACE 10	5	20
564	149	0	TAIL CONE BRACE 11	5	20
565	149	0	TAIL CONE BRACE 12	5	20
566	149	0	TAIL CONE BRACE 13	5	20
567	149	0	TAIL CONE BRACE 14	5	20
568	149	0	TAIL CONE BRACE 15	5	20
569	149	0	TAIL CONE BRACE 16	5	20
570	149	0	TAIL CONE BRACE 17	5	20
571	149	0	TAIL CONE BRACE 18	5	20
572	149	0	TAIL CONE BRACE 19	5	20
573	149	0	TAIL CONE BRACE 20	5	20
574	149	0	TAIL CONE BRACE 21	5	20
575	149	0	TAIL CONE BRACE 22	5	20
576	149	0	TAIL CONE BRACE 23	5	20
577	149	0	TAIL CONE BRACE 24	5	20
578	149	0	TAIL CONE BRACE 25	5	20
579	150	0	TAIL CONE BRACE, AFT 1	5	20
580	150	0	TAIL CONE BRACE, AFT 2	5	20
581	150	0	TAIL CONE BRACE, AFT 3	5	20
582	150	0	TAIL CONE BRACE, AFT 4	5	20
583	150	0	TAIL CONE BRACE, AFT 5	5	20
584	150	0	TAIL CONE BRACE, AFT 6	5	20
585	150	0	TAIL CONE BRACE, AFT 7	5	20
586	150	0	TAIL CONE BRACE, AFT 8	5	20
587	150	0	TAIL CONE BRACE, AFT 9	5	20
588	150	0	TAIL CONE BRACE, AFT 10	5	20
589	150	0	TAIL CONE BRACE, AFT 11	5	20

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
590	150	0	TAIL CONE BRACE, AFT 12	5	20
591	150	0	TAIL CONE BRACE, AFT 13	5	20
592	150	0	TAIL CONE BRACE, AFT 14	5	20
593	150	0	TAIL CONE BRACE, AFT 15	5	20
594	150	0	TAIL CONE BRACE, AFT 16	5	20
595	150	0	TAIL CONE BRACE, AFT 17	5	20
596	122	0	SUPPORT, FOLD	5	20
597	123	0	FLOOR, 45 DEG GEAR BOX	5	20
598	124	0	TAIL SUPPORT 1	5	20
599	125	0	TAIL SUPPORT 2	5	20
600	126	0	TAIL CROSS PIECE 1	5	20
601	127	0	TAIL CROSS PIECE 2	5	20
602	128	0	TAIL CROSS PIECE 3	5	20
603	129	0	TAIL CROSS PIECE 4	5	20
604	300	0	TRU-2A-A TURN RATE GYRO	5	20
605	300	0	TRU-2A-A TURN RATE GYRO	5	20
606	301	0	CN-1314-A DISPLACEMENT GYRO	5	20
607	302	0	KIT-1A-TSEC COMPUTER BASE	5	20
608	303	0	KIT-1A-TSEC COMPUTER BASE	5	20
609	302	0	AN-ARN TLS DME BASE	5	20
610	304	0	AN-ARN TLS DME	5	20
611	302	0	AN-ARN TLS RECEIVER BASE	5	20
612	305	0	AN-ARN TLS RECEIVER	5	20
613	306	0	CIS PROCESSOR	5	20
614	307	0	CV-3338-ASN-128 SIGNAL DATA CONVR	5	20
615	301	0	CN-1314-A DISPLACEMENT GYRO	5	20
616	300	0	TRU-2A-A TURN RATE GYRO	5	20
617	300	0	TRU-2A-A TURN RATE GYRO	5	20
618	308	0	AN-ASN-43 DIRECTIONAL GYRO	5	20
619	308	0	AN-ASN-43 DIRECTIONAL GYRO	5	20
620	309	0	TSEC-KY-28 COMM SECURITY SET(ITEM)	5	20

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
621	310	0	TSEC-KY-28 COMM SECURITY SET(UHF)	5	20
622	309	0	TSEC-KY-28 COMM SECURITY SET(2FM)	5	20
623	326	0	AN-ARN-8- LF-ADF	5	20
624	327	0	AUDIBLE WARNING SIGNAL UNIT	5	20
625	333	0	AIRSPEED TRANSDUCER	5	20
626	334	0	AIR DATA TRANSDUCER	5	20
627	329	0	CM-440-APR-39 COMPARATOR	5	20
628	326	0	SAS AMPLIFIER	5	20
629	330	0	MD-954 VOICE GATING UNIT	5	20
630	330	0	MD-954 VOICE GATING UNIT	5	20
631	330	0	MD-954 VOICE GATING UNIT	5	20
632	330	0	MD-954 VOICE GATING UNIT	5	20
633	331	0	R-2023-ARN-123(V) RECEIVER	5	20
634	332	0	VIDS SIGNAL DATA CONVERTER	5	20
635	332	0	VIDS SIGNAL DATA CONVERTER	5	20
636	336	0	RADIO FILTER (VHF/AM)	5	20
637	337	0	RADIO FILTER (VHF/FM)	5	20
638	337	0	RADIO FILTER (VHF/FM)	5	20
639	338	0	VHF/FM ANTENNA COUPLER	5	20
640	335	0	RT-1193 ASN-128 DOPPLER R-T	5	20
641	335	0	RT-1193 ASN-128 DOPPLER R-T	5	20
642	339	0	AM4859 ARN-69 AMPLIFIER	5	20
643	340	0	FM HOMING EQUALIZER UNIT	5	20
644	525	0	OWER CONSOLE	5	20
645	525	0	OWER CONSOLE	5	20
646	526	0	INSTRUMENT PANEL	5	20
647	526	0	INSTRUMENT PANEL	5	20
648	527	0	INSTRUMENT PANEL HOOD	1	100
649	0	0	DUMMY		
650	531	0	EXTENDED RANGE CONTROL PANEL	5	20
651	528	0	OVERHEAD CONSOLE	5	20

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
652	528	0	OVERHEAD CONSOLE	5	20
653	529	0	OVERHEAD CONSOLE LEVER MOUNT	5	20
654	530	0	OVERHEAD CONSOLE LEVER	5	100
655	530	0	OVERHEAD CONSOLE LEVER	5	100
656	530	0	OVERHEAD CONSOLE LEVER	5	100
657	374	0	PILOTS SEAT BACK	26	100
658	374	0	PILOTS SEAT BACK	26	100
659	374	0	PILOTS SEAT BACK	26	100
660	375	0	PILOTS SEAT BACK ARMOR	35	100
661	375	0	PILOTS SEAT BOTTOM ARMOR	35	100
662	374	0	PILOTS SEAT BOTTOM	26	100
663	375	0	PILOTS SEAT BACK ARMOR	35	100
664	374	0	PILOTS SEAT BACK	26	100
665	374	0	PILOTS SEAT BACK	26	100
666	375	0	PILOTS SEAT BACK ARMOR	35	100
667	374	0	PILOTS SEAT BOTTOM	26	100
668	375	0	PILOTS SEAT BOTTOM ARMOR	35	100
669	375	0	PILOTS SEAT BOTTOM ARMOR	35	100
670	374	0	PILOTS SEAT BOTTOM	26	100
671	374	0	PILOTS SEAT BOTTOM	26	100
672	375	0	PILOTS SEAT BOTTOM ARMOR	35	100
673	375	0	PILOTS SEAT BOTTOM ARMOR	35	100
674	374	0	PILOTS SEAT BOTTOM	26	100
675	376	0	PILOTS SEAT BOTTOM CUSHION	27	100
676	376	0	PILOTS SEAT BACK CUSHION	27	100
677	377	0	PILOTS SEAT MOUNT	5	10
678	377	0	PILOT SEAT MOUNT	5	10
679	374	0	CO-PILOTS SEAT BACK	26	100
680	374	0	CO-PILOTS SEAT BACK	26	100
681	374	0	CO-PILOTS SEAT BACK	26	100
682	375	0	CO-PILOTS SEAT BACK ARMOR	35	100

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	PCT
683	375	0	CO-PILOTS SEAT BOTTOM ARMOR	35	100
684	374	0	CO-PILOTS SEAT BOTTOM	26	100
685	375	0	CO-PILOTS SEAT BACK ARMOR	35	100
686	374	0	CO-PILOTS SEAT BACK	26	100
687	374	0	CO-PILOTS SEAT BACK	26	100
688	375	0	CO-PILOTS SEAT BACK ARMOR	35	100
689	374	0	CO-PILOTS SEAT BOTTOM	26	100
690	375	0	CO-PILOTS SEAT BOTTOM ARMOR	35	100
691	375	0	CO-PILOTS SEAT BOTTOM ARMOR	35	100
692	374	0	CO-PILOTS SEAT BOTTOM	26	100
693	374	0	CO-PILOTS SEAT BOTTOM	26	100
694	375	0	CO-PILOTS SEAT BOTTOM ARMOR	35	100
695	375	0	CO-PILOTS SEAT BOTTOM ARMOR	35	100
696	374	0	CO-PILOTS SEAT BOTTOM	26	100
697	376	0	CO-PILOTS SEAT BOTTOM CUSHION	27	100
698	376	0	CO-PILOTS SEAT BACK CUSHION	27	100
699	377	0	CO-PILOTS SEAT MOUNT	5	10
700	377	0	CO-PILOT SEAT MOUNT	5	10
701	380	0	PILOT LOWER LEG LEFT	28	100
702	380	0	PILOT LOWER LEG RIGHT	28	100
703	382	0	PILOT UPPER LEG LEFT	28	100
704	382	0	PILOT UPPER LEG RIGHT	28	100
705	384	0	PILOT HIP JOINT LEFT	28	100
706	384	0	PILOT HIP JOINT RIGHT	28	100
707	386	0	PILOT HIPS	28	100
708	387	0	PILOT TORSO LOWER	28	100
709	388	0	PILOT TORSO CHEST	28	100
710	389	0	PILOT UPPER ARM LEFT	28	100
711	389	0	PILOT UPPER ARM RIGHT	28	100
712	391	0	PILOT LOWER ARM LEFT	28	100
713	391	0	PILOT LOWER ARM RIGHT	28	100

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION		MATERIAL CODE	PCT
714	393	0	PILOT	NECK	28	100
715	394	0	PILOT	HEAD	28	100
716	395	0	PILOT	KNEE LEFT	28	100
717	395	0	PILOT	KNEE RIGHT	28	100
718	397	0	PILOT	ELBOW LEFT	28	100
719	397	0	PILOT	ELBOW RIGHT	28	100
720	399	0	PILOT	ANKLE LEFT	28	100
721	399	0	PILOT	ANKLE RIGHT	28	100
722	398	0	PILOT	HAND LEFT	28	100
723	398	0	PILOT	HAND RIGHT	28	100
724	396	0	PILOT	SHOULDER JOINT LEFT	28	100
725	396	0	PILOT	SHOULDER JOINT RIGHT	28	100
726	380	0	COPILOT	LOWER LEG LEFT	28	100
727	380	0	COPILOT	LOWER LEG RIGHT	28	100
728	382	0	COPILOT	UPPER LEG LEFT	28	100
729	382	0	COPILOT	UPPER LEG RIGHT	28	100
730	384	0	COPILOT	HIP JOINT LEFT	28	100
731	384	0	COPILOT	HIP JOINT RIGHT	28	100
732	386	0	COPILOT	HIPS	28	100
733	387	0	COPILOT	TORSO LOWER	28	100
734	388	0	COPILOT	TORSO CHEST	28	100
735	389	0	COPILOT	UPPER ARM LEFT	28	100
736	389	0	COPILOT	UPPER ARM RIGHT	28	100
737	391	0	COPILOT	LOWER ARM LEFT	28	100
738	391	0	COPILOT	LOWER ARM RIGHT	28	100
739	393	0	COPILOT	NECK	28	100
740	394	0	COPILOT	HEAD	28	100
741	395	0	COPILOT	KNEE LEFT	28	100
742	395	0	COPILOT	KNEE RIGHT	28	100
743	397	0	COPILOT	ELBOW LEFT	28	100
744	397	0	COPILOT	ELBOW RIGHT	28	100

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
745	399	0	COPILOT ANKLE LEFT	28	100
746	399	0	COPILOT ANKLE RIGHT	28	100
747	398	0	COPILOT HAND LEFT	28	100
748	398	0	COPILOT HAND RIGHT	28	100
749	396	0	COPILOT SHOULDER JOINT LEFT	28	100
750	396	0	COPILOT SHOULDER JOINT RIGHT	28	100
751	800	0	L ARMORED WING	31	100
752	800	0	L ARMORED WING	31	100
753	800	0	L ARMORED WING	31	100
754	800	0	L ARMORED WING	31	100
755	800	0	L ARMORED WING	31	100
756	800	0	R ARMORED WING	31	100
757	800	0	R ARMORED WING	31	100
758	800	0	R ARMORED WING	31	100
759	800	0	R ARMORED WING	31	100
760	800	0	R ARMORED WING	31	100
761	351	0	TROOP-1 SEAT BOTTOM	34	10
762	352	0	TROOP-1 SEAT BACK	34	70
763	353	0	TROOP-1 SEAT LEG	5	50
764	351	0	TROOP-2 SEAT BOTTOM	34	10
765	352	0	TROOP-2 SEAT BACK	34	70
766	353	0	TROOP-2 SEAT LEG	5	50
767	351	0	TROOP-3 SEAT BOTTOM	34	10
768	352	0	TROOP-3 SEAT BACK	34	70
769	353	0	TROOP-3 SEAT LEG	5	50
770	351	0	TROOP-4 SEAT BOTTOM	34	10
771	352	0	TROOP-4 SEAT BACK	34	70
772	353	0	TROOP-4 SEAT LEG	5	50
773	351	0	TROOP-5 SEAT BOTTOM	34	10
774	352	0	TROOP-5 SEAT BACK	34	70
775	353	0	TROOP-5 SEAT LEG	5	50

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	PCT
776	351	0	TROOP-6 SEAT BOTTOM	34	10
777	352	0	TROOP-6 SEAT BACK	34	70
778	353	0	TROOP-6 SEAT LEG	5	50
779	351	0	TROOP-7 SEAT BOTTOM	34	10
780	352	0	TROOP-7 SEAT BACK	34	70
781	353	0	TROOP-7 SEAT LEG	5	50
782	351	0	TROOP-8 SEAT BOTTOM	34	10
783	352	0	TROOP-8 SEAT BACK	34	70
784	353	0	TROOP-8 SEAT LEG	5	50
785	351	0	TROOP-9 SEAT BOTTOM	34	10
786	352	0	TROOP-9 SEAT BACK	34	70
787	353	0	TROOP-9 SEAT LEG	5	50
788	351	0	TROOP-10 SEAT BOTTOM	34	10
789	352	0	TROOP-10 SEAT BACK	34	70
790	353	0	TROOP-10 SEAT LEG	5	50
791	351	0	L GUNNER SEAT BOTTOM	34	10
792	352	0	L GUNNER SEAT BACK	34	70
793	353	0	L GUNNER SEAT LEG	5	50
794	351	0	R GUNNER SEAT BOTTOM	34	10
795	352	0	R GUNNER SEAT BACK	34	70
796	353	0	R GUNNER SEAT LEG	5	50
797	354	0	TROOP-1 HEAD	28	100
798	355	0	TROOP-1 THORAX	28	100
799	356	0	TROOP-1 ABDOMEN	28	100
800	357	0	TROOP-1 PELVIS	28	100
801	358	0	TROOP-1 LEGS	28	100
802	359	0	TROOP-1 DUMMY		
803	360	0	TROOP-1 ARMS	28	100
804	361	0	TROOP-1 DUMMY		
805	361	0	TROOP-1 DUMMY		
806	361	0	TROOP-1 DUMMY		

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
807	354	0	TROOP-2 HEAD	28	100
808	355	0	TROOP-2 THORAX	28	100
809	356	0	TROOP-2 ABDOMEN	28	100
810	357	0	TROOP-2 PELVIS	28	100
811	358	0	TROOP-2 LEGS	28	100
812	359	0	TROOP-2 DUMMY		
813	360	0	TROOP-2 ARMS	28	100
814	361	0	TROOP-2 DUMMY		
815	361	0	TROOP-2 DUMMY		
816	361	0	TROOP-2 DUMMY		
817	354	0	TROOP-3 HEAD	28	100
818	355	0	TROOP-3 THORAX	28	100
819	356	0	TROOP-3 ABDOMEN	28	100
820	357	0	TROOP-3 PELVIS	28	100
821	358	0	TROOP-3 LEGS	28	100
822	359	0	TROOP-3 DUMMY		
823	360	0	TROOP-3 ARMS	28	100
824	361	0	TROOP-3 DUMMY		
825	361	0	TROOP-3 DUMMY		
826	361	0	TROOP-3 DUMMY		
827	354	0	TROOP-4 HEAD	28	100
828	355	0	TROOP-4 THORAX	28	100
829	356	0	TROOP-4 ABDOMEN	28	100
830	357	0	TROOP-4 PELVIS	28	100
831	358	0	TROOP-4 LEGS	28	100
832	359	0	TROOP-4 DUMMY		
833	360	0	TROOP-4 ARMS	28	100
834	361	0	TROOP-4 DUMMY		
835	361	0	TROOP-4 DUMMY		
836	361	0	TROOP-4 DUMMY		
837	354	0	TROOP-5 HEAD	28	100

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	PCT
838	355	0	TROOP-5 THORAX	28	100
839	356	0	TROOP-5 ABDOMEN	28	100
840	357	0	TROOP-5 PELVIS	28	100
841	358	0	TROOP-5 LEGS	28	100
842	359	0	TROOP-5 DUMMY		
843	360	0	TROOP-5 ARMS	28	100
844	361	0	TROOP-5 DUMMY		
845	361	0	TROOP-5 DUMMY		
846	361	0	TROOP-5 DUMMY		
847	354	0	TROOP-6 HEAD	28	100
848	355	0	TROOP-6 THORAX	28	100
849	356	0	TROOP-6 ABDOMEN	28	100
850	357	0	TROOP-6 PELVIS	28	100
851	358	0	TROOP-6 LEGS	28	100
852	359	0	TROOP-6 DUMMY		
853	360	0	TROOP-6 ARMS	28	100
854	361	0	TROOP-6 DUMMY		
855	361	0	TROOP-6 DUMMY		
856	361	0	TROOP-6 DUMMY		
857	354	0	TROOP-7 HEAD	28	100
858	355	0	TROOP-7 THORAX	28	100
859	356	0	TROOP-7 ABDOMEN	28	100
860	357	0	TROOP-7 PELVIS	28	100
861	358	0	TROOP-7 LEGS	28	100
862	359	0	TROOP-7 DUMMY		
863	360	0	TROOP-7 ARMS	28	100
864	361	0	TROOP-7 DUMMY		
865	361	0	TROOP-7 DUMMY		
866	361	0	TROOP-7 DUMMY		
867	354	0	TROOP-8 HEAD	28	100
868	355	0	TROOP-8 THORAX	28	100

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	PCT
869	356	0	TROOP-8 ABDOMEN	28	100
870	357	0	TROOP-8 PELVIS	28	100
871	358	0	TROOP-8 LEGS	28	100
872	359	0	TROOP-8 DUMMY		
873	36C	0	TROOP-8 ARMS	28	100
874	361	0	TROOP-8 DUMMY		
875	361	0	TROOP-8 DUMMY		
876	361	0	TROOP-8 DUMMY		
877	354	0	TROOP-9 HEAD	28	100
878	355	0	TROOP-9 THORAX	28	100
879	356	0	TROOP-9 ABDOMEN	28	100
88C	357	0	TROOP-9 PELVIS	28	100
881	358	0	TROOP-9 LEGS	28	100
882	359	0	TROOP-9 DUMMY		
883	36C	0	TROOP-9 ARMS	28	100
884	361	0	TROOP-9 DUMMY		
885	361	0	TROOP-9 DUMMY		
886	361	0	TROOP-9 DUMMY		
887	354	0	TROOP-10 HEAD	28	100
888	355	0	TROOP-10 THORAX	28	100
889	356	0	TROOP-10 ABDOMEN	28	100
89C	357	0	TROOP-10 PELVIS	28	100
891	358	0	TROOP-10 LEGS	28	100
892	359	0	TROOP-10 DUMMY		
893	36C	0	TROOP-10 ARMS	28	100
894	361	0	TROOP-10 DUMMY		
895	361	0	TROOP-10 DUMMY		
896	361	0	TROOP-10 DUMMY		
897	364	0	L GUNNER HEAD	28	100
898	365	0	L GUNNER THORAX	28	100
899	366	0	L GUNNER ABDOMEN	28	100

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	PCT
900	367	0	L GUNNER PELVIS	28	100
901	368	0	L GUNNER LEGS	28	100
902	369	0	L GUNNER DUMMY		
903	370	0	L GUNNER ARMS	28	100
904	371	0	L GUNNER DUMMY		
905	371	0	L GUNNER DUMMY		
906	371	0	L GUNNER DUMMY		
907	364	0	R GUNNER HEAD	28	100
908	365	0	R GUNNER THORAX	28	100
909	366	0	R GUNNER ABDOMEN	28	100
910	367	0	R GUNNER PELVIS	28	100
911	368	0	R GUNNER LEGS	28	100
912	369	0	R GUNNER DUMMY		
913	370	0	R GUNNER ARMS	28	100
914	371	0	R GUNNER DUMMY		
915	371	0	R GUNNER DUMMY		
916	371	0	R GUNNER DUMMY		
917	900	0	L MACHINE GUN MOUNT	5	100
918	900	0	L MACHINE GUN MOUNT	5	100
919	900	0	L MACHINE GUN MOUNT	5	100
920	900	0	L MACHINE GUN MOUNT	5	100
921	901	0	L MACHINE GUN RECEIVER AREA	1	60
922	901	0	L MACHINE GUN RECEIVER AREA	1	60
923	902	0	L MACHINE GUN BARREL	1	60
924	900	0	R MACHINE GUN MOUNT	5	100
925	900	0	R MACHINE GUN MOUNT	5	100
926	900	0	R MACHINE GUN MOUNT	5	100
927	900	0	R MACHINE GUN MOUNT	5	100
928	901	0	R MACHINE GUN RECEIVER AREA	1	60
929	901	0	R MACHINE GUN RECEIVER AREA	1	60
930	902	0	R MACHINE GUN BARREL	1	60

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIP CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
931	311	0	CONTROL INSTL GENERATOR-2	1	10
932	312	0	PANEL INSTL	1	10
933	313	0	CONDITHR INSTL	1	10
934	314	0	CONTROL INSTL	1	10
935	315	0	JUNCTION BOX	1	10
936	316	0	FLASHER INSTL	1	10
937	317	0	CONVERTER INSTL	1	10
938	318	0	JUNCTION BOX, MAIN ELECTRICAL	1	10
939	319	0	CONVERTER INSTL	1	10
940	320	0	SWITCH INSTL	1	10
941	321	0	CONVERTER INSTL	1	10
942	322	0	CONTROL INSTL	1	10
943	323	0	CONTROL INSTL GENERATOR-1	1	10
944	324	0	CONTROL INSTL GENERATOR (APU)	1	10
945	325	0	CONTROL UNIT INSTL	1	10
946	341	0	MAIN WIRE BUNDLE-L GEN TO JCT BOX	7	80
947	341	0	MAIN WIRE BUNDLE-L GEN TO JCT BOX	7	80
948	342	0	MAIN WIRE BUNDLE-L JCT TO OVERHD	7	80
949	341	0	MAIN WIRE BUNDLE-R GEN TO JCT BOX	7	80
950	341	0	MAIN WIRE BUNDLE-R GEN TO JCT BOX	7	80
951	342	0	MAIN WIRE BUNDLE-R JCT TO OVERHD	7	80
952	378	0	HEAT AND VENT SYSTEM	5	10
953	378	0	HEAT AND VENT SYSTEM	5	10
954	378	0	HEAT AND VENT SYSTEM	5	10
955	378	0	HEAT AND VENT SYSTEM	5	10
956	378	0	HEAT AND VENT SYSTEM	5	10
957	378	0	HEAT AND VENT SYSTEM	5	10
958	378	0	HEAT AND VENT SYSTEM	5	10
959	378	0	HEAT AND VENT SYSTEM	5	10
960	426	0	HYDRAULIC PUMP	5	50
961	427	0	HYDRAULIC RESEVOIR	5	40

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	PCT
962	400	0	LEFT FUEL TANK, LOWER THIRD	22	100
963	400	0	LEFT FUEL TANK, LOWER THIRD	22	100
964	400	0	LEFT FUEL TANK, LOWER THIRD	22	100
965	400	0	LEFT FUEL TANK, LOWER THIRD	22	100
966	400	0	LEFT FUEL TANK, LOWER THIRD	22	100
967	400	0	LEFT FUEL TANK, LOWER THIRD	22	100
968	401	0	LEFT FUEL TANK, CENTER THIRD	22	100
969	401	0	LEFT FUEL TANK, CENTER THIRD	22	100
970	401	0	LEFT FUEL TANK, CENTER THIRD	22	100
971	402	0	LEFT FUEL TANK, TOP THIRD	22	100
972	402	0	LEFT FUEL TANK, TOP THIRD	22	100
973	402	0	LEFT FUEL TANK, TOP THIRD	22	100
974	402	0	LEFT FUEL TANK, TOP THIRD	22	100
975	402	0	LEFT FUEL TANK, TOP THIRD	22	100
976	402	0	LEFT FUEL TANK, TOP THIRD	22	100
977	403	0	L FUEL VENT SYSTEM	22	100
978	403	0	L FUEL VENT SYSTEM	22	100
979	403	0	L FUEL VENT SYSTEM	22	100
980	403	0	L FUEL VENT SYSTEM	22	100
981	403	0	L FUEL VENT SYSTEM	22	100
982	403	0	L FUEL VENT SYSTEM	22	100
983	403	0	L FUEL VENT SYSTEM	22	100
984	403	0	L FUEL VENT SYSTEM	22	100
985	403	0	L FUEL VENT SYSTEM	22	100
986	403	0	L FUEL VENT SYSTEM	22	100
987	400	0	RIGHT FUEL TANK, LOWER THIRD	22	100
988	400	0	RIGHT FUEL TANK, LOWER THIRD	22	100
989	400	0	RIGHT FUEL TANK, LOWER THIRD	22	100
990	400	0	RIGHT FUEL TANK, LOWER THIRD	22	100
991	400	0	RIGHT FUEL TANK, LOWER THIRD	22	100
992	400	0	RIGHT FUEL TANK, LOWER THIRD	22	100

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	PCT
993	401	0	RIGHT FUEL TANK, CENTER THIRD	22	100
994	401	0	RIGHT FUEL TANK, CENTER THIRD	22	100
995	401	0	RIGHT FUEL TANK, CENTER THIRD	22	100
996	402	0	RIGHT FUEL TANK, TOP THIRD	22	100
997	402	0	RIGHT FUEL TANK, TOP THIRD	22	100
998	402	0	RIGHT FUEL TANK, TOP THIRD	22	100
999	402	0	RIGHT FUEL TANK, TOP THIRD	22	100
1000	402	0	RIGHT FUEL TANK, TOP THIRD	22	100
1001	402	0	RIGHT FUEL TANK, TOP THIRD	22	100
1002	403	0	R FUEL VENT SYSTEM	22	100
1003	403	0	R FUEL VENT SYSTEM	22	100
1004	403	0	R FUEL VENT SYSTEM	22	100
1005	403	0	R FUEL VENT SYSTEM	22	100
1006	403	0	R FUEL VENT SYSTEM	22	100
1007	403	0	R FUEL VENT SYSTEM	22	100
1008	403	0	R FUEL VENT SYSTEM	22	100
1009	403	0	R FUEL VENT SYSTEM	22	100
1010	403	0	R FUEL VENT SYSTEM	22	100
1011	403	0	R FUEL VENT SYSTEM	22	100
1012	404	0	FUEL FILLER SYSTEM	22	100
1013	404	0	FUEL FILLER SYSTEM	22	100
1014	404	0	FUEL FILLER SYSTEM	22	100
1015	404	0	FUEL FILLER SYSTEM	22	100
1016	404	0	FUEL FILLER SYSTEM	22	100
1017	405	0	L FUEL LINE	22	100
1018	405	0	L FUEL LINE	22	100
1019	405	0	L FUEL LINE	22	100
1020	405	0	L FUEL LINE	22	100
1021	405	0	L FUEL LINE	22	100
1022	405	0	L FUEL LINE	22	100
1023	405	0	R FUEL LINE	22	100

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	PCT
1024	405	0	R FUEL LINE	22	100
1025	405	0	R FUEL LINE	22	100
1026	405	0	R FUEL LINE	22	100
1027	405	0	R FUEL LINE	22	100
1028	405	0	R FUEL LINE	22	100
1029	405	0	CONNECTING FUEL LINE	22	100
1030	405	0	L FUEL LINE	22	100
1031	405	0	R FUEL LINE	22	100
1032	709	0	FLAME RETARDANT	27	100
1033	709	0	FLAME RETARDANT	27	100
1034	701	0	APU GENERATOR SECTION	7	50
1035	701	0	APU GENERATOR SECTION	7	50
1036	701	0	APU GENERATOR SECTION	7	50
1037	702	0	APU POWER SECTION	5	30
1038	702	0	APU POWER SECTION	5	30
1039	702	0	APU POWER SECTION	5	30
1040	703	0	APU ACCESSORIES	5	20
1041	70C	0	FIRE BOTTLE-1	5	20
1042	70C	0	FIRE BOTTLE-2	5	20
1043	704	0	CHAFF DISPENSER ELECTRONICS	5	20
1044	705	0	CHAFF DISPENSER MODULE	5	20
1045	706	0	IR JAMMER BASE	5	20
1046	707	0	IR JAMMER MODULE	5	20
1047	189	0	L ENGINE INTAKE DUCT	1	100
1048	0	2	L ENGINE AIR		
1049	0	0	DUMMY		
1050	189	0	L ENGINE INTAKE DUCT	5	100
1051	0	0	DUMMY		
1052	189	0	L ENGINE INTAKE DUCT	5	100
1053	189	0	L ENGINE INTAKE DUCT	5	100
1054	189	0	R ENGINE INTAKE DUCT	1	100

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	PCT
1055	0	2	R ENGINE AIR		
1056	0	0	DUMMY		
1057	189	0	R ENGINE INTAKE DUCT	5	100
1058	0	0	DUMMY		
1059	189	0	R ENGINE INTAKE DUCT	5	100
1060	189	0	R ENGINE INTAKE DUCT	5	100
1061	207	0	L ENGINE COMPRESSION SECTION	1	20
1062	207	0	L ENGINE COMPRESSION SECTION	1	20
1063	208	0	L ENGINE COMBUSTION SECTION	1	20
1064	208	0	L ENGINE COMBUSTION SECTION	1	20
1065	209	0	L ENGINE POWER SECTION	1	20
1066	209	0	L ENGINE POWER SECTION	1	20
1067	209	0	L ENGINE POWER SECTION	1	20
1068	210	0	L ENGINE EXHAUST SECTION	1	20
1069	211	0	L ENGINE FUEL RING	1	20
1070	212	0	L ENGINE FUEL PUMP	1	20
1071	212	0	L ENGINE FUEL PUMP	1	20
1072	212	0	L ENGINE FUEL PUMP	1	20
1073	213	0	L ENGINE APPLIANCE	1	20
1074	213	0	L ENGINE APPLIANCE	1	20
1075	214	0	L ENGINE APPLIANCE EXHAUST	1	5
1076	214	0	L ENGINE APPLIANCE EXHAUST	1	5
1077	215	0	L ENGINE POWER SHAFT	1	100
1078	207	0	R ENGINE COMPRESSION SECTION	1	20
1079	207	0	R ENGINE COMPRESSION SECTION	1	20
1080	208	0	R ENGINE COMBUSTION SECTION	1	20
1081	208	0	R ENGINE COMBUSTION SECTION	1	20
1082	209	0	R ENGINE POWER SECTION	1	20
1083	209	0	R ENGINE POWER SECTION	1	20
1084	209	0	R ENGINE POWER SECTION	1	20
1085	210	0	R ENGINE EXHAUST SECTION	1	20

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1086	211	0	R ENGINE FUEL RING	1	20
1087	212	0	R ENGINE FUEL PUMP	1	20
1088	212	0	R ENGINE FUEL PUMP	1	20
1089	212	0	R ENGINE FUEL PUMP	1	20
108C	213	0	R ENGINE APPLIANCE	1	20
1091	213	0	R ENGINE APPLIANCE	1	20
1092	214	0	R ENGINE APPLIANCE EXHAUST	1	5
1093	214	0	R ENGINE APPLIANCE EXHAUST	1	5
1094	215	0	R ENGINE POWER SHAFT	1	100
1095	216	0	L INPUT GEAR BOX	1	50
1096	216	0	L INPUT GEAR BOX	1	50
1097	216	0	L INPUT GEAR BOX	1	50
1098	216	0	L INPUT GEAR BOX	1	50
1099	216	0	L INPUT GEAR BOX	1	50
1100	216	0	L INPUT GEAR BOX	1	50
1101	216	0	L INPUT GEAR BOX	1	50
1102	216	0	L INPUT GEAR BOX	1	50
1103	216	0	L INPUT GEAR BOX	1	50
1104	217	0	L DRIVE FOR GENERATOR	1	50
1105	234	0	L GENERATOR	7	50
110B	234	0	L GENERATOR	7	50
1107	429	0	L DRIVE FOR HYDRAULIC PUMP	1	50
110A	430	0	L HYDRAULIC PUMP (INPUT)	1	50
1109	212	0	R INPUT GEAR BOX	1	50
111C	212	0	R INPUT GEAR BOX	1	50
1111	212	0	R INPUT GEAR BOX	1	50
1112	212	0	R INPUT GEAR BOX	1	50
1113	216	0	R INPUT GEAR BOX	1	50
1114	216	0	R INPUT GEAR BOX	1	50
1115	216	0	R INPUT GEAR BOX	1	50
1116	216	0	R INPUT GEAR BOX	1	50

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1117	216	0	R INPUT GEAR BOX	1	50
1118	217	0	R DRIVE FOR GENERATOR	1	50
1119	234	0	R GENERATOR	7	50
1120	234	0	R GENERATOR	7	50
1121	429	0	R DRIVE FOR HYDRAULIC	1	50
1122	430	0	R HYDRAULIC PUMP (INPUT)	1	50
1123	218	0	TRANSMISSION	1	50
1124	218	0	TRANSMISSION	1	50
1125	219	0	TRANSMISSION PAN	2	30
1126	219	0	TRANSMISSION PAN	2	30
1127	219	0	TRANSMISSION PAN	2	30
1128	220	0	TRANSMISSION OUTPUT SHAFT	1	100
1129	221	0	MAIN ROTOR SWASH PLATE	5	5
1130	629	0	MAIN ROTOR BLADE HUB	5	5
1131	222	0	MAIN ROTOR BIFILAR ABSORBER HUB	5	50
1132	222	0	MAIN ROTOR BIFILAR ABSORBER ARM	5	50
1133	223	0	MAIN ROTOR BIFILAR ABSORBER WT	1	100
1134	629	0	MAIN ROTOR CONTROL ARM, LOWER	5	50
1135	630	0	MAIN ROTOR CONTROL ROD END	5	50
1136	631	0	MAIN ROTOR CONTROL ROD	5	50
1137	630	0	MAIN ROTOR CONTROL ROD END	5	50
1138	632	0	MAIN ROTOR CONTROL ARM, UPPER	5	50
1139	632	0	MAIN ROTOR CONTROL ARM, UPPER	5	50
1140	632	0	MAIN ROTOR CONTROL ARM, UPPER	5	50
1141	221	0	MAIN ROTOR HUB ARM	5	50
1142	221	0	MAIN ROTOR HUB ARM	5	50
1143	224	0	MAIN ROTOR ARM	5	60
1144	224	0	MAIN ROTOR ARM	5	60
1145	225	0	MAIN ROTOR HINGE	5	60
1146	226	0	MAIN ROTOR BLADE ATTACHMENT	5	60
1147	810	0	MAIN ROTOR BLADE FRONT EDGE	27	100

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1148	810	C	MAIN ROTOR BLADE FRONT EDGE	27	100
1149	811	0	MAIN ROTOR BLADE FRONT EDGE,TIP	7	100
115C	812	C	MAIN ROTOR BLADE SPAR AREA	9	100
1151	813	C	MAIN ROTOR BLADE TRAILING EDGE	26	50
1152	813	0	MAIN ROTOR BLADE TRAILING EDGE	26	50
1153	814	0	MAIN ROTOR BLADE TIP AREA	26	50
1154	815	0	MAIN ROTOR BLADE TRAILNG EDGE,TIP	26	50
1155	815	0	MAIN ROTOR BLADE TRAILNG EDGE,TIP	26	50
1156	222	0	MAIN ROTOR BIFILAR ABSORBER ARM	5	50
1157	223	0	MAIN ROTOR BIFILAR ABSORBER WT	1	100
1158	629	0	MAIN ROTOR CONTROL ARM, LOWER	5	50
1159	630	0	MAIN ROTOR CONTROL ROD END	5	50
116C	631	0	MAIN ROTOR CONTROL ROD	5	50
1161	630	0	MAIN ROTOR CONTROL ROD END	5	50
1162	632	0	MAIN ROTOR CONTROL ARM, UPPER	5	50
1163	632	0	MAIN ROTOR CONTROL ARM, UPPER	5	50
1164	632	0	MAIN ROTOR CONTROL ARM, UPPER	5	50
1165	221	0	MAIN ROTOR HUB ARM	5	50
1166	221	0	MAIN ROTOR HUB ARM	5	50
1167	224	0	MAIN ROTOR ARM	5	60
1168	224	0	MAIN ROTOR ARM	5	60
1169	225	0	MAIN ROTOR HINGE	5	60
117C	226	0	MAIN ROTOR BLADE ATTACHMENT	5	60
1171	810	0	MAIN ROTOR BLADE FRONT EDGE	27	100
1172	810	0	MAIN ROTOR BLADE FRONT EDGE	27	100
1173	811	0	MAIN ROTOR BLADE FRONT EDGE,TIP	7	100
1174	812	0	MAIN ROTOR BLADE SPAR AREA	9	100
1175	813	0	MAIN ROTOR BLADE TRAILING EDGE	26	50
1176	813	0	MAIN ROTOR BLADE TRAILING EDGE	26	50
1177	814	0	MAIN ROTOR BLADE TIP AREA	26	50
1178	815	0	MAIN ROTOR BLADE TRAILNG EDGE,TIP	26	50

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1179	815	0	MAIN ROTOR BLADE TRAILNG EDGE,TIP	26	50
1180	222	0	MAIN ROTOR BIFILAR ABSORBER ARM	5	50
1181	223	0	MAIN ROTOR BIFILAR ABSORBER WT	1	100
1182	629	0	MAIN ROTOR CONTROL ARM, LOWER	5	50
1183	630	0	MAIN ROTOR CONTROL ROD END	5	50
1184	631	0	MAIN ROTOR CONTROL ROD	5	50
1185	630	0	MAIN ROTOR CONTROL ROD END	5	50
1186	632	0	MAIN ROTOR CONTROL ARM, UPPER	5	50
1187	632	0	MAIN ROTOR CONTROL ARM, UPPER	5	50
1188	632	0	MAIN ROTOR CONTROL ARM, UPPER	5	50
1189	221	0	MAIN ROTOR HUB ARM	5	50
1190	221	0	MAIN ROTOR HUB ARM	5	50
1191	224	0	MAIN ROTOR ARM	5	60
1192	224	0	MAIN ROTOR ARM	5	60
1193	225	0	MAIN ROTOR HINGE	5	60
1194	226	0	MAIN ROTOR BLADE ATTACHMENT	5	60
1195	810	0	MAIN ROTOR BLADE FRONT EDGE	27	100
1196	810	0	MAIN ROTOR BLADE FRONT EDGE	27	100
1197	811	0	MAIN ROTOR BLADE FRONT EDGE,TIP	7	100
1198	812	0	MAIN ROTOR BLADE SPAR AREA	9	100
1199	813	0	MAIN ROTOR BLADE TRAILING EDGE	26	50
1200	813	0	MAIN ROTOR BLADE TRAILING EDGE	26	50
1201	814	0	MAIN ROTOR BLADE TIP AREA	26	50
1202	815	0	MAIN ROTOR BLADE TRAILNG EDGE,TIP	26	50
1203	815	0	MAIN ROTOR BLADE TRAILNG EDGE,TIP	26	50
1204	222	0	MAIN ROTOR BIFILAR ABSORBER ARM	5	50
1205	223	0	MAIN ROTOR BIFILAR ABSORBER WT	1	100
1206	629	0	MAIN ROTOR CONTROL ARM, LOWER	5	50
1207	630	0	MAIN ROTOR CONTROL ROD END	5	50
1208	631	0	MAIN ROTOR CONTROL ROD	5	50
1209	630	0	MAIN ROTOR CONTROL ROD END	5	50

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIP CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1210	632	0	MAIN ROTOR CONTROL ARM, UPPER	5	50
1211	632	0	MAIN ROTOR CONTROL ARM, UPPER	5	50
1212	632	0	MAIN ROTOR CONTROL ARM, UPPER	5	50
1213	221	0	MAIN ROTOR HUB ARM	5	50
1214	221	0	MAIN ROTOR HUB ARM	5	50
1215	224	0	MAIN ROTOR ARM	5	60
1216	224	0	MAIN ROTOR ARM	5	60
1217	225	0	MAIN ROTOR HINGE	5	60
1218	226	0	MAIN ROTOR BLADE ATTACHMENT	5	60
1219	810	0	MAIN ROTOR BLADE FRONT EDGE	27	100
1220	810	0	MAIN ROTOR BLADE FRONT EDGE	27	100
1221	811	0	MAIN ROTOR BLADE FRONT EDGE,TIP	7	100
1222	812	0	MAIN ROTOR BLADE SPAR AREA	9	100
1223	813	0	MAIN ROTOR BLADE TRAILING EDGE	26	50
1224	813	0	MAIN ROTOR BLADE TRAILING EDGE	26	50
1225	814	0	MAIN ROTOR BLADE TIP AREA	26	50
1226	815	0	MAIN ROTOR BLADE TRAILNG EDGE,TIP	26	50
1227	815	0	MAIN ROTOR BLADE TRAILNG EDGE,TIP	26	50
1228	451	0	TRANSMISSION OIL COOLER	5	30
1229	451	0	TRANSMISSION OIL COOLER	5	30
1230	451	0	TRANSMISSION OIL COOLER	5	30
1231	229	0	TAIL ROTOR DRIVE SHAFT THRU COOLER	5	50
1232	230	0	TR DRIVE SHFT TO COOLER-TRANS OUT	5	50
1233	231	0	TR DRIVE SHFT TO COOLER-COUPLING	5	50
1234	231	0	TR DRIVE SHFT TO COOLER-COUPLING	5	50
1235	231	0	TR DRIVE SHFT TO COOLER-COUPLING	5	50
1236	232	0	TR DRIVE SHFT TO COOLER	5	50
1237	231	0	TR DRIVE SHFT TO COOLER-COUPLING	5	50
1238	231	0	TR DRIVE SHFT TO COOLER-COUPLING	5	50
1239	231	0	TR DRIVE SHFT TO COOLER-COUPLING	5	50
1240	200	0	TAIL ROTOR DRIVE SHAFT CONNECTOR	5	50

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1241	200	0	TAIL ROTOR DRIVE SHAFT CONNECTOR	5	50
1242	201	0	TAIL ROTOR DRIVE SHAFT END	5	50
1243	202	0	TAIL ROTOR DRIVE SHAFT	5	20
1244	201	0	TAIL ROTOR DRIVE SHAFT END	5	50
1245	201	0	TAIL ROTOR DRIVE SHAFT END	5	50
1246	201	0	TAIL ROTOR DRIVE SHAFT END	5	50
1247	203	0	TAIL ROTOR DRIVE SHAFT BEARING	5	50
1248	200	0	TAIL ROTOR DRIVE SHAFT CONNECTOR	5	50
1249	200	0	TAIL ROTOR DRIVE SHAFT CONNECTOR	5	50
1250	201	0	TAIL ROTOR DRIVE SHAFT END	5	50
1251	202	0	TAIL ROTOR DRIVE SHAFT	5	20
1252	201	0	TAIL ROTOR DRIVE SHAFT END	5	50
1253	201	0	TAIL ROTOR DRIVE SHAFT END	5	50
1254	201	0	TAIL ROTOR DRIVE SHAFT END	5	50
1255	203	0	TAIL ROTOR DRIVE SHAFT BEARING	5	50
1256	200	0	TAIL ROTOR DRIVE SHAFT CONNECTOR	5	50
1257	200	0	TAIL ROTOR DRIVE SHAFT CONNECTOR	5	50
1258	201	0	TAIL ROTOR DRIVE SHAFT END	5	50
1259	202	0	TAIL ROTOR DRIVE SHAFT	5	20
1260	201	0	TAIL ROTOR DRIVE SHAFT END	5	50
1261	201	0	TAIL ROTOR DRIVE SHAFT END	5	50
1262	201	0	TAIL ROTOR DRIVE SHAFT END	5	50
1263	203	0	TAIL ROTOR DRIVE SHAFT BEARING	5	50
1264	200	0	TAIL ROTOR DRIVE SHAFT CONNECTOR	5	50
1265	200	0	TAIL ROTOR DRIVE SHAFT CONNECTOR	5	50
1266	201	0	TAIL ROTOR DRIVE SHAFT END	5	50
1267	202	0	TAIL ROTOR DRIVE SHAFT	5	20
1268	201	0	TAIL ROTOR DRIVE SHAFT END	5	50
1269	201	0	TAIL ROTOR DRIVE SHAFT END	5	50
1270	201	0	TAIL ROTOR DRIVE SHAFT END	5	50
1271	201	0	TAIL ROTOR DRIVE SHAFT END	5	50

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1272	201	0	TAIL ROTOR DRIVE SHAFT END	5	50
1273	204	0	45 DEGREE GEAR BOX	5	50
1274	204	0	45 DEGREE GEAR BOX	5	50
1275	204	0	45 DEGREE GEAR BOX	5	50
1276	204	0	45 DEGREE GEAR BOX	5	50
1277	204	0	45 DEGREE GEAR BOX	5	50
1278	204	0	45 DEGREE GEAR BOX	5	50
1279	204	0	45 DEGREE GEAR BOX	5	50
1280	205	0	TAIL ROTOR DRIVE SHAFT END	5	50
1281	205	0	TAIL ROTOR DRIVE SHAFT END	5	50
1282	205	0	TAIL ROTOR DRIVE SHAFT END	5	50
1283	205	0	TAIL ROTOR DRIVE SHAFT END	5	50
1284	206	0	TAIL ROTOR DRIVE SHAFT	5	20
1285	205	0	TAIL ROTOR DRIVE SHAFT END	5	50
1286	205	0	TAIL ROTOR DRIVE SHAFT END	5	50
1287	205	0	TAIL ROTOR DRIVE SHAFT END	5	50
1288	205	0	TAIL ROTOR DRIVE SHAFT END	5	50
1289	206	0	TAIL ROTOR FINAL DRIVE	5	50
1290	206	0	TAIL ROTOR FINAL DRIVE	5	50
1291	206	0	TAIL ROTOR FINAL DRIVE	5	50
1292	206	0	TAIL ROTOR FINAL DRIVE	5	50
1293	206	0	TAIL ROTOR FINAL DRIVE	5	50
1294	206	0	TAIL ROTOR FINAL DRIVE	5	50
1295	227	0	TAIL ROTOR AXLE	1	100
1296	228	0	TAIL ROTOR BLADE HUB	5	80
1297	633	0	TAIL ROTOR CONTROL LEVER	5	20
1298	634	0	TAIL ROTOR CONTROL ROD END	5	20
1299	635	0	TAIL ROTOR CONTROL ROD	5	20
1300	634	0	TAIL ROTOR CONTROL ROD END	5	20
1301	636	0	TAIL ROTOR CONTROL LEVER	5	20
1302	636	0	TAIL ROTOR CONTROL LEVER	5	20

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	PCT
1303	228	0	TAIL ROTOR BLADE HUB	5	80
1304	816	0	TAIL ROTOR BLADE SPAR	37	100
1305	816	0	TAIL ROTOR BLADE SPAR	37	100
1306	816	0	TAIL ROTOR BLADE SPAR	37	100
1307	817	0	TAIL ROTOR BLADE ROOT	5	10
1308	817	0	TAIL ROTOR BLADE ROOT	5	10
1309	818	0	TAIL ROTOR BLADE LEADING EDGE	27	100
1310	819	0	TAIL ROTOR BLADE TRAILING EDGE	26	50
1311	819	0	TAIL ROTOR BLADE TRAILING EDGE	26	50
1312	818	0	TAIL ROTOR BLADE LEADING EDGE	27	100
1313	819	0	TAIL ROTOR BLADE TRAILING EDGE	26	50
1314	819	0	TAIL ROTOR BLADE TRAILING EDGE	26	50
1315	818	0	TAIL ROTOR BLADE LEADING EDGE	27	100
1316	819	0	TAIL ROTOR BLADE TRAILING EDGE	26	50
1317	820	0	TAIL ROTOR BLADE TIP	26	50
1318	0	0	DUMMY		
1319	820	0	TAIL ROTOR BLADE TIP	26	50
1320	633	0	TAIL ROTOR CONTROL LEVER	5	20
1321	634	0	TAIL ROTOR CONTROL ROD END	5	20
1322	635	0	TAIL ROTOR CONTROL ROD	5	20
1323	634	0	TAIL ROTOR CONTROL ROD END	5	20
1324	636	0	TAIL ROTOR CONTROL LEVER	5	20
1325	636	0	TAIL ROTOR CONTROL LEVER	5	20
1326	228	0	TAIL ROTOR BLADE HUB	5	80
1327	816	0	TAIL ROTOR BLADE SPAR	37	100
1328	816	0	TAIL ROTOR BLADE SPAR	37	100
1329	816	0	TAIL ROTOR BLADE SPAR	37	100
1330	817	0	TAIL ROTOR BLADE ROOT	5	10
1331	817	0	TAIL ROTOR BLADE ROOT	5	10
1332	818	0	TAIL ROTOR BLADE LEADING EDGE	27	100
1333	819	0	TAIL ROTOR BLADE TRAILING EDGE	26	50

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1334	819	0	TAIL ROTOR BLADE TRAILING EDGE	26	50
1335	818	0	TAIL ROTOR BLADE LEADING EDGE	27	100
1336	819	0	TAIL ROTOR BLADE TRAILING EDGE	26	50
1337	819	0	TAIL ROTOR BLADE TRAILING EDGE	26	50
1338	818	0	TAIL ROTOR BLADE LEADING EDGE	27	100
1339	819	0	TAIL ROTOR BLADE TRAILING EDGE	26	50
1340	820	0	TAIL ROTOR BLADE TIP	26	50
1341	0	0	DUMMY		
1342	820	0	TAIL ROTOR BLADE TIP	26	50
1343	633	0	TAIL ROTOR CONTROL LEVER	5	20
1344	634	0	TAIL ROTOR CONTROL ROD END	5	20
1345	635	0	TAIL ROTOR CONTROL ROD	5	20
1346	634	0	TAIL ROTOR CONTROL ROD END	5	20
1347	636	0	TAIL ROTOR CONTROL LEVER	5	20
1348	636	0	TAIL ROTOR CONTROL LEVER	5	20
1349	228	0	TAIL ROTOR BLADE HUB	5	80
1350	816	0	TAIL ROTOR BLADE SPAR	37	100
1351	816	0	TAIL ROTOR BLADE SPAR	37	100
1352	816	0	TAIL ROTOR BLADE SPAR	37	100
1353	817	0	TAIL ROTOR BLADE ROOT	5	10
1354	817	0	TAIL ROTOR BLADE ROOT	5	10
1355	818	0	TAIL ROTOR BLADE LEADING EDGE	27	100
1356	819	0	TAIL ROTOR BLADE TRAILING EDGE	26	50
1357	819	0	TAIL ROTOR BLADE TRAILING EDGE	26	50
1358	818	0	TAIL ROTOR BLADE LEADING EDGE	27	100
1359	819	0	TAIL ROTOR BLADE TRAILING EDGE	26	50
1360	819	0	TAIL ROTOR BLADE TRAILING EDGE	26	50
1361	818	0	TAIL ROTOR BLADE LEADING EDGE	27	100
1362	819	0	TAIL ROTOR BLADE TRAILING EDGE	26	50
1363	820	0	TAIL ROTOR BLADE TIP	26	50
1364	0	0	DUMMY		

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1365	F2C	C	TAIL ROTOR BLADE TIP	26	50
1366	633	0	TAIL ROTOR CONTROL LEVER	5	20
1367	634	0	TAIL ROTOR CONTROL ROD END	5	20
1368	635	0	TAIL ROTOR CONTROL ROD	5	20
1369	634	0	TAIL ROTOR CONTROL ROD END	5	20
1370	636	0	TAIL ROTOR CONTROL LEVER	5	20
1371	636	0	TAIL ROTOR CONTROL LEVER	5	20
1372	228	0	TAIL ROTOR BLADE HUB	5	80
1373	816	0	TAIL ROTOR BLADE SPAR	37	100
1374	816	0	TAIL ROTOR BLADE SPAR	37	100
1375	816	0	TAIL ROTOR BLADE SPAR	37	100
1376	817	0	TAIL ROTOR BLADE ROOT	5	10
1377	817	0	TAIL ROTOR BLADE ROOT	5	10
1378	818	0	TAIL ROTOR BLADE LEADING EDGE	27	100
1379	819	0	TAIL ROTOR BLADE TRAILING EDGE	26	50
1380	819	0	TAIL ROTOR BLADE TRAILING EDGE	26	50
1381	818	0	TAIL ROTOR BLADE LEADING EDGE	27	100
1382	819	0	TAIL ROTOR BLADE TRAILING EDGE	26	50
1383	819	0	TAIL ROTOR BLADE TRAILING EDGE	26	50
1384	F18	0	TAIL ROTOR BLADE LEADING EDGE	27	100
1385	F19	0	TAIL ROTOR BLADE TRAILING EDGE	26	50
1386	F2C	0	TAIL ROTOR BLADE TIP	26	50
1387	C	C	DUMMY		
1388	F2C	0	TAIL ROTOR BLADE TIP	26	50
1389	C	C	DUMMY		
1390	551	0	L COLLECTIVE CONTROL STICK MOUNT	5	20
1391	551	0	L COLLECTIVE CONTROL STICK AXLE	5	20
1392	552	0	L COLLECTIVE CONTROL STICK	5	20
1393	552	0	L COLLECTIVE CONTROL STICK	5	20
1394	553	0	L COLLECTIVE CONTROL STICK HANDLE	5	20
1395	554	0	L COLLECTIVE CONTROL LEVER	5	20

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1396	555	0	L COLLECTIVE CONTROL LINKAGE	5	20
1397	551	0	L COLLECTIVE CONTROL LINKAGE MOUNT	5	20
1398	554	0	L COLLECTIVE CONTROL LEVER	5	20
1399	556	0	L COLLECTIVE CONTROL ROD END	5	20
1400	557	0	L COLLECTIVE CONTROL ROD	1	10
1401	556	0	L COLLECTIVE CONTROL ROD END	5	20
1402	554	0	L COLLECTIVE CONTROL LEVER	5	20
1403	554	0	L COLLECTIVE CONTROL LEVER	5	20
1404	556	0	L COLLECTIVE CONTROL ROD END	5	20
1405	557	0	L COLLECTIVE CONTROL ROD	11	10
1406	556	0	L COLLECTIVE CONTROL ROD END	5	20
1407	554	0	COLLECTIVE CONTROL LEVER	5	20
1408	558	0	COLLECTIVE CONTROL AXLE (THRU TOP)	5	20
1409	554	0	COLLECTIVE CONTROL LEVER	5	20
1410	556	0	COLLECTIVE CONTROL ROD END	5	20
1411	557	0	COLLECTIVE CONTROL ROD	11	10
1412	556	0	COLLECTIVE CONTROL ROD END SERVO	5	20
1413	551	0	R COLLECTIVE CONTROL STICK MOUNT	5	20
1414	552	0	R COLLECTIVE CONTROL STICK	5	20
1415	552	0	R COLLECTIVE CONTROL STICK	5	20
1416	553	0	R COLLECTIVE CONTROL STICK HANDLE	5	20
1417	554	0	R COLLECTIVE CONTROL LEVER	5	20
1418	554	0	R COLLECTIVE CONTROL LEVER	5	20
1419	551	0	R COLLECTIVE CONTROL LEVER MOUNT	5	20
1420	556	0	R COLLECTIVE CONTROL ROD END	5	20
1421	557	0	R COLLECTIVE CONTROL ROD	11	10
1422	556	0	R COLLECTIVE CONTROL ROD END	5	20
1423	554	0	R COLLECTIVE CONTROL LEVER	5	20
1424	551	0	R COLLECTIVE CONTROL LEVER AXLE	5	20
1425	554	0	R COLLECTIVE CONTROL LEVER	5	20
1426	551	0	R COLLECTIVE CONTROL LEVER MOUNT	5	20

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1427	551	0	R COLLECTIVE CONTROL LEVER MOUNT	5	20
1428	556	0	R COLLECTIVE CONTROL ROD END	5	20
1429	557	0	R COLLECTIVE CONTROL ROD	11	10
1430	556	0	R COLLECTIVE CONTROL ROD END	5	20
1431	554	0	R COLLECTIVE CONTROL LEVER	5	20
1432	554	0	R COLLECTIVE CONTROL LEVER	5	20
1433	556	0	R COLLECTIVE CONTROL ROD END	5	20
1434	557	0	R COLLECTIVE CONTROL ROD	11	10
1435	556	0	R COLLECTIVE CONTROL ROD END	5	20
1436	559	0	L CYCLIC CTL STICK	5	20
1437	559	0	L CYCLIC CTL STICK	5	20
1438	0	0	DUMMY		
1439	559	0	L CYCLIC CTL STICK	5	20
1440	560	0	L CYCLIC CTL STICK HANDLE	18	60
1441	561	0	L CYCLIC CTL STICK BASE	5	20
1442	562	0	L CYCLIC CTL LINKAGE BOX	5	20
1443	562	0	L CYCLIC CTL LINKAGE BOX	5	20
1444	564	0	L CYCLIC CTL STICK BASE MOUNT	5	30
1445	564	0	L CYCLIC CTL STICK BASE MOUNT	5	30
1446	563	0	L CYCLIC CTL LINKAGE	5	30
1447	563	0	L CYCLIC CTL LINKAGE	5	30
1448	563	0	L CYCLIC CTL LINKAGE	5	30
1449	563	0	L CYCLIC CTL LINKAGE	5	30
1450	563	0	CYCLIC CTL LINKAGE	5	30
1451	564	0	CYCLIC CTL LINKAGE MOUNT	5	30
1452	563	0	L CYCLIC CTL LINKAGE	5	30
1453	563	0	L CYCLIC CTL LINKAGE	5	30
1454	563	0	L CYCLIC CTL LINKAGE	5	30
1455	565	0	L CYCLIC CTL LINKAGE END	5	30
1456	563	0	L CYCLIC CTL LINKAGE	5	30
1457	563	0	L CYCLIC CTL LINKAGE	5	30

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1458	563	0	L CYCLIC CTL LINKAGE	5	30
1459	564	0	L CYCLIC CTL LINKAGE MOUNT	5	30
1460	559	0	R CYCLIC CTL STICK	5	20
1461	559	0	R CYCLIC CTL STICK	5	20
1462	0	0	DUMMY		
1463	559	0	R CYCLIC CTL STICK	5	20
1464	560	0	R CYCLIC CTL STICK HANDLE	18	60
1465	561	0	R CYCLIC CTL STICK BASE	5	20
1466	562	0	R CYCLIC CTL LINKAGE BOX	5	20
1467	562	0	R CYCLIC CTL LINKAGE BOX	5	20
1468	564	0	R CYCLIC CTL STICK BASE MOUNT	5	30
1469	564	0	R CYCLIC CTL STICK BASE MOUNT	5	30
1470	563	0	R CYCLIC CTL LINKAGE	5	30
1471	563	0	R CYCLIC CTL LINKAGE	5	30
1472	563	0	R CYCLIC CTL LINKAGE	5	30
1473	563	0	R CYCLIC CTL LINKAGE	5	30
1474	563	0	R CYCLIC CTL LINKAGE	5	30
1475	564	0	R CYCLIC CTL LINKAGE MOUNT	5	30
1476	563	0	R CYCLIC CTL LINKAGE	5	30
1477	563	0	R CYCLIC CTL LINKAGE	5	30
1478	563	0	R CYCLIC CTL LINKAGE	5	30
1479	565	0	R CYCLIC CTL LINKAGE END	5	30
1480	563	0	R CYCLIC CTL LINKAGE	5	30
1481	563	0	R CYCLIC CTL LINKAGE	5	30
1482	563	0	R CYCLIC CTL LINKAGE	5	30
1483	564	0	R CYCLIC CTL LINKAGE MOUNT	5	30
1484	566	0	L CYCLIC CONTROL ROD END	5	20
1485	567	0	L CYCLIC CONTROL ROD	11	10
1486	566	0	L CYCLIC CONTROL ROD END	5	20
1487	558	0	L CYCLIC CONTROL ROD LEVER, LOWER	5	30
1488	569	0	L CYCLIC CONTROL ROD MOUNT, LOWER	5	5

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1489	566	0	L CYCLIC CONTROL ROD END	5	20
1490	567	0	L CYCLIC CONTROL ROD	11	10
1491	566	0	L CYCLIC CONTROL ROD END	5	20
1492	568	0	L CYCLIC CONTROL ROD LEVER, UPPER	5	30
1493	568	0	L CYCLIC CONTROL ROD LEVER, UPPER	5	30
1494	566	0	L CYCLIC CONTROL ROD END	5	20
1495	567	0	L CYCLIC CONTROL ROD	11	10
1496	566	0	L CYCLIC CONTROL ROD END	5	20
1497	568	0	CYCLIC CONTROL ROD LEVER, TOP	5	30
1498	570	0	CYCLIC CONTROL ROD AXLE THRU TOP	5	100
1499	568	0	CYCLIC CONTROL ROD LEVER, TOP	5	30
1500	566	0	CYCLIC CONTROL ROD END	5	20
1501	567	0	CYCLIC CONTROL ROD	11	10
1502	571	0	CYCLIC CONTROL ROD TO SERVO	5	50
1503	566	0	L CYCLIC CONTROL ROD END	5	20
1504	567	0	L CYCLIC CONTROL ROD	11	10
1505	566	0	L CYCLIC CONTROL ROD END	5	20
1506	568	0	L CYCLIC CONTROL ROD LEVER, LOWER	5	30
1507	569	0	L CYCLIC CONTROL ROD MOUNT, LOWER	5	5
1508	566	0	L CYCLIC CONTROL ROD END	5	20
1509	567	0	L CYCLIC CONTROL ROD	11	10
1510	566	0	L CYCLIC CONTROL ROD END	5	20
1511	568	0	L CYCLIC CONTROL ROD LEVER, UPPER	5	30
1512	568	0	L CYCLIC CONTROL ROD LEVER, UPPER	5	30
1513	566	0	L CYCLIC CONTROL ROD END	5	20
1514	567	0	L CYCLIC CONTROL ROD	11	10
1515	566	0	L CYCLIC CONTROL ROD END	5	20
1516	568	0	CYCLIC CONTROL ROD LEVER, TOP	5	30
1517	570	0	CYCLIC CONTROL ROD AXLE THRU TOP	5	100
1518	568	0	CYCLIC CONTROL ROD LEVER, TOP	5	30
1519	566	0	CYCLIC CONTROL ROD END	5	20

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1520	567	0	CYCLIC CONTROL ROD	11	10
1521	571	0	CYCLIC CONTRCL ROD TO SERVO	5	50
1522	572	0	CYCLIC CONTROL TO TRIM LEVER	5	30
1523	573	0	CYCLIC CONTROL TO TRIM ROD END	5	20
1524	574	0	CYCLIC CONTROL TO TRIM ROD	11	10
1525	573	0	CYCLIC CONTROL TO TRIM ROD END	5	20
1526	572	C	CYCLIC CONTROL TO TRIM LEVER	5	30
1527	575	0	CYCLIC CONTROL TO TRIM SHAFT	5	50
1528	576	0	CYCLIC CONTROL TRIM	5	20
1529	566	0	R CYCLIC CONTROL ROD END	5	20
1530	567	0	R CYCLIC CONTROL ROD	11	10
1531	566	0	R CYCLIC CONTROL ROD END	5	20
1532	568	0	R CYCLIC CONTROL ROD LEVER, LOWER	5	30
1533	569	C	R CYCLIC CONTROL ROD MOUNT, LOWER	5	5
1534	566	0	R CYCLIC CONTROL ROD END	5	20
1535	567	0	R CYCLIC CONTROL ROD	11	10
1536	566	0	R CYCLIC CONTROL ROD END	5	20
1537	566	0	R CYCLIC CONTROL ROD LEVER, UPPER	5	30
1538	568	0	R CYCLIC CONTROL ROD LEVER, UPPER	5	30
1539	566	C	R CYCLIC CONTROL ROD END	5	20
1540	567	0	R CYCLIC CONTROL ROD	11	10
1541	566	0	R CYCLIC CONTROL ROD END	5	20
1542	566	0	R CYCLIC CONTROL ROD END	5	20
1543	567	0	R CYCLIC CONTROL ROD	11	10
1544	566	0	R CYCLIC CONTROL ROD END	5	20
1545	568	0	R CYCLIC CONTROL ROD LEVER, LOWER	5	30
1546	569	0	R CYCLIC CONTROL ROD MOUNT, LOWER	5	5
1547	566	0	R CYCLIC CONTROL ROD END	5	20
1548	567	0	R CYCLIC CONTROL ROD	11	10
1549	566	0	R CYCLIC CONTROL ROD END	5	20
1550	568	0	R CYCLIC CONTROL ROD LEVER, UPPER	5	30

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1551	568	0	R CYCLIC CONTROL ROD LEVER, UPPER	5	30
1552	566	0	R CYCLIC CONTROL ROD END	5	20
1553	567	0	R CYCLIC CONTROL ROD	11	10
1554	566	0	R CYCLIC CONTROL ROD END	5	20
1555	577	0	L DIRECTIONAL CTL L FOOT PEDAL	5	20
1556	578	0	L DIRECTIONAL CTL L MOUNT ARM	5	20
1557	578	0	L DIRECTIONAL CTL L MOUNT ARM	5	20
1558	579	0	L DIRECTIONAL CTL L MOUNT	5	20
1559	580	0	L DIRECTIONAL CTL L HYD ARM	5	90
1560	580	0	L DIRECTIONAL CTL L HYD ARM ROD	5	90
1561	581	0	L DIRECTIONAL CTL L HYDRAULIC CYL	5	50
1562	582	0	L DIRECTIONAL CTL L LINKAGE	5	20
1563	577	0	L DIRECTIONAL CTL R FOOT PEDAL	5	20
1564	578	0	L DIRECTIONAL CTL R MOUNT ARM	5	20
1565	578	0	L DIRECTIONAL CTL R MOUNT ARM	5	20
1566	579	0	L DIRECTIONAL CTL R MOUNT	5	20
1567	580	0	L DIRECTIONAL CTL R HYD ARM	5	90
1568	580	0	L DIRECTIONAL CTL R HYD ARM ROD	5	90
1569	581	0	L DIRECTIONAL CTL R HYDRAULIC CYL	5	50
1570	582	0	L DIRECTIONAL CTL R LINKAGE	5	20
1571	583	0	L DIRECTIONAL CTL LEVER	5	20
1572	584	0	L DIRECTIONAL CTL LEVER MNT ROD	5	20
1573	583	0	L DIRECTIONAL CTL LEVER	5	20
1574	585	0	L DIRECTIONAL CTL ROD END	5	20
1575	586	0	L DIRECTIONAL CTL ROD	11	10
1576	585	0	L DIRECTIONAL CTL ROD END	5	20
1577	583	0	L DIRECTIONAL CTL LEVER	5	20
1578	584	0	L DIRECTIONAL CTL LEVER MNT ROD	5	20
1579	585	0	L DIRECTIONAL CTL ROD END	5	20
1580	586	0	L DIRECTIONAL CTL ROD	11	10
1581	585	0	L DIRECTIONAL CTL ROD END	5	20

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1582	583	0	L DIRECTIONAL CTL LEVER	5	20
1583	584	0	L DIRECTIONAL CTL LEVER MOUNT	5	20
1584	585	0	L DIRECTIONAL CTL ROD END	5	20
1585	586	0	L DIRECTIONAL CTL ROD	11	10
1586	585	0	L DIRECTIONAL CTL ROD END	5	20
1587	583	0	L DIRECTIONAL CTL LEVER (UPPER)	5	20
1588	583	0	L DIRECTIONAL CTL LEVER (UPPER)	5	20
1589	585	0	L DIRECTIONAL CTL ROD END	5	20
1590	586	0	L DIRECTIONAL CTL ROD	11	10
1591	585	0	L DIRECTIONAL CTL ROD END	5	20
1592	583	0	DIRECTIONAL CTL LEVER (TOP)	5	20
1593	584	0	DIRECTIONAL CTL AXLE (THRU TOP)	5	20
1594	583	0	DIRECTIONAL CTL LEVER (TOP)	5	20
1595	585	0	DIRECTIONAL CTL ROD END	5	20
1596	586	0	DIRECTIONAL CTL ROD	11	10
1597	587	0	DIRECTIONAL CTL ROD END TO SERVO	5	20
1598	588	0	L DIRECTIONAL CTL ROD TO TRIM	5	20
1599	588	0	L DIRECTIONAL CTL LEVER TO TRIM	5	20
1600	588	0	L DIRECTIONAL CTL AXLE TO TRIM	5	20
1601	589	0	DIRECTIONAL TRIM ACTUATOR	5	20
1602	577	0	R DIRECTIONAL CTL R FOOT PEDAL	5	20
1603	578	0	R DIRECTIONAL CTL R MOUNT ARM	5	20
1604	578	0	R DIRECTIONAL CTL R MOUNT ARM	5	20
1605	579	0	R DIRECTIONAL CTL R MOUNT	5	20
1606	580	0	R DIRECTIONAL CTL R HYD ARM	5	90
1607	580	0	R DIRECTIONAL CTL R HYD ARM ROD	5	90
1608	581	0	R DIRECTIONAL CTL R HYDRAULIC CYL	5	50
1609	582	0	R DIRECTIONAL CTL R LINKAGE	5	20
1610	577	0	R DIRECTIONAL CTL L FOOT PEDAL	5	20
1611	578	0	R DIRECTIONAL CTL L MOUNT ARM	5	20
1612	578	0	R DIRECTIONAL CTL L MOUNT ARM	5	20

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1613	579	0	R DIRECTIONAL CTL L MOUNT	5	20
1614	580	0	R DIRECTIONAL CTL L HYD ARM	5	90
1615	580	0	R DIRECTIONAL CTL L HYD ARM ROD	5	90
1616	581	0	R DIRECTIONAL CTL L HYDRAULIC CYL	5	50
1617	582	0	R DIRECTIONAL CTL L LINKAGE	5	20
1618	583	0	R DIRECTIONAL CTL LEVER	5	20
1619	584	0	R DIRECTIONAL CTL LEVER MNT ROD	5	20
1620	583	0	R DIRECTIONAL CTL LEVER	5	20
1621	585	0	R DIRECTIONAL CTL ROD END	5	20
1622	586	0	R DIRECTIONAL CTL ROD	11	10
1623	585	0	R DIRECTIONAL CTL ROD END	5	20
1624	583	0	R DIRECTIONAL CTL LEVER	5	20
1625	584	0	R DIRECTIONAL CTL LEVER MNT ROD	5	20
1626	585	0	R DIRECTIONAL CTL ROD END	5	20
1627	586	0	R DIRECTIONAL CTL ROD	11	10
1628	585	0	R DIRECTIONAL CTL ROD END	5	20
1629	583	0	R DIRECTIONAL CTL LEVER	5	20
1630	584	0	R DIRECTIONAL CTL LEVER MOUNT	5	20
1631	585	0	R DIRECTIONAL CTL ROD END	5	20
1632	586	0	R DIRECTIONAL CTL ROD	11	10
1633	585	0	R DIRECTIONAL CTL ROD END	5	20
1634	583	0	R DIRECTIONAL CTL LEVER (UPPER)	5	20
1635	583	0	R DIRECTIONAL CTL LEVER (UPPER)	5	20
1636	585	0	R DIRECTIONAL CTL ROD END	5	20
1637	586	0	R DIRECTIONAL CTL ROD	11	10
1638	585	0	R DIRECTIONAL CTL ROD END	5	20
1639	590	0	L UPPER LEVER AXLE	5	20
1640	591	0	L UPPER LEVER AXLE MOUNT	5	20
1641	591	0	L UPPER LEVER AXLE MOUNT	5	20
1642	590	0	R UPPER LEVER AXLE	5	20
1643	591	0	R UPPER LEVER AXLE MOUNT	5	20

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1644	591	0	R UPPER LEVER AXLE MOUNT	5	20
1645	592	0	DIRECTIONAL CONTROLS SERVO LEVER	5	20
1646	593	0	DIRECTIONAL CONTROLS SERVO	1	50
1647	593	0	DIRECTIONAL CONTROLS SERVO	1	50
1648	593	0	DIRECTIONAL CONTROLS SERVO	1	50
1649	594	0	DIRECTIONAL CONTROLS SERVO MOUNT	1	5
1650	593	0	DIRECTIONAL CONTROLS SERVO	1	50
1651	593	0	DIRECTIONAL CONTROLS SERVO	1	50
1652	592	0	DIRECTIONAL CONTROLS SERVO LEVER	5	20
1653	595	0	DIRECTIONAL LKGE TO TAIL ROTOR	5	20
1654	595	0	DIRECTIONAL LKGE TO TAIL ROTOR	5	20
1655	595	0	DIRECTIONAL LKGE TO TAIL ROTOR	5	20
1656	595	0	DIRECTIONAL LKGE TO TAIL ROTOR	5	20
1657	595	0	DIRECTIONAL LKGE TO TAIL ROTOR	5	20
1658	595	0	DIRECTIONAL LKGE TO TAIL ROTOR	5	20
1659	596	0	LINKAGE AXLE (DOGHOUSE)	5	100
1660	597	0	LINKAGE MOUNT (DOGHOUSE)	5	20
1661	597	0	LINKAGE MOUNT (DOGHOUSE)	5	20
1662	597	0	LINKAGE MOUNT (DOGHOUSE)	5	20
1663	597	0	LINKAGE MOUNT (DOGHOUSE)	5	20
1664	595	0	DIRECTIONAL LINKAGE TO TAIL	5	20
1665	595	0	DIRECTIONAL LINKAGE TO TAIL	5	20
1666	595	0	DIRECTIONAL LINKAGE TO TAIL	5	20
1667	595	0	DIRECTIONAL LINKAGE TO TAIL	5	20
1668	598	0	DIRECTIONAL LINKAGE ROD END-TAIL	5	20
1669	599	0	DIRECTIONAL LINKAGE ROD-TAIL	11	10
1670	598	0	DIRECTIONAL LINKAGE ROD END-TAIL	5	20
1671	600	0	DIRECTIONAL LINKAGE QUADRANT	5	5
1672	601	0	DIRECTIONAL CONTROL CABLE,LEFT	1	100
1673	601	0	DIRECTIONAL CONTROL CABLE,LEFT	1	100
1674	601	0	DIRECTIONAL CONTROL CABLE,LEFT	1	100

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1675	601	0	DIRECTIONAL CONTROL CABLE,LEFT	1	100
1676	601	0	DIRECTIONAL CONTROL CABLE,LEFT	1	100
1677	601	0	DIRECTIONAL CONTROL CABLE,LEFT	1	100
1678	601	0	DIRECTIONAL CONTROL CABLE,LEFT	1	100
1679	601	0	DIRECTIONAL CONTROL CABLE,LEFT	1	100
1680	602	0	DIRECTIONAL CONTROL CABLE,ROLLER,L	5	30
1681	602	0	DIRECTIONAL CONTROL CABLE,ROLLER,L	5	30
1682	602	0	DIRECTIONAL CONTROL CABLE,ROLLER,L	5	30
1683	602	0	DIRECTIONAL CONTROL CABLE,ROLLER,L	5	30
1684	602	0	DIRECTIONAL CONTROL CABLE,ROLLER,L	5	30
1685	602	0	DIRECTIONAL CONTROL CABLE,ROLLER,L	5	30
1686	602	0	DIRECTIONAL CONTROL CABLE,ROLLER,L	5	30
1687	601	0	DIRECTIONAL CONTROL CABLE,RIGHT	1	100
1688	601	0	DIRECTIONAL CONTROL CABLE,RIGHT	1	100
1689	601	0	DIRECTIONAL CONTROL CABLE,RIGHT	1	100
1690	601	0	DIRECTIONAL CONTROL CABLE,RIGHT	1	100
1691	601	0	DIRECTIONAL CONTROL CABLE,RIGHT	1	100
1692	601	0	DIRECTIONAL CONTROL CABLE,RIGHT	1	100
1693	601	0	DIRECTIONAL CONTROL CABLE,RIGHT	1	100
1694	601	0	DIRECTIONAL CONTROL CABLE,RIGHT	1	100
1695	601	0	DIRECTIONAL CONTROL CABLE,RIGHT	1	100
1696	601	0	DIRECTIONAL CONTROL CABLE,RIGHT	1	100
1697	602	0	DIRECTIONAL CONTROL CABLE,ROLLER,R	5	30
1698	602	0	DIRECTIONAL CONTROL CABLE,ROLLER,R	5	30
1699	602	0	DIRECTIONAL CONTROL CABLE,ROLLER,R	5	30
1700	602	0	DIRECTIONAL CONTROL CABLE,ROLLER,R	5	30
1701	602	0	DIRECTIONAL CONTROL CABLE,ROLLER,R	5	30
1702	602	0	DIRECTIONAL CONTROL CABLE,ROLLER,R	5	30
1703	602	0	DIRECTIONAL CONTROL CABLE,ROLLER,R	5	30
1704	602	0	DIRECTIONAL CONTROL CABLE,ROLLER,R	5	30
1705	602	0	DIRECTIONAL CONTROL CABLE,ROLLER,R	5	30

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1706	600	0	TAIL ROTOR QUADRANT, DIRECTIONAL	5	5
1707	0	0	DUMMY		
1708	603	0	TAIL ROTOR SERVO, DIRECTIONAL	1	50
1709	603	0	TAIL ROTOR SERVO, DIRECTIONAL	1	50
1710	604	0	TAIL ROTOR GEARBOX, DIRECTIONAL	5	5
1711	605	0	CYCLIC CONTROL LEVER	5	20
1712	606	0	CYCLIC CONTROL SERVO	1	50
1713	606	0	CYCLIC CONTROL SERVO	1	50
1714	606	0	CYCLIC CONTROL SERVO	1	50
1715	607	0	CYCLIC CONTROL SERVO MOUNT	1	10
1716	606	0	CYCLIC CONTROL SERVO	1	50
1717	606	0	CYCLIC CONTROL SERVO	1	50
1718	608	0	CYCLIC CONTROL LEVER TO ROTOR	5	20
1719	608	0	CYCLIC CONTROL LEVER TO ROTOR	5	20
1720	609	0	CYCLIC CONTROL ROD END TO ROTOR	5	20
1721	610	0	CYCLIC CONTROL ROD TO ROTOR	11	10
1722	609	0	CYCLIC CONTROL ROD END TO ROTOR	5	20
1723	611	0	MAIN ROTOR SERVO APPLIANCE	5	50
1724	611	0	MAIN ROTOR SERVO APPLIANCE	5	50
1725	612	0	MAIN ROTOR SERVO	1	50
1726	613	0	MAIN ROTOR SERVO PISTON ROD	1	100
1727	612	0	MAIN ROTOR SERVO	1	50
1728	613	0	MAIN ROTOR SERVO PISTON ROD	1	100
1729	614	0	MAIN ROTOR SERVO OUTPUT LEVER	5	20
1730	615	0	LINKAGE-MAIN ROTOR SERVO TO ROTOR	5	20
1731	615	0	LINKAGE-MAIN ROTOR SERVO TO ROTOR	5	20
1732	615	0	LINKAGE-MAIN ROTOR SERVO TO ROTOR	5	20
1733	618	0	CYCLIC CONTROL LEVER	5	20
1734	619	0	CYCLIC CONTROL SERVO	1	50
1735	619	0	CYCLIC CONTROL SERVO	1	50
1736	619	0	CYCLIC CONTROL SERVO	1	50

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1737	620	0	CYCLIC CONTROL SERVO MOUNT	1	10
1738	618	0	CYCLIC CONTROL SERVO	1	50
1739	618	0	CYCLIC CONTROL SERVO	1	50
1740	639	0	CYCLIC CONTROL LEVER TO ROTOR	5	20
1741	639	0	CYCLIC CONTROL LEVER TO ROTOR	5	20
1742	621	0	CYCLIC CONTROL ROD END TO ROTOR	5	20
1743	622	0	CYCLIC CONTROL ROD TO ROTOR	11	10
1744	621	0	CYCLIC CONTROL ROD END TO ROTOR	5	20
1745	623	0	MAIN ROTOR SERVO APPLIANCE	5	50
1746	623	0	MAIN ROTOR SERVO APPLIANCE	5	50
1747	624	0	MAIN ROTOR SERVO	1	50
1748	625	0	MAIN ROTOR SERVO PISTON ROD	1	100
1749	624	0	MAIN ROTOR SERVO	1	50
1750	625	0	MAIN ROTOR SERVO PISTON ROD	1	100
1751	626	0	MAIN ROTOR SERVO OUTPUT ROD	5	50
1752	640	0	MAIN ROTOR SERVO OUTPUT LEVER	5	50
1753	616	0	ROD END-MAIN ROTOR SERVO TO ROTOR	5	20
1754	617	0	ROD-MAIN ROTOR SERVO TO ROTOR	11	10
1755	616	0	ROD END-MAIN ROTOR SERVO TO ROTOR	5	20
1756	615	0	LINKAGE-MAIN ROTOR SERVO TO ROTOR	5	20
1757	618	0	LK AXLE-MAIN ROTOR SERVO TO ROTOR	5	20
1758	615	0	LINKAGE-MAIN ROTOR SERVO TO ROTOR	5	20
1759	615	0	LINKAGE-MAIN ROTOR SERVO TO ROTOR	5	20
1760	618	0	COLLECTIVE CONTROL LEVER	5	20
1761	619	0	COLLECTIVE CONTROL SERVO	1	50
1762	619	0	COLLECTIVE CONTROL SERVO	1	50
1763	619	0	COLLECTIVE CONTROL SERVO	1	50
1764	620	0	COLLECTIVE CONTROL SERVO MOUNT	1	10
1765	619	0	COLLECTIVE CONTROL SERVO	1	50
1766	619	0	COLLECTIVE CONTROL SERVO	1	50
1767	641	0	COLLECTIVE CONTROL LEVER TO RTR	5	20

TABLE A-III. IDENTIFICATION TABLE FOR BLACK HAWK TARGET DESCRIPTION (CONTINUED)

REGION NUMBER	ITEM CODE	AIR CODE	REGION DESCRIPTION	MATERIAL CODE	MATERIAL PCT
1768	621	0	COLLECTIVE CONTROL ROD END TO RTR	5	20
1769	622	0	COLLECTIVE CONTROL ROD TO ROTOR	11	10
1770	621	0	COLLECTIVE CONTROL ROD END TO RTR	5	20
1771	620	0	COLLECTIVE CONTROL LINKAGE TO RTR	5	20
1772	620	0	COLLECTIVE CONTROL LEVER TO ROTOR	5	20
1773	621	0	COLLECTIVE CONTROL ROD END TO RTR	5	20
1774	622	0	COLLECTIVE CONTROL ROD TO ROTOR	11	10
1775	621	0	COLLECTIVE CONTROL ROD END TO RTR	5	20
1776	623	0	MAIN ROTOR SERVO APPLIANCE	5	50
1777	623	0	MAIN ROTOR SERVO APPLIANCE	5	50
1778	624	0	MAIN ROTOR SERVO	1	50
1779	625	0	MAIN ROTOR SERVO PISTON ROD	1	100
1780	626	0	MAIN ROTOR SERVO	1	50
1781	625	0	MAIN ROTOR SERVO PISTON ROD	1	100
1782	626	0	MAIN ROTOR SERVO OUTPUT LEVER	5	20
1783	627	0	LINKAGE-MAIN ROTOR SERVO TO SERVO	5	20
1784	628	0	LK AXLE-MAIN ROTOR SERVO TO SERVO	5	20
1785	627	0	LINKAGE-MAIN ROTOR SERVO TO SERVO	5	20
1786	627	0	LINKAGE-MAIN ROTOR SERVO TO SERVO	5	20
1787	642	0	L TRANSFER MODULE, PRIMARY SERVO	1	50
1788	643	0	R TRANSFER MODULE, PRIMARY SERVO	1	50
1789	644	0	L TRANSFER MODULE MANIFOLD	1	50
1790	645	0	R TRANSFER MODULE MANIFOLD	1	50
1791	196	0	WINDSHIELD FRAME	5	50

DISTRIBUTION LIST

No. of Copies	Organization
12	Commander Defense Documentation Ctr ATTN: DDC-DDA Cameron Station Alexandria, VA 22314
1	Commander US Army Materiel Devel and Readiness Command ATTN: DRCDMD-ST 5001 Eisenhower Avenue Alexandria, VA 22333
1	Commander US Army Aviation Research and Development Command ATTN: DRSAV-E P.O. Box 209 St. Louis, MO 63166
1	Commander US Army Aviation Research and Development Command ATTN: DRCPM-ASE, LTC W. Schmend P.O. Box 209 St. Louis, MO 63166
1	Director Applied Technology Lab US Army Research & Tech Laboratories (AVRADCOM) ATTN: DAVDL-EU-MOS MAJ Hathaway E.V. Merritt Fort Eustis, VA 23604
1	Director US Army Air Mobility Rsch and Devel Laboratory Ames Research Center Moffett Field, CA 94035
1	Commander US Army Electronics Rsch and Devel Command Technical Support Activity ATTN: DELSD-L Fort Monlouth, NJ 07703
1	Commander US Army Communications Rsch and Devel Command ATTN: DRDCO-PPA-SA Fort Monmouth, NJ 07703
2	Commander US Army Missile Research and Development Command ATTN: DRDMI-R DRDMI-YDL Redstone Arsenal, AL 35809
1	Commander US Army Tank Automotive Rsch and Devel Command ATTN: DRDTA-UL Warren, MI 48090
2	Commander US Army Armament Research and Development Command ATTN: DRDAR-TSS (2 cys) Dover, NJ 07801
1	Commander US Army Armament Materiel Readiness Command ATTN: DRSAR-LEP-L, Tech Lib Rock Island, IL 61299
2	Project Manager, Blackhawk US Army Development and Readiness Command ATTN: DRCPM-BH-T P.O. Box 209 St. Louis, MO 63166

DISTRIBUTION LIST

No. of Copies	Organization
1	Project Manager, Advanced Attack Helicopter ATTN: DRCPM-AAH-TM R. Oliver P.O. Box 209 St. Louis, MO 63166
1	Director US Army TRADOC Systems Analysis Activity ATTN: ATTA-SL Tech Lib White Sands Missile Range NM 88002
2	Commander Naval Air Systems Command ATTN: AIR-5204J, Maj Allen Don Bartz Washington, DC 20361
1	Commander Naval Air Development Ctr, Johnsville ATTN: SR (M. Mitchell) Warminster, PA 18974
1	Commander Naval Weapons Center ATTN: Code 138, Hugh Drake China Lake, CA 93555
1	ASD/XROT ATTN: G. Bennett Wright-Patterson AFB, OH 45433
1	ASD/EBFTV ATTN: J. Wallick Wright-Patterson AFB, OH 45433
1	Falcon Research and Development Company 696 Fairmont Avenue Baltimore, MD 21204
1	Sikorsky Aircraft Division United Technologies Corporation ATTN: Stanley O'Karma North Main Street Stratford, CT 06602
	Aberdeen Proving Ground
	Dir, USAMSAA ATTN: Dr. Sperazza DRXSY-MP, H. Cohen J. McCarthy, AWD J. Bloomquist, AWD C. Alston, AWD W.B. Paris, AWD M.H. Gustave, AWD
	Cmd, USATECOM ATTN: DRSTE-TO-F
	Dir, Wpns Sys Concepts Team Bldg. E3516, EA ATTN: DRDAR-ACW