AD-A075 814 NAVAL AIR DEVELOPMENT CENTER WARMINSTER PA AIRCRAFT --ETC F/G 1/3
DESIGN AND TEST OF A BORON - ALUMINUM HIGH TEMPERATURE WING.(U)
MAY 79 R J RICHEY, T E HESS

UNCLASSIFIED NADC-79145-60 NL

1 OF 2
AD A075814



REPORT NO. NADC-79145-60

LEVEL II

AD A075814

DESIGN AND TEST OF A BORON - ALUMINUM HIGH TEMPERATURE WING

R. J. Richey, Jr. and T. E. Hess
Aircraft and Crew Systems Technology Directorate
NAVAL AIR DEVELOPMENT CENTER
Warminster, Pennsylvania 18974

31 MAY 1979

DDC RECEIVED OCT 31 1979 A

FINAL REPORT
IED TASK NO. ZF61412001
Work Unit No. GC238

DDC FILE COPY

APPPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

THIS DOCUMENT IS BEST QUALITY FRACTICABLE. THE COPY FURNISHED TO DDC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

Prepared for
NAVAL AIR SYSTEMS COMMAND
Department of the Navy
Washington, D.C. 20361

79 10 30 056

NOTICES

REPORT NUMBERING SYSTEM - The numbering of technical project reports issued by the Naval Air Development Center is arranged for specific identification purposes. Each number consists of the Center acronym, the calendar year in which the number was assigned, the sequence number of the report within the specific calendar year, and the official 2-digit correspondence code of the Command Office or the Functional Directorate responsible for the report. For example: Report No. NADC-78015-20 indicates the fifteeth Center report for the year 1978, and prepared by the Systems Directorate. The numerical codes are as follows:

CODE	OFFICE OR DIRECTORATE
00	Commander, Naval Air Development Center
01	Technical Director, Naval Air Development Center
02	Comptroller
10	Directorate Command Projects
20	Systems Directorate
30	Sensors & Avionics Technology Directorate
40	Communication & Navigation Technology Directorate
50	Software Computer Directorate
60	Aircraft & Crew Systems Technology Directorate
70	Planning Assessment Resources
80	Engineering Support Group

PRODUCT ENDORSEMENT - The discussion or instructions concerning commercial products herein do not constitute an endorsement by the Government nor do they convey or imply the license or right to use such products.

APPROVED BY: Edward J Sturm DATE: 7/13/79

E. J. STURM
CDR USN

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE *(When Data Entered)*

REPORT DOCUMENTATION PAGE

READ INSTRUCTIONS BEFORE COMPLETING FORM

1. REPORT NUMBER: NADC - 79145 - 60	2. GOVT ACCESSION NO.
3. RECIPIENT'S CATALOG NUMBER	
4. TITLE *(and Subtitle)*: DESIGN AND TEST OF A BORON - ALUMINUM HIGH TEMPERATURE WING	5. TYPE OF REPORT & PERIOD COVERED: FINAL REPORT
6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(s): R. J. RICHEY, JR. T. E. HESS	8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS: AIRCRAFT AND CREW SYSTEMS TECHNOLOGY DIRECTORATE, NAVAL AIR DEVELOPMENT CENTER, WARMINSTER, PA. 18974	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS: IED TASK NO. ZF61412001, WORK UNIT GC238
11. CONTROLLING OFFICE NAME AND ADDRESS: F61412	12. REPORT DATE: 31 May 1979
	13. NUMBER OF PAGES: 95
14. MONITORING AGENCY NAME & ADDRESS *(if different from Controlling Office)*	15. SECURITY CLASS. *(of this report)*: UNCLASSIFIED
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT *(of this Report)*

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

17. DISTRIBUTION STATEMENT *(of the abstract entered in Block 20, if different from Report)*

18. SUPPLEMENTARY NOTES

19. KEY WORDS *(Continue on reverse side if necessary and identify by block number)*

HIGH TEMPERATURE STRUCTURE
BORON - ALUMINUM ADVANCED COMPOSITE MATERIAL
BUCKLING STABILITY

20. ABSTRACT *(Continue on reverse side if necessary and identify by block number)*

The feasibility of utilizing the high buckling stability characteristics of boron - aluminum advanced composite material in a simple, low-cost spar-rib-skin construction for a thin airfoil structure was investigated for high temperature application up to 589 degrees K.

The design concept developed consists of boron-aluminum skins, to carry the primary bending and torsion loads, mechanically fastened to a light gage steel sub-structure, which resists transverse shear and stabilizes

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-LF-014-6601

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE *(When Data Entered)*

393 532

the skins. The viability of the concept depends on whether this stabilization of the skin material can be accomplished with a practical number and spacing of substructure elements.

A weight saving of one third in comparison to the production article is projected in this boron-aluminum version of the BYM-34E wing. A major wing subcomponent was fabricated and static tested to validate the structural adequacy of the overall design.

SUMMARY

The feasibility of utilizing the high buckling stability characteristics of boron-aluminum material in a simple, low-cost spar-rib-skin construction for a thin airfoil structure has been investigated for high temperature application up to 589 degrees K. A weight saving of 30% in comparison to the production article is projected in this boron-aluminum version of the BQM-34E wing, while increasing its temperature capability to 589 degrees K.



TABLE OF CONTENTS

Title	Page No.
SUMMARY	1
LIST OF FIGURES	4
LIST OF TABLES	6
ENGINEERING DESIGN DRAWINGS	7
INTRODUCTION	8
B/A1 WING DESIGN REQUIREMENTS AND CONSIDERATIONS	9
B/A1 WING FINAL DESIGN OVERVIEW	9
WING CONFIGURATION	9
SKINS	9
SUBSTRUCTURE	10
FASTENING	10
ANALYSIS	10
NASTRAN	10
BUCKLING ANALYSIS	11
DYNAMIC ANALYSIS	11
EXPERIMENTAL TESTING	11
INTRODUCTION	11
COUPON SPECIMENS	12
BOX BEAM SUBCOMPONENT	12
DESIGN	12
INSTRUMENTATION AND LOADING	13
TEST RESULTS	13
WING SUBCOMPONENT	13
DESIGN	13

TABLE OF CONTENTS (cont.)

	Page No.
INSTRUMENTATION AND LOADING	14
TEST RESULTS	14
FINAL WING DESIGN CRITERIA	15
CONCLUSIONS	15
APPENDIX A - NASTRAN BULK DATA	A - 1

LIST OF FIGURES

Figure No.		Page No.
1	BQM-34E RPV	17
2	B/Al Wing Section Geometry	18
3	B/Al Wing Basic Skin Configuration	19
4	B/Al Wing Tension Skin Laminate Design . . .	20
5	B/Al Wing Compression Skin Laminate Design . .	21
6	B/Al Wing Substructure.	22
7	Wing Skin Centerline Splice	23
8	NASTRAN Model (Grid Points)	24
9	NASTRAN Model (Skin Elements)	25
10	NASTRAN Model (Substructure Elements)	26
11	Tension Skin NASTRAN Limit Load Stresses . .	27
12	Compression Skin NASTRAN Limit Load Stresses. .	28
13	Material Coupon Specimens	29
14	Box Beam Subcomponent Profile	30
15	Box Beam Subcomponent Assembly	31
16	Box Beam Subcomponent Instrumentation	32
17	Box Beam Subcomponent Test Set Up	33
18	Box Beam Subcomponent Failure Location. . . .	34
19	B/Al Wing Subcomponent Profile	35
20	B/Al Wing Subcomponent - B/Al Skins.	36
21	B/Al Wing Subcomponent Substructure	37
22	B/Al Wing Subcomponent Assembly	38
23	B/Al Wing Subcomponent Test Set-Up	39

LIST OF FIGURES (cont.)

Figure No.		Page No.
24-26	B/Al Wing Subcomponent Instrumentation	40
27	Load/Strain Test Data - Wing Subcomponent . . .	41
28	Load/Deflection Test Data - Wing Subcomponent. .	42
29	B/Al Wing Subcomponent Failure Location	43
30	Stress/Strain Test Data - Wing Subcomponent Tensile Skin	44

LIST OF TABLES

TABLE NO.		Page No.
1	B/Al Wing Compression Skin Critical Buckling Loads. .	45
2	Results B/Al Tensile Coupon Tests	46
3	Results B/Al Rail Shear Coupon Tests	46
4	Experimental B/Al Material Property Constants	46
5	Wing Subcomponent Skin Tensile Test Results	47

ENGINEERING DESIGN DRAWINGS

Page No.

1. B/Al Wing Tension Skin Design . . . . . .
2. B/Al Wing Compression Skin Design . . . . . .
3. Box Beam Subcomponent Assembly . . . . . .
4. B/Al Wing Subcomponent Skin Detail Design . . . . . .
5. B/Al Wing Subcomponent Assembly . . . . . .

INTRODUCTION

The emphasis in current Naval aircraft structural development is on reduction of weight and cost and improvement of performance. In addition, as flight speeds increase and lift augmentation and thrust vectoring are utilized in Vertical-Short Takeoff/Landing (V/STOL) aircraft, high-temperature structures may be required to withstand the effects of aerodynamic heating and hot exhaust gases. Significant achievements have been made in reducing structural weight by utilizing composite materials, i.e., boron or graphite-epoxy, for moderate-temperature applications, up to 450 degrees K. Similar improvements for higher service temperatures, up to 589 degrees K, require the use of graphite/polymide or boron-aluminum materials.

Despite its current high cost, which is expected to be significantly reduced as usage increases, boron-aluminum has many advantages. It has higher longitudinal stiffness and strength than steel and greater room-temperature transverse and shear stiffness than titanium, while its density is less than that of aluminum. In addition, it has high bearing strength and retains the high thermal and electrical conductivity and weldability of its aluminum matrix.

The objectives of this program were to develop a high-temperature (589 degrees K) composite structural design applicable to thin lifting surfaces, and to demonstrate the concept in a primary aircraft structural component.

Normal design practice for a thin aerodynamic surface, which is being considered here, would be to use full depth honeycomb sandwich construction. However, for high temperature applications, bonding of the skins to the honeycomb core becomes a problem. It was the intent of this program, therefore, to investigate the feasibility of stabilizing the skins with discrete stiffeners at a reasonable cost and weight.

The design which was developed in this program consists of variable thickness boron-aluminum skins, to carry the primary bending and torsion loads, mechanically fastened to a light stainless steel substructure, which resists transverse shear and stabilizes the skins. The viability of the concept depends on whether this stabilization of the skin can be accomplished with a practical number and spacing of substructure elements. Fabrication cost and complexity were minimized by using simple shapes and conventional metal forming and fastening methods. The demonstration article chosen is the wing of the BQM-34E remote-piloted vehicle whose maximum thickness is only three percent of its chord, Figure 1.

Information from material and structural tests has been utilized in the evolution of the wing design. Experimentally verified material stiffness and strength properties have been incorporated into the analysis, together with buckling criteria which have been modified as a result of subcomponent development tests.

DESIGN REQUIREMENTS AND CONSIDERATIONS

The design of the B/Al version of the BQM-34E wing is based on production wing static strength, stability and flutter requirements. The critical flight load condition dictating the design, results from a 5g symmetric pull-up at R.T. An additional design requirement, a 4g symmetric pull up at 589°K, was specified for the B/Al prototype wing.

The high temperature requirement necessitated the selection of thermally compatable materials to be used in the wing design. Specifically, the coefficient of thermal expansion for the light gage metal supporting substructure had to closely match that of the B/Al skins to minimize thermal stresses at elevated temperatures. Stainless steel (TH1050) which is structurally adequate at 589°K and thermally compatible with the B/Al laminate skins was selected as a satisfactory material for the substructure. Both materials have a thermal expansion coefficient of approximately 11.0 μ m/m °C.

Stiffness requirements dictate that the wing exhibit flutter free behavior in the flight regime ranging from Mach 1.1 at sea level to Mach 3.0 at 23600 m (60000 ft.).

B/Al WING - FINAL DESIGN OVERVIEW

WING CONFIGURATION

The profile of the B/Al version of the BQM-34E wing duplicates that of the production metal wing. A low cost design approach was followed by approximating the actual wing aerodynamic contour with a simplified wedge shape. Referring to Figure 2, all chordwise wing sections are constant depth closed out with simple wedge leading and trailing edge pieces. Spanwise, the wing tapers linearly from root to tip. Across the center wing box the skins are allowed to assume their natural pure bending curvatures.

SKINS

The basic skin configuration for the B/Al wing design, shown in Figure 3, consists of B/Al tension and compression skin pieces with tailored ($0°$, $\pm 45°$, $90°$) ply construction. Because of the B/Al laminate fabrication diffusion bonding process which involves a multi-step pressing operation, the B/Al main wing skins were kept to a manageable size by incorporating a wing center line skin splice. The joining is accomplished with a single stainless steel splice plate (2.54 mm, (.1 in.)) and a double row of mechanical blind fasteners (4.76 mm (3/16 in.)). Also, separate B/Al trailing edge pieces and stainless steel sheet leading edge pieces are spliced to the main skins along substructure spars.

Both main skins are step tapered, with gradual ply build up toward the wing centerline, optimized to satisfy critical flight load requirements. The final laminate design for the skins was arrived at through iterative stress analysis and experimental specimen and subcomponent testing. The final ply scheme for the tension and compression B/Al skins is schematically

shown in Figures 4 and 5. Skin laminate design drawings are attached at the end of the report. Both tension and compression skins are four plies (.108 cm) at the wing tip, with ply build up to 13 plies (.352 cm) and 16 plies (.168 cm) respectively, across the overall wing box. The extra plies are added to the compression skin to satisfy buckling requirements. Also, both skins are locally built up to 24 plies (.640 cm), in the area of high stress adjacent to the aft attachment of the wing.

SUBSTRUCTURE

Considering only half the wing, referring to Figure 6, the main elements of the light gage stainless steel substructure include seven spars, a tip and root rib and five wing/fuselage bolt attachment fittings. The spar and rib elements are mainly channels, with gages varying from .052 cm (.020 in.) to .127 cm (.050 in.) depending on design requirements. The spar elements run along constant percent of chord lines and are tapered linearly from wing root to tip. The five wing/fuselage attachment fittings tie the substructure elements together along the wing/fuselage bolt attachment lines. Forward spars extend from the fittings across the wing box. The flanges of the wing box spars are separate angle pieces rolled to match the curvature of the skins. The angles are internally spot welded to web sheets to form channel elements.

FASTENING

Fastening of all the structural elements is accomplished with rivets. Standard stainless steel .476 cm (3/16 in.) dia. solid rivets in conjunction with shear clips are used to fasten the substructure elements together. Fastening of the B/Al skins to the substructure is accomplished with .476 cm (3/16 in.) dia. stainless steel blind fasteners. Double rows of blind fasteners in conjunction with .476 cm (3/16 in.) stainless steel plates, as shown in Figure 7, are used to splice the upper and lower half skins together at the wing center line. Similar splice designs are used to connect leading and trailing edge pieces to the main wing skins.

ANALYSIS

NASTRAN

Stress analysis of the B/Al wing design was accomplished by constructing a finite element model, and running a series of NASTRAN static analyses, for the critical 5g maneuver load condition, optimizing the design. The tension and compression wing skins were modeled with quadrilateral and triangular plate elements which have both inplane and bending stiffness. B/Al laminate constitutive relationships used in the NASTRAN analysis were determined from basic laminate theory using the material property constants of unidirectional B/Al. The substructure spars and ribs were modeled with bar elements with shear properties built in. Because of wing symmetry only half of the wing needed to be modeled. The model configuration including grid point and element identification is shown in Figures 8 through 10.

Bulk data for the NASTRAN model is included in Appendix A. Maximum tension and compression skin limit load stresses obtained from NASTRAN for the final laminate design are shown in Figures 11 and 12 respectively.

BUCKLING ANALYSIS

The boron aluminum wing compression skin was sized to satisfy buckling requirements by using NASTRAN stresses in conjunction with standard orthotropic simply supported plate theory. Since the skins are mechanically fastened to the substructure the simply supported boundary condition is a conservative assumption. Buckling loads were calculated for the most highly stressed compression skin NASTRAN elements in each discrete skin gage region. Several iterative cycles were needed to size the skin for buckling stability. Table 1 lists the final results for the compression skin buckling analysis. The critical buckling load due to compression, N_{xcr}, and the critical buckling load due to shear loading, N_{xycr}, are compared with the loading the laminate must withstand at design ultimate, N_{xult} and N_{xyult}. Margins of safety in buckling due to combined compression and shear loading were calculated using the relation

$$M.S. = \frac{2}{R_L + \sqrt{R_L^2 + 4R_S^2}} - 1$$

where:

$$R_L = \frac{N_{xult}}{N_{xcr}}$$

$$R_S = \frac{N_{xyult}}{Nxycr}$$

Although the margins of safety for ultimate load were slightly negative for several of the compression skin elements, they were considered acceptable at this point since the analysis was conservative and testing was planned to assess the accuracy of the analysis method. Also, when considering design limit loading, all margins of safety would be positive.

DYNAMIC ANALYSIS

A NASTRAN real eigenvalue run was made to obtain normal mode data for the B/Al wing design. Based on the results of this run and the fact that the B/Al wing design is both stiffer and has less mass than the production wing, the wing was assumed to be flutter free and a rigorous flutter analysis of the B/Al wing was not included in the design cycle.

EXPERIMENTAL TESTING

INTRODUCTION

In order to experimentally validate design procedures and establish a design criteria on which to base the final B/Al full scale wing design, a

series of coupon specimens and two major subcomponents were fabricated and tested. The testing phase of the program included only room temperature testing. This was justified because the critical flight load condition is the R.T. 5g maneuver. To save on fabrication cost 4130 steel was substituted for the stainless, in all subcomponent substructural members.

COUPON SPECIMENS

A number of B/Al coupon specimens including tension and rail shear were tested to validate the material properties used in the design of the full-scale wing. The specimen configurations are shown in Figure 13. A summary of the coupon test results run at NADC are shown in tables 2 through 4. Results of tensile specimen tests run by Americom, Inc. on the basic B/Al laminates used in the tension and compression wing skin design are shown in Table 5. Results of these tests were satisfactory, ultimate loads and material properties in some cases were slightly lower than available standard B/Al properties.

BOX BEAM SUBCOMPONENT

Design

In order to evaluate the manufacturing processes intended for construction of the full-scale wing and to verify the buckling capability of the B/Al compression skin, a box beam specimen representative of the aft wing box region as shown in Figure 14 was designed, fabricated and tested. The aft wing box region was selected for experimental investigation because the compression skin is buckling critical in this area and a box beam type specimen presents minimum fabrication complications and can be symmetrically loaded to facilitate testing.

The box beam specimen, shown in Figure 15, which has a span of 107 cm (42 in.) and a width of 18 cm (7 in.) incorporates the same basic design features as found in the actual aft wing box. The detailed engineering drawing of the box beam is included in the foldouts. The box beam center span between the attachment bolt hole center lines, like the actual wing, is 45.7 cm. (18 in.). The center span substructure channels are constructed of 7.62 mm (.030 in.) rolled 4130 steel angles, to form constant radius flanges, spot welded to a 12.70 mm (.050 in.) 4130 web sheet. The box beam extension arm substructure channels are brake formed and follow a constant spanwise taper. The box beam incorporates eight load fittings, four representative of the aft wing/fuselage attachment fittings and four outer corner load fittings for testing. The compression skin is .267 cm, 10 ply boron/aluminum with $0^\circ \pm 45^\circ$, $0^\circ \pm 45^\circ$, 0° ply orientation. To reduce cost the tension skin is .254 cm (.1 in.) gage stainless steel since only the buckling capability of the B/Al compression skin is of interest. All box beam structural elements and skins are assembled with mechanical fasteners.

Instrumentation

The boron/aluminum wing box beam specimen was instrumented with axial strain gages and strain rosettes as diagrammed in Figure 16. The gages were positioned to monitor spanwise bending and shear stress distribution in both tension and compression skins, stress concentration around the bolt holes and initiation of buckling in the compression skin.

Loading

The box beam was loaded at the eight load fitting bolt holes to produce a condition of pure bending in the center section. This condition with total ultimate applied load of 38.6 kN approximates the critical 5g maneuver load condition. The box beam test set up is shown in Figure 17.

Test

After several initial load cycles to 30% D.L.L to exercise the specimen a run to failure was made. Buckling of the B/Al compression skin initiated at a load of 288.0 kN comparing well with analysis based on simply supported orthotropic plate theory which predicted initiation of buckling at a load of 314.1 kN. The early onset of buckling may be attributed to actual B/Al compression skin material properties being somewhat lower than those used in the analysis. The specimen continued to sustain increased loading after onset of buckling up to 612.9 kN, at which catastropic failure occurred. The failure is shown in Figure 18. The results of this test were used to substantiate the full-scale compression wing skin design for buckling stability.

WING SUBCOMPONENT

Design

In order to evaluate the behavior of the wing design in the area of highest tensile and compressive stresses, which is adjacent to the aft wing-to-fuselage attachment location, a second development test specimen was designed, fabricated, and tested. This was a subcomponent, outlined in Figure 19, which contained significant design details of the actual wing, with some minor alterations to simplify its fabrication and to provide test load application.

The tension and compression B/Al skins maintain constant ply thickness of 13 and 16 plies respectively over the entire subcomponent surface area. The ply orientation scheme of the skins is identical to that of the full-scale wing's center section. The boron-aluminum skins were fabricated by Amercom, Inc., including the countersunk holes which were made by electric discharge machining, Figure 20.

The substructure parts shown in Figure 21 which stabilize the skins at a constant depth of 4.10 cm were made and assembly operations performed at NAVAIRDEVCEN. At the subcomponent root end the wing center section skin splices are accurately represented by double row rivet attachment to .476 cm (3/16 in.) steel splice plates. These splice plates are supported

by a solid aluminum spacer bar which allows the complete assembly to be clamped for a cantilever test load set up. At the subcomponent free end, a 2.54 cm (1.0 in.) Al plate is fixed for test load application. The complete subcomponent assembly is pictured in Figure 22. The detail design drawings for the subcomponent are attached in the foldouts.

Test Loading and Instrumentation

Test loads to be applied to the B/Al wing subcomponent were determined with the aid of a NASTRAN loads analysis. This analysis resulted in a set of test loads which when applied to the subcomponent produced a stress field in the B/Al skins similar to the stress field present in the actual full scale wing skins when subjected to the 5g maneuver load condition.

The test set up shown in Figure 23 consists of the subcomponent mounted to a strongback testing facility; loads were applied to the specimen through two independent sets of wiffle trees by manually operated hydraulic jacks.

The subcomponent was instrumented with 73 strain gages and three deflection transducers. The gages monitor critically stressed regions on both tension and compression skins and are also paired internally and externally on the compression skin to check for initiation of buckling as shown in Figures 24 through 26.

The test load procedure was as follows:

1. Apply 30% D.L.L., 10% increments, check strain and deflection data.

2. Apply 50% D.L.L., 10% increments, check strain and deflection data, re-apply 50% D.L.L., 2 cycles.

3. Apply 100% D.L.L., 10% increments, check strain and deflection data, re-apply 100% D.L.L., 4 cycles.

Test Results

After initial loading to 30% D.L.L. strain and deflection data was plotted. Referring to Figures 27 and 28, typical strain and deflection vs. load plots from the test data reveal nonlinear, inelastic behavior exhibited by the B/Al skins. The second applied load cycle to 50% D.L.L. yielded approximately linear elastic response in the skins up to the previously applied load level (30% D.L.L.). Subsequent loading above the 30% D.L.L. level resulted in a continuation of the nonlinear inelastic behavior in the skins. Additional load cycles to the 50% D.L.L. level yielded repeatable linear elastic response in the skins.

The initial run to 100% D.L.L. resulted in a failure at the 70% D.L.L. level. Again nonlinear inelastic behavior was exhibited by the skins once the previously high loading point was exceeded (50% D.L.L.). The failure occurred in the tension skin, a crack initiating at the corner radius, just outboard of the aft bolt hole, and propagating across the skin following a

path of minimum net section (see Figure 29).

This failure can be attributed to stress concentrations present at the corner radius which are amplified by the close proximity of a fastener. Strain levels monitored on both tension and compression skins at time of failure were similar to those predicted by analysis except in the local failure area. In addition, the load-strain and load-strain and load-deflection behavior of the specimen was highly non-linear, and large permanent deformations were present after testing at various load levels under the failure load.

Stress strain behavior of a tensile coupon cut from the same laminate as the B/Al subcomponent tensile skin is shown in Figure 30. Stress/strain data for the 6061 Al matrix is also plotted. The early onset of plasticity in the Al matrix appears to have a significant influence on the overall stress/strain response of the B/Al composite when subjected to loading. The B/Al laminate begins exhibiting inelastic behavior at approximately the same strain level that the 6061 Al becomes plastic.

FINAL WING DESIGN CRITERIA

Based on the results of this test, a review of stress-strain behavior of tensile specimens and some limited data on stress concentration in drilled holes, the following critieria was formulated for final design of the wing skins:

Nominal limit load stress $\leq$ 360 MPa

Strains at limit load $\leq$ 2000 μ m/m

Stress concentration factor = 1.5

It was the above design criteria which dictated the need for additional B/Al ply build up to 24 plies, in the aft attachment region, on both tension and compression wing skins to relieve stress concentrations due to attachment holes.

Final analysis using the NASTRAN finite element program was performed to confirm the stress and strain levels in the wing. The estimated total weight is 52.8 kg, 30 percent less than that of the production wing, which was designed for only 422 degrees K. Of the total weight, the skins comprise 26.3 kg, or 50 percent. The leading edge, substructure, centerline splice, and rivets and fittings weigh 5.9, 28.3, 3.2 and 4.5 kg respectively.

CONCLUSIONS

In this program, a design has been developed using metal-matrix composites to achieve high temperature capability and reduced weight. Much has been learned about the behavior of boron-aluminum and critieria for its use in aircraft structures. Additional development work would be required before it could be incorporated into an actual system. In particular, more data is

needed on fatigue and on stress concentrations in loaded holes both at low and high temperatures; basic fracture characterization should be performed; laminate tailoring should be investigated to minimize these effects as well as those due to the non-linear behavior and permanent deformations.



production wing
stainless steel
chem-milled skins,
Al honeycomb core

FIGURE 1 - BQM-34E RPV



typical spanwise section



typical chordwise section

FIGURE 2 - B/AI WING SECTION GEOMETRY



NADC-79145-60

FIGURE 3 - B/Al WING BASIC SKIN CONFIGURATION



FIGURE 4 - B/Al WING TENSION SKIN LAMINATE DESIGN



FIGURE 5 - B/Al WING COMPRESSION SKIN LAMINATE DESIGN



Typical Chordwise Section

FIGURE 6 - B/Al WING SUBSTRUCTURE



FIGURE 7 - WING SKIN CENTERLINE SPLICE



FIGURE 8 - NASTRAN MODEL (GRID POINTS)



FIGURE 9 - NASTRAN MODEL (SKIN ELEMENTS)



BAR ELEMENTS

FIGURE 10 - NASTRAN MODEL (SUBSTRUCTURE ELEMENTS)



FIGURE 11 - TENSION SKIN NASTRAN LIMIT LOAD STRESSES



FIGURE 12 - COMPRESSION SKIN NASTRAN LIMIT LOAD STRESSES



Tension



In-Plane Shear

FIGURE 13 - MATERIAL COUPON SPECIMENS



FIGURE 14 - BOX BEAM SUBCOMPONENT PROFILE



FIGURE 15 - BOX BEAM SUBCOMPONENT ASSEMBLY



compression skin - outer surface



compression skin - inner surface



tension skin - outer surface

Key

- axial gage
- 0 / 90 gage
- rosette

Figure 16 - Box Beam Subcomponent Instrumentation



FIGURE 17 - BOX BEAM SUBCOMPONENT TEST SETUP



FIGURE 18 - BOX BEAM SUBCOMPONENT FAILURE LOCATION



FIGURE 19 - B/A1 WING SUBOMPONENT PROFILE



TENSION SKIN - 13 PLIES

COMPRESSION SKIN - 16 PLIES

FIGURE 20 - B/Al WING SUBCOMPONENT SKINS



FIGURE 21 - B/Al WING SUBCOMPONENT SUBSTRUCTURE



FIGURE 22 - W B/AI WING SUBCOMPONENT FINAL ASSEMBLY



FIGURE 23 - B/AI WING SUBCOMPONENT TEST SETUP

KEY — - axial gage ↙ - rosette



gage #	Location * X	Y
1	-3 1/2	4 1/2
2	-3 1/2	2 1/2
3	10	13
4	10	5 1/2
5	10	1/8
6	3	8 3/4
7	3	2
8	6	-5 1/2
9	10	2 1/4
10	10	-8 1/2

* reference - aft bolt hole

tension skin (external surface)



gage #	Location * X	Y
11	-3 1/2	4 1/2
12	-3 1/2	2 1/2
13	10	13
14	10	5 1/2
15	10	1/8
16	3	8 3/4
17	3	2
18	6	-5 1/2
19	10	2 1/4
20	10	-8 1/2
27	11	-3 3/4

* reference - aft bolt hole

compression skin (external surface)



gage #	Location * X	Y
21	-3 1/2	4 1/2
22	-3 1/2	2 1/2
23	3	8 3/4
24	3	2
25	6	-5 1/2
26	11	-3 3/4

* reference - aft bolt hole

compression skin (internal surface)

Figures 24,25 & 26 - B/Al Wing Subcomponent Instrumentation



FIGURE 27 - LOAD/STRAIN TEST DATA (B/Al WING SUBCOMPONENT)



FIGURE 28 - LOAD/DEFLECTION TEST DATA (B/AI WING SUBCOMPONENT)



FIGURE 29 - B/A1 WING SUBCOMPONENT FAILURE LOCATION



FIGURE 30 - STRESS/STRAIN TEST DATA (B/Al WING SUBCOMPONENT TENSILE SKIN)

NASTRAN Element Number	Nxult KN/m	Nxyult KN/m	Nxcr KN/m	Nxycr KN/m	$\frac{Nxult}{Nxcr}$	$\frac{Nxyult}{Nxycr}$	Margin of Safety
290	-1985	15.6	-9619	13518	.205	.001	3.84
292	-750	896	-7996	13518	.094	.066	6.81
294	-1261	666	-1737	17764	.746	.037	.37
150	-469	620	-3055	5263	.154	.118	3.60
116	-822	299	-800	1072	1.028	.279	-.09
154	-501	267	-698	1091	.718	.245	.26
156	-409	547	-4619	6827	.089	.080	6.36
158	-377	175	-425	641	.887	.273	.04
190	-327	237	-406	808	.805	.293	.11
194	-271	140	-265	403	1.023	.347	-.11
162	-284	110	-294	428	.966	.257	-.03
198	-223	88	-251	344	.888	.256	.05
304	-1020	291	-4588	6094	.223	.048	3.31
166	-216	66	-211	289	1.024	.228	-.07

Table 1 - B/Al Wing Compression Skin Critical Buckling Loads

Laminate Type	# Specimens	Ult. Tensile Stress (MPa)
0/±45	5	492.7
90/±45	5	189.3
±45	6	327.3

Table 2 - Results Tensile Coupon Tests

Laminate Type	# Specimens	Ult. Shear Stress (MPa)
0/±45	5	257.4
0	5	131.4
±45	5	309.6

Table 3 - Results Rail Shear Coupon Tests

Laminate Type	E_1 (GPa)	E_2 (GPa)	G (GPa)	12	21
0/±45	158.2	131.3	50.5	.331	.307
±45	137.2	137.2	54.9	.364	.364

Table 4 - Experimental Material Property Constants

Wing Skin	Test Dir.	Specimen Number	X-Sect Area (cm^2)	E_1 GPa	Prop. Limit MPa	Ult. Load KN	Ult. Stress MPa	Failure Strain m/m	Fibers in Test Direction (%)
-1	90	6240P-A1	.445	175.8	88.3	23.8	541.9	.0080	23.1
-1	90	6240P-A2	.448	173.1	86.2	23.5	530.9	.0075	23.1
-1	0	6240P-A3	.447	120.0	97.9	23.9	532.3	.0066	30.1
-1	0	6240P-A4	.462	157.2	95.2	27.9	612.3	.0066	30.1
-2	90	6241P-A1	.554	151.0	53.8	26.5	484.7	.0088	18.8
-2	90	6241P-A2	.551	134.5	51.0	24.5	450.2	.0077	18.8
-2	0	6241P-A3	.557	163.4	75.8	29.0	528.8	.0065	31.3
-2	0	6241P-A4	.548	102.7	93.1	27.2	504.0	.0064	31.3

Wing Skin -1 (Tension)-----(0,90,+45,-45,0,-45,90,+45,0,+45,-45,90,0) 13 ply

Wing Skin -2 (Compression)-----(0,90,+45,-45,0,-45,+45,0,0,+45,-45,90,-45,+45,90,0) 16 ply

Table 5 - Wing Subcomponent Skin Tensile Test Results

APPENDIX A

NASTRAN BULK DATA

N A S T R A N E X E C U T I V E C O N T R O L D E C K E C H O

```
ID HI-TEMP WING, T NEU,R RICHEY,H RUBIN
APP DISPLACEMENT
SOL 1,0
TIME 15
CEND
```

C A S E C O N T R O L D E C K E C H O

CARD COUNT	
1	SET 5= 11,12,15,16,35,36,39,40,59,60,63,64,83,84,87,88,107,108,111,112
2	SPCFORCES= 5
3	ELFORCE= ALL
4	ELSTRESS= ALL
5	DISPLACEMENT= ALL
6	TITLE= B/AL WING STATIC ANALYSIS, EXP. PROP.
7	SUBTITLE=SKIN CHANGES OF 10-31-78 + NEW G11 OF ELEM 289+290(11-2-78)
8	SUBCASE 1
9	LOAD = 10
10	SPC= 10
11	BEGIN BULK

*** USER INFORMATION MESSAGE 207, BULK DATA NOT SORTED,XSORT WILL RE-ORDER DECK.

S O R T E D B U L K D A T A E C H O

CARD COUNT	. 1 ..	2 ..	3 ..	4 ..	5 ..	6 ..	7 ..	8 ..	9 ..	10 .
1-	CBAR	501	501	11	13	0.0	0.0	1.	1	+CAR 501
2-	+CAR 501			0.	0.	.7642	0.	0.	.7507	
3-	CBAR	502	502	12	14	0.0	0.0	1.	1	+CAR 502
4-	+CAR 502			0.	0.	-.7799	0.	0.	-.7665	
5-	CBAR	503	503	13	15	0.0	0.0	1.	1	+CAR 503
6-	+CAR 503			0.	0.	.7507	0.	0.375	.7103	
7-	CBAR	504	504	14	16	0.0	0.0	1.	1	+CAR 504
8-	+CAR 504			0.	0.	-.7665	0.	0.375	-.7260	
9-	CBAR	505	505	15	17	0.0	0.0	1.	1	+CAR 505
10-	+CAR 505			0.	0.	.7103	0.	0.	.6713	
11-	CBAR	506	506	16	18	0.0	0.0	1.	1	+CAR 506
12-	+CAR 506			0.	0.	-.7260	0.	0.	-.6871	
13-	CBAR	507	507	17	19	0.0	0.0	1.	1	+CAR 507
14-	+CAR 507			0.	0.	.6713	0.	0.	.6114	
15-	CBAR	508	508	18	20	0.0	0.0	1.	1	+CAR 508
16-	+CAR 508			0.	0.	-.6871	0.	0.	-.6324	
17-	CBAR	509	509	19	21	0.0	0.0	1.	1	+CAR 509
18-	+CAR 509			0.	0.	.6114	0.	0.	.5672	
19-	CBAR	510	510	20	22	0.0	0.0	1.	1	+CAR 510
20-	+CAR 510			0.	0.	-.6324	0.	0.	-.5829	
21-	CBAR	511	511	21	23	0.0	0.0	1.	1	+CAR 511
22-	+CAR 511			0.	0.	.5672	0.	0.	.5230	
23-	CBAR	512	512	22	24	0.0	0.0	1.	1	+CAR 512
24-	+CAR 512			0.	0.	-.5829	0.	0.	-.5335	
25-	CBAR	513	513	23	25	0.0	0.0	1.	1	+CAR 513
26-	+CAR 513			0.	0.	.5230	0.	0.	.4683	
27-	CBAR	514	514	24	26	0.0	0.0	1.	1	+CAR 514
28-	+CAR 514			0.	0.	-.5335	0.	0.	-.4793	
29-	CBAR	515	515	25	27	0.0	0.0	1.	1	+CAR 515
30-	+CAR 515			0.	0.	.4683	0.	0.	.4189	
31-	CBAR	516	516	25	28	0.0	0.0	1.	1	+CAR 516
32-	+CAR 516			0.	0.	-.4783	0.	0.	-.4241	
33-	CBAR	517	517	27	29	0.0	0.0	1.	1	+CAR 517
34-	+CAR 517			0.	0.	.4189	0.	0.	.3694	
35-	CBAR	518	518	28	30	0.0	0.0	1.	1	+CAR 518
36-	+CAR 518			0.	0.	-.4241	0.	0.	-.3694	
37-	CBAR	519	519	29	31	0.0	0.0	1.	1	+CAR 519
38-	+CAR 519			0.	0.	.3694	0.	0.	.3095	
39-	CBAR	520	520	30	32	0.0	0.0	1.	1	+CAR 520
40-	+CAR 520			0.	0.	-.3694	0.	0.	-.3095	
41-	CBAR	521	521	31	33	0.0	0.0	1.	1	+CAR 521
42-	+CAR 521			0.	0.	.3095	0.	0.	.2544	
43-	CBAR	522	522	32	34	0.0	0.0	1.	1	+CAR 522
44-	+CAR 522			0.	0.	-.3095	0.	0.	-.2544	
45-	CBAR	523	523	35	37	0.0	0.0	1.	1	+CAR 523
46-	+CAR 523			0.	0.	.7642	0.	0.	.7507	
47-	CBAR	524	524	36	38	0.0	0.0	1.	1	+CAR 524
48-	+CAR 524			0.	0.	-.7799	0.	0.	-.7665	
49-	CBAR	525	525	37	39	0.0	0.0	1.	1	+CAR 525
50-	+CAR 525			0.	0.	.7507	0.	0.	.7103	

S O R T E D B U L K D A T A E C H O

CARD COUNT	. 1 ..	2 ..	3 ..	4 ..	5 ..	6 ..	7 ..	8 ..	9 ..	10 .
51-	CBAR	525	526	38	40	0.0	0.0	1.	1	+CAR 526
52-	+CAR 526			0.	0.	-.7665	0.	0.	-.7260	
53-	CBAR	527	527	39	41	0.0	0.0	1.	1	+CAR 527
54-	+CAR 527			0.	0.	.7103	0.	0.	.6713	
55-	CBAR	528	528	40	42	0.0	0.0	1.	1	+CAR 528
56-	+CAR 528			0.	0.	-.7260	0.	0.	-.6871	
57-	CBAR	529	529	41	43	0.0	0.0	1.	1	+CAR 529
58-	+CAR 529			0.	0.	.6713	0.	0.	.6114	
59-	CBAR	530	530	42	44	0.0	0.0	1.	1	+CAR 530
60-	+CAR 530			0.	0.	-.6871	0.	0.	-.6324	
61-	CBAR	531	531	43	45	0.0	0.0	1.	1	+CAR 531
62-	+CAR 531			0.	0.	.6114	0.	0.	.5672	
63-	CBAR	532	532	44	46	0.0	0.0	1.	1	+CAR 532
64-	+CAR 532			0.	0.	-.6324	0.	0.	-.5829	
65-	CBAR	533	533	45	47	0.0	0.0	1.	1	+CAR 533
66-	+CAR 533			0.	0.	.5672	0.	0.	.5230	
67-	CBAR	534	534	46	48	0.0	0.0	1.	1	+CAR 534
68-	+CAR 534			0.	0.	-.5829	0.	0.	-.5335	
69-	CBAR	535	535	47	49	0.0	0.0	1.	1	+CAR 535
70-	+CAR 535			0.	0.	.5230	0.	0.	.4683	
71-	CBAR	536	536	48	50	0.0	0.0	1.	1	+CAR 536
72-	+CAR 536			0.	0.	-.5335	0.	0.	-.4788	
73-	CBAR	537	537	49	51	0.0	0.0	1.	1	+CAR 537
74-	+CAR 537			0.	0.	.4683	0.	0.	.4189	
75-	CBAR	538	538	50	52	0.0	0.0	1.	1	+CAR 538
76-	+CAR 538			0.	0.	-.4788	0.	0.	-.4241	
77-	CBAR	539	539	51	53	0.0	0.0	1.	1	+CAR 539
78-	+CAR 539			0.	0.	.4189	0.	0.	.3694	
79-	CBAR	540	540	52	54	0.0	0.0	1.	1	+CAR 540
80-	+CAR 540			0.	0.	-.4241	0.	0.	-.3694	
81-	CBAR	541	541	53	55	0.0	0.0	1.	1	+CAR 541
82-	+CAR 541			0.	0.	.3694	0.	0.	.3095	
83-	CBAR	542	542	54	56	0.0	0.0	1.	1	+CAR 542
84-	+CAR 542			0.	0.	-.3694	0.	0.	-.3095	
85-	CBAR	543	543	55	57	0.0	0.0	1.	1	+CAR 543
86-	+CAR 543			0.	0.	.3095	0.	0.	.2544	
87-	CBAR	544	544	56	58	0.0	0.0	1.	1	+CAR 544
88-	+CAR 544			0.	0.	-.3095	0.	0.	-.2544	
89-	CBAR	545	545	59	61	0.0	0.0	1.	1	+CAR 545
90-	+CAR 545			0.	0.	.7642	0.	0.	.7507	
91-	CBAR	546	546	60	62	0.0	0.0	1.	1	+CAR 546
92-	+CAR 546			0.	0.	-.7799	0.	0.	-.7665	
93-	CBAR	547	547	61	63	0.0	0.0	1.	1	+CAR 547
94-	+CAR 547			0.	0.	.7507	0.	0.	.7103	
95-	CBAR	548	548	62	64	0.0	0.0	1.	1	+CAR 548
96-	+CAR 548			0.	0.	-.7665	0.	0.	-.7260	
97-	CBAR	549	549	63	65	0.0	0.0	1.	1	+CAR 549
98-	+CAR 549			0.	0.	.7103	0.	0.	.6713	
99-	CBAR	550	550	64	66	0.0	0.0	1.	1	+CAR 550
100-	+CAR 550			0.	0.	-.7260	0.	0.	-.6871	

S O R T E D B U L K D A T A E C H O

CARD COUNT	1	2	3	4	5	6	7	8	9	10
101-	CBAR	551	551	65	67	0.0	0.0	1.	1	+CAR 551
102-	+CAR 551			0.	0.	.6713	0.	0.	.6114	
103-	CBAR	552	552	66	68	0.0	0.0	1.	1	+CAR 552
104-	+CAR 552			0.	0.	-.6871	0.	0.	-.6324	
105-	CBAR	553	553	67	69	0.0	0.0	1.	1	+CAR 553
106-	+CAR 553			0.	0.	.6114	0.	0.	.5672	
107-	CBAR	554	554	68	70	0.0	0.0	1.	1	+CAR 554
108-	+CAR 554			0.	0.	-.6324	0.	0.	-.5829	
109-	CBAR	555	555	69	71	0.0	0.0	1.	1	+CAR 555
110-	+CAR 555			0.	0.	.5672	0.	0.	.5230	
111-	CBAR	556	556	70	72	0.0	0.0	1.	1	+CAR 556
112-	+CAR 556			0.	0.	-.5829	0.	0.	-.5335	
113-	CBAR	557	557	71	73	0.0	0.0	1.	1	+CAR 557
114-	+CAR 557			0.	0.	.5230	0.	0.	.4683	
115-	CBAR	558	558	72	74	0.0	0.0	1.	1	+CAR 558
116-	+CAR 558			0.	0.	-.5335	0.	0.	-.4788	
117-	CBAR	559	559	73	75	0.0	0.0	1.	1	+CAR 559
118-	+CAR 559			0.	0.	.4683	0.	0.	.4189	
119-	CBAR	560	560	74	76	0.0	0.0	1.	1	+CAR 560
120-	+CAR 560			0.	0.	-.4788	0.	0.	-.4241	
121-	CBAR	561	561	75	77	0.0	0.0	1.	1	+CAR 561
122-	+CAR 561			0.	0.	.4189	0.	0.	.3694	
123-	CBAR	562	562	76	78	0.0	0.0	1.	1	+CAR 562
124-	+CAR 562			0.	0.	-.4241	0.	0.	-.3694	
125-	CBAR	563	563	77	79	0.0	0.0	1.	1	+CAR 563
126-	+CAR 563			0.	0.	.3694	0.	0.	.3095	
127-	CBAR	564	564	78	80	0.0	0.0	1.	1	+CAR 564
128-	+CAR 564			0.	0.	-.3694	0.	0.	-.3095	
129-	CBAR	565	565	79	81	0.0	0.0	1.	1	+CAR 565
130-	+CAR 565			0.	0.	.3095	0.	0.	.2544	
131-	CBAR	566	566	80	82	0.0	0.0	1.	1	+CAR 566
132-	+CAR 566			0.	0.	-.3095	0.	0.	-.2544	
133-	CBAR	567	567	83	85	0.0	0.0	1.	1	+CAR 567
134-	+CAR 567			0.	0.	.7642	0.	0.	.7507	
135-	CBAR	568	568	84	86	0.0	0.0	1.	1	+CAR 568
136-	+CAR 568			0.	0.	-.7799	0.	0.	-.7665	
137-	CBAR	569	569	85	87	0.0	0.0	1.	1	+CAR 569
138-	+CAR 569			0.	0.	.7507	0.	0.	.7103	
139-	CBAR	570	570	86	88	0.0	0.0	1.	1	+CAR 570
140-	+CAR 570			0.	0.	-.7665	0.	0.	-.7260	
141-	CBAR	571	571	87	89	0.0	0.0	1.	1	+CAR 571
142-	+CAR 571			0.	0.	.7103	0.	0.	.6766	
143-	CBAR	572	572	88	90	0.0	0.0	1.	1	+CAR 572
144-	+CAR 572			0.	0.	-.7260	0.	0.	-.6871	
145-	CBAR	573	573	89	91	0.0	0.0	1.	1	+CAR 573
146-	+CAR 573			0.	0.	.6766	0.	0.	.6166	
147-	CBAR	574	574	90	92	0.0	0.0	1.	1	+CAR 574
148-	+CAR 574			0.	0.	-.6871	0.	0.	-.6324	
149-	CBAR	575	575	91	93	0.0	0.0	1.	1	+CAR 575
150-	+CAR 575			0.	0.	.6166	0.	0.	.5672	

S O R T E D B U L K D A T A E C H O

CARD COUNT	1	2	3	4	5	6	7	8	9	10
151-	CBAR	576	576	92	94	0.0	0.0	1.	1	+CAR 576
152-	+CAR 576			0.	0.	-.6324	0.	0.	-.5829	
153-	CBAR	577	577	93	95	0.0	0.0	1.	1	+CAR 577
154-	+CAR 577			0.	0.	.5672	0.	0.	.5230	
155-	CBAR	578	578	94	96	0.0	0.0	1.	1	+CAR 578
156-	+CAR 578			0.	0.	-.5829	0.	0.	-.5335	
157-	CBAR	579	579	95	97	0.0	0.0	1.	1	+CAR 579
158-	+CAR 579			0.	0.	.5230	0.	0.	.4693	
159-	CBAR	580	580	96	98	0.0	0.0	1.	1	+CAR 580
160-	+CAR 580			0.	0.	-.5335	0.	0.	-.4788	
161-	CBAR	581	581	97	99	0.0	0.0	1.	1	+CAR 581
162-	+CAR 581			0.	0.	.4683	0.	0.	.4189	
163-	CBAR	582	582	98	100	0.0	0.0	1.	1	+CAR 582
164-	+CAR 582			0.	0.	-.4788	0.	0.	-.4241	
165-	CBAR	583	583	99	101	0.0	0.0	1.	1	+CAR 583
166-	+CAR 583			0.	0.	.4189	0.	0.	.3694	
167-	CBAR	584	584	100	102	0.0	0.0	1.	1	+CAR 584
168-	+CAR 584			0.	0.	-.4241	0.	0.	-.3694	
169-	CBAR	585	585	101	103	0.0	0.0	1.	1	+CAR 585
170-	+CAR 585			0.	0.	.3694	0.	0.	.3095	
171-	CBAR	586	586	102	104	0.0	0.0	1.	1	+CAR 586
172-	+CAR 586			0.	0.	-.3694	0.	0.	-.3095	
173-	CBAR	587	587	103	105	0.0	0.0	1.	1	+CAR 587
174-	+CAR 587			0.	0.	.3095	0.	0.	.2544	
175-	CBAR	588	588	104	106	0.0	0.0	1.	1	+CAR 588
176-	+CAR 588			0.	0.	-.3095	0.	0.	-.2544	
177-	CBAR	589	589	107	109	0.0	0.0	1.	1	+CAR 589
178-	+CAR 589			0.	0.	.7642	0.	0.	.7507	
179-	CBAR	590	590	108	110	0.0	0.0	1.	1	+CAR 590
180-	+CAR 590			0.	0.	-.7799	0.	0.	-.7665	
181-	CBAR	591	591	109	111	0.0	0.0	1.	1	+CAR 591
182-	+CAR 591			0.	0.	.7507	0.	-0.375	.7103	
183-	CBAR	592	592	110	112	0.0	0.0	1.	1	+CAR 592
184-	+CAR 592			0.	0.	-.7665	0.	-0.375	-.7260	
185-	CBAR	595	595	113	115	0.0	0.0	1.	1	+CAR 595
186-	+CAR 595			0.	0.	.6766	0.	0.	.6219	
187-	CBAR	596	596	114	116	0.0	0.0	1.	1	+CAR 596
188-	+CAR 596			0.	0.	-.6871	0.	0.	-.6376	
189-	CBAR	597	597	115	117	0.0	0.0	1.	1	+CAR 597
190-	+CAR 597			0.	0.	.6219	0.	0.	.5724	
191-	CBAR	598	598	116	118	0.0	0.0	1.	1	+CAR 598
192-	+CAR 598			0.	0.	-.6376	0.	0.	-.5882	
193-	CBAR	599	599	117	119	0.0	0.0	1.	1	+CAR 599
194-	+CAR 599			0.	0.	.5724	0.	0.	.5283	
195-	CBAR	600	600	118	120	0.0	0.0	1.	1	+CAR 600
196-	+CAR 600			0.	0.	-.5882	0.	0.	-.5388	
197-	CBAR	601	601	119	121	0.0	0.0	1.	1	+CAR 601
198-	+CAR 601			0.	0.	.5283	0.	0.	.4783	
199-	CBAR	602	602	120	122	0.0	0.0	1.	1	+CAR 602
200-	+CAR 602			0.	0.	-.5388	0.	0.	-.4841	

S O R T E D B U L K D A T A E C H O

CARD COUNT	1	2	3	4	5	6	7	8	9	10
201-	CBAR	603	603	121	123	0.0	0.0	1.	1	+CAR 603
202-	+CAR 603			0.	0.	.4788	0.	0.	.4294	
203-	CBAR	604	604	122	124	0.0	0.0	1.	1	+CAR 604
204-	+CAR 604			0.	0.	-.4841	0.	0.	-.4294	
205-	CBAR	605	605	123	125	0.0	0.0	1.	1	+CAR 605
206-	+CAR 605			0.	0.	.4294	0.	0.	.3694	
207-	CBAR	606	606	124	126	0.0	0.0	1.	1	+CAR 606
208-	+CAR 606			0.	0.	-.4294	0.	0.	-.3694	
209-	CBAR	607	607	125	127	0.0	0.0	1.	1	+CAR 607
210-	+CAR 607			0.	0.	.3694	0.	0.	.3095	
211-	CBAR	608	608	126	128	0.0	0.0	1.	1	+CAR 608
212-	+CAR 608			0.	0.	-.3694	0.	0.	-.3095	
213-	CBAR	609	609	127	129	0.0	0.0	1.	1	+CAR 609
214-	+CAR 609			0.	0.	.3095	0.	0.	.2544	
215-	CBAR	610	610	128	130	0.0	0.0	1.	1	+CAR 610
216-	+CAR 610			0.	0.	-.3095	0.	0.	-.2544	
217-	CBAR	611	611	131	133	0.0	0.0	1.	1	+CAR 611
218-	+CAR 611			0.	0.	.7365	-1.00	-0.681	0.659	
219-	CBAR	612	612	132	134	0.0	0.0	1.	1	+CAR 612
220-	+CAR 612			0.	0.	-.7470	-1.000	-0.681	-0.648	
221-	CBAR	613	613	133	135	0.0	0.0	1.	1	+CAR 613
222-	+CAR 613			-1.000	-0.681	0.659	0.	0.	.6324	
223-	CBAR	614	614	134	136	0.0	0.0	1.	1	+CAR 614
224-	+CAR 614			-1.000	-0.681	-0.648	0.	0.	-.6481	
225-	CBAR	615	615	135	137	0.0	0.0	1.	1	+CAR 615
226-	+CAR 615			0.	0.	.6324	0.	0.	.5982	
227-	CBAR	615	616	136	138	0.0	0.0	1.	1	+CAR 616
228-	+CAR 616			0.	0.	-.6481	0.	0.	-.5987	
229-	CBAR	617	617	137	139	0.0	0.0	1.	1	+CAR 617
230-	+CAR 617			0.	0.	.5982	0.	0.	.5388	
231-	CBAR	618	618	138	140	0.0	0.0	1.	1	+CAR 618
232-	+CAR 618			0.	0.	-.5987	0.	0.	-.5440	
233-	CBAR	619	619	139	141	0.0	0.0	1.	1	+CAR 619
234-	+CAR 619			0.	0.	.5388	0.	0.	.4788	
235-	CBAR	620	620	140	142	0.0	0.0	1.	1	+CAR 620
236-	+CAR 620			0.	0.	-.5440	0.	0.	-.4841	
237-	CBAR	621	621	141	143	0.0	0.0	1.	1	+CAR 621
238-	+CAR 621			0.	0.	.4788	0.	0.	.4294	
239-	CBAR	622	622	142	144	0.0	0.0	1.	1	+CAR 622
240-	+CAR 622			0.	0.	-.4841	0.	0.	-.4294	
241-	CBAR	623	623	143	145	0.0	0.0	1.	1	+CAR 623
242-	+CAR 623			0.	0.	.4294	0.	0.	.3694	
243-	CBAR	624	624	144	146	0.0	0.0	1.	1	+CAR 624
244-	+CAR 624			0.	0.	-.4294	0.	0.	-.3694	
245-	CBAR	625	625	145	147	0.0	0.0	1.	1	+CAR 625
246-	+CAR 625			0.	0.	.3694	0.	0.	.3095	
247-	CBAR	626	626	146	148	0.0	0.0	1.	1	+CAR 626
248-	+CAR 626			0.	0.	-.3694	0.	0.	-.3095	
249-	CBAR	627	627	147	149	0.0	0.0	1.	1	+CAR 627
250-	+CAR 627			0.	0.	.3095	0.	0.	.2544	

SORTED BULK DATA ECHO

CARD COUNT	. 1 ..	2 ..	3 ..	4 ..	5 ..	6 ..	7 ..	8 ..	9 ..	10 .
251-	CBAR	628	628	148	150	0.0	0.0	1.	1	+CAR 628
252-	+CAR 628			0.	0.	-.3095	0.	0.	-.2544	
253-	CBAR	629	629	151	153	0.0	0.0	1.	1	+CAR 629
254-	+CAR 629			0.	0.	.4440	-1.000	-0.594	0.411	
255-	CBAR	630	630	152	154	0.0	0.0	1.	1	+CAR 630
256-	+CAR 630			0.	0.	-.4545	-1.000	-0.594	-0.417	
257-	CBAR	631	631	153	155	0.0	0.0	1.	1	+CAR 631
258-	+CAR 631			-1.000	-0.594	-0.417	0.	0.	.3826	
259-	CBAR	632	632	154	156	0.0	0.0	1.	1	+CAR 632
260-	+CAR 632			-1.000	-0.594	-0.417	0.	0.	-.3873	
261-	CBAR	633	633	155	157	0.0	0.0	1.	1	+CAR 633
262-	+CAR 633			0.	0.	.3825	0.	0.	.3571	
263-	CBAR	634	634	156	158	0.0	0.0	1.	1	+CAR 634
264-	+CAR 634			0.	0.	-.3878	0.	0.	-.3571	
265-	CBAR	635	635	157	159	0.0	0.0	1.	1	+CAR 635
266-	+CAR 635			0.	0.	.3571	0.	0.	.3212	
267-	CBAR	636	636	158	160	0.0	0.0	1.	1	+CAR 636
268-	+CAR 635			0.	0.	-.3571	0.	0.	-.3212	
269-	CBAR	637	637	159	161	0.0	0.0	1.	1	+CAR 637
270-	+CAR 637			0.	0.	.3212	0.	0.	.2852	
271-	CBAR	638	638	160	162	0.0	0.0	1.	1	+CAR 638
272-	+CAR 638			0.	0.	-.3212	0.	0.	-.2852	
273-	CBAR	639	639	161	163	0.0	0.0	1.	1	+CAR 639
274-	+CAR 639			0.	0.	.2852	0.	0.	.2492	
275-	CBAR	640	640	162	164	0.0	0.0	1.	1	+CAR 640
276-	+CAR 640			0.	0.	-.2852	0.	0.	-.2492	
277-	CBAR	641	641	163	165	0.0	0.0	1.	1	+CAR 641
278-	+CAR 641			0.	0.	.2492	0.	0.	.2133	
279-	CBAR	642	642	164	166	0.0	0.0	1.	1	+CAR 642
280-	+CAR 642			0.	0.	-.2492	0.	0.	-.2133	
281-	CBAR	643	643	165	167	0.0	0.0	1.	1	+CAR 643
282-	+CAR 643			0.	0.	.2133	0.	0.	.1773	
283-	CBAR	644	644	166	168	0.0	0.0	1.	1	+CAR 644
284-	+CAR 644			0.	0.	-.2133	0.	0.	-.1773	
285-	CBAR	645	645	167	169	0.0	0.0	1.	1	+CAR 645
286-	+CAR 645			0.	0.	.1773	0.	0.	.1442	
287-	CBAR	646	646	168	170	0.0	0.0	1.	1	+CAR 646
288-	+CAR 646			0.	0.	-.1773	0.	0.	-.1442	
289-	CBAR	701	701	11	12	.0000	4.5000	0.0	1	+CAR 701
290-	+CAR 701			0.	0.	0.	0.	0.	0.	
291-	CBAR	702	702	13	14	.0000	4.5000	0.0	1	+CAR 702
292-	+CAR 702			0.	0.	0.	0.	0.	0.	
293-	CBAR	703	703	15	16	.0000	4.5000	0.0	1	+CAR 703
294-	+CAR 703			0.	0.375	0.	0.	0.375	0.	
295-	CBAR	704	704	15	16	-6.0768	5.0000	0.0	1	+CAR 704
296-	+CAR 704			0.	0.	0.	0.	0.	0.	
297-	CBAR	705	705	17	18	-6.0768	5.0000	0.0	1	+CAR 705
298-	+CAR 705			0.	0.	0.	0.	0.	0.	
299-	CBAR	706	706	19	20	-6.0768	5.0000	0.0	1	+CAR 706
300-	+CAR 706			0.	0.	0.	0.	0.	0.	

S O R T E D B U L K D A T A E C H O

CARD COUNT	1	2	3	4	5	6	7	8	9	10
301-	CBAR	707	707	21	22	-6.0768	5.0000	0.0	1	+CAR 707
302-	+CAR 707			0.	0.	0.	0.	0.	0.	
303-	CBAR	708	708	23	24	-6.0768	5.0000	0.0	1	+CAR 708
304-	+CAR 708			0.	0.	0.	0.	0.	0.	
305-	CBAR	709	709	25	26	-6.0768	5.0000	0.0	1	+CAR 709
306-	+CAR 709			0.	0.	0.	0.	0.	0.	
307-	CBAR	710	710	27	28	-6.0768	5.0000	0.0	1	+CAR 710
308-	+CAR 710			0.	0.	0.	0.	0.	0.	
309-	CBAR	711	711	29	30	-6.0768	5.0000	0.0	1	+CAR 711
310-	+CAR 711			0.	0.	0.	0.	0.	0.	
311-	CBAR	712	712	31	32	-5.5907	4.6000	0.0	1	+CAR 712
312-	+CAR 712			0.	0.	0.	0.	0.	0.	
313-	CBAR	713	713	33	34	-5.5907	4.6000	0.0	1	+CAR 713
314-	+CAR 713			0.	0.	0.	0.	0.	0.	
315-	CBAR	714	714	35	36	.0000	4.5000	0.0	1	+CAR 714
316-	+CAR 714			0.	0.	0.	0.	0.	0.	
317-	CBAR	715	715	37	38	.0000	4.5000	0.0	1	+CAR 715
318-	+CAR 715			0.	0.	0.	0.	0.	0.	
319-	CBAR	716	716	39	40	.0000	4.5000	0.0	1	+CAR 716
320-	+CAR 716			0.	0.	0.	0.	0.	0.	
321-	CBAR	717	717	39	40	-5.4597	5.0000	0.0	1	+CAR 717
322-	+CAR 717			0.	0.	0.	0.	0.	0.	
323-	CBAR	718	718	41	42	-5.4597	5.0000	0.0	1	+CAR 718
324-	+CAR 718			0.	0.	0.	0.	0.	0.	
325-	CBAR	719	719	43	44	-5.4597	5.0000	0.0	1	+CAR 719
326-	+CAR 719			0.	0.	0.	0.	0.	0.	
327-	CBAR	720	720	45	46	-5.4597	5.0000	0.0	1	+CAR 720
328-	+CAR 720			0.	0.	0.	0.	0.	0.	
329-	CBAR	721	721	47	48	-5.4597	5.0000	0.0	1	+CAR 721
330-	+CAR 721			0.	0.	0.	0.	0.	0.	
331-	CBAR	722	722	49	50	-5.4597	5.0000	0.0	1	+CAR 722
332-	+CAR 722			0.	0.	0.	0.	0.	0.	
333-	CBAR	723	723	51	52	-5.4597	5.0000	0.0	1	+CAR 723
334-	+CAR 723			0.	0.	0.	0.	0.	0.	
335-	CBAR	724	724	53	54	-5.4597	5.0000	0.0	1	+CAR 724
336-	+CAR 724			0.	0.	0.	0.	0.	0.	
337-	CBAR	725	725	55	56	-5.0229	4.6000	0.0	1	+CAR 725
338-	+CAR 725			0.	0.	0.	0.	0.	0.	
339-	CBAR	726	726	57	58	-5.0229	4.6000	0.0	1	+CAR 726
340-	+CAR 726			0.	0.	0.	0.	0.	0.	
341-	CBAR	727	727	59	60	.0000	4.5000	0.0	1	+CAR 727
342-	+CAR 727			0.	0.	0.	0.	0.	0.	
343-	CBAR	728	728	61	62	.0000	4.5000	0.0	1	+CAR 728
344-	+CAR 728			0.	0.	0.	0.	0.	0.	
345-	CBAR	729	729	63	64	.0000	4.5000	0.0	1	+CAR 729
346-	+CAR 729			0.	0.	0.	0.	0.	0.	
347-	CBAR	730	730	63	64	-4.8470	5.0000	0.0	1	+CAR 730
348-	+CAR 730			0.	0.	0.	0.	0.	0.	
349-	CBAR	731	731	65	66	-4.8470	5.0000	0.0	1	+CAR 731
350-	+CAR 731			0.	0.	0.	0.	0.	0.	

NADC-79145-60

NADC-79145-60

S O R T E D B U L K D A T A E C H O

CARD COUNT	1	2	3	4	5	6	7	8	9	10
351-	CBAR	732	732	67	68	-4.8470	5.0000	0.0	1	+CAR 732
352-	+CAR 732			0.	0.	0.	0.	0.	0.	
353-	CBAR	733	733	69	70	-4.8470	5.0000	0.0	1	+CAR 733
354-	+CAR 733			0.	0.	0.	0.	0.	0.	
355-	CBAR	734	734	71	72	-4.8470	5.0000	0.0	1	+CAR 734
356-	+CAR 734			0.	0.	0.	0.	0.	0.	
357-	CBAR	735	735	73	74	-4.8470	5.0000	0.0	1	+CAR 735
358-	+CAR 735			0.	0.	0.	0.	0.	0.	
359-	CBAR	736	736	75	76	-4.8470	5.0000	0.0	1	+CAR 736
360-	+CAR 736			0.	0.	0.	0.	0.	0.	
361-	CBAR	737	737	77	78	-4.8470	5.0000	0.0	1	+CAR 737
362-	+CAR 737			0.	0.	0.	0.	0.	0.	
363-	CBAR	738	738	79	80	-4.4592	4.6000	0.0	1	+CAR 738
364-	+CAR 738			0.	0.	0.	0.	0.	0.	
365-	CBAR	739	739	81	82	-4.4592	4.6000	0.0	1	+CAR 739
366-	+CAR 739			0.	0.	0.	0.	0.	0.	
367-	CBAR	740	740	83	84	.0000	4.5000	0.0	1	+CAR 740
368-	+CAR 740			0.	0.	0.	0.	0.	0.	
369-	CBAR	741	741	85	86	.0000	4.5000	0.0	1	+CAR 741
370-	+CAR 741			0.	0.	0.	0.	0.	0.	
371-	CBAR	742	742	87	88	.0000	4.5000	0.0	1	+CAR 742
372-	+CAR 742			0.	0.	0.	0.	0.	0.	
373-	CBAR	743	743	87	88	-4.2343	5.0000	0.0	1	+CAR 743
374-	+CAR 743			0.	0.	0.	0.	0.	0.	
375-	CBAR	744	744	89	90	-4.2343	5.0000	0.0	1	+CAR 744
376-	+CAR 744			0.	0.	0.	0.	0.	0.	
377-	CBAR	745	745	91	92	-4.2343	5.0000	0.0	1	+CAR 745
378-	+CAR 745			0.	0.	0.	0.	0.	0.	
379-	CBAR	746	746	93	94	-4.2343	5.0000	0.0	1	+CAR 746
380-	+CAR 746			0.	0.	0.	0.	0.	0.	
381-	CBAR	747	747	95	96	-4.2343	5.0000	0.0	1	+CAR 747
382-	+CAR 747			0.	0.	0.	0.	0.	0.	
383-	CBAR	748	748	97	98	-4.2343	5.0000	0.0	1	+CAR 748
384-	+CAR 748			0.	0.	0.	0.	0.	0.	
385-	CBAR	749	749	99	100	-4.2343	5.0000	0.0	1	+CAR 749
386-	+CAR 749			0.	0.	0.	0.	0.	0.	
387-	CBAR	750	750	101	102	-4.2343	5.0000	0.0	1	+CAR 750
388-	+CAR 750			0.	0.	0.	0.	0.	0.	
389-	CBAR	751	751	103	104	-3.8956	4.6000	0.0	1	+CAR 751
390-	+CAR 751			0.	0.	0.	0.	0.	0.	
391-	CBAR	752	752	105	106	-3.8956	4.6000	0.0	1	+CAR 752
392-	+CAR 752			0.	0.	0.	0.	0.	0.	
393-	CBAR	753	753	107	108	.0000	4.5000	0.0	1	+CAR 753
394-	+CAR 753			0.	0.	0.	0.	0.	0.	
395-	CBAR	754	754	109	110	.0000	4.5000	0.0	1	+CAR 754
396-	+CAR 754			0.	0.	0.	0.	0.	0.	
397-	CBAR	755	755	111	112	.0000	4.5000	0.0	1	+CAR 755
398-	+CAR 755			0.	-0.375	0.	0.	-0.375	0.	
399-	CBAR	756	756	111	113	-3.8042	5.0000	0.0	1	+CAR 756
400-	+CAR 756			0.	-1.097	0.	0.	-1.097	0.	

NADC-79145-60

NADC-79145-60

S O R T E D B U L K D A T A E C H O

CARD COUNT	1	2	3	4	5	6	7	8	9	10
401-	CBAR 757	757	113	114	-3.8042	5.0000	0.0	1		+CAR 757
402-	+CAR 757		0.	0.	0.	0.	0.		0.	
403-	CBAR 758	758	115	116	-3.8042	5.0000	0.0	1		+CAR 758
404-	+CAR 758		0.	0.	0.	0.	0.		0.	
405-	CBAR 759	759	117	118	-3.8042	5.0000	0.0	1		+CAR 759
406-	+CAR 759		0.	0.	0.	0.	0.		0.	
407-	CBAR 760	760	119	120	-3.8042	5.0000	0.0	1		+CAR 760
408-	+CAR 760		0.	0.	0.	0.	0.		0.	
409-	CBAR 761	761	121	122	-3.8042	5.0000	0.0	1		+CAR 761
410-	+CAR 761		0.	0.	0.	0.	0.		0.	
411-	CBAR 762	762	123	124	-3.8042	5.0000	0.0	1		+CAR 762
412-	+CAR 762		0.	0.	0.	0.	0.		0.	
413-	CBAR 763	763	125	126	-3.8042	5.0000	0.0	1		+CAR 763
414-	+CAR 763		0.	0.	0.	0.	0.		0.	
415-	CBAR 764	764	127	128	-3.4998	4.6000	0.0	1		+CAR 764
416-	+CAR 764		0.	0.	0.	0.	0.		0.	
417-	CBAR 765	765	129	130	-3.4998	4.6000	0.0	1		+CAR 765
418-	+CAR 765		0.	0.	0.	0.	0.		0.	
419-	CBAR 766	766	131	132	-3.4029	5.0000	0.0	1		+CAR 766
420-	+CAR 766		0.	0.	0.	0.	0.		0.	
421-	CBAR 767	767	133	134	-3.4029	5.0000	0.0	1		+CAR 767
422-	+CAR 767		-1.000	-0.681	0.	-1.000	-0.681		0.	
423-	CBAR 768	768	135	136	-3.4029	5.0000	0.0	1		+CAR 768
424-	+CAR 768		0.	0.	0.	0.	0.		0.	
425-	CBAR 769	769	137	138	-3.4029	5.0000	0.0	1		+CAR 769
426-	+CAR 769		0.	0.	0.	0.	0.		0.	
427-	CBAR 770	770	139	140	-3.4029	5.0000	0.0	1		+CAR 770
428-	+CAR 770		0.	0.	0.	0.	0.		0.	
429-	CBAR 771	771	141	142	-3.4029	5.0000	0.0	1		+CAR 771
430-	+CAR 771		0.	0.	0.	0.	0.		0.	
431-	CBAR 772	772	143	144	-3.4029	5.0000	0.0	1		+CAR 772
432-	+CAR 772		0.	0.	0.	0.	0.		0.	
433-	CBAR 773	773	145	146	-3.4029	5.0000	0.0	1		+CAR 773
434-	+CAR 773		0.	0.	0.	0.	0.		0.	
435-	CBAR 774	774	147	148	-3.1307	4.6000	0.0	1		+CAR 774
436-	+CAR 774		0.	0.	0.	0.	0.		0.	
437-	CBAR 775	775	149	150	-3.1307	4.6000	0.0	1		+CAR 775
438-	+CAR 775		0.	0.	0.	0.	0.		0.	
439-	CBAR 776	776	151	152	-2.9720	5.0000	0.0	1		+CAR 776
440-	+CAR 776		0.	0.	0.	0.	0.		0.	
441-	CBAR 777	777	153	154	-2.9720	5.0000	0.0	1		+CAR 777
442-	+CAR 777		-1.000	-0.594	0.	-1.000	-0.594		0.	
443-	CBAR 778	778	155	156	-2.9720	5.0000	0.0	1		+CAR 778
444-	+CAR 778		0.	0.	0.	0.	0.		0.	
445-	CBAR 779	779	157	158	-2.9720	5.0000	0.0	1		+CAR 779
446-	+CAR 779		0.	0.	0.	0.	0.		0.	
447-	CBAR 780	780	159	160	-2.9720	5.0000	0.0	1		+CAR 780
448-	+CAR 780		0.	0.	0.	0.	0.		0.	
449-	CBAR 781	781	161	162	-2.9720	5.0000	0.0	1		+CAR 781
450-	+CAR 781		0.	0.	0.	0.	0.		0.	

NADC-79145-60

NADC-79145-60

S O R T E D B U L K D A T A E C H O

CARD COUNT	1	2	3	4	5	6	7	8	9	10
451-	CBAR	732	732	163	164	-2.9720	5.0000	0.0	1	+CAR 782
452-	+CAR 782			0.	0.	0.	0.	0.	0.	
453-	CBAR	733	783	165	166	-2.9720	5.0000	0.0	1	+CAR 783
454-	+CAR 783			0.	0.	0.	0.	0.	0.	
455-	CBAR	734	784	167	168	-2.7342	4.6000	0.0	1	+CAR 784
456-	+CAR 784			0.	0.	0.	0.	0.	0.	
457-	CBAR	785	785	169	170	-2.7342	4.6000	0.0	1	+CAR 785
458-	+CAR 785			0.	0.	0.	0.	0.	0.	
459-	CBAR	1101	1101	1	15	0.0	0.0	1.	1	+CAR1101
460-	+CAR1101			0.	0.	-.0000	2.250	2.735	.7103	
461-	CBAR	1102	1102	1	16	0.0	0.0	1.	1	+CAR1102
462-	+CAR1102			0.	0.	-.0000	2.250	2.735	-.7260	
463-	CBAR	1103	1103	15	39	0.0	0.0	1.	1	+CAR1103
464-	+CAR1103			0.	0.	.7103	0.	0.	.7103	
465-	CBAR	1104	1104	16	40	0.0	0.0	1.	1	+CAR1104
466-	+CAR1104			0.	0.	-.7260	0.	0.	-.7260	
467-	CBAR	1105	1105	39	63	0.0	0.0	1.	1	+CAR1105
468-	+CAR1105			0.	0.	.7103	0.	0.	.7103	
469-	CBAR	1106	1106	40	64	0.0	0.0	1.	1	+CAR1106
470-	+CAR1106			0.	0.	-.7260	0.	0.	-.7260	
471-	CBAR	1107	1107	63	87	0.0	0.0	1.	1	+CAR1107
472-	+CAR1107			0.	0.	.7103	0.	0.	.7103	
473-	CBAR	1108	1108	64	88	0.0	0.0	1.	1	+CAR1108
474-	+CAR1108			0.	0.	-.7260	0.	0.	-.7260	
475-	CBAR	1109	1109	87	111	0.0	0.0	1.	1	+CAR1109
476-	+CAR1109			0.	0.	.7103	0.	0.	.7103	
477-	CBAR	1110	1110	88	112	0.0	0.0	1.	1	+CAR1110
478-	+CAR1110			0.	0.	-.7260	0.	0.	-.7260	
479-	CBAR	1111	1111	181	131	.0	.0	1.0	1	+C5
480-	+C5			0.0	0.0	0.695	0.0	0.0	0.731	
481-	CBAR	1112	1112	182	132	.0	.0	1.0	1	+C6
482-	+C6			0.0	0.0	-0.708	0.0	0.0	-0.731	
483-	CBAR	1113	1113	131	151	0.0	0.0	1.	1	+CAR1113
484-	+CAR1113			0.	0.	.7310	0.	0.	.4230	
485-	CBAR	1114	1114	132	152	0.0	0.0	1.	1	+CAR1114
486-	+CAR1114			0.	0.	-.7310	0.	0.	-.4330	
487-	CBAR	1115	1115	151	171	0.0	0.0	1.	1	+CAR1115
488-	+CAR1115			0.	0.	.4440	0.	0.	-.0000	
489-	CBAR	1116	1116	152	171	0.0	0.0	1.	1	+CAR1116
490-	+CAR1116			0.	0.	-.4545	0.	0.	-.0000	
491-	CBAR	1117	1117	10	33	0.0	0.0	1.	1	+CAR1117
492-	+CAR1117			0.	0.	-.0000	0.	0.	.2544	
493-	CBAR	1118	1118	10	34	0.0	0.0	1.	1	+CAR1118
494-	+CAR1118			0.	0.	-.0000	0.	0.	-.2544	
495-	CBAR	1119	1119	33	57	0.0	0.0	1.	1	+CAR1119
496-	+CAR1119			0.	0.	.2544	0.	0.	.2544	
497-	CBAR	1120	1120	34	58	0.0	0.0	1.	1	+CAR1120
498-	+CAR1120			0.	0.	-.2544	0.	0.	-.2544	
499-	CBAR	1121	1121	57	81	0.0	0.0	1.	1	+CAR1121
500-	+CAR1121			0.	0.	.2544	0.	0.	.2544	

NADC-79145-60

NADC-79145-60

S O R T E D B U L K D A T A E C H O

CARD COUNT	. 1 ..	2 ..	3 ..	4 ..	5 ..	6 ..	7 ..	8 ..	9 ..	10 .
501-	CBAR	1122	1122	58	82	0.0	0.0	1.	1	+CAR1122
502-	+CAR1122			0.	0.	-.2544	0.	0.	-.2544	
503-	CBAR	1123	1123	81	105	0.0	0.0	1.	1	+CAR1123
504-	+CAR1123			0.	0.	.2544	0.	0.	.2544	
505-	CBAR	1124	1124	82	106	0.0	0.0	1.	1	+CAR1124
506-	+CAR1124			0.	0.	-.2544	0.	0.	-.2544	
507-	CBAR	1125	1125	105	129	0.0	0.0	1.	1	+CAR1125
508-	+CAR1125			0.	0.	.2544	0.	0.	.2544	
509-	CBAR	1126	1126	106	130	0.0	0.0	1.	1	+CAR1126
510-	+CAR1126			0.	0.	-.2544	0.	0.	-.2544	
511-	CBAR	1127	1127	129	149	0.0	0.0	1.	1	+CAR1127
512-	+CAR1127			0.	0.	.2544	0.	0.	.2544	
513-	CBAR	1128	1128	130	150	0.0	0.0	1.	1	+CAR1128
514-	+CAR1128			0.	0.	-.2544	0.	0.	-.2544	
515-	CBAR	1129	1129	149	169	0.0	0.0	1.	1	+CAR1129
516-	+CAR1129			0.	0.	.2544	0.	0.	.1442	
517-	CBAR	1130	1130	150	170	0.0	0.0	1.	1	+CAR1130
518-	+CAR1130			0.	0.	-.2544	0.	0.	-.1442	
519-	CBAR	1131	1131	169	180	0.0	0.0	1.	1	+CAR1131
520-	+CAR1131			0.	0.	.1442	0.	0.	-.0000	
521-	CBAR	1132	1132	170	180	0.0	0.0	1.	1	+CAR1132
522-	+CAR1132			0.	0.	-.1442	0.	0.	-.0000	
523-	CBAR	1301	1301	15	16	1.0000	.0000	0.0	1	+CAR1301
524-	+CAR1301			2.250	2.735	0.	2.250	2.735	0.	
525-	CBAR	1302	1302	15	16	1.0000	.0000	0.0	1	+CAR1302
526-	+CAR1302			0.	0.	0.	0.	0.	0.	
527-	CBAR	1303	1303	39	40	1.0000	.0000	0.0	1	+CAR1303
528-	+CAR1303			0.	0.	0.	0.	0.	0.	
529-	CBAR	1304	1304	63	64	1.0000	.0000	0.0	1	+CAR1304
530-	+CAR1304			0.	0.	0.	0.	0.	0.	
531-	CBAR	1305	1305	87	88	1.0000	.0000	0.0	1	+CAR1305
532-	+CAR1305			0.	0.	0.	0.	0.	0.	
533-	CBAR	1306	1306	111	112	1.0000	.0000	0.0	1	+CAR1306
534-	+CAR1306			0.	0.	0.	0.	0.	0.	
535-	CBAR	1307	1307	111	112	1.0000	.0000	0.0	1	+CAR1307
536-	+CAR1307			2.250	0.615	0.	2.250	0.615	0.	
537-	CBAR	1308	1308	131	132	1.0000	.0000	0.0	1	+CAR1308
538-	+CAR1308			0.	0.	0.	0.	0.	0.	
539-	CBAR	1309	1309	151	152	1.0000	.0000	0.0	1	+CAR1309
540-	+CAR1309			0.	0.	0.	0.	0.	0.	
541-	CBAR	1310	1310	33	34	1.0000	.0000	0.0	1	+CAR1310
542-	+CAR1310			0.	0.	0.	0.	0.	0.	
543-	CBAR	1311	1311	57	58	1.0000	.0000	0.0	1	+CAR1311
544-	+CAR1311			0.	0.	0.	0.	0.	0.	
545-	CBAR	1312	1312	81	82	1.0000	.0000	0.0	1	+CAR1312
546-	+CAR1312			0.	0.	0.	0.	0.	0.	
547-	CBAR	1313	1313	105	106	1.0000	.0000	0.0	1	+CAR1313
548-	+CAR1313			0.	0.	0.	0.	0.	0.	
549-	CBAR	1314	1314	129	130	1.0000	.0000	0.0	1	+CAR1314
550-	+CAR1314			0.	0.	0.	0.	0.	0.	

NADC-79145-60
NADC-79145-60

S O R T E D B U L K D A T A E C H O

CARD COUNT	. 1 ..	2 ..	3 ..	4 ..	5 ..	6 ..	7 ..	8 ..	9 ..	10 .
551-	CBAR	1315	1315	149	150	1.0000	.0000	0.0	1	+CAR1315
552-	+CAR1315			0.	0.	0.	0.	0.	0.	
553-	CBAR	1316	1316	169	170	1.0000	.0000	0.0	1	+CAR1316
554-	+CAR1316			0.	0.	0.	0.	0.	0.	
555-	CBAR	1317	757	181	182	-3.8042	5.0	.0	1	
556-	CBAR	1318	593	111	181	.0	.0	1.0	1	+C2
557-	+C2			0.0	-1.097	0.71	0.0	0.0	0.695	
558-	CBAR	1319	593	181	113	.0	.0	1.0	1	+C1
559-	+C1			0.0	0.0	0.695	0.0	0.0	0.677	
560-	CBAR	1320	594	112	182	.0	.0	1.0	1	+C4
561-	+C4			0.0	-1.097	-0.726	0.0	0.0	-0.708	
562-	CBAR	1321	594	182	114	.0	.0	1.0	1	+C3
563-	+C3			0.0	0.0	-0.708	0.0	0.0	-0.687	
564-	CBAR	2001	2001	11	35	12			2	+CAR2001
565-	+CAR2001			0.	0.	.113	0.	0.	.113	
566-	CBAR	2002	2001	12	36	11			2	+CAR2002
567-	+CAR2002			0.	0.	-.129	0.	0.	-.129	
568-	CBAR	2003	2001	35	59	36			2	+CAR2003
569-	+CAR2003			0.	0.	.113	0.	0.	.113	
570-	CBAR	2004	2001	36	60	35			2	+CAR2004
571-	+CAR2004			0.	0.	-.129	0.	0.	-.129	
572-	CBAR	2005	2001	59	83	60			2	+CAR2005
573-	+CAR2005			0.	0.	.113	0.	0.	.113	
574-	CBAR	2006	2001	60	84	59			2	+CAR2006
575-	+CAR2006			0.	0.	-.129	0.	0.	-.129	
576-	CBAR	2007	2001	83	107	84			2	+CAR2007
577-	+CAR2007			0.	0.	.113	0.	0.	.113	
578-	CBAR	2008	2001	84	108	83			2	+CAR2008
579-	+CAR2008			0.	0.	-.129	0.	0.	-.129	
580-	CONROD	1	15	16	11	.5	0.0	0.0	0.0	
581-	CONROD	2	39	40	11	.5	0.0	0.0	0.0	
582-	CONROD	3	63	64	11	.5	0.0	0.0	0.0	
583-	CONROD	4	87	88	11	.5	0.0	0.0	0.0	
584-	CONROD	5	111	112	11	.5	0.0	0.0	0.0	
585-	CORD2R	1	0	0.0	0.0	0.0	0.0	0.0	1.	+CS1
586-	+CS1	1.	0.	0.						
587-	CQUAD1	289	1113	35	11	13	37	+90.		
588-	CQUAD1	290	1216	36	12	14	38	+90.		
589-	CQUAD1	291	1113	37	13	15	39	+90.		
590-	CQUAD1	292	1216	38	14	16	40	+90.		
591-	CQUAD1	293	1113	59	35	37	61	+90.		
592-	CQUAD1	294	1216	60	36	38	62	+90.		
593-	CQUAD1	295	1113	61	37	39	63	+90.		
594-	CQUAD1	296	1216	62	38	40	64	+90.		
595-	CQUAD1	297	1113	83	59	61	85	+90.		
596-	CQUAD1	298	1216	84	60	62	86	+90.		
597-	CQUAD1	299	1113	85	61	63	87	+90.		
598-	CQUAD1	300	1216	86	62	64	88	+90.		
599-	CQUAD1	301	301	107	83	85	109	+90.		
600-	CQUAD1	302	301	108	84	86	110	+90.		

NADC-79145-60

NADC-79145-60

SORTED BULK DATA ECHO

CARD COUNT	1	2	3	4	5	6	7	8	9	10
601-	CQUAD1	303	301	109	85	87	111	+90.		
602-	CQUAD1	304	301	110	86	88	112	+90.		
603-	CTRIA1	1	1011	15	1	2	-45.			
604-	CTRIA1	2	1011	16	1	2	-45.			
605-	CTRIA1	3	1011	2	17	15	-45.			
606-	CTRIA1	4	1011	2	18	16	-45.			
607-	CTRIA1	5	1011	17	2	3	-45.			
608-	CTRIA1	6	1011	18	2	3	-45.			
609-	CTRIA1	7	1011	3	19	17	-45.			
610-	CTRIA1	8	1011	3	20	18	-45.			
611-	CTRIA1	9	1011	19	3	4	-45.			
612-	CTRIA1	10	1011	20	3	4	-45.			
613-	CTRIA1	11	1011	4	21	19	-45.			
614-	CTRIA1	12	1011	4	22	20	-45.			
615-	CTRIA1	13	1011	21	4	5	-45.			
616-	CTRIA1	14	1011	22	4	5	-45.			
617-	CTRIA1	15	1011	5	23	21	-45.			
618-	CTRIA1	16	1011	5	24	22	-45.			
619-	CTRIA1	17	1011	23	5	6	-45.			
620-	CTRIA1	18	1011	24	5	6	-45.			
621-	CTRIA1	19	1011	6	25	23	-45.			
622-	CTRIA1	20	1011	6	26	24	-45.			
623-	CTRIA1	21	1011	25	6	7	-45.			
624-	CTRIA1	22	1011	26	6	7	-45.			
625-	CTRIA1	23	1011	7	27	25	-45.			
626-	CTRIA1	24	1011	7	28	26	-45.			
627-	CTRIA1	25	1011	27	7	8	-45.			
628-	CTRIA1	26	1011	28	7	8	-45.			
629-	CTRIA1	27	1011	8	29	27	-45.			
630-	CTRIA1	28	1011	8	30	28	-45.			
631-	CTRIA1	29	1011	29	8	9	-45.			
632-	CTRIA1	30	1011	30	8	9	-45.			
633-	CTRIA1	31	1011	9	31	29	-45.			
634-	CTRIA1	32	1011	9	32	30	-45.			
635-	CTRIA1	33	1011	31	9	10	-45.			
636-	CTRIA1	34	1011	32	9	10	-45.			
637-	CTRIA1	35	1011	10	33	31	-45.			
638-	CTRIA1	36	1011	10	34	32	-45.			
639-	CTRIA1	37	1110	39	15	17	-45.			
640-	CTRIA1	38	1216	40	16	18	-45.			
641-	CTRIA1	39	1109	17	41	39	-45.			
642-	CTRIA1	40	1215	13	42	40	-45.			
643-	CTRIA1	41	1108	41	17	19	-45.			
644-	CTRIA1	42	1215	42	18	20	-45.			
645-	CTRIA1	43	1107	19	43	41	-45.			
646-	CTRIA1	44	1212	20	44	42	-45.			
647-	CTRIA1	45	1107	43	19	21	-45.			
648-	CTRIA1	46	1212	44	20	22	-45.			
649-	CTRIA1	47	1106	21	45	43	-45.			
650-	CTRIA1	48	1210	22	46	44	-45.			

S O R T E D B U L K D A T A E C H O

CARD COUNT	1	2	3	4	5	6	7	8	9	10
651-	CTRIA1	49	1106	45	21	23	-45.			
652-	CTRIA1	50	1209	46	22	24				
653-	CTRIA1	51	1105	23	47	45	-45.			
654-	CTRIA1	52	1209	24	48	46	-45.			
655-	CTRIA1	53	1105	47	23	25	-45.			
656-	CTRIA1	54	1208	48	24	26	-45.			
657-	CTRIA1	55	1104	25	49	47	-45.			
658-	CTRIA1	56	1207	26	50	48	-45.			
659-	CTRIA1	57	1104	49	25	27	-45.			
660-	CTRIA1	58	1207	50	26	28	-45.			
661-	CTRIA1	59	1104	27	51	49	-45.			
662-	CTRIA1	60	1206	28	52	50	-45.			
663-	CTRIA1	61	1104	51	27	29	-45.			
664-	CTRIA1	62	1205	52	28	30	-45.			
665-	CTRIA1	63	1104	29	53	51	-45.			
666-	CTRIA1	64	1205	30	54	52	-45.			
667-	CTRIA1	65	1104	53	29	31	-45.			
668-	CTRIA1	66	1204	54	30	32	-45.			
669-	CTRIA1	67	1104	31	55	53	-45.			
670-	CTRIA1	68	1204	32	56	54	-45.			
671-	CTRIA1	69	1104	55	31	33	-45.			
672-	CTRIA1	70	1204	56	32	34	-45.			
673-	CTRIA1	71	1104	33	57	55	-45.			
674-	CTRIA1	72	1204	34	58	56	-45.			
675-	CTRIA1	73	1110	63	39	41	-45.			
676-	CTRIA1	74	1216	64	40	42	-45.			
677-	CTRIA1	75	1109	41	65	63	-45.			
678-	CTRIA1	76	1216	42	66	64	-45.			
679-	CTRIA1	77	1108	65	41	43	-45.			
680-	CTRIA1	78	1212	66	42	44	-45.			
681-	CTRIA1	79	1107	43	67	65	-45.			
682-	CTRIA1	80	1212	44	68	66	-45.			
683-	CTRIA1	81	1107	67	43	45	-45.			
684-	CTRIA1	82	1210	68	44	46	-45.			
685-	CTRIA1	83	1106	45	69	67	-45.			
686-	CTRIA1	84	1210	46	70	68	-45.			
687-	CTRIA1	85	1106	69	45	47	-45.			
688-	CTRIA1	86	1209	70	46	48	-45.			
689-	CTRIA1	87	1105	47	71	69	-45.			
690-	CTRIA1	88	1208	48	72	70	-45.			
691-	CTRIA1	89	1105	71	47	49	-45.			
692-	CTRIA1	90	1207	72	48	50	-45.			
693-	CTRIA1	91	1104	49	73	71	-45.			
694-	CTRIA1	92	1206	50	74	72	-45.			
695-	CTRIA1	93	1104	73	49	51	-45.			
696-	CTRIA1	94	1206	74	50	52	-45.			
697-	CTRIA1	95	1104	51	75	73	-45.			
698-	CTRIA1	96	1205	52	76	74	-45.			
699-	CTRIA1	97	1104	75	51	53	-45.			
700-	CTRIA1	98	1205	76	52	54	-45.			

S O R T E D B U L K D A T A E C H O

CARD COUNT	1	2	3	4	5	6	7	8	9	10
701-	CTRIA1	99	1104	53	77	75	-45.			
702-	CTRIA1	100	1204	54	78	76	-45.			
703-	CTRIA1	101	1104	77	53	55	-45.			
704-	CTRIA1	102	1204	78	54	56	-45.			
705-	CTRIA1	103	1104	55	79	77	-45.			
706-	CTRIA1	104	1204	56	80	78	-45.			
707-	CTRIA1	105	1104	79	55	57	-45.			
708-	CTRIA1	106	1204	80	56	58	-45.			
709-	CTRIA1	107	1104	57	81	79	-45.			
710-	CTRIA1	108	1204	58	82	80	-45.			
711-	CTRIA1	109	1110	87	63	65	-45.			
712-	CTRIA1	110	1216	88	64	66	-45.			
713-	CTRIA1	111	1110	65	89	87	-45.			
714-	CTRIA1	112	1216	66	90	88	-45.			
715-	CTRIA1	113	1109	89	65	67	-45.			
716-	CTRIA1	114	1212	90	66	68	-45.			
717-	CTRIA1	115	1108	67	91	89	-45.			
718-	CTRIA1	116	1212	68	92	90	-45.			
719-	CTRIA1	117	1107	91	67	69	-45.			
720-	CTRIA1	118	1210	92	68	70	-45.			
721-	CTRIA1	119	1107	69	93	91	-45.			
722-	CTRIA1	120	1209	70	94	92	-45.			
723-	CTRIA1	121	1105	93	69	71	-45.			
724-	CTRIA1	122	1208	94	70	72	-45.			
725-	CTRIA1	123	1105	71	95	93	-45.			
726-	CTRIA1	124	1207	72	96	94	-45.			
727-	CTRIA1	125	1105	95	71	73	-45.			
728-	CTRIA1	126	1206	96	72	74	-45.			
729-	CTRIA1	127	1104	73	97	95	-45.			
730-	CTRIA1	128	1206	74	98	96	-45.			
731-	CTRIA1	129	1104	97	73	75	-45.			
732-	CTRIA1	130	1205	98	74	76	-45.			
733-	CTRIA1	131	1104	75	99	97	-45.			
734-	CTRIA1	132	1204	76	100	98	-45.			
735-	CTRIA1	133	1104	99	75	77	-45.			
736-	CTRIA1	134	1204	100	76	78	-45.			
737-	CTRIA1	135	1104	77	101	99	-45.			
738-	CTRIA1	136	1204	78	102	100	-45.			
739-	CTRIA1	137	1104	101	77	79	-45.			
740-	CTRIA1	138	1204	102	78	80	-45.			
741-	CTRIA1	139	1104	79	103	101	-45.			
742-	CTRIA1	140	1204	80	104	102	-45.			
743-	CTRIA1	141	1104	103	79	81	-45.			
744-	CTRIA1	142	1204	104	80	82	-45.			
745-	CTRIA1	143	1104	81	105	103	-45.			
746-	CTRIA1	144	1204	82	106	104	-45.			
747-	CTRIA1	145	145	111	87	89	-45.0			
748-	CTRIA1	145	145	112	88	90	-45.			
749-	CTRIA1	149	149	113	89	91	-45.			
750-	CTRIA1	150	149	114	90	92	-45.			

SORTED BULK DATA ECHO

CARD COUNT	1	2	3	4	5	6	7	8	9	10
751-	CTRIA1	151	149	91	115	113	-45.			
752-	CTRIA1	152	149	92	116	114	-45.			
753-	CTRIA1	153	1107	115	91	93	-45.			
754-	CTRIA1	154	1209	116	92	94	-45.			
755-	CTRIA1	155	1106	93	117	115	-45.			
756-	CTRIA1	156	1208	94	118	116	-45.			
757-	CTRIA1	157	1105	117	93	95	-45.			
758-	CTRIA1	158	1207	118	94	96	-45.			
759-	CTRIA1	159	1105	95	119	117	-45.			
760-	CTRIA1	160	1206	96	120	118	-45.			
761-	CTRIA1	161	1104	119	95	97	-45.			
762-	CTRIA1	162	1205	120	96	98	-45.			
763-	CTRIA1	163	1104	97	121	119	-45.			
764-	CTRIA1	164	1205	98	122	120	-45.			
765-	CTRIA1	165	1104	121	97	99	-45.			
766-	CTRIA1	166	1204	122	98	100	-45.			
767-	CTRIA1	167	1104	99	123	121	-45.			
768-	CTRIA1	168	1204	100	124	122	-45.			
769-	CTRIA1	169	1104	123	99	101	-45.			
770-	CTRIA1	170	1204	124	100	102	-45.			
771-	CTRIA1	171	1104	101	125	123	-45.			
772-	CTRIA1	172	1204	102	126	124	-45.			
773-	CTRIA1	173	1104	125	101	103	-45.			
774-	CTRIA1	174	1204	126	102	104	-45.			
775-	CTRIA1	175	1104	103	127	125	-45.			
776-	CTRIA1	176	1204	104	128	126	-45.			
777-	CTRIA1	177	1104	127	103	105	-45.			
778-	CTRIA1	178	1204	128	104	106	-45.			
779-	CTRIA1	179	1104	105	129	127	-45.			
780-	CTRIA1	180	1204	106	130	128	-45.			
781-	CTRIA1	183	145	113	133	131	-45.			
782-	CTRIA1	184	145	114	134	132	-45.			
783-	CTRIA1	185	149	133	113	115	-45.			
784-	CTRIA1	186	149	134	114	116	-45.			
785-	CTRIA1	187	1106	115	135	133	-45.			
786-	CTRIA1	188	1209	116	136	134	-45.			
787-	CTRIA1	189	1105	135	115	117	-45.			
788-	CTRIA1	190	1208	136	116	118	-45.			
789-	CTRIA1	191	1105	117	137	135	-45.			
790-	CTRIA1	192	1206	118	138	136	-45.			
791-	CTRIA1	193	1104	137	117	119	-45.			
792-	CTRIA1	194	1206	138	118	120	-45.			
793-	CTRIA1	195	1104	119	139	137	-45.			
794-	CTRIA1	196	1205	120	140	138	-45.			
795-	CTRIA1	197	1104	139	119	121	-45.			
796-	CTRIA1	198	1205	140	120	122	-45.			
797-	CTRIA1	199	1104	121	141	139	-45.			
798-	CTRIA1	200	1204	122	142	140	-45.			
799-	CTRIA1	201	1104	141	121	123	-45.			
800-	CTRIA1	202	1204	142	122	124	-45.			

S O R T E D B U L K D A T A E C H O

CARD COUNT	1	2	3	4	5	6	7	8	9	10
801-	CTRIA1	203	1104	123	143	141	-45.			
802-	CTRIA1	204	1204	124	144	142	-45.			
803-	CTRIA1	205	1104	143	123	125	-45.			
804-	CTRIA1	206	1204	144	124	126	-45.			
805-	CTRIA1	207	1104	125	145	143	-45.			
806-	CTRIA1	208	1204	126	146	144	-45.			
807-	CTRIA1	209	1104	145	125	127	-45.			
808-	CTRIA1	210	1204	146	126	128	-45.			
809-	CTRIA1	211	1104	127	147	145	-45.			
810-	CTRIA1	212	1204	128	148	146	-45.			
811-	CTRIA1	213	1104	147	127	129	-45.			
812-	CTRIA1	214	1204	148	128	130	-45.			
813-	CTRIA1	215	1104	129	149	147	-45.			
814-	CTRIA1	216	1204	130	150	148	-45.			
815-	CTRIA1	217	1105	151	131	133	-45.			
816-	CTRIA1	218	1207	152	132	134	-45.			
817-	CTRIA1	219	1105	133	153	151	-45.			
818-	CTRIA1	220	1207	134	154	152	-45.			
819-	CTRIA1	221	1105	153	133	135	-45.			
820-	CTRIA1	222	1207	154	134	136	-45.			
821-	CTRIA1	223	1105	135	155	153	-45.			
822-	CTRIA1	224	1207	136	156	154	-45.			
823-	CTRIA1	225	1105	155	135	137	-45.			
824-	CTRIA1	226	1207	156	136	138	-45.			
825-	CTRIA1	227	1104	137	157	155	-45.			
826-	CTRIA1	228	1206	138	158	156	-45.			
827-	CTRIA1	229	1104	157	137	139	-45.			
828-	CTRIA1	230	1206	158	138	140	-45.			
829-	CTRIA1	231	1104	139	159	157	-45.			
830-	CTRIA1	232	1205	140	160	158	-45.			
831-	CTRIA1	233	1104	159	139	141	-45.			
832-	CTRIA1	234	1205	160	140	142	-45.			
833-	CTRIA1	235	1104	141	161	159	-45.			
834-	CTRIA1	236	1204	142	162	160	-45.			
835-	CTRIA1	237	1104	161	141	143	-45.			
836-	CTRIA1	238	1204	162	142	144	-45.			
837-	CTRIA1	239	1104	143	163	161	-45.			
838-	CTRIA1	240	1204	144	164	162	-45.			
839-	CTRIA1	241	1104	163	143	145	-45.			
840-	CTRIA1	242	1204	164	144	146	-45.			
841-	CTRIA1	243	1104	145	165	163	-45.			
842-	CTRIA1	244	1204	146	166	164	-45.			
843-	CTRIA1	245	1104	165	145	147	-45.			
844-	CTRIA1	246	1204	166	146	148	-45.			
845-	CTRIA1	247	1104	147	167	165	-45.			
846-	CTRIA1	248	1204	148	168	166	-45.			
847-	CTRIA1	249	1104	167	147	149	-45.			
848-	CTRIA1	250	1204	168	148	150	-45.			
849-	CTRIA1	251	1104	149	169	167	-45.			
850-	CTRIA1	252	1204	150	170	168	-45.			

S O R T E D B U L K D A T A E C H O

CARD COUNT	1	2	3	4	5	6	7	8	9	10
851-	CTRIA1	253	1105	171	151	153	-45.			
852-	CTRIA1	254	1207	171	152	154	-45.			
853-	CTRIA1	255	1105	153	172	171	-45.			
854-	CTRIA1	256	1207	154	172	171	-45.			
855-	CTRIA1	257	1105	172	153	155	-45.			
856-	CTRIA1	258	1206	172	154	156	-45.			
857-	CTRIA1	259	1104	155	173	172	-45.			
858-	CTRIA1	260	1206	156	173	172	-45.			
859-	CTRIA1	261	1104	173	155	157	-45.			
860-	CTRIA1	262	1206	173	156	158	-45.			
861-	CTRIA1	263	1104	157	174	173	-45.			
862-	CTRIA1	264	1205	158	174	173	-45.			
863-	CTRIA1	265	1104	174	157	159	-45.			
864-	CTRIA1	266	1205	174	158	160	-45.			
865-	CTRIA1	267	1104	159	175	174	-45.			
866-	CTRIA1	268	1204	160	175	174	-45.			
867-	CTRIA1	269	1104	175	159	161	-45.			
868-	CTRIA1	270	1204	175	160	162	-45.			
869-	CTRIA1	271	1104	161	176	175	-45.			
870-	CTRIA1	272	1204	162	176	175	-45.			
871-	CTRIA1	273	1104	176	161	163	-45.			
872-	CTRIA1	274	1204	176	162	164	-45.			
873-	CTRIA1	275	1104	163	177	176	-45.			
874-	CTRIA1	276	1204	164	177	176	-45.			
875-	CTRIA1	277	1104	177	163	165	-45.			
876-	CTRIA1	278	1204	177	164	166	-45.			
877-	CTRIA1	279	1104	165	178	177	-45.			
878-	CTRIA1	280	1204	166	178	177	-45.			
879-	CTRIA1	281	1104	178	165	167	-45.			
880-	CTRIA1	282	1204	178	166	168	-45.			
881-	CTRIA1	283	1104	167	179	178	-45.			
882-	CTRIA1	284	1204	168	179	178	-45.			
883-	CTRIA1	285	1104	179	167	169	-45.			
884-	CTRIA1	286	1204	179	168	170	-45.			
885-	CTRIA1	287	1104	169	180	179	-45.			
886-	CTRIA1	288	1204	170	180	179	-45.			
887-	CTRIA1	289	289	89	181	111	-84.882			
888-	CTRIA1	290	289	90	182	112	-84.882			
889-	CTRIA1	291	145	89	113	181	-45.0			
890-	CTRIA1	292	145	90	114	182	-45.0			
891-	CTRIA1	293	145	131	181	113	-45.0			
892-	CTRIA1	294	145	132	182	114	-45.0			
893-	EIGR	5	GIV	0.0	250.	6	6			+EI5
894-	+EI5	MAX								
895-	FORCE	1	2	1	1.0	.0	.0	97.3		
896-	FORCE	1	3	1	1.0	0.0	0.0	147.8		
897-	FORCE	1	4	1	1.0	0.0	0.0	157.0		
898-	FORCE	1	5	1	1.0	0.0	0.0	135.7		
899-	FORCE	1	6	1	1.0	0.0	0.0	120.2		
900-	FORCE	1	7	1	1.0	0.0	0.0	114.0		

S O R T E D B U L K D A T A E C H O

CARD COUNT	1	2	3	4	5	6	7	8	9	10
901-	FORCE	1	8	1	1.0	0.0	0.0	109.5		
902-	FORCE	1	9	1	1.0	.0	.0	39.7		
903-	FORCE	1	17	1	1.0	.0	.0	143.2		
904-	FORCE	1	19	1	1.0	0.0	0.0	193.2		
905-	FORCE	1	21	1	1.0	0.0	0.0	224.4		
906-	FORCE	1	23	1	1.0	0.0	0.0	223.4		
907-	FORCE	1	25	1	1.0	0.0	0.0	182.1		
908-	FORCE	1	27	1	1.0	0.0	0.0	153.0		
909-	FORCE	1	29	1	1.0	0.0	0.0	147.7		
910-	FORCE	1	31	1	1.0	.0	.0	71.8		
911-	FORCE	1	33	1	1.0	0.0	0.0	40.0		
912-	FORCE	1	41	1	1.0	.0	.0	80.4		
913-	FORCE	1	43	1	1.0	0.0	0.0	95.4		
914-	FORCE	1	45	1	1.0	0.0	0.0	132.5		
915-	FORCE	1	47	1	1.0	0.0	0.0	134.5		
916-	FORCE	1	49	1	1.0	0.0	0.0	130.5		
917-	FORCE	1	51	1	1.0	0.0	0.0	141.8		
918-	FORCE	1	53	1	1.0	0.0	0.0	150.8		
919-	FORCE	1	55	1	1.0	0.0	0.0	161.8		
920-	FORCE	1	57	1	1.0	0.0	0.0	83.0		
921-	FORCE	1	65	1	1.0	.0	.0	92.6		
922-	FORCE	1	67	1	1.0	0.0	0.0	102.6		
923-	FORCE	1	69	1	1.0	0.0	0.0	110.0		
924-	FORCE	1	71	1	1.0	0.0	0.0	73.0		
925-	FORCE	1	73	1	1.0	.0	.0	51.4		
926-	FORCE	1	75	1	1.0	.0	.0	51.3		
927-	FORCE	1	77	1	1.0	.0	.0	21.2		
928-	FORCE	1	79	1	1.0	.0	.0	14.2		
929-	FORCE	1	81	1	1.0	0.0	0.0	40.0		
930-	FORCE	1	89	1	1.0	.0	.0	66.0		
931-	FORCE	1	91	1	1.0	0.0	0.0	71.0		
932-	FORCE	1	93	1	1.0	0.0	0.0	78.5		
933-	FORCE	1	95	1	1.0	0.0	0.0	47.5		
934-	FORCE	1	97	1	1.0	.0	.0	34.8		
935-	FORCE	1	99	1	1.0	.0	.0	37.7		
936-	FORCE	1	101	1	1.0	.0	.0	12.2		
937-	FORCE	1	103	1	1.0	.0	.0	31.9		
938-	FORCE	1	105	1	1.0	.0	.0	19.9		
939-	FORCE	1	113	1	1.0	.0	.0	44.9		
940-	FORCE	1	115	1	1.0	0.0	0.0	48.9		
941-	FORCE	1	117	1	1.0	0.0	0.0	49.2		
942-	FORCE	1	119	1	1.0	0.0	0.0	31.5		
943-	FORCE	1	121	1	1.0	.0	.0	22.5		
944-	FORCE	1	123	1	1.0	.0	.0	17.7		
945-	FORCE	1	125	1	1.0	.0	.0	11.3		
946-	FORCE	1	127	1	1.0	.0	.0	16.5		
947-	FORCE	1	129	1	1.0	.0	.0	7.5		
948-	FORCE	1	131	1	1.0	0.0	0.0	11.85		
949-	FORCE	1	133	1	1.0	0.0	0.0	15.64		
950-	FORCE	1	135	1	1.0	0.0	0.0	19.64		

S O R T E D B U L K D A T A E C H O

CARD COUNT	1	2	3	4	5	6	7	8	9	10
951-	FORCE	1	137	1	1.0	0.0	0.0	20.51		
952-	FORCE	1	139	1	1.0	0.0	0.0	20.22		
953-	FORCE	1	141	1	1.0	0.0	0.0	13.31		
954-	FORCE	1	143	1	1.0	0.0	0.0	9.24		
955-	FORCE	1	145	1	1.0	0.0	0.0	7.78		
956-	FORCE	1	147	1	1.0	0.0	0.0	13.60		
957-	FORCE	1	149	1	1.0	0.0	0.0	11.27		
958-	FORCE	1	151	1	1.0	0.0	0.0	9.45		
959-	FORCE	1	153	1	1.0	0.0	0.0	5.86		
960-	FORCE	1	155	1	1.0	0.0	0.0	7.36		
961-	FORCE	1	157	1	1.0	0.0	0.0	7.69		
962-	FORCE	1	159	1	1.0	0.0	0.0	7.58		
963-	FORCE	1	161	1	1.0	0.0	0.0	4.99		
964-	FORCE	1	163	1	1.0	0.0	0.0	3.46		
965-	FORCE	1	165	1	1.0	0.0	0.0	2.92		
966-	FORCE	1	167	1	1.0	0.0	0.0	5.10		
967-	FORCE	1	169	1	1.0	0.0	0.0	4.23		
968-	FORCE	1	171	1	1.0	0.0	0.0	12.7		
969-	FORCE	1	172	1	1.0	.0	.0	11.6		
970-	FORCE	1	173	1	1.0	.0	.0	11.6		
971-	FORCE	1	174	1	1.0	.0	.0	7.30		
972-	FORCE	1	175	1	1.0	.0	.0	2.40		
973-	FORCE	1	176	1	1.0	.0	.0	2.00		
974-	FORCE	1	177	1	1.0	.0	.0	.60		
975-	FORCE	2	2	1	1.0	.0	.0	97.8		
976-	FORCE	2	3	1	1.0	0.0	0.0	147.8		
977-	FORCE	2	4	1	1.0	0.0	0.0	157.0		
978-	FORCE	2	5	1	1.0	0.0	0.0	135.7		
979-	FORCE	2	6	1	1.0	0.0	0.0	120.2		
980-	FORCE	2	7	1	1.0	0.0	0.0	114.0		
981-	FORCE	2	8	1	1.0	0.0	0.0	109.5		
982-	FORCE	2	9	1	1.0	.0	.0	39.7		
983-	FORCE	2	18	1	1.0	.0	.0	143.2		
984-	FORCE	2	20	1	1.0	0.0	0.0	193.2		
985-	FORCE	2	22	1	1.0	0.0	0.0	224.4		
986-	FORCE	2	24	1	1.0	0.0	0.0	223.4		
987-	FORCE	2	26	1	1.0	0.0	0.0	182.1		
988-	FORCE	2	28	1	1.0	0.0	0.0	153.0		
989-	FORCE	2	30	1	1.0	0.0	0.0	147.7		
990-	FORCE	2	32	1	1.0	.0	.0	71.8		
991-	FORCE	2	34	1	1.0	0.0	0.0	40.0		
992-	FORCE	2	42	1	1.0	.0	.0	80.4		
993-	FORCE	2	44	1	1.0	0.0	0.0	95.4		
994-	FORCE	2	46	1	1.0	0.0	0.0	132.5		
995-	FORCE	2	48	1	1.0	0.0	0.0	134.5		
996-	FORCE	2	50	1	1.0	0.0	0.0	130.5		
997-	FORCE	2	52	1	1.0	0.0	0.0	141.8		
998-	FORCE	2	54	1	1.0	0.0	0.0	150.8		
999-	FORCE	2	56	1	1.0	0.0	0.0	161.8		
1000-	FORCE	2	58	1	1.0	0.0	0.0	83.0		

S O R T E D B U L K D A T A E C H O

CARD COUNT	1	2	3	4	5	6	7	8	9	10
1001-	FORCE	2	66	1	1.0	.0	.0	92.6		
1002-	FORCE	2	68	1	1.0	0.0	0.0	102.6		
1003-	FORCE	2	70	1	1.0	0.0	0.0	110.0		
1004-	FORCE	2	72	1	1.0	0.0	0.0	73.0		
1005-	FORCE	2	74	1	1.0	.0	.0	51.4		
1006-	FORCE	2	76	1	1.0	.0	.0	51.3		
1007-	FORCE	2	78	1	1.0	.0	.0	21.2		
1008-	FORCE	2	80	1	1.0	.0	.0	14.2		
1009-	FORCE	2	82	1	1.0	0.0	0.0	40.0		
1010-	FORCE	2	90	1	1.0	.0	.0	66.0		
1011-	FORCE	2	92	1	1.0	0.0	0.0	71.0		
1012-	FORCE	2	94	1	1.0	0.0	0.0	78.5		
1013-	FORCE	2	96	1	1.0	0.0	0.0	47.5		
1014-	FORCE	2	98	1	1.0	.0	.0	34.3		
1015-	FORCE	2	100	1	1.0	.0	.0	37.7		
1016-	FORCE	2	102	1	1.0	.0	.0	12.2		
1017-	FORCE	2	104	1	1.0	.0	.0	31.9		
1018-	FORCE	2	106	1	1.0	.0	.0	19.9		
1019-	FORCE	2	114	1	1.0	.0	.0	44.9		
1020-	FORCE	2	116	1	1.0	0.0	0.0	49.9		
1021-	FORCE	2	118	1	1.0	0.0	0.0	49.2		
1022-	FORCE	2	120	1	1.0	0.0	0.0	31.5		
1023-	FORCE	2	122	1	1.0	.0	.0	22.5		
1024-	FORCE	2	124	1	1.0	.0	.0	17.7		
1025-	FORCE	2	126	1	1.0	.0	.0	11.3		
1026-	FORCE	2	128	1	1.0	.0	.0	15.5		
1027-	FORCE	2	130	1	1.0	.0	.0	7.5		
1028-	FORCE	2	132	1	1.0	0.0	0.0	11.85		
1029-	FORCE	2	134	1	1.0	0.0	0.0	15.64		
1030-	FORCE	2	136	1	1.0	0.0	0.0	19.64		
1031-	FORCE	2	138	1	1.0	0.0	0.0	20.51		
1032-	FORCE	2	140	1	1.0	0.0	0.0	20.22		
1033-	FORCE	2	142	1	1.0	0.0	0.0	13.31		
1034-	FORCE	2	144	1	1.0	0.0	0.0	9.24		
1035-	FORCE	2	146	1	1.0	0.0	0.0	7.78		
1036-	FORCE	2	148	1	1.0	0.0	0.0	13.60		
1037-	FORCE	2	150	1	1.0	0.0	0.0	11.27		
1038-	FORCE	2	152	1	1.0	0.0	0.0	9.45		
1039-	FORCE	2	154	1	1.0	0.0	0.0	5.86		
1040-	FORCE	2	156	1	1.0	0.0	0.0	7.36		
1041-	FORCE	2	158	1	1.0	0.0	0.0	7.69		
1042-	FORCE	2	160	1	1.0	0.0	0.0	7.58		
1043-	FORCE	2	162	1	1.0	0.0	0.0	4.99		
1044-	FORCE	2	164	1	1.0	0.0	0.0	3.46		
1045-	FORCE	2	166	1	1.0	0.0	0.0	2.92		
1046-	FORCE	2	168	1	1.0	0.0	0.0	5.10		
1047-	FORCE	2	170	1	1.0	0.0	0.0	4.23		
1048-	FORCE	2	171	1	1.0	0.0	0.0	12.7		
1049-	FORCE	2	172	1	1.0	.0	.0	11.6		
1050-	FORCE	2	173	1	1.0	.0	.0	11.6		

S O R T E D B U L K D A T A E C H O

CARD COUNT	. 1 ..	2 ..	3 ..	4 ..	5 ..	6 ..	7 ..	8 ..	9 ..	10 .
1051-	FORCE	2	174	1	1.0	.0	.0	7.30		
1052-	FORCE	2	175	1	1.0	.0	.0	2.40		
1053-	FORCE	2	176	1	1.0	.0	.0	2.00		
1054-	FORCE	2	177	1	1.0	.0	.0	.60		
1055-	GRDSET		1				0	0		
1056-	GRID	1	0	11.250	14.929	.000	0	0		
1057-	GRID	2	0	14.000	18.579	.000	0	0		
1058-	GRID	3	0	19.000	25.214	.000	0	0		
1059-	GRID	4	0	24.000	31.849	.000	0	0		
1060-	GRID	5	0	29.000	38.484	.000	0	0		
1061-	GRID	6	0	34.000	45.120	.000	0	0		
1062-	GRID	7	0	39.000	51.755	.000	0	0		
1063-	GRID	8	0	44.000	58.390	.000	0	0		
1064-	GRID	9	0	49.000	65.025	.000	0	0		
1065-	GRID	10	0	53.600	71.130	.000	0	0		
1066-	GRID	11	0	.000	19.865	-.764	0	0		
1067-	GRID	12	0	.000	19.865	.780	0	0		
1068-	GRID	13	0	4.500	19.865	-.751	0	0		
1069-	GRID	14	0	4.500	19.865	.766	0	0		
1070-	GRID	15	0	9.000	19.490	-.710	0	0		
1071-	GRID	16	0	9.000	19.490	.726	0	0		
1072-	GRID	17	0	14.000	25.567	-.671	0	0		
1073-	GRID	18	0	14.000	25.567	.687	0	0		
1074-	GRID	19	0	19.000	31.644	-.611	0	0		
1075-	GRID	20	0	19.000	31.644	.632	0	0		
1076-	GRID	21	0	24.000	37.720	-.567	0	0		
1077-	GRID	22	0	24.000	37.720	.583	0	0		
1078-	GRID	23	0	29.000	43.797	-.523	0	0		
1079-	GRID	24	0	29.000	43.797	.534	0	0		
1080-	GRID	25	0	34.000	49.874	-.468	0	0		
1081-	GRID	26	0	34.000	49.874	.479	0	0		
1082-	GRID	27	0	39.000	55.951	-.419	0	0		
1083-	GRID	28	0	39.000	55.951	.424	0	0		
1084-	GRID	29	0	44.000	62.028	-.369	0	0		
1085-	GRID	30	0	44.000	62.028	.369	0	0		
1086-	GRID	31	0	49.000	68.104	-.310	0	0		
1087-	GRID	32	0	49.000	68.104	.310	0	0		
1088-	GRID	33	0	53.600	73.695	-.254	0	0		
1089-	GRID	34	0	53.600	73.695	.254	0	0		
1090-	GRID	35	0	.000	27.830	-.764	0	0		
1091-	GRID	36	0	.000	27.830	.780	0	0		
1092-	GRID	37	0	4.500	27.830	-.751	0	0		
1093-	GRID	38	0	4.500	27.830	.766	0	0		
1094-	GRID	39	0	9.000	27.830	-.710	0	0		
1095-	GRID	40	0	9.000	27.830	.726	0	0		
1096-	GRID	41	0	14.000	33.290	-.671	0	0		
1097-	GRID	42	0	14.000	33.290	.687	0	0		
1098-	GRID	43	0	19.000	38.749	-.611	0	0		
1099-	GRID	44	0	19.000	38.749	.632	0	0		
1100-	GRID	45	0	24.000	44.209	-.567	0	0		

S O R T E D B U L K D A T A E C H O

CARD COUNT	1	2	3	4	5	6	7	8	9	10
1101-	GRID	46	0	24.000	44.209	.583	0	0		
1102-	GRID	47	0	29.000	49.669	-.523	0	0		
1103-	GRID	48	0	29.000	49.669	.534	0	0		
1104-	GRID	49	0	34.000	55.128	-.468	0	0		
1105-	GRID	50	0	34.000	55.128	.479	0	0		
1106-	GRID	51	0	39.000	60.588	-.419	0	0		
1107-	GRID	52	0	39.000	60.588	.424	0	0		
1108-	GRID	53	0	44.000	66.048	-.369	0	0		
1109-	GRID	54	0	44.000	66.048	.369	0	0		
1110-	GRID	55	0	49.000	71.507	-.310	0	0		
1111-	GRID	56	0	49.000	71.507	.310	0	0		
1112-	GRID	57	0	53.600	76.530	-.254	0	0		
1113-	GRID	58	0	53.600	76.530	.254	0	0		
1114-	GRID	59	0	.000	36.110	-.764	0	0		
1115-	GRID	60	0	.000	36.110	.780	0	0		
1116-	GRID	61	0	4.500	36.110	-.751	0	0		
1117-	GRID	62	0	4.500	36.110	.766	0	0		
1118-	GRID	63	0	9.000	36.110	-.710	0	0		
1119-	GRID	64	0	9.000	36.110	.726	0	0		
1120-	GRID	65	0	14.000	40.957	-.671	0	0		
1121-	GRID	66	0	14.000	40.957	.687	0	0		
1122-	GRID	67	0	19.000	45.804	-.611	0	0		
1123-	GRID	68	0	19.000	45.804	.632	0	0		
1124-	GRID	69	0	24.000	50.651	-.567	0	0		
1125-	GRID	70	0	24.000	50.651	.583	0	0		
1126-	GRID	71	0	29.000	55.498	-.523	0	0		
1127-	GRID	72	0	29.000	55.498	.534	0	0		
1128-	GRID	73	0	34.000	60.345	-.468	0	0		
1129-	GRID	74	0	34.000	60.345	.479	0	0		
1130-	GRID	75	0	39.000	65.192	-.419	0	0		
1131-	GRID	76	0	39.000	65.192	.424	0	0		
1132-	GRID	77	0	44.000	70.039	-.369	0	0		
1133-	GRID	78	0	44.000	70.039	.369	0	0		
1134-	GRID	79	0	49.000	74.886	-.310	0	0		
1135-	GRID	80	0	49.000	74.886	.310	0	0		
1136-	GRID	81	0	53.600	79.345	-.254	0	0		
1137-	GRID	82	0	53.600	79.345	.254	0	0		
1138-	GRID	83	0	.000	44.390	-.764	0	0		
1139-	GRID	84	0	.000	44.390	.780	0	0		
1140-	GRID	85	0	4.500	44.390	-.751	0	0		
1141-	GRID	86	0	4.500	44.390	.766	0	0		
1142-	GRID	87	0	9.000	44.390	-.710	0	0		
1143-	GRID	88	0	9.000	44.390	.726	0	0		
1144-	GRID	89	0	14.000	48.624	-.677	0	0		
1145-	GRID	90	0	14.000	48.624	.687	0	0		
1146-	GRID	91	0	19.000	52.859	-.617	0	0		
1147-	GRID	92	0	19.000	52.859	.632	0	0		
1148-	GRID	93	0	24.000	57.093	-.567	0	0		
1149-	GRID	94	0	24.000	57.093	.583	0	0		
1150-	GRID	95	0	29.000	61.327	-.523	0	0		

SORTED BULK DATA ECHO

CARD COUNT	1	2	3	4	5	6	7	8	9	10
1151-	GRID	96	0	29.000	61.327	.534	0	0		
1152-	GRID	97	0	34.000	65.562	-.468	0	0		
1153-	GRID	98	0	34.000	65.562	.479	0	0		
1154-	GRID	99	0	39.000	69.796	-.419	0	0		
1155-	GRID	100	0	39.000	69.796	.424	0	0		
1156-	GRID	101	0	44.000	74.030	-.369	0	0		
1157-	GRID	102	0	44.000	74.030	.369	0	0		
1158-	GRID	103	0	49.000	78.264	-.310	0	0		
1159-	GRID	104	0	49.000	78.264	.310	0	0		
1160-	GRID	105	0	53.600	82.160	-.254	0	0		
1161-	GRID	106	0	53.600	82.160	.254	0	0		
1162-	GRID	107	0	.000	50.925	-.764	0	0		
1163-	GRID	108	0	.000	50.925	.780	0	0		
1164-	GRID	109	0	4.500	50.925	-.751	0	0		
1165-	GRID	110	0	4.500	50.925	.766	0	0		
1166-	GRID	111	0	9.000	51.300	-.710	0	0		
1167-	GRID	112	0	9.000	51.300	.726	0	0		
1168-	GRID	113	0	14.000	54.007	-.677	0	0		
1169-	GRID	114	0	14.000	54.007	.667	0	0		
1170-	GRID	115	0	19.000	57.811	-.622	0	0		
1171-	GRID	116	0	19.000	57.811	.638	0	0		
1172-	GRID	117	0	24.000	61.615	-.572	0	0		
1173-	GRID	118	0	24.000	61.615	.588	0	0		
1174-	GRID	119	0	29.000	65.420	-.528	0	0		
1175-	GRID	120	0	29.000	65.420	.539	0	0		
1176-	GRID	121	0	34.000	69.224	-.479	0	0		
1177-	GRID	122	0	34.000	69.224	.484	0	0		
1178-	GRID	123	0	39.000	73.028	-.429	0	0		
1179-	GRID	124	0	39.000	73.028	.429	0	0		
1180-	GRID	125	0	44.000	76.832	-.369	0	0		
1181-	GRID	126	0	44.000	76.832	.369	0	0		
1182-	GRID	127	0	49.000	80.636	-.310	0	0		
1183-	GRID	128	0	49.000	80.636	.310	0	0		
1184-	GRID	129	0	53.600	84.136	-.254	0	0		
1185-	GRID	130	0	53.600	84.136	.254	0	0		
1186-	GRID	131	0	11.250	57.157	-.731	0	0		
1187-	GRID	132	0	11.250	55.157	.731	0	0		
1188-	GRID	133	0	15.000	59.709	-.659	0	0		
1189-	GRID	134	0	15.000	59.709	.648	0	0		
1190-	GRID	135	0	19.000	62.431	-.632	0	0		
1191-	GRID	136	0	19.000	62.431	.648	0	0		
1192-	GRID	137	0	24.000	65.334	-.588	0	0		
1193-	GRID	138	0	24.000	65.334	.599	0	0		
1194-	GRID	139	0	29.000	69.237	-.539	0	0		
1195-	GRID	140	0	29.000	69.237	.544	0	0		
1196-	GRID	141	0	34.000	72.640	-.479	0	0		
1197-	GRID	142	0	34.000	72.640	.484	0	0		
1198-	GRID	143	0	39.000	76.043	-.429	0	0		
1199-	GRID	144	0	39.000	76.043	.429	0	0		
1200-	GRID	145	0	44.000	79.446	-.369	0	0		

S O R T E D B U L K D A T A E C H O

CARD COUNT	1	2	3	4	5	6	7	8	9	10
1201-	GRID	146	0	44.000	79.446	.369	0	0		
1202-	GRID	147	0	49.000	82.849	-.310	0	0		
1203-	GRID	148	0	49.000	82.349	.310	0	0		
1204-	GRID	149	0	53.600	85.780	-.254	0	0		
1205-	GRID	150	0	53.600	85.980	.254	0	0		
1206-	GRID	151	0	11.250	62.737	-.423	0	0		
1207-	GRID	152	0	11.250	62.787	.433	0	0		
1208-	GRID	153	0	15.000	65.015	-.411	0	0		
1209-	GRID	154	0	15.000	65.015	.417	0	0		
1210-	GRID	155	0	19.000	67.394	-.383	0	0		
1211-	GRID	156	0	19.000	67.394	.388	0	0		
1212-	GRID	157	0	24.000	70.365	-.357	0	0		
1213-	GRID	158	0	24.000	70.365	.357	0	0		
1214-	GRID	159	0	29.000	73.337	-.321	0	0		
1215-	GRID	160	0	29.000	73.337	.321	0	0		
1216-	GRID	161	0	34.000	76.309	-.285	0	0		
1217-	GRID	162	0	34.000	76.309	.285	0	0		
1218-	GRID	163	0	39.000	79.281	-.249	0	0		
1219-	GRID	164	0	39.000	79.281	.249	0	0		
1220-	GRID	165	0	44.000	82.253	-.213	0	0		
1221-	GRID	166	0	44.000	82.253	.213	0	0		
1222-	GRID	167	0	49.000	85.225	-.177	0	0		
1223-	GRID	168	0	49.000	85.225	.177	0	0		
1224-	GRID	169	0	53.600	87.960	-.144	0	0		
1225-	GRID	170	0	53.600	87.960	.144	0	0		
1226-	GRID	171	0	11.250	71.232	.000	0	0		
1227-	GRID	172	0	15.000	72.977	.000	0	0		
1228-	GRID	173	0	19.000	74.337	.000	0	0		
1229-	GRID	174	0	24.000	77.143	.000	0	0		
1230-	GRID	175	0	29.000	79.488	.000	0	0		
1231-	GRID	176	0	34.000	81.814	.000	0	0		
1232-	GRID	177	0	39.000	84.139	.000	0	0		
1233-	GRID	178	0	44.000	86.465	.000	0	0		
1234-	GRID	179	0	49.000	88.790	.000	0	0		
1235-	GRID	180	0	53.600	90.930	.000	0	0		
1236-	GRID	181	0	11.25	51.315	-0.695	0	0		
1237-	GRID	182	0	11.25	51.715	.708	0	0		
1238-	LOAD	10	1.25	1.0	2					
1239-	LOAD	20	-0.5	1.	1					
1240-	MAT1	10		8.1+6						
1241-	MAT1	11	29.+6	11.+6		.277	6.1-6	75.		
1242-	MAT1	13	29.+6	11.+6		0.0	6.1-6	75.		
1243-	MAT2	104	23.996+6	7.7953+6	.+6	23.996+6	.+6	11.064+6	.095	
1244-	MAT2	105	25.779+6	7.2033+6	.+6	23.397+6	.+6	10.471+6	.095	
1245-	MAT2	106	25.968+6	6.8083+6	.+6	23.001+6	.+6	10.076+6	.095	
1246-	MAT2	107	25.544+6	6.9484+6	-.4251+6	23.143+6	-.4251+6	10.217+6	.095	
1247-	MAT2	108	25.225+6	7.0553+6	.+6	23.250+6	.+6	10.323+6	.095	
1248-	MAT2	109	25.758+6	6.3083+6	.+6	23.001+6	.+6	10.076+6	.095	
1249-	MAT2	110	25.671+6	6.9071+6	-.2975+6	23.100+6	-.2975+6	10.175+6	.095	
1250-	MAT2	113	25.690+6	6.2002+6	.+6	25.135+6	.+6	9.468+6	.095	

S O R T E D B U L K D A T A E C H O

```
CARD
COUNT      .   1  ..   2  ..   3  ..   4  ..   5  ..   6  ..   7  ..   8  ..   9  ..  10  .
1251-      MAT2     154     23.996+67.7963+6-2.232+623.995+6-2.232+611.064+6.095
1252-      MAT2     155     24.068+67.7725+6-1.714+623.972+6-1.714+611.040+6.095
1253-      MAT2     156     24.327+67.6365+6-1.322+623.886+6-1.322+610.954+6.095
1254-      MAT2     157     24.672+67.5715+6-1.050+623.770+6-1.050+610.839+6.095
1255-      MAT2     158     24.971+67.4721+6-.8369+623.670+6-.8369+610.740+6.095
1256-      MAT2     159     25.207+67.3933+6-.6857+623.591+6-.6857+610.662+6.095
1257-      MAT2     160     25.387+67.3339+6-.7497+623.530+6-.7497+610.602+6.095
1258-      MAT2     163     27.038+65.6822+6.+6      25.133+6.+6      8.950+6 .095
1259-      MAT2     210     27.562+66.6107+6.+6      22.802+6.+6      9.878+6 .095
1260-      MAT2     211     27.238+66.7184+5-.2705+622.910+6-.2705+69.986+6 .095
1261-      MAT2     212     26.968+66.8083+6-.4959+623.001+6-.4959+610.076+6.095
1262-      MAT2     216     26.222+66.3143+6.+6      24.735+6.+6      9.582+6 .095
1263-      MAT2     260     25.423+67.3221+6-.5713+623.513+6-.5713+610.590+6.095
1264-      MAT2     261     25.631+67.2529+6-.4851+623.449+6-.4851+610.521+6.095
1265-      MAT2     262     25.812+67.1925+6-.4270+623.388+6-.4270+610.460+6.095
1266-      MAT2     266     26.430+65.8627+6-.1046+625.430+6-.1046+69.131+6 .095
1267-      MAT2     289     11.67+6 6.2002+6.0       25.135+6.0       9.468+6 .095
1268-      PARAM    COUPMASS1
1269-      PARAM    GRDPNT  63
1270-      PARAM    WTMASS  .25880-2
1271-      PBAR     501     11       .4177-1 1.0918-2.2597-2 .1628-4 0.0              +PAR 501
1272-      +PAR 501  -.6892   .7500   .0000   .7500  -.6959   .0000  -.6825   .0000+P2R 501
1273-      +P2R 501 .660025 .359127  0.
1274-      PBAR     502     11       .4177-1 1.0918-2.2597-2 .1628-4 0.0              +PAR 502
1275-      +PAR 502   .6892   .7500   .0000   .7500   .6959   .0000   .6825   .0000+P2R 502
1276-      +P2R 502 .660026 .359127  0.
1277-      PBAR     503     11       .4069-1 .9930-2 .2597-2 .1570-4 0.0              +PAR 503
1278-      +PAR 503  -.6622   .7500   .0000   .7500  -.6825   .0000  -.6420   .0000+P2R 503
1279-      +P2R 503 .651013 .368648  0.
1280-      PBAR     504     11       .4069-1 .9930-2 .2597-2 .1570-4 0.0              +PAR 504
1281-      +PAR 504   .6622   .7500   .0000   .7500   .6825   .0000   .6420   .0000+P2R 504
1282-      +P2R 504 .651013 .368648  0.
1283-      PBAR     505     11       .8372-1 2.5344-24.3227-2.4465-4 0.0              +PAR 505
1284-      +PAR 505  -.6330  1.5000   .0000  1.5000  -.6420   .0000  -.6241   .0000+P2R 505
1285-      +P2R 505 .302448 .716663  0.
1286-      PBAR     506     11       .8372-1 2.5344-24.3227-2.4465-4 0.0              +PAR 506
1287-      +PAR 506   .6330  1.5000   .0000  1.5000   .6420   .0000   .6241   .0000+P2R 506
1288-      +P2R 506 .302448 .716663  0.
1289-      PBAR     507     11       .8237-1 2.2530-24.3227-2.4393-4 0.0              +PAR 507
1290-      +PAR 507  -.5993  1.5000   .0000  1.5000  -.6241   .0000  -.5746   .0000+P2R 507
1291-      +P2R 507 .291037 .728386  0.
1292-      PBAR     508     11       .8237-1 2.2530-24.3227-2.4393-4 0.0              +PAR 508
1293-      +PAR 508   .5993  1.5000   .0000  1.5000   .6241   .0000   .5746   .0000+P2R 508
1294-      +P2R 508 .291037 .728386  0.
1295-      PBAR     509     11       .8061-1 1.9045-24.3227-2.4299-4 0.0              +PAR 509
1296-      +PAR 509  -.5552  1.5000   .0000  1.5000  -.5746   .0000  -.5357   .0000+P2R 509
1297-      +P2R 509 .275492 .744353  0.
1298-      PBAR     510     11       .8061-1 1.9045-24.3227-2.4299-4 0.0              +PAR 510
1299-      +PAR 510   .5552  1.5000   .0000  1.5000   .5746   .0000   .5357   .0000+P2R 510
1300-      +P2R 510 .275492 .744358  0.
```

S O R T E D B U L K D A T A E C H O

CARD COUNT	1	2	3	4	5	6	7	8	9	10
1301-	PBAR	511	11	.7905-1	1.6252-2	4.3227-2	.4216-4	0.0		+PAR 511
1302-	+PAR 511	-.5162	1.5000	.0000	1.5000	-.5357	.0000	-.4968	.0000	+P2R 511
1303-	+P2R 511	.261217	.759023	0.						
1304-	PBAR	512	11	.7905-1	1.6252-2	4.3227-2	.4216-4	0.0		+PAR 512
1305-	+PAR 512	.5162	1.5000	.0000	1.5000	.5357	.0000	.4968	.0000	+P2R 512
1306-	+P2R 512	.261217	.759023	0.						
1307-	PBAR	513	11	.7728-1	1.3391-2	4.3226-2	.4122-4	0.0		+PAR 513
1308-	+PAR 513	-.4720	1.5000	.0000	1.5000	-.4968	.0000	-.4473	.0000	+P2R 513
1309-	+P2R 513	.244321	.776383	0.						
1310-	PBAR	514	11	.7728-1	1.3391-2	4.3226-2	.4122-4	0.0		+PAR 514
1311-	+PAR 514	.4720	1.5000	.0000	1.5000	.4968	.0000	.4473	.0000	+P2R 514
1312-	+P2R 514	.244321	.776383	0.						
1313-	PBAR	515	11	.7530-1	1.0526-2	4.3226-2	.4016-4	0.0		+PAR 515
1314-	+PAR 515	-.4226	1.5000	.0000	1.5000	-.4473	.0000	-.3979	.0000	+P2R 515
1315-	+P2R 515	.224477	.796770	0.						
1316-	PBAR	516	11	.7530-1	1.0526-2	4.3226-2	.4016-4	0.0		+PAR 516
1317-	+PAR 516	.4226	1.5000	.0000	1.5000	.4473	.0000	.3979	.0000	+P2R 516
1318-	+P2R 516	.224477	.796770	0.						
1319-	PBAR	517	11	.7333-1	.8029-2	4.3226-2	.3911-4	0.0		+PAR 517
1320-	+PAR 517	-.3732	1.5000	.0000	1.5000	-.3979	.0000	-.3484	.0000	+P2R 517
1321-	+P2R 517	.203563	.818258	0.						
1322-	PBAR	518	11	.7333-1	.8029-2	4.3226-2	.3911-4	0.0		+PAR 518
1323-	+PAR 518	.3732	1.5000	.0000	1.5000	.3979	.0000	.3484	.0000	+P2R 518
1324-	+P2R 518	.203563	.818258	0.						
1325-	PBAR	519	11	.7114-1	.5705-2	4.3225-2	.3794-4	0.0		+PAR 519
1326-	+PAR 519	-.3185	1.5000	.0000	1.5000	-.3484	.0000	-.2885	.0000	+P2R 519
1327-	+P2R 519	.179073	.843418	0.						
1328-	PBAR	520	11	.7114-1	.5705-2	4.3225-2	.3794-4	0.0		+PAR 520
1329-	+PAR 520	.3185	1.5000	.0000	1.5000	.3484	.0000	.2885	.0000	+P2R 520
1330-	+P2R 520	.179073	.843418	0.						
1331-	PBAR	521	11	.6884-1	.3687-2	4.3225-2	.3671-4	0.0		+PAR 521
1332-	+PAR 521	-.2609	1.5000	.0000	1.5000	-.2885	.0000	-.2334	.0000	+P2R 521
1333-	+P2R 521	.151625	.871618	0.						
1334-	PBAR	522	11	.6884-1	.3687-2	4.3225-2	.3671-4	0.0		+PAR 522
1335-	+PAR 522	.2609	1.5000	.0000	1.5000	.2885	.0000	.2334	.0000	+P2R 522
1336-	+P2R 522	.151625	.871618	0.						
1337-	PBAR	523	11	.4177-1	1.0918-2	.2597-2	.1628-4	0.0		+PAR 523
1338-	+PAR 523	-.6892	.7500	.0000	.7500	-.6959	.0000	-.6825	.0000	+P2R 523
1339-	+P2R 523	.660026	.359127	0.						
1340-	PBAR	524	11	.4177-1	1.0918-2	.2597-2	.1628-4	0.0		+PAR 524
1341-	+PAR 524	.6892	.7500	.0000	.7500	.6959	.0000	.6825	.0000	+P2R 524
1342-	+P2R 524	.660025	.359127	0.						
1343-	PBAR	525	11	.4069-1	.9930-2	.2597-2	.1570-4	0.0		+PAR 525
1344-	+PAR 525	-.6622	.7500	.0000	.7500	-.6825	.0000	-.6420	.0000	+P2R 525
1345-	+P2R 525	.651013	.368648	0.						
1346-	PBAR	525	11	.4069-1	.9930-2	.2597-2	.1570-4	0.0		+PAR 526
1347-	+PAR 526	.6622	.7500	.0000	.7500	.6825	.0000	.6420	.0000	+P2R 526
1348-	+P2R 526	.651013	.368648	0.						
1349-	PBAR	527	11	.4059-1	1.0792-2	.3972-2	.1219-4	0.0		+PAR 527
1350-	+PAR 527	-.6330	.7500	.0000	.7500	-.6420	.0000	-.6241	.0000	+P2R 527

S O R T E D B U L K D A T A E C H O

CARD COUNT	. 1 .. 2 .. 3 .. 4 .. 5 .. 6 .. 7 .. 8 .. 9 .. 10 .
1351-	+P2R 527 .467863 .554310 0.
1352-	PBAR 528 11 .4059-1 1.0792-2.3972-2 .1218-4 0.0 +PAR 528
1353-	+PAR 528 .6330 .7500 .0000 .7500 .6420 .0000 .6241 .0000+P2R 528
1354-	+P2R 528 .467863 .554310 0.
1355-	PBAR 529 11 .3958-1 .9554-2 .3972-2 .1187-4 0.0 +PAR 529
1356-	+PAR 529 -.5993 .7500 .0000 .7500 -.6241 .0000 -.5746 .0000+P2R 529
1357-	+P2R 529 .454276 .568463 0.
1358-	PBAR 530 11 .3958-1 .9554-2 .3972-2 .1187-4 0.0 +PAR 530
1359-	+PAR 530 .5993 .7500 .0000 .7500 .6241 .0000 .5746 .0000+P2R 530
1360-	+P2R 530 .454276 .568463 0.
1361-	PBAR 531 11 .3825-1 .8029-2 .3972-2 .1148-4 0.0 +PAR 531
1362-	+PAR 531 -.5552 .7500 .0000 .7500 -.5746 .0000 -.5357 .0000+P2R 531
1363-	+P2R 531 .435365 .588161 0.
1364-	PBAR 532 11 .3825-1 .8029-2 .3972-2 .1148-4 0.0 +PAR 532
1365-	+PAR 532 .5552 .7500 .0000 .7500 .5746 .0000 .5357 .0000+P2R 532
1366-	+P2R 532 .435365 .588161 0.
1367-	PBAR 533 11 .3709-1 .6818-2 .3972-2 .1113-4 0.0 +PAR 533
1368-	+PAR 533 -.5162 .7500 .0000 .7500 -.5357 .0000 -.4968 .0000+P2R 533
1369-	+P2R 533 .417581 .606686 0.
1370-	PBAR 534 11 .3709-1 .6818-2 .3972-2 .1113-4 0.0 +PAR 534
1371-	+PAR 534 .5162 .7500 .0000 .7500 .5357 .0000 .4968 .0000+P2R 534
1372-	+P2R 534 .417581 .606686 0.
1373-	PBAR 535 11 .3576-1 .5587-2 .3972-2 .1073-4 0.0 +PAR 535
1374-	+PAR 535 -.4720 .7500 .0000 .7500 -.4968 .0000 -.4473 .0000+P2R 535
1375-	+P2R 535 .395992 .629175 0.
1376-	PBAR 536 11 .3576-1 .5587-2 .3972-2 .1073-4 0.0 +PAR 536
1377-	+PAR 536 .4720 .7500 .0000 .7500 .4968 .0000 .4473 .0000+P2R 536
1378-	+P2R 536 .395992 .629175 0.
1379-	PBAR 537 11 .3428-1 .4356-2 .3972-2 .1028-4 0.0 +PAR 537
1380-	+PAR 537 -.4226 .7500 .0000 .7500 -.4473 .0000 -.3979 .0000+P2R 537
1381-	+P2R 537 .369858 .656398 0.
1382-	PBAR 538 11 .3428-1 .4356-2 .3972-2 .1028-4 0.0 +PAR 538
1383-	+PAR 538 .4226 .7500 .0000 .7500 .4473 .0000 .3979 .0000+P2R 538
1384-	+P2R 538 .369858 .656398 0.
1385-	PBAR 539 11 .3279-1 .3312-2 .3971-2 .0984-4 0.0 +PAR 539
1386-	+PAR 539 -.3732 .7500 .0000 .7500 -.3979 .0000 -.3484 .0000+P2R 539
1387-	+P2R 539 .341361 .686082 0.
1388-	PBAR 540 11 .3279-1 .3312-2 .3971-2 .0984-4 0.0 +PAR 540
1389-	+PAR 540 .3732 .7500 .0000 .7500 .3979 .0000 .3484 .0000+P2R 540
1390-	+P2R 540 .341361 .686082 0.
1391-	PBAR 541 11 .3115-1 .2342-2 .3971-2 .0935-4 0.0 +PAR 541
1392-	+PAR 541 -.3185 .7500 .0000 .7500 -.3484 .0000 -.2885 .0000+P2R 541
1393-	+P2R 541 .306677 .722212 0.
1394-	PBAR 542 11 .3115-1 .2342-2 .3971-2 .0935-4 0.0 +PAR 542
1395-	+PAR 542 .3185 .7500 .0000 .7500 .3484 .0000 .2885 .0000+P2R 542
1396-	+P2R 542 .306677 .722212 0.
1397-	PBAR 543 11 .2943-1 .1508-2 .3971-2 .0883-4 0.0 +PAR 543
1398-	+PAR 543 -.2609 .7500 .0000 .7500 -.2885 .0000 -.2334 .0000+P2R 543
1399-	+P2R 543 .256008 .764575 0.
1400-	PBAR 544 11 .2943-1 .1508-2 .3971-2 .0883-4 0.0 +PAR 544

S O R T E D B U L K D A T A E C H O

CARD COUNT	1	2	3	4	5	6	7	8	9	10
1401-	+PAR	544	.2609	.7500	.0000	.7500	.2885	.0000	.2334	.0000+P2R 544
1402-	+P2R	544	.266008	.764579	0.					
1403-	PBAR	545	11	.4177-1	1.0918-2	2.2597-2	.1628-4	0.0		+PAR 545
1404-	+PAR	545	-.6892	.7500	.0000	.7500	-.6959	.0000	-.6825	.0000+P2R 545
1405-	+P2R	545	.650026	.359127	0.					
1406-	PBAR	546	11	.4177-1	1.0918-2	2.2597-2	.1628-4	0.0		+PAR 546
1407-	+PAR	546	.6892	.7500	.0000	.7500	.6959	.0000	.6825	.0000+P2R 546
1408-	+P2R	546	.650026	.359127	0.					
1409-	PBAR	547	11	.4069-1	.9930-2	.2597-2	.1570-4	0.0		+PAR 547
1410-	+PAR	547	-.6622	.7500	.0000	.7500	-.6825	.0000	-.6420	.0000+P2R 547
1411-	+P2R	547	.651013	.368648	0.					
1412-	PBAR	548	11	.4069-1	.9930-2	.2597-2	.1570-4	0.0		+PAR 548
1413-	+PAR	548	.6622	.7500	.0000	.7500	.6825	.0000	.6420	.0000+P2R 548
1414-	+P2R	548	.651013	.368648	0.					
1415-	PBAR	549	11	.4059-1	1.0792-2	.3972-2	.1218-4	0.0		+PAR 549
1416-	+PAR	549	-.6330	.7500	.0000	.7500	-.6420	.0000	-.6241	.0000+P2R 549
1417-	+P2R	549	.457863	.554310	0.					
1418-	PBAR	550	11	.4059-1	1.0792-2	.3972-2	.1218-4	0.0		+PAR 550
1419-	+PAR	550	.6330	.7500	.0000	.7500	.6420	.0000	.6241	.0000+P2R 550
1420-	+P2R	550	.457863	.554310	0.					
1421-	PBAR	551	11	.3958-1	.9554-2	.3972-2	.1187-4	0.0		+PAR 551
1422-	+PAR	551	-.5993	.7500	.0000	.7500	-.6241	.0000	-.5746	.0000+P2R 551
1423-	+P2R	551	.454275	.568463	0.					
1424-	PBAR	552	11	.3958-1	.9554-2	.3972-2	.1187-4	0.0		+PAR 552
1425-	+PAR	552	.5993	.7500	.0000	.7500	.6241	.0000	.5746	.0000+P2R 552
1426-	+P2R	552	.454275	.568463	0.					
1427-	PBAR	553	11	.3825-1	.8029-2	.3972-2	.1148-4	0.0		+PAR 553
1428-	+PAR	553	-.5552	.7500	.0000	.7500	-.5746	.0000	-.5357	.0000+P2R 553
1429-	+P2R	553	.435365	.588161	0.					
1430-	PBAR	554	11	.3825-1	.8029-2	.3972-2	.1148-4	0.0		+PAR 554
1431-	+PAR	554	.5552	.7500	.0000	.7500	.5746	.0000	.5357	.0000+P2R 554
1432-	+P2R	554	.435365	.588161	0.					
1433-	PBAR	555	11	.3709-1	.6818-2	.3972-2	.1113-4	0.0		+PAR 555
1434-	+PAR	555	-.5162	.7500	.0000	.7500	-.5357	.0000	-.4968	.0000+P2R 555
1435-	+P2R	555	.417581	.606686	0.					
1436-	PBAR	556	11	.3709-1	.6818-2	.3972-2	.1113-4	0.0		+PAR 556
1437-	+PAR	556	.5162	.7500	.0000	.7500	.5357	.0000	.4968	.0000+P2R 556
1438-	+P2R	556	.417581	.606686	0.					
1439-	PBAR	557	11	.3576-1	.5537-2	.3972-2	.1073-4	0.0		+PAR 557
1440-	+PAR	557	-.4720	.7500	.0000	.7500	-.4968	.0000	-.4473	.0000+P2R 557
1441-	+P2R	557	.395992	.629175	0.					
1442-	PBAR	558	11	.3576-1	.5537-2	.3972-2	.1073-4	0.0		+PAR 558
1443-	+PAR	558	.4720	.7500	.0000	.7500	.4968	.0000	.4473	.0000+P2R 558
1444-	+P2R	558	.395992	.629175	0.					
1445-	PBAR	559	11	.3428-1	.4356-2	.3972-2	.1028-4	0.0		+PAR 559
1446-	+PAR	559	-.4226	.7500	.0000	.7500	-.4473	.0000	-.3979	.0000+P2R 559
1447-	+P2R	559	.369858	.656398	0.					
1448-	PBAR	560	11	.3428-1	.4356-2	.3972-2	.1028-4	0.0		+PAR 560
1449-	+PAR	560	.4226	.7500	.0000	.7500	.4473	.0000	.3979	.0000+P2R 560
1450-	+P2R	560	.369858	.656398	0.					

S O R T E D B U L K D A T A E C H O

CARD COUNT	. 1 ..	2 ..	3 ..	4 ..	5 ..	6 ..	7 ..	8 ..	9 ..	10 .
1451-	PBAR	551	11	.3279-1	.3312-2	.3971-2	.0984-4	0.0		+PAR 561
1452-	+PAR 561	-.3732	.7500	.0000	.7500	-.3979	.0000	-.3484	.0000	+P2R 561
1453-	+P2R 561	.341361	.686082	0.						
1454-	PBAR	552	11	.3279-1	.3312-2	.3971-2	.0984-4	0.0		+PAR 562
1455-	+PAR 562	.3732	.7500	.0000	.7500	.3979	.0000	.3484	.0000	+P2R 562
1456-	+P2R 562	.341361	.686082	0.						
1457-	PBAR	553	11	.3115-1	.2342-2	.3971-2	.0935-4	0.0		+PAR 563
1458-	+PAR 563	-.3185	.7500	.0000	.7500	-.3484	.0000	-.2885	.0000	+P2R 563
1459-	+P2R 563	.306677	.722212	0.						
1460-	PBAR	564	11	.3115-1	.2342-2	.3971-2	.0935-4	0.0		+PAR 564
1461-	+PAR 564	.3185	.7500	.0000	.7500	.3484	.0000	.2885	.0000	+P2R 564
1462-	+P2R 564	.306677	.722212	0.						
1463-	PBAR	565	11	.2943-1	.1508-2	.3971-2	.0883-4	0.0		+PAR 565
1464-	+PAR 565	-.2609	.7500	.0000	.7500	-.2885	.0000	-.2334	.0000	+P2R 565
1465-	+P2R 565	.266008	.764575	0.						
1466-	PBAR	566	11	.2943-1	.1508-2	.3971-2	.0883-4	0.0		+PAR 566
1467-	+PAR 566	.2609	.7500	.0000	.7500	.2885	.0000	.2334	.0000	+P2R 566
1468-	+P2R 566	.266008	.764575	0.						
1469-	PBAR	567	11	.6205-1	1.5961-2	.3745-2	.5421-4	0.0		+PAR 567
1470-	+PAR 567	-.6892	.7500	.0000	.7500	-.6959	.0000	-.6825	.0000	+P2R 567
1471-	+P2R 567	.666408	.362600	0.						
1472-	PBAR	568	11	.6205-1	1.5961-2	.3745-2	.5421-4	0.0		+PAR 568
1473-	+PAR 568	.6892	.7500	.0000	.7500	.6959	.0000	.6825	.0000	+P2R 568
1474-	+P2R 568	.666408	.362600	0.						
1475-	PBAR	569	11	.6043-1	1.4506-2	.3744-2	.5227-4	0.0		+PAR 569
1476-	+PAR 569	-.6622	.7500	.0000	.7500	-.6825	.0000	-.6420	.0000	+P2R 569
1477-	+P2R 569	.657476	.372309	0.						
1478-	PBAR	570	11	.6043-1	1.4506-2	.3744-2	.5227-4	0.0		+PAR 570
1479-	+PAR 570	.6622	.7500	.0000	.7500	.6825	.0000	.6420	.0000	+P2R 570
1480-	+P2R 570	.657476	.372309	0.						
1481-	PBAR	571	11	.4059-1	1.0792-2	.3972-2	.1218-4	0.0		+PAR 571
1482-	+PAR 571	-.6330	.7500	.0000	.7500	-.6420	.0000	-.6241	.0000	+P2R 571
1483-	+P2R 571	.467863	.554310	0.						
1484-	PBAR	572	11	.4059-1	1.0792-2	.3972-2	.1218-4	0.0		+PAR 572
1485-	+PAR 572	.6330	.7500	.0000	.7500	.6420	.0000	.6241	.0000	+P2R 572
1486-	+P2R 572	.467863	.554310	0.						
1487-	PBAR	573	11	.3958-1	.9554-2	.3972-2	.1187-4	0.0		+PAR 573
1488-	+PAR 573	-.5993	.7500	.0000	.7500	-.6241	.0000	-.5746	.0000	+P2R 573
1489-	+P2R 573	.454276	.568463	0.						
1490-	PBAR	574	11	.3958-1	.9554-2	.3972-2	.1187-4	0.0		+PAR 574
1491-	+PAR 574	.5993	.7500	.0000	.7500	.6241	.0000	.5746	.0000	+P2R 574
1492-	+P2R 574	.454276	.568463	0.						
1493-	PBAR	575	11	.3825-1	.8029-2	.3972-2	.1148-4	0.0		+PAR 575
1494-	+PAR 575	-.5552	.7500	.0000	.7500	-.5746	.0000	-.5357	.0000	+P2R 575
1495-	+P2R 575	.435369	.588161	0.						
1496-	PBAR	576	11	.3825-1	.8029-2	.3972-2	.1148-4	0.0		+PAR 576
1497-	+PAR 576	.5552	.7500	.0000	.7500	.5746	.0000	.5357	.0000	+P2R 576
1498-	+P2R 576	.435369	.588161	0.						
1499-	PBAR	577	11	.3709-1	.6818-2	.3972-2	.1113-4	0.0		+PAR 577
1500-	+PAR 577	-.5162	.7500	.0000	.7500	-.5357	.0000	-.4968	.0000	+P2R 577

S O R T E D B U L K D A T A E C H O

CARD COUNT	. 1 ..	2 ..	3 ..	4 ..	5 ..	6 ..	7 ..	8 ..	9 ..	10 .
1501-	+P2R 577	.417581	.606686	0.						
1502-	PBAR	578	11	.3709-1	.6818-2	.3972-2	.1113-4	0.0		+PAR 578
1503-	+PAR 578	.5162	.7500	.0000	.7500	.5357	.0000	.4968	.0000	+P2R 578
1504-	+P2R 578	.417581	.606686	0.						
1505-	PBAR	579	11	.3576-1	.5587-2	.3972-2	.1073-4	0.0		+PAR 579
1506-	+PAR 579	-.4720	.7500	.0000	.7500	-.4968	.0000	-.4473	.0000	+P2R 579
1507-	+P2R 579	.395992	.629175	0.						
1508-	PBAR	580	11	.3576-1	.5587-2	.3972-2	.1073-4	0.0		+PAR 580
1509-	+PAR 580	.4720	.7500	.0000	.7500	.4968	.0000	.4473	.0000	+P2R 580
1510-	+P2R 580	.395992	.629175	0.						
1511-	PBAR	581	11	.3428-1	.4366-2	.3972-2	.1028-4	0.0		+PAR 581
1512-	+PAR 581	-.4226	.7500	.0000	.7500	-.4473	.0000	-.3979	.0000	+P2R 581
1513-	+P2R 581	.369858	.656398	0.						
1514-	PBAR	582	11	.3428-1	.4366-2	.3972-2	.1028-4	0.0		+PAR 582
1515-	+PAR 582	.4226	.7500	.0000	.7500	.4473	.0000	.3979	.0000	+P2R 582
1516-	+P2R 582	.369858	.656398	0.						
1517-	PBAR	583	11	.3279-1	.3312-2	.3971-2	.0984-4	0.0		+PAR 583
1518-	+PAR 583	-.3732	.7500	.0000	.7500	-.3979	.0000	-.3484	.0000	+P2R 583
1519-	+P2R 583	.341361	.686082	0.						
1520-	PBAR	584	11	.3279-1	.3312-2	.3971-2	.0984-4	0.0		+PAR 584
1521-	+PAR 584	.3732	.7500	.0000	.7500	.3979	.0000	.3484	.0000	+P2R 584
1522-	+P2R 584	.341361	.686082	0.						
1523-	PBAR	585	11	.3115-1	.2342-2	.3971-2	.0935-4	0.0		+PAR 585
1524-	+PAR 585	-.3185	.7500	.0000	.7500	-.3484	.0000	-.2885	.0000	+P2R 585
1525-	+P2R 585	.306677	.722212	0.						
1526-	PBAR	586	11	.3115-1	.2342-2	.3971-2	.0935-4	0.0		+PAR 586
1527-	+PAR 586	.3185	.7500	.0000	.7500	.3484	.0000	.2885	.0000	+P2R 586
1528-	+P2R 586	.306677	.722212	0.						
1529-	PBAR	587	11	.2943-1	.1508-2	.3971-2	.0883-4	0.0		+PAR 587
1530-	+PAR 587	-.2609	.7500	.0000	.7500	-.2885	.0000	-.2334	.0000	+P2R 587
1531-	+P2R 587	.256008	.764575	0.						
1532-	PBAR	588	11	.2943-1	.1508-2	.3971-2	.0883-4	0.0		+PAR 588
1533-	+PAR 588	.2609	.7500	.0000	.7500	.2885	.0000	.2334	.0000	+P2R 588
1534-	+P2R 588	.256008	.764575	0.						
1535-	PBAR	589	11	.6205-1	1.5961-2	.3745-2	.5421-4	0.0		+PAR 589
1536-	+PAR 589	-.6892	.7500	.0000	.7500	-.6959	.0000	-.6825	.0000	+P2R 589
1537-	+P2R 589	.666403	.362600	0.						
1538-	PBAR	590	11	.6205-1	1.5961-2	.3745-2	.5421-4	0.0		+PAR 590
1539-	+PAR 590	.6892	.7500	.0000	.7500	.6959	.0000	.6825	.0000	+P2R 590
1540-	+P2R 590	.666403	.362600	0.						
1541-	PBAR	591	11	.6043-1	1.4506-2	.3744-2	.5227-4	0.0		+PAR 591
1542-	+PAR 591	-.6622	.7500	.0000	.7500	-.6825	.0000	-.6420	.0000	+P2R 591
1543-	+P2R 591	.657476	.372309	0.						
1544-	PBAR	592	11	.6043-1	1.4506-2	.3744-2	.5227-4	0.0		+PAR 592
1545-	+PAR 592	.6622	.7500	.0000	.7500	.6825	.0000	.6420	.0000	+P2R 592
1546-	+P2R 592	.657476	.372309	0.						
1547-	PBAR	593	11	.4059-1	1.0792-2	.3972-2	.1218-4	0.0		+PAR 593
1548-	+PAR 593	-.6330	.7500	.0000	.7500	-.6420	.0000	-.6241	.0000	+P2R 593
1549-	+P2R 593	.467863	.554310	0.						
1550-	PBAR	594	11	.4059-1	1.0792-2	.3972-2	.1218-4	0.0		+PAR 594

S O R T E D B U L K D A T A E C H O

```
CARD
COUNT      .   1  ..   2  ..   3  ..   4  ..   5  ..   6  ..   7  ..   8  ..   9  ..  10  .
1551-      +PAR 594    .6330    .7500    .0000    .7500    .6420    .0000    .6241    .0000+P2R 594
1552-      +P2R 594 .467863 .554310  0.
1553-      PBAR     595      11        .3974-1 .9735-2 .3972-2 .1192-4 0.0                +PAR 595
1554-      +PAR 595  -.6046    .7500    .0000    .7500   -.6241    .0000   -.5851    .0000+P2R 595
1555-      +P2R 595 .456439 .566210  0.
1556-      PBAR     596      11        .3974-1 .9735-2 .3972-2 .1192-4 0.0                +PAR 596
1557-      +PAR 596    .6046    .7500    .0000    .7500    .6241    .0000    .5851    .0000+P2R 596
1558-      +P2R 596 .456439 .566210  0.
1559-      PBAR     597      11        .3857-1 .8376-2 .3972-2 .1157-4 0.0                +PAR 597
1560-      +PAR 597  -.5657    .7500    .0000    .7500   -.5851    .0000   -.5462    .0000+P2R 597
1561-      +P2R 597 .439977 .583358  0.
1562-      PBAR     598      11        .3857-1 .8376-2 .3972-2 .1157-4 0.0                +PAR 598
1563-      +PAR 598    .5657    .7500    .0000    .7500    .5851    .0000    .5462    .0000+P2R 598
1564-      +P2R 598 .439977 .583358  0.
1565-      PBAR     599      11        .3740-1 .7133-2 .3972-2 .1122-4 0.0                +PAR 599
1566-      +PAR 599  -.5267    .7500    .0000    .7500   -.5462    .0000   -.5073    .0000+P2R 599
1567-      +P2R 599 .422486 .601577  0.
1568-      PBAR     600      11        .3740-1 .7133-2 .3972-2 .1122-4 0.0                +PAR 600
1569-      +PAR 600    .5267    .7500    .0000    .7500    .5462    .0000    .5073    .0000+P2R 600
1570-      +P2R 600 .422486 .601577  0.
1571-      PBAR     601      11        .3608-1 .5869-2 .3972-2 .1082-4 0.0                +PAR 601
1572-      +PAR 601  -.4825    .7500    .0000    .7500   -.5073    .0000   -.4578    .0000+P2R 601
1573-      +P2R 601 .401266 .623681  0.
1574-      PBAR     602      11        .3608-1 .5869-2 .3972-2 .1082-4 0.0                +PAR 602
1575-      +PAR 602    .4825    .7500    .0000    .7500    .5073    .0000    .4578    .0000+P2R 602
1576-      +P2R 602 .401266 .623681  0.
1577-      PBAR     603      11        .3459-1 .4611-2 .3972-2 .1038-4 0.0                +PAR 603
1578-      +PAR 603  -.4331    .7500    .0000    .7500   -.4578    .0000   -.4084    .0000+P2R 603
1579-      +P2R 603 .375596 .650421  0.
1580-      PBAR     604      11        .3459-1 .4611-2 .3972-2 .1038-4 0.0                +PAR 604
1581-      +PAR 604    .4331    .7500    .0000    .7500    .4578    .0000    .4084    .0000+P2R 604
1582-      +P2R 604 .375596 .650421  0.
1583-      PBAR     605      11        .3295-1 .3426-2 .3971-2 .0989-4 0.0                +PAR 605
1584-      +PAR 605  -.3784    .7500    .0000    .7500   -.4084    .0000   -.3484    .0000+P2R 605
1585-      +P2R 605 .344509 .682803  0.
1586-      PBAR     606      11        .3295-1 .3426-2 .3971-2 .0989-4 0.0                +PAR 606
1587-      +PAR 606    .3784    .7500    .0000    .7500    .4084    .0000    .3484    .0000+P2R 606
1588-      +P2R 606 .344509 .682803  0.
1589-      PBAR     607      11        .3115-1 .2342-2 .3971-2 .0935-4 0.0                +PAR 607
1590-      +PAR 607  -.3185    .7500    .0000    .7500   -.3484    .0000   -.2885    .0000+P2R 607
1591-      +P2R 607 .306677 .722212  0.
1592-      PBAR     608      11        .3115-1 .2342-2 .3971-2 .0935-4 0.0                +PAR 608
1593-      +PAR 608    .3185    .7500    .0000    .7500    .3484    .0000    .2885    .0000+P2R 608
1594-      +P2R 608 .306677 .722212  0.
1595-      PBAR     609      11        .2943-1 .1508-2 .3971-2 .0883-4 0.0                +PAR 609
1596-      +PAR 609  -.2609    .7500    .0000    .7500   -.2885    .0000   -.2334    .0000+P2R 609
1597-      +P2R 609 .256003 .764575  0.
1598-      PBAR     610      11        .2943-1 .1508-2 .3971-2 .0883-4 0.0                +PAR 610
1599-      +PAR 610    .2609    .7500    .0000    .7500    .2885    .0000    .2334    .0000+P2R 610
1600-      +P2R 610 .256003 .764575  0.
```

S O R T E D B U L K D A T A E C H O

CARD COUNT	. 1 ..	2 ..	3 ..	4 ..	5 ..	6 ..	7 ..	8 ..	9 ..	10 .
1601-	PBAR	611	11	.8477-1	2.7748-2	4.3227-2	.4521-4	0.0		+PAR 611
1602-	+PAR 611	-.6593	1.5000	.0000	1.5000	-.6840	.0000	-.6346	.0000	+P2R 611
1603-	+P2R 611	.311088	.707786	0.						
1604-	PBAR	612	11	.8477-1	2.7748-2	4.3227-2	.4521-4	0.0		+PAR 612
1605-	+PAR 612	.6593	1.5000	.0000	1.5000	.6840	.0000	.6346	.0000	+P2R 612
1606-	+P2R 612	.311088	.707786	0.						
1607-	PBAR	613	11	.8321-1	2.4256-2	4.3227-2	.4438-4	0.0		+PAR 613
1608-	+PAR 613	-.6203	1.5000	.0000	1.5000	-.6346	.0000	-.6061	.0000	+P2R 613
1609-	+P2R 613	.298194	.721034	0.						
1610-	PBAR	614	11	.8321-1	2.4256-2	4.3227-2	.4438-4	0.0		+PAR 614
1611-	+PAR 614	.6203	1.5000	.0000	1.5000	.6346	.0000	.6061	.0000	+P2R 614
1612-	+P2R 614	.298194	.721034	0.						
1613-	PBAR	615	11	.8187-1	2.1483-2	4.3227-2	.4366-4	0.0		+PAR 615
1614-	+PAR 615	-.5867	1.5000	.0000	1.5000	-.6061	.0000	-.5672	.0000	+P2R 615
1615-	+P2R 615	.286643	.732901	0.						
1616-	PBAR	616	11	.8187-1	2.1483-2	4.3227-2	.4366-4	0.0		+PAR 616
1617-	+PAR 616	.5867	1.5000	.0000	1.5000	.6061	.0000	.5672	.0000	+P2R 616
1618-	+P2R 616	.286643	.732901	0.						
1619-	PBAR	617	11	.8010-1	1.8127-2	4.3227-2	.4272-4	0.0		+PAR 617
1620-	+PAR 617	-.5425	1.5000	.0000	1.5000	-.5672	.0000	-.5178	.0000	+P2R 617
1621-	+P2R 617	.270902	.749074	0.						
1622-	PBAR	618	11	.8010-1	1.8127-2	4.3227-2	.4272-4	0.0		+PAR 618
1623-	+PAR 618	.5425	1.5000	.0000	1.5000	.5672	.0000	.5178	.0000	+P2R 618
1624-	+P2R 618	.270902	.749074	0.						
1625-	PBAR	619	11	.7791-1	1.4405-2	4.3226-2	.4155-4	0.0		+PAR 619
1626-	+PAR 619	-.4873	1.5000	.0000	1.5000	-.5178	.0000	-.4578	.0000	+P2R 619
1627-	+P2R 619	.250431	.770105	0.						
1628-	PBAR	620	11	.7791-1	1.4405-2	4.3226-2	.4155-4	0.0		+PAR 620
1629-	+PAR 620	.4873	1.5000	.0000	1.5000	.5178	.0000	.4578	.0000	+P2R 620
1630-	+P2R 620	.250431	.770105	0.						
1631-	PBAR	621	11	.7572-1	1.1103-2	4.3226-2	.4039-4	0.0		+PAR 621
1632-	+PAR 621	-.4331	1.5000	.0000	1.5000	-.4578	.0000	-.4084	.0000	+P2R 621
1633-	+P2R 621	.228778	.792351	0.						
1634-	PBAR	622	11	.7572-1	1.1103-2	4.3226-2	.4039-4	0.0		+PAR 622
1635-	+PAR 622	.4331	1.5000	.0000	1.5000	.4578	.0000	.4084	.0000	+P2R 622
1636-	+P2R 622	.228778	.792351	0.						
1637-	PBAR	623	11	.7354-1	.8298-2	4.3226-2	.3922-4	0.0		+PAR 623
1638-	+PAR 623	-.3784	1.5000	.0000	1.5000	-.4084	.0000	-.3484	.0000	+P2R 623
1639-	+P2R 623	.205837	.815921	0.						
1640-	PBAR	624	11	.7354-1	.8298-2	4.3226-2	.3922-4	0.0		+PAR 624
1641-	+PAR 624	.3784	1.5000	.0000	1.5000	.4084	.0000	.3484	.0000	+P2R 624
1642-	+P2R 624	.205837	.815921	0.						
1643-	PBAR	625	11	.7114-1	.5705-2	4.3225-2	.3794-4	0.0		+PAR 625
1644-	+PAR 625	-.3185	1.5000	.0000	1.5000	-.3484	.0000	-.2885	.0000	+P2R 625
1645-	+P2R 625	.179073	.843418	0.						
1646-	PBAR	626	11	.7114-1	.5705-2	4.3225-2	.3794-4	0.0		+PAR 626
1647-	+PAR 626	.3185	1.5000	.0000	1.5000	.3484	.0000	.2885	.0000	+P2R 626
1648-	+P2R 626	.179073	.843418	0.						
1649-	PBAR	627	11	.6984-1	.3687-2	4.3225-2	.3671-4	0.0		+PAR 627
1650-	+PAR 627	-.2604	1.5000	.0000	1.5000	-.2885	.0000	-.2334	.0000	+P2R 627

S O R T E D B U L K D A T A E C H O

CARD COUNT	. 1 ..	2 ..	3 ..	4 ..	5 ..	6 ..	7 ..	8 ..	9 ..	10 .
1651-	+P2R 627	.151625	.871618	0.						
1652-	PBAR	628	11	.6884-1	.3687-2	4.3225-2	.3671-4	0.0		+PAR 628
1653-	+PAR 628	.2609	1.5000	.0000	1.5000	.2885	.0000	.2334	.0000	+P2R 628
1654-	+P2R 628	.151625	.871618	0.						
1655-	PBAR	629	11	.2281-1	.2804-2	.2702-2	.0304-4	0.0		+PAR 629
1656-	+PAR 629	-.4103	.7500	.0000	.7500	-.4230	.0000	-.3975	.0000	+P2R 629
1657-	+P2R 629	.359801	.657739	0.						
1658-	PBAR	630	11	.2281-1	.2804-2	.2702-2	.0304-4	0.0		+PAR 630
1659-	+PAR 630	.4103	.7500	.0000	.7500	.4230	.0000	.3975	.0000	+P2R 630
1660-	+P2R 630	.359801	.657739	0.						
1661-	PBAR	631	11	.2219-1	.2366-2	.2702-2	.0296-4	0.0		+PAR 631
1662-	+PAR 631	-.3796	.7500	.0000	.7500	-.3975	.0000	-.3616	.0000	+P2R 631
1663-	+P2R 631	.342081	.675945	0.						
1664-	PBAR	632	11	.2219-1	.2366-2	.2702-2	.0296-4	0.0		+PAR 632
1665-	+PAR 632	.3796	.7500	.0000	.7500	.3975	.0000	.3616	.0000	+P2R 632
1666-	+P2R 632	.342081	.675945	0.						
1667-	PBAR	633	11	.2158-1	.1953-2	.2702-2	.0288-4	0.0		+PAR 633
1668-	+PAR 633	-.3488	.7500	.0000	.7500	-.3616	.0000	-.3361	.0000	+P2R 633
1669-	+P2R 633	.323351	.695187	0.						
1670-	PBAR	634	11	.2158-1	.1953-2	.2702-2	.0288-4	0.0		+PAR 634
1671-	+PAR 634	.3488	.7500	.0000	.7500	.3616	.0000	.3361	.0000	+P2R 634
1672-	+P2R 634	.323351	.695187	0.						
1673-	PBAR	635	11	.2096-1	.1608-2	.2702-2	.0280-4	0.0		+PAR 635
1674-	+PAR 635	-.3181	.7500	.0000	.7500	-.3361	.0000	-.3002	.0000	+P2R 635
1675-	+P2R 635	.303524	.715557	0.						
1676-	PBAR	636	11	.2096-1	.1608-2	.2702-2	.0280-4	0.0		+PAR 636
1677-	+PAR 636	.3181	.7500	.0000	.7500	.3361	.0000	.3002	.0000	+P2R 636
1678-	+P2R 636	.303524	.715557	0.						
1679-	PBAR	637	11	.2024-1	.1238-2	.2702-2	.0270-4	0.0		+PAR 637
1680-	+PAR 637	-.2822	.7500	.0000	.7500	-.3002	.0000	-.2642	.0000	+P2R 637
1681-	+P2R 637	.278779	.740981	0.						
1682-	PBAR	638	11	.2024-1	.1238-2	.2702-2	.0270-4	0.0		+PAR 638
1683-	+PAR 638	.2822	.7500	.0000	.7500	.3002	.0000	.2642	.0000	+P2R 638
1684-	+P2R 638	.278779	.740981	0.						
1685-	PBAR	639	11	.1952-1	.0921-2	.2702-2	.0260-4	0.0		+PAR 639
1686-	+PAR 639	-.2462	.7500	.0000	.7500	-.2642	.0000	-.2282	.0000	+P2R 639
1687-	+P2R 639	.252210	.768277	0.						
1688-	PBAR	640	11	.1952-1	.0921-2	.2702-2	.0260-4	0.0		+PAR 640
1689-	+PAR 640	.2462	.7500	.0000	.7500	.2642	.0000	.2282	.0000	+P2R 640
1690-	+P2R 640	.252210	.768277	0.						
1691-	PBAR	641	11	.1880-1	.0654-2	.2702-2	.0251-4	0.0		+PAR 641
1692-	+PAR 641	-.2102	.7500	.0000	.7500	-.2282	.0000	-.1923	.0000	+P2R 641
1693-	+P2R 641	.223609	.797662	0.						
1694-	PBAR	642	11	.1880-1	.0654-2	.2702-2	.0251-4	0.0		+PAR 642
1695-	+PAR 642	.2102	.7500	.0000	.7500	.2282	.0000	.1923	.0000	+P2R 642
1696-	+P2R 642	.223609	.797662	0.						
1697-	PBAR	643	11	.1809-1	.0436-2	.2702-2	.0241-4	0.0		+PAR 643
1698-	+PAR 643	-.1743	.7500	.0000	.7500	-.1923	.0000	-.1563	.0000	+P2R 643
1699-	+P2R 643	.192733	.829384	0.						
1700-	PBAR	644	11	.1809-1	.0436-2	.2702-2	.0241-4	0.0		+PAR 644

S O R T E D B U L K D A T A E C H O

```
CARD
COUNT      .   1  ..   2  ..   3  ..   4  ..   5  ..   6  ..   7  ..   8  ..   9  ..  10  .
1701-      +PAR 644    .1743   .7500   .0000   .7500   .1923   .0000   .1563   .0000+P2R 644
1702-      +P2R 644 .192733 .829384  0.
1703-      PBAR    645     11      .1740-1 .0269-2 .2702-2 .0232-4 0.0             +PAR 645
1704-      +PAR 645  -.1398   .7500   .0000   .7500  -.1563   .0000  -.1232   .0000+P2R 645
1705-      +P2R 645 .160690 .862304  0.
1706-      PBAR    646     11      .1740-1 .0269-2 .2702-2 .0232-4 0.0             +PAR 646
1707-      +PAR 646   .1398   .7500   .0000   .7500   .1563   .0000   .1232   .0000+P2R 646
1708-      +P2R 646 .160690 .862304  0.
1709-      PBAR    701     13      .4500-1 .0150-4 .75937  .0600-4 0.0             +PAR 701
1710-      +PAR 701   .0000   .0000   .0100   .0000   .0000   .0000   .0000   .0000+P2R 701
1711-      +P2R 701   .8333  1.0000  0.
1712-      PBAR    702     13      .9000-1 .0300-4 1.51875 .1200-4 0.0             +PAR 702
1713-      +PAR 702   .0000   .0000   .0100   .0000   .0000   .0000   .0000   .0000+P2R 702
1714-      +P2R 702   .8333  1.0000  0.
1715-      PBAR    703     13      .4500-1 .0150-4 .75937  .0600-4 0.0             +PAR 703
1716-      +PAR 703   .0000   .0000   .0100   .0000   .0000   .0000   .0000   .0000+P2R 703
1717-      +P2R 703   .8333  1.0000  0.
1718-      PBAR    704     13      1.5739-1.2099-4 8.12214 .3394-4 0.0             +PAR 704
1719-      +PAR 704   .0000   .0000   .0200   .0000   .0000   .0000   .0000   .0000+P2R 704
1720-      +P2R 704   .8333  1.0000  0.
1721-      PBAR    705     13      3.1478-1.4197-4 16.244431.6788-40.0             +PAR 705
1722-      +PAR 705   .0000   .0000   .0200   .0000   .0000   .0000   .0000   .0000+P2R 705
1723-      +P2R 705   .8333  1.0000  0.
1724-      PBAR    706     13      3.1478-1.4197-4 16.244431.6788-40.0             +PAR 706
1725-      +PAR 706   .0000   .0000   .0200   .0000   .0000   .0000   .0000   .0000+P2R 706
1726-      +P2R 706   .8333  1.0000  0.
1727-      PBAR    707     13      3.1478-1.4197-4 16.244431.6788-40.0             +PAR 707
1728-      +PAR 707   .0000   .0000   .0200   .0000   .0000   .0000   .0000   .0000+P2R 707
1729-      +P2R 707   .8333  1.0000  0.
1730-      PBAR    708     13      3.1478-1.4197-4 16.244431.6788-40.0             +PAR 708
1731-      +PAR 708   .0000   .0000   .0200   .0000   .0000   .0000   .0000   .0000+P2R 708
1732-      +P2R 708   .8333  1.0000  0.
1733-      PBAR    709     13      3.1478-1.4197-4 16.244431.6788-40.0             +PAR 709
1734-      +PAR 709   .0000   .0000   .0200   .0000   .0000   .0000   .0000   .0000+P2R 709
1735-      +P2R 709   .8333  1.0000  0.
1736-      PBAR    710     13      3.1478-1.4197-4 16.244431.6788-40.0             +PAR 710
1737-      +PAR 710   .0000   .0000   .0200   .0000   .0000   .0000   .0000   .0000+P2R 710
1738-      +P2R 710   .8333  1.0000  0.
1739-      PBAR    711     13      3.1478-1.4197-4 16.244431.6788-40.0             +PAR 711
1740-      +PAR 711   .0000   .0000   .0200   .0000   .0000   .0000   .0000   .0000+P2R 711
1741-      +P2R 711   .8333  1.0000  0.
1742-      PBAR    712     13      3.0219-1.4029-4 14.446391.6117-40.0             +PAR 712
1743-      +PAR 712   .0000   .0000   .0200   .0000   .0000   .0000   .0000   .0000+P2R 712
1744-      +P2R 712   .8333  1.0000  0.
1745-      PBAR    713     13      1.4480-1.1931-4 6.32462 .7723-4 0.0             +PAR 713
1746-      +PAR 713   .0000   .0000   .0200   .0000   .0000   .0000   .0000   .0000+P2R 713
1747-      +P2R 713   .8333  1.0000  0.
1748-      PBAR    714     13      .4500-1 .0150-4 .75937  .0600-4 0.0             +PAR 714
1749-      +PAR 714   .0000   .0000   .0100   .0000   .0000   .0000   .0000   .0000+P2R 714
1750-      +P2R 714   .8333  1.0000  0.
```

S O R T E D B U L K D A T A E C H O

CARD COUNT	. 1 ..	2 ..	3 ..	4 ..	5 ..	6 ..	7 ..	8 ..	9 ..	10 .
1751-	PBAR	715	13	.9000-1	.0300-4	1.51875	.1200-4	0.0		+PAR 715
1752-	+PAR 715	.0000	.0000	.0100	.0000	.0000	.0000	.0000	.0000	+P2R 715
1753-	+P2R 715	.8333	1.0000	0.						
1754-	PBAR	716	13	.4500-1	.0150-4	.75937	.0600-4	0.0		+PAR 716
1755-	+PAR 716	.0000	.0000	.0100	.0000	.0000	.0000	.0000	.0000	+P2R 716
1756-	+P2R 716	.8333	1.0000	0.						
1757-	PBAR	717	13	1.1105-1	.0833-4	5.07193	.3331-4	0.0		+PAR 717
1758-	+PAR 717	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000	+P2R 717
1759-	+P2R 717	.8333	1.0000	0.						
1760-	PBAR	718	13	2.2210-1	.1666-4	10.14395	.6663-4	0.0		+PAR 718
1761-	+PAR 718	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000	+P2R 718
1762-	+P2R 718	.8333	1.0000	0.						
1763-	PBAR	719	13	2.2210-1	.1666-4	10.14395	.6663-4	0.0		+PAR 719
1764-	+PAR 719	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000	+P2R 719
1765-	+P2R 719	.8333	1.0000	0.						
1766-	PBAR	720	13	2.2210-1	.1666-4	10.14395	.6663-4	0.0		+PAR 720
1767-	+PAR 720	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000	+P2R 720
1768-	+P2R 720	.8333	1.0000	0.						
1769-	PBAR	721	13	2.2210-1	.1666-4	10.14395	.6663-4	0.0		+PAR 721
1770-	+PAR 721	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000	+P2R 721
1771-	+P2R 721	.8333	1.0000	0.						
1772-	PBAR	722	13	2.2210-1	.1666-4	10.14395	.6663-4	0.0		+PAR 722
1773-	+PAR 722	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000	+P2R 722
1774-	+P2R 722	.8333	1.0000	0.						
1775-	PBAR	723	13	2.2210-1	.1666-4	10.14395	.6663-4	0.0		+PAR 723
1776-	+PAR 723	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000	+P2R 723
1777-	+P2R 723	.8333	1.0000	0.						
1778-	PBAR	724	13	2.2210-1	.1666-4	10.14395	.6663-4	0.0		+PAR 724
1779-	+PAR 724	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000	+P2R 724
1780-	+P2R 724	.8333	1.0000	0.						
1781-	PBAR	725	13	2.1321-1	.1599-4	9.02147	.6395-4	0.0		+PAR 725
1782-	+PAR 725	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000	+P2R 725
1783-	+P2R 725	.8333	1.0000	0.						
1784-	PBAR	726	13	1.0216-1	.0766-4	3.94945	.3065-4	0.0		+PAR 726
1785-	+PAR 726	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000	+P2R 726
1786-	+P2R 726	.8333	1.0000	0.						
1787-	PBAR	727	13	.4500-1	.0150-4	.75937	.0600-4	0.0		+PAR 727
1788-	+PAR 727	.0000	.0000	.0100	.0000	.0000	.0000	.0000	.0000	+P2R 727
1789-	+P2R 727	.8333	1.0000	0.						
1790-	PBAR	728	13	.9000-1	.0300-4	1.51875	.1200-4	0.0		+PAR 728
1791-	+PAR 728	.0000	.0000	.0100	.0000	.0000	.0000	.0000	.0000	+P2R 728
1792-	+P2R 728	.8333	1.0000	0.						
1793-	PBAR	729	13	.4500-1	.0150-4	.75937	.0600-4	0.0		+PAR 729
1794-	+PAR 729	.0000	.0000	.0100	.0000	.0000	.0000	.0000	.0000	+P2R 729
1795-	+P2R 729	.8333	1.0000	0.						
1796-	PBAR	730	13	1.0446-1	.0783-4	4.22114	.3134-4	0.0		+PAR 730
1797-	+PAR 730	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000	+P2R 730
1798-	+P2R 730	.8333	1.0000	0.						
1799-	PBAR	731	13	2.0991-1	.1567-4	8.44235	.6267-4	0.0		+PAR 731
1800-	+PAR 731	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000	+P2R 731

SORTED BULK DATA ECHO

```
CARD
COUNT .  1  ..  2  ..  3  ..  4  ..  5  ..  6  ..  7  ..  8  ..  9  .. 10  .
1801-  +P2R 731   .8333  1.0000  0.
1802-  PBAR    732     13       2.0891-1.1567-4 8.44235 .6267-4 0.0            +PAR 732
1803-  +PAR 732   .0000   .0000   .0150   .0000   .0000   .0000   .0000   .0000+P2R 732
1804-  +P2R 732   .8333  1.0000  0.
1805-  PBAR    733     13       2.0891-1.1567-4 8.44235 .6267-4 0.0            +PAR 733
1806-  +PAR 733   .0000   .0000   .0150   .0000   .0000   .0000   .0000   .0000+P2R 733
1807-  +P2R 733   .8333  1.0000  0.
1808-  PBAR    734     13       2.0891-1.1567-4 8.44235 .6267-4 0.0            +PAR 734
1809-  +PAR 734   .0000   .0000   .0150   .0000   .0000   .0000   .0000   .0000+P2R 734
1810-  +P2R 734   .8333  1.0000  0.
1811-  PBAR    735     13       2.0891-1.1567-4 8.44235 .6267-4 0.0            +PAR 735
1812-  +PAR 735   .0000   .0000   .0150   .0000   .0000   .0000   .0000   .0000+P2R 735
1813-  +P2R 735   .8333  1.0000  0.
1814-  PBAR    736     13       2.0891-1.1567-4 8.44235 .6267-4 0.0            +PAR 736
1815-  +PAR 736   .0000   .0000   .0150   .0000   .0000   .0000   .0000   .0000+P2R 736
1816-  +P2R 736   .8333  1.0000  0.
1817-  PBAR    737     13       2.0891-1.1567-4 8.44235 .6267-4 0.0            +PAR 737
1818-  +PAR 737   .0000   .0000   .0150   .0000   .0000   .0000   .0000   .0000+P2R 737
1819-  +P2R 737   .8333  1.0000  0.
1820-  PBAR    738     13       2.0056-1.1504-4 7.50816 .6017-4 0.0            +PAR 738
1821-  +PAR 738   .0000   .0000   .0150   .0000   .0000   .0000   .0000   .0000+P2R 738
1822-  +P2R 738   .8333  1.0000  0.
1823-  PBAR    739     13       .9610-1 .0721-4 3.28695 .2883-4 0.0            +PAR 739
1824-  +PAR 739   .0000   .0000   .0150   .0000   .0000   .0000   .0000   .0000+P2R 739
1825-  +P2R 739   .8333  1.0000  0.
1826-  PBAR    740     13       .6750-1 .0506-4 1.13905 .2025-4 0.0            +PAR 740
1827-  +PAR 740   .0000   .0000   .0150   .0000   .0000   .0000   .0000   .0000+P2R 740
1828-  +P2R 740   .8333  1.0000  0.
1829-  PBAR    741     13       1.3500-1.1012-4 2.27812 .4050-4 0.0            +PAR 741
1830-  +PAR 741   .0000   .0000   .0150   .0000   .0000   .0000   .0000   .0000+P2R 741
1831-  +P2R 741   .8333  1.0000  0.
1832-  PBAR    742     13       .6750-1 .0506-4 1.13905 .2025-4 0.0            +PAR 742
1833-  +PAR 742   .0000   .0000   .0150   .0000   .0000   .0000   .0000   .0000+P2R 742
1834-  +P2R 742   .8333  1.0000  0.
1835-  PBAR    743     13       .9829-1 .0737-4 3.51591 .2943-4 0.0            +PAR 743
1836-  +PAR 743   .0000   .0000   .0150   .0000   .0000   .0000   .0000   .0000+P2R 743
1837-  +P2R 743   .8333  1.0000  0.
1838-  PBAR    744     13       1.9656-1.1474-4 7.03189 .5897-4 0.0            +PAR 744
1839-  +PAR 744   .0000   .0000   .0150   .0000   .0000   .0000   .0000   .0000+P2R 744
1840-  +P2R 744   .8333  1.0000  0.
1841-  PBAR    745     13       1.9656-1.1474-4 7.03189 .5897-4 0.0            +PAR 745
1842-  +PAR 745   .0000   .0000   .0150   .0000   .0000   .0000   .0000   .0000+P2R 745
1843-  +P2R 745   .8333  1.0000  0.
1844-  PBAR    746     13       1.9656-1.1474-4 7.03189 .5897-4 0.0            +PAR 746
1845-  +PAR 746   .0000   .0000   .0150   .0000   .0000   .0000   .0000   .0000+P2R 746
1846-  +P2R 746   .8333  1.0000  0.
1847-  PBAR    747     13       1.9656-1.1474-4 7.03189 .5897-4 0.0            +PAR 747
1848-  +PAR 747   .0000   .0000   .0150   .0000   .0000   .0000   .0000   .0000+P2R 747
1849-  +P2R 747   .8333  1.0000  0.
1850-  PBAR    748     13       1.9656-1.1474-4 7.03189 .5897-4 0.0            +PAR 748
```

S O R T E D B U L K D A T A E C H O

CARD COUNT	. 1 ..	2 ..	3 ..	4 ..	5 ..	6 ..	7 ..	8 ..	9 .. 10 .
1851-	+PAR 748	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000+P2R 748
1852-	+P2R 748	.8333	1.0000	0.					
1853-	PBAR 749	13		1.9656-1.1474-4	7.03189	.5897-4	0.0		+PAR 749
1854-	+PAR 749	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000+P2R 749
1855-	+P2R 749	.8333	1.0000	0.					
1856-	PBAR 750	13		1.9655-1.1474-4	7.03189	.5897-4	0.0		+PAR 750
1857-	+PAR 750	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000+P2R 750
1858-	+P2R 750	.8333	1.0000	0.					
1859-	PBAR 751	13		1.8870-1.1415-4	6.25377	.5661-4	0.0		+PAR 751
1860-	+PAR 751	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000+P2R 751
1861-	+P2R 751	.8333	1.0000	0.					
1862-	PBAR 752	13		.9042-1	.0678-4	2.73780	.2713-4	0.0	+PAR 752
1863-	+PAR 752	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000+P2R 752
1864-	+P2R 752	.8333	1.0000	0.					
1865-	PBAR 753	13		.6750-1	.0506-4	1.13905	.2025-4	0.0	+PAR 753
1866-	+PAR 753	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000+P2R 753
1867-	+P2R 753	.8333	1.0000	0.					
1868-	PBAR 754	13		1.3500-1.1012-4	2.27812	.4050-4	0.0		+PAR 754
1869-	+PAR 754	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000+P2R 754
1870-	+P2R 754	.8333	1.0000	0.					
1871-	PBAR 755	13		.6750-1	.0506-4	1.13905	.2025-4	0.0	+PAR 755
1872-	+PAR 755	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000+P2R 755
1873-	+P2R 755	.8333	1.0000	0.					
1874-	PBAR 756	13		.9424-1	.0707-4	3.09982	.2827-4	0.0	+PAR 756
1875-	+PAR 756	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000+P2R 756
1876-	+P2R 756	.8333	1.0000	0.					
1877-	PBAR 757	13		1.8848-1.1414-4	6.19969	.5654-4	0.0		+PAR 757
1878-	+PAR 757	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000+P2R 757
1879-	+P2R 757	.8333	1.0000	0.					
1880-	PBAR 758	13		1.8848-1.1414-4	6.19969	.5654-4	0.0		+PAR 758
1881-	+PAR 758	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000+P2R 758
1882-	+P2R 758	.8333	1.0000	0.					
1883-	PBAR 759	13		1.8848-1.1414-4	6.19969	.5654-4	0.0		+PAR 759
1884-	+PAR 759	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000+P2R 759
1885-	+P2R 759	.8333	1.0000	0.					
1886-	PBAR 760	13		1.8848-1.1414-4	6.19969	.5654-4	0.0		+PAR 760
1887-	+PAR 760	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000+P2R 760
1888-	+P2R 760	.8333	1.0000	0.					
1889-	PBAR 761	13		1.8848-1.1414-4	6.19969	.5654-4	0.0		+PAR 761
1890-	+PAR 761	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000+P2R 761
1891-	+P2R 761	.8333	1.0000	0.					
1892-	PBAR 762	13		1.8848-1.1414-4	6.19969	.5654-4	0.0		+PAR 762
1893-	+PAR 762	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000+P2R 762
1894-	+P2R 762	.8333	1.0000	0.					
1895-	PBAR 763	13		1.8848-1.1414-4	6.19969	.5654-4	0.0		+PAR 763
1896-	+PAR 763	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000+P2R 763
1897-	+P2R 763	.8333	1.0000	0.					
1898-	PBAR 764	13		1.8094-1.1357-4	5.51366	.5423-4	0.0		+PAR 764
1899-	+PAR 764	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000+P2R 764
1900-	+P2R 764	.8333	1.0000	0.					

SORTED BULK DATA ECHO

CARD COUNT	1	2	3	4	5	6	7	8	9	10
1901-	PBAR	765	13	.8670-1	.0650-4	2.41379	.2601-4	0.0		+PAR 765
1902-	+PAR 765	.0000	.0000	.0150	.0000	.0000	.0000	.0000	.0000	+P2R 765
1903-	+P2R 765	.8333	1.0000	0.						
1904-	PBAR	766	13	1.2096-1	.1613-4	3.68732	.6451-4	0.0		+PAR 766
1905-	+PAR 766	.0000	.0000	.0200	.0000	.0000	.0000	.0000	.0000	+P2R 766
1906-	+P2R 766	.8333	1.0000	0.						
1907-	PBAR	767	13	2.4193-1	.3226-4	7.37471	1.2903-4	0.0		+PAR 767
1908-	+PAR 767	.0000	.0000	.0200	.0000	.0000	.0000	.0000	.0000	+P2R 767
1909-	+P2R 767	.8333	1.0000	0.						
1910-	PBAR	768	13	2.4193-1	.3226-4	7.37471	1.2903-4	0.0		+PAR 768
1911-	+PAR 768	.0000	.0000	.0200	.0000	.0000	.0000	.0000	.0000	+P2R 768
1912-	+P2R 768	.8333	1.0000	0.						
1913-	PBAR	769	13	2.4193-1	.3226-4	7.37471	1.2903-4	0.0		+PAR 769
1914-	+PAR 769	.0000	.0000	.0200	.0000	.0000	.0000	.0000	.0000	+P2R 769
1915-	+P2R 769	.8333	1.0000	0.						
1916-	PBAR	770	13	2.4193-1	.3226-4	7.37471	1.2903-4	0.0		+PAR 770
1917-	+PAR 770	.0000	.0000	.0200	.0000	.0000	.0000	.0000	.0000	+P2R 770
1918-	+P2R 770	.8333	1.0000	0.						
1919-	PBAR	771	13	2.4193-1	.3226-4	7.37471	1.2903-4	0.0		+PAR 771
1920-	+PAR 771	.0000	.0000	.0200	.0000	.0000	.0000	.0000	.0000	+P2R 771
1921-	+P2R 771	.8333	1.0000	0.						
1922-	PBAR	772	13	2.4193-1	.3226-4	7.37471	1.2903-4	0.0		+PAR 772
1923-	+PAR 772	.0000	.0000	.0200	.0000	.0000	.0000	.0000	.0000	+P2R 772
1924-	+P2R 772	.8333	1.0000	0.						
1925-	PBAR	773	13	2.4193-1	.3226-4	7.37471	1.2903-4	0.0		+PAR 773
1926-	+PAR 773	.0000	.0000	.0200	.0000	.0000	.0000	.0000	.0000	+P2R 773
1927-	+P2R 773	.8333	1.0000	0.						
1928-	PBAR	774	13	2.3225-1	.3097-4	6.55865	1.2387-4	0.0		+PAR 774
1929-	+PAR 774	.0000	.0000	.0200	.0000	.0000	.0000	.0000	.0000	+P2R 774
1930-	+P2R 774	.8333	1.0000	0.						
1931-	PBAR	775	13	1.1129-1	.1484-4	2.87127	.5935-4	0.0		+PAR 775
1932-	+PAR 775	.0000	.0000	.0200	.0000	.0000	.0000	.0000	.0000	+P2R 775
1933-	+P2R 775	.8333	1.0000	0.						
1934-	PBAR	776	13	.5817-1	.0194-4	1.63990	.0776-4	0.0		+PAR 776
1935-	+PAR 776	.0000	.0000	.0100	.0000	.0000	.0000	.0000	.0000	+P2R 776
1936-	+P2R 776	.8333	1.0000	0.						
1937-	PBAR	777	13	1.1633-1	.0388-4	3.27984	.1551-4	0.0		+PAR 777
1938-	+PAR 777	.0000	.0000	.0100	.0000	.0000	.0000	.0000	.0000	+P2R 777
1939-	+P2R 777	.8333	1.0000	0.						
1940-	PBAR	778	13	1.1633-1	.0388-4	3.27984	.1551-4	0.0		+PAR 778
1941-	+PAR 778	.0000	.0000	.0100	.0000	.0000	.0000	.0000	.0000	+P2R 778
1942-	+P2R 778	.8333	1.0000	0.						
1943-	PBAR	779	13	1.1633-1	.0388-4	3.27984	.1551-4	0.0		+PAR 779
1944-	+PAR 779	.0000	.0000	.0100	.0000	.0000	.0000	.0000	.0000	+P2R 779
1945-	+P2R 779	.8333	1.0000	0.						
1946-	PBAR	780	13	1.1633-1	.0388-4	3.27984	.1551-4	0.0		+PAR 780
1947-	+PAR 780	.0000	.0000	.0100	.0000	.0000	.0000	.0000	.0000	+P2R 780
1948-	+P2R 780	.8333	1.0000	0.						
1949-	PBAR	781	13	1.1633-1	.0388-4	3.27984	.1551-4	0.0		+PAR 781
1950-	+PAR 781	.0000	.0000	.0100	.0000	.0000	.0000	.0000	.0000	+P2R 781

S O R T E D B U L K D A T A E C H O

CARD COUNT	. 1 ..	2 ..	3 ..	4 ..	5 ..	6 ..	7 ..	8 ..	9 ..	10 .
1951-	+P2R 781	.8333	1.0000	0.						
1952-	PBAR	782	13	1.1633-1	1.0388-4	3.27984	.1551-4	0.0		+PAR 782
1953-	+PAR 782	.0000	.0000	.0100	.0000	.0000	.0000	.0000	.0000	+P2R 782
1954-	+P2R 782	.8333	1.0000	0.						
1955-	PBAR	783	13	1.1633-1	1.0388-4	3.27984	.1551-4	0.0		+PAR 783
1956-	+PAR 783	.0000	.0000	.0100	.0000	.0000	.0000	.0000	.0000	+P2R 783
1957-	+P2R 783	.8333	1.0000	0.						
1958-	PBAR	784	13	1.1168-1	1.0372-4	2.91690	.1489-4	0.0		+PAR 784
1959-	+PAR 784	.0000	.0000	.0100	.0000	.0000	.0000	.0000	.0000	+P2R 784
1960-	+P2R 784	.8333	1.0000	0.						
1961-	PBAR	785	13	.5351-1	.0178-4	1.27697	.0714-4	0.0		+PAR 785
1962-	+PAR 785	.0000	.0000	.0100	.0000	.0000	.0000	.0000	.0000	+P2R 785
1963-	+P2R 785	.8333	1.0000	0.						
1964-	PBAR	1101	11	.3146-1	.2937-2	.3971-2	.0944-4	0.0		+PAR1101
1965-	+PAR1101	-.3210	.7500	.0000	.7500	-.0000	.0000	-.6420	.0000	+P2R1101
1966-	+P2R1101	.308353	.720460	0.						
1967-	PBAR	1102	11	.3146-1	.2937-2	.3971-2	.0944-4	0.0		+PAR1102
1968-	+PAR1102	.3210	.7500	.0000	.7500	.0000	.0000	.6420	.0000	+P2R1102
1969-	+P2R1102	.308353	.720460	0.						
1970-	PBAR	1103	11	.7960-1	2.2503-2	1.5454-2	.6633-4	0.0		+PAR1103
1971-	+PAR1103	-.6420	1.0000	.0000	1.0000	-.6420	.0000	-.6420	.0000	+P2R1103
1972-	+P2R1103	.403267	.628140	0.						
1973-	PBAR	1104	11	.7960-1	2.2503-2	1.5454-2	.6633-4	0.0		+PAR1104
1974-	+PAR1104	.6420	1.0000	.0000	1.0000	.6420	.0000	.6420	.0000	+P2R1104
1975-	+P2R1104	.403267	.628140	0.						
1976-	PBAR	1105	11	.7960-1	2.2503-2	1.5454-2	.6633-4	0.0		+PAR1105
1977-	+PAR1105	-.6420	1.0000	.0000	1.0000	-.6420	.0000	-.6420	.0000	+P2R1105
1978-	+P2R1105	.403267	.628140	0.						
1979-	PBAR	1106	11	.7960-1	2.2503-2	1.5454-2	.6633-4	0.0		+PAR1106
1980-	+PAR1106	.6420	1.0000	.0000	1.0000	.6420	.0000	.6420	.0000	+P2R1106
1981-	+P2R1106	.403267	.628140	0.						
1982-	PBAR	1107	11	.7960-1	2.2503-2	1.5454-2	.6633-4	0.0		+PAR1107
1983-	+PAR1107	-.6420	1.0000	.0000	1.0000	-.6420	.0000	-.6420	.0000	+P2R1107
1984-	+P2R1107	.403267	.628140	0.						
1985-	PBAR	1108	11	.7960-1	2.2503-2	1.5454-2	.6633-4	0.0		+PAR1108
1986-	+PAR1108	.6420	1.0000	.0000	1.0000	.6420	.0000	.6420	.0000	+P2R1108
1987-	+P2R1108	.403267	.628140	0.						
1988-	PBAR	1109	11	.7960-1	2.2503-2	1.5454-2	.6633-4	0.0		+PAR1109
1989-	+PAR1109	-.6420	1.0000	.0000	1.0000	-.6420	.0000	-.6420	.0000	+P2R1109
1990-	+P2R1109	.403267	.628140	0.						
1991-	PBAR	1110	11	.7960-1	2.2503-2	1.5454-2	.6633-4	0.0		+PAR1110
1992-	+PAR1110	.6420	1.0000	.0000	1.0000	.6420	.0000	.6420	.0000	+P2R1110
1993-	+P2R1110	.403267	.628140	0.						
1994-	PBAR	1111	11	.2785-1	.8150-2	.2702-2	.0371-4	0.0		+PAR1111
1995-	+PAR1111	-.6630	.7500	.0000	.7500	-.6420	.0000	-.6840	.0000	+P2R1111
1996-	+P2R1111	.475952	.538405	0.						
1997-	PBAR	1112	11	.2785-1	.8150-2	.2702-2	.0371-4	0.0		+PAR1112
1998-	+PAR1112	.6630	.7500	.0000	.7500	.6420	.0000	.6840	.0000	+P2R1112
1999-	+P2R1112	.475952	.538405	0.						
2000-	PBAR	1113	11	.2545-1	.5602-2	.2702-2	.0339-4	0.0		+PAR1113

S O R T E D B U L K D A T A E C H O

CARD
COUNT .. 1 .. 2 .. 3 .. 4 .. 5 .. 6 .. 7 .. 8 .. 9 .. 10 ..

```
2001- +PAR1113  -.5535   .7500   .0000   .7500  -.6840   .0000  -.4230   .0000+P2R1113
2002- +P2R1113 .431243 .584339  0.
2003- PBAR     1114    11       .2545-1 .5602-2 .2702-2 .0339-4 0.0              +PAR1114
2004- +PAR1114   .5535   .7500   .0000   .7500   .6840   .0000   .4230   .0000+P2R1114
2005- +P2R1114 .431243 .584339  0.
2006- PBAR     1115    11       .1877-1 .0727-2 .2702-2 .0250-4 0.0              +PAR1115
2007- +PAR1115  -.2115   .7500   .0000   .7500  -.4230   .0000  -.0000   .0000+P2R1115
2008- +P2R1115 .224642 .796601  0.
2009- PBAR     1116    11       .1877-1 .0727-2 .2702-2 .0250-4 0.0              +PAR1116
2010- +PAR1116   .2115   .7500   .0000   .7500   .4230   .0000   .0000   .0000+P2R1116
2011- +P2R1116 .224642 .796601  0.
2012- PBAR     1117    11       .1693-1 .0204-2 .2702-2 .0226-4 0.0              +PAR1117
2013- +PAR1117  -.1167   .7500   .0000   .7500  -.0000   .0000  -.2334   .0000+P2R1117
2014- +P2R1117 .137812 .885809  0.
2015- PBAR     1118    11       .1693-1 .0204-2 .2702-2 .0226-4 0.0              +PAR1118
2016- +PAR1118   .1167   .7500   .0000   .7500   .0000   .0000   .2334   .0000+P2R1118
2017- +P2R1118 .137812 .885809  0.
2018- PBAR     1119    11       .1927-1 .0814-2 .2702-2 .0257-4 0.0              +PAR1119
2019- +PAR1119  -.2334   .7500   .0000   .7500  -.2334   .0000  -.2334   .0000+P2R1119
2020- +P2R1119 .242241 .778520  0.
2021- PBAR     1120    11       .1927-1 .0814-2 .2702-2 .0257-4 0.0              +PAR1120
2022- +PAR1120   .2334   .7500   .0000   .7500   .2334   .0000   .2334   .0000+P2R1120
2023- +P2R1120 .242241 .778520  0.
2024- PBAR     1121    11       .1927-1 .0814-2 .2702-2 .0257-4 0.0              +PAR1121
2025- +PAR1121  -.2334   .7500   .0000   .7500  -.2334   .0000  -.2334   .0000+P2R1121
2026- +P2R1121 .242241 .778520  0.
2027- PBAR     1122    11       .1927-1 .0814-2 .2702-2 .0257-4 0.0              +PAR1122
2028- +PAR1122   .2334   .7500   .0000   .7500   .2334   .0000   .2334   .0000+P2R1122
2029- +P2R1122 .242241 .778520  0.
2030- PBAR     1123    11       .1927-1 .0814-2 .2702-2 .0257-4 0.0              +PAR1123
2031- +PAR1123  -.2334   .7500   .0000   .7500  -.2334   .0000  -.2334   .0000+P2R1123
2032- +P2R1123 .242241 .778520  0.
2033- PBAR     1124    11       .1927-1 .0814-2 .2702-2 .0257-4 0.0              +PAR1124
2034- +PAR1124   .2334   .7500   .0000   .7500   .2334   .0000   .2334   .0000+P2R1124
2035- +P2R1124 .242241 .778520  0.
2036- PBAR     1125    11       .1927-1 .0814-2 .2702-2 .0257-4 0.0              +PAR1125
2037- +PAR1125  -.2334   .7500   .0000   .7500  -.2334   .0000  -.2334   .0000+P2R1125
2038- +P2R1125 .242241 .778520  0.
2039- PBAR     1126    11       .1927-1 .0814-2 .2702-2 .0257-4 0.0              +PAR1126
2040- +PAR1126   .2334   .7500   .0000   .7500   .2334   .0000   .2334   .0000+P2R1126
2041- +P2R1126 .242241 .778520  0.
2042- PBAR     1127    11       .1927-1 .0814-2 .2702-2 .0257-4 0.0              +PAR1127
2043- +PAR1127  -.2334   .7500   .0000   .7500  -.2334   .0000  -.2334   .0000+P2R1127
2044- +P2R1127 .242241 .778520  0.
2045- PBAR     1128    11       .1927-1 .0814-2 .2702-2 .0257-4 0.0              +PAR1128
2046- +PAR1128   .2334   .7500   .0000   .7500   .2334   .0000   .2334   .0000+P2R1128
2047- +P2R1128 .242241 .778520  0.
2048- PBAR     1129    11       .1817-1 .0507-2 .2702-2 .0242-4 0.0              +PAR1129
2049- +PAR1129  -.1703   .7500   .0000   .7500  -.2334   .0000  -.1232   .0000+P2R1129
2050- +P2R1129 .196295 .825725  0.
```

SORTED BULK DATA ECHO

CARD COUNT	. 1 .. 2 .. 3 .. 4 .. 5 .. 6 .. 7 .. 8 .. 9 .. 10 .
2051-	PBAR 1130 11 .1817-1 .0507-2 .2702-2 .0242-4 0.0 +PAR1130
2052-	+PAR1130 .1783 .7500 .0000 .7500 .2334 .0000 .1232 .0000+P2R1130
2053-	+P2R1130 .196295 .825725 0.
2054-	PBAR 1131 11 .1583-1 .0051-2 .2702-2 .0211-4 0.0 +PAR1131
2055-	+PAR1131 -.0616 .7500 .0000 .7500 -.1232 .0000 -.0000 .0000+P2R1131
2056-	+P2R1131 .077829 .947436 0.
2057-	PBAR 1132 11 .1583-1 .0051-2 .2702-2 .0211-4 0.0 +PAR1132
2058-	+PAR1132 .0616 .7500 .0000 .7500 .1232 .0000 .0000 .0000+P2R1132
2059-	+P2R1132 .077829 .947436 0.
2060-	PBAR 1301 13 1.0943-1.0821-4 4.85331 .3283-4 0.0 +PAR1301
2061-	+PAR1301 .0000 .0000 .0150 .0000 .0000 .0000 .0000 .0000+P2R1301
2062-	+P2R1301 .8333 1.0000 0.
2063-	PBAR 1302 13 2.0850-1.4344-4 12.085091.7375-40.0 +PAR1302
2064-	+PAR1302 .0000 .0000 .0250 .0000 .0000 .0000 .0000 .0000+P2R1302
2065-	+P2R1302 .8333 1.0000 0.
2066-	PBAR 1303 13 4.1550-1.8656-4 23.911473.4625-40.0 +PAR1303
2067-	+PAR1303 .0000 .0000 .0250 .0000 .0000 .0000 .0000 .0000+P2R1303
2068-	+P2R1303 .8333 1.0000 0.
2069-	PBAR 1304 13 4.1400-1.8625-4 23.652563.4500-40.0 +PAR1304
2070-	+PAR1304 .0000 .0000 .0250 .0000 .0000 .0000 .0000 .0000+P2R1304
2071-	+P2R1304 .8333 1.0000 0.
2072-	PBAR 1305 13 3.5232-1.7340-4 15.913412.9360-40.0 +PAR1305
2073-	+PAR1305 .0000 .0000 .0250 .0000 .0000 .0000 .0000 .0000+P2R1305
2074-	+P2R1305 .8333 1.0000 0.
2075-	PBAR 1306 13 1.7275-1.3599-4 6.87375 1.4396-40.0 +PAR1306
2076-	+PAR1306 .0000 .0000 .0250 .0000 .0000 .0000 .0000 .0000+P2R1306
2077-	+P2R1306 .8333 1.0000 0.
2078-	PBAR 1307 13 .5242-1 .0175-4 1.20022 .0699-4 0.0 +PAR1307
2079-	+PAR1307 .0000 .0000 .0100 .0000 .0000 .0000 .0000 .0000+P2R1307
2080-	+P2R1307 .8333 1.0000 0.
2081-	PBAR 1308 13 1.0872-1.0362-4 2.68760 .1450-4 0.0 +PAR1308
2082-	+PAR1308 .0000 .0000 .0100 .0000 .0000 .0000 .0000 .0000+P2R1308
2083-	+P2R1308 .8333 1.0000 0.
2084-	PBAR 1309 13 1.4076-1.0469-4 6.50721 .1877-4 0.0 +PAR1309
2085-	+PAR1309 .0000 .0000 .0100 .0000 .0000 .0000 .0000 .0000+P2R1309
2086-	+P2R1309 .8333 1.0000 0.
2087-	PBAR 1310 13 .5401-1 .0180-4 .33064 .0720-4 0.0 +PAR1310
2088-	+PAR1310 .0000 .0000 .0100 .0000 .0000 .0000 .0000 .0000+P2R1310
2089-	+P2R1310 .8333 1.0000 0.
2090-	PBAR 1311 13 .5650-1 .0188-4 .37579 .0753-4 0.0 +PAR1311
2091-	+PAR1311 .0000 .0000 .0100 .0000 .0000 .0000 .0000 .0000+P2R1311
2092-	+P2R1311 .8333 1.0000 0.
2093-	PBAR 1312 13 .5630-1 .0188-4 .37172 .0751-4 0.0 +PAR1312
2094-	+PAR1312 .0000 .0000 .0100 .0000 .0000 .0000 .0000 .0000+P2R1312
2095-	+P2R1312 .8333 1.0000 0.
2096-	PBAR 1313 13 .4791-1 .0160-4 .25017 .0639-4 0.0 +PAR1313
2097-	+PAR1313 .0000 .0000 .0100 .0000 .0000 .0000 .0000 .0000+P2R1313
2098-	+P2R1313 .8333 1.0000 0.
2099-	PBAR 1314 13 .3820-1 .0127-4 .11651 .0509-4 0.0 +PAR1314
2100-	+PAR1314 .0000 .0000 .0100 .0000 .0000 .0000 .0000 .0000+P2R1314

AD-A075 814 NAVAL AIR DEVELOPMENT CENTER WARMINSTER PA AIRCRAFT --ETC F/G 1/3
DESIGN AND TEST OF A BORON - ALUMINUM HIGH TEMPERATURE WING.(U)
MAY 79 R J RICHEY, T E HESS

UNCLASSIFIED NADC-79145-60 NL

2 OF 2
AD
A075814



END
DATE
FILMED
11-79
DDC

S O R T E D B U L K D A T A E C H O

CARD COUNT	1	2	3	4	5	6	7	8	9	10
2101-	+PZR1314	.8333	1.0000	0.						
2102-	PBAR	1315	13	.3823-1	.0127-4	.11689	.0510-4	0.0		+PAR1315
2103-	+PAR1315	.0000	.0000	.0100	.0000	.0000	.0000	.0000	.0000	+PZR1315
2104-	+PZR1315	.8333	1.0000	0.						
2105-	PBAR	1316	13	.4950-1	.0165-4	.28300	.0660-4	0.0		+PAR1316
2106-	+PAR1316	.0000	.0000	.0100	.0000	.0000	.0000	.0000	.0000	+PZR1316
2107-	+PZR1316	.8333	1.0000	0.						
2108-	PBAR	2001	11	.2	.16667-3	.2333333	.66667-3	0.0		+PAR2001
2109-	+PAR2001	0.	0.	.05	0.	0.	2.	.05	2.	+PZR2001
2110-	+PZR2001	0.83333	0.83333	0.						
2111-	PQUAD1	301	113	.252	163	.13336-210	.21	.0		+Q301
2112-	+Q301	0.0	-.126							
2113-	PQUAD1	1113	113	.1365	163	.21194-310	.11375	0.0		+Q113
2114-	+Q113	0.	-.06325							
2115-	PQUAD1	1216	216	.168	266	.39514-310	.140	0.0		+Q216
2116-	+Q216	0.	-.034							
2117-	PTRIA1	145	113	.252	163	.13336-210	.21	.0		+T145
2118-	+T145	0.0	-.126							
2119-	PTRIA1	149	113	.168	163	.39514-310	.14	.0		+T149
2120-	+T149	0.0	-.084							
2121-	PTRIA1	289	289	.252	163	.13336-210	.21	.0		+T289
2122-	+T289	0.0	-.126							
2123-	PTRIA1	1011	11	.050	11	.10417-411	.043	0.0		+T011
2124-	+T011	0.	-.025							
2125-	PTRIA1	1104	104	.042	154	.61740-510	.035	0.0		+T104
2126-	+T104	0.	-.021							
2127-	PTRIA1	1105	105	.0525	155	.12059-410	.04375	0.0		+T105
2128-	+T105	0.	-.02625							
2129-	PTRIA1	1106	106	.0630	156	.20837-410	.0525	0.0		+T106
2130-	+T106	0.	-.0315							
2131-	PTRIA1	1107	107	.0735	157	.33089-410	.06125	0.0		+T107
2132-	+T107	0.	-.03675							
2133-	PTRIA1	1108	108	.0840	158	.49392-410	.070	0.0		+T108
2134-	+T108	0.	-.042							
2135-	PTRIA1	1109	109	.0945	159	.70326-410	.07875	0.0		+T109
2136-	+T109	0.	-.04725							
2137-	PTRIA1	1110	110	.1055	160	.96469-410	.0875	0.0		+T110
2138-	+T110	0.	-.0525							
2139-	PTRIA1	1113	113	.1365	163	.21194-310	.11375	0.0		+T113
2140-	+T113	0.	-.06825							
2141-	PTRIA1	1204	104	.042	154	.61740-510	.035	0.0		+T204
2142-	+T204	0.	.021							
2143-	PTRIA1	1205	105	.0525	155	.12059-410	.04375	0.0		+T205
2144-	+T205	0.	.02625							
2145-	PTRIA1	1206	106	.0630	156	.20837-410	.0525	0.0		+T206
2146-	+T206	0.	.0315							
2147-	PTRIA1	1207	107	.0735	157	.33089-410	.06125	0.0		+T207
2148-	+T207	0.	.03675							
2149-	PTRIA1	1208	108	.0840	158	.49392-410	.070	0.0		+T208
2150-	+T208	0.	.042							

S O R T E D B U L K D A T A E C H O

CARD COUNT	. 1 ..	2 ..	3 ..	4 ..	5 ..	6 ..	7 ..	8 ..	9 ..	10
2151-	PTRIA1	1209	109	.0945	159	.70326-410		.07875	0.0	+T209
2152-	+T209	0.	.04725							
2153-	PTRIA1	1210	210	.105	260	.96469-410		.0875	0.0	+T210
2154-	+T210	0.	.0525							
2155-	PTRIA1	1211	211	.1155	261	.12840-310		.09625	0.0	+T211
2156-	+T211	0.	.05775							
2157-	PTRIA1	1212	212	.126	262	.16670-310		.105	0.0	+T212
2158-	+T212	0.	.063							
2159-	PTRIA1	1215	216	.168	266	.39514-310		.140	0.0	+T216
2160-	+T216	0.	.084							
2161-	PTRIA1	1513	113	.2730	163	.16955-210		.2275	0.0	+T513
2162-	+T513	0.	-.1365							
2163-	SEQSP	181	112.1	182	112.2					
2164-	SPC1	2	2	112						
2165-	SPC1	3	3	16	40	64	88	112		
2166-	SPC1	15	15	11	12	35	36	59	60	+UEQD
2167-	+UEQD	83	84	107	108					
2168-	SPC1	30	3	16	112					
2169-	SPC1	130	3	15	39	63	87	111		
2170-	SPCADD	10	2	15	3					
2171-	SPCADD	11	2	15	30					
2172-	SPCADD	12	2	15	130					
2173-	TEMPD	600	600.	75	75.					
	ENDDATA									

NO ERRORS FOUND - EXECUTE NASTRAN PROGRAM

*** SYSTEM INFORMATION MESSAGE 3113, EMGPRO PROCESSING SINGLE PRECISION ELEMENTS OF TYPE 34 STARTING WITH ID 501

*** SYSTEM INFORMATION MESSAGE 3107. EMGOLD IS PROCESSING ELEMENTS OF TYPE = 34, BEGINNING WITH ELEMENT ID = 501

*** SYSTEM INFORMATION MESSAGE 3113, EMGPRO PROCESSING SINGLE PRECISION ELEMENTS OF TYPE 10 STARTING WITH ID 1

*** SYSTEM INFORMATION MESSAGE 3113, EMGPRO PROCESSING SINGLE PRECISION ELEMENTS OF TYPE 19 STARTING WITH ID 289

*** SYSTEM INFORMATION MESSAGE 3107. EMGOLD IS PROCESSING ELEMENTS OF TYPE = 19, BEGINNING WITH ELEMENT ID = 289

*** SYSTEM INFORMATION MESSAGE 3113, EMGPRO PROCESSING SINGLE PRECISION ELEMENTS OF TYPE 6 STARTING WITH ID 1

*** SYSTEM INFORMATION MESSAGE 3107. EMGOLD IS PROCESSING ELEMENTS OF TYPE = 6, BEGINNING WITH ELEMENT ID = 1
METHOD 1 NT,NBR PASSES = 1,EST. TIME = 1.4
METHOD 3 T ,NBR PASSES = 1,EST. TIME = .1

Non-Government Agencies (Cont.)

Hercules Powder Company, Inc., Cumberland, MD 21501
(Attn: Mr. D. Hug) 1
H. I. Thompson Fiber Glass Company, Gardena, CA 90249
(Attn: Mr. N. Myers) 1
ITT Research Institute, Chicago, IL 60616
(Attn: Mr. K. Hofar) 1
J. P. Stevens & Co., Inc., N.Y., NY 10036
(Attn: Mr. H. I. Shulock). 1
Kaman Aircraft Corporation, Bloomfield, CT 06002
(Attn: Tech. Library). 1
Lehigh University, Bethlehem, PA 18015
(Attn: Dr. G. C. Sih). 1
Lockheed-California Company, Burbank, CA 91520
(Attn: Mr. E. K. Walker, R. L. Vaughn) 2
Lockheed-Georgia Company, Marietta, GA
(Attn: Advanced Composites Information Center, Dept. 72-14,
Zone 42). 1
LTV Aerospace Corporation, Dallas, TX 75222
(Attn: Mr. O. E. Dhonau/2-53442, C. R. Foreman). 2
Martin Company, Baltimore, MD 21203
(Attn: Mr. J. E. Pawken) 1
Materials Sciences Corp., Blue Bell, PA 19422 1
McDonnell Douglas Corporation, St. Louis, MO 63166
(Attn: Mr. R. C. Goran, O. B. McBee, C. Stenberg). 3
McDonnell Douglas Corporation, Long Beach, CA 90801
(Attn: H. C. Schjulderup, G. Lehman) 2
Minnesota Mining and Manufacturing Company, St. Paul, MN 55104
(Attn: Mr. W. Davis) 1
Northrop Aircraft Corp., Norair Div., Hawthorne, CA 90250
(Attn: Mr. R. D. Hayes, J. V. Noyes, R. C. Isemann). 3
Rockwell International, Columbus, OH 43216
(Attn: Mr. O. G. Acker, K. Clayton). 2
Rockwell International, Los Angeles, CA 90053
(Attn: Dr. L. Lackman) 1
Rockwell International, Tulsa, OK 74151
(Attn: Mr. E. Sanders, Mr. J. H. Powell) 2
Owens Corning Fiberglass, Granville, OH 43023
(Attn: Mr. D. Mettes). 1
Rohr Corporation, Riverside, CA 92503
(Attn: Dr. F. Riel and Mr. R. Elkin) 2
Ryan Aeronautical Company, San Diego, CA 92112
(Attn: Mr. R. Long). 1
Sikorsky Aircraft, Stratford, CT 06497
(Attn: Mr. J. Ray) 1
University of Oklahoma, Norman, OK 93069
(Attn: Dr. G. M. Nordby) 1
Union Carbide Corporation, Cleveland, OH 44101
(Attn: Dr. H. F. Volk) 1





CONTRACT NO.	NAVAL AIR DEVELOPMENT CENTER WARMINSTER, PA 18974
DRAWN	B/AL WING TENSION SKIN
CHECKED	
APPROVED	
APPROVED	SIZE: — CAGE IDENT NO: 80206 — DWG NO. — REV
	SCALE: 1/4 — WT — SHEET — OF

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY FURNISHED TO DDC





CONTRACT NO	NAVAL AIR DEVELOPMENT CENTER WARMINSTER, PA 18974
DRAWN R. Rinaldi	B/AL WING COMPRESSION SKIN
CHECKED	
APPROVED	SIZE: A; CODE IDENT NO: 80204; DWG NO:
APPROVED	SCALE: 3/8; WT:; SHEET: OF

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY FURNISHED TO DDC





SECTION A-A



NOTES



THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY FURNISHED TO DDC



THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY FURNISHED TO DDC



☆U.S. GOVERNMENT PRINTING OFFICE: 1979-603-007/5191

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY FURNISHED TO DDC

Government Activities (Cont.)

PLASTEC, Picatinny Arsenal, Dover, NJ 07801
(Attn: Librarian, Bldg. 176, SARPA-FR-M-D and Mr. H. Pebly). . 2
Scientific & Technical Information Facility, College Park, MD
(Attn: NASA Representative). 1
USAAVMATLAB, Fort Eustis, VA 23603
(Attn: Mr. R. Beresford) 1
USAMATRESAG, Watertown, MA
(Attn: Dr. E. Lenoe) 1
USARESOFC, Durham, NC 27701 1

Non-Government Agencies

Avco Aero Structures Division, Nashville, TN 37202
(Attn: Mr. W. Ottenville). 1
Battelle Columbus Laboratories, Metals and Ceramics Information
Center, 505 King Avenue, OH 43201. 1
Bell Aerospace Company, Buffalo, NY 14240
(Attn: Zone I-85, Mr. F. M. Anthony) 1
Bell Helicopter Company, Fort Worth, TX 76100
(Attn: Mr. Charles Harvey) 1
Bendix Products Aerospace Division, South Bend, IN 46619
(Attn: Mr. R. V. Cervelli) 1
Boeing Aerospace Company, P.O. Box 3999, Seattle, WA 98124
(Attn: Code 206, Mr. R. E. Horton) 1
Boeing Company, Renton, Washington 98055
(Attn: Dr. R. June). 1
Boeing Company, Vertol Division, Phila., PA 19142
(Attn: Mr. R. L. Pinckney, Mr. D. Hoffstedt) 2
Boeing Company, Wichita, KS 67210
(Attn: Mr. V. Reneau/MS 16-39) 1
Cabot Corporation, Billerica Research Center, Billerica, MA
01821 1
Drexel University, Phila., PA 19104
(Attn: Dr. P. C. Chou) 1
E.I. DuPont Company, Wilmington, DE 19898
(Attn: Dr. Carl Zweben) Bldg. 262/Room 316 1
Fairchild Industries, Hagerstown, MD 21740
(Attn: Mr. D. Ruck). 1
Georgia Institute of Technology, Atlanta, GA
(Attn: Prof. W. H. Horton) 1
General Dynamics/Convair, San Diego, CA 92138
(Attn: Mr. D. R. Dunbar, W. G. Scheck) 2
General Dynamics, Fort Worth, TX 76101
(Attn: Mr. P. D. Shockey, Dept. 23, Mail Zone P-46). 1
General Electric Company, Phila., PA 19101
(Attn: Mr. L. McCreight) 1
Great Lakes Carbon Corp., N.Y., NY 10017
(Attn: Mr. W. R. Benn, Mgr., Markey Development) 1
Grumman Aerospace Corporation, Bethpage, L.I., NY 11714
(Attn: Mr. R. Hadcock, Mr. S. Dastin). 2

DISTRIBUTION LIST

Government Activities

	No. of Copies
NAVAIRSYSCOM, AIR-954 (2 for retention), 2 for AIR-530, 1 for AIR-320B, AIR-52032D, AIR-5302, AIR-53021, AIR-530215).	9
AFFDL, WPAFB, OH 45433	
(Attn: FB/Mr. P. A. Parmley)	2
(Attn: FBC/Mr. C. Wallace)	1
(Attn: FBC/Mr. E. E. Zink)	1
AFML, WPAFB, OH 45433	
(Attn: LAM (Technical Library))	1
(Attn: LT-1/Mr. W. R. Johnston)	1
(Attn: LTF/Mr. T. Cordell)	1
(Attn: FBSC/Mr. L. Kelly)	1
(Attn: MAC/Mr. G. P. Peterson)	1
(Attn: MXA/Mr. F. J. Fechek)	1
(Attn: MBC/Mr. T. G. Reinhard, Jr.)	1
AFOSR, Washington, D.C. 20333	
(Attn: Mr. J. Pomerantz)	1
DDC	12
FAA, Airframes Branch, FS-120, Washington, D.C. 20553	
(Attn: Mr. J. Dougherty)	1
NASA (ADM), Washington, D.C. 20546	
(Attn: Secretary)	1
NASA, George C. Marshall Space Flight Center, Huntsville, AL 35812	
(Attn: S&E-ASTN-ES/Mr. E. E. Engler)	1
(Attn: S&E-ASTN-M/Mr. R. Schwinghamer)	1
(Attn: S&E-ASTM-MNM/Dr. J. M. Stuckey)	1
NASA, Langley Research Center, Hampton, VA 23365	
(Attn: Mr. J. P. Peterson, Mr. R. Pride, and Dr. M. Card)	3
NASA, Lewis Research Center, Cleveland, OH 44153	
(Attn: Technical Library, and M. Hershberg)	2
NAVPGSCHL, Monterey, CA 95940	
(Attn: Prof. R. Ball, Prof. M. H. Bank)	2
NAVSEASYSCOM, Washington, D.C. 20362	
(Attn: Code 035, Mr. C. Pohler)	1
NAVSEC, Hyattsville, MD 20782	
(Attn: Code 6101E03, Mr. W. Graner)	1
NAVSHIPRANDCEN, Bethesda, MD 20034	
(Attn: Code 173.2, Mr. W. P. Cauch)	1
NAVSHIPRANDCEN, Annapolis, MD 21402	
(Attn: Code 2870, Mr. H. Edelstein)	1
NOL, White Oak, MD 20910	
(Attn: Mr. F. R. Barnet)	1
NRL, Washington, D.C. 20375	
(Attn: Dr. I. Wolock)	1
ONR, Washington, D.C. 20362	
(Attn: Dr. N. Perrone)	1