AD-A075 965 INSTITUTE FOR WATER RESOURCES (ARMY) FORT BELVOIR VA F/G 10/1
NATIONAL HYDROELECTRIC POWER RESOURCES STUDY. PRELIMINARY INVEN--ETC(U
JUL 79 W R SIGLEO , J R HANCHEY , D G NOLTON

UNCLASSIFIED NL

1 OF 3
AD A075965


1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0
4.5
5.0
5.6
6.3
MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

NATIONAL HYDROELECTRIC POWER RESOURCES STUDY

PRELIMINARY INVENTORY OF HYDROPOWER RESOURCES

LEVEL III

AD A075965

DDC RECEIVED NOV 2 1979



Volume 4

Lake Central Region

DDC FILE COPY

This document has been approved for public release and sale; its distribution is unlimited.

IWR

HEC

JULY 1979

79 11 02 114

PRELIMINARY INVENTORY OF HYDROPOWER RESOURCES
Volume 4: LAKE CENTRAL REGION

CONT

be superseded at some future date.

Conservative assumptions have been made in the screening and analysis process to avoid eliminating any potentially feasible sites. The current summary tables provide the best estimated to date, but to some degree, may overstate the actual capacity and energy which could be developed. The estimates for individual sites may be overstated for the following reasons:

a. A reduction of net power head due to rising tailwater conditions during high flows was not compared.

b. The analysis technique of maximum net benefits, using incomplete project costs, resulted in a low plant factor operation. This type of operation could require more reservoir storage than is available for regulating power flows; or could cause unacceptable fluctuations in the surface elevation of the reservoir or downstream flow.

c. Computations ignored diversion of water for other uses, as well as losses due to evaporation.

d. Turbines were assumed to be 100 percent efficient, and head losses through penstocks were not estimated.

e. During periods of high flow, it was calculated that streamflow would pass through the turbines at the design discharge rate when in fact, during excessively high flows, the plant may be shut down because of high tailwater and reduced head.

f. Summary tables include estimates of the potential capacity and energy at each site in the inventory. In some cases, individual projects may be site alternatives to others in the same general location, when only one can be considered for hydropower development.

g. Detailed consideration of the social, economic, institutional and environmental constraints associated with hydropower development were not specifically included in the analysis.

All of the issues listed above will be addressed during future stages of the National Hydropower Study through the addition of more detailed site-specific information, and by refinements in the computer routines used in assessing the data.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE

READ INSTRUCTIONS BEFORE COMPLETING FORM

1. REPORT NUMBER: N/A	2. GOVT ACCESSION NO.
3. RECIPIENT'S CATALOG NUMBER	
4. TITLE (and Subtitle): PRELIMINARY INVENTORY OF HYDROPOWER RESOURCES, National Hydroelectric Power Resources Study Volume 4, Lake Central Region	
5. TYPE OF REPORT & PERIOD COVERED: Interim Report	
6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(s)	
8. CONTRACT OR GRANT NUMBER(s)	
9. PERFORMING ORGANIZATION NAME AND ADDRESS: U.S. Army Corps of Engineers, Institute for Water Resources, Ft. Belvoir, VA and the Hydrologic Engineering Center, Davis, CA	
10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
11. CONTROLLING OFFICE NAME AND ADDRESS: U.S. Army Corps of Engineers, Institute for Water Resources, Kingman Building, Ft. Belvoir, VA 22060	
12. REPORT DATE: July 1979	
13. NUMBER OF PAGES: 215	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	
15. SECURITY CLASS. (of this report): Unclassified	
15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	

16. DISTRIBUTION STATEMENT (of this Report)
Approved for public release; distribution unlimited.

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)
Approved for public release; distribution unlimited.

18. SUPPLEMENTARY NOTES
Published in six (6) regional volumes.

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)
Hydroelectric Power Resources
Existing
Incremental
Undeveloped
Capactiy
Energy
Inventory for: Illinois, Indiana, Iowa, Kentucky, Michigan, Minnesota, Missouri, Ohio, Wisconsin

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)
The Preliminary Inventory of Hydropower Resources (PIHR) a preliminary product of the National Hydropower Study (NHS), was published in six (6) volumes (regions) to facilitate reproduction and distribution. The PIHR contains general as well as site-specific information on our nation's hydroelectric power potential. It gives estimates of existing, incremental and undeveloped hydropower potential by state and region and furthermore, breaks these categories down into size ranges of small-scale (.05-15 MW) intermediate (15-25 MW) and large-scale (greater than 25MW) sites. Because the inventory is a preliminary product of the NHS, it may CONT'

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

(10) Wayne R. Sigler,
James R. Hanchey
Darrell G. Nolton

(12)

(9) Interim rept.,

U.S. ARMY CORPS OF ENGINEERS

(6) NATIONAL HYDROELECTRIC POWER RESOURCES STUDY.

DDC
NOV 2 1979
E

PRELIMINARY INVENTORY OF HYDROPOWER RESOURCES.

VOLUME 4: LAKE CENTRAL REGION.

(11) JULY 1979 (12) 217

This document has been approved for public release and sale; its distribution is unlimited.

Prepared by:

U.S. Army Corps of Engineers
Institute for Water Resources
Kingman Building
Ft. Belvoir, Virginia 22060

and

The Hydrologic Engineering Center
609 Second Street
Davis, California 95616

405728

ACKNOWLEDGEMENTS

The preparation of these reports was a coordinated effort accomplished with the assistance of many individuals in the U.S. Army Corps of Engineers. The primary responsibility for these reports was assigned to the U.S. Army Corps of Engineers, Institute for Water Resources (IWR), under the direction of Mr. A. J. Fredrich. The Preliminary Inventory of Hydropower Resources was developed as a major component of the Corps' National Hydropower Study. Supplemental funding was provided by the United States Department of Energy (DOE) through the DOE Small-Scale Hydropower Development Program. Both of these studies are under the direction of Mr. James R. Hanchey, Deputy Director for Special Studies at the Institute for Water Resources.

The manuscript herein was written and prepared by Dr. Wayne R. Sigleo, Mr. James R. Hanchey and Mr. Darrell G. Nolton of the Corps' Institute for Water Resources. The text had the benefit of informal review and comment by the staff of the National Hydropower Study group at the Institute. The data presented in these reports were collected by the Corps' Division and District field offices. The presentation of these data, particularly the tables and computer format, were made possible through the concentrated efforts of Mr. Gary Franc of the Corps' Hydrologic Engineering Center (HEC) who, based on instructions from Mr. Jim Dalton of the Corps' Southwestern Division (SWD), developed the computer software to summarize the data from the inventory and made all necessary computer runs. HEC arranged for the printing of these reports and is responsible for their distribution.

Some of the major responsibilities associated with the National Hydropower Study were assigned to the Corps' Hydrologic Engineering Center, under the supervision of Mr. Bill S. Eichert, the Center's Director. HEC was assigned the tasks of developing the data management software, the editing and analysis programs required in the screening studies and in making the computer runs required in the screening process. Mr. Jim Dalton (SWD) was instrumental in formulating the computational techniques used and was assigned the responsibility of technical management. Mr. Dale R. Burnett was HEC's overall coordinator; Mr. Tom White and Mr. Orval Bruton of the Corps' North Pacific Division (NPD) developed the cost-estimating procedures; Messrs. Arthur Pabst and Mark Lewis (HEC) developed the file management software; and Ms. Marilyn Hurst (HEC) did most of HEC's computer production runs for the National Hydropower Study.

Grateful acknowledgements are extended to the support staff of IWR and HEC for their patience and endurance in the overall effort to complete these reports. In particular, Ms. Sharon Blake and Ms. Denise Henderson of IWR and Ms. Penni Baker of HEC should be recognized. Finally, since it is not possible, because of the scope of these reports, to mention all participants by name, acknowledgements are extended to all, especially the National Hydropower Study coordinators and other Division and District personnel who devoted many hours to the organization and data collection activities necessary to provide this preliminary inventory of hydroelectric power resources in the United States.

TABLE OF CONTENTS

Introduction 1

Purpose and Scope. 2

Methods of Study 3

Resource Assessment:

National Potential 7

Lake Central Region. 12

Summary. 12

APPENDICES

Appendix I. Summary Sheet and Site Specific Listing of Hydroelectric Power Resources by State and County . . . . A-I

Illinois

Indiana

Iowa

Kentucky

Michigan

Minnesota

Missouri

Ohio

Wisconsin

Appendix II. Description of Terms. . . . . A-II

Appendix III. National Hydroelectric Power Resources Study, Division and District Representatives . . . . . A-III



TABLES

Table 1. Regional Summaries 8

Table 2. State Summaries by Region. 9

Pacific Northwest. 14

Pacific Southwest. 15

Mid-Continent. 16

Lake Central 18

Southeast. 20

Northeast. 22

FIGURES

Figure 1. Regions as Defined for the Preliminary Inventory of Hydroelectric Power Resources 4

Figure 2. National Hydroelectric Power Resources (ALL SITES). 10

Figure 3. National Hydroelectirc Power Resources (SMALL-SCALE). 11

PRELIMINARY INVENTORY OF HYDROPOWER RESOURCES

INTRODUCTION

Since completion of the world's first central hydroelectric generating facility at Appleton, Wisconsin in 1882, hydropower has played a major role in our nation's social and economic development. Although this first installation was comparatively small (providing only enough power to light 250 light bulbs), it had a large impact, and streams and rivers across the country were rapidly developed to generate electricity. Today, hydropower provides about 13 percent of the nation's total electric power with a conventional installed capacity of about 64,000 megawatts and an average annual energy generation of some 280 thousand gigawatt-hours.

Hydroelectric power development was rapid during the first half of the twentieth century, but by the mid-1960's many factors had combined to diminish its contribution to electrical utility systems. First, the most favorable sites were developed early, and the undeveloped potential simply did not look as attractive when compared to other available energy sources. Second, demand for electricity increased rapidly during the 50's and 60's, and even with the continued development of new sites, hydropower's "share of the load" steadily decreased. Finally, the low cost of fossil fuels and optimistic forecasts concerning nuclear technology and its public acceptability led many planners to believe that the nation's energy future was secure.

During the past decade, a number of interacting factors, including rising fuel prices, rapid escalation of the costs in constructing thermal generating facilities, and increased public concern over the safety of nuclear plants have prompted not only a search for new energy alternatives, but also a reexamination of previously ignored or discounted alternatives. Because of the immediate need to develop new sources of energy, planners at all levels of organization have significantly increased their efforts to assess the most feasible alternatives to meet present and future energy demands. Hydroelectric power development, particularly incremental or new capacity at existing facilities, could provide an important contribution to our nation's growing energy needs.

The U.S. Army Corps of Engineers is currently conducting a detailed assessment of the nation's hydroelectric resources as part of the National Hydroelectric Power Study authorized by Section 167 of the Water Resources Development Act of 1976 (P.L. 94-587). The study is designed to provide a current and comprehensive estimate of the potential for incremental or new generation at existing dams and other water resource projects, as well as for undeveloped sites in the United States. In addition, the study will address the demand for

hydroelectric power, and will investigate various related policy and technical considerations to determine the incentives, constraints and impacts of developing hydropower to meet a portion of our future energy demands. When complete in 1981, the effort will provide a more detailed evaluation of the nation's hydroelectric resources, and will serve as a framework for future planning and development of this important renewable energy source.

The National Hydropower Study addresses all conventional hydroelectric power potential at Federal and non-federal installations, and considers both large and small-scale dams and other water resource projects. The Corps of Engineers involvement in studying the nation's small-scale potential dates from President Carter's Energy Plan of 1977. This program specifically recognized the opportunity for redeveloping small-scale hydropower as an alternative source of energy and the President directed the Corps to produce summary estimates of the potential at existing small dams in the country.

The directive led to the Corps' preliminary 90-day hydropower study which was published in 1977[1]. This study was the first to provide comprehensive estimates of the small-scale potential at existing dams and also identified key areas of the country where small-scale hydropower development could potentially reduce dependence on fossil fuels as a source of energy generation. It is important to note that these estimates were based largely on theoretical potentials calculated for the river basins in the United States and were not the product of site-specific investigations.

During the initial planning stages of the National Hydropower Study, the U.S. Department of Energy requested that a more detailed assessment be made of the nation's small-scale hydroelectric resources. Because of the wide public interest in this potentially valuable alternative energy resource, the small-scale assessment has been integrated into the overall National Hydropower Study and is included in this series of reports.

PURPOSE AND SCOPE

Site-specific information on the physical hydroelectric power potential is essential in determining the social, economic, institutional and environmental feasibility of developing this resource. Because of the immediate need for wide dissemination of state, regional and national hydropower data, the Corps' Institute for Water Resources has prepared

---

[1] R. J. McDonald, Estimate of National Hydroelectric Power Potential at Existing Sites, Institute for Water Resources, Ft. Belvoir, Virginia, July 1977.

this series of regional reports, Preliminary Inventory of Hydropower Resources. The inventory is the result of a comprehensive data collection effort conducted by the Corps of Engineers and is based on site-specific analysis and evaluation.

The purpose of these reports is to provide preliminary estimates of the existing and potentially feasible hydroelectric power resources in the United States, and to briefly evaluate their regional significance. The estimates of existing, incremental and undeveloped hydropower potential have been grouped in three categories which are based on megawatt (MW) capacity. These include small-scale (.05-15 MW); intermediate (15-25 MW); and large-scale (greater than 25 MW).

The reports have been organized into 6 volumes, each divided along regional boundaries of the United States (Figure 1). The regions have been arbitrarily selected, but each roughly approximates broad physical and cultural divisions of the country. They include:

a. Pacific Northwest (Vol. 1)
b. Pacific Southwest (Vol. 2)
c. Mid-Continent (Vol. 3)
d. Lake Central (Vol. 4)
e. Southeast (Vol. 5)
f. Northeast (Vol. 6)

Each volume of the Preliminary Inventory of Hydropower Resources contains a description of the methods of study, national and regional summary statistics, and a brief assessment of the resource potential. Appendix 1 of each volume contains invididual state summary totals with the data grouped in various hydraulic head and capacity ranges, and an inventory of all potentially feasible sites in each state included in the appropriate region. The inventory includes site-specific geographic information, project purpose and ownership references, refined streamflow and hydraulic data, and the capacity and hydroelectric energy estimates. Appendix 2 of each volume is a brief description of the hydroelectric power terms used in the reports, and for further information, Appendix 3 contains a list of Corps of Engineers Division and District field offices.

METHODS OF STUDY

The preliminary inventory of potentially feasible hydropower resources includes an estimate of the capacity and energy available at both existing dams and undeveloped sites in the United States. The major source of data on existing hydropower facilities was the National Inventory of Dams developed by the Corps of Engineers as part of the National Dam Safety Program.[2] This inventory contains geographic,

[2] U.S. Army Corps of Engineers, National Program of Inspection of Dams, in 5 Volumes, Office of the Chief of Engineers, Washington, D. C., May 1975



FIGURE 1: REGIONS AS DEFINED FOR THE PRELIMINARY INVENTORY OF HYDROPOWER RESOURCES

physical, and ownership data on approximately 50,000 dams in the nation. Identification and data collection on undeveloped sites was more limited since only about 5,000 sites had been identified or previously studied by the Corps of Engineers and other local, state and Federal water resource agencies. In addition, no attempt was made to include pumped storage sites in the inventory.

The data in the original national inventory of dams were supplemented as necessary to develop preliminary estimates of the hydroelectric power potential at each site. Computer routines which utilized head, storage and streamflow estimates were developed to compute the capacity and energy potential of each existing dam and undeveloped site. A screening routine was used to eliminate those sites without sufficient storage, head or streamflow to generate a significant amount of electrical energy. Generally, the existing dams and undeveloped site locations listed in the inventory are those with a capacity of 50 kilowatts or greater. In most cases, the current installed capacity at existing dams was derived from the nameplate capability. This initial screening procedure reduced the number of sites in the active inventory from approximately 55,000 to about 17,500.

During the second stage of the preliminary screening, additional physical data were collected for all sites remaining in the inventory. In particular, the supplemental data included the designation of a U.S. Geological Survey (U.S.G.S.) reference gaging station; a refined estimate of the available net power head; and an estimate of the drainage area associated with each site. Computer routines developed by the Hydrologic Engineering Center and the Corps' Southwestern Division were utilized with USGS streamflow data and drainage area measurements to produce a synthetic flow-duration curve at each site. Conventional flow-duration analysis was used to estimate the capacity and energy available at each site for a range of plant factors.

Generalized cost estimates were developed by the Corps' North Pacific Division to approximate the cost of turbines, generators, and other powerhouse costs associated with the representative capacity selected for each site in the inventory. Generalized regional power values, developed for the study by the Federal Energy Regulatory Commission (FERC), were used to provide a preliminary estimate of the value of the potential capacity and energy at each site. Each site was then sized at the capacity and energy which gave a maximum net benefit. A second screening, comparing the estimated powerhouse cost with the value of power to be produced, eliminated those sites which had doubtful economic feasibility. This screening process reduced the active inventory to approximately 11,000 sites which are contained in these regional reports.

The basic objective of the preliminary inventory and analysis procedures is to provide a comprehensive assessment of the undeveloped hydroelectric power potential in the United States and to determine

which sites merit more thorough investigation. Accordingly, conservative assumptions have been made in the screening and analysis process to avoid eliminating any potentially feasible sites. The current summary tables provide the best estimates to date, but to some degree, may overstate the actual capacity and energy which could be developed. The estimates for individual sites may be overstated for the following reasons:

a. A reduction of net power head due to rising tailwater conditions during high flows was not computed.

b. The analysis technique of maximum net benefits, using incomplete project cost resulted in a low plant factor operation. This type of operation could require more reservoir storage than is available for regulating power flows or could cause fluctuations in the surface elevation of the reservoir or downstream flow that would not be acceptable.

c. Computations ignored diversion of water for other uses, as well as losses due to evaporation.

d. Turbines were assumed to be 100 percent efficient, and head losses through penstocks were not estimated.

e. During periods of high flow, it was calculated that streamflow would pass through the turbines at the design discharge rate when infact, during excessively high flows, the plant may be shut down because of high tailwater and reduced head.

f. Summary tables include estimates of the potential capacity and energy at each site in the inventory. In some cases, individual projects may be site alternatives to others in the same general location, when only one can be considered for hydropower development.

g. Detailed consideration of the social, economic, institutional and environmental constraints associated with hydropower development were not specifically included in the analysis.

All of the issues listed above will be addressed during future stages of the National Hydropower Study through the addition of more detailed site-specific information, and by refinements in the computer routines used in assessing the data.

RESOURCE ASSESSMENT

National Potential

Estimates of the existing, incremental and undeveloped conventional hydroelectric power potential for the various regions of the United States are presented in Table 1. The total physical resource for all regions is estimated to exceed 512,000 MW of capacity with an average annual energy generation greater than 1.4 million GWH. At the present time, the Corps has identified 1,251 existing hydropower facilities currently generating power with a total installed capacity of some 64,000 MW producing over 280,000 GWH of average annual energy. There are over 5,400 existing dams which have the potential for new incremental power development. Some of these are currently generating power, and full development of the incremental potential could yield an additional capacity of some 94,000 MW with an average annual energy generation exceeding 223,000 GWH. There are also some 4,500 potentially feasible, undeveloped sites which, if fully developed for hydropower, could produce another 354,000 MW with an estimated average annual energy greater than 935,000 GWH.

The distribution of the overall hydroelectric power resource in the nation is shown in Figure 2. The Pacific Northwest has the largest proportion of the nation's installed capacity and currently generates some 48 percent of the conventional hydroelectric energy produced in the United States. Other areas with a significant, but smaller proportion of the total installed capacity and energy generation include the Southeast, Northeast, and Pacific Southwest regions. Nearly all existing hydroelectric facilities and other water resource projects in the country have the capability for incremental energy generation with the Northeast, Lake Central and Pacific Northwest having a large share of this potential. The undeveloped hydroelectric resource is widely distributed, but appears greatest in the Pacific Northwest, Mid-Continent and Southeast regions, particularly at large-scale sites.

There are over 5,600 small-scale dams in the country which are either generating power, or have the potential for incremental development. The installed capacity at existing small-scale facilities is estimated to be some 3,000 MW with an average annual energy generation exceeding 15,000 GWH. These values represent about 5 percent of the nation's current installed hydroelectric capacity and energy generation. Approximately 5,400 MW of new incremental capacity could be installed at a large percentage of the existing small-scale dams for an estimated energy generation of about 17,000 GWH annually. In addition, some 2,600 potentially feasible, undeveloped sites have been identified which could provide an estimated capacity of 8,000 MW and more than 28,000 GWH of average annual energy generation.

As shown in Figure 3, the amount and regional distribution of the small-scale resource potential varies considerably, as these patterns closely reflect an interaction between climate, landforms and settlement

TABLE 1. PRELIMINARY INVENTORY OF HYDROELECTRIC POWER RESOURCES

REGIONAL SUMMARIES

REGION	EXISTING,[1] POTENTIAL INCREMENTAL[2] AND UNDEVELOPED[3] CAPACITY RANGES												TOTAL			
	Small-Scale (.05-15 MW)				Intermediate (15-25 MW)				Large-Scale (Greater Than 25 MW)				(All Sizes)			
	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total
Vol. 1 Pacific N. West																
No. of Sites	93	282	745	1,120	13	36	208	257	73	83	896	1,052	179	401	1,849	2,429
Cap. (MW)	430	642	3,702	4,774	234	700	4,069	5,003	26,141	31,919	259,709	317,769	26,804	33,262	267,480	327,546
Ener (GWH)	2,441	2,234	16,390	21,065	1,216	1,943	14,738	17,897	130,365	33,999	673,918	838,282	134,022	38,175	705,045	877,242
Vol. 2 Pacific S. West																
No. of Sites	111	354	272	737	9	17	26	52	69	43	110	222	189	414	408	1,011
Cap. (MW)	410	574	632	1,616	171	345	509	1,025	9,347	5,109	16,043	30,499	9,928	6,028	17,184	33,140
Ener (GWH)	2,176	1,569	1,640	5,385	837	550	1,059	2,446	37,311	8,729	31,877	77,917	40,325	10,849	34,577	85,751
Vol. 3 Mid-Continent																
No. of Sites	54	779	666	1,499	11	15	63	89	44	59	234	337	109	853	963	1,925
Cap. (MW)	184	850	1,182	2,216	218	317	1,311	1,846	6,087	6,589	27,376	40,052	6,488	7,758	29,868	44,114
Ener (GWH)	1,372	2,138	3,074	6,584	1,006	524	3,142	4,672	22,403	12,481	64,274	99,158	24,781	15,144	70,491	110,416
Vol. 4 Lake Central																
No. of Sites	204	601	551	1,356	10	43	16	69	17	88	59	164	231	732	626	1,589
Cap. (MW)	734	914	926	2,574	180	875	319	1,374	1,689	14,038	6,552	22,279	2,602	15,830	7,799	26,231
Ener (GWH)	3,439	3,128	2,859	9,426	940	2,124	763	3,827	5,475	39,514	17,380	62,369	9,854	44,766	21,004	75,624
Vol. 5 Southeast																
No. of Sites	110	566	265	941	19	29	54	102	98	87	146	331	227	682	465	1,374
Cap. MW)	285	704	1,077	2,066	360	559	1,114	2,033	11,182	11,758	20,969	43,909	11,827	13,021	23,160	48,008
Ener (GWH)	1,000	2,189	3,349	6,538	1,105	1,185	2,863	5,153	36,409	21,466	67,460	125,335	38,514	24,840	73,672	137,026

TABLE 1. PRELIMINARY INVENTORY OF HYDROELECTRIC POWER RESOURCES

REGIONAL SUMMARIES (CONTINUED)

REGION	EXISTING,[1] POTENTIAL INCREMENTAL[2] AND UNDEVELOPED[3] CAPACITY RANGES												TOTAL			
	Small-Scale (.05-15 MW)				Intermediate (15-25 MW)				Large-Scale (Greater Than 25 MW)				(All Sizes)			
	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total
Vol. 6* Northeast																
No. of Sites	270	2,231	143	2,644	19	26	20	65	27	85	58	170	316	2,342	221	2,879
Cap. (MW)	914	1,771	491	3,176	354	524	400	1,278	4,784	16,446	7,568	28,798	6,053	18,737	8,457	33,247
Ener (GWH)	4,620	6,009	1,531	12,160	1,613	1,533	938	4,084	26,276	81,898	28,610	136,784	32,508	89,440	31,078	153,026
NATIONAL TOTAL																
No. of Sites	842	4,813	2,642	8,297	81	166	387	634	328	445	1,503	2,276	1,251	5,424	4,532	11,207
Cap. (MW)	2,957	5,455	8,010	16,422	1,517	3,320	7,722	12,559	59,230	85,859	338,217	483,306	63,702	94,636	353,948	512,286
Ener (GWH)	15,048	17,267	28,843	61,158	6,717	7,859	23,503	38,079	258,239	198,087	883,519	1,339,845	280,004	223,214	935,867	1,439,085

[1] Existing hydroelectric power facilities currently generating power.

[2] Existing dams and/or other water resource projects with the potential for new and/or additional hydroelectric capacity.

[3] Undeveloped sites where no dam or other engineering structure presently exists.

* Data on undeveloped sites in the New England states are not available (NA).



Figure 2: NATIONAL HYDROELECTRIC POWER RESOURCES, (ALL SITES)



Figure 3: NATIONAL HYDROELECTRIC POWER RESOURCES. (SMALL-SCALE SITES)

history. The greatest number and density of small-scale facilities with installed capacity are found in the Northeast and Lake Central regions of the country. When considered together, these two regions generate more than 53 percent of the total energy produced from all small-scale facilities in the United States. All regions have the potential for incremental power development at existing sites, especially the Northeast, Lake Central and Mid-Continent regions. Significantly, many of the small dams with incremental potential in these regions are located near smaller population and industrial centers where existing transmission interties are well developed. The undeveloped hydroelectric potential at small-scale sites is widely distributed, but appears greatest in the Pacific Northwest, Lake Central, and the Northeast regions of the country.

Lake Central

The estimates of existing, incremental and the undeveloped hydropower potential for all states in the various regions of the country are presented in Table 2. In the Lake Central region, the maximum physical potential for all sites exceeds 26,000 MW with an estimated average annual energy of more than 75,000 GWH. By comparison, these values represent about 5 percent of both the total potential capacity and hydroelectric energy estimated for the entire United States.

Of the total capacity estimated for the region, 2,600 MW has been installed. The remainder (23,600 MW) is the maximum which could be developed by upgrading and expanding existing projects (15,800 MW), and by installing new hydroelectric power capacity at all potentially feasible, undeveloped sites (7,800 MW). Small-scale facilities account for some 24 percent of the region's total installed capacity, but another 900 MW could be added to these and other small water resource projects. In addition, 900 MW could be installed at potentially feasible, undeveloped small-scale sites. The small-scale resource varies considerably, with the states of Michigan and Wisconsin having the largest potential for incremental development at existing projects in the Lake Central region.

SUMMARY

Over 5,400 existing structures have been identified as having the physical potential to add hydropower plants or increase hydropower output thereby increasing our present hydropower capacity from a total of 64,000 MW to 158,000 MW and our energy from 280,000 GWH to 503,000 GWH. While the physical potential for this increase is clearly available, some of these projects will undoubtly not satisfy more detailed economical analysis as well as the institutional and environmental criteria which will be imposed upon them.

More than 4,500 undeveloped sites have been identified as having the physical potential to increase our capacity by 354,000 MW and our energy by 936,000 GWH. Many of these have less chance of acceptance than the modifications to the existing projects because of the more adverse environmental and institutional effects. Unfortunately, 47 percent (166,700 MW) of this undeveloped potential is located in Alaska where it would be economically difficult to transmit the power to the potential user.

For the nation's existing hydroelectric power sites, large-scale facilities, 25 MW and greater, account for approximately 92 percent of the capacity and energy generation, particularly those located in the Pacific Northwest and Southeast regions. Small-scale facilities account for about 5 percent of the nation's installed capacity and hydroelectric energy, but incremental development of other potentially feasible, existing small-scale projects could more than double this output by adding another 5,400 MW of capacity and 17,000 GWH of energy to the total. The distribution of the existing small-scale resource is extremely variable, but nearly all regions of the country have the potential for incremental energy development. The undeveloped potential for all sites and capacity ranges is also widely distributed, and appears greatest in the Pacific Northwest, Southeast and Mid-Continent regions of the country.

As stated earlier, these data are preliminary; the capacity and energy estimates represent the maximum physical hydroelectric potential which could be developed in each state and region. The incremental potential and that estimated for undeveloped sites do not include detailed consideration of the engineering, economic, financial and environmental constraints; nor do they include an assessment of the competitive use of water at existing impoundments, or consideration of the complex social, legal and institutional feasibility, all of which could preclude full development of the hydroelectric potential. Future investigations by the Corps of Engineers and other local, state and federal agencies will consider these factors in more detail, and further refine the actual feasibility of the most favorable sites in the inventory.

Publication of preliminary resource information involves the risk that errors and omissions may exist, and this inventory is no exception. At present, the Corps' inventory of hydroelectric power resources is an active screening tool; its primary function and widest utility is to present a viable list of existing and potentially feasible hydroelectric power sites, and to provide reasonably accurate estimates of the aggregrate state, regional and national development potential. For this purpose, users of the inventory are encouraged to assist in the continuing refinement of the data base by bringing errors and omissions to the attention of the appropriate Corps of Engineers Division or District office.

For futher information concerning specific hydroelectric power sites in any state or region of the country, a complete list of Corps' Division and District representatives for the National Hydropower Study is provided in Appendix III.

TABLE 2. PRELIMINARY INVENTORY OF HYDROELECTRIC POWER RESOURCES
REGIONAL STATE SUMMARIES

VOL 1: PACIFIC NORTHWEST

STATE	EXISTING,[1] POTENTIAL INCREMENTAL[2] AND UNDEVELOPED[3] CAPACITY RANGES												TOTAL			
	Small-Scale (.05-15 MW)				Intermediate (15-25 MW)				Large-Scale (Greater Than 25 MW)				(All Sizes)			
	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total
Alaska																
No. of Sites	16	27	184	227	1	6	53	60	2	5	190	197	19	38	427	484
Cap. (MW)	37	86	1,053	1,176	15	120	1,014	1,149	77	212	164,709	164,998	129	418	166,775	167,322
Ener (GWH)	146	362	4,754	5,262	41	309	4,158	4,508	333	626	432,995	433,954	520	1,297	441,907	443,724
Idaho																
No. of Sites	24	80	68	172	1	5	39	45	15	24	213	252	40	109	320	469
Cap. (MW)	131	140	497	768	16	101	787	904	2,301	4,931	39,252	46,484	2,448	5,172	40,536	48,156
Ener (GWH)	818	435	1,904	3,157	142	195	2,218	2,555	11,130	5,522	82,398	99,050	12,089	6,152	86,520	104,761
Oregon																
No. of Sites	30	96	388	514	9	18	66	93	21	16	253	290	60	130	707	897
Cap. (MW)	105	231	1,390	1,726	157	349	1,291	1,797	6,591	13,609	34,771	54,971	6,853	14,190	37,453	58,496
Ener (GWH)	630	751	6,426	7,807	841	993	4,770	6,604	35,404	8,352	90,039	133,795	36,875	10,095	101,235	148,205
Washington																
No. of Sites	23	79	105	207	2	7	50	59	35	38	240	313	60	124	395	579
Cap. (MW)	157	185	762	1,104	46	130	977	1,153	17,172	13,167	20,977	51,316	17,374	13,482	22,716	53,572
Ener (GWH)	847	686	3,306	4,839	192	446	3,592	4,230	83,498	19,499	68,486	171,483	84,538	20,631	75,383	180,552
Region Total																
No. of Sites	93	282	745	1,120	13	36	208	257	73	83	896	1,052	135	401	1,849	2,429
Cap. (MW)	430	642	3,702	4,774	234	700	4,069	5,003	26,141	31,919	259,709	317,769	26,804	33,262	267,480	327,546
Ener (GWH)	2,441	2,234	16,390	21,065	1,216	1,943	14,738	17,897	130,365	33,999	673,918	838,282	134,022	38.175	705,045	877,242

TABLE 2. PRELIMINARY INVENTORY OF HYDROELECTRIC POWER RESOURCES
REGIONAL STATE SUMMARIES

VOL 2: PACIFIC SOUTHWEST

STATE	EXISTING,[1] POTENTIAL INCREMENTAL[2] AND UNDEVELOPED[3] CAPACITY RANGES												TOTAL			
	Small-Scale (.05-15 MW)				Intermediate (15-25 MW)				Large-Scale (Greater Than 25 MW)				(All Sizes)			
	Exist	Increm	Undev	Total	Exist	Increm	Undev	Total	Exist	Increm	Undev	Total	Exist	Increm	Undev	Total
Arizona																
No. of Sites	4	27	37	68	0	0	0	0	5	3	0	8	9	30	37	76
Cap. (MW)	32	34	13	79	0	0	0	0	1,374	122	0	1,496	1,406	156	13	1,575
Ener (GWH)	105	134	19	258	0	0	0	0	5,959	261	0	6,220	6,064	395	19	6,478
California																
No. of Sites	50	216	185	451	9	12	20	41	61	38	90	189	120	266	295	681
Cap. (MW)	298	365	474	1,137	171	242	387	800	7,167	4,840	12,192	24,199	7,636	5,447	13,053	26,136
Ener (GWH)	1,647	990	1,227	3,864	837	342	789	1,968	28,621	8,421	22,993	60,035	31,106	9,753	25,009	65,868
Hawaii																
No. of Sites	14	11	7	32	0	1	0	1	0	0	0	0	14	12	7	33
Cap. (MW)	19	12	30	61	0	19	0	19	0	0	0	0	19	31	30	80
Ener (GWH)	102	26	77	205	0	39	0	39	0	0	0	0	102	65	77	244
Nevada																
No. of Sites	5	21	19	45	0	1	2	3	1	0	0	1	6	22	21	49
Cap. (MW)	9	28	34	71	0	18	40	58	668	0	0	668	677	46	74	797
Ener (GWH)	68	55	97	220	0	26	116	142	2,056	0	0	2,056	2,124	82	213	2,419
Utah																
No. of Sites	38	79	24	141	0	3	4	7	2	2	20	24	40	84	48	172
Cap. (MW)	52	135	81	268	0	66	82	148	138	147	3,851	4,136	190	348	4,014	4,552
Ener (GWH)	254	364	220	838	0	143	154	297	675	47	8,884	9,606	929	554	9,259	10,742
Region Total																
No. of Sites	111	354	272	737	9	17	26	52	69	43	110	222	189	414	408	1,011
Cap. (MW)	410	574	632	1,616	171	345	509	1,025	9,347	5,109	16,043	30,499	9,928	6,028	17,184	33,140
Ener (GWH)	2,176	1,569	1,640	5,385	837	550	1,059	2,446	37,311	8,729	31,877	77,917	40,325	10,849	34,577	85,751

TABLE 2. PRELIMINARY INVENTORY OF HYDROELECTRIC POWER RESOURCES
REGIONAL STATE SUMMARIES
VOL 3: MID-CONTINENT

STATE	EXISTING,[1] POTENTIAL INCREMENTAL[2] AND UNDEVELOPED[3] CAPACITY RANGES												TOTAL			
	Small-Scale (.05-15 MW)				Intermediate (15-25 MW)				Large-Scale (Greater Than 25 MW)				(All Sizes)			
	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total
Colorado																
No. of Sites	10	167	53	230	1	2	19	22	5	4	79	88	16	173	151	340
Cap. (MW)	49	229	177	455	22	39	419	480	330	1,325	6,477	8,132	401	1,593	7,072	9,066
Ener (GWH)	275	660	423	1,358	70	79	889	1,038	1,264	2,644	13,515	17,423	1,609	3,383	14,827	19,819
Kansas																
No. of Sites	1	64	184	249	0	1	0	1	0	3	6	9	1	68	190	259
Cap. (MW)	2	61	183	246	0	18	0	18	0	141	296	437	2	220	480	702
Ener (GWH)	10	117	382	509	0	38	0	38	0	229	508	737	10	384	890	1,284
Montana																
No. of Sites	7	69	43	119	1	2	10	13	12	17	81	110	20	88	134	242
Cap. (MW)	29	140	176	345	17	43	189	249	2,372	2,148	14,948	19,468	2,418	2,332	15,313	20,063
Ener (GWH)	642	350	500	1,492	111	83	528	722	8,969	4,761	38,321	52,051	9,722	5,195	39,348	54,265
Nebraska																
No. of Sites	11	39	19	69	3	1	4	8	2	1	0	3	16	41	23	80
Cap. (MW)	16	37	30	83	54	21	82	157	66	37	0	103	136	94	112	342
Ener (GWH)	50	121	139	310	300	43	320	663	216	160	0	376	566	323	459	1,348
New Mexico																
No. of Sites	0	26	44	70	1	1	0	2	0	4	3	7	1	31	47	79
Cap. (MW)	0	55	46	101	24	24	0	48	0	207	359	566	24	286	404	714
Ener (GWH)	0	144	120	264	96	49	0	145	0	469	1,101	1,570	96	662	1,221	1,979
N. Dakota																
No. of Sites	0	44	2	46	0	0	0	0	1	1	0	2	1	45	2	48
Cap. (MW)	0	21	10	31	0	0	0	0	430	303	0	733	430	324	10	764
Ener (GWH)	0	45	18	63	0	0	0	0	2,400	568	0	2,968	2,400	612	18	3,030

TABLE 2. PRELIMINARY INVENTORY OF HYDROELECTRIC POWER RESOURCES
REGIONAL STATE SUMMARIES
VOL 3: MID-CONTINENT (CONTINUED)

STATE	EXISTING,[1] POTENTIAL INCREMENTAL[2] AND UNDEVELOPED[3] CAPACITY RANGES												TOTAL			
	Small-Scale (.05-15 MW)				Intermediate (15-25 MW)				Large-Scale (Greater Than 25 MW)				(All Sizes)			
	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total
Oklahoma																
No. of Sites	0	98	170	268	0	4	2	6	11	13	12	36	11	115	184	310
Cap. (MW)	0	49	178	227	0	87	44	131	1,029	1,494	797	3,320	1,029	1,630	1,019	3,678
Ener (GWH)	0	86	346	432	0	133	77	210	2,350	1,991	1,270	5,611	2,350	2,210	1,693	6,253
S. Dakota																
No. of Sites	8	23	4	35	0	0	0	0	4	3	1	8	12	26	5	43
Cap. (MW)	17	22	12	51	0	0	0	0	1,483	397	25	1,905	1,500	420	37	1,957
Ener (GWH)	69	65	33	167	0	0	0	0	6,056	832	38	6,926	6,125	898	72	7,095
Texas																
No. of Sites	9	196	129	334	2	1	8	11	5	4	22	31	16	201	159	376
Cap. (MW)	52	165	288	505	45	22	167	234	225	185	1,420	1,830	321	372	1,875	2,568
Ener (GWH)	212	372	854	1,438	149	7	457	613	542	240	3,149	3,931	903	619	4,461	5,983
Wyoming																
No. of Sites	8	53	18	79	3	3	20	26	4	9	30	43	15	65	68	148
Cap. (MW)	19	71	82	172	56	63	410	529	152	352	3,054	3,558	227	487	3,546	4,260
Ener (GWH)	114	178	259	551	280	92	871	1,243	606	587	6,372	7,565	1,000	858	7,502	9,360
Region Total																
No. of Sites	54	779	666	1,499	11	15	63	89	44	59	234	337	109	853	963	1,925
Cap. (MW)	184	850	1,182	2,216	218	317	1,311	1,846	6,087	6,589	27,376	40,052	6,488	7,758	29,868	44,114
Ener (GWH)	1,372	2,138	3,074	6,584	1,006	524	3,142	4,672	22,403	12,481	64,274	99,158	24,781	15,144	70,491	110,416

TABLE 2. PRELIMINARY INVENTORY OF HYDROELECTRIC POWER RESOURCES
REGIONAL STATE SUMMARIES
VOL 4: LAKE CENTRAL

STATE	EXISTING,[1] POTENTIAL INCREMENTAL[2] AND UNDEVELOPED[3] CAPACITY RANGES												TOTAL			
	Small-Scale (.05-15 MW)				Intermediate (15-25 MW)				Large-Scale (Greater Than 25 MW)				(All Sizes)			
	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total
Illinois																
No. of Sites	16	39	230	285	0	8	0	8	1	7	2	10	17	54	232	303
Cap. (MW)	100	52	169	321	0	145	0	145	32	533	89	654	132	730	259	1121
Ener (GWH)	569	109	411	1,089	0	347	0	347	15	1,750	178	1943	584	2,206	589	3,379
Indiana																
No. of Sites	4	30	45	79	0	2	0	2	0	0	3	3	4	32	48	84
Cap. (MW)	28	58	61	147	0	37	0	37	0	0	383	383	28	96	444	568
Ener (GWH)	98	189	162	449	0	90	0	90	0	0	816	816	98	279	978	1,355
Iowa																
No. of Sites	3	25	37	65	0	1	0	1	1	12	3	16	4	38	40	82
Cap. (MW)	7	28	67	102	0	21	0	21	128	1,068	190	1,386	135	1,117	257	1,509
Ener (GWH)	36	81	200	317	0	39	0	39	805	3,468	408	4,681	841	3,588	608	5,037
Kentucky																
No. of Sites	0	52	23	75	0	2	0	2	4	30	10	44	4	84	33	121
Cap. (MW)	0	64	51	115	0	48	0	48	636	9,159	3,985	13,780	636	9,271	4,036	13,943
Ener (GWH)	0	183	121	304	0	88	0	88	2,259	24,547	11,697	38,503	2,259	24,818	11,819	38,896
Michigan																
No. of Sites	86	136	0	222	3	6	0	9	3	4	0	7	92	146	0	238
Cap. (MW)	283	303	0	586	52	121	0	173	151	709	0	860	486	1,133	0	1,619
Ener (GWH)	1,145	1,238	0	2,383	312	399	0	711	438	2,735	0	3,173	1,895	4,371	0	6,266
Minnesota																
No. of Sites	18	97	45	160	0	5	6	11	1	12	17	30	19	114	68	201
Cap. (MW)	91	63	146	300	0	100	125	225	67	825	755	1,647	158	989	1,027	2,174
Ener (GWH)	536	191	492	1,219	0	288	314	602	318	1,868	1,602	3,788	854	2,346	2,408	5,608

TABLE 2. PRELIMINARY INVENTORY OF HYDROELECTRIC POWER RESOURCES
REGIONAL STATE SUMMARIES
VOL 4: LAKE CENTRAL (Continued)

STATE	EXISTING,[1] POTENTIAL INCREMENTAL[2] AND UNDEVELOPED[3] CAPACITY RANGES												TOTAL			
	Small-Scale (.05-15 MW)				Intermediate (15-25 MW)				Large-Scale (Greater Than 25 MW)				(All Sizes)			
	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total
Missouri																
No. of Sites	2	31	93	126	1	2	8	11	4	9	17	30	7	42	118	167
Cap. (MW)	5	22	227	254	16	45	154	215	577	1,301	868	2,746	598	1,368	1,249	3,215
Ener (GWH)	17	61	643	721	94	88	357	539	1,272	4,154	1,739	7,165	1,383	4,303	2,740	8,426
Ohio																
No. of Sites	0	68	18	86	0	7	0	7	0	2	1	3	0	77	19	96
Cap. (MW)	0	105	47	152	0	153	0	153	0	56	43	99	0	314	90	404
Ener (GWH)	0	308	131	439	0	323	0	323	0	134	70	204	0	768	201	969
Wisconsin																
No. of Sites	75	123	60	258	6	10	2	18	3	12	6	21	84	145	68	297
Cap. (MW)	220	219	158	597	112	205	40	357	98	387	239	724	429	812	437	1,678
Ener (GWH)	1,038	768	699	2,505	534	462	92	1,088	368	858	870	2,096	1,940	2,087	1,661	5,688
Region Total																
No. of Sites	204	601	551	1,356	10	43	16	69	17	88	59	164	231	732	626	1,589
Cap. (MW)	734	914	926	2,574	180	875	319	1,374	1,689	14,038	6,552	22,279	2,602	15,830	7,799	26,231
Ener (GWH)	3,439	3,128	2,859	9,426	940	2,124	763	3,827	5,475	39,514	17,380	62,369	9,854	44,766	21,004	75,624

TABLE 2. PRELIMINARY INVENTORY OF HYDROELECTRIC POWER RESOURCES
REGIONAL STATE SUMMARIES
VOL 5: SOUTHEAST

STATE	EXISTING,[1] POTENTIAL INCREMENTAL[2] AND UNDEVELOPED[3] CAPACITY RANGES												TOTAL			
	Small-Scale (.05-15 MW)				Intermediate (15-25 MW)				Large-Scale (Greater Than 25 MW)				(All Sizes)			
	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total
Alabama																
No. of Sites	1	52	8	61	0	2	5	7	15	19	8	42	16	73	21	110
Cap. (MW)	2	70	49	121	0	41	108	149	2,269	4,010	424	6,703	2,271	4,121	581	6,973
Ener (GWH)	6	190	137	333	0	91	244	335	9,710	7,141	995	17,846	9,716	7,422	1,376	18,514
Arkansas																
No. of Sites	1	89	50	140	0	3	11	14	10	13	17	40	11	105	78	194
Cap. (MW)	11	51	143	205	0	67	218	285	1,069	2,768	5,874	9,711	1,080	2,886	6,235	10,201
Ener (GWH)	43	145	412	600	0	105	393	498	2,756	5,239	19,824	27,819	2,799	5,489	20,629	28,917
Florida																
No. of Sites	1	17	2	20	0	0	1	1	1	0	0	1	2	17	3	22
Cap. (MW)	0	45	10	55	0	0	20	20	30	0	0	30	30	45	30	105
Ener (GWH)	0	151	30	181	0	0	66	66	232	0	0	232	232	151	96	479
Georgia																
No. of Sites	5	61	31	97	6	1	9	16	15	6	33	54	26	68	73	167
Cap. (MW)	20	79	182	281	106	23	188	317	1,924	304	1,690	3,918	2,050	406	2,060	4,516
Ener (GWH)	87	316	538	941	311	52	518	881	3,825	501	4,892	9,218	4,223	869	5,948	11,040
Louisiana																
No. of Sites	0	19	5	24	0	0	0	0	1	4	6	11	1	23	11	35
Cap. (MW)	0	38	17	55	0	0	0	0	81	253	2,336	2,670	81	291	2,353	2,725
Ener (GWH)	0	110	55	165	0	0	0	0	215	618	7,141	7,974	215	728	7,196	8,139
Mississippi																
No. of Sites	0	50	38	88	0	1	1	2	0	2	1	3	0	53	40	93
Cap. (MW)	0	20	51	71	0	16	23	39	0	97	45	142	0	133	119	252
Ener (GWH)	0	71	137	208	0	65	54	119	0	192	87	279	0	328	278	606

TABLE 2. PRELIMINARY INVENTORY OF HYDROELECTRIC POWER RESOURCES
REGIONAL STATE SUMMARIES
VOL 5: SOUTHEAST (Continued)

STATE	EXISTING,[1] POTENTIAL INCREMENTAL[2] AND UNDEVELOPED[3] CAPACITY RANGES												TOTAL			
	Small-Scale (.05-15 MW)				Intermediate (15-25 MW)				Large-Scale (Greater Than 25 MW)				(All Sizes)			
	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total
North Carolina																
No. of Sites	53	117	28	198	5	5	12	22	18	9	22	49	76	131	62	269
Cap. (MW)	72	162	160	394	103	86	259	448	1,762	405	1,134	3,301	1,937	653	1,553	4,143
Ener (GWH)	248	429	546	1,223	396	244	744	1,384	5,958	760	3,387	10,105	6,602	1,433	4,677	12,712
Puerto Rico																
No. of Sites	5	10	6	21	2	3	0	5	0	0	0	0	7	13	6	26
Cap. (MW)	28	37	13	78	36	55	0	91	0	0	0	0	64	92	13	169
Ener (GWH)	64	48	63	175	54	78	0	132	0	0	0	0	118	126	63	307
South Carolina																
No. of Sites	29	49	5	83	4	3	4	11	10	13	13	36	43	65	22	130
Cap. (MW)	88	61	34	183	76	54	80	210	1,368	513	1,061	2,942	1,532	628	1,175	3,335
Ener (GWH)	390	354	130	874	233	145	280	658	2,117	1,201	3,093	6,411	2,740	1,700	3,503	7,943
Tennessee																
No. of Sites	1	31	9	41	2	4	2	8	24	14	23	61	27	49	34	110
Cap. (MW)	11	47	70	128	39	80	45	164	2,046	3,142	7,149	12,337	2,096	3,269	7,264	12,629
Ener (GWH)	33	57	207	297	111	56	145	312	11,064	5,113	25,004	41,181	11,208	5,226	25,356	41,790
Virginia																
No. of Sites	14	71	83	168	0	7	9	16	4	7	23	34	18	85	115	218
Cap. (MW)	53	94	348	495	0	137	173	310	633	266	1,256	2,155	686	497	1,777	2,960
Emer (GWH)	129	318	1,094	1,541	0	349	419	768	532	701	3,037	4,270	661	1,368	4,550	6579
Region Total																
No. of Sites	110	566	265	941	19	29	54	102	98	87	146	331	227	682	465	1,374
Cap. (MW)	285	704	1,077	2,066	360	559	1,114	2,033	11,182	11,758	20,969	43,909	11,827	13,021	23,160	48,008
Emer (GWH)	1,000	2,189	3,349	6,538	1,105	1,185	2,863	5,153	36,409	21,466	67,460	125,335	38,514	24,840	73,672	137,026

TABLE 2. PRELIMINARY INVENTORY OF HYDROELECTRIC POWER RESOURCES
REGIONAL STATE SUMMARIES
VOL 6: NORTHEAST

STATE	EXISTING,[1] POTENTIAL INCREMENTAL[2] AND UNDEVELOPED[3] CAPACITY RANGES												TOTAL			
	Small-Scale (.05-15 MW)				Intermediate (15-25 MW)				Large-Scale (Greater Than 25 MW)				(All Sizes)			
	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total
Connecticut*																
No. of Sites	13	205	NA	218	0	0	NA	0	2	0	NA	2	15	205	NA	220
Cap. (MW)	36	88	NA	124	0	0	NA	0	68	0	NA	68	103	88	NA	191
Ener (GWH)	156	308	NA	464	0	0	NA	0	216	0	NA	216	372	308	NA	680
Delaware																
No. of Sites	0	0	2	2	0	0	0	0	0	0	0	0	0	0	2	2
Cap. (MW)	0	0	2	2	0	0	0	0	0	0	0	0	0	0	2	2
Ener (GWH)	0	0	6	6	0	0	0	0	0	0	0	0	0	0	6	6
Maine*																
No. of Sites	33	469	NA	502	3	1	NA	4	2	2	NA	4	38	472	NA	510
Cap. (MW)	147	284	NA	431	58	20	NA	78	148	64	NA	212	354	369	NA	723
Ener (GWH)	881	992	NA	1,873	388	67	NA	455	507	226	NA	733	1,776	1,285	NA	3,061
Maryland																
No. of Sites	2	15	7	24	0	1	0	1	1	4	2	7	3	20	9	32
Cap. (MW)	2	18	20	40	0	19	0	19	474	496	232	1,202	476	532	252	1,260
Ener (GWH)	14	50	58	122	0	41	0	41	1,719	650	550	2,919	1,733	741	608	3,082
Massachusetts*																
No. of Sites	23	301	NA	324	2	0	NA	2	4	0	NA	4	29	301	NA	330
Cap. (MW)	73	115	NA	188	33	0	NA	33	131	0	NA	131	237	115	NA	352
Ener (GWH)	313	403	NA	716	176	0	NA	176	154	0	NA	154	643	403	NA	1,045
New Hampshire*																
No. of Sites	24	541	NA	565	2	1	NA	3	2	0	NA	2	28	542	NA	570
Cap. (MW)	74	238	NA	312	31	23	NA	54	281	0	NA	281	386	261	NA	647
Ener (GWH)	359	836	NA	1,195	180	82	NA	262	558	0	NA	558	1,097	918	NA	2,015
New Jersey																
No. of Sites	2	36	0	38	0	1	0	1	0	0	5	5	2	37	5	44
Cap. (MW)	6	21	0	27	0	23	0	23	0	0	647	647	6	40	647	693
Ener (GWH)	18	58	0	76	0	56	0	56	0	0	1,821	1,821	18	114	1,821	1,953

TABLE 2. PRELIMINARY INVENTORY OF HYDROELECTRIC POWER RESOURCES
REGIONAL STATE SUMMARIES
VOL 6: NORTHEAST (CONTINUED)

STATE	EXISTING,[1] POTENTIAL INCREMENTAL[2] AND UNDEVELOPED[3] CAPACITY RANGES												TOTAL			
	Small-Scale (.05-15 MW)				Intermediate (15-25 MW)				Large-Scale (Greater Than 25 MW)				(All Sizes)			
	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total	Exist	Incre	Undev	Total
New York																
No. of Sites	123	251	43	417	11	15	11	37	9	40	11	60	143	306	65	514
Cap. (MW)	422	657	148	1,227	216	309	226	751	3,103	11,491	2,754	17,348	3,741	12,458	3,127	19,326
Ener (GWH)	2,155	2,250	539	4,944	799	976	563	2,338	20,581	70,227	17,211	108,019	23,535	73,453	18,313	115,301
Pennsylvania																
No. of Sites	0	138	58	196	0	6	4	10	4	19	26	49	4	163	88	255
Cap. (MW)	0	158	189	347	0	107	79	186	403	1,466	2,977	4,846	403	1,731	3,245	5,379
Ener (GWH)	0	452	567	1,019	0	252	170	422	1,681	3,618	6,969	12,268	1,681	4,322	7,706	13,709
Rhode Island*																
No. of Sites	2	105	NA	107	0	0	NA	0	0	0	NA	0	2	105	NA	107
Cap. (MW)	2	40	NA	42	0	0	NA	0	0	0	NA	0	2	40	NA	42
Ener (GWH)	6	139	NA	145	0	0	NA	0	0	0	NA	0	6	139	NA	145
Vermont*																
No. of Sites	44	155	NA	199	1	0	NA	1	2	0	NA	2	47	155	NA	202
Cap. (MW)	106	134	NA	240	16	0	NA	16	74	0	NA	74	197	134	NA	331
Ener GWH)	436	472	NA	908	70	0	NA	70	317	0	NA	317	822	472	NA	1,294
W. Virginia																
No. of Sites	4	15	33	52	0	1	5	6	1	20	14	35	5	36	52	93
Cap. (MW)	46	18	132	196	0	23	95	118	102	2,929	958	3,989	148	2,969	1,184	4,301
Ener (GWH)	282	49	361	692	0	59	205	264	543	7,177	2,059	9,779	825	7,285	2,624	10,734
Region Total																
No. of Sites	270	2,231	143	2,644	19	26	20	65	27	85	58	170	316	2,342	221	2,879
Cap. (MW)	914	1,771	491	3,176	354	524	400	1,278	4,784	16,446	7,568	28,798	6,053	18,737	8,457	33,250
Ener (GWH)	4,620	6,009	1,531	12,160	1,613	1,533	938	4,084	26,276	81,898	28,610	136,784	32,508	89,440	31,078	153,025

[1]Existing hydroelectric power facilities currently generating power.

[2]Existing dams and/or other water resource projects with the potential for new and/or additional hydroelectric capacity.

[3]Undeveloped sites where no dam or other engineering structure presently exists.

*Data on undeveloped sites in the New England states are not available (NA).

APPENDIX I

U.S. ARMY CORPS OF ENGINEERS

SUMMARY SHEET AND SITE SPECIFIC

LISTING OF HYDROELECTRIC POWER RESOURCES

BY STATE AND COUNTY

Illinois, Indiana, Iowa, Kentucky, Michigan, Minnesota, Missouri, Ohio and Wisconsin

STATE OF ILLINOIS

. . . PRELIMINARY ESTIMATE . . . (07/08/79)

PHYSICAL POTENTIAL FOR ADDITIONAL HYDROELECTRIC CAPACITY AND ENERGY DEVELOPMENT IN THE STATE OF ILLINOIS

HEAD IN FEET	VARIABLE	.05 MW - 15 MW EXIST INST 1 CAP	.05 MW - 15 MW EXIST INCR 2 CAP	.05 MW - 15 MW UNDEV POTEN 3 CAP	.05 MW - 15 MW TOTAL INCR 4 CAP	15 MW - 25 MW EXIST INST 1 CAP	15 MW - 25 MW EXIST INCR 2 CAP	15 MW - 25 MW UNDEV POTEN 3 CAP	15 MW - 25 MW TOTAL INCR 4 CAP	GREATER THAN 25 MW EXIST INST 1 CAP	GREATER THAN 25 MW EXIST INCR 2 CAP	GREATER THAN 25 MW UNDEV POTEN 3 CAP	GREATER THAN 25 MW TOTAL INCR 4 CAP	TOTAL EXIST INST 1 CAP	TOTAL EXIST INCR 2 CAP	TOTAL UNDEV POTEN 3 CAP	TOTAL TOTAL INCR 4 CAP
0-19	NUMBER	11	6	9	15	0	6	0	6	1	4	0	4	12	16	9	25
	CAPCTY	59.2	32.7	31.6	64.4	0.0	109	0.0	109	32.0	406	0.0	406	91.2	548	31.6	580
	ENERGY	321	68.4	130	199	0.0	293	0.0	293	14.6	1524	0.0	1524	336	1886	130	2016
20-49	NUMBER	4	23	161	184	0	1	0	1	0	1	2	3	0	25	163	188
	CAPCTY	32.6	13.1	74.0	87.2	0.0	17.7	0.0	17.7	0.0	65.4	89.3	155	32.6	96.3	163	260
	ENERGY	200	32.0	154	186	0.0	35.2	0.0	35.2	0.0	105	178	283	200	173	332	504
50-99	NUMBER	1	10	58	68	0	1	0	1	0	2	0	2	1	13	58	71
	CAPCTY	8.0	5.9	54.5	60.5	0.0	17.7	0.0	17.7	0.0	61.7	0.0	61.7	8.0	85.4	54.5	140
	ENERGY	48.0	8.0	111	119	0.0	19.1	0.0	19.1	0.0	121	0.0	121	48.0	148	111	259
>100	NUMBER	0	0	2	2	0	0	0	0	0	0	0	0	0	0	2	2
	CAPCTY	0.0	0.0	9.0	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.0	9.0
	ENERGY	0.0	0.0	15.7	15.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.7	15.7
TOTAL	NUMBER	16	39	230	269	0	8	0	8	1	7	2	9	17	54	232	286
	CAPCTY	99.9	51.8	169	221	0.0	145	0.0	145	32.0	533	89.3	623	132	730	259	989
	ENERGY	569	109	411	520	0.0	347	0.0	347	14.6	1750	178	1928	584	2206	589	2795

POTENTIAL INCREMENTAL CAPACITY RANGES

LEGEND

COLUMN 1 = EXISTING HYDROPOWER DEVELOPMENT
COLUMN 2 = ADDITIONAL POTENTIAL AT EXISTING DAMS
COLUMN 3 = UNDEVELOPED POTENTIAL
COLUMN 4 = TOTAL POTENTIAL AT ALL SITES (SUM OF COLUMNS 2 AND 3)
CAPCTY = SUM OF CAPACITIES FOR GIVEN HEAD RANGE (MEGAWATT)
ENERGY = SUM OF ENERGIES FOR GIVEN HEAD RANGE (GIGAWATT-HOUR)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: ADAMS					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
IL NONAME 90001	ILU0001	MCKEE CREEK			39 54,2	120,0	89,*	90,*	100,*	0,*U	0, *U	0,
	LMS0001				91 0,					*T	2,08*T	3,1
UDPIL90180	ILU0603	CEDAR CK	H		40 9,4	9,0	5,*	45,*	0,*	0,*U	0, *U	0,
	NCC0001				90 56,8					*T	,08*T	,1
COUNTY NAME: BOND					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
IL NONAME 930024	ILU0024	EAST FORK SHOAL			38 17,3	181,0	133,*	50,*	60,*	0,*U	0, *U	0,
	LMS0002	CREEK			89 28,2					*T	1,55*T	2,0
GREENVILLE NEW C ITY LAKE	IL00594	KINGSBURY BRANCH	S		38 54,0	35,0	24,*	35,*	42,*	12,*E	0, *E	0,
	LMS0003				89 24,0					*N	,26*N	,3
COUNTY NAME: BROWN					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
IL NONAME 90002	ILU0002	MCKEE CREEK			39 52,5	282,0	190,*	90,*	100,*	0,*U	0, *U	0,
	LMS0004				90 47,6					*T	3,34*T	5,5
LA GRANGE DAM	ILU0403	ILLINOIS R	N	CORPS OF ENG INEERS	39 55,5	25577,0	20864,*	8,*	9,*	0,*E	0, *E	0,
	NCC0002				90 32,1					*N	29,48*N	114,0
UDPIL90182	ILU0605	S FK SHELBY CK	H		40 1,9	11,0	7,*	54,*	0,*	0,*U	0, *U	0,
	NCC0003				90 41,4					*T	,11*T	,1
UDPIL90183	ILU0606	WEST CREEK	H		40 1,8	16,0	10,*	54,*	0,*	0,*U	0, *U	0,
	NCC0004				90 40,1					*T	,16*T	,2
UDPIL90184	ILU0607	LITTLE CK	H		39 54,4	13,0	8,*	58,*	0,*	0,*U	0, *U	0,
	NCC0005				90 35,1					*T	,14*T	,2
UDPIL90185	ILU0608	CAMP CK	H		39 26,9	7,0	4,*	47,*	0,*	0,*U	0, *U	0,
	NCC0006				90 39,5					*T	,07*T	,1

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: BUREAU					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
UDPIL90027	ILU0450	LA HARPE CK	H		40 28.2	61.0	38.	39.	0.	0.	U 0.	U 0.
	NCC0012				90 58.8						T .42	T .7
UDPIL90211	ILU0633	SENAXHWINECK	H		41 12.8	22.0	13.	51.	0.	0.	U 0.	U 0.
	NCC0029				89 26.4						T .23	T .4
COUNTY NAME: CARROLL												
IL ND NAME 872	IL00843	EAST FORK PLUM C R	R	PRIVATE	42 10.8	9.0	6.	47.	63.	22.	E 0.	E 0.
	NCR0001	REEK			89 53.4						N .06	N .2
COUNTY NAME: CASS					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
UDPIL90188	ILU0611	MILLER CK	H		40 2.6	5.0	3.	43.	0.	0.	U 0.	U 0.
	NCC0031				90 3.8						T .05	T .1
UDPIL90189	ILU0612	COX CK	H		40 .4	23.0	14.	48.	0.	0.	U 0.	U 0.
	NCC0032				90 6.8						T .16	T .5
UDPIL90190	ILU0613	JOBS CK	H		39 58.5	6.0	3.	38.	0.	0.	U 0.	U 0.
	NCC0033				90 8.9						T .06	T .1
UDPIL90191	ILU0614	JOBS CK	H		39 58.7	13.0	8.	39.	0.	0.	U 0.	U 0.
	NCC0034				90 11.4						T .11	T .2
UDPIL90192	ILU0615	INDIAN RUN	H		40 .1	7.0	4.	49.	0.	0.	U 0.	U 0.
	NCC0035				90 14.8						T .09	T .1
UDPIL90194	ILU0617	CLEAR CK	H		39 56.4	16.0	10.	53.	0.	0.	U 0.	U 0.
	NCC0036				90 19.8						T .16	T .2
UDPIL90198	ILU0621	PRAIRIE CK	H		39 53.3	17.0	10.	32.	0.	0.	U 0.	U 0.
	NCC0037				90 18.0						T .10	T .1

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: CHRISTIAN					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
TAYLORVILLE	ILU0416	FLAT BRANCH			39 31.2	272.0	172.	30.	35.	226.	U 0.	U 0.
	NCC0038				89 51.6						T 1.61	T 2.9
UDPIL90200	ILU0623	TRIB-S FK SANGAM	H		39 36.0	34.0	21.	31.	0.	0.	U 0.	U 0.
	NCC0039	0			90 22.0						T .20	T .2
UDPIL90203	ILU0626	BRUSH CK	H		39 29.3	10.0	6.	24.	0.	0.	U 0.	U 0.
	NCC0040				89 19.7						T .05	T .1
UDPIL90204	ILU0627	BEAR CK	H		39 23.4	33.0	20.	27.	0.	0.	U 0.	U 0.
	NCC0041				89 33.4						T .19	T .2
ILNONAME 650	IL00673	CLEAR CREEK			39 39.0	74.0	44.	42.	50.	35.	E 0.	E 0.
	NCC0042				89 28.8						N .50	N .9
ILNONAME 656	IL00678	S. FORK SANGAMON			39 31.8	125.0	74.	20.	0.	0.	E 0.	E 0.
	NCC0043	- OFFSTREAM			89 15.6						N .32	N .7
COUNTY NAME: CLARK					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
NORTH FORK	ILU0359	NO FK EMBARRAS R			39 13.1	140.0	112.	42.	52.	142.	U 0.	U 0.
	ORL0001	IV			87 55.5						T 1.49	T 2.1
COUNTY NAME: CLAY					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
WILCOX BRIDGE	ILU0346	LIT WABASH RIV			38 38.5	1130.0	904.	21.	28.	430.	U 0.	U 0.
	ORL0002				88 17.8						T 3.98	T 7.8
BIG MUDDY NO. 1	ILU0351	BIG MUDDY CK			38 47.5	140.0	112.	19.	26.	46.	U 0.	U 0.
	ORL0003				88 20.4						T .65	T .8
SOUTH MUDDY	ILU0353	WEATHER AND MUDDY			38 45.9	105.0	84.	31.	42.	78.	U 0.	U 0.
	ORL0004	CR.			88 18.5						T .93	T 1.1

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: CLAY					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
LOUISVILLE LAKE	ILU0354	LIT WABASH RIV			38 47.8	3320.0	2660.	43.	58.	231.	U 0.	U 0.
	ORL0005				88 33.3						T 49.87	T 61.9
COUNTY NAME: CLINTON					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
IL NONAME 90032	ILU0032	SHOAL CREEK			38 13.1	740.0	517.	20.	30.	0.	U 0.	U 0.
	LMS0005				89 30.0						T 2.74	T 4.9
CARLYLE DAM	ILO0113	KASKASKIA RIVER			38 36.0	2680.0	2027.	52.	62.	0.	E 0.	E 0.
	LMS0006				89 24.0						N 34.87	N 69.8
COUNTY NAME: CUMBERLAND					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
LINCOLN LAKE	ILU0355	EMBARRAS RIV			39 22.4	915.0	732.	51.	69.	538.	U 0.	U 0.
	ORL0006				88 10.9						T 3.88	T 15.7
COUNTY NAME: DEKALB					FERC POWER SUPPLY AREA 14		FERC REGIONAL OFFICE CODE CH					
UDPIL90212	ILU0634	INDIAN CK	H		41 51.0	19.0	11.	42.	0.	0.	U 0.	U 0.
	NCC0044				88 42.6						T .13	T .5
COUNTY NAME: DEWITT					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
KENNEY	ILU0418	SALT CREEK			40 5.3	340.0	216.	50.	57.	429.	U 0.	U 0.
	NCC0045				88 58.5						T 3.11	T 8.0
WAYNESVILLE	ILU0419	KICKAPOO CK			40 13.1	220.0	139.	43.	48.	212.	U 0.	U 0.
	NCC0046				89 5.4						T 1.92	T 3.6
UDPIL90205	ILU0628	LONG POINT CK	H		40 15.0	41.0	26.	36.	0.	0.	U 0.	U 0.
	NCC0047				89 2.4						T .30	T .6

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: DEWITT					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
UDPIL90207	ILU0630	N FK SALT CK	H		40 10.1	118.0	74.	50.	0.	0.	U 0.	0.
	NCC0048				88 50.5						T 1.38	2.5
UDPIL90208	ILU0631	TRIB-SALT CK	H		40 8.4	5.0	3.	32.	0.	0.	U 0.	0.
	NCC0049				88 49.0						T .05	.1
UDPIL90210	ILU0632	COON CK	H		40 6.0	17.0	10.	28.	0.	0.	U 0.	0.
	NCC0050				89 0.						T .12	.2
UDPIL90209	ILU0663	TENMILE CK	H		40 6.6	46.0	29.	46.	0.	0.	U 0.	0.
	NCC0051				80 3.6						T .96	1.8
UDPIL90209	ILU1003	TENMILE CK	H		40 6.6	46.0	29.	46.	0.	0.	U 0.	0.
	NCC0052				89 3.4						T .49	.9
COUNTY NAME: DUPAGE					FERC POWER SUPPLY AREA 14			FERC REGIONAL OFFICE CODE CH				
UDPIL90213	ILU0635	W BR DU PAGE	H		41 57.0	19.0	12.	27.	0.	0.	U 0.	0.
	NCC0053				88 12.7						T .07	.3
UDPIL90214	ILU0636	SPRING BROOK	H		41 42.6	9.0	6.	23.	0.	0.	U 0.	0.
	NCC0054				88 11.4						T .07	.1
COUNTY NAME: EFFINGHAM					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
EFFINGHAM	ILU0345	LIT WABASH RIV			39 9.0	218.0	174.	22.	55.	135.	U 0.	0.
	ORL0007				88 34.6						T .99	1.6
LAKE SARA	IL00607	BLUE POINT CREEK	S		39 7.5	9.0	8.	43.	55.	15.	E 0.	0.
	ORL0008				88 37.0						N .09	.2

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: FAYETTE					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
VANDALIA CITY LAKE	IL00623 LMS0007	HEAR CREEK	S		39 0. 89 6.0	25.0	17.	25.	32.	9.	E N	0. .13	E N	0. .2
COUNTY NAME: FRANKLIN					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
REND LAKE DAM	IL00117 LMS0008	BIG MUDDY RIVER	CRSO		38 0. 89 0.	4880.0	4034.	40.	49.	608.	E N	0. 65.47	E N	0. 105.3
COUNTY NAME: FULTON					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
UDPIL90002	ILU0425 NCC0055	COAL CK	H		40 37.8 90 16.2	32.0	20.	72.	0.	0.	U T	0. .52	U T	0. .8
UDPIL90004	ILU0427 NCC0056	TRIB-SHAW CK	H		40 36.6 90 26.4	7.0	4.	34.	0.	0.	U T	0. .06	U T	0. .1
UDPIL90006	ILU0429 NCC0057	MIDDLE BR	H		40 32.4 89 58.2	27.0	17.	51.	0.	0.	U T	0. .28	U T	0. .5
UDPIL90008	ILU0431 NCC0058	PUT CK	H		40 .2 90 41.8	91.0	57.	45.	0.	0.	U T	0. .94	U T	0. 1.2
UDPIL90009	ILU0432 NCC0059	SHAW CK	H		40 29.4 90 25.2	38.0	23.	32.	0.	0.	U T	0. .22	U T	0. .4
UDPIL90011	ILU0434 NCC0060	BARKER CK	H		40 26.4 90 24.6	16.0	10.	66.	0.	0.	U T	0. .15	U T	0. .4
UDPIL90012	ILU0435 NCC0061	MUDDY CK	H		40 24.6 90 15.6	4.0	2.	61.	0.	0.	U T	0. .06	U T	0. .1
UDPIL90013	ILU0436 NCC0062	SLUG RUN	H		40 26.2 90 7.8	8.0	5.	40.	0.	0.	U T	0. .08	U T	0. .1

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: FULTON					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
UDPIL90014	ILU0437	DUCK CK	H		40 25,5	18,0	11,	63,	0,	0,	0, U	0, U
	NCC0063				89 58,2						,T	,16 T
UDPIL90016	ILU0439	FRANCIS CK	H		40 23,4	11,0	7,	56,	0,	0,	0, U	0, U
	NCC0064				90 19,8						,T	,09 T
UDPIL90017	ILU0440	SUGAR CK	H		40 19,8	11,0	7,	41,	0,	0,	0, U	0, U
	NCC0065				90 26,2						,T	,07 T
UDPIL90018	ILU0441	OTTER CK	H		40 18,0	7,0	4,	39,	0,	0,	0, U	0, U
	NCC0066				90 23,4						,T	,07 T
UDPIL90020	ILU0443	EAST CK	H		40 19,8	7,0	4,	36,	0,	0,	0, U	0, U
	NCC0067				90 9,0						,T	,06 T
UDPIL90021	ILU0444	WILSON CK	H		40 11,8	12,0	7,	51,	0,	0,	0, U	0, U
	NCC0068				90 16,8						,T	,09 T
UDPIL90001	ILU0682	SWEGLE CK	H		40 40,2	16,0	9,	26,	0,	0,	0, U	0, U
	NCC0069				90 15,6						,T	,07 T
UDPIL90001	ILU1000	SWEGLE CK	H		40 40,2	16,0	9,	26,	0,	0,	0, U	0, U
	NCC0070				90 15,6						,T	,07 T
ILNONAME 179	IL00216	W. BRANCH COPPER			40 33,6	14,4	9,	39,	53,	4,	E	0, E
	NCC0071	AS			89 58,2						,N	,12 N
COUNTY NAME: GALLATIN					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
EAGLE SLURRY POND	IL00043	TR-OHIO RIVER	O		37 40,3	3,0	2,	51,	60,	0,	E	0, E
	ORL0009				88 13,1						,N	,06 N

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: GREENE					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
IL NONAME 90014	ILU0014	APPLE CREEK			39 26.0	248.0	145.	70.	80.	0.	0.	0.
	LMS0009				90 17.4					T	2.27 T	4.1
IL NONAME 90049	ILU0049	APPLE CREEK			39 21.6	397.0	242.	130.	140.	0.	0.	0.
	LMS0010				90 32.3					T	6.64 T	11.9
IL NONAME 90051	ILU0051	MACOUPIN CREEK			39 11.1	935.0	569.	70.	90.	0.	0.	0.
	LMS0011				90 33.1					T	6.20 T	13.3
IL NONAME 90052	ILU0052	MACOUPIN CREEK			39 15.6	649.0	442.	40.	50.	0.	0.	0.
	LMS0012				90 24.0					T	2.55 T	4.5
COUNTY NAME: GRUNDY					FERC POWER SUPPLY AREA 14		FERC REGIONAL OFFICE CODE CH					
UDPIL90215	ILU0637	BILLS RUN	H		41 21.0	14.0	8.	36.	0.	0.	0.	0.
	NCC0072				88 28.6					T	.11 T	.2
UDPIL90216	ILU0638	LONG POINT CK	H		41 8.8	9.0	5.	45.	0.	0.	0.	0.
	NCC0073				88 34.0					T	.09 T	.2
COUNTY NAME: HANCOCK					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
UDPIL90022	ILU0445	N BR CROOKED CK	H		40 36.0	19.0	12.	51.	0.	0.	0.	0.
	NCC0007				90 57.6					T	.17 T	.3
UDPIL90023	ILU0446	S BR CROOKED CK	H		40 34.8	14.0	9.	43.	0.	0.	0.	0.
	NCC0008				90 57.9					T	.12 T	.1
UDPIL90024	ILU0447	SPRING CK	H		40 34.8	16.0	10.	40.	0.	0.	0.	0.
	NCC0009				91 3.0					T	.13 T	.2
UDPIL90025	ILU0448	CEDAR CK	H		40 25.8	15.0	9.	43.	0.	0.	0.	0.
	NCC0010				90 55.8					T	.13 T	.2

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: HANCOCK					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
UDPIL90026	ILU0449	GROVE CK	H		40 30,6	19,0	12,*	43,*	0,*	0,*U	0, *U	0,
	NCC0011				91 3,6					*T	,17*T	,2
UDPIL90028	ILU0451	LA MOINE	H		40 35,2	285,0	180,*	49,*	0,*	0,*U	0, *U	0,
	NCC0013				91 2,1					*T	2,02*T	3,1
UDPIL90029	ILU0452	LONG CK	H		40 25,8	9,0	6,*	30,*	0,*	0,*U	0, *U	0,
	NCC0014				91 10,2					*T	,06*T	,1
UDPIL90031	ILU0454	MIDDLE CK	H		40 22,8	13,0	8,*	32,*	0,*	0,*U	0, *U	0,
	NCC0015				91 ,6					*T	,09*T	,1
UDPIL90033	ILU0456	BRONSON CK	H		40 18,6	18,0	11,*	36,*	0,*	0,*U	0, *U	0,
	NCC0016				91 ,6					*T	,13*T	,2
UDPIL90034	ILU0457	PANTHER CK	H		40 18,0	21,0	13,*	32,*	0,*	0,*U	0, *U	0,
	NCC0017				90 47,4					*T	,13*T	,2
UDPIL90035	ILU0458	LITTLE CK	H		40 31,8	7,0	4,*	45,*	0,*	0,*U	0, *U	0,
	NCC0018				90 55,2					*T	,08*T	,1
ROCKY RUN	IL00111	ROCKY RUN CREEK	CO	HUNT-LIMA LK DRNGE DIST	40 16,1	7,0	4,*	45,*	61,*	4,*E	0, *E	0,
	NCR0002				91 25,1					*N	,06*N	,1
COUNTY NAME: HENRY					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
UDPIL90217	ILU0639	INDIAN CK	H		41 8,6	18,0	11,*	45,*	0,*	0,*U	0, *U	0,
	NCC0074				89 55,7					*T	,17*T	,3
COUNTY NAME: IROQUOIS					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
UDPIL90036	ILU0459	TRIB-IROQUOIS	H		40 49,2	10,0	6,*	25,*	0,*	0,*U	0, *U	0,
	NCC0075				87 30,6					*T	,07*T	,1

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: IROQUOIS					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
UDPIL90037	ILU0460	TRIB IROQUOIS	H		40 46,8	10.0	6.	24.	0.	0.	0.	0.
	NCC0076				87 38,4						.07	.1
UDPIL90038	ILU0461	JEFFERSON CK	H		40 42,0	21.0	13.	18.	0.	0.	0.	0.
	NCC0077				87 43,8						.11	.2
UDPIL90039	ILU0462	SPRING CK	H		40 31,8	12.0	7.	19.	0.	0.	0.	0.
	NCC0078				88 5,4						.06	.1
COUNTY NAME: JACKSON					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
KINKAID LAKE	IL00012	KINKAID CREEK	SR		37 48,0	50.0	57.	80.	87.	79.	0.	0.
	LMS0013				89 30,0						1.48	1.9
CEDAR LAKE	IL00095	CEDAR CREEK	C		37 36,0	35.0	40.	73.	80.	80.	0.	0.
	LMS0014				89 6,0						.95	1.2
COUNTY NAME: JASPER					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
NEWTON POWER STATION LAKE	IL00664	HEATHER CREEK	O		38 53,1	40.0	32.	38.	52.	44.	0.	0.
	ORL0010				88 18,2						.34	.4
COUNTY NAME: JEFFERSON					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
HORSE CR	ILU0348	HORSE CR			38 27,1	27.0	22.	31.	42.	34.	0.	0.
	ORL0011				88 48,0						.33	.3
COUNTY NAME: JERSEY					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
IL NONAME 90020	ILU0020	PIASA CREEK			38 56,6	120.0	70.	130.	150.	0.	0.	0.
	LMS0015				90 18,0						2.37	3.9

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW)	ENERGY (GWH)
COUNTY NAME: JODAVIESS												
IL NO NAME 94	ILU0132	HELLS BRANCH	R	PRIVATE	42 25.0	15.0	9.	60.	70.	11.	E 0.	E 0.
	NCR0003				90 9.8						N .13	N .3
COUNTY NAME: KANE					FERC POWER SUPPLY AREA 14			FERC REGIONAL OFFICE CODE CH				
UDPIL90219	ILU0641	MILL CK	H		41 49.5	27.0	16.	22.	0.	0.	U 0.	U 0.
	NCC0079				88 21.5						T .14	T .2
COUNTY NAME: KANKAKEE					FERC POWER SUPPLY AREA 14			FERC REGIONAL OFFICE CODE CH				
OLD STATE DAM	ILU0404	KANKAKEE			41 10.0	5071.0	3343.	18.	20.	0.	E 6.60	E 31.0
	NCC0080				88 55.0						N 11.77	N 17.3
UDPIL90040	ILU0463	PIKE CK	H		41 11.4	23.0	14.	28.	0.	0.	U 0.	U 0.
	NCC0081				87 36.6						T .17	T .3
UDPIL90041	ILU0464	TRIB-KANKAKEE	H		41 17.4	11.0	6.	20.	0.	0.	U 0.	U 0.
	NCC0082				87 31.8						T .06	T .1
COUNTY NAME: KENDALL					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
UDPIL90220	ILU0642	LITTLE ROCK	H		41 37.1	34.0	21.	45.	0.	0.	U 0.	U 0.
	NCC0083				88 32.5						T .37	T .6
COUNTY NAME: KNOX					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
LONDON MILLS	ILU0422	SPOON RIVER			40 41.6	1046.0	674.	35.	62.	710.	U 0.	U 0.
	NCC0084				90 16.4						T 2.41	T 9.4
UDPIL90044	ILU0467	FOREMAN CK	H		41 4.2	27.0	16.	27.	0.	0.	U 0.	U 0.
	NCC0085				90 7.8						T .16	T .3

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: KNOX					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
UDPIL90045	ILU0468	TRIB-WALNUT CK	H		41 3,0	11.0	7.	36.	0.	0.	U 0.	0.
	NCC0086				90 3,6						T .08	T .2
UDPIL90046	ILU0469	SNAKEDEN HOLLOW	H		40 56,4	10.0	6.	54.	0.	0.	U 0.	0.
	NCC0087				90 4,2						T .14	T .2
UDPIL90049	ILU0472	HAW CK	H		40 51,0	19.0	11.	43.	0.	0.	U 0.	0.
	NCC0088				90 16,2						T .17	T .3
UDPIL90052	ILU0475	INDIAN CK	H		40 43,5	14.0	9.	40.	0.	0.	U 0.	0.
	NCC0089				90 26,4						T .12	T .2
UDPIL90053	ILU0476	LITTLERS CK	H		40 43,8	22.0	14.	48.	0.	0.	U 0.	0.
	NCC0090				90 9,0						T .22	T .4
ILNONAME 405	IL00422	SUGAR CREEK			40 57,0	17.4	11.	49.	61.	15.	E 0.	E 0.
	NCC0091				90 7,8						N .17	N .3
COUNTY NAME: LAKE					FERC POWER SUPPLY AREA 1			FERC REGIONAL OFFICE CODE CH				
UDPIL90223	ILU0645	INDIAN CK	H		42 12,2	19.0	11.	25.	0.	0.	U 0.	U 0.
	NCC0092				87 54,0						T .08	T .3
UDPIL90224	ILU0646	BUFFALO CK	H		42 10,1	7.0	4.	29.	0.	0.	U 0.	U 0.
	NCC0093				88 2,5						T .05	T .1
COUNTY NAME: LASALLE					FERC POWER SUPPLY AREA 14			FERC REGIONAL OFFICE CODE CH				
WEDRON	ILU0408	FOX	H		41 27,0	2550.0	1665.	61.	58.	0.	E 8.00	E 48.0
	NCC0094				88 45,5						N 17.79	N 19.1
MARSEILLES	ILU0409	ILLINOIS	H	ILLINOIS POWER CO	41 18,0	7640.0	5065.	14.	16.	0.	E 2.02	E 16.0
	NCC0095				88 43,0						N 24.21	N 83.2

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: LASALLE					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
UDPIL90226	ILU0648	SOMONAUK CK	H		41 33,6	72,0	45,	48,	0,	0,*U	0, *U	0,
	NCC0096				88 40,1					*T	,73*T	1,7
UDPIL90227	ILU0649	MISSION CK	H		41 28,7	10,0	6,	39,	0,	0,*U	0, *U	0,
	NCC0097				88 39,6					*T	,09*T	,2
UDPIL90229	ILU0650	LITTLE VERMILION	H		41 40,4	123,0	77,	81,	0,	0,*U	0, *U	0,
	NCC0098				89 4,8					*T	2,05*T	3,7
UDPIL90230	ILU0651	N KICKAPOO CK	H		41 1,8	7,0	4,	45,	0,	0,*U	0, *U	0,
	NCC0099				88 38,9					*T	,07*T	,2
UDPIL90231	ILU0652	S KICKAPOO CK	H		41 16,7	9,0	5,	52,	0,	0,*U	0, *U	0,
	NCC0100				88 40,6					*T	,11*T	,2
UDPIL90232	ILU0653	TRIB-ILLINOIS	H		41 16,9	5,0	3,	63,	0,	0,*U	0, *U	0,
	NCC0101				89 54,3					*T	,08*T	,1
UDPIL90233	ILU0654	WOLF CK	H		41 18,0	15,0	9,	27,	0,	0,*U	0, *U	0,
	NCC0102				88 50,1					*T	,09*T	,2
UDPIL90228	ILU0684	BUCK CK	H		41 24,8	38,0	23,	68,	0,	0,*U	0, *U	0,
	NCC0103				88 46,2					*T	,30*T	,6
UDPIL90228	ILU1001	BUCK CK	H		41 24,8	38,0	23,	68,	0,	0,*U	0, *U	0,
	NCC0104				88 46,2					*T	,30*T	,6
MARSEILLES DAM	IL00003	ILLINOIS RIVER		DAEN NCC	41 19,2	8250,0	10760,	13,	0,	0,*E	11,00*E	60,0
	NCC0105				88 42,6					*N	15,31*N	39,5
STARVED ROCK DAM	IL00004	ILLINOIS RIVER		DAEN NCC	41 19,2	11056,0	14420,	15,	0,	0,*E	12,00*E	60,0
	NCC0106				88 59,4					*N	26,02*N	87,9
DAYTON DAM	IL00008	FOX RIVER		N, COUNTIES HYDRO ELEC C	41 24,6	2570,0	1611,	28,	38,	1,*E	3,68*E	15,0
	NCC0107				88 48,0					*N	1,52*N	9,0

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: LASALLE					FERC POWER SUPPLY AREA 4		FERC REGIONAL OFFICE CODE CH					
ILNONAME 437	ILL00458	OHONAUK CREEK			40 36,6	64,6	39,*	28,*	36,*	4,*E	0, *E	0,
	NCC0108				88 40,8					*N	.26*N	.5
COUNTY NAME: LAWRENCE												
DIXON	ILL00106	ROCK RIVER	H	COMMONWEALTH EDISON CO	41 50,6	8700,0	5079,*	9,*	15,*	6,*E	32,00*E	14,7
	NCK0004				89 28,8					*N	0, *N	0,
COUNTY NAME: LIVINGSTON					FERC POWER SUPPLY AREA 14		FERC REGIONAL OFFICE CODE CH					
UDPIL90054	ILL00477	MUD CREEK	H		41 ,6	33,0	20,*	28,*	0,*	0,*U	0, *U	0,
	NCC0109				88 47,4					*T	.20*T	.3
UDPIL90055	ILL00478	MUD CREEK	H		40 59,3	22,0	13,*	21,*	0,*	0,*U	0, *U	0,
	NCC0110				88 41,8					*T	.10*T	.2
UDPIL90056	ILL00479	S FK VERMILION	H		40 40,2	12,0	7,*	23,*	0,*	0,*U	0, *U	0,
	NCC0111				88 17,7					*T	.07*T	.1
COUNTY NAME: MACON					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
OAKLEY	ILL00415	SANGAMON			39 52,4	810,0	520,*	31,*	42,*	122,*U	0, *U	0,
	NCC0126				88 51,6					*T	3,00*T	11,1
UDPIL90059	ILL00482	NORTH FORK	H		40 ,6	18,0	11,*	24,*	0,*	0,*U	0, *U	0,
	NCC0127				89 1,8					*T	.11*T	.2
UDPIL90060	ILL00483	FRIENDS CK	H		41 0,	61,0	37,*	22,*	0,*	0,*U	0, *U	0,
	NCC0128				88 48,0					*T	.29*T	.6
UDPIL90061	ILL00484	SAND CREEK	H		39 42,0	14,0	8,*	44,*	0,*	0,*U	0, *U	0,
	NCC0129				88 56,4					*T	.15*T	.2

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSES: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MACON					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CM				
UDPIL90062	ILU0485	FINLEY CK	H		39 45,0	20,0	12,	32,	0,	0,U	0. U	0.
	NCC0130				88 52,8					T	.16 T	.3
UDPIL90248	ILU0666	FINLEY CK	H		39 43,7	16,0	10,	28,	0,	0,U	0. U	0.
	NCC0131				88 53,4					T	.11 T	.2
ILNONAME 108	IL00146	SANGAMON RIVER			39 49,8	906,0	663,	24,	33,	22,E	0. E	0.
	NCC0132				88 57,6					N	2,83 N	7,9
COUNTY NAME: MACOUPIN					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CM				
OTTER LAKE	IL00133	WEST FORK OTTER	S		39 24,0	107,0	64,	51,	58,	15,E	0. E	0.
	LMS0016	CREEK			89 54,0					N	1,14 N	1,8
COUNTY NAME: MADISON					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CM				
IL NONAME 90022	ILU0022	CAHOKIA CREEK			38 17,2	197,0	136,	50,	60,	0,U	0. U	0.
	LMS0017				89 56,0					T	1,78 T	2,7
ALTON LAKE	IL00116	MISSISSIPPI RIVE	NR		38 54,0	171500,0	99222,	15,	25,	169,E	0. E	0.
	LMS0018	R			90 12,0					N	279,29 N	1042,9
SILVER LAKE	IL00176	EAST FORK SILVER	S		38 42,0	48,0	33,	30,	37,	8,E	0. E	0.
	LMS0019	CREEK			89 42,0					N	,30 N	,4
COUNTY NAME: MARION					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CM				
HELM	ILU0347	SKILLET FK			38 32,0	214,0	171,	37,	50,	300,U	0. U	0.
	ORL0012				88 43,8					T	1,80 T	2,5

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MARSHALL					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
CROW CK EAST	ILU0424	CROW CK EAST			40 55.8	80.0	47.	46.	57.	0.	0. U	0.
	NCC0133				89 18.2						.79 T	1.2
UDPIL90064	ILU0487	TRIB-CROW CK	H		41 4.2	8.0	5.	43.	0.	0.	0. U	0.
	NCC0134				89 26.4						.07 T	.1
UDPIL90065	ILU0488	SENACHWINE CK	H		41 .6	40.0	24.	38.	0.	0.	0. U	0.
	NCC0135				89 31.2						.32 T	.6
UDPIL90066	ILU0489	LITTLE SENACHWIN	H		40 58.5	5.0	3.	42.	0.	0.	0. U	0.
	NCC0136	E			89 33.6						.05 T	.1
UDPIL90067	ILU0490	SHAW CK	H		41 3.6	12.0	7.	69.	0.	0.	0. U	0.
	NCC0137				89 16.2						.18 T	.3
UDPIL90068	ILU0491	TRIB-SANDY CK	H		41 3.6	7.0	7.	39.	0.	0.	0. U	0.
	NCC0138				89 12.0						.06 T	.1
UDPIL90069	ILU0492	JUDD CK	H		41 3.5	14.0	9.	39.	0.	0.	0. U	0.
	NCC0139				89 8.4						.12 T	.2
UDPIL90071	ILU0494	PIGEON CK	H		40 56.4	7.0	4.	58.	0.	0.	0. U	0.
	NCC0140				89 22.8						.09 T	.2
ILNONAME 96	ILU0134	SHAN CREEK			41 4.8	12.4	10.	68.	84.	7.	E	0.
	NCC0141				89 17.4						.17 N	.3
COUNTY NAME: MCDONOUGH					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
ST MARY	ILU0423	LA MOINE			40 25.1	583.0	373.	27.	55.	412.	0. U	0.
	NCC0112				90 51.1						2.60 T	4.9
UDPIL90073	ILU0496	E FK LA MOINE	H		40 34.8	15.0	9.	35.	0.	0.	0. U	0.
	NCC0113				90 34.8						.08 T	.2

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MCDONOUGH					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
UDPIL90074	ILU0497	SHORT FORK	H		40 33,0	7.0	4.	29.	0.	0. U	0. U	0.
	NCC0114				90 37,8					T	.05T	.1
UDPIL90076	ILU0499	BAPTIST CK	H		40 32,1	8.0	5.	35.	0.	0. U	0. U	0.
	NCC0115				90 51,6					T	.06T	.1
UDPIL90078	ILU0501	CAMP CK	H		40 20,2	51.0	31.	31.	0.	0. U	0. U	0.
	NCC0116				90 45,6					T	.28T	.5
UDPIL90079	ILU0502	GRINDSTONE CK	H		40 17,8	41.0	25.	48.	0.	0. U	0. U	0.
	NCC0117				90 45,0					T	.37T	.4
COUNTY NAME: MCHENRY					FERC POWER SUPPLY AREA 14			FERC REGIONAL OFFICE CODE CH				
UDPIL90235	ILU0656	NIPPERSINK CK	H		42 28,6	22.0	13.	19.	0.	0. U	0. U	0.
	NCC0118				88 29,6					T	.09T	.2
ILNONAME 562	IL00585	NIPPERSINK CREEK			42 24,6	97.2	57.	16.	22.	7. E	0. E	0.
	NCC0119				88 20,4					N	.21N	.6
ILNONAME 568	IL00591	TRIB - FOX RIVER			42 10,8	8.5	7.	39.	50.	1. E	0. E	0.
	NCC0120				88 19,2					N	.06N	.2
COUNTY NAME: MCLEAN					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
UDPIL90080	ILU0503	SIXMILE CK	H		40 35,4	39.0	24.	29.	0.	0. U	0. U	0.
	NCC0121				89 0,					T	.24T	.4
UDPIL90081	ILU0504	SIX MILE CK	H		40 39,6	41.0	25.	45.	0.	0. U	0. U	0.
	NCC0122				89 .6					T	.40T	.6
UDPIL90082	ILU0505	SIX MILE CK	H		40 37,5	42.0	26.	58.	0.	0. U	0. U	0.
	NCC0123				89 2,1					T	.52T	.8

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) = PROJECT PURPOSES: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MCLEAN					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
UDPIL90083	ILU0506	WEST FORK	H		40 18,6	16,0	10,	21,	0,	0,	0, U	0, U
	NCC0124				88 46,2						T	,08 T ,2
UDPIL90086	ILU0509	LITTLE KICKAPOO	H		40 21,0	25,0	15,	29,	0,	0,	0, U	0, U
	NCC0125				88 57,0						T	,15 T ,3
COUNTY NAME: MENARD					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
UDPIL90087	ILU0510	CLARY CK	H		39 55,2	39,0	24,	61,	0,	0,	0, U	0, U
	NCC0142				89 10,2						T	,50 T ,8
UDPIL90089	ILU0512	TAN CREEK	H		40 5,4	5,0	3,	40,	0,	0,	0, U	0, U
	NCC0143				89 53,4						T	,05 T ,1
UDPIL90090	ILU0513	CONCORD CK	H		40 3,6	12,0	7,	34,	0,	0,	0, U	0, U
	NCC0144				89 51,6						T	,06 T ,2
UDPIL90093	ILU0516	ROCK CREEK	H		39 55,5	18,0	11,	36,	0,	0,	0, U	0, U
	NCC0145				89 46,2						T	,13 T ,2
COUNTY NAME: MONTGOMERY					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
CENTRAL ILLINOIS POWER SERVICE	IL00135	TR-MCDAVID BRANC	O		39 0,	90,0	61,	50,	60,	28,	E	0, E
	LMS0020		H		89 24,0						N	,95 N 1,1
LAKE LOU YEAGER	IL00693	WEST FORK SHOAL	SWC		39 12,0	340,0	207,	45,	52,	21,	E	0, E
	LMS0021	CREEK			89 42,0						N	2,28 N 3,8
COUNTY NAME: MORGAN					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
IL NONAME 90006	ILU0006	INDIAN CREEK			39 51,9	150,0	88,	70,	80,	0,	U	0, U
	LMS0022				90 22,0						T	1,79 T 2,7

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MORGAN					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
UDPIL90095	ILU0518	MUD CREEK	H		39 51,6	9,0	5,	45,	0,	0,	U 0.	U 0.
	NCC0019				90 23,4						T .09	T .2
UDPIL90097	ILU0520	LITTLE INDIAN	H		39 58,8	36,0	22,	55,	0,	0,	U 0.	U 0.
	NCC0020				90 19,2						T .37	T .5
UDPIL90098	ILU0521	INDIAN CK	H		39 50,2	41,0	26,	30,	0,	0,	U 0.	U 0.
	NCC0021				90 9,7						T .23	T .3
UDPIL90100	ILU0523	INDIAN CK	H		38 1,2	104,0	65,	47,	0,	0,	U 0.	U 0.
	NCC0022				90 17,8						T 1.03	T 1.2
LAKE JACKSONVILLE	ILL00711	SANDY CREEK	SR		39 42,0	17,0	12,	42,	49,	7,	E 0.	E 0.
	LMS0023				90 6,0						N .16	N .3
COUNTY NAME: OGLE					FERC POWER SUPPLY AREA 14			FERC REGIONAL OFFICE CODE CH				
BYRON	ILU0367	ROCK RIVER			42 10,0	7990,0	4136,	18,	0,	0,	E 6.80	E 37,0
	NCR0018				89 0,						N 10.10	N 14,1
GRAND DETOUR	ILU0369	ROCK RIVER			42 50,0	8565,0	5343,	24,	0,	0,	E 9.30	E 52,0
	NCR0019				89 30,0						N 17.73	N 35,2
COUNTY NAME: PEORIA					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
JUBILEE	ILU0420	KICKAPOO CK			40 50,8	120,0	75,	6,	7,	184,	U 0.	U 0.
	NCC0146				89 46,8						T .16	T .2
UDPIL90101	ILU0524	TRIB-SPOON	H		40 55,8	5,0	3,	45,	0,	0,	U 0.	U 0.
	NCC0147				89 51,0						T .06	T .1
UDPIL90102	ILU0525	HENRY CK	H		40 55,5	4,0	3,	50,	0,	0,	U 0.	U 0.
	NCC0148				89 34,2						T .05	T .1

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM.M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: **PEORIA**					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
UDPIL90103	ILU0526	SENACHWINE	H		40 55.8	43.0	26.	70.	0.	0. U	0. U	0.
	NCC0149				89 31.2					T	.64T	1.2
UDPIL90104	ILU0527	JUBILEE CK	H		40 51.6	7.0	4.	63.	0.	0. U	0. U	0.
	NCC0150				89 48.6					T	.09T	.2
UDPIL90106	ILU0529	JOHNSON RUN	H		40 43.2	12.0	7.	38.	0.	0. U	0. U	0.
	NCC0151				89 45.0					T	.10T	.2
UDPIL90107	ILU0530	NIXON RUN	H		40 44.4	9.0	5.	39.	0.	0. U	0. U	0.
	NCC0152				89 49.2					T	.08T	.1
UDPIL90109	ILU0532	TRIB-N FK KICKAP	H		40 42.6	5.0	3.	43.	0.	0. U	0. U	0.
	NCC0153	DD			89 53.8					T	.05T	.1
UDPIL90110	ILU0533	E BR COPPERAS	H		40 36.6	12.0	7.	55.	0.	0. U	0. U	0.
	NCC0154				89 51.0					T	.17T	.2
UDPIL90111	ILU0534	W BR LAMARSH CK	H		40 35.9	16.0	9.	29.	0.	0. U	0. U	0.
	NCC0155				89 43.8					T	.10T	.2
UDPIL90112	ILU0535	LITTLE LAMARSH	H		40 33.6	4.0	2.	54.	0.	0. U	0. U	0.
	NCC0156				89 45.6					T	.06T	.1
UDPIL90113	ILU0536	E BR COPPERAS CK	H		41 4.2	61.0	38.	77.	0.	0. U	0. U	0.
	NCC0157				89 53.3					T	1.00T	1.9
UDPIL90250	ILU0670	JUBILEE CK	H		40 47.7	34.0	21.	58.	0.	0. U	0. U	0.
	NCC0158				89 46.8					T	.50T	.7
PEORIA DAM	IL00938	ILLINOIS R.		DAEN NCC	40 37.8	14455.0	13300.	9.	0.	0. E	0. E	0.
	NCC0159				89 37.8					N	19.28N	81.3

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: PIATT					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
UDPIL90115	ILU0538	WILDCAT CK	H		39 53.3	9.0	5.	27.	0.	0.	U 0.	U 0.
	NCC0160				88 38.4						T .06	T .1
UDPIL90116	ILU0539	GOOSE CK	H		40 2.4	60.0	37.	25.	0.	0.	U 0.	U 0.
	NCC0161				88 36.6						T .38	T .7
COUNTY NAME: PIKE					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
IL NONAME 90003	ILU0003	MCKEE CREEK			39 49.6	325.0	190.	90.	100.	0.	U 0.	U 0.
	LMS0024				90 40.0						T 3.28	T 6.5
IL NO NAME 717	IL00741	BLUE CREEK	SCR	C+TY OF PITT	39 37.9	13.0	9.	25.	34.	7.	E 0.	E 0.
	NCR0005			SFIELD	90 44.8						N .06	N .1
COUNTY NAME: POPE					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
BAY CK STR # 5	IL00040	BAY CREEK	C		37 29.1	22.0	17.	37.	50.	6.	E 0.	E 0.
	ORL0013				88 41.3						N .30	N .4
COUNTY NAME: PUTNAM					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
UDPIL90239	ILU0660	CROW CK	H		41 7.6	54.0	33.	63.	9999.	0.	U 0.	U 0.
	NCC0162				89 24.9						T .77	T 1.2
UDPIL90241	ILU0661	CLEAR CK	H		41 7.5	35.0	22.	72.	0.	0.	U 0.	U 0.
	NCC0163				89 14.2						T .57	T .9
UDPIL90242	ILU0662	CLEAR CK	H		41 7.8	12.0	7.	63.	0.	0.	U 0.	U 0.
	NCC0164				89 14.8						T .19	T .3
UDPIL90243	ILU0663	LITTLE SANDY CK	H		41 5.7	29.0	18.	31.	0.	0.	U 0.	U 0.
	NCC0165				89 11.8						T .19	T .3

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: PUTNAM					FERC POWER SUPPLY AREA 4		FERC REGIONAL OFFICE CODE CH					
UDPIL90240	ILU0685	SENACHWINE CK	H		41 10,6	35,0	22,*	76,*	0,*	0,*U	0, *U	0,
	NCC0166				89 24,7					*T	,47*T	,8
UDPIL90240	ILU1002	SENACHWINE CK	H		41 10,6	35,0	22,*	76,*	0,*	0,*U	0, *U	0,
	NCC0167				89 24,7					*T	,55*T	1,0
COUNTY NAME: RANDOLPH					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
KASKASKIA RIVER NAVIGATION POOL	IL00115	KASKASKIA RIVER	N		38 0,	5839,0	4145,*	15,*	53,*	25,*E	0, *E	0,
	LM30025				89 54,0					*N	19,74*N	40,2
BALDWIN LAKE	IL00547	TR-KASKASKIA RIV	U		38 12,0	90,0	61,*	32,*	40,*	26,*E	0, *E	0,
	LM30026	ER			89 48,0					*N	,61*N	,7
COUNTY NAME: RICHLAND					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
FOX RIV	ILU0352	FOX RIV			38 45,2	84,0	67,*	23,*	31,*	55,*U	0, *U	0,
	ORL0014				88 6,6					*T	,59*T	1,0
COUNTY NAME: ROCK ISLAND												
SEARS DAM	ILU0365	ROCK RIVER			41 25,0	10700,0	6524,*	11,*	0,*	0,*E	1,44*E	11,0
	NCR0006				90 30,0					*N	15,71*N	39,4
BARSTOW	ILU0366	ROCK RIVER			41 30,0	9680,0	5902,*	28,*	0,*	0,*U	0, *U	0,
	NCR0007				90 30,0					*T	39,49*T	116,1
IL NO NAME 98	IL00136	BIG BRANCH	R	ROCK IL. CO. PRESERVE DI	41 26,1	7,0	4,*	52,*	63,*	4,*E	0, *E	0,
	NCR0008				90 49,9					*N	,06*N	,1
MOLINE GENERATING STATION DAM	IL00798	SYLVAN SLOUGH	H		41 30,9	88500,0	49137,*	9,*	34,*	2,*E	3,60*E	25,0
	NCR0009				90 32,4					*N	71,39*N	279,5

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: SALINE					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
STONEFORT BLUFF	ILU0360	SO FK SALINE RIV			37 38.9	30.0	24.	36.	45.	35.*U	0. *U	0.
	ORL0015				88 38.8					*T	.51*T	.7
BRUSHY CREEK	ILU0361	BRUSHY CREEK			37 46.0	22.0	18.	33.	45.	30.*U	0. *U	0.
	ORL0016				88 37.1					*T	.27*T	.3
COUNTY NAME: SANGAMON					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
ROCHESTER	ILU0417	S FK SANAGAMON			39 43.7	863.0	555.	35.	47.	404.*U	0. *U	0.
	NCC0169				89 33.6					*T	3.65*T	9.0
UDPIL90118	ILU0541	TRIB-WOLF CK	H		39 53.4	10.0	6.	32.	0.	0.*U	0. *U	0.
	NCC0170				89 30.6					*T	.07*T	.1
UDPIL90125	ILU0548	SPRING CK	H		39 48.0	92.0	57.	34.	0.	0.*U	0. *U	0.
	NCC0171				89 49.6					*T	.65*T	1.0
UDPIL90126	ILU0549	LITTLE SPRING CK	H		39 45.6	10.0	6.	34.	0.	0.*U	0. *U	0.
	NCC0172				89 46.2					*T	.07*T	.1
UDPIL90127	ILU0550	LICK CK	H		39 39.0	27.0	16.	30.	0.	0.*U	0. *U	0.
	NCC0173				89 51.6					*T	.17*T	.3
UDPIL90132	ILU0555	RICHLAND CK	H		39 51.6	10.0	6.	37.	0.	0.*U	0. *U	0.
	NCC0174				89 49.2					*T	.05*T	.2
COUNTY NAME: SCHUYLER					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
UDPIL90133	ILU0556	HILLCH CK	H		40 13.8	7.0	4.	40.	0.	0.*U	0. *U	0.
	NCC0175				90 45.6					*T	.07*T	.1
UDPIL90134	ILU0557	HONEY BR	H		40 13.5	10.0	6.	40.	0.	0.*U	0. *U	0.
	NCC0176				90 42.6					*T	.07*T	.1

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: SCHUYLER					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
UDPIL90135	ILL00556	HONEY BR	H		40 14.4	6.0	4.	54.	0.	0.	U 0.	U 0.
	NCC0177				90 40.8						T .08	T .1
UDPIL90136	ILL00559	RICH BR	H		40 15.0	6.0	3.	43.	0.	0.	U 0.	U 0.
	NCC0178				90 46.8						T .07	T .1
UDPIL90137	ILL00560	BOEUR BR	H		40 13.2	6.0	5.	45.	0.	0.	U 0.	U 0.
	NCC0179				90 32.4						T .09	T .1
UDPIL90138	ILL00561	FOWLER BR	H		40 12.6	6.0	4.	67.	0.	0.	U 0.	U 0.
	NCC0180				90 42.6						T .10	T .1
UDPIL90140	ILL00563	CEDAR CK	H		40 8.8	52.0	32.	76.	0.	0.	U 0.	U 0.
	NCC0181				90 46.2						T .74	T .9
UDPIL90142	ILL00565	BRUSHY CK	H		40 6.4	12.0	7.	45.	0.	0.	U 0.	U 0.
	NCC0182				90 40.8						T .10	T .1
UDPIL90143	ILL00566	STONY CK	H		40 8.1	14.0	8.	45.	0.	0.	U 0.	U 0.
	NCC0183				90 41.8						T .12	T .1
UDPIL90145	ILL00568	CRANE CK	H		40 2.4	13.0	8.	55.	0.	0.	U 0.	U 0.
	NCC0184				90 32.7						T .13	T .2
UDPIL90147	ILL00570	HORNEY BR	H		40 4.8	13.0	8.	41.	0.	0.	U 0.	U 0.
	NCC0185				90 40.2						T .10	T .1
UDPIL90148	ILL00571	RYAN BR	H		40 5.4	9.0	5.	40.	0.	0.	U 0.	U 0.
	NCC0186				90 59.6						T .07	T .1
UDPIL90149	ILL00572	MISSOURI CK	H		40 13.7	87.0	54.	47.	0.	0.	U 0.	U 0.
	NCC0187				90 51.0						T .97	T 1.5
UDPIL90150	ILL00573	TOWN BR	H		40 1.2	14.0	9.	36.	0.	0.	U 0.	U 0.
	NCC0188				90 35.4						T .10	T .1

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: SCOTT					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
IL NONAME 90008	ILU0008	MAUVAISE TERRE C			39 42,1	166.0	116.	70.	80.	0.	0.	0.
	LMS0027	REEK			90 34,4					T	2.30	4.8
IL NONAME 90011	ILU0011	SANDY CREEK			39 33,5	134.0	79.	90.	100.	0.	0.	0.
	LMS0026				90 31,5					T	2.00	3.1
COUNTY NAME: SHELBY					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
LAKE SHELBYVILLE DAM	ILU0118	KASKASKIA RIVER			39 24,0	1030.0	813.	96.	108.	0.	0.	0.
	LMS0029				88 48,0					N	26.87	51.0
COUNTY NAME: ST CLAIR					FERC POWER SUPPLY AREA 1			FERC REGIONAL OFFICE CODE CH				
DRESDEN ISLAND	ILU0002	ILLINOIS RIVER		DAEN NCC	41 24,0	7279.0	5560.	19.	0.	0.	12.00	62.0
	NCC0166				88 16,8					N	15.10	9.3
COUNTY NAME: STARK					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
UDPIL90152	ILU0575	INDIAN CK	H		40 6,6	28.0	17.	27.	0.	0.	0.	0.
	NCC0189				89 53,4					T	.10	.3
UDPIL90153	ILU0576	INDIAN CK	H		41 5,3	37.0	23.	38.	0.	0.	0.	0.
	NCC0190				89 53,4					T	.32	.5
UDPIL90154	ILU0577	JACK CK	H		41 6,8	16.0	9.	40.	0.	0.	0.	0.
	NCC0191				89 46,8					T	.13	.2
UDPIL90156	ILU0579	INDIAN CK	H		41 0,	64.0	40.	52.	0.	0.	0.	0.
	NCC0192				89 50,4					T	.75	1.1

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: TAZEWELL					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
UDPIL90157	ILU0580	TRIB-MUD CK	H		40 31.8	9.0	5.	36.	0.	0.	0.	0.
	NCC0193				89 27.6						.08	.1
UDPIL90158	ILU0581	ALLOWAY CK	H		40 33.0	12.0	7.	40.	0.	0.	0.	0.
	NCC0194				89 19.0						.12	.2
UDPIL90160	ILU0583	DILLION CK	H		40 26.7	34.0	21.	48.	0.	0.	0.	0.
	NCC0195				89 34.2						.37	.6
UDPIL90161	ILU0584	LOST CK	H		40 28.2	7.0	4.	51.	0.	0.	0.	0.
	NCC0196				89 36.3						.09	.1
UDPIL90163	ILU0586	INDIAN CK	H		40 24.0	11.0	7.	39.	0.	0.	0.	0.
	NCC0197				89 27.6						.11	.1
COUNTY NAME: UNION					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
DAM NO 3 CACHE RIV	ILU0363	TR CACHE RIV			37 27.6	38.0	30.	35.	45.	5.	0.	0.
	ORL0017				89 1.8						.63	1.0
DAM NO 2 CACHE RIV	ILU0364	CACHE RIV			37 29.1	40.0	32.	35.	45.	13.	0.	0.
	ORL0018				89 5.6						.66	1.0
COUNTY NAME: VERMILION					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
VERMILLION-DANVILLE	ILU0356	VERMILLION RIV			40 3.4	973.0	778.	48.	65.	334.	0.	0.
	ORL0019				87 41.4						3.22	12.9
KICKAPOO	ILU0357	VERMILION RIV			40 9.7	420.0	336.	47.	63.	185.	0.	0.
	ORL0020				87 44.4						3.06	7.5
SALT FORK	ILU0358	SALT FORK			40 4.1	498.0	400.	35.	47.	120.	0.	0.
	ORL0021				87 54.3						3.02	6.9

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: WARREN					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
UDPIL90164	ILU00587	CEDAR FORK	H		40 48.0	11.0	7.	29.	0.	0. U	0. U	0.
	NCC0023				90 27.0					T	.08 T	.1
UDPIL90165	ILU00588	CEDAR CK	H		40 49.2	32.0	19.	46.	0.	0. U	0. U	0.
	NCC0024				90 33.6					T	.26 T	.5
UDPIL90166	ILU00589	SWAN CK	H		40 39.0	102.0	64.	36.	0.	0. U	0. U	0.
	NCC0025				90 26.4					T	.65 T	1.1
UDPIL90167	ILU00590	LITTLE SWANCK	H		40 41.1	9.0	5.	38.	0.	0. U	0. U	0.
	NCC0026				90 31.2					T	.09 T	.1
UDPIL90168	ILU00591	SWAN CK	H		40 39.0	12.0	7.	40.	0.	0. U	0. U	0.
	NCC0027				90 37.8					T	.10 T	.2
UDPIL90169	ILU00592	BIG NIGGER CK	H		40 40.7	10.0	6.	31.	0.	0. U	0. U	0.
	NCC0028				90 37.2					T	.06 T	.1
IL NO NAME 448	ILU00469	LITTLE SWAN CREE	R	PRIVATE	40 40.4	7.0	6.	29.	39.	3. E	0. E	0.
	NCK0010	K			90 31.5					N	.05 N	.1
COUNTY NAME: WAYNE					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
BRUSH CR	ILU00349	BRUSH CR			38 31.2	42.0	34.	24.	33.	30. U	0. U	0.
	ORL0022				88 36.3					T	.30 T	.3
ELM RIV	ILU00350	ELM RIV			38 32.2	155.0	124.	27.	36.	150. U	0. U	0.
	ORL0023				88 21.5					T	1.34 T	2.0
COUNTY NAME: WHITE					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
BEAR CREEK	ILU00362	BEAR CREEK			37 54.6	46.0	36.	33.	45.	60. U	0. U	0.
	ORL0024				88 20.2					T	.34 T	.4

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: WHITESIDE					FERC POWER SUPPLY AREA 14		FERC REGIONAL OFFICE CODE CH					
COMO	ILU0368	ROCK RIVER			41 40,0	9030,0	5272,	9,	0,	0,	0, U	0, U
	NCR0011				90 0,						6,97 T	29,7
LYNDON	ILU0371	ROCK RIVER			41 40,0	9090,0	5307,	10,	0,	0,	0, U	0, U
	NCR0012				90 0,						7,96 T	33,6
ABOVE LYNDON	ILU0372	ROCK RIVER			41 40,0	9060,0	5289,	9,	0,	0,	0, U	0, U
	NCR0013				90 0,						6,99 T	29,8
SINISSIPPI BAYOU	IL00627	ROCK RIVER	R		41 47,7	8715,0	5088,	10,	12,	0,	1,50 E	10,0
	NCR0014				89 39,6						6,08 N	21,9
COUNTY NAME: WILL					FERC POWER SUPPLY AREA 14		FERC REGIONAL OFFICE CODE CH					
UDPIL90244	ILU0664	SPRING CK	H		41 2,3	14,0	8,	31,	0,	0,	0, U	0, U
	NCC0198				87 30,4						,12 T	,2
UDPIL90245	ILU0665	HICKORY CK	H		41 3,0	40,0	25,	25,	0,	0,	0, U	0, U
	NCC0199				87 53,6						,23 T	,4
UDPIL90246	ILU0666	JACKSON CK	H		41 24,6	45,0	28,	22,	0,	0,	0, U	0, U
	NCC0200				88 ,7						,29 T	,5
UDPIL90247	ILU0667	CEDAR CK	H		41 26,3	13,0	8,	40,	0,	0,	0, U	0, U
	NCC0201				88 10,1						,12 T	,2
BRANDON RD POOL	IL00001	DES PLAINES R.		DAEN NCC	41 30,6	1506,0	1269,	29,	0,	0,	0, E	13,00 E	70,0
	NCC0202				88 6,0						N	0, N	0,
LOCKPORT POOL	IL00007	CHICAGO SANITARY		MSDGC	41 20,4	740,0	507,	38,	0,	0,	0, E	6,70 E	62,8
	NCC0203	AND SHIPCANA			88 2,8						N	0, N	0,

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET HEIGHT POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW)	ENERGY (GWH)
COUNTY NAME: WILLIAMSON					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CM				
CRAB ORCHARD LAKE	ILO0083	CRAB ORCHARD CRE	RSO		37 42,0	215.0	266.	38.	45.	166.*E	0. *E	0.
	LMS0030	EK			89 12,0					*N	2.57*N	5.2
LITTLE GRASSY LAKE	ILO0084	LITTLE GRASSY CR	RO		37 36,0	15.0	17.	78.	85.	34.*E	0. *E	0.
	LMS0031	EEK			89 6,0					*N	.43*N	.5
DEVILS KITCHEN LAKE	ILO0085	BIG GRASSY CREEK	RS		37 36,0	20.0	23.	80.	87.	106.*E	0. *E	0.
	LMS0032				89 6,0					*N	.59*N	.7
COUNTY NAME: WINNEBAGO					FERC POWER SUPPLY AREA 14			FERC REGIONAL OFFICE CODE CM				
LATHAM PARK	ILO0370	ROCK RIVER			42 20,0	6475.0	5201.	11.	0.	0.*U	0. *U	0.
	NCR0015				89 0,					*T	8.71*T	36.1
ROCKTON	ILO0106	ROCK RIVER	H	S BELOIT W G	42 27,4	3425.0	1566.	15.	14.	0.*E	1.10*E	6.0
	NCR0016			E CO	89 4,7					*N	2.88*N	8.6
FORDAM	ILO0107	ROCK RIVER	H	COMMONWEALTH	42 15,9	6500.0	1559.	9.	12.	0.*E	1.20*E	3.3
	NCR0017			EDISON CO	89 5,7					*N	1.67*N	5.8
COUNTY NAME: WOODFORD					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CM				
MACKINAW DELLS	ILO0421	MACKINAW			40 38,4	700.0	449.	58.	65.	675.*U	0. *U	0.
	NCC0204				89 11,8					*T	4.22*T	12.3
UDPIL90170	ILO0593	PARTRIDGE CK	H		40 49,2	26.0	18.	71.	0.	0.*U	0. *U	0.
	NCC0205				89 28,1					*T	.47*T	.6
UDPIL90172	ILO0595	W BR PANTHER	H		40 44,4	60.0	37.	26.	0.	0.*U	0. *U	0.
	NCC0206				89 6,0					*T	.53*T	.5
UDPIL90173	ILO0596	WALNUT CK	H		40 37,8	72.0	45.	59.	0.	0.*U	0. *U	0.
	NCC0207				89 13,8					*T	.96*T	1.4

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF ILLINOIS

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PUMP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW)	ENERGY (GWH)
COUNTY NAME: WOODFORD					FERC POWER SUPPLY AREA 40			FERC REGIONAL OFFICE CODE CH				
UDPIL90174	ILU0597	MACKINAW-PANTHER	H		40 40.5	685.0	439.	47.	0.	0.	U 0.	U 0.
	NCC0208	CK			89 11.4						T 3.55	T 10.0
JDPIL90175	ILU0598	PANTHER CK	H		40 49.8	131.0	82.	46.	0.	0.	U 0.	U 0.
	NCC0209				90 36.0						T 1.19	T 2.0
UDPIL90176	ILU0599	TRIB MACINAW	H		40 38.8	7.0	4.	41.	0.	0.	U 0.	U 0.
	NCC0210				89 59.0						T .07	T .1
UDPIL90177	ILU0600	WOLF CK			40 38.8	20.0	12.	37.	0.	0.	U 0.	U 0.
	NCC0211				89 59.8						T .15	T .3
UDPIL90178	ILU0601	DENMAN CK			40 37.5	11.0	7.	48.	0.	0.	U 0.	U 0.
	NCC0212				89 7.6						T .13	T .2
UDPIL90179	ILU0602	ROCK CK	H		40 13.1	28.0	17.	39.	0.	0.	U 0.	U 0.
	NCC0213				89 34.5						T .16	T .5
UDPIL90252	ILU0671	TRIB-PANTHER	H		40 46.7	11.0	6.	24.	0.	0.	U 0.	U 0.
	NCC0214				89 3.4						T .06	T .1
COUNTY NAME: CODE 011					FERC POWER SUPPLY AREA 4			FERC REGIONAL OFFICE CODE CH				
TISKILA STRU 2	IL00450	ROCKY RUN			41 17.4	12.5	9.	44.	60.	1.	E 0.	E 0.
	NCC0030				89 31.2						N .10	N .2

STATE OF INDIANA

. . . PRELIMINARY ESTIMATE . . . (07/08/79)

PHYSICAL POTENTIAL FOR ADDITIONAL HYDROELECTRIC CAPACITY AND ENERGY DEVELOPMENT IN THE STATE OF INDIANA

HEAD (FT)	CUMULATIVE	POTENTIAL INCREMENTAL CAPACITY RANGES															
		.05 MW - 15 MW				15 MW - 25 MW				GREATER THAN 25 MW				TOTAL			
		EXIST INST 1 CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP	EXIST INST 1 CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP	EXIST INST 1 CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP	EXIST INST 1 CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP
0-19	NUMBER	1	3	14	17	0	0	0	0	0	0	0	0	1	3	14	17
	CAPCTY	3.4	8.0	15.6	23.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	8.0	15.6	23.7
	ENERGY	16.0	30.3	47.3	77.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.0	30.3	47.3	77.6
20-49	NUMBER	1	6	28	34	0	0	0	0	0	0	3	3	1	6	31	37
	CAPCTY	7.2	18.2	36.2	54.5	0.0	0.0	0.0	0.0	0.0	0.0	383	383	7.2	18.2	419	437
	ENERGY	22.0	73.9	80.2	154	0.0	0.0	0.0	0.0	0.0	0.0	816	816	22.0	73.9	896	970
50-99	NUMBER	2	19	3	22	0	2	0	2	0	0	0	0	2	21	3	24
	CAPCTY	17.7	28.6	9.3	38.0	0.0	37.2	0.0	37.2	0.0	0.0	0.0	0.0	17.7	65.8	9.3	75.2
	ENERGY	60.0	71.2	34.1	105	0.0	90.3	0.0	90.3	0.0	0.0	0.0	0.0	60.0	162	34.1	196
>100	NUMBER	0	2	0	2	0	0	0	0	0	0	0	0	0	2	0	2
	CAPCTY	0.0	3.2	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	3.2
	ENERGY	0.0	13.0	0.0	13.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.0	0.0	13.0
TOTAL	NUMBER	4	30	45	75	0	2	0	2	0	0	3	3	4	32	48	80
	CAPCTY	28.4	58.2	61.3	120	0.0	37.2	0.0	37.2	0.0	0.0	383	383	28.4	95.5	444	539
	ENERGY	98.0	189	162	350	0.0	90.3	0.0	90.3	0.0	0.0	816	816	98.0	279	978	1257

LEGEND

COLUMN 1 = EXISTING HYDROPOWER DEVELOPMENT
COLUMN 2 = ADDITIONAL POTENTIAL AT EXISTING DAMS
COLUMN 3 = UNDEVELOPED POTENTIAL
COLUMN 4 = TOTAL POTENTIAL AT ALL SITES (SUM OF COLUMNS 2 AND 3)
CAPCTY = SUM OF CAPACITIES FOR GIVEN HEAD RANGE (MEGAWATT)
ENERGY = SUM OF ENERGIES FOR GIVEN HEAD RANGE (GIGAWATT-HOUR)

PRELIMINARY ESTIMATES

(07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF INDIANA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: ALLEN					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
CEDARVILLE DAM	IN00012	ST JOSEPH	S	FT WAYNE WAT	41 12,0	763,0	628,	15,	19,	2,E	0, E	0,
	NCE0001			ER UTILITY	85 0,					N	3,31 N	6,2
HURSHTOWN RESERV	IN00259	ST JOSEPH-OFFSTR	S	FT WAYNE WAT	41 12,0	734,0	604,	30,	35,	5,E	0, E	0,
DIR DAM	NCE0002	EAM		ER UTILITY	85 0,					N	3,24 N	9,5
COUNTY NAME: BARTHOLOMEW					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
CLIFTY CK	IN00011	CLIFTY CK			39 14,9	140,0	140,	29,	50,	56, U	0, U	0,
	ORL0025				85 43,2					T	1,15 T	2,1
AZALIA NO 2	IN00016	SAND CK			39 4,2	237,0	237,	35,	60,	189, U	0, U	0,
	ORL0026				85 49,0					T	1,96 T	3,9
COUNTY NAME: BROWN					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
SWEETWATER LAKE	IN00025	SWEETWATER CREEK	R,O	CORDRY-SWEET	39 17,5	2,0	2,	73,	118,	12,E	0, E	0,
	ORL0027			WATER CONS	86 7,5					N	,05 N	,1
COUNTY NAME: CARROLL					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
DELPHI	IN00047	WABASH RIVER			40 35,1	6340,0	6340,	45,	74,	248, U	0, U	0,
	ORL0028				86 40,6					T	87,17 T	161,8
OAKDALE DAM	IN00451	TIPPECANOE RIVER	HR	NORTHERN IN	40 38,9	2200,0	2200,	57,	0,	31,E	11,00 E	35,0
	ORL0029			PUBLIC SERV	86 45,1					N	15,44 N	40,8
COUNTY NAME: DAVIESS					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
DOGWOOD LAKE	IN00061	MUD CREEK	R	DEPT OF NATU	38 32,3	14,0	14,	57,	51,	37,E	0, E	0,
	ORL0030			RAL RES	87 3,6					N	,31 N	,6

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF INDIANA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: DEARBORN					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
HIDDEN VALLEY LAKE	IN00100	DOUBLELICK RUN CREEK	C R	HIDDEN VALLEY LAKE INC	39 9,4	6,0	6,*	120,*	130,*	8,*E	0, *E	0,
	ORL0031				84 50,5					*N	,26*N	,3
COUNTY NAME: DUBOIS					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
MALTERSVILLE	IN00045	HALL CREEK			38 21,5	56,0	56,*	35,*	45,*	73,*U	0, *U	0,
	ORL0032				86 51,1					*T	,89*T	1,3
PATOKA LAKE	IN00050	PATOKA RIVER			38 24,0	168,0	168,*	54,*	84,*	302,*U	0, *U	0,
	ORL0033				86 37,1					*T	2,63*T	5,8
COUNTY NAME: ELKHART					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
ELKHART	IN03010	ST JOSEPH	H	IND-MICH ELECTRIC CO	41 42,0	3370,0	3081,*	19,*	36,*	0,*E	3,44*E	16,0
	NCE0003				86 0,					*N	4,67*N	23,8
COUNTY NAME: FAYETTE					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
WILLIAMS CREEK	IN00040	WILLIAMS CREEK			39 37,4	28,0	28,*	35,*	45,*	29,*U	0, *U	0,
	ORL0034				85 9,9					*T	,25*T	,6
COUNTY NAME: FOUNTAIN					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
SILVERWOOD	IN00051	COAL CREEK			39 58,1	256,0	291,*	31,*	81,*	157,*U	0, *U	0,
	ORL0035				87 23,2					*T	1,83*T	4,9
COUNTY NAME: FRANKLIN					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
DUCK CREEK	IN00038	DUCK CREEK			39 27,6	25,0	25,*	35,*	45,*	18,*U	0, *U	0,
	ORL0036				85 7,5					*T	,32*T	,5

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF INDIANA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: FRANKLIN					**FERC POWER SUPPLY AREA 12**			**FERC REGIONAL OFFICE CODE CM**				
OLDENBURG	INU0039	SALT CREEK			39 23.9	80.0	80.	35.	45.	63.	U 0.	U 0.
	ORL0037				85 12.6						T 1.01	T 1.7
BLUE CREEK	INU0041	BLUE CREEK			39 23.7	26.0	26.	35.	45.	29.	U 0.	U 0.
	ORL0038				85 1.5						T .33	T .5
PIPE CREEK	INU0042	PIPE CREEK			39 25.2	66.0	66.	35.	45.	66.	U 0.	U 0.
	ORL0039				85 7.5						T .82	T 1.4
BROOKVILLE LAKE	IN03017	EAST FORK OF WHI	CR	DAEN ORL	39 14.8	379.0	379.	120.	147.	360.	E 0.	E 0.
	ORL0040	TEWATER RIVER			85 1.0						N 3.02	N 12.7
COUNTY NAME: FULTON					**FERC POWER SUPPLY AREA 12**			**FERC REGIONAL OFFICE CODE CM**				
TIPPECANOE	INU0044	TIPPECANOE RIVER			41 6.3	525.0	525.	16.	36.	242.	U 0.	U 0.
	ORL0041				86 12.8						T 1.43	T 5.2
COUNTY NAME: GREENE					**FERC POWER SUPPLY AREA 12**			**FERC REGIONAL OFFICE CODE CM**				
KOLEEN NO 1	INU0017	PLUMMEN CK			38 58.7	24.0	24.	19.	49.	40.	U 0.	U 0.
	ORL0043				86 50.1						T .13	T .3
PLUMMER CK	INU0018	PLUMMER CK			38 59.5	60.0	60.	22.	41.	100.	U 0.	U 0.
	ORL0044				86 56.1						T .38	T .8
RICHLAND CK	INU0019	RICHLAND CK			39 1.1	117.0	117.	29.	62.	130.	U 0.	U 0.
	ORL0042				86 55.0						T 1.02	T 1.6
COUNTY NAME: HAMILTON					**FERC POWER SUPPLY AREA 12**			**FERC REGIONAL OFFICE CODE CM**				
PERKINSVILLE	INU0024	WEST FK WHITE RI			40 8.5	542.0	542.	10.	22.	69.	U 0.	U 0.
	ORL0045	V			85 53.1						T .45	T 2.1

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF INDIANA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: HANCOCK					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
BIG BLUE	INU0013	BIG BLUE RIV			39 42,5	242.0	242.	22.	50.	174.	U 0.	U 0.
	ORL0046				85 38,7						T 1.19	T 3.3
COUNTY NAME: HENDRICKS					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
MOORESVILLE	INU0028	WHITE LICK CK			39 36,8	212.0	212.	23.	49.	148.	U 0.	U 0.
	ORL0047				86 24,2						T 1.47	T 2.8
COUNTY NAME: HENRY					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
SPICELAND	INU0014	BIG BLUE RIV			39 51,5	96.0	96.	21.	32.	38.	U 0.	U 0.
	ORL0048				85 27,8						T .52	T 1.3
LEWISVILLE	INU0015	FLATROCK CK			39 48,6	42.0	42.	15.	35.	67.	U 0.	U 0.
	ORL0049				85 21,5						T .25	T .4
WESTWOOD RIVER S TR =13	IN00256	WESTWOOD RUN	S R C	BIG BLUE RIV CONSY.DIST.	39 53,6	4.0	4.	57.	0.	5.	E 0.	E 0.
	ORL0050				85 26,0						N .09	N .1
COUNTY NAME: HOWARD					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
KOKOMO WATERWORK S RESERVOIR NO 2	IN00028	WILDCAT CREEK	S	KOKOMO WATER WORKS CO	40 29,3	179.0	179.	57.	50.	6.	E 0.	E 0.
	ORL0051				86 3,0						N 2.31	N 5.0
COUNTY NAME: HUNTINGTON					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
HUNTINGTON LAKE	IN03006	WABASH RIVER	C R	DAEN ORL	40 54,4	707.0	707.	43.	84.	153.	E 0.	E 0.
	ORL0052				85 28,1						N 3.71	N 12.2

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF INDIANA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET HEIGHT POWER HEAD (FT)	MAXIMUM DAM (FT)	STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: JACKSON					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
MILLPORT	INU0007	MUSCATATUCK RIV			38 45,8	1146,0	1148,	16,	30,	803,*U	0, *U	0,
	ORL0053				86 8,2					*T	3,52*T	7,6
COUNTY NAME: JEFFERSON					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
DEPUTY	INU0010	MUSCATATUCK RIV			38 48,4	290,0	290,	29,	69,	212,*U	0, *U	0,
	ORL0054				85 39,3					*T	2,03*T	3,8
COUNTY NAME: JENNINGS					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
NORTH VERNON	INU0008	VERNON FK MUSCAT			39 1,5	103,0	103,	16,	61,	93,*U	0, *U	0,
	ORL0055	ATUCK RIV			85 36,2					*T	,41*T	,7
COUNTY NAME: JOHNSON					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
LAMB LAKE	IND0133	INDIAN CREEK	S R	RUSSELL LAMB	39 21,7	3,0	3,	57,	75,	13,*E	0, *E	0,
	ORL0056				86 11,5					*N	,08*N	,1
COUNTY NAME: KOSCIUSKO					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
WEIMER-BLACK LAK	IND0240	TR-WEBSTER LAKE	U	IN DEPT NATU	41 20,3	49,0	17,	57,	0,	0,*E	0, *E	0,
E	ORL0057			RAL RES,	85 39,7					*N	1,30*N	2,0
COUNTY NAME: LAWRENCE					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
INDIAN CK SITE B	IND0005	INDIAN CK			38 48,6	117,0	117,	22,	80,	160,*U	0, *U	0,
	ORL0058				86 41,3					*T	,63*T	1,0
BUDDHA	IND0006	GUTHRIE CK			38 48,6	93,0	93,	21,	62,	175,*U	0, *U	0,
	ORL0059				86 25,0					*T	,47*T	,8

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF INDIANA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MADISON						FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH				
KILLBUCK CK	INU0026	KILLBUCK CK			40 9.0	93.0	93.	10.	28.	41.	U 0.	U 0.
	ORL0060				85 38.0						T .28	T .5
FORTVILLE	INU0027	FALL CREEK			39 57.2	172.0	172.	10.	38.	76.	U 0.	U 0.
	ORL0061				85 51.9						T .36	T .9
FRANKTON	INU0029	PIPE CREEK			40 13.7	105.0	105.	10.	32.	45.	U 0.	U 0.
	ORL0062				85 45.9						T .31	T .6
COUNTY NAME: MARION						FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH				
HIGHLAND LAKE	INU0052	FALL CREEK			39 54.3	779.0	779.	65.	72.	195.	U 0.	U 0.
	ORL0063				85 59.9						T 4.21	T 18.9
EAGLE CREEK RESE RVOIR	IN00084	EAGLE CREEK	C S R	DEPT PUBLIC WRK INDPLS.	39 49.5	168.0	168.	57.	75.	66.	E 0.	E 0.
	ORL0064				86 18.5						N 2.05	N 4.1
GEIST RESERVOIR	IN00356	FALL CREEK	S	INDPLS. WATER CO.	39 54.6	215.0	215.	23.	30.	27.	E 0.	E 0.
	ORL0065				85 59.2						N 1.51	N 2.9
COUNTY NAME: MARTIN						FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH				
SHOALS	INU0003	EAST FK WHITE RI			38 41.5	4930.0	4930.	10.	80.	192.	U 0.	U 0.
	ORL0066	V			86 47.7						T 5.22	T 22.6
LOST RIV	INU0004	LOST RIV			38 32.6	352.0	352.	22.	61.	450.	U 0.	U 0.
	ORL0067				86 47.5						T 3.35	T 6.2
SWC DIST DAM #2	IN00065	SEED TICK CREEK	C	SOIL-WATER CONSV.DIST.	38 46.4	8.0	9.	57.	55.	2.	E 0.	E 0.
	ORL0068				86 53.6						N .14	N .3

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF INDIANA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MIAMI					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CM					
DENVER	IN00043	EEL RIVER			40 51.4	680.0	680.	26.	43.	263.	U 0.	U 0.
	ORL0069				86 5.1						T 3.26	T 9.5
MISSISSINEWA LAKE	IN03004	MISSISSINEWA RIV	CR	DAEN ORL	40 43.4	609.0	609.	73.	122.	368.	E 0.	E 0.
	ORL0070	ER			85 57.5						N 4.11	N 16.6
COUNTY NAME: MONROE					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CM					
LAKE LEMON	IN00010	BEAN BLOSSOM CRE	S R	CITY OF BLOO	39 16.5	71.0	71.	57.	50.	5.	E 0.	E 0.
	ORL0071	EK		MINGTON	86 25.5						N 1.52	N 2.4
MONROE LAKE	IN03001	SALT CREEK	C R	DAEN ORL	39 .4	441.0	441.	57.	75.	441.	E 0.	E 0.
	ORL0072				86 30.7						N 3.47	N 7.5
COUNTY NAME: MONTGOMERY					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CM					
WALNUT FK	IN00030	WALNUT FK			40 3.3	90.0	90.	10.	48.	22.	U 0.	U 0.
	ORL0073				86 52.0						T .30	T .5
CRAWFORDSVILLE	IN00037	SUGAR CREEK			40 5.4	423.0	423.	32.	51.	103.	U 0.	U 0.
	ORL0074				86 50.0						T 2.43	T 5.9
COUNTY NAME: MORGAN					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CM					
MARTINSVILLE	IN00023	INDIAN CK			39 21.7	90.0	90.	28.	52.	154.	U 0.	U 0.
	ORL0075				86 23.3						T .78	T 1.3
COUNTY NAME: NOBLE					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CM					
NORTHPORT FEEDER DAM	IN00383	TR-N BRANCH ELKH	R	DNR	41 30.0	33.0	29.	17.	20.	9.	E 0.	E 0.
	NCE0004	ART			85 24.0						N .09	N .3

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF INDIANA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: ORANGE					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
SWC DIST FRENCHL	IN00076	FRENCH LICK CREE	R C	SPRING VALLE	38 28,9	7,0	7,	57,	75,	7,	E 0,	E 0,
ICK F\7	ORL0076	K		Y CONSY DIST	86 34,2						N .17	N .3
COUNTY NAME: PARKE					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
ANNAPOLIS	IN00034	SUGAR CREEK			39 51,6	786,0	786,	40,	80,	283,	U 0,	U 0,
	ORL0077				87 17,7						T 2,66	T 10,3
CECIL M HARDEN L	IN03003	RACCOON CREEK	C R	DAEN ORL	39 43,1	216,0	216,	70,	99,	133,	E 0,	E 0,
AKE	ORL0078				87 4,3						N 3,34	N 6,8
COUNTY NAME: PERRY					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
SALINDA LAKE	IN00176	WINDING BR OF MI	R C	MIDDLE FORK	38 10,4	4,0	4,	57,	75,	6,	E 0,	E 0,
	ORL0079	DOLE FORK		ANDERSON R	86 8,1						N .12	N .2
SADDLE LAKE	IN03014	THEIS CREEK	C R	MIDDLE FORK	38 3,8	4,0	4,	57,	51,	1,	E 0,	E 0,
	ORL0080			WATERSHED CO	86 40,0						N .12	N .2
CELINA LAKE	IN03016	WINDING BRANCH	C R	MIDDLE FORK	38 11,0	4,0	4,	43,	76,	5,	E 0,	E 0,
	ORL0081			WATERSHED CO	86 37,8						N .09	N .1
COUNTY NAME: PIKE					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
PETERSBURG	IN00048	WHITE RIVER			38 30,1	11100,0	11519,	45,	28,	0,	U 0,	U 0,
	ORL0082				87 17,3						T 160,22	T 347,8
COUNTY NAME: PUTNAM					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
BIG WALNUT CR	IN00020	BIG WALNUT CR			39 41,4	210,0	210,	26,	62,	172,	U 0,	U 0,
	ORL0083				86 48,2						T 1,67	T 2,8

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) = PROJECT PURPOSES: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF INDIANA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: PUTNAM					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
BANARD NO 2	IN00021	BIG WALNUT CK			39 49,8	131,0	131,	22,	42,	50,	U 0,	U 0,
	ORL0084				86 43,2						T .82	T 1.4
HERITAGE LAKE	IN00222	CLEAR CREEK	R	AMERICAN CEN	39 43,1	7,0	9,	48,	0,	11,	E 0,	E 0,
	ORL0085			TRAL CONP	86 42,7						N .14	N .2
EAGLES MILL LAKE	IN03002	MILL CREEK	CR	DAEN ORL	39 29,3	295,0	295,	56,	124,	228,	E 0,	E 0,
	ORL0066				86 55,0						N 3,24	N 7.1
COUNTY NAME: RANDOLPH					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
PARKER CITY	IN00025	WEST FK WHITE RI			40 10,0	169,0	169,	10,	37,	90,	U 0,	U 0,
	ORL0087	V			85 13,2						T .32	T .7
COUNTY NAME: RIDLEY					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
HOLTON	IN00009	OTTER CK			39 5,2	34,0	34,	25,	55,	17,	U 0,	U 0,
	ORL0088				85 24,1						T .32	T .4
VERSAILLES LAKE	IN00021	LAUGHERY CREEK	R S	DEPT OF NAT	39 4,5	168,0	168,	57,	52,	3,	E 0,	E 0,
	ORL0089			RESOURCES	85 14,4						N 2,37	N 5,2
COUNTY NAME: SHELBY					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
LIT BLUE RIV NO 2	IN00012	LIT BLUE RIV			39 35,0	93,0	93,	41,	44,	32,	U 0,	U 0,
	ORL0090				85 41,2						T 1,17	T 1,9
COUNTY NAME: ST JOSEPH					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
TWIN BRANCH	IN03011	ST JOSEPH	H	IND + MICH E	41 42,0	3501,0	3200,	31,	37,	0,	E 7,26	E 22,0
	NCE0005			LECTRIC CO.	86 6,0						N 9,60	N 49,0

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF INDIANA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: SULLIVAN					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
TURMAN CREEK	INU0035	TURMAN CREEK			39 8,3	85.0	85.	10.	22.	20. *U	0. *U	0.
	ORL0091				87 35,2					*T	.28*T	.6
COUNTY NAME: TIPPECANOE					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
LAFAYETTE	INU0032	WILDCAT CK			40 26,2	787.0	787.	10.	75.	333. *U	0. *U	0.
	ORL0092				86 48,4					*T	2.42*T	4.6
COUNTY NAME: VERMILLION					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
BROUILLETTS CREEK	INU0033	BROUILLETTS CREEK			39 37,5	300.0	300.	26.	62.	169. *U	0. *U	0.
	ORL0093	K			87 26,9					*T	1.66*T	4.3
LIT VERMILION RIV	INU0036	LIT VERMILION RIV			39 53,2	231.0	231.	31.	96.	168. *U	0. *U	0.
	ORL0094	V			87 27,5					*T	1.87*T	3.6
CLINTON	INU0049	WABASH RIVER			39 39,7	11500.0	11500.	45.	62.	290. *U	0. *U	0.
	ORL0095				87 23,7					*T	135.12*T	306.4
COUNTY NAME: WABASH					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
SALAMONIE LAKE	IN03005	SALAMONIE RIVER	C R	DAEN ORL	40 48,5	553.0	553.	72.	114.	264. *E	0. *E	0.
	ORL0096				85 40,8					*N	3.71*N	12.3
COUNTY NAME: WARREN					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
BIG PINE	INU0031	BIG PINE CK			40 24,0	326.0	326.	84.	150.	117. *U	0. *U	0.
	ORL0097				87 20,4					*T	2.35*T	9.5

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF INDIANA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: WASHINGTON					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
TWIN RUSH STR.=3	IN00242 ORL0098	RUSH CREEK	C	TWIN-RUSH CK CONSV DIST,	38 40.4 86 10.0	5.0	5.	57.	0.	2.	E 0. N .11	E 0. N .2
COUNTY NAME: WHITE					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
NORWAY DAM	IN00452 ORL0099	TIPPECANOE RIVER	HR	NORTH IN PUB SERVICE CO	40 45.8 86 45.6	2200.0	2200.	57.	0.	25.	E 6.72 N 21.82	E 25.0 N 49.5

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION, D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

STATE OF IOWA

PHYSICAL POTENTIAL FOR ADDITIONAL HYDROELECTRIC CAPACITY AND ENERGY DEVELOPMENT IN THE STATE OF IOWA

HEAD RANGE (FEET)		POTENTIAL INCREMENTAL CAPACITY RANGES															
		.05 MW - 15 MW				15 MW - 25 MW				GREATER THAN 25 MW				TOTAL			
		EXIST INST CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP	EXIST INST CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP	EXIST INST CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP	EXIST INST CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP
0-19	NUMBER	3	5	7	12	0	1	0	1	0	9	0	9	3	15	7	22
	CAPCTY	6.9	16.9	14.2	31.2	0.0	21.1	0.0	21.1	0.0	606	0.0	606	6.9	644	14.2	658
	ENERGY	36.0	57.5	40.1	97.7	0.0	39.1	0.0	39.1	0.0	2404	0.0	2404	36.0	2501	40.1	2541
20-49	NUMBER	0	17	22	39	0	0	0	0	1	1	2	3	1	18	24	42
	CAPCTY	0.0	7.5	38.4	46.0	0.0	0.0	0.0	0.0	128	347	80.4	427	128	354	119	473
	ENERGY	0.0	16.2	109	125	0.0	0.0	0.0	0.0	805	824	176	1001	805	841	285	1126
50-99	NUMBER	0	3	8	11	0	0	0	0	0	2	1	3	0	5	9	14
	CAPCTY	0.0	3.9	14.6	18.6	0.0	0.0	0.0	0.0	0.0	115	109	224	0.0	119	124	243
	ENERGY	0.0	7.1	50.2	57.4	0.0	0.0	0.0	0.0	0.0	239	232	471	0.0	247	282	529
>100	NUMBER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	CAPCTY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	ENERGY	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL	NUMBER	3	25	37	62	0	1	0	1	1	12	3	15	4	38	40	78
	CAPCTY	6.9	28.4	67.3	95.8	0.0	21.1	0.0	21.1	128	1068	190	1257	135	1117	257	1374
	ENERGY	36.0	80.9	200	281	0.0	39.1	0.0	39.1	805	3468	408	3876	841	3588	608	4196

LEGEND

COLUMN 1 = EXISTING HYDROPOWER DEVELOPMENT
COLUMN 2 = ADDITIONAL POTENTIAL AT EXISTING DAMS
COLUMN 3 = UNDEVELOPED POTENTIAL
COLUMN 4 = TOTAL POTENTIAL AT ALL SITES (SUM OF COLUMNS 2 AND 3)
CAPCTY = SUM OF CAPACITIES FOR GIVEN HEAD RANGE (MEGAWATT)
ENERGY = SUM OF ENERGIES FOR GIVEN HEAD RANGE (GIGAWATT-HOUR)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF IOWA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: ADAIR						FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH				
FONTANELLE RES	IA00057	WEST FORK			40 16.9	99.0	40.	32.	43.	66.	U 0.	U 0.
	MRK0002				94 38.2						T .52	T .6
GREENFIELD RES	IA00059	EAST MIDDLE NODA			41 18.9	37.0	15.	40.	53.	32.	U 0.	U 0.
	MRK0003	WAY RIVER			94 30.7						T .19	T .3
COUNTY NAME: ADAMS						FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH				
MT ETNA RES	IA00062	MIDDLE NODAWAY R			41 5.4	248.0	100.	63.	85.	179.	U 0.	U 0.
	MRK0004	IVER			94 47.5						T 1.79	T 3.1
PRESCOTT RES	IA00064	EAST NODAWAY RIV			41 3.3	106.0	43.	38.	51.	71.	U 0.	U 0.
	MRK0005	ER			94 33.3						T .76	T .8
COUNTY NAME: APPANOOSE						FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH				
RATHBUN LAKE	IA00016	CHARITON RIVER	CNRS	DAEN MRK	40 49.7	549.0	284.	60.	81.	552.	E 0.	E 0.
	MRK0006				92 52.6						N 2.94	N 5.5
COUNTY NAME: AUDUBON						FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH				
BLUEGRASS DAM	IA00005	NISHNABOTNA RIVE			41 48.0	11.0	4.	40.	45.	16.	U 0.	U 0.
	MRU0107	R			94 54.0						T .06	T .1
DAVIDS CREEK DAM	IA00010	NISHNABOTNA RIVE			41 36.0	57.0	25.	57.	62.	60.	U 0.	U 0.
	MRU0108	R			94 48.0						T .43	T .8
COUNTY NAME: BLACK HAWK												
IA NO NAME 693	IA01213	CEDAR RIVER	R	CITY OF CEDA	42 32.5	4780.0	2544.	9.	0.	1.	E 0.	E 0.
	NCR0020			R FALLS	92 26.8						N 4.25	N 13.3

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF IOWA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: BOONE												
IA NO NAME 45	IA00134	BLUFF CREEK	R	COUNTY CONSE	42 6,8	25,0	10,*	40,*	0,*	4,*E	0, *E	0,
	NCR0021			RV BOARD	94 1,0					*N	,15*N	,2
COUNTY NAME: CASS					FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH					
LAKE ANITA	IA01336	TR-TURKEY CREEK	RS		41 25,8	39,0	17,*	41,*	46,*	4,*E	0, *E	0,
	MR00109				94 47,1					*N	,21*N	,4
COUNTY NAME: CEDAR					FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH					
ROCHESTER	IA00089	CEDAR RIVER			41 40,0	7205,0	3613,*	47,*	0,*	0,*U	0, *U	0,
	NCR0064				91 20,0					*T	45,31*T	111,6
COUNTY NAME: CLAYTON					FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH					
ELKPORT	IA00079	VOLGA RIVER			42 40,0	404,0	278,*	8,*	0,*	0,*U	0, *U	0,
	NCR0065				91 30,0					*T	,37*T	1,1
MILLVILLE	IA00087	TURKEY RIVER			43 0,	1680,0	977,*	60,*	60,*	0,*U	0, *U	0,
	NCR0066				91 0,					*T	5,55*T	25,7
COUNTY NAME: CLINTON												
MISSISSIPPI RIVE	IA00005	MISSISSIPPI RIVE	N	DAEN NCH	41 53,9	85600,0	47527,*	9,*	21,*	192,*E	0, *E	0,
R LOCK + DAM '13	NCR0022		R		90 9,4					*N	74,06*N	295,7
COUNTY NAME: CRAWFORD					FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH					
HARLAN DAM	IA00008	NISHNABOTNA RIVE			41 42,0	142,0	43,*	45,*	50,*	163,*U	0, *U	0,
	MR00110		R		95 18,0					*T	,50*T	1,0

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF IOWA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: **DALLAS**					FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH					
ADEL	IA00068 NCR0067	RACCOON RIVER			41 40,0 94 10,0	2281,0	873,	25,	0,	0,	0 U T	0. 3,60
VAN METER	IA00091 NCR0068	SOUTH RACCOON RI VER			41 30,0 94 0,	1150,0	519,	30,	0,	0,	0 U T	0. 2,70
COUNTY NAME: **DELAWARE**												
IA NO NAME 714	IA01297 NCR0023	MAQUOKETA RIVER	R	LAKE DELHI R ECREATION AS	42 24,4 91 20,7	347,0	239,	34,	0,	2,	E N	0. 1,66
COUNTY NAME: **DES MOINES**												
MISSISSIPPI RIVE R LOCK + DAM '18	IA00010 NCR0024	MISSISSIPPI RIVE R	N R	DAEN NCR	40 53,0 91 1,6	113600,0	60254,	8,	21,	90,	E N	0. 83,91
IA NO NAME 764	IA01347 NCR0025	TR-SKUNK RIVER	R	STATE CONSER V COMMISSION	40 48,5 91 23,5	16,0	10,	30,	0,	6,	E N	0. ,09
COUNTY NAME: **DUBUQUE**												
MISSISSIPPI RIVE R LOCK + DAM '11	IA00003 NCR0026	MISSISSIPPI RIVE R	N R	DAEN NCR	42 32,5 90 38,5	81600,0	40566,	9,	20,	170,	E N	0. 64,97
COUNTY NAME: **FAYETTE**					FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH					
ELDORADO	IA00078 NCR0069	TURKEY RIVER			43 0, 91 50,0	633,0	341,	8,	0,	0,	0 U T	0. ,29

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF IOWA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: GUTHRIE												
IA NO NAME 232	IA00415	MIDDLE RACCOON R	R	MID-IOWA LAK	41 41,8	434.0	196,	49,	0,	24,	E 0,	E 0,
	NCR0027	IVER		ES CORP,	94 23,0						N 2,20	N 5,1
COUNTY NAME: HAMILTON				FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH						
WEBSTER CITY	IA00092	BOONE RIVER			42 30,0	770.0	340,	30,	8,	0,	U 0,	U 0,
	NCR0028				93 50,0						T 2,33	T 5,1
IA NO NAME 247	IA00437	TR-BOONE RIVER	R	COUNTY CONSE	42 26,1	70.0	30,	28,	0,	2,	E 0,	E 0,
	NCR0029			RV BOARD	93 47,9						N ,30	N ,5
COUNTY NAME: HARDIN												
IA NO NAME 251	IA00441	PINE CREEK	R	STATE CONSER	42 22,3	15.0	9,	32,	0,	2,	E 0,	E 0,
	NCR0030			V COMMISSION	93 3,7						N ,08	N ,1
COUNTY NAME: JACKSON				FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH						
CANTON	IA00073	MAQUOKETA RIVER			42 10,0	753.0	493,	16,	0,	0,	U 0,	U 0,
	NCR0031				91 0,						T 1,58	T 4,7
GRANT CITY	IA00083	RACCOON RIVER			42 25,0	870.0	295,	32,	0,	0,	U 0,	U 0,
	NCR0032				95 0,						T 2,10	T 4,9
HERON LAKE	IA00084	WEST FORK DES MO			43 50,0	970.0	198,	21,	0,	0,	U 0,	U 0,
	NCR0033	INES RIVER			95 30,0						T 1,12	T 2,2
SPRAGUEVILLE	IA00090	MAQUOKETA RIVER			42 0,	1694.0	1110,	40,	60,	0,	U 0,	U 0,
	NCR0034				90 30,0						T 6,16	T 24,5
MISSISSIPPI RIVE R LOCK + DAM 12	IA00004	MISSISSIPPI RIVE	N R	DAEN NCR	42 15,7	82400.0	45750,	6,	21,	92,	E 0,	E 0,
	NCR0035				90 25,2						N 44,83	N 187,6

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF IOWA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: JACKSON												
IA NO NAME 302	IA00522	LYTLE CREEK	R	LEISURE LAKE	42 13,8	75,0	50,*	47,*	0,*	3,*E	0, *E	0,
	NCR0036			INC,	90 46,5					*N	,61*N	1,2
IA NO NAME 719	IA01302	SOUTH FORK MAQUO	R	IA ELEC LIGH	42 4,1	1550,0	1015,*	20,*	25,*	1,*E	1,20*E	5,0
	NCR0037	KETA RIVER		T + POWER CO	90 41,8					*N	2,15*N	6,6
COUNTY NAME: JASPER												
IA NO NAME 324	IA00537	ROCK CREEK	R	STATE CONSER	41 44,0	41,0	24,*	28,*	0,*	13,*E	0, *E	0,
	NCR0038			V COMMISSION	92 51,4					*N	,19*N	,3
COUNTY NAME: JOHNSON												
IOWA CITY MILLDA M	IA00066	IOWA RIVER			41 40,0	3271,0	1640,*	10,*	0,*	0,*U	0, *U	0,
	NCR0039				91 30,0					*T	4,62*T	10,9
CORALVILLE DAM + RESERVOIR	IA00012	IOWA RIVER	CR	DAEN NCR	41 43,5	3084,0	1546,*	58,*	78,*	585,*E	0, *E	0,
	NCR0040				91 31,7					*N	26,16*N	59,9
IA NO NAME 702	IA01275	IOWA RIVER	R	COUNTY CONSE	41 40,4	3200,0	1604,*	16,*	0,*	2,*E	0, *E	0,
	NCR0041			RV BOARD	91 33,9					*N	3,25*N	13,3
IA NO NAME 769	IA01352	MILL CREEK	R	STATE CONSER	41 47,5	27,0	17,*	32,*	0,*	13,*E	0, *E	0,
	NCR0042			V COMMISSION	91 34,5					*N	,16*N	,3
COUNTY NAME: JONES					FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH					
CLAY MILLS	IA00075	MAQUOKETA RIVER			42 15,0	748,0	490,*	38,*	0,*	0,*U	0, *U	0,
	NCR0074				90 55,0					*T	3,04*T	10,7
CRAB MILL	IA00076	NORTH FORK MAQUO			42 10,0	364,0	248,*	8,*	0,*	0,*U	0, *U	0,
	NCR0075	KETA RIVER			90 45,0					*T	,34*T	1,0

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF IOWA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: LEE					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
AUGUSTA	IA00070	SKUNK RIVER			40 30,0	4290.0	2332.	43.	0.	0.	0. U	0. U
	NCR00043				91 30,0						35.11 T	64.5 T
BELFAST	IA00071	DES MOINES RIVER			40 40,0	14340.0	5634.	62.	0.	0.	0. U	0. U
	NCR00044				91 40,0						109.18 T	231.9 T
MISSISSIPPI RIVE R LOCK + DAM '19	IA00011	MISSISSIPPI RIVE	H N	DAEN NCR, UN ION ELECT CO	40 23,9	119000.0	63118.	36.	48.	292. E	128.00 E	805.0 E
	NCR00045	R			91 21,6						346.78 N	824.4 N
COUNTY NAME: LINN					FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH					
CENTRAL CITY	IA00074	WAPSIPINICON RIV			42 0,	1273.0	638.	46.	0.	0.	0. U	0. U
	NCR00046	ER			91 40,0						3.43 T	14.5 T
IA NO NAME 697	IA01270	CEDAR RIVER	S	IA ELEC LIGH T + POWER CO	41 56,6	6520.0	3269.	5.	7.	1. E	0. E	0. E
	NCR00047				91 37,6						3.78 N	10.7 N
COUNTY NAME: LOUISA												
MISSISSIPPI RIVE R LOCK + DAM '17	IA00009	MISSISSIPPI RIVE	N	DAEN NCR	41 11,5	99600.0	52828.	4.	20.	50. E	0. E	0. E
	NCR00048	R			91 3,6						35.43 N	144.6 N
COUNTY NAME: MARION					FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH					
PELLA	IA00088	SKUNK RIVER			41 30,0	1555.0	767.	27.	0.	0.	0. U	0. U
	NCR00049				93 0,						2.39 T	9.8 T
RED ROCK DAM + LAKE RED ROCK	IA00013	DES MOINES RIVER	CR	DAEN NCR	41 22,2	12323.0	4600.	58.	79.	1830. E	0. E	0. E
	NCR00050				92 58,6						88.76 N	179.5 N

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF IOWA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MILLS					FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH					
SILVER CREEK DAM	IAU0007	NISHNABOTNA RIVE			41 12.0	195.0	68.	64.	69.	194.	U 0.	U 0.
	MRU0111	R			95 36.0						T 1.05	T 2.0
PONY CREEK LAKE	IA00675	PONY CREEK	CO	S C DIS,PCOD	41 4.2	29.0	11.	55.	60.	4.	E 0.	E 0.
	MR00112			2 + BD OF SU	95 47.4						N .12	N .2
COUNTY NAME: MONTGOMERY					FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH					
GRAYBILL DAM	IAU0006	NISHNABOTNA RIVE			41 18.0	99.0	34.	64.	69.	112.	U 0.	U 0.
	MR00113	R			95 18.0						T .53	T 1.0
GRANT RES	IAU0058	WEST NODAWAY RIV			41 9.3	127.0	51.	41.	55.	85.	U 0.	U 0.
	MRK0007	ER			94 58.4						T .43	T .8
MORTON MILLS RES	IAU0061	SEVEN MILE CREEK			41 7.8	116.0	47.	42.	57.	77.	U 0.	U 0.
	MRK0008				95 .9						T .41	T .8
COUNTY NAME: MUSCATINE												
MISSISSIPPI RIVE	IA00008	MISSISSIPPI RIVE	N	DAEN NCR	41 25.6	99400.0	55169.	7.	21.	88.	E 0.	E 0.
R LOCK + DAM '16	NCR0051	R			91 .6						N 65.51	N 266.0
COUNTY NAME: PAGE					FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH					
AVOCA DAM	IAU0009	NISHNABOTNA RIVE			41 30.0	200.0	61.	62.	67.	203.	U 0.	U 0.
	MRU0114	R			95 18.0						T .96	T 1.9
SHAMBAUGH RES	IAU0065	EAST NODAWAY RIV			40 39.3	226.0	92.	45.	61.	153.	U 0.	U 0.
	MRK0009	ER			94 59.9						T 1.14	T 1.6

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF IOWA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DH,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: PLYMOUTH					FERC POWER SUPPLY AREA 17			FERC REGIONAL OFFICE CODE CM				
PERRY CREEK DAM	IA00002	PERRY CREEK			42 34,2	54,0	13,	99,	104,	72,	U 0,	U 0,
	MR00115				96 22,8						T ,30	T ,4
COUNTY NAME: POLK					FERC POWER SUPPLY AREA 17			FERC REGIONAL OFFICE CODE CM				
JEFFERSON	IA00085	RACCOON RIVER			42 5,0	1552,0	629,	67,	67,	0,	U 0,	U 0,
	NCR0052				94 30,0						T 4,05	T 15,3
BIG CREEK DIVERSION DAM	IA00014	BIG CREEK	C	DAEN NCR	41 47,5	76,0	36,	49,	66,	36,	E 0,	E 0,
	NCR0053				93 43,5						N ,62	N 1,0
BIG CREEK TERMINAL DAM	IA00015	BIG CREEK DIVERS	D	DAEN NCR	41 47,1	76,0	36,	71,	95,	28,	E 0,	E 0,
	NCR0054	ION			93 44,2						N ,90	N 1,5
IA NO NAME 500	IA00919	TR-SKUNK RIVER	R	J E MELINE T	41 45,0	25,0	15,	43,	57,	1,	E 0,	E 0,
	NCR0055			MED J HERMAN	93 25,6						N ,18	N ,3
IA NO NAME 705	IA01286	DES MOINES RIVER	R	CITY OF DES	41 35,6	6245,0	2057,	14,	0,	3,	E 0,	E 0,
	NCR0056			MOINES	93 37,0						N 3,55	N 13,7
COUNTY NAME: POWESHIEK												
IA NO NAME 549	IA00972	TR-MOON CREEK	R	COUNTY + JOH	41 34,6	7,0	4,	43,	0,	36,	E 0,	E 0,
	NCR0057			N L AHRENS	92 34,4						N ,05	N ,1
COUNTY NAME: RINGGOLD					FERC POWER SUPPLY AREA 17			FERC REGIONAL OFFICE CODE CM				
NEW MARKET DAMSITE	IA00063	WEST FORK 102 CR			40 42,8	192,0	99,	38,	52,	183,	U 0,	U 0,
	MRK0010	EEK			94 51,8						T ,95	T 1,2

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF IOWA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: SCOTT					FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH					
BIG ROCK	IA00072	WAPSIPINICON RIV			41 50.0	2066.0	1353.	15.	0.	0.	U 0.	U 0.
	NCR0058	ER			90 50.0						T 3.46	T 11.7
MISSISSIPPI RIVE R LOCK + DAM '14	IA00006	MISSISSIPPI RIVE R	N	DAEN NCR	41 34.3	88400.0	49061.	10.	20.	82.	E 0.	E 0.
	NCR0059	R			90 23.9						N 85.42	N 339.6
MISSISSIPPI RIVE R LOCK + DAM '15	IA00007	MISSISSIPPI RIVE R	N	DAEN NCR	41 31.2	88500.0	49137.	13.	32.	30.	E 2.75	E 20.0
	NCR0060	R			90 34.0						N 112.41	N 425.0
COUNTY NAME: SHELBY					FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH					
PRAIRIE ROSE LAK E	IA01006	TR-EAST BR WEST BR NISHNABOTNA	R	STATE CONSER V COMMISSION	41 36.5	189.0	58.	47.	53.	4.	E 0.	E 0.
	MR00116				95 13.8						N .69	N 1.4
COUNTY NAME: STORY												
DELTA	IA00077	NORTH SKUNK RIVE R			41 15.0	630.0	369.	36.	0.	0.	U 0.	U 0.
	NCR0070	R			92 15.0						T 2.54	T 6.1
GILBERT	IA00081	SQUAW CREEK			42 0.	173.0	82.	30.	0.	0.	U 0.	U 0.
	NCR0071				93 50.0						T .85	T 1.4
GLASCOW	IA00082	CEDAR CREEK			40 50.0	405.0	236.	47.	0.	0.	U 0.	U 0.
	NCR0072				91 45.0						T 2.35	T 3.9
COUNTY NAME: TAMA												
IA NO NAME 588	IA01032	OTTER CREEK	R	COUNTY CONSE RV BOARD	42 3.1	28.0	16.	40.	0.	2.	E 0.	E 0.
	NCR0061				92 31.5						N .18	N .3

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF IOWA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: TAYLOR					FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH					
LENOX DAMSITE	IA00080	PLATTE RIVER			40 27.4	170.0	88.	35.	48.	127.	U 0.	U 0.
	MRK0011				94 26.8						T .88	T 1.0
COUNTY NAME: WAPELLO												
IA NO NAME 733	IA01316	DES MOINES RIVER	SH	CITY OF OTTU	41 1.0	13200.0	5009.	15.	0.	5.	E 3.00	E 11.0
	NCK0062			MWA	92 24.8						N 21.11	N 39.1
COUNTY NAME: WASHINGTON												
IA NO NAME 798	IA01381	TR-SKUNK RIVER	R	STATE CONSER	41 12.3	19.0	12.	32.	0.	8.	E 0.	E 0.
	NCR0063			V COMMISSION	91 54.5						N .11	N .2
COUNTY NAME: WEBSTER					FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH					
FT DODGE	IA00080	DES MOINES RIVER			42 30.0	3770.0	1225.	14.	0.	0.	U 0.	U 0.
	NCK0073				94 20.0						T 3.61	T 9.6
COUNTY NAME: WINNESHIEK					FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH					
IA NO NAME 703	IA01288	UPPER IOWA RIVER	R	IOWA CONSERV	43 18.0	570.0	0.	23.	29.	1.	E 0.	E 0.
	NCS0001			ATION COMMIS	91 42.0						N .07	N .3

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION, D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

STATE OF KENTUCKY

. . . PRELIMINARY ESTIMATE . . . (07/08/79)

PHYSICAL POTENTIAL FOR ADDITIONAL HYDROELECTRIC CAPACITY AND ENERGY DEVELOPMENT IN THE STATE OF KENTUCKY

HEAD (FEET)	UNIT	.05 MW - 15 MW				15 MW - 25 MW				GREATER THAN 25 MW				TOTAL			
		EXIST INST CAP 1	EXIST INCR CAP 2	UNDEV POTEN CAP 3	TOTAL INCR CAP 4	EXIST INST CAP 1	EXIST INCR CAP 2	UNDEV POTEN CAP 3	TOTAL INCR CAP 4	EXIST INST CAP 1	EXIST INCR CAP 2	UNDEV POTEN CAP 3	TOTAL INCR CAP 4	EXIST INST CAP 1	EXIST INCR CAP 2	UNDEV POTEN CAP 3	TOTAL INCR CAP 4
0-19	NUMBER	0	3	0	3	0	2	0	2	0	16	1	19	0	23	1	24
	CAPCTY	0.0	9.7	0.0	9.7	0.0	47.5	0.0	47.5	0.0	5811	867	4678	0.0	3869	867	4736
	ENERGY	0.0	40.9	0.0	40.9	0.0	87.7	0.0	87.7	0.0	10314	3005	13319	0.0	10443	3005	13448
20-49	NUMBER	0	10	17	27	0	0	0	0	0	4	5	9	0	14	22	36
	CAPCTY	0.0	8.6	28.5	37.1	0.0	0.0	0.0	0.0	0.0	2393	2817	5210	0.0	2402	2846	5248
	ENERGY	0.0	17.4	62.6	80.1	0.0	0.0	0.0	0.0	0.0	6678	8192	14870	0.0	6696	8255	14950
50-99	NUMBER	0	36	6	42	0	0	0	0	1	6	2	8	1	42	8	50
	CAPCTY	0.0	37.3	22.1	59.5	0.0	0.0	0.0	0.0	130	645	133	779	130	683	156	838
	ENERGY	0.0	99.4	58.6	158	0.0	0.0	0.0	0.0	762	1166	225	1393	762	1267	284	1551
>100	NUMBER	0	3	0	3	0	0	0	0	3	2	2	4	3	5	2	7
	CAPCTY	0.0	8.3	0.0	8.3	0.0	0.0	0.0	0.0	506	2309	168	2476	506	2317	168	2485
	ENERGY	0.0	25.4	0.0	25.4	0.0	0.0	0.0	0.0	1497	6388	275	6662	1497	6413	275	6688
TOTAL	NUMBER	0	52	23	75	0	2	0	2	4	30	10	40	4	84	33	117
	CAPCTY	0.0	64.1	50.7	115	0.0	47.5	0.0	47.5	636	9159	3985	13144	636	9271	4036	13307
	ENERGY	0.0	183	121	305	0.0	87.7	0.0	87.7	2259	24547	11697	36245	2259	24818	11819	36637

POTENTIAL INCREMENTAL CAPACITY RANGES

LEGEND

COLUMN 1 = EXISTING HYDROPOWER DEVELOPMENT
COLUMN 2 = ADDITIONAL POTENTIAL AT EXISTING DAMS
COLUMN 3 = UNDEVELOPED POTENTIAL
COLUMN 4 = TOTAL POTENTIAL AT ALL SITES (SUM OF COLUMNS 2 AND 3)
CAPCTY = SUM OF CAPACITIES FOR GIVEN HEAD RANGE (MEGAWATT)
ENERGY = SUM OF ENERGIES FOR GIVEN HEAD RANGE (GIGAWATT-HOUR)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF KENTUCKY

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: ANDERSON						FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH				
BEAVER LAKE	KY00052	BEAVER CREEK	R	COMMONWEALTH	37 57,7	3,0	4,	73,	58,	4,E	0, E	0,
	ORL0100			OF KENTUCKY	85 1,4					N	,10 N	,2
KENTUCKY RIVER L	KY03017	KENTUCKY RIVER	N	DAEN ORL	38 3,1	5225,0	7838,	15,	15,	0,E	0, E	0,
OCK & DAM 05	ORL0101				84 49,8					N	36,53 N	68,7
COUNTY NAME: BALLARD						FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH				
MOUND CITY L&D	KY00022	OHIO RIVER			37 4,8	203915,0	300000,	25,	31,	0,U	0, U	0,
	ORL0102				89 9,4					T	1621,86 T	4832,5
OHIO RIVER LOCK	KY03042	OHIO RIVER	N	DAEN ORL	37 11,9	203100,0	304700,	13,	13,	0,E	0, E	0,
& DAM 53	ORL0103				89 2,2					N	840,00 N	2502,8
COUNTY NAME: BARREN						FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH				
BARREN RIVER LAK	KY03009	BARREN RIVER	CR	DAEN ORL	36 53,8	940,0	1410,	80,	123,	815,E	0, E	0,
E	ORL0104				86 7,5					N	40,67 N	77,4
COUNTY NAME: BATH						FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH				
CAVE RUN LAKE	KY03055	LICKING RIVER	CR	DAEN ORL	38 7,1	826,0	1239,	90,	125,	614,E	0, E	0,
	ORL0105				83 32,0					N	34,24 N	60,3
COUNTY NAME: BELL						FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE AT				
KETTLE ISLAND DA	KY00040	STRAIGHT CREEK	HR	CORPS	36 47,3	46,0	88,	76,	102,	0,E	0, E	0,
M	ORN0022				83 35,6					N	2,03 N	3,8
CANNON CK LAKE	KY00081	CANNON CK	S	COMMONWEALTH	36 41,1	5,0	7,	92,	125,	17,E	0, E	0,
	ORN0023			OF KENTUCKY	83 41,5					N	,18 N	,4

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF KENTUCKY

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM.M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: BELL					FERC POWER SUPPLY AREA 19					FERC REGIONAL OFFICE CODE AT		
PINE MOUNTAIN ST	KYU0082	CLEAR CK	R	COMMONWEALTH	36 44.5	29.0	55.	15.	20.	0.	E 0.	E 0.
ATE PARK LAKE	ORN0024			OF KENTUCKY	83 41.6						N .25	N .5
COUNTY NAME: BOURBON					FERC POWER SUPPLY AREA 10					FERC REGIONAL OFFICE CODE CM		
HINCKSTON CREEK	KYU0003	HINCKSTON CREEK			38 16.8	174.0	261.	35.	45.	128.	U 0.	U 0.
	ORL0106				84 17.2						T 1.70	T 2.7
COUNTY NAME: BRACKEN					FERC POWER SUPPLY AREA 12					FERC REGIONAL OFFICE CODE NY		
CAPTAIN ANTHONY	KYU0092	OHIO RIVER	NR	DAEN ORH	38 47.6	70808.0	91890.	30.	0.	0.	E 0.	E 0.
MELDAHL L+D	ORH0001				84 10.3						N 758.64	N 2219.9
COUNTY NAME: BREATHITT					FERC POWER SUPPLY AREA 10					FERC REGIONAL OFFICE CODE CM		
TROUBLESOME CK	KYU0013	TROUBLESOME CK			37 28.9	201.0	302.	35.	45.	112.	U 0.	U 0.
	ORL0107				83 19.8						T 2.20	T 4.9
COUNTY NAME: BRECKINRIDGE					FERC POWER SUPPLY AREA 19					FERC REGIONAL OFFICE CODE CM		
ROUGH RIVER LAKE	KY03012	ROUGH RIVER	CR	DAEN ORL	37 37.2	454.0	681.	73.	105.	334.	E 0.	E 0.
	ORL0108				86 30.0						N 3.76	N 14.8
COUNTY NAME: BUTLER					FERC POWER SUPPLY AREA 19					FERC REGIONAL OFFICE CODE CM		
ROCHESTER	KYU0024	GREEN RIVER			37 12.6	5765.0	8650.	30.	38.	781.	U 0.	U 0.
	ORL0109				86 54.0						T 83.26	T 177.7

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF KENTUCKY

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: CAMPBELL					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH					
POOLES CREEK	KYU0025	LICKING RIVER			39 ,7	3650.0	5480.	35.	50.	64.	U 0.	U 0.
	ORL0110				84 28.2						T 62.94	T 103.6
COUNTY NAME: CARROLL					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH					
KENTUCKY RIVER L OCK + DAM 01	KY03013	KENTUCKY RIVER	N	DAEN ORL	38 39.8	6956.0	10434.	8.	8.	0.	E 0.	E 0.
	ORL0111				85 8.6						N 28.19	N 50.9
COUNTY NAME: CARTER					FERC POWER SUPPLY AREA 10		FERC REGIONAL OFFICE CODE NY					
GRAYSON	KYU0095	LITTLE SANDY RIV	CRO	DAEN ORH	38 15.2	196.0	248.	59.	96.	119.	E 0.	E 0.
	ORH0002	ER			82 59.1						N 2.78	N 6.3
COUNTY NAME: CHRISTIAN					FERC POWER SUPPLY AREA 20		FERC REGIONAL OFFICE CODE AT					
UOPKY9000	KYU0036	NORTH FORK LITTL	HR	CORPS	36 53.2	28.0	40.	76.	102.	0.	E 0.	E 0.
	ORN0025	E RIVER			87 27.5						N .80	N 1.5
LAKE BOXLEY	KYU0048	LOWER BRANCH	SRC	CHRISTIAN CO	36 53.6	10.0	14.	38.	51.	8.	E 0.	E 0.
	ORN0026			UNTY SCD	87 26.6						N .15	N .3
LAKE MORRIS	KYU0049	NORTH FORK OF LI	RC	CHRISTIAN CO	36 55.2	8.0	12.	44.	59.	10.	E 0.	E 0.
	ORN0027	TTLE R.		UNTY SCD	87 27.4						N .13	N .3
COUNTY NAME: CLAY					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH					
LIT GOOSE CK	KYU0010	LIT GOOSE CK			37 9.1	38.0	57.	35.	45.	30.	U 0.	U 0.
	ORL0112				83 47.3						T .71	T 1.2
RED BIRD RIV	KYU0011	RED BIRD RIV			37 12.8	115.0	122.	35.	45.	90.	U 0.	U 0.
	ORL0113				83 37.5						T 2.20	T 4.5

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF KENTUCKY

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: CLAY					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH					
BERT COMBS LAKE (BEECH CK DAM)	KY00043 ORL0114	BEECH CREEK	SR	COMMONWEALTH OF KENTUCKY	37 10.1 83 42.5	2.0	3.	73.	65.	1.	E 0. N .07	E 0. N .1
COUNTY NAME: CRITTENDEN					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH					
OHIO RIVER LOCK + DAM 50	KY03039 ORL0115	OHIO RIVER	N	DAEN ORL	37 28.2 88 5.3	143400.0	143400.	10.	10.	0.	E 0. N 456.22	E 0. N 1359.3
COUNTY NAME: EDMONSON					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH					
NOLIN LAKE	KY03011 ORL0116	NOLIN RIVER	CR	DAEN ORL	37 16.7 86 14.7	703.0	1054.	100.	145.	609.	E 0. N 3.87	E 0. N 16.2
COUNTY NAME: ESTILL					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH					
STATION CAMP CK	KY00014 ORL0117	STATION CAMP CK			37 34.5 83 57.0	95.0	142.	35.	45.	290.	U 0. T 1.37	U 0. T 2.6
KENTUCKY RIVER LOCK + DAM 11	KY03023 ORL0118	KENTUCKY RIVER	N	DAEN ORL	37 47.1 84 6.2	3219.0	4829.	18.	18.	0.	E 0. N 27.55	E 0. N 49.6
KENTUCKY RIVER LOCK + DAM 12	KY03024 ORL0119	KENTUCKY RIVER	N	DAEN ORL	37 40.7 83 56.9	2916.0	4374.	17.	17.	0.	E 0. N 23.66	E 0. N 43.6
COUNTY NAME: FLOYD					FERC POWER SUPPLY AREA 10		FERC REGIONAL OFFICE CODE NY					
DEWEY	KY00093 ORH0003	JOHNS CREEK	CRO	DAEN ORH	37 44.2 82 43.8	207.0	227.	49.	86.	93.	E 0. N 2.59	E 0. N 5.7

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF KENTUCKY

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: FRANKLIN					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH					
KENTUCKY RIVER LOCK + DAM 04	KY03016 ORL0120	KENTUCKY RIVER	N	DAEN ORL	38 12,6 84 52,3	5412.0	8118.	13.	13.	0. 	E 0. N 375.23	E 0. N 706.1
COUNTY NAME: FULTON					FERC POWER SUPPLY AREA 25		FERC REGIONAL OFFICE CODE AT					
LOCK AND DAM NO. 5	KYU0002 LMM0009	MISSISSIPPI RIVER	R		36 34,0 89 23,5	922500.0	246595.	17.	17.	0. 	U 0. T 866.97	U 0. T 3005.4
COUNTY NAME: GRANT					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH					
EAGLE CREEK	KYU0030 ORL0121	EAGLE CREEK			38 36,6 84 40,8	247.0	370.	76.	102.	173.	U 0. T 4.12	U 0. T 8.2
BOLTZ LAKE	KY00032 ORL0122	ARNOLDS CREEK	R	COMMONWEALTH OF KENTUCKY	38 42,4 84 37,1	3.0	5.	73.	68.	3. 	E 0. N .10	E 0. N .1
BULLOCK PEN LAKE	KY00055 ORL0123	BULLOCK PEN CREEK	R	COMMONWEALTH OF KENTUCKY	38 47,3 84 39,4	8.0	12.	73.	54.	3. 	E 0. N .29	E 0. N .5
WILLIAMSTOWN LAKE	KY00080 ORL0124	SOUTH FORK GRASS CREEK	S R	CITY OF WILLIAMSTOWN	38 40,6 84 31,1	9.0	13.	73.	55.	9. 	E 0. N .30	E 0. N .4
COUNTY NAME: GREENUP					FERC POWER SUPPLY AREA 10		FERC REGIONAL OFFICE CODE NY					
ARGILLITE	KYU0090 ORH0004	LITTLE SANDY RIVER	C		38 24,0 82 53,0	554.0	341.	50.	65.	228.	U 0. T 3.31	U 0. T 11.7
ARGENTUM	KYU0091 ORH0005	TYGARTS CREEK	C		38 30,0 82 58,0	292.0	363.	72.	87.	137.	U 0. T 2.91	U 0. T 9.7
GREENUP L+D	KYU0096 ORH0006	OHIO RIVER	NR	DAEN ORH	38 38,8 82 51,5	62000.0	92050.	30.	44.	0. 	E 0. N 677.58	E 0. N 1906.9

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF KENTUCKY

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: GREENUP					FERC POWER SUPPLY AREA 10			FERC REGIONAL OFFICE CODE NY				
KEHOE LAKE	KY00098	TYGARTS CREEK	CRO		38 29,0	127.0	158.	59.	91.	48.	U 0.	U 0.
	ORH0007				83 2,0						T 2.27	T 4.6
COUNTY NAME: HARLAN					FERC POWER SUPPLY AREA 19			FERC REGIONAL OFFICE CODE AT				
UDPTN90000	KY00041	CLOVER FORK	HR	CORPS	36 53,2	29.0	52.	76.	102.	0.	E 0.	E 0.
	ORN0028				83 2,5						N 1.10	N 2.4
MARTINS FORK LAK	KY00045	MARTINS FORK	COM	CORPS	36 45,3	56.0	107.	36.	78.	21.	E 0.	E 0.
E	ORN0029				83 15,5						N 1.17	N 2.2
CRANKS CK LAKE	KY00079	CRANKS CK	R	HARLAN COUNT	36 44,3	25.0	48.	81.	110.	17.	E 0.	E 0.
	ORN0030			Y	83 14,3						N 1.18	N 2.2
COUNTY NAME: HENDERSON					FERC POWER SUPPLY AREA 19			FERC REGIONAL OFFICE CODE CM				
GREEN R L + D '1	KY03002	GREEN RIVER	N	DAEN ORL	37 51,5	9181.0	13770.	12.	12.	0.	E 0.	E 0.
	ORL0125				87 24,6						N 52.21	N 111.9
NEWBURG LOCK + D	KY03059	OHIO RIVER	N	DAEN ORL	37 54,6	97690.0	97690.	16.	16.	0.	E 0.	E 0.
AM	ORL0126				87 21,7						N 540.89	N 1458.5
COUNTY NAME: HENRY					FERC POWER SUPPLY AREA 19			FERC REGIONAL OFFICE CODE CM				
LAKE JERICHO ?L.	KY00061	LITTLE KY RIVER	C R	HENRY COUNTY	36 26,8	10.0	15.	75.	65.	9.	E 0.	E 0.
KY R. MPS\16	ORL0127			SCD	85 16,9						N .53	N .7
KENTUCKY RIVER L	KY03014	KENTUCKY RIVER	N	DAEN ORL	38 26,3	6180.0	9270.	14.	14.	0.	E 0.	E 0.
OCK AND DAM 02	ORL0128				84 57,7						N 43.83	N 79.1
KENTUCKY RIVER L	KY03015	KENTUCKY RIVER	N	DAEN ORL	38 25,0	5983.0	8975.	12.	12.	0.	E 0.	E 0.
OCK + DAM 03	ORL0129				84 52,8						N 36.37	N 65.6

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

AD-A075 965 INSTITUTE FOR WATER RESOURCES (ARMY) FORT BELVOIR VA F/G 10/1
NATIONAL HYDROELECTRIC POWER RESOURCES STUDY. PRELIMINARY INVEN--ETC(U
JUL 79 W R SIGLEO , J R HANCHEY , D G NOLTON

UNCLASSIFIED NL

2 OF 3
AD A075965




1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0
4.5
5.0
5.6
MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF KENTUCKY

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: JEFFERSON					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
FLOYDS FK	KY00017	FLOYDS FK SALT R			38 7.1	42.0	63.	35.	45.	133.	U 0.	U 0.
	ORL0130	IV			85 32.5						T .65	T .9
SW JEFFERSON CO IMPOUNDMENT	KY00028	POND + KNOB CREE			38 .9	125.0	188.	41.	72.	22.	U 0.	U 0.
	ORL0131	KS			85 55.3						T 1.75	T 3.4
COUNTY NAME: JESSAMINE					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH					
KENTUCKY RIVER L OCK + DAM 08	KY03020	KENTUCKY RIVER	N	DAEN ORL	37 44.7	4414.0	6621.	19.	19.	0.	E 0.	E 0.
	ORL0132				84 35.2						N 39.92	N 73.0
KENTUCKY RIVER L OCK + DAM 09	KY03021	KENTUCKY RIVER	N	DAEN ORL	37 50.6	4101.0	6152.	17.	17.	0.	E 0.	E 0.
	ORL0133				84 26.4						N 33.15	N 59.7
COUNTY NAME: JOHNSON					FERC POWER SUPPLY AREA 10		FERC REGIONAL OFFICE CODE NY					
PAINTSVILLE	KY00097	PAINT CREEK	CRD	DAEN ORH	37 50.2	93.0	112.	107.	134.	74.	E 0.	E 0.
	ORH0008				82 52.2						N 3.00	N 6.4
COUNTY NAME: KNOTT					FERC POWER SUPPLY AREA 10		FERC REGIONAL OFFICE CODE CH					
CARR FORK LAKE	KY03056	CARR FORK	CR	DAEN ORL	37 13.4	58.0	87.	74.	105.	48.	E 0.	E 0.
	ORL0134				83 3.4						N 2.15	N 4.7
COUNTY NAME: LARUE					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH					
N WARDSTOWN	KY00016	ROLLING FK SALT			37 34.1	384.0	576.	35.	125.	369.	U 0.	U 0.
	ORL0135	NIV			85 36.5						T 3.28	T 8.1
NORTH FORK NOLIN RPS\3	KY00772	SALEM CREEK	S C	CITY OF HODG ENVILLE	37 35.3	36.0	55.	73.	50.	4.	E 0.	E 0.
	ORL0136				85 42.7						N .47	N 1.1

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) = PROJECT PURPOSES: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF KENTUCKY

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM.M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: LAUREL					FERC POWER SUPPLY AREA 19			FERC REGIONAL OFFICE CODE AT				
LAUREL LAKE	KY00047	LAUREL R.	CHR	DAEN ORN	36 57.6	283.0	439.	208.	282.	436.	61.00E	67.0
	ORN00031				84 16.1						0. N	0.
DORTHAE DAM	KY00072	LAUREL RIVER	S	LAUREL CO WA	37 .1	97.0	164.	24.	33.	1.	0. E	0.
	ORN00032			TER DIST #2	84 6.0						1.17N	2.2
WOOD CK LAKE	KY00078	WOOD CK	SR	COMMONWEALTH	37 12.8	22.0	42.	118.	160.	45.	0. E	0.
	ORN00033			OF KENTUCKY	84 11.8						1.51N	2.8
CORBIN RESERVOIR	KY00083	LAUREL RIVER	S	CITY OF CORB	36 58.5	140.0	237.	37.	50.	0.	0. E	0.
	ORN00034			IN	84 7.2						2.13N	4.6
COUNTY NAME: LAWRENCE					FERC POWER SUPPLY AREA 10			FERC REGIONAL OFFICE CODE NY				
YATESVILLE	KY00099	BLAINE CREEK	CRO		38 3.6	208.0	254.	45.	79.	100.	0. U	0.
	ORH00009				82 52.0						2.38T	5.2
COUNTY NAME: LEE					FERC POWER SUPPLY AREA 19			FERC REGIONAL OFFICE CODE CH				
WALKERS CREEK	KY00012	WALKERS CREEK			37 35.1	1260.0	1890.	126.	143.	181.	0. U	0.
	ORL00137				83 41.4						76.04T	120.5
FINCASTLE	KY00019	NO FK KENTUCKY R			37 38.5	1300.0	1950.	50.	70.	81.	0. U	0.
	ORL00136	IV			83 36.0						32.38T	98.9
KENTUCKY RIVER LOCK & DAM 13	KY03025	KENTUCKY RIVER	N	DAEN ORL	37 36.1	2784.0	4176.	18.	18.	0.	0. E	0.
	ORL00139				83 50.0						23.92N	44.1
KENTUCKY RIVER LOCK & DAM 14	KY03026	KENTUCKY RIVER	N	DAEN ORL	37 33.2	2657.0	3986.	17.	17.	0.	0. E	0.
	ORL00140				83 46.2						5.16N	22.1

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF KENTUCKY

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: LESLIE					FERC POWER SUPPLY AREA 10		FERC REGIONAL OFFICE CODE CH					
CUTSHIN CREEK	KYU0008	CUTSHIN CREEK			37 13.2	84.0	126.	35.	45.	69.	U 0.	U 0.
	ORL0141				83 21.6						T 1.44	T 2.7
GREASEY CREEK	KYU0009	GREASEY CREEK			36 58.4	51.0	76.	35.	45.	30.	U 0.	U 0.
	ORL0142				83 17.1						T .89	T 2.0
COUNTY NAME: LETCHER					FERC POWER SUPPLY AREA 10		FERC REGIONAL OFFICE CODE CH					
LINE FORK	KYU0006	LINE FORK			37 7.2	64.0	96.	35.	45.	62.	U 0.	U 0.
	ORL0143				83 1.9						T .85	T 1.7
KINGDOM COME	KYU0007	NO FK KENTUCKY R			37 7.7	131.0	196.	35.	45.	73.	U 0.	U 0.
	ORL0144	IV			82 57.6						T 1.71	T 3.4
LETCHER-HARLAN C O DAM	KYU0038	POOR FORK	HR	CORPS	37 0.	52.0	92.	76.	102.	0.	E 0.	E 0.
	ORN0035				82 54.7						N 1.98	N 4.4
COUNTY NAME: LINCOLN					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH					
	KY00208	BUCK CREEK	C	LINCOLN COUN	37 23.6	10.0	14.	73.	50.	3.	E 0.	E 0.
	ORL0145			TY SCD	84 36.6						N .42	N .8
COUNTY NAME: LIVINGSTON					FERC POWER SUPPLY AREA 40		FERC REGIONAL OFFICE CODE CH					
SMITHLAND L + D	KYU0023	OHIO RIVER			37 9.2	143900.0	220000.	22.	22.	0.	U 0.	U 0.
	ORL0146				88 24.9						T 1007.18	T 3001.0
OHIO RIVER LOCK + DAM 51	KY03040	OHIO RIVER	N	DAEN ORL	37 21.4	143900.0	143900.	8.	8.	0.	E 0.	E 0.
	ORN0036				88 28.7						N 366.25	N 1091.3

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF KENTUCKY

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM.M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: LOGAN					FERC POWER SUPPLY AREA 19			FERC REGIONAL OFFICE CODE CH				
LAKE HERNDON (MU D RIVER MPS 24)	KY00023 ORL0147	EDGER CREEK	C S	LOGAN COUNTY SCD	36 53.6 86 56.9	8.0	12.	73.	68.	7.	0. E .27 N	0. E .5
MUD RIVER MPS\6A	KY00345 ORL0148	WOLF LICK CREEK	C S	LOGAN COUNTY SCD	36 57.0 87 1.8	17.0	25.	73.	69.	17.	0. E .57 N	0. E 1.0
COUNTY NAME: LYON					FERC POWER SUPPLY AREA 20			FERC REGIONAL OFFICE CODE AT				
LAKE BARKLEY	KY00058 ORN0037	CUMBERLAND	HNCR	DAEN ORN	37 1.3 88 13.3	17598.0	28503.	75.	102.	2082.	130.00 E 424.26 N	761.6 766.0
COUNTY NAME: MADISON					FERC POWER SUPPLY AREA 19			FERC REGIONAL OFFICE CODE CH				
FORD	KY00015 ORL0149	KENTUCKY RIV			37 52.3 84 15.2	2503.0	3755.	35.	45.	840.	0. U 41.62 T	0. 77.1
WILGREEN LAKE (TAYLOR FK DAM)	KY00048 ORL0150	TAYLOR FORK	R	MADISON COUN TY	37 42.2 84 21.5	14.0	21.	73.	75.	8.	0. E .48 N	0. E .8
RED BRICK CK MPS \1	KY00769 ORL0151	OWSLEY FORK	SC	RED LICK CRE EK W.C.D.	37 32.8 84 11.0	7.0	11.	73.	52.	5.	0. E .24 N	0. E .4
KENTUCKY RIVER LOCK + DAM 10	KY03022 ORL0152	KENTUCKY RIVER	N	DAEN ORL	37 53.7 84 15.7	3955.0	5933.	17.	17.	0.	0. E 31.97 N	0. E 57.5
COUNTY NAME: MAGOFFIN					FERC POWER SUPPLY AREA 10			FERC REGIONAL OFFICE CODE CH				
ROYALTON	KY00004 ORL0153	LICKING RIVER			37 40.8 83 1.5	76.0	114.	35.	45.	47.	0. U 1.14 T	0. 1.9

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF KENTUCKY

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MARSHALL					FERC POWER SUPPLY AREA 20		FERC REGIONAL OFFICE CODE AT					
KENTUCKY LAKE	KY00060 ORN0038	TENNESSEE R.	NCHR	TVA	37 ,8 88 10,1	40200,0	65111,	140,	190,	6129,	E 175,00 N 2183,48	E 112,5 N 6387,6
EAST FORK CLARKS R. FRS '28-A	KY00062 ORN0039	MIDDLE FORK CK.	C S	WILLIE HOLME	36 50,9 88 26,1	15,0	21,	28,	38,	7,	E 0, N ,17	E 0, N ,2
COUNTY NAME: MCCRACKEN					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH					
OHIO RIVER LOCK + DAM 52	KY03041 ORL0154	OHIO RIVER	N	DAEN ORL	37 7,3 88 39,3	202830,0	202830,	12,	12,	0,	E 0, N 767,10	E 0, N 2302,5
COUNTY NAME: MCLEAN					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH					
GREEN RIVER LOCK + DAM 02	KY03003 ORL0155	GREEN RIVER	N	DAEN ORL	37 31,9 87 15,9	7564,0	11400,	14,	14,	0,	E 0, N 50,19	E 0, N 107,6
COUNTY NAME: MEADE					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
DOE VALLEY LAKE	KY00022 ORL0156	DOE RUN	R S	MERRIL LYNCH	37 59,9 86 7,0	36,0	54,	73,	97,	19,	E 0, N ,92	E 0, N 1,1
COUNTY NAME: MONROE					FERC POWER SUPPLY AREA 20		FERC REGIONAL OFFICE CODE AT					
CELINA DAM	KY00046 ORN0040	CUMBERLAND RIVER	HR	CORPS	36 36,4 85 30,2	6306,0	10204,	46,	60,	358,	E 0, N 134,88	E 0, N 334,2
	KY00296 ORL0157	MILL CREEK	R C S	CITY OF TOMP KINSVILLE	36 41,0 85 42,1	7,0	11,	73,	63,	5,	E 0, N ,27	E 0, N ,4

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSES: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF KENTUCKY

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MUHLENBERG					FERC POWER SUPPLY AREA 19			FERC REGIONAL OFFICE CODE CM				
LAKE MALONE ?MUD R. MPS\51&	KY00110 ORL0156	ROCKY CREEK	R C S	COMMONWEALTH OF KENTUCKY	37 4,9 / 87 2,0	29.0	43,*	73,*	56,*	30,*E *N	0,*E ,38*N	0, ,9
COUNTY NAME: NELSON					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CM				
CAMPGROUND LAKE	KY00027 ORL0159	BEECH FK SALT RIVER			37 49,6 / 85 17,5	438.0	659,*	25,*	125,*	361,*U *T	0,*U 2,72*T	0, 5,9
LAKE SYMPSON	KY00045 ORL0160	BUFFALO CREEK	R S	CITY OF BARD STOWN	37 48,4 / 85 30,6	9.0	14,*	73,*	70,*	6,*E *N	0,*E ,28*N	0, ,5
COUNTY NAME: OHIO					FERC POWER SUPPLY AREA 19			FERC REGIONAL OFFICE CODE CM				
GREEN RIVER LOCK AND DAM 03	KY03004 ORL0161	GREEN RIVER	N	DAEN ORL	37 12,8 / 86 54,0	6141.0	9212,*	17,*	17,*	0,*E *N	0,*E 51,81*N	0, 107,6
COUNTY NAME: OWEN					FERC POWER SUPPLY AREA 19			FERC REGIONAL OFFICE CODE CM				
ELMER DAVIS LAKE	KY00059 ORL0162	NORTH SEVERN CREEK	R S	COMMONWEALTH OF KENTUCKY	38 29,7 / 84 52,9	7.0	10,*	73,*	65,*	4,*E *N	0,*E ,22*N	0, ,4
COUNTY NAME: OWSLEY					FERC POWER SUPPLY AREA 19			FERC REGIONAL OFFICE CODE CM				
BOONEVILLE LAKE	KY00021 ORL0163	SO FK KENTUCKY R IV			37 28,6 / 83 40,3	665.0	998,*	277,*	140,*	480,*U *T	0,*U 91,60*T	0, 154,2
COUNTY NAME: PENDLETON					FERC POWER SUPPLY AREA 19			FERC REGIONAL OFFICE CODE CM				
FALMOUTH LAKE	KY00020 ORL0164	LICKING RIVER			38 35,7 / 84 15,8	2331.0	3500,*	88,*	140,*	693,*U *T	0,*U 101,07*T	0, 166,3

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF KENTUCKY

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: PENDLETON					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH					
KINCAID LAKE	KY00036	KINCAID CREEK	R	COMMONWEALTH	38 43.4	31.0	46.	73.	61.	6.	E 0.	E 0.
	ORL0165			OF KENTUCKY	84 17.6						N 1.05	N 1.4
COUNTY NAME: PERRY					FERC POWER SUPPLY AREA 10		FERC REGIONAL OFFICE CODE CH					
LEATHERWOOD CK	KYU0005	LEATHERWOOD CK			37 6.1	49.0	74.	35.	45.	35.	U 0.	U 0.
	ORL0166				83 5.3						T .87	T 1.4
BUCKHORN LAKE	KY03027	MIDDLEFORK KENTU	CR	DAEN ORL	37 20.4	408.0	612.	65.	123.	160.	E 0.	E 0.
	ORL0167	CKY RIVER			83 28.3						N 3.22	N 11.6
COUNTY NAME: PIKE					FERC POWER SUPPLY AREA 10		FERC REGIONAL OFFICE CODE NY					
FISHTRAP	KYU0094	LEVISA FORK	CRO	DAEN ORH	37 25.9	395.0	465.	82.	152.	164.	E 0.	E 0.
	ORH0010				82 25.0						N 3.14	N 13.1
COUNTY NAME: POWELL					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH					
RED RIVER	KYU0029	RED RIVER			36 50.0	235.0	352.	58.	114.	168.	U 0.	U 0.
	ORL0168				83 45.8						T 3.05	T 8.6
MILL CREEK LAKE	KY00259	MILL CREEK	R	COMMONWEALTH	37 46.0	5.0	8.	73.	55.	1.	E 0.	E 0.
	ORL0169			OF KENTUCKY	83 40.4						N .17	N .2
COUNTY NAME: PULASKI					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE AT					
ROCKCASTLE NARRO WS DAM	KYU0035	ROCKCASTLE RIVER	HR	CORPS	37 2.1	725.0	1124.	76.	142.	171.	E 0.	E 0.
	ORN0041				84 18.3						N 27.20	N 49.1

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF KENTUCKY

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	POWER NET HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: ROCKCASTLE					FERC POWER SUPPLY AREA 19			FERC REGIONAL OFFICE CODE AT				
PARKER BRANCH DAM	KY00034 ORN00042	ROCKCASTLE RIVER	HR	CORPS	37 18,0 84 8,8	292,0	453,	76,	117,	317,	E 0. N 3,32	E 0. N 12,6
LAKE LINVILLE	KY00069 ORN00043	RENFRO CK	RS	COMMONWEALTH OF KENTUCKY	37 23,0 84 20,1	15,0	21,	53,	72,	15,	E 0. N ,39	E 0. N ,6
COUNTY NAME: RUSSELL					FERC POWER SUPPLY AREA 20			FERC REGIONAL OFFICE CODE AT				
LAKE CUMBERLAND	KY00059 ORN00044	CUMBERLAND R,	HCR	DAEN ORA	36 52,2 85 8,7	5789,0	9065,	163,	220,	2094,	E 270,00 N 0,	E1317,9 N 0,
COUNTY NAME: SHELBY					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CM				
GUIST CREEK LAKE	KY00040 ORL0170	GUIST CREEK	R S	COMMONWEALTH OF KENTUCKY	38 12,4 85 9,5	29,0	44,	44,	60,	12,	E 0. N ,54	E 0. N 1,0
CEDARMORE LAKE	KY00050 ORL0171	SIX MILE CREEK	R	CEDARMORE ASSEMBLY	38 19,7 85 1,0	27,0	41,	22,	30,	3,	E 0. N ,25	E 0. N ,5
TRAILWOOD LAKE	KY00315 ORL0172	BACKBONE CREEK	R	TRAILWOOD LAKES, INC,	38 19,1 84 59,7	4,0	6,	73,	63,	3,	E 0. N ,12	E 0. N ,2
CEDARMORE RESERVOIR	KY00376 ORL0173	TR-SIXMILE CREEK	S	CEDARMORE ASSEMBLY	38 18,8 85 ,9	27,0	41,	27,	37,	0,	E 0. N ,31	E 0. N ,6
COUNTY NAME: SPENCER					FERC POWER SUPPLY AREA 19			FERC REGIONAL OFFICE CODE CM				
TAYLORSVILLE LAKE	KY00026 ORL0174	SALT RIVER			38 0, 85 18,2	353,0	530,	87,	132,	292,	U 0. T 6,51	U 0. T 15,9

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID,
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF KENTUCKY

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: TAYLOR					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH					
GREEN RIVER LAKE	KY03007	GREEN RIVER	CR	DAEN ORL	37 20,3	682.0	1023.	84.	123.	723.	E 0.	E 0.
	ORL0175			4741	85 15,2						N 30.70	N 55.4
COUNTY NAME: UNION					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
UNIONTOWN LOCK & DAM	KY03060	OHIO RIVER	N	DAEN ORL	37 46,2	108000.0	108000.	22.	22.	0.	E 0.	E 0.
	ORL0176				87 57,5						N 822.21	N 2217.1
COUNTY NAME: WARREN					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH					
DRAKES CREEK	KY00016	DRAKES CREEK			36 55,3	500.0	750.	35.	45.	307.	U 0.	U 0.
	ORL0177				86 23,0						T 2.70	T 10.2
TURNER R L & D 1	KY03008	BARREN RIVER	N	DAEN ORL	37 5,2	1966.0	2949.	15.	15.	0.	E 0.	E 0.
	ORL0178				86 30,2						N 4.38	N 18.4
COUNTY NAME: WASHINGTON					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH					
WILLISBURG LAKE	KY00103	LONG LICK CREEK	SR	COMMONWEALTH	37 49,6	4.0	6.	73.	77.	6.	E 0.	E 0.
	ORL0179			OF KENTUCKY	85 9,8						N .12	N .2
COUNTY NAME: WHITLEY					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE AT					
LITTLE CLEAR CREEK DAM	KY00039	LITTLE CLEAR CREEK	HR	CORPS	36 40,4	14.0	27.	76.	102.	0.	E 0.	E 0.
	ORN0045	EK			84 23,1						N .62	N 1.2
COUNTY NAME: WOODFORD					FERC POWER SUPPLY AREA 19		FERC REGIONAL OFFICE CODE CH					
KENTUCKY RIVER LOCK & DAM 06	KY03018	KENTUCKY RIVER	N	DAEN ORL	37 55,6	5102.0	7653.	14.	14.	0.	E 0.	E 0.
	ORL0180				84 49,2						N 34.00	N 62.2

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

STATE OF MICHIGAN

. . . PRELIMINARY ESTIMATE . . . (07/08/79)

PHYSICAL POTENTIAL FOR ADDITIONAL HYDROELECTRIC CAPACITY AND ENERGY DEVELOPMENT IN THE STATE OF MICHIGAN

HEAD RANGE		POTENTIAL INCREMENTAL CAPACITY RANGES															
		.05 MW - 15 MW				15 MW - 25 MW				GREATER THAN 25 MW				TOTAL			
		EXIST INST 1 CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP	EXIST INST 1 CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP	EXIST INST 1 CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP	EXIST INST 1 CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP
0-19	NUMBER	27	56	0	56	0	0	0	0	0	1	0	1	27	57	0	57
	CAPCTY	47.5	76.7	0.0	76.7	0.0	0.0	0.0	0.0	0.0	259	0.0	259	47.5	336	0.0	336
	ENERGY	187	327	0.0	327	0.0	0.0	0.0	0.0	0.0	664	0.0	664	187	990	0.0	990
20-49	NUMBER	50	67	0	67	1	2	0	2	1	2	0	2	52	71	0	71
	CAPCTY	181	156	0.0	156	18.3	33.8	0.0	33.8	41.2	419	0.0	419	241	608	0.0	608
	ENERGY	713	619	0.0	619	161	111	0.0	111	297	2014	0.0	2014	1171	2744	0.0	2744
50-99	NUMBER	8	10	0	10	2	4	0	4	2	1	0	1	12	15	0	15
	CAPCTY	52.0	46.7	0.0	46.7	34.0	87.6	0.0	87.6	110	31.1	0.0	31.1	197	166	0.0	166
	ENERGY	236	232	0.0	232	151	288	0.0	288	141	57.0	0.0	57.0	528	576	0.0	576
>100	NUMBER	1	3	0	3	0	0	0	0	0	0	0	0	1	3	0	3
	CAPCTY	1.3	24.0	0.0	24.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	24.0	0.0	24.0
	ENERGY	8.8	60.5	0.0	60.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	60.5	0.0	60.5
TOTAL	NUMBER	86	136	0	136	3	6	0	6	3	4	0	4	92	146	0	146
	CAPCTY	283	303	0.0	303	52.4	121	0.0	121	151	709	0.0	709	486	1133	0.0	1133
	ENERGY	1145	1238	0.0	1238	312	399	0.0	399	436	2735	0.0	2735	1895	4371	0.0	4371

LEGEND

COLUMN 1 = EXISTING HYDROPOWER DEVELOPMENT
COLUMN 2 = ADDITIONAL POTENTIAL AT EXISTING DAMS
COLUMN 3 = UNDEVELOPED POTENTIAL
COLUMN 4 = TOTAL POTENTIAL AT ALL SITES (SUM OF COLUMNS 2 AND 3)
CAPCTY = SUM OF CAPACITIES FOR GIVEN HEAD RANGE (MEGAWATT)
ENERGY = SUM OF ENERGIES FOR GIVEN HEAD RANGE (GIGAWATT-HOUR)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MICHIGAN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: ALCONA					FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH					
ALCONA	MI00150	AUSABLE R	H	CONSUMERS PO	44 33,7	1469,0	1332,	39,	41,	6,E	8,21E	25,4
	NCE0006			WER CO	83 47,8					N	0, N	0,
HUBBARD LAKE	MI00176	S BRANCH THUNDER	S	ALPENA POWER	44 51,6	146,0	95,	7,	8,	35,E	0, E	0,
	NCE0007	BAY		CO	83 35,8					N	,20N	,4
COUNTY NAME: ALGER					FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH					
AU TRAIN	MI00152	AU TRAIN	H	CLEVELAND CL	46 19,9	80,0	67,	30,	38,	46,E	1,20E	5,1
	NCE0008			IFFS IRON CO	86 51,0					N	0, N	0,
COUNTY NAME: ALLEGAN					FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH					
CALKINS BRIDGE	MI00151	KALAMAZOO	H	CONSUMERS PW	42 34,8	1550,0	1354,	16,	33,	14,E	2,55E	8,0
	NCE0009			R CO	85 58,2					N	1,30N	7,6
DOSTER LAKE DAM	MI00418	SILVER CREEK	R		42 26,5	18,0	16,	34,	41,	12,E	0, E	0,
	NCE0010				85 34,3					N	,12N	,3
OTSEGO HYDRO PLA	MI00492	KALAMAZOO	H	CONSUMERS PO	42 28,5	1454,0	1270,	15,	17,	2,E	1,73E	8,4
NT	NCE0011			WER CO	85 45,5					N	1,66N	5,3
TROWBRIDGE	MI00493	KALAMAZOO	H	CONSUMERS PO	42 [illegible],0	1497,0	1308,	22,	24,	1,E	2,10E	9,6
	NCE0012			WER CO	85 48,2					N	2,35N	10,6
COUNTY NAME: ALPENA					FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH					
[illegible]UR MILE DAM	MI00170	THUNDER BAY	H	ALPENA PWR C	45 5,7	1265,0	1026,	20,	25,	1,E	2,03E	6,8
	NCE0013			O	83 30,2					N	1,60N	7,4
NINTH STREET	MI00180	THUNDER BAY	H	ALPENA PWR C	45 4,4	1275,0	1034,	18,	19,	4,E	1,20E	6,0
	NCE0014			O	83 26,0					N	2,13N	7,0

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MICHIGAN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: ALPENA					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CH				
NORWAY POINT	MI00169	THUNDER BAY	H	ALPENA POWER CO	45 5,8	1260,0	1022,	37,	41,	30,E	4,00E	16,0
	NCE0015				83 31,4					N	1,19N	9,2
UPPER SOUTH DAM	MI00202	UPPER SO BRANCH THUNDER BAY	H	ALPENA POWER CO	45 1,4	160,0	33,	13,	19,	53,E	0, E	0,
	NCE0016				83 47,6					N	,13N	,3
COUNTY NAME: ANTRIM					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CH				
ELK RAPIDS DAM	MI00517	ELK	R	CONSUMERS PO WER CO	44 54,0	434,0	92,	10,	13,	90,E	1,24E	2,4
	NCE0017				85 24,7					N	0, N	0,
COUNTY NAME: BARAGA					FERC POWER SUPPLY AREA 13			FERC REGIONAL OFFICE CODE CH				
BIG FALLS	MI00004	STURGEON	H		46 42,0	322,0	390,	99,	0,	0,E	0, E	0,
	NCE0018				88 42,0					N	6,31N	23,1
LOWER PLANT	MI00014	STURGEON	H		46 42,0	322,0	390,	90,	0,	0,E	0, E	0,
	NCE0019				88 42,0					N	5,70N	20,9
TIBBETS FALLS	MI00025	STURGEON	H		46 42,0	155,0	188,	112,	0,	0,E	0, E	0,
	NCE0020				88 42,0					N	3,81N	12,9
PRICKETT DIVERSION DAM	MI00193	STURGEON	H	U, P, POWER CO	46 43,4	340,0	430,	37,	50,	19,E	2,20E	9,4
	NCE0021				88 40,1					N	0, N	0,
COUNTY NAME: BERRIEN					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
KINGS LANDING	MI00013	ST JOSEPH	H		42 6,0	4161,0	3609,	18,	0,	0,E	0, E	0,
	NCE0022				86 24,0					N	8,84N	43,7
BUCHANAN HYDRO ELECTRIC	MI00016	ST JOSEPH RIVER	H	IND + MICH ELECTRIC CO	41 50,5	4037,0	3502,	13,	15,	2,E	3,89E	17,6
	NCE0023				86 21,0					N	2,34N	13,1

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MICHIGAN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: BERRIEN					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
BUCHANAN	MI00157	ST JOSEPH RIVER	H	INDIANA + MI	41 50,3	4037.0	3502.	13.	16.	2.	E 4.10	E 14.0
	NCE0024			CH EL CO	86 21,1						N 2.13	N 16.7
FRENCH PAPER CO	MI00536	ST JOSEPH	H	FRENCH PAPER	41 49,7	3691.0	3202.	12.	14.	1.	E 1.30	E 5.5
	NCE0025			CO	86 15,3						N 4.15	N 20.6
BERRIEN SPRINGS	MI00538	ST JOSEPH	H	IND + MICH E	41 56,7	4081.0	3540.	21.	23.	7.	E 7.20	E 31.0
	NCE0026			LECTRIC CO	86 19,7						N 7.25	N 22.4
COUNTY NAME: BRANCH					FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH					
MOQUNK DAM	MI00021	COLDWATER RIVER	H		42 ,7	75.0	53.	7.	9.	4.	E 0.	E 0.
	NCE0027				85 4,0						N .10	N .3
RILEY DAM	MI00533	ST JOSEPH	H	VILLAGE OF U	42 2,6	544.0	442.	15.	16.	5.	E .42	E 1.3
	NCE0026			NION CITY	85 12,5						N .43	N 2.7
COUNTY NAME: CALHOUN					FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH					
CERESCO DAM	MI00497	KALAMAZOO RIVER	H	SHERMAN E MI	42 18,0	350.0	245.	11.	15.	4.	E 0.	E 0.
	NCE0029			NICK	85 6,0						N .44	N 1.9
COUNTY NAME: CASS					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
WHITFORD DAM	MI00031	S BR DOWAGIC CRE	R		42 0,	78.5	85.	9.	12.	2.	E 0.	E 0.
	NCE0030	EK			86 6,0						N .12	N .6
COUNTY NAME: CHARLEVOIX					FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH					
BOYNE RIVER DAM	MI00515	BOYNE	RH	CONSUMERS PO	45 11,7	62.0	70.	32.	35.	1.	E .56	E 1.4
	NCE0031			WER CO	84 57,0						N 0.	N 0.

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (O,S,A,C,E,) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MICHIGAN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: CHARLEVOIX					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CH				
EAST JORDAN DAM	MI00519	DEER CREEK	R	CONSUMERS PO	45 8,0	33,0	100,	25,	31,	1,	E 0,	E 0,
	NCE00032			WER CO	85 7,0						N ,30	N 1,9
COUNTY NAME: CHEBOYGAN					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CH				
CHEBOYGAN	MI00520	CHEBOYGAN	R		45 38,4	1592,0	1520,	13,	16,	2,	E 2,05	E 6,7
	NCE00033				84 28,5						N ,63	N 7,7
ALVERNO	MI00521	BLACK	H	CONSUMERS PO	45 33,2	610,0	467,	19,	22,	1,	E 1,13	E 3,1
	NCE00034			WER CO	84 23,5						N ,29	N 2,9
TOWER HYDRO PLAN T	MI00545	UPPER BLACK	H	MICHIGAN ELE CTRIC COOP	45 21,7	292,0	254,	20,	23,	1,	E ,56	E 2,2
	NCE00035				84 18,0						N ,36	N 1,4
KLEBER DAM	MI00546	UPPER BLACK	H	NORTHERN MIC H ELECTRIC C	45 23,5	1300,0	1132,	42,	44,	6,	E 1,20	E 4,0
	NCE00036				84 19,8						N 5,11	N 27,8
COUNTY NAME: CHIPPEWA					FERC POWER SUPPLY AREA 13			FERC REGIONAL OFFICE CODE CH				
EDISON SAULT	MIU0036	ST MARYS RIVER	H	EDISON SAULT ELECTRIC CO	46 30,0	80900,0	84761,	21,	0,	0,	E 41,30	E 297,2
	NCE0143				84 18,0						N 219,03	N 999,0
ST MARYS FALLS	MIU0046	ST MARYS RIVER	H	CORPS OF ENG	46 30,0	80000,0	55000,	21,	0,	0,	E 16,40	E 161,2
	NCE0144				84 18,0						N 199,97	N 1015,0
COUNTY NAME: CRAWFORD					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CH				
EATON	MIU0008	AU SABLE	H		44 42,0	642,0	441,	43,	0,	0,	E 0,	E 0,
	NCE0145				84 42,0						N 2,58	N 13,8
UPPER FLAT ROCK	MIU0026	AU SABLE	H		44 42,0	1415,0	1677,	96,	0,	0,	E 0,	E 0,
	NCE0146				84 42,0						N 21,49	N 117,2

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MICHIGAN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DH.M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: DELTA						FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE CH				
ESCANABA NO. 1	MI00164	ESCANABA	H	MEAD CORP.	45 47.7	980.0	1053.	23.	36.	2.	1.95E	6.7
	NCE0036				87 4.7						2.56N	8.1
ESCANABA NO. 2	MI00165	ESCANABA	H	MEAD CORP	45 48.9	900.0	967.	14.	19.	1.	0. E	0.
	NCE0039				87 6.1						3.45N	9.0
ESCANABA NO. 3	MI00166	ESCANABA	H	MEAD CORP	45 50.0	870.0	935.	30.	46.	5.	2.50E	9.9
	NCE0040				87 5.6						2.38N	6.9
ESCANABA NO. 4	MI00167	ESCANABA	H	MEAD CORP	45 58.8	800.0	860.	49.	68.	2.	4.74E	14.0
	NCE0041				87 16.2						1.80N	10.9
COUNTY NAME: DICKINSON						FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH				
WILSON	MIU0026	PINE	H		45 48.0	272.0	222.	99.	0.	0.	0. E	0.
	NCE0042				88 12.0						3.70N	14.1
BIG QUINNESEC FALLS	MIU0030	MENOMINEE	H	WIS-MI PWR C	45 48.0	2475.0	2513.	92.	98.	0.	16.00E	104.9
LLS	NCE0043			O	88 0.						31.17N	57.0
QUINNESEC FALLS	MIU0044	MENOMINEE	H	WISCONSIN-MI	45 48.0	2475.0	2513.	55.	0.	0.	3.53E	4.0
	NCE0044			CH PWR CO	88 0.						24.67N	92.8
TWIN FALLS	MIU0047	MENOMINEE	H	WIS ELEC PWR	45 50.0	1790.0	1650.	44.	0.	0.	6.14E	32.7
	NCE0045			CO	88 5.0						3.99N	14.4
FORD DAM	MI00047	MENOMINEE RIVER	H		45 48.7	50.0	47.	27.	33.	3.	0. E	0.
	NCE0046				88 7.5						.23N	.9
KINGSFORD	MI00177	MENOMINEE	H	WIS-MI PWR C	45 48.5	2367.0	2404.	30.	30.	7.	7.20E	31.2
	NCE0047			O	88 7.6						2.47N	15.6
STURGEON	MI00198	STURGEON	H	WIS-MICH PWR	45 48.4	280.0	216.	43.	54.	7.	.80E	4.0
	NCE0048			CO	87 47.2						1.32N	1.9

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) O=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MICHIGAN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: DICKINSON						FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE CH				
STURGEON FALLS	MI00199	MENOMINEE	H	CITY OF NORW	45 45.4	2940.0	2711.	25.	25.	4.	E 3.50	22.0
	NCE0049			AY	87 52.1						N 5.50	21.6
MINONAME 32	MI00483	E BRANCH STURGEO	CK	DICKINSON CO	45 58.6	237.0	205.	31.	38.	2.	E 0.	0.
	NCE0050	N		UNTY	87 41.5						N 1.06	4.3
COUNTY NAME: GENESEE						FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH				
KEARSLEY DAM	MI00061	KEARSLEY CREEK	SR	CITY OF FLIN	43 3.3	115.0	84.	16.	24.	3.	E 0.	0.
	NCE0051			T	83 39.5						N .47	1.0
HOLLOWAY DAM	MI00064	FLINT RIVER	SR	CITY OF FLIN	43 7.3	526.0	318.	22.	30.	30.	E 0.	0.
	NCE0052			T	83 29.5						N 2.19	4.6
MOTT DAM	MI00469	FLINT	R	GENESEE COUN	43 4.8	954.0	577.	15.	19.	7.	E 0.	0.
	NCE-IFO			TY PARK COMM	83 39.6						N 2.62	5.5
COUNTY NAME: GLADWIN						FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH				
BEAVERTON DAM	MI00524	TOBACCO	R	CITY OF BEAV	43 52.8	467.0	368.	20.	30.	2.	E 1.05	2.9
	NCE-IFO			ERTON	84 28.5						N .14	1.7
CHAPPEL DAM	MI00525	CEDAR RIVER	R		44 .3	155.0	87.	29.	32.	5.	E .41	1.3
	NCE0053				84 33.0						N 0.	0.
SECORD DAM	MI00547	TITTIBAWASSEE	H	WOLVERINE PO	44 2.6	210.0	205.	46.	49.	51.	E 1.20	3.0
	NCE0054			WER CO	84 20.5						N .38	3.1
SMALLWOOD DAM	MI00548	TITTIBAWASSEE	H	WOLVERINE PO	43 57.7	342.0	227.	28.	35.	9.	E 1.20	2.6
	NCE-IFO			WER CO	84 20.0						N .39	1.4
EDENVILLE	MI00549	TITTABAWASSEE AT	H	WOLVERINE PO	43 49.0	1050.0	697.	43.	53.	66.	E 4.80	10.0
	NCE-IFO	JUNCT TOBACO		WER CO	84 23.3						N 0.	0.

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MICHIGAN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: GOGEBIC					FERC POWER SUPPLY AREA 13			FERC REGIONAL OFFICE CODE CH				
CISCO LAKE RESER VOIR	MIU0033 NCE0055	S BR ONTONAGAN	S	U P POWER CO	46 18,0 89 30,0	51.0	47.	8.	8.	0. E N	0. E .07 N	0. .3
PRESQUE WILDLIFE DAM	MI00192 NCE0056	S BR PRESQUE ISL	O	STATE DNR	46 24,0 89 42,0	171.0	188.	9.	11.	2. E N	0. E .36 N	0. 1.1
SAXON FALLS	MI00196 NCE0057	MONTREAL RIVER	H	LAKE SUPERIO R DIST PWR C	46 32,7 90 22,4	272.0	339.	32.	39.	1. E N	1.25 E 0. N	9.4 0.
SUPERIOR FALLS DAM	D MI00528 NCE0058	MONTREAL RIVER	H	LAKE SUPERIO R DIST PWR C	46 33,7 90 24,5	280.0	349.	135.	138.	1. E N	1.32 E 7.80 N	8.8 18.5
COUNTY NAME: GRAND TRAVERSE					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CH				
WALTON	MIU0027 NCE0059	MANISTEE	H		44 24,0 85 42,0	658.0	780.	28.	0.	0. E N	0. E 2.91 N	0. 15.9
BOARDMAN DAM	MI00512 NCE0060	BOARDMAN	RH	CONSUMERS PO WER CO	44 42,0 85 37,3	278.0	243.	41.	44.	2. E N	2.40 E 0. N	6.2 0.
SABIN	MI00513 NCE-IF0	BOARDMAN	H	CONSUMERS PW R CO	44 36,0 85 30,0	280.0	245.	19.	22.	0. E N	1.04 E 0. N	3.1 0.
BROWN BRIDGE	MI00544 NCE0061	BOARDMAN	H	TRAVERSE CIT Y L+P DEPT	44 38,7 85 30,7	223.0	195.	29.	33.	3. E N	.65 E .12 N	2.3 1.8
COUNTY NAME: GRATIOT					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CH				
RAINBOW LAKE DAM	MI00616 NCE-IF0	PINE CREEK	R	EASTLICK PRO PERTIES INC	43 9,0 84 42,0	82.0	48.	32.	42.	5. E N	0. E .50 N	0. 1.0

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION, D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MICHIGAN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: HOUGHTON					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CM				
REDRIDGE DAM	MI00091	SALMON TROUT RIV	R	COPPER RANGE	47 9,0	13.0	107.	27.	33.	2.*E	0. *E	0.
	NCE0062	ER		CO	88 45,8					*N	.62*N	1.9
COUNTY NAME: INGHAM					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CM				
MOORES PARK	MI00094	GRAND RIVER	H	CITY OF LANS	42 43,0	756.0	518.	14.	22.	3.*E	1.50*E	2.7
	NCE0063			ING BD OF WT	84 33,5					*N	.47*N	2.2
COUNTY NAME: IONIA					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CM				
WEBBER	MI00206	GRAND	H	CONSUMERS PW	42 57,4	1751.0	1169.	26.	27.	9.*E	3.25*E	9.1
	NCE0064			R CO	84 54,2					*N	1.47*N	9.0
LYONS DAM	MI00509	GRAND	HR	VILLAGE OF L	42 58,8	1760.0	1169.	9.	11.	1.*E	.35*E	1.2
	NCE0065			YONS	84 57,2					*N	2.60*N	6.0
PORTLAND MUNICIPAL	MI00541	GRAND	H	PORTLAND ELE	42 54,0	1695.0	1426.	9.	12.	1.*E	.38*E	2.4
	NCE-IF0			CTRIC CO.	84 54,0					*N	1.99*N	6.7
COUNTY NAME: IOSCO					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CM				
COOKE	MI00161	AU SABLE R	H	CONSUMERS PW	44 28,4	1641.0	1488.	38.	48.	43.*E	9.00*E	26.3
	NCE0066			R CO	83 34,4					*N	0. *N	0.
FIVE CHANNELS	MI00168	AU SABLE	H	CONSUMERS PW	44 29,1	1613.0	1463.	35.	45.	6.*E	6.00*E	24.7
	NCE0067			R CO	83 40,9					*N	.94*N	12.4
FOOTE	MI00169	AU SABLE R	H	CONSUMERS PW	44 26,1	1644.0	1491.	39.	47.	44.*E	9.00*E	29.2
	NCE0068			R CO	83 26,4					*N	0. *N	0.
LOUD	MI00178	AU SABLE	H	CONSUMERS PO	44 29,3	1602.0	1453.	27.	35.	14.*E	4.00*E	18.0
	NCE0069			WER CO	83 43,2					*N	1.37*N	10.5

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MICHIGAN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: IRON					FERC POWER SUPPLY AREA 13			FERC REGIONAL OFFICE CODE CH				
BRULE ISLAND	MI00156	BRULE	H	MIS-MI PWR C	45 56,8	1050,0	1047,	60,	60,	26,*E	5,34*E	19,1
	NCE0070			O	88 13,2					*N	2,62*N	24,5
HEMLOCK FALLS	MI00172	MICHIGAMME	H	MIS-MI PWR C	46 0,7	665,0	704,	34,	34,	1,*E	2,80*E	13,8
	NCE0071			O	85 14,6					*N	1,04*N	2,9
MICHIGAMME FALLS	MI00184	MICHIGAMME	H	MIS-MI PWR C	45 57,4	724,0	766,	60,	60,	20,*E	9,60*E	42,0
	NCE0072			O	88 11,8					*N	0, *N	0,
PEAVY FALLS	MI00191	MICHIGAMME	H	MIS-MI PWR C	45 59,4	715,0	757,	94,	95,	127,*E	12,00*E	63,9
	NCE0073			O	88 12,6					*N	0, *N	0,
WAY	MI00205	MICHIGAMME	H	MIS-MI PWR C	46 9,5	645,0	683,	28,	35,	141,*E	1,80*E	10,1
	NCE0074			O	88 14,0					*N	1,28*N	3,2
CRYSTAL FALLS	MI00530	PAINT	H	CITY OF CRYS	46 6,5	616,0	608,	22,	25,	2,*E	,90*E	3,0
	NCE0075			TAL FALLS	88 20,0					*N	1,56*N	5,4
COUNTY NAME: ISABELLA					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CH				
ISABELLA LAKE	MI00434	CHIPPEWA RIVER	R	ISABELLA COU	43 39,2	416,0	311,	33,	45,	16,*E	0, *E	0,
	NCE-IF0			NTY	84 59,3					*N	1,69*N	6,6
COUNTY NAME: JACKSON					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CH				
GRAND LAKE DAM	MIU0484	GRAND RIVER	R	PESAI AND AS	42 5,3	174,0	120,	12,	15,	2,*E	0, *E	0,
	NCE0076			SOCIATES	84 25,5					*N	,26*N	1,0
MIRROR LAKE DAM	MI00654	GRAND RIVER	R	AMERICAN CEN	42 6,0	16,6	11,	16,	21,	1,*E	0, *E	0,
	NCE-IF0			TRAL CORP,	84 24,0					*N	,06*N	,1

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION, D=DEBRIS CONTROL, F=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MICHIGAN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DH,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW)	ENERGY (GWH)
COUNTY NAME: KALAMAZOO					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CH				
BRYCE E. MORROW DAM	MI00146	KALAMAZOO	H	CONSUMERS PW	42 17.0	1010.0	848.	11.	14.	6. E	0. E	0.
	NCE00077			R CO	85 29.5					N	1.78 N	6.8
GULL LAKE DAM	MI00565	GULL LAKE OUTLET	R		42 22.3	19.0	10.	65.	21.	3. E	0. E	0.
	NCE-IF0				85 23.0					N	.10 N	.5
COUNTY NAME: KENT					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CH				
ADA DAM	MI00501	THORNAPPLE	R	CONSUMERS PO	42 57.0	824.0	665.	21.	24.	3. E	2.18 E	7.1
	NCE00078			WER CO	85 29.5					N	.83 N	1.6
CASCADE DAM	MI00502	THORNAPPLE	R	CONSUMERS PO	42 54.7	813.0	633.	28.	31.	5. E	2.81 E	8.8
	NCE00079			WER CO	85 30.0					N	.14 N	2.4
LOWELL DAM NO. 1	MI00506	FLAT RIVER	R	CONSUMERS PW	42 59.7	545.0	452.	17.	23.	3. E	1.05 E	5.1
	NCE-IF0			R CO	85 21.6					N	.43 N	.5
GRAND RAPIDS WES T SIDE	MI00508	GRAND	R	CITY OF GD R	42 58.8	4200.0	3074.	12.	14.	4. E	6.70 E	30.0
	NCE-IF0			APIDS	85 40.5					N	0. N	0.
COUNTY NAME: LAPEER					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CH				
WHITE SANDS DAM	MI00425	FARMERS CREEK	R	WHITE SANDS	42 58.0	55.0	30.	21.	29.	5. E	0. E	0.
	NCE-IF0			DEV CO.	83 22.8					N	.20 N	.4
LAKE LAPEER	MI00543	FARMERS CREEK	R		42 56.0	55.0	30.	19.	23.	3. E	0. E	0.
	NCE00080				83 22.8					N	.18 N	.4
COUNTY NAME: LEELANAU					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CH				
LAKE LEELANAN DA M	MI00510	LELAND	R		45 1.5	110.0	96.	8.	10.	14. E	0. E	0.
	NCE00081				85 45.7					N	.10 N	.5

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSES: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MICHIGAN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: LENAWEE					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CH				
BENT OAK DAM	MI00594	RIVER RAISIN	S	CITY OF ADRI	41 54,0	460,0	313,*	16,*	25,*	2,*E	0, *E	0,
	NCE00082			AN	84 0,					*N	1,19*N	3,7
COUNTY NAME: LIVINGSTON					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CH				
SHANNON LAKE DAM	MI00621	N BR ORE CREEK	O	BUI DSFR	42 42,0	38,5	27,*	17,*	22,*	3,*E	0, *E	0,
	NCE00083				83 48,0					*N	,07*N	,3
COUNTY NAME: LUCE					FERC POWER SUPPLY AREA 13			FERC REGIONAL OFFICE CODE CH				
TAHQUAMENON FALL S	MIU0023	TAHQUAMENON	H		46 36,0	840,0	987,*	84,*	0,*	0,*E	0, *E	0,
	NCE0147				85 18,0					*N	23,72*N	57,8
COUNTY NAME: MACKINAC					FERC POWER SUPPLY AREA 13			FERC REGIONAL OFFICE CODE CH				
BREVORT LAKE DAM	MI00155	BREVORT	R	USDA FS	45 59,3	57,0	60,*	8,*	10,*	17,*E	0, *E	0,
	NCE0084				84 56,0					*N	,11*N	,3
COUNTY NAME: MACOMB					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CH				
LOWER STONEY CRE EK LAKE DAM	MI00685	STONEY CREEK	R	HURON-CLINTO N METRO AUTH	42 42,0	68,2	37,*	24,*	32,*	13,*E	0, *E	0,
	NCE0085				83 6,0					*N	,26*N	,6
UPPER STONEY CRE EK LAKE DAM	MI00686	STONEY CREEK	R	HURON-CLINTO N METRO AUTH	42 42,0	70,0	43,*	18,*	24,*	3,*E	0, *E	0,
	NCE0086				83 6,0					*N	,16*N	,5
COUNTY NAME: MANISTEE					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CH				
ANDERSON	MIU0001	MANISTEE	H		44 18,0	1758,0	2008,*	17,*	0,*	0,*E	0, *E	0,
	NCE0087				86 12,0					*N	4,07*N	24,8

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MICHIGAN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MANISTEE					FERC POWER SUPPLY AREA: 11			FERC REGIONAL OFFICE CODE: CH				
HIGH BRIDGE	MI00011	MANISTEE	H		44 18,0	1469,0	1678,	13,	0,	0,	E 0,	E 0,
	NCE00086				86 12,0						N 3,11	N 15,8
HODENPYL POND	MI00174	MANISTEE	H	CONSUMERS PW	44 22,8	1018,0	1163,	67,	65,	71,	E 18,00	E 46,0
	NCE00089			R CO	85 49,2						N 0,	N 0,
TIPPY POND	MI00200	MANISTEE	H	CONSUMER POW	44 15,5	1451,0	1657,	56,	68,	52,	E 80,00	E 55,7
	NCE00090			ER CO	85 56,3						N 0,	N 0,
STRONACH	MI00229	PINE	H	CONSUMERS PO	44 13,0	274,0	315,	18,	19,	1,	E ,99	E 1,9
	NCE00091			WER CO	85 54,0						N 0,	N 0,
COUNTY NAME: MARQUETTE					FERC POWER SUPPLY AREA: 13			FERC REGIONAL OFFICE CODE: CH				
MCCLURE	MI00017	DEAD	H		46 24,0	140,0	16,	382,	0,	0,	E 0,	E 0,
	NCE00092				87 30,0						N 12,44	N 29,1
PEMENE FALLS	MI00019	MENOMINEE	H		45 36,0	3170,0	2640,	29,	0,	0,	E 0,	E 0,
	NCE00093				87 48,0						N 16,31	N 53,6
DEVELOPMENT NO 1	MI00034	DEAD	H	CITY OF MARQ	46 24,0	156,0	130,	81,	0,	0,	E 1,00	E ,5
	NCE00094			UETTE	87 30,0						N 1,33	N 6,0
ESCANABA	MI00163	ESCANABA	H	CLEVELAND CL	46 18,7	346,0	378,	11,	14,	3,	E 2,00	E 5,0
	NCE00097			IFFS IRON CO	87 30,3						N 0,	N 0,
HOIST DAM	MI00175	DEAD	H	CLEVELAND CL	46 33,9	137,0	173,	58,	78,	160,	E 4,40	E 14,8
	NCE00098			IFFS IRON CO	87 34,1						N 0,	N 0,
MARQUETTE NO. 2	MI00181	DEAD	H	CITY OF MARQ	46 34,2	156,0	17,	49,	62,	3,	E 3,20	E 12,0
	NCE00099			UETTE	87 27,0						N 0,	N 0,
MC CLURE	MI00183	DEAD	H	CLEVELAND CL	46 36,0	140,0	177,	43,	54,	4,	E 9,86	E 42,9
	NCE00100			IFFS IRON CO	87 31,1						N 0,	N 0,

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MICHIGAN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DMS)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MARQUETTE						FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE CH				
SILVER LAKE BASIN	MI00197	DEAD	H	CLEVELAND CL	46 39,0	49,0	62,*	27,*	34,*	32,*E	0, *E	0,
	NCE0101			IFFS IRON CO	87 50,1					*N	,55*N	1,1
LAKE INDEPENDENCE DAM	MI00436	IRON RIVER	H		46 48,8	97,0	123,*	10,*	13,*	13,*E	0, *E	0,
	NCE0102				87 40,7					*N	,41*N	,8
TILDEN MINE DAM	MI00487	MIDDLE BRANCH ES	S	CALUMET MECL	46 26,4	46,0	43,*	47,*	57,*	41,*E	0, *E	0,
	NCE0103	CANABA RIVER		A MINE CO	87 47,6					*N	,37*N	1,4
REPUBLIC DAM	MI00562	MICHIGAMME	H		46 24,5	240,0	304,*	23,*	26,*	2,*E	,77*E	2,1
	NCE0104				87 58,7					*N	1,51*N	2,4
SCHWEITZER CREEK DAM	MI00612	SCHWEITZER CREEK	S		46 24,8	24,0	16,*	28,*	38,*	6,*E	0, *E	0,
	NCE0106				87 38,8					*N	,15*N	,3
COUNTY NAME: MASON						FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH				
HAMLIN LAKE DAM	MI00236	BIG SABLE RIVER	R		44 2,2	127,0	140,*	19,*	23,*	54,*E	0, *E	0,
	NCE0107				86 29,7					*N	,37*N	1,9
COUNTY NAME: MECOSTA						FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH				
ROGERS	MI00195	MUSKEGON	H	CONSUMERS PW	43 36,8	1746,0	1469,*	39,*	42,*	13,*E	6,75*E	25,9
	NCE0108			R CO	85 28,7					*N	,93*N	12,7
COUNTY NAME: MENOMINEE						FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE CH				
CHAPPIE RAPIDS	MIU0006	MENOMINEE	H		45 24,0	3955,0	3293,*	14,*	0,*	0,*E	0, *E	0,
	NCE0109				87 36,0					*N	6,38*N	29,5
PEMENE DAM	MIU0018	MENOMINEE	H		45 36,0	2975,0	2477,*	25,*	0,*	0,*E	0, *E	0,
	NCE0110				87 48,0					*N	8,68*N	39,7

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MICHIGAN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MENOMINEE					FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE CH					
SAND PORTAGE	MIU0020	MENOMINEE	H		45 24,0	2530,0	2107,	39,	0,	0,	0, E	0, E	0,
	NCE0111				87 36,0						N	17,51 N	57,5
GRAND RAPIDS	MIU0039	MENOMINEE	H	WISCONSIN PU	45 21,0	3867,0	3220,	26,	26,	0,	E	7,02 E	36,5
	NCE0112			BLIC SERV CO	87 35,0						N	10,82 N	22,1
CHALK HILL	MI00160	MENOMINEE	H	WIS-MICH PWR	45 30,8	3500,0	3227,	28,	28,	12,	E	7,60 E	36,7
	NCE0113			CO	87 48,2						N	10,72 N	26,2
WHITE RAPIDS	MI00207	MENOMINEE	H	WIS-MICH PWR	45 30,0	3228,0	2976,	29,	29,	7,	E	8,00 E	40,0
	NCE0114			CO	87 48,2						N	9,69 N	20,0
UPPER MENOMINEE RIVER DAM	MI00531	MENOMINEE	H	SCOTT PAPER	45 24,0	4061,0	3381,	11,	17,	1,	E	,92 E	6,9
	NCE0115			CO	87 36,0						N	4,54 N	17,2
LOWER MENOMINEE	MI00532	MENOMINEE	H	SCOTT PAPER	45 6,4	3790,0	3494,	12,	14,	0,	E	2,24 E	15,9
	NCE0116			CO	87 37,8						N	3,44 N	11,2
COUNTY NAME: MIDLAND					FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH					
CARROLL CREEK DAM	MI00417	S BR CARROLL CRE	R		43 36,0	28,3	87,	42,	51,	1,	E	0, E	0,
	NCE0117	EK			84 30,0						N	,73 N	2,5
SANFORD	MI00550	TITTABAWASSEE	H	WOLVERINE PO	43 40,7	1090,0	1245,	26,	35,	35,	E	3,30 E	7,0
	NCE-IF0			WER CO	84 23,0						N	1,32 N	16,5
COUNTY NAME: NEWAYGO					FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH					
BRIDGETON	MIU0005	MUSKEGON	H		43 24,0	2330,0	1960,	20,	0,	0,	E	0, E	0,
	NCE011d				85 54,0						N	5,55 N	26,7
NEWAYGO HYDRO PLANT	MIU0041	MUSKEGON	H	CONSUMERS PW	43 24,0	2277,0	1915,	16,	0,	0,	E	2,13 E	10,9
	NCE0119			R CO	85 48,0						N	2,91 N	12,7

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MICHIGAN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: **NEWAYGO**				FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH						
CROTON	MI00162	MUSKEGON	H	CONSUMERS PW	43 25,3	2224.0	1871.	40.	52.	36.E	9.00E	37.1
	NCE0120			R CO	85 48,1					N	4.77N	16.2
HARDY	MI00171	MUSKEGON	H	CONSUMERS PW	43 29,3	1851.0	1557.	63.	78.	183.E	30.00E	84.9
	NCE0121			R CO	85 37,8					N	0. N	0.
COUNTY NAME: **OAKLAND**				FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH						
BACON	MI00002	MUSKEGON	H		43 24,0	2246.0	1889.	20.	0.	0.E	0. E	0.
	NCE0148				85 48,0					N	7.18N	35.7
MICHIGAN CENTRAL DAM	MI00259	PAINT CREEK	O	MI CENTRAL R	42 46,9	39.0	26.	13.	17.	4.E	0. E	0.
	NCE-IF0			R. CO.	83 14,7					N	.06N	.2
COUNTY NAME: **OCEANA**				FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH						
HART DAM	MI00281	S BRANCH PENTWAT	H	HART HYDRO E	43 42,4	78.0	262.	32.	33.	4.E	.30E	1.0
	NCE0122	ER		LECT SYSTEM	86 21,9					N	1.05N	5.0
COUNTY NAME: **OGEMAW**				FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH						
STYLUS LAKE	MI00288	AU GRES	R		44 19,2	84.0	106.	18.	22.	2.E	0. E	0.
	NCE0123				83 56,0					N	.37N	1.3
OGEMAW LAKE DAM	MI00296	PETERSON CREEK	R	OGEMAW COUNT	44 18,0	23.8	30.	26.	32.	7.E	0. E	0.
	NCE0124			Y	84 6,0					N	.15N	.5
COUNTY NAME: **ONTONAGON**				FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE CH						
GRAND RAPIDS	MI00010	ONTONAGAN	H		46 42,0	1310.0	1417.	55.	0.	0.E	4.00E	32.0
	NCE0125				89 12,0					N	17.73N	20.4

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MICHIGAN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: ONTONAGON					**FERC POWER SUPPLY AREA 13**						**FERC REGIONAL OFFICE CODE CH**	
HOOPER	MIU00012	W BR ONTONAGAN	H		46 36,0	610,0	672,	63,	0,	0,	E 0,	E 0,
	NCE0126				89 30,0						N 6,89	N 25,1
BOND FALLS	MI00153	ONTANAGAN	H	U,P, PWR CO	46 24,5	190,0	128,	30,	40,	43,	E 0,	E 0,
	NCE0128				89 7,8						N ,66	N 2,8
VICTORIA DIVERSION	MIU00203	ONTONAGAN	H	U,P, PWR CO	46 41,3	650,0	519,	84,	113,	20,	E 12,00	E 64,0
	NCE0129				89 13,8						N 0,	N 0,
COUNTY NAME: OSCODA					**FERC POWER SUPPLY AREA 11**						**FERC REGIONAL OFFICE CODE CH**	
BAKER BRIDGE	MIU0003	AU SABLE	H		44 42,0	1045,0	948,	29,	0,	0,	E 0,	E 0,
	NCE0130				84 6,0						N 3,76	N 20,0
THOMPSON	MIU0024	AU SABLE	H		44 42,0	1568,0	1440,	11,	0,	0,	E 0,	E 0,
	NCE0131				84 6,0						N 2,17	N 11,5
MIO	MI00186	AU SABLE R	H	CONSUMERS PO	44 39,5	1225,0	1111,	26,	38,	16,	E 5,00	E 15,0
	NCE0132			WER CO	84 7,5						N 0,	N 0,
COUNTY NAME: OTSEGO					**FERC POWER SUPPLY AREA 13**						**FERC REGIONAL OFFICE CODE CH**	
FORKS	MIU0009	ONTONAGAN	H		46 42,0	1290,0	1396,	36,	0,	0,	E 0,	E 0,
	NCE0149				89 12,0						N 8,22	N 29,1
COUNTY NAME: SCHOOLCRAFT					**FERC POWER SUPPLY AREA 13**						**FERC REGIONAL OFFICE CODE CH**	
PAPER MILL	MI00377	MANISTIQUE	H	MANISTIQUE P	45 57,2	1100,0	1444,	23,	30,	2,	E 0,	E 0,
	NCE0133			ULP + PAPER	86 14,8						N 5,21	N 20,8
A-2 POOL	MI00635	SAND CREEK	O	DOI BSFW	46 18,0	50,3	53,	9,	12,	2,	E 0,	E 0,
	NCE0134				86 0,						N ,11	N ,3

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID,
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NER INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MICHIGAN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: SHIAWASSEE					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CH				
SCENIC LAKE DAM	MI00403	LOOKING GLASS RI	R	SCENIC LAKES	42 51,5	281.0	162.	12.	16.	3.	E 0.	E 0.
	NCE-IFO	VER		INC	84 19,7						N .41	N 1.1
COUNTY NAME: ST JOSEPH					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
MOTTVILLE	MI00187	MILL CREEK	H	MICH PWR CO	41 48,4	1862.0	1549.	11.	16.	4.	E 1.68	E 7.1
	NCE0135				85 44,9						N 1.11	N 4.7
LAKE TEMPLENE	MI00470	PRAIRIE	R	ST JOSEPH CO	41 54,5	106.0	88.	13.	18.	9.	E 0.	E 0.
	NCE-IFO			L+L DEV COR	85 29,0						N .24	N .7
STURGIS	MI00534	ST JOSEPH	H	CITY OF STUR	41 58,2	944.0	762.	26.	29.	7.	E .88	E 4.1
	NCE0136			GIS	85 32,4						N 2.28	N 9.3
CONSTANTINE HYDRO	MI00535	ST JOSEPH	H	MICH POWER C	41 50,5	1542.0	1245.	11.	13.	4.	E 1.20	E 5.5
	NCE0137			O	85 39,0						N 1.10	N 3.9
UPPER CONSTANTINE DAM	MI00554	FAWN RIVER	H		41 48,0	22.9	18.	8.	10.	3.	E 0.	E 0.
	NCE0138				85 42,0						N .05	N .1
LOWER CONSTANTINE DAM	MI00555	FAWN RIVER	H		41 48,0	22.9	18.	8.	10.	3.	E 0.	E 0.
	NCE0139				85 42,0						N .05	N .1
COUNTY NAME: ST. CLAIR					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CH				
FORDS DAM	MI00363	BLACK RIVER	R	TEL FARMS	43 6,0	483.0	281.	20.	27.	3.	E 0.	E 0.
	NCE0140				82 56,0						N 1.41	N 2.3
COUNTY NAME: WASHTENAW					FERC POWER SUPPLY AREA 11			FERC REGIONAL OFFICE CODE CH				
RAWSONVILLE	MI00194	HURON RIVER	H	JYRO	42 12,2	800.0	480.	33.	44.	23.	E 1.92	E 8.5
	NCE0141				83 33,5						N .76	N 1.7

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MICHIGAN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: WASHTENAW					FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH					
PENINSULAR PAPER CO.	MI00500	HURON	H	PENINSULAR P	42 12,0	800.0	480.	13.	16.	1.*E	1.40*E	3.3
	NCE-IFO			APER CO.	83 36,0					*N	0. *N	0.
SUPERIOR DAM	MI00558	HURON	H	DETROIT EDIS	42 15,9	792.0	475.	16.	32.	1.*E	1.41*E	3.3
	NCE-IFO			ON	83 35,5					*N	0. *N	0.
BARTON DAM	MI00560	HURON	H	CITY OF ANN	42 18,5	723.0	434.	26.	29.	5.*E	1.55*E	5.2
	NCE-IFO			ARBOR	83 45,3					*N	.41*N	2.1
GEDDES DAM	MI00561	HURON	R		42 15,9	737.0	454.	17.	20.	3.*E	.90*E	3.1
	NCE-IFO				83 38,5					*N	.44*N	1.9
COUNTY NAME: WAYNE					FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH					
NEWBURGH DAM	MI00396	MIDDLE BR ROUGE	R	WAYNE CNTY R	42 24,0	105.0	73.	24.	31.	1.*E	0. *E	0.
	NCE0142	RIVER		D COMM	83 24,0					*N	.51*N	1.1
FRENCH LANDING	MI00557	HURON	R	VAN BUREN TW	42 12,9	825.0	495.	31.	35.	26.*E	2.69*E	7.5
	NCE-IFO			P	83 26,9					*N	0. *N	0.
COUNTY NAME: OXFORD					FERC POWER SUPPLY AREA 11		FERC REGIONAL OFFICE CODE CH					
DUTCH JOHN	MIU0007	MANISTEE	H		44 24,0	475.0	563.	40.	0.	0.*E	0. *E	0.
	NCE0150				85 42,0					*N	3.01*N	18.4
LOWER SIBLEY	MIU0015	MANISTEE	H		44 24,0	1086.0	1287.	50.	0.	0.*E	0. *E	0.
	NCE0151				85 42,0					*N	7.68*N	46.3
MANTON	MIU0016	MANISTEE	H		44 30,0	758.0	899.	41.	0.	0.*E	0. *E	0.
	NCE0152				85 24,0					*N	4.92*N	26.8
SANDS	MIU0021	MANISTEE	H		44 24,0	558.0	661.	57.	0.	0.*E	0. *E	0.
	NCE0153				85 42,0					*N	5.03*N	27.4

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MICHIGAN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MEXFORD					FERC POWER SUPPLY AREA 11					FERC REGIONAL OFFICE CODE CH		
SHERMAN	MIU0022	MANISTEE	H		44 24,0	925,0	1097,	55,	0,	0,	0, E	0, E 0,
	NCE0154				85 42,0						N	7,36 N 43,5

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

STATE OF MINNESOTA

PHYSICAL POTENTIAL FOR ADDITIONAL HYDROELECTRIC CAPACITY AND ENERGY DEVELOPMENT IN THE STATE OF MINNESOTA

HEAD (FT)		.05 MW - 15 MW				15 MW - 25 MW				GREATER THAN 25 MW				TOTAL			
		EXIST INST 1 CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP	EXIST INST 1 CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP	EXIST INST 1 CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP	EXIST INST 1 CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP
0-19	NUMBER	3	80	4	84	0	2	2	4	0	6	0	6	3	88	6	94
	CAPCTY	12.0	30.2	8.8	39.0	0.0	41.8	39.6	81.5	0.0	196	0.0	196	12.0	268	88.5	317
	ENERGY	75.4	85.7	31.3	117	0.0	137	106	244	0.0	597	0.0	597	75.4	820	138	958
20-49	NUMBER	13	15	26	41	0	2	2	4	0	4	7	11	13	21	35	56
	CAPCTY	65.8	28.7	85.4	114	0.0	38.0	38.4	76.4	0.0	387	294	681	65.8	454	418	872
	ENERGY	395	88.6	283	372	0.0	106	128	234	0.0	936	752	1688	395	1131	1162	2293
50-99	NUMBER	2	2	11	13	0	1	0	1	0	1	4	5	2	4	15	19
	CAPCTY	13.0	4.1	33.7	37.8	0.0	20.5	0.0	20.5	0.0	44.6	208	253	13.0	69.3	242	311
	ENERGY	65.7	16.1	128	144	0.0	44.5	0.0	44.5	0.0	63.0	382	445	65.7	124	510	634
>100	NUMBER	0	0	4	4	0	0	2	2	1	1	6	7	1	1	12	13
	CAPCTY	0.0	0.0	18.4	18.4	0.0	0.0	47.3	47.3	67.3	197	254	451	67.3	197	319	516
	ENERGY	0.0	0.0	49.4	49.4	0.0	0.0	80.5	80.5	318	271	468	739	318	271	598	869
TOTAL	NUMBER	18	97	45	142	0	5	6	11	1	12	17	29	19	114	68	182
	CAPCTY	90.8	63.1	146	210	0.0	100	125	226	67.3	825	755	1581	158	989	1027	2016
	ENERGY	536	191	492	683	0.0	288	314	602	318	1868	1602	3469	854	2346	2408	4754

LEGEND

COLUMN 1 = EXISTING HYDROPOWER DEVELOPMENT
COLUMN 2 = ADDITIONAL POTENTIAL AT EXISTING DAMS
COLUMN 3 = UNDEVELOPED POTENTIAL
COLUMN 4 = TOTAL POTENTIAL AT ALL SITES (SUM OF COLUMNS 2 AND 3)
CAPCTY = SUM OF CAPACITIES FOR GIVEN HEAD RANGE (MEGAWATT)
ENERGY = SUM OF ENERGIES FOR GIVEN HEAD RANGE (GIGAWATT-HOUR)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MINNESOTA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: AITKIN					**FERC POWER SUPPLY AREA 16**		**FERC REGIONAL OFFICE CODE**					
MAYHEW LAKE	MN00241	MAYHEW CREEK	O		45 40.7	27.0	6.	8.	10.	5.	E 0.	E 0.
	NCS0002				94 7.6						N .05	N .1
RIPPLE LAKE	MN00243	RIPPLE RIVER	O		46 27.7	90.0	21.	6.	8.	12.	E 0.	E 0.
	NCS0003				93 41.4						N .07	N .2
HANGING KETTLE LAKE	MN00244	RIPPLE RIVER	O		46 28.6	93.0	22.	4.	6.	6.	E 0.	E 0.
	NCS0004				93 42.0						N .05	N .1
SANDY LAKE	MN00583	SANDY RIVER	CR	DAEN NCS	46 47.3	421.0	207.	12.	16.	109.	E 0.	E 0.
	NCS0005				93 19.2						N .41	N 1.5
RICE RIVER POOL	MN00622	RICE RIVER	O	DOI BSFW	46 33.5	145.0	48.	8.	11.	38.	E 0.	E 0.
	NCS0006				93 21.7						N .11	N .4
RICE LAKE POOL	MN00623	TR-RICE RIVER	O	DOI BSFW	46 32.4	138.0	46.	7.	9.	14.	E 0.	E 0.
	NCS0007				93 19.0						N .08	N .3
COUNTY NAME: ANOKA					**FERC POWER SUPPLY AREA 16**		**FERC REGIONAL OFFICE CODE**					
RICE CREEK	MNU0113	MISSISSIPPI	H		45 5.6	18800.0	7030.	22.	22.	6.	U 0.	U 0.
	NCS0008				93 16.7						T 42.14	T 113.8
CEDAR CREEK	MNU0119	RUM	H		45 18.3	1360.0	561.	28.	28.	4.	U 0.	U 0.
	NCS0009				93 22.5						T 3.20	T 9.4
RUM RIVER	MN00549	RUM RIVER	R	CITY OF ANOK	45 12.0	1484.0	611.	22.	30.	1.	E 0.	E 0.
	NCS0010			A	93 23.4						N 3.17	N 8.5
COUNTY NAME: BECKER					**FERC POWER SUPPLY AREA 26**		**FERC REGIONAL OFFICE CODE**					
TWO INLETS LAKES	MN00020	HAY CREEK	O	STATE OF MN	47 1.8	110.0	52.	18.	6.	14.	E 0.	E 0.
	NCS0011				95 11.3						N .11	N .3

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSES: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MINNESOTA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: BECKER					FERC POWER SUPPLY AREA 26			FERC REGIONAL OFFICE CODE				
HEIGHT OF LAND	MN00021	OTTERTAIL RIVER	O	STATE OF MN	46 53.2	195.0	39.	6.	8.	24.	E 0.	E 0.
	NCS0012				95 37.8						N .06	N .2
CHIPPEWA	MN00617	OTTERTAIL RIVER	O	DOI BSFW	46 57.1	114.0	22.	9.	12.	8.	E 0.	E 0.
	NCS0013				95 37.2						N .06	N .1
COUNTY NAME: BELTRAMI					FERC POWER SUPPLY AREA 16			FERC REGIONAL OFFICE CODE				
MOVIL LAKE	MN00015	TURTLE RIVER	O	STATE OF MN	47 37.5	77.0	54.	9.	12.	19.	E 0.	E 0.
	NCS0014				94 46.9						N .07	N .1
MISSISSIPPI RIVER	MN00504	MISSISSIPPI RIVER	H	OTTERTAIL PO	47 29.1	608.0	102.	18.	24.	5.	E 0.	E 0.
	NCS0015	R		WER CO	94 43.1						N .75	N 3.3
COUNTY NAME: BIG STONE					FERC POWER SUPPLY AREA 16			FERC REGIONAL OFFICE CODE				
BIG STONE LAKE	MN00169	MINNESOTA RIVER	O		45 17.8	1160.0	113.	12.	15.	105.	E 0.	E 0.
	NCS0016				96 26.9						N .34	N .6
COUNTY NAME: BLUE EARTH					FERC POWER SUPPLY AREA 16			FERC REGIONAL OFFICE CODE				
NEW ULM 8	MNU0128	MINNESOTA	H		44 12.2	11100.0	1853.	20.	20.	11.	U 0.	U 0.
	NCS0017				94 12.4						T 3.84	T 14.1
MANKATO	MNU0129	MINNESOTA	H		44 9.6	14900.0	2488.	60.	60.	330.	U 0.	U 0.
	NCS0018				94 4.6						T 54.90	T 103.9
BLUE EARTH	MNU0130	BLUE EARTH	H		44 8.5	3550.0	1160.	215.	215.	1900.	U 0.	U 0.
	NCS0019				94 2.4						T 84.60	T 151.9
RAPIDAN	MN00512	BLUE EARTH RIVER	H	NORTHERN STA	44 5.5	2430.0	826.	52.	70.	4.	E 0.	E 0.
	NCS0020			TES POWER	94 6.5						N 3.90	N 14.9

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MINNESOTA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: **BROWN**					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
NEW ULM A	MNU0126	MINNESOTA	H		44 20,9	9530.0	977.	55.	55.	575.	U 0.	U 0.
	NCS0147				94 29,2						T 32.19	T 60.9
COTTONWOOD	MNU0127	COTTONWOOD	H		44 17,3	1290.0	260.	155.	155.	370.	U 0.	U 0.
	NCS0148				94 27,1						T 6.50	T 15.2
COUNTY NAME: **CARLTON**					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE CH					
CLOQUET	MN00598	ST. LOUIS		NORTHWEST PA	46 43,2	3430.0	2217.	29.	39.	1.	E 5.51	E 29.7
	NCS0021			PER CO.	92 25,7						N ,71	N 1.8
FOND DU LAC	MN00603	ST LOUIS	H	MINN PWR + L	46 39,9	3600.0	2347.	78.	85.	2.	E 12.00	E 63.3
	NCS0022			T CO	92 17,6						N 44.66	N 63.1
THOMSON	MN00604	ST LOUIS	H	MINN PWR + L	46 39,9	3560.0	2321.	368.	16.	4.	E 67.35	E 318.0
	NCS0023			T CO	92 24,4						N 197.01	N 271.4
SCANLON	MN00605	ST. LOUIS		MINN. P+L CO	46 42,6	3436.0	2221.	17.	23.	1.	E 1.60	E 14.0
	NCS0024			".	92 25,3						N 4.41	N 7.9
KNIFE FALLS	MN00606	ST LOUIS	H	MINN PWR + L	46 43,6	3426.0	2233.	18.	21.	2.	E 2.40	E 12.1
	NCS0025			T CO	92 26,9						N 3.71	N 10.8
COUNTY NAME: **CARVER**					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
CARVER	MNU0131	MINNESOTA	H		44 45,0	16200.0	3148.	40.	40.	310.	U 0.	U 0.
	NCS0149				93 37,3						T 44.26	T 86.7
COUNTY NAME: **CASS**					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
DAYS HIGH LAND	MNU0120	MISSISSIPPI	H		47 15,0	3175.0	1123.	19.	19.	435.	U 0.	U 0.
	NCS0026				93 48,4						T 4.19	T 17.9

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MINNESOTA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: CASS					FERC POWER SUPPLY AREA 16						FERC REGIONAL OFFICE CODE	
MUD-GOOSE LAKE	MN00040	LEECH LAKE RIVER	U		47 16.1	1150.0	345.	6.	8.	45.	E 0.	E 0.
	NCS0027				93 57.3						N .47	N 2.0
BIG RICE LAKE	MN00041	LAURA BROOK	DI		47 .2	81.0	24.	5.	7.	13.	E 0.	E 0.
	NCS0028				93 54.9						N .09	N .2
LEECH LAKE	MN00585	LEECH LAKE RIVER	CR	DAEN NCS	47 14.4	1163.0	349.	7.	10.	1000.	E 0.	E 0.
	NCS0029	R			94 13.3						N .55	N 2.6
GULL LAKE	MN00596	GULL RIVER	CR	DAEN NCS	46 24.7	287.0	104.	8.	11.	111.	E 0.	E 0.
	NCS0030				94 21.2						N .21	N .7
SYLVAN	MN00601	CROW WING	H	MINNESOTA PW	46 18.3	3575.0	1681.	22.	34.	10.	E 1.80	E 9.8
	NCS0031			R + LT CO	94 22.7						N 3.49	N 9.5
COUNTY NAME: CHIPPEWA					FERC POWER SUPPLY AREA 16						FERC REGIONAL OFFICE CODE	
MONTEVIDEO	MNU0123	MINNESOTA	H		44 56.6	6180.0	633.	35.	35.	500.	U 0.	U 0.
	NCS0150				95 44.6						T 4.10	T 11.2
COUNTY NAME: CHISAGO					FERC POWER SUPPLY AREA 16						FERC REGIONAL OFFICE CODE CH	
NEVERS	MNU0133	ST CROIX	H		45 32.3	5850.0	3976.	45.	45.	419.	U 0.	U 0.
	NCS0151				92 43.3						T 48.50	T 126.1
COUNTY NAME: CLEARWATER					FERC POWER SUPPLY AREA 16						FERC REGIONAL OFFICE CODE	
LOWER RED LAKE	MN00573	RED LAKE RIVER	CS	DAEN NCS	47 57.4	1950.0	404.	7.	10.	3985.	E 0.	E 0.
	NCS0032				95 16.6						N .53	N 2.3

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MINNESOTA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: COOK					FERC POWER SUPPLY AREA 16			FERC REGIONAL OFFICE CODE				
DEVIL NO 2	MNU0074	DEVIL TRACK	H		47 47.0	75.0	23.	50.	50.	0. U	0. U	0.
	NCS0033				90 19.0					T	1.07 T	2.3
MILE 5.1	MNU0075	DEVIL TRACK	H		47 48.3	65.0	17.	50.	50.	1. U	0. U	0.
	NCS0034				90 19.2					T	.92 T	2.0
MILE 2.7	MNU0076	CROSS	H		47 33.5	65.0	34.	25.	25.	0. U	0. U	0.
	NCS0035				90 54.8					T	.85 T	1.5
TEMPERANCE	MNU0077	TEMPERANCE	H		47 35.2	175.0	53.	25.	25.	0. U	0. U	0.
	NCS0036				90 53.3					T	1.42 T	3.0
BRULE NO 3	MNU0082	BRULE	H		47 52.7	235.0	60.	230.	230.	10. U	0. U	0.
	NCS-IF0				90 4.2					T	23.88 T	40.6
BRULE NO 4	MNU0083	BRULE	H		47 51.8	240.0	62.	320.	320.	6. U	0. U	0.
	NCS-IF0				90 3.7					T	33.93 T	57.8
BRULE NO 5	MNU0084	BRULE	H		47 49.7	245.0	63.	270.	270.	5. U	0. U	0.
	NCS-IF0				90 3.0					T	29.23 T	49.7
MILE 3.6	MNU0085	CASCADE	H		47 43.2	80.0	57.	663.	663.	35. U	0. U	0.
	NCS-IF0				90 32.0					T	23.44 T	39.9
MILE 1.8	MNU0086	CASCADE	H		47 44.1	94.0	43.	60.	60.	1. U	0. U	0.
	NCS0037				90 32.0					T	1.89 T	3.9
LOWER POPLAR	MNU0087	POPLAR	H		47 39.8	90.0	17.	150.	150.	1. U	0. U	0.
	NCS0038				90 43.2					T	3.55 T	8.5
UPPER POPLAR	MNU0088	POPLAR	H		47 38.7	100.0	20.	60.	60.	0. U	0. U	0.
	NCS0039				90 43.0					T	1.97 T	4.1
HIGH FALLS	MNU0095	PIGEON	H		48 .3	600.0	497.	225.	225.	1. U	0. U	0.
	NCS-IF0				89 35.9					T	37.79 T	75.9

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MINNESOTA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: **COOK**					FERC POWER SUPPLY AREA 13					FERC REGIONAL OFFICE CODE		
MILE 9.9	MNU00096	PIGEON	H		48 .6	580.0	480.	65.	65.	15. U	0. U	0.
	NCS00040				89 42.6					T	3.46 T	14.3
PARTRIDGE	MNU00097	PIGEON	H		47 59.7	565.0	468.	23.	23.	13. U	0. U	0.
	NCS00041				89 50.8					T	3.64 T	7.3
SOUTH FOWL LAKE	MN00090	PIGEON RIVER	O	CANADA	48 2.4	470.0	389.	9.	12.	31. E	0. E	0.
	NCS00042				89 59.8					N	.38 N	1.6
COUNTY NAME: **COTTONWOOD**					FERC POWER SUPPLY AREA 17					FERC REGIONAL OFFICE CODE CH		
WINDOM	MNU00136	WEST FORK DESMOI			43 50.0	1110.0	227.	9.	0.	0. U	0. U	0.
	NCR-IFO	NES RIVER			95 5.0					T	.40 T	.9
TALCOT LAKE	MN00161	DES MOINES RIVER	O		43 53.1	457.0	13.	8.	11.	5. E	0. E	0.
	NCS00043				95 26.2					N	.22 N	.4
COUNTY NAME: **CROW WING**					FERC POWER SUPPLY AREA 16					FERC REGIONAL OFFICE CODE		
EAGLE LAKE	MN00048	DAGGETT BROOK	O	STATE OF MN	46 44.8	85.0	32.	4.	6.	7. E	0. E	0.
	NCS00044				94 3.1					N	.08 N	.2
ISLAND LAKE	MN00054	MUD BROOK	O	STATE OF MN	46 40.7	81.0	31.	4.	6.	5. E	0. E	0.
	NCS00045				93 54.4					N	.08 N	.2
PINE RIVER LAKE	MN00582	PINE RIVER	CR	DAEN NCS	46 40.1	562.0	212.	11.	15.	194. E	0. E	0.
	NCS00046				94 6.7					N	.47 N	1.8
COUNTY NAME: **DAKOTA**					FERC POWER SUPPLY AREA 16					FERC REGIONAL OFFICE CODE		
LOCKS AND DAM NO 2	MN00594	MISSISSIPPI	N	DAEN NCS	44 45.6	37100.0	10313.	11.	12.	240. E	0. E	0.
	NCS-IFO				92 52.1					N	31.95 N	81.0

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MINNESOTA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: FILLMORE						FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE CH				
BRIGHTDALE	MNU0132	ROOT	H		43 46.0	610.0	316.	123.	123.	386.	U 0.	U 0.
	NCS0049				92 0.						T 5.78	T 20.4
CANNON RIVER	MN00514	CANNON RIVER	R	DAKOTA + GOO	44 30.7	1116.0	414.	44.	58.	25.	E 0.	E 0.
	NCS0048			DHUE COUNTY	92 56.4						N 3.22	N 9.8
COUNTY NAME: FREEBORN						FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE				
ALBERT LEA LAKE	MN00362	SHELL ROCK RIVER	O		43 36.7	153.0	72.	10.	0.	16.	E 0.	E 0.
	NCR0076				93 16.3						N .25	N .5
COUNTY NAME: HENNEPIN						FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE				
MISSISSIPPI RIVE	MN00507	MISSISSIPPI RIVE	R		45 8.6	19100.0	7366.	17.	23.	2.	E 0.	E 0.
R	NCS0050	R			93 18.7						N 33.72	N 89.7
COUNTY NAME: HOUSTON						FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE				
STRUCTURE R-3	MN00524	SOUTH FORK CROOK	C	CROOKED CREE	43 36.2	36.0	15.	37.	50.	1.	E 0.	E 0.
	NCS0052	ED CREEK		K DIST.	91 24.8						N .09	N .3
COUNTY NAME: HUBBARD						FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE				
PORTAGE LAKE	MN00185	PORTAGE RIVER	O		46 57.8	155.0	37.	6.	6.	5.	E 0.	E 0.
	NCS0053				95 6.0						N .05	N .1
STATOE LAKE	MN00186	FISH HOOK RIVER	O	DNR	46 58.7	210.0	37.	6.	8.	90.	E 0.	E 0.
	NCS0054				95 2.8						N .07	N .2
LONG LAKE	MN00187	SHELL RIVER	O		46 50.5	333.0	123.	9.	10.	58.	E 0.	E 0.
	NCS0055				95 .7						N .16	N .4

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION, D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MINNESOTA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: ITASCA					**FERC POWER SUPPLY AREA 16**		**FERC REGIONAL OFFICE CODE**					
BALL CLUB LAKE	MN00075	BALL CLUB RIVER	O		47 21.0	45.0	47.	5.	7.	158.	E 0.	E 0.
	NCS0056				93 54.3						N .05	N .1
POKEGAMA LAKE	MN00584	MISSISSIPPI	CR	DAEN NCS	47 15.1	3265.0	1105.	8.	11.	130.	E 0.	E 0.
	NCS0057				93 35.2						N 1.84	N 7.9
LAKE WINNIBIGOSH ISH	MN00586	MISSISSIPPI	CR	DAEN NCS	47 25.8	1442.0	510.	14.	19.	1072.	E 0.	E 0.
	NCS0058				94 3.0						N 1.40	N 6.0
BLANDIN	MN00602	MISSISSIPPI	H	BLANDIN PAPE R CO	47 13.9	3370.0	1140.	20.	23.	10.	E 2.10	E 10.0
	NCS0059				93 31.8						N 2.26	N 6.1
PRAIRIE RIVER	MN00609	PRAIRIE	H	BLANDIN PWR CO	47 17.2	446.0	295.	35.	19.	16.	E 1.08	E 3.4
	NCS-IF0				93 29.8						N 1.40	N 2.7
COUNTY NAME: JACKSON					**FERC POWER SUPPLY AREA 16**		**FERC REGIONAL OFFICE CODE**					
HERON LAKE-OUTLET	MN00115	HERON LAKE OUTLE T	O	STATE OF MIN N	43 47.6	457.0	106.	5.	7.	100.	E 0.	E 0.
	NCS0060				95 17.5						N .15	N .3
COUNTY NAME: KANABEC					**FERC POWER SUPPLY AREA 16**		**FERC REGIONAL OFFICE CODE**					
KNIFE LAKE	MN00400	KNIFE RIVER	O	STATE OF MN	45 57.7	92.0	17.	14.	19.	11.	E 0.	E 0.
	NCS0061				93 18.8						N .15	N .3
COUNTY NAME: KANDIYOHI					**FERC POWER SUPPLY AREA 16**		**FERC REGIONAL OFFICE CODE**					
CROW RIVER	MN00062	CROW RIVER	O		45 18.0	53.0	97.	18.	25.	13.	E 0.	E 0.
	NCS0062				94 56.9						N .09	N .2
KANDIYOHI LAKE	MN00064	TR-SOUTH FORK CR	O		45 .5	97.0	20.	7.	9.	47.	E 0.	E 0.
	NCS0063	DW RIVER			94 54.8						N .06	N .1

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MINNESOTA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW)	ENERGY (GWH)
COUNTY NAME: KANDIYOHI					FERC POWER SUPPLY AREA 16			FERC REGIONAL OFFICE CODE				
GREEN LAKE	MN00370	CROW RIVER	D		45 16,0	168,0	46,	6,	8,	175,	E 0.	E 0.
	NCS0064				94 52,0						N .09	N .2
COUNTY NAME: KITTSON					FERC POWER SUPPLY AREA 26			FERC REGIONAL OFFICE CODE				
BRONSON LAKE	MN00017	TWO RIVERS-SO BR	RS		48 43,4	444,0	71,	27,	36,	6,	E 0.	E 0.
	NCS0065	ANCH			96 38,0						N .85	N 1.0
COUNTY NAME: KOOCHICHING					FERC POWER SUPPLY AREA 16			FERC REGIONAL OFFICE CODE				
BIG FALLS	MNU0101	BIG FORK	H		48 11,6	1460,0	637,	23,	23,	42,	U 0.	U 0.
	NCS0066				93 48,4						T 3.14	T 9.0
MILE 14,2	MNU0102	BIG FORK	H		48 26,0	1785,0	779,	25,	25,	6,	U 0.	U 0.
	NCS0067				93 46,0						T 3.72	T 11.5
MILE 32,2	MNU0103	BIG FORK	H		48 24,7	1753,0	765,	40,	40,	37,	U 0.	U 0.
	NCS0068				93 48,4						T 3.30	T 14.1
MILE 11,0	MNU0104	LITTLE FORK	H		48 27,5	1720,0	1030,	20,	20,	16,	U 0.	U 0.
	NCS0069				93 36,5						T 3.86	T 10.5
MILE 31,1	MNU0105	LITTLE FORK	H		48 21,3	1580,0	886,	28,	28,	37,	U 0.	U 0.
	NCS0070				93 29,7						T 4.35	T 12.9
MILE 61,9	MNU0106	LITTLE FORK	H		48 10,7	1270,0	712,	37,	37,	35,	U 0.	U 0.
	NCS0071				93 29,0						T 3.36	T 11.9
MILE 89,8	MNU0107	LITTLE FORK	H		48 ,8	1156,0	648,	38,	38,	22,	U 0.	U 0.
	NCS0072				93 15,0						T 3.28	T 11.4
MILE 110,9	MNU0108	LITTLE FORK	H		47 53,5	953,0	534,	55,	55,	125,	U 0.	U 0.
	NCS0073				93 2,5						T 3.58	T 12.9

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MINNESOTA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM.M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: KOOCHICHING					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
RAINY LAKE	MN00653	RAINY RIVER	H	MN-ONT, PAPER	48 36.4	15176.0	9387.	25.	34.	4000.E	0.E	0.
	NCS0074			R COMPANY	93 24.1					N	47.07N	183.9
COUNTY NAME: LAC QUI PARLE					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
MARSH LAKE	MN00579	MINNESOTA	C	DAEN NCS	45 10.3	2470.0	241.	13.	17.	121.E	0.E	0.
	NCS0075				96 5.6					N	.49N	1.7
LAC QUI PARLE	MN00580	MINNESOTA	CR	DAEN NCS	45 1.3	4050.0	636.	18.	24.	123.E	0.E	0.
	NCS0076				95 52.0					N	2.28N	4.5
HIGHWAY 75 DAM LAKE	MN00581	MINNESOTA RIVER	CR	DAEN NCS	45 14.9	1340.0	131.	16.	22.	123.E	0.E	0.
	NCS0077				96 17.5					N	.53N	1.3
COUNTY NAME: LAKE					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
MILE 4.4	MNU0078	MANITOU	H		47 28.8	65.0	19.	60.	60.	0.U	0.U	0.
	NCS0078				91 5.9					T	1.53T	2.8
MILE 0.5	MNU0079	MANITOU	H		47 26.4	71.0	21.	110.	110.	11.U	0.U	0.
	NCS0079				91 4.0					T	2.63T	5.3
MILE 1	MNU0080	BEAVER BAY	H		47 16.0	120.0	163.	20.	20.	1.U	0.U	0.
	NCS0080				91 17.9					T	.84T	1.7
GOOSEBERRY	MNU0081	GOOSEBERRY	H		47 8.8	70.0	12.	15.	15.	0.U	0.U	0.
	NCS0081				91 28.2					T	.41T	.8
BAPTISM	MNU0089	BAPTISM	H		47 21.7	130.0	151.	598.	598.	1.U	0.U	0.
	NCS-IF0				91 13.0					T	34.35T	58.5
MCDOUGAL LAKE	MN00087	STONY RIVER	O	STATE OF MN	47 38.4	37.0	26.	6.	8.	4.E	0.E	0.
	NCS0082				91 33.7					N	.09N	.2

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSES: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MINNESOTA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: LAKE					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
WILSON LAKE	MN00088	WILSON CREEK	R		47 39,7	33.0	13.	9.	10.	10.	E 0.	E 0.
	NCS0083				91 2,8						N .08	N .2
WINTON	MN00607	KAWISHIWI	H	MINN PWR + L	47 57,0	1200.0	956.	21.	41.	12.	E 4.00	E 21.7
	NCS-IF0			T CO	91 45,8						N 0.	N 0.
PRAIRIE PORTAGE	MN00646	RAINY RIVER	RNC	USDA FS	48 3,0	140.0	87.	10.	12.	8.	E 0.	E 0.
	NCS0084				91 26,3						N .36	N .9
GABBRO LAKE NUMBER TWO	MN00647	ISABELLA RIVER	HRC	USDA FS	47 51,0	321.0	264.	6.	7.	10.	E 0.	E 0.
	NCS0085				91 37,7						N .27	N .8
BIRCH LAKE	MN00654	BIRCH RIVER	S	MINN POWER A	47 48,9	467.0	372.	6.	6.	7.	E 0.	E 0.
	NCS0086			ND LIGHT	91 47,0						N .35	N 1.2
KAWISHIWI RIVER	MN00655	KAWISHIWI RIVER	H	MINN POWER +	47 56,0	1200.0	956.	67.	67.	14.	E 0.	E 0.
	NCS-IF0			LIGHT	91 45,8						N 20.52	N 44.6
COUNTY NAME: LE SUEUR					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
TETONKA	MN00150	BIG CANNON RIVER	O	STATE OF MN	44 13,4	110.0	55.	6.	9.	76.	E 0.	E 0.
	NCS0087				93 34,3						N .11	N .2
COUNTY NAME: MARSHALL					FERC POWER SUPPLY AREA 26		FERC REGIONAL OFFICE CODE					
THIEF LAKE	MN00218	THIEF RIVER	H		48 29,2	61.0	8.	12.	16.	64.	E 0.	E 0.
	NCS0088				94 49,1						N .06	N .1
POOL TWENTY ONE	MN00625	MUD RIVER	O	DOI BSFW	48 22,2	159.0	22.	6.	8.	5.	E 0.	E 0.
	NCS0089				95 53,3						N .08	N .1
POOL TWENTY FIVE	MN00629	WEBSTER CREEK	O	DOI BSFW	48 22,2	171.0	24.	5.	7.	7.	E 0.	E 0.
	NCS0090				95 56,6						N .07	N .1

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MINNESOTA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MARSHALL					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
POOL TWENTY SEVE	MN00630	THIEF RIVER	O	DOI BSFW	48 18.8	165.0	23.	12.	16.	94.	E 0.	E 0.
N	NC80091				96 .8						N .23	N .8
POOL ELEVEN	MN00637	TR-THIEF RIVER	O	DOI BSFW	48 18.2	171.0	24.	6.	8.	15.	E 0.	E 0.
	NC80092				96 3.3						N .12	N .2
POOL TEN	MN00638	THIEF RIVER	O	DOI BSFW	48 18.6	171.0	24.	7.	9.	10.	E 0.	E 0.
	NC80093				96 3.5						N .13	N .3
POOL THREE	MN00640	THIEF RIVER-OFFS	O	DOI BSFW	48 22.2	95.0	13.	7.	9.	12.	E 0.	E 0.
	NC80094	TREAM			96 .4						N .05	N .1
POOL ONE	MN00641	THIEF RIVER-OFFS	O	DOI BSFW	48 23.9	90.0	12.	8.	11.	9.	E 0.	E 0.
	NC80095	TREAM			95 59.8						N .06	N .1
COUNTY NAME: MARTIN					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
GEORGE LAKE	MN00102	CENTER CREEK	O	CITY OF FAIR MONT	43 39.7	105.0	9.	10.	13.	6.	E 0.	E 0.
	NC80096				94 28.5						N .14	N .2
COUNTY NAME: MCLEOD					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
SOUTH FORK CROW	MN00158	SOUTH FORK CROW	R		44 53.7	224.0	13.	8.	13.	3.	E 0.	E 0.
RIVER	NC80097	RIVER			94 22.1						N .16	N .4
COUNTY NAME: MELLELACS					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
ONAMIA LAKE	MN00252	RUM RIVER	O	DNR	46 4.1	430.0	178.	6.	8.	17.	E 0.	E 0.
	NC80098				93 40.8						N .24	N .5

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MINNESOTA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MORRISON					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
TOPEKA ISLAND	MN00118	MISSISSIPPI	H		46 5.1	9910.0	3706.	20.	20.	3.	U 0.	U 0.
	NCS0099				94 20.0						T 17.74	T 64.3
CROW WING RIVER	MN00608	CROW WING RIVER	H	MINN PWR + L	46 18.9	3154.0	1483.	22.	30.	6.	E 1.52	E 9.3
	NC3-IF0			T CO	94 29.1						N 1.82	N 2.5
COUNTY NAME: OTTER TAIL					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
PRAIRIE LAKE	MN00192	PELICAN RIVER	O		46 35.3	200.0	63.	7.	10.	16.	E 0.	E 0.
	NCS0101				96 4.3						N .08	N .2
LIZZIE LAKE	MN00193	PELICAN RIVER	O		46 36.7	167.0	52.	6.	8.	23.	E 0.	E 0.
	NCS0102				96 1.9						N .05	N .1
HOOT LAKE	MN00194	OTTER TAIL RIVER	H		46 17.5	615.0	434.	52.	70.	3.	E 1.00	E 2.5
	NCS0103				96 2.6						N .22	N 1.2
DAYTON HOLLOW	MN00196	OTTER TAIL RIVER	H	DAYTON-HOLLO	46 13.8	1820.0	543.	26.	35.	4.	E 0.	E 0.
	NCS-IF0			W	96 7.0						N 1.50	N 5.3
OTTER TAIL RIVER	MN00199	OTTER TAIL RIVER	H		46 22.9	400.0	58.	15.	20.	2.	E 0.	E 0.
	NCS0104				96 2.4						N .24	N .7
OTTER TAIL LAKE	MN00209	OTTERTAIL RIVER	O	MR EVENSON	46 21.6	550.0	108.	6.	8.	557.	E 0.	E 0.
	NCS0105				95 44.0						N .13	N .4
RUSH LAKE	MN00211	OTTERTAIL RIVER	O		46 28.5	402.0	79.	6.	8.	72.	E 0.	E 0.
	NCS0106				95 35.4						N .09	N .3
PINE LAKE BIG	MN00212	OTTERTAIL RIVER	O		46 35.5	330.0	65.	4.	6.	92.	E 0.	E 0.
	NCS0107				95 30.3						N .08	N .2
ORWELL LAKE	MN00574	OTTER TAIL RIVER	CS	DAEN NCS	46 13.0	1830.0	263.	36.	49.	28.	E 0.	E 0.
	NCS0108				96 10.8						N 2.04	N 7.4

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MINNESOTA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: **PINE**					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE CM					
KETTLE R RAPIDS	MNU0134	KETTLE	H		46 8.7	4180.0	2945.	78.	78.	331.	U 0.	U 0.
	NCS0109				92 51.6						T 95.86	T 172.7
CROSS LAKE	MN00500	SNAKE RIVER	O	STATE OF MN	45 50.4	958.0	569.	7.	10.	15.	E 0.	E 0.
	NCS0110				92 56.3						N .60	N 3.7
COUNTY NAME: **POLK**					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
MILE 12.0	MNU0068	RED LAKE	H		47 45.8	5270.0	1002.	18.	18.	17.	U 0.	U 0.
	NCS0152				96 30.1						T 3.84	T 11.8
CORPS HUOT	MNU0072	RED LAKE	H		47 49.4	5260.0	997.	100.	100.	240.	U 0.	U 0.
	NCS0153				96 28.0						T 33.61	T 74.1
COUNTY NAME: **RED LAKE**					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
MILE 25.7	MNU0069	RED LAKE	H		47 52.0	5245.0	994.	42.	42.	30.	U 0.	U 0.
	NCS0154				96 25.6						T 5.01	T 22.6
MILE 45.6	MNU0070	RED LAKE	H		47 53.6	5075.0	962.	30.	30.	1.	U 0.	U 0.
	NCS0155				96 13.1						T 3.60	T 16.3
MILE 50.9	MNU0071	RED LAKE	H		47 54.8	5070.0	961.	20.	20.	1.	U 0.	U 0.
	NCS0156				96 11.5						T 3.94	T 12.5
COUNTY NAME: **REDWOOD**					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
DELHI A	MNU0124	MINNESOTA	H		44 39.6	7800.0	799.	35.	35.	43.	U 0.	U 0.
	NCS0157				95 14.2						T 3.63	T 12.0
DELHI B	MNU0125	MINNESOTA	H		44 37.2	7816.0	801.	85.	85.	400.	U 0.	U 0.
	NCS0158				95 9.8						T 25.11	T 43.9

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MINNESOTA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: **RICE**					FERC POWER SUPPLY AREA 16					FERC REGIONAL OFFICE CODE		
CANNON RIVER	MN00353	CANNON RIVER	R	FARIBAULT CI	44 17.5	340.0	48.	10.	13.	5.*E	0. *E	0.
	NCS0111			TY	93 17.7					*N	.28*N	.7
COUNTY NAME: **SHERBURNE**					FERC POWER SUPPLY AREA 16					FERC REGIONAL OFFICE CODE CH		
ELK RIVER	MN00516	ELK RIVER	H	ELK RIVER MU	45 18.2	610.0	248.	11.	15.	3.*E	0. *E	0.
	NCS0112			N UTIL	93 35.1					*N	.46*N	1.6
COUNTY NAME: **ST LOUIS**					FERC POWER SUPPLY AREA 16					FERC REGIONAL OFFICE CODE CH		
GRAND RAPIDS	MNU0073	ST LOUIS	H		46 39.1	3565.0	2324.	66.	66.	300.*U	0. *U	0.
	NCS-IF0				92 21.1					*T	5.35*T	24.2
MILE 9.8	MNU0090	ST LOUIS	H		46 48.2	3170.0	2067.	21.	21.	1.*U	0. *U	0.
	NCS0113				92 29.1					*T	5.14*T	23.0
MILE 52.4	MNU0091	ST LOUIS	H		47 4.1	1200.0	782.	28.	28.	6.*U	0. *U	0.
	NCS0114				92 46.6					*T	4.03*T	13.1
MILE 78.5	MNU0092	ST LOUIS	H		47 18.5	881.0	689.	38.	38.	10.*U	0. *U	0.
	NCS0115				93 29.1					*T	2.32*T	9.9
MILE 123.9	MNU0093	ST LOUIS	H		47 29.5	320.0	244.	30.	30.	2.*U	0. *U	0.
	NCS0116				92 15.7					*T	2.24*T	4.9
MILE 100	MNU0094	ST LOUIS	H		47 22.2	500.0	391.	30.	30.	12.*U	0. *U	0.
	NCS0117				92 28.0					*T	3.13*T	7.5
MILE 69.9	MNU0096	CLOQUET	H		46 51.6	742.0	126.	50.	50.	19.*U	0. *U	0.
	NCS0118				92 34.5					*T	4.59*T	21.1
MILE 61.5	MNU0099	CLOQUET	H		46 57.0	698.0	120.	45.	45.	21.*U	0. *U	0.
	NCS0119				92 28.8					*T	2.66*T	11.5

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MINNESOTA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: ST LOUIS					FERC POWER SUPPLY AREA 16			FERC REGIONAL OFFICE CODE				
MILE 32.4	MNU0100	CLOQUET	H		47 1.7	438.0	75.	35.	35.	4.U	0. U	0.
	NCS0138				92 5.3					T	2.88 T	7.4
CHAIN LAKES	MNU0109	VERMILION	H		48 3.6	610.0	378.	90.	90.	131.U	0. U	0.
	NCS0139				92 28.6					T	4.91 T	21.2
RICE BEDS	MNU0110	VERMILLION	H		48 15.5	910.0	563.	33.	33.	44.U	0. U	0.
	NCS0140				92 34.5					T	3.61 T	12.7
CRANE LAKE	MNU0111	VERMILION	H		48 16.4	927.0	574.	55.	55.	3.U	0. U	0.
	NCS0141				92 30.8					T	4.44 T	19.4
WOLF LAKE	MN00003	WOLF CREEK	R	STATE OF MN	47 17.6	45.0	29.	8.	11.	4.E	0. E	0.
	NCS0120				91 56.1					N	.15 N	.3
ELY LAKE	MN00005	TR-ST LOUIS RIVE	R	STATE OF MN	47 26.6	224.0	38.	5.	6.	61.E	0. E	0.
	NCS0121	R			92 28.4					N	.27 N	.5
PIKE RIVER	MN00092	PIKE RIVER	R	CITY OF TOWE	47 47.5	130.0	85.	16.	22.	3.E	0. E	0.
	NCS0122			R	92 22.1					N	.52 N	.9
KETTLE FALLS	MN00093	TR-RAINY RIVER	S	MN AND ONTAR	48 30.0	13993.0	8656.	15.	20.	703.E	0. E	0.
	NCS0123			IO POWER CO.	92 38.5					N	27.86 N	101.6
ST LOUIS RIVER	MN00094	ST LOUIS RIVER	S	OGLEBAY NORT	47 22.2	713.0	578.	14.	19.	2.E	0. E	0.
	NCS0124			ON COMPANY	92 34.1					N	1.73 N	4.7
STURGEON LAKE	MN00095	STURGEON RIVER	R	STATE OF MN	47 39.6	95.0	59.	6.	8.	76.E	0. E	0.
	NCS0125				93 1.0					N	.13 N	.2
PELICAN LAKE	MN00097	PELICAN RIVER	O	STATE OF MN	48 2.0	59.0	14.	7.	10.	241.E	0. E	0.
	NCS0126				92 49.9					N	.10 N	.2
WYNNE LAKE	MN00098	EMBRASS RIVER	O	STATE OF MN	47 32.3	98.0	38.	9.	12.	8.E	0. E	0.
	NCS0127				92 18.8					N	.22 N	.4

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MINNESOTA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: ST LOUIS					**FERC POWER SUPPLY AREA 16**		**FERC REGIONAL OFFICE CODE**					
ESQUAGAMA LAKE	MN00099	EMBARRASS RIVER	O		47 27.3	147.0	51.	6.	8.	18.	E 0.	E 0.
	NCS0128				92 23.0						N .23	N .4
BEAR ISLAND	MN00369	TR-BEAR ISLAND R	R		47 47.4	46.0	28.	5.	6.	91.	E 0.	E 0.
	NCS0129	IVER			91 55.4						N .05	N .1
WHITEFACE LAKE	MN00610	SKUNK + WHITEFAC	O	MINN PWR + L T CO	47 16.8	116.0	71.	27.	36.	110.	E 0.	E 0.
	NCS0130	E RIVER			92 11.5						N .76	N 1.4
BOULDER LAKE	MN00611	OTTER	O	MINN PWR + L T CO	47 3.1	33.0	6.	15.	20.	43.	E 0.	E 0.
	NCS0131				92 12.0						N .07	N .3
ISLAND LAKE	MN00612	CLOQUET	O	MINN PWR + L T CO	46 59.5	320.0	54.	33.	45.	196.	E 0.	E 0.
	NCS0132				92 13.5						N 2.32	N 5.4
FISH LAKE	MN00614	BEAVER	O	MINN PWR + L T CO	46 57.4	73.0	18.	15.	20.	49.	E 0.	E 0.
	NCS0133				92 16.7						N .26	N 1.1
COUNTY NAME: STEARNS					**FERC POWER SUPPLY AREA 16**		**FERC REGIONAL OFFICE CODE CH**					
BAILEY STATION	MNU0112	MISSISSIPPI	H		45 19.6	13755.0	3824.	29.	29.	23.	U 0.	U 0.
	NCS-IF0				93 49.3						T 39.23	T 105.1
JOHNSON CREEK	MNU0116	MISSISSIPPI	H		45 28.0	12450.0	4655.	20.	20.	6.	U 0.	U 0.
	NCS0134				94 6.0						T 20.71	T 63.2
SAVK RAPIDS	MNU0117	MISSISSIPPI	H		45 35.5	12400.0	4637.	15.	15.	0.	U 0.	U 0.
	NCS0135				94 10.5						T 18.29	T 49.0
CLEARWATER	MNU0121	MISSISSIPPI	H		45 25.7	13465.0	4835.	29.	29.	53.	U 0.	U 0.
	NCS-IF0				94 2.5						T 38.41	T 102.9
SARTELL	MN00505	MISSISSIPPI	H	ST. REGIS PA PER CO.	45 37.2	12450.0	4716.	22.	30.	1.	E 3.17	E 10.0
	NCS0136				94 12.2						N 19.15	N 59.6

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, F=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MINNESOTA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW)	ENERGY (GWH)
COUNTY NAME: STEARNS					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
SAUK RIVER	MN00560	SAUK RIVER	H	CITY OF SAUK	45 44,4	367,0	144,	8,	11,	20,	E 0.	E 0.
	NCS0137			CENTER	94 57,1						N .28	N .5
COUNTY NAME: TRAVERSE					FERC POWER SUPPLY AREA 26		FERC REGIONAL OFFICE CODE					
BROWNS VALLEY DI KE	MN00575	LITTLE MINNESOTA	C	DAEN NCS	45 36,8	447,0	46,	6,	11,	209,	E 0.	E 0.
	NCS0142				96 51,0						N .09	N .1
LAKE TRAVERSE	MN00576	BOIS DE SIOUX	CSR	DAEN NCS	45 45,9	1120,0	81,	7,	9,	209,	E 0.	E 0.
	NCS0143				96 38,4						N .18	N .2
MUD LAKE	MN00577	BOIS DE SIOUX	CSR	DAEN NCS	45 51,7	1135,0	82,	14,	19,	140,	E 0.	E 0.
	NCS0144				96 34,3						N .32	N .4
COUNTY NAME: WABASHA					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
ZUMBRO LAKE	MN00358	ZUMBRO RIVER	H	ROCHESTER CI	44 12,8	849,0	361,	41,	55,	35,	E 1.84	E 6.0
	NCS-IFO			TY	92 28,7						N .92	N 2.4
COUNTY NAME: WINONA					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
LOCK + DAM NO 5A	MN00548	MISSISSIPPI	N	DAEN NCS	44 5,3	59190,0	25250,	4,	6,	40,	E 0.	E 0.
	NCS-IFO				91 40,2						N 19.22	N 70.7
COUNTY NAME: WRIGHT					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
HALEYS RAPID	MNU0114	MISSISSIPPI	H		45 15,3	14500,0	5422,	15,	15,	3,	U 0.	U 0.
	NCS0145				93 32,2						T 21.39	T 57.3
SPRING RAPID	MNU0115	MISSISSIPPI	H		45 18,0	13760,0	5149,	30,	30,	3,	U 0.	U 0.
	NCS0146				93 40,4						T 40.60	T 108.8

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MINNESOTA

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: WRIGHT					FERC POWER SUPPLY AREA 16			FERC REGIONAL OFFICE CODE CM				
MONTICELLO	MNU0122	MISSISSIPPI	M		45 18,5	13735.0	5136.	30.	30.	14.	U 0.	U 0.
	NCS-IFO				93 47,4						T 40.53	T 108.6

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

STATE OF MISSOURI

PHYSICAL POTENTIAL FOR ADDITIONAL HYDROELECTRIC CAPACITY AND ENERGY DEVELOPMENT IN THE STATE OF MISSOURI

HEAD INCREMENT		.05 MW - 15 MW				15 MW - 25 MW				GREATER THAN 25 MW				TOTAL			
		EXIST INST INCR 1 CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP	EXIST INST INCR 1 CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP	EXIST INST INCR 1 CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP	EXIST INST 1 CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP
0-19	NUMBER	1	1	2	3	0	0	0	0	0	6	0	6	1	7	2	9
	CAPCTY	1.6	5.1	0.4	5.5	0.0	0.0	0.0	0.0	0.0	1021	0.0	1021	1.6	1026	0.4	1026
	ENERGY	3.7	21.2	0.4	21.7	0.0	0.0	0.0	0.0	0.0	3809	0.0	3809	3.7	3830	0.4	3830
20-49	NUMBER	1	16	33	49	1	0	0	0	0	1	2	3	2	17	35	52
	CAPCTY	3.0	7.0	39.1	46.2	16.0	0.0	0.0	0.0	0.0	41.3	159	200	19.0	48.3	198	246
	ENERGY	13.0	11.7	95.0	107	94.4	0.0	0.0	0.0	0.0	42.5	284	326	107	54.3	379	433
50-99	NUMBER	0	11	42	53	0	1	5	6	3	2	7	9	3	14	54	68
	CAPCTY	0.0	4.4	119	123	0.0	21.4	97.1	119	377	239	337	576	377	265	553	818
	ENERGY	0.0	9.1	322	332	0.0	49.4	209	259	777	303	635	938	777	361	1166	1528
>100	NUMBER	0	3	16	19	0	1	3	4	1	0	8	8	1	4	27	31
	CAPCTY	0.0	5.4	68.3	73.7	0.0	23.4	57.2	80.7	200	0.0	372	372	200	28.8	498	526
	ENERGY	0.0	19.2	225	245	0.0	38.4	148	186	495	0.0	821	821	495	57.6	1194	1252
TOTAL	NUMBER	2	31	93	124	1	2	8	10	4	9	17	26	7	42	118	160
	CAPCTY	4.5	22.0	227	249	16.0	44.8	154	199	577	1301	868	2169	598	1368	1249	2617
	ENERGY	16.7	61.4	643	705	94.4	87.8	357	445	1272	4154	1739	5893	1383	4303	2740	7043

LEGEND

COLUMN 1 = EXISTING HYDROPOWER DEVELOPMENT
COLUMN 2 = ADDITIONAL POTENTIAL AT EXISTING DAMS
COLUMN 3 = UNDEVELOPED POTENTIAL
COLUMN 4 = TOTAL POTENTIAL AT ALL SITES (SUM OF COLUMNS 2 AND 3)
CAPCTY = SUM OF CAPACITIES FOR GIVEN HEAD RANGE (MEGAWATT)
ENERGY = SUM OF ENERGIES FOR GIVEN HEAD RANGE (GIGAWATT-HOUR)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MISSOURI

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: ANDREW					FERC POWER SUPPLY AREA 17			FERC REGIONAL OFFICE CODE CH				
AVENUE CITY DAMS	MOU0158	102 RIVER			39 52.1	737.0	325.	60.	81.	550.	U 0.	U 0.
ITE	MRK0056				94 44.9						T 3.53	T 7.5
COSBY DAMSITE	MOU0168	PLATTE RIVER			39 52.0	676.0	300.	55.	74.	506.	U 0.	U 0.
	MRK0057				94 41.6						T 3.25	T 6.5
NEW POINT RES	MOU0183	NODAWAY RIVER			40 4.0	773.0	313.	43.	58.	515.	U 0.	U 0.
	MRK0056				95 3.7						T 2.28	T 5.3
COUNTY NAME: BARRY					FERC POWER SUPPLY AREA 34			FERC REGIONAL OFFICE CODE FW				
FLAT CREEK	MOU0153	FLAT CREEK			36 46.0	290.0	324.	110.	110.	0.	U 0.	U 0.
	SWL0105				93 34.0						T 4.38	T 13.8
COUNTY NAME: BATES					FERC POWER SUPPLY AREA 34			FERC REGIONAL OFFICE CODE CH				
BUTLER RES	MOU0163	MIAMI CREEK			38 15.6	118.0	87.	33.	44.	78.	U 0.	U 0.
	MRK0059				94 24.6						T .77	T 1.2
COUNTY NAME: BENTON					FERC POWER SUPPLY AREA 34			FERC REGIONAL OFFICE CODE CH				
HARRY S. TRUMAN DAM	MOU0137	OSAGE RIVER	CHR	DAEN MRK	38 15.9	11500.0	5313.	89.	121.	8120.	E 160.00	E 282.0
	MRK0060				93 23.9						N 96.08	N 141.0
COUNTY NAME: BOLLINGER					FERC POWER SUPPLY AREA 25			FERC REGIONAL OFFICE CODE FW				
MO NONAME 90098	MOU0098	CASTOR RIVER			37 14.2	249.0	302.	90.	100.	0.	U 0.	U 0.
	LMS0033				90 12.2						T 2.64	T 10.2
MO NONAME 90101	MOU0101	CASTOR RIVER			37 9.4	376.0	456.	110.	120.	0.	U 0.	U 0.
	LMS0034				90 9.3						T 4.33	T 17.8

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MISSOURI

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: BUTLER					FERC POWER SUPPLY AREA 25		FERC REGIONAL OFFICE CODE FW					
POPLAR BLUFF	MOU0146	BLACK RIVER			36 49,0	1202,0	1199,	67,	67,	0, U	0. U	0.
	SWL0106				90 25,0					T	23,02 T	53,1
HARVIELL	MOU0198	CANE CREEK	C		36 38,0	182,0	323,	41,	55,	111, U	0. U	0.
	SWL0107				90 30,0					T	2,23 T	5,9
COUNTY NAME: CALDWELL					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
BRAYMER DAMSITE	MOU0161	SHOAL CREEK			39 40,3	390,0	251,	59,	80,	574, U	0. U	0.
	MRK0061				93 45,9					T	2,79 T	4,5
COUNTY NAME: CAMDEN					FERC POWER SUPPLY AREA 34		FERC REGIONAL OFFICE CODE CH					
NIANGUA DAM	MO30205	NIANGUA RIVER	H	SHO ME POWER CORP	37 56,3	627,0	627,	30,	41,	600, E	3,00 E	13,0
	MRK0063				92 51,1					N	0. N	0.
COUNTY NAME: CAPE GIRARDEAU					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
MO NONAME 90095	MOU0095	APPLE CREEK			37 34,2	191,0	236,	100,	120,	0, U	0. U	0.
	LMS0035				89 33,0					T	5,07 T	11,3
MO NONAME 90106	MOU0106	WHITEWATER RIVER			37 19,5	269,0	326,	70,	80,	0, U	0. U	0.
	LMS0036				89 47,2					T	3,03 T	9,5
COUNTY NAME: CARTER					FERC POWER SUPPLY AREA 34		FERC REGIONAL OFFICE CODE FW					
CARTER CREEK	MOU0143	CURRENT RIVER			36 58,5	1670,0	1886,	95,	95,	0, U	0. U	0.
	SWL0104				90 59,4					T	40,50 T	115,6

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MISSOURI

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: **CASS**					FERC POWER SUPPLY AREA 34		FERC REGIONAL OFFICE CODE CH					
FREEMAN RES	MOU0172	SOUTH GRAND RIVE			38 39,8	90.0	66.	43.	58.	89.	U 0.	U 0.
	MRK0064	R			94 31,5						T .85	T 1.3
LAKE WINNEBAGO	MO20312	MIDDLE BIG CREEK	R	WINNEBAGO	38 49,2	30.0	20.	31.	40.	3.	E 0.	E 0.
	MRK0065				94 21,4						N .22	N .3
COUNTY NAME: **CEDAR**					FERC POWER SUPPLY AREA 34		FERC REGIONAL OFFICE CODE CH					
HACKLEMAN CORNER RES	MOU0174	CEDAR CREEK			37 51,4	415.0	290.	61.	82.	220.	U 0.	U 0.
	MRK0066				93 51,8						T 2.92	T 6.5
STOCKTON LAKE	MO30200	SAC RIVER	CH	DAEN MRK	37 41,5	1160.0	757.	91.	123.	1674.	E 45.20	E 55.0
	MRK0067				93 45,5						N 0.	N 0.
COUNTY NAME: **CHRISTIAN**					FERC POWER SUPPLY AREA 34		FERC REGIONAL OFFICE CODE FH					
FINLEY CREEK	MOU0197	FINLEY CREEK	C R		37 3,0	163.0	145.	76.	105.	109.	U 0.	U 0.
	SWL0109				93 9,5						T 2.27	T 5.4
COUNTY NAME: **CLAY**					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
SMITHVILLE DAM	MOU0139	LITTLE PLATTE RI	CSO	DAEN	39 23,5	213.0	151.	52.	71.	429.	U 0.	U 0.
	MRK0068	VER			94 33,7						T 1.96	T 3.5
COUNTY NAME: **COLE**					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
LOCK NO. 2	MOU0130	OSAGE RIVER	HC		38 27,0	15000.0	10150.	31.	31.	0.	U 0.	U 0.
	MRK0069				92 10,0						T 105.93	T 206.9

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MISSOURI

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: CRAWFORD					FERC POWER SUPPLY AREA 15			FERC REGIONAL OFFICE CODE CH				
MO NONAME 90062	MOU0062	MERAMEC RIVER			37 57,3	349,0	251,	110,	120,	0, U	0, U	0,
	LMS0037				91 31,3					T	4,57 T	13,7
MO NONAME 90066	MOU0066	MERAMEC RIVER			37 53,3	290,0	219,	70,	80,	0, U	0, U	0,
	LMS0038				91 29,7					T	2,55 T	8,1
MO NONAME 90067	MOU0067	MERAMEC RIVER			37 49,2	198,0	149,	130,	140,	0, U	0, U	0,
	LMS0039				91 25,9					T	3,23 T	10,3
MO NONAME 90071	MOU0071	MERAMEC RIVER			37 59,1	764,0	550,	90,	100,	0, U	0, U	0,
	LMS0040				91 23,1					T	7,65 T	24,1
MO NONAME 90073	MOU0073	HUZZAH CREEK			37 58,5	255,0	192,	150,	160,	0, U	0, U	0,
	LMS0041				91 12,3					T	4,43 T	14,9
INDIAN HILLS LAK	MO30075	BRUSH CREEK	R		38 6,0	20,0	16,	46,	53,	7, E	0, E	0,
E	LMS0042				91 30,0					N	,23 N	,3
COUNTY NAME: DADE					FERC POWER SUPPLY AREA 34			FERC REGIONAL OFFICE CODE FW				
GOLDEN CITY RESE	MOU0115	NORTH FORK			37 22,5	52,0	42,	61,	61,	0, U	0, U	0,
RVOIR	SWT0249				94 4,5					T	,69 T	1,2
GOLDEN CITY RESE	MOU0278	NORTH FORK	C	DAEN SWT	37 22,5	52,0	42,	45,	61,	65, U	0, U	0,
RVOIR	SWT0250				94 4,5					T	,51 T	,9
GOLDEN CITY RESE	MO00115	NORTH FORK	C	DAEN SWT	37 22,5	52,0	42,	45,	61,	65, E	0, E	0,
RVOIR	SWT0251				94 4,5					N	,51 N	,9
COUNTY NAME: DAVIESS					FERC POWER SUPPLY AREA 15			FERC REGIONAL OFFICE CODE CH				
PATTONSBURG DAM	MOU0135	GRAND RIVER	HC		39 58,0	2232,0	1082,	77,	98,	1040, U	0, U	0,
	MRK0070				93 59,0					T	32,97 T	40,9

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MISSOURI

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM CR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: DE KALB					FERC POWER SUPPLY AREA 17			FERC REGIONAL OFFICE CODE CH				
CLARKSDALE DAMSI	MOU0165	THIRD FORK			39 49,4	94,0	42,	33,	45,	70,	U 0,	U 0,
TE	MRK0071				94 36,3						T .60	T ,6
COUNTY NAME: DENT					FERC POWER SUPPLY AREA 15			FERC REGIONAL OFFICE CODE CH				
MO NONAME 90069	MOU0069	MERAMEC RIVER			37 42,6	134,0	101,	90,	100,	0,	U 0,	U 0,
	LMS0043				91 26,9						T 1,77	T 5,0
COUNTY NAME: FRANKLIN					FERC POWER SUPPLY AREA 15			FERC REGIONAL OFFICE CODE CH				
MO NONAME 90055	MOU0055	BOURBEUSE RIVER			38 27,6	2716,0	2151,	30,	40,	0,	U 0,	U 0,
	LMS0044				90 46,7						T 5,99	T 28,2
MO NONAME 90058	MOU0058	MERAMEC RIVER			38 16,9	1557,0	1233,	70,	80,	0,	U 0,	U 0,
	LMS0045				90 57,9						T 22,40	T 50,6
MO NONAME 90059	MOU0059	INDIAN CREEK			38 15,2	153,0	115,	110,	120,	0,	U 0,	U 0,
	LMS0046				90 56,7						T 2,36	T 6,9
COUNTY NAME: GREENE					FERC POWER SUPPLY AREA 34			FERC REGIONAL OFFICE CODE FW				
KINSER BRIDGE	MOU0199	JAMES RIVER	SR		37 7,5	245,0	235,	81,	110,	180,	U 0,	U 0,
	SWL0111				93 13,0						T 3,36	T 9,7
LAKE SPRINGFIELD	MO20023	JAMES RIVER	HSRO	CITY OF SPRI	37 6,7	270,0	259,	21,	25,	2,	E 0,	E 0,
	SWL0112			NGFIELD	93 15,8						N 1,28	N 3,0
FELLOWS LAKE	MO20036	LITTLE SAC RIVER	SR	CITY OF SPRI	37 18,9	203,0	18,	81,	95,	28,	E 0,	E 0,
	MRK0072			NGFIELD	93 13,8						N 2,72	N 6,8
MCDANIEL LAKE	MO20038	LITTLE SAC RIVER	SR	CITY OF SPRI	37 17,7	16,0	14,	34,	44,	4,	E 0,	E 0,
	MRK0073			NGFIELD	93 18,8						N ,12	N ,1

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MISSOURI

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: GRUNDY					FERC POWER SUPPLY AREA 15			FERC REGIONAL OFFICE CODE CH				
TRENTON DAMSITE	MO00190 MRK0074	THOMPSON RIVER			40 7.5 93 41.1	1079.0	925.	68.	92.	1675.	U 0. T 5.41	U 0. T 13.4
COUNTY NAME: HENRY					FERC POWER SUPPLY AREA 34			FERC REGIONAL OFFICE CODE CH				
MONTROSE LAKE	MO20151 MRK0075	DEEPWATER CREEK	H	KANSAS CITY POWER + LIGH	38 18.4 93 55.0	67.0	49.	36.	45.	21.	E 0. N .61	E 0. N .8
COUNTY NAME: HICKORY					FERC POWER SUPPLY AREA 34			FERC REGIONAL OFFICE CODE CH				
POMME DE TERRE LAKE	MO30201 MRK0076	POMME DE TERRE RIVER	CHN	DAEN MRK	37 54.1 93 19.2	611.0	365.	111.	150.	650.	E 0. N 5.00	E 0. N 18.7
COUNTY NAME: HOWELL					FERC POWER SUPPLY AREA 34			FERC REGIONAL OFFICE CODE FW				
ARROW HEAD DAM	MO30079 SWL0113	SPRING CREEK	R	E. T. STOKES	36 54.3 92 6.0	11.8	12.	26.	33.	2.	E 0. N .08	E 0. N .1
COUNTY NAME: IRON					FERC POWER SUPPLY AREA 25			FERC REGIONAL OFFICE CODE FW				
BIG CR. DAM	MO00211 LMM0011	BIG CREEK			37 14.9 90 30.3	188.0	228.	190.	190.	0.	U 0. T 3.87	U 0. T 15.7
LAKE KILLARNEY DAM	MO30012 LMM0012	STOUTS CREEK	R	J. R. AND J. E. GUERTIN	37 35.4 90 33.8	52.1	57.	26.	33.	1.	E 0. N .45	E 0. N .7
COUNTY NAME: JACKSON					FERC POWER SUPPLY AREA 17			FERC REGIONAL OFFICE CODE CH				
BLUE SPRINGS DAM	MO00160 MRK0077	EAST FORK LITTLE CR BLUE RIVER		DAEN MRK	39 1.0 94 20.2	34.0	24.	41.	55.	26.	U 0. T .23	U 0. T .4

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MISSOURI

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: JACKSON						FERC POWER SUPPLY AREA 17		FERC REGIONAL OFFICE CODE CH				
LONGVIEW DAMSITE	MO00178	LITTLE BLUE RIVE	CRD	DAEN MRK	38 55,6	50,0	46,	70,	95,	50,U	0, U	0,
	MRK0078	R			94 28,1					T	,78T	1,2
LAKE JACOMO	MO10045	EAST FORK LITTLE	R	JACKSON COUN	38 59,6	14,0	9,	48,	57,	24,E	0, E	0,
	MRK0079	BLUE RIVER		TY	94 18,4					N	,15N	,1
LAKE LOTAWANA	MO20040	SNI>A>BAR CREEK	R	LAKE ASSOCIA	38 56,2	20,0	13,	37,	45,	9,E	0, E	0,
	MRK0080			TION	94 14,8					N	,16N	,2
LAKEWOOD LAKE	MO20242	MAY BROOK	R		38 59,8	11,0	7,	68,	84,	3,E	0, E	0,
	MRK0081				94 22,5					N	,16N	,2
COUNTY NAME: JASPER						FERC POWER SUPPLY AREA 34		FERC REGIONAL OFFICE CODE FW				
DRY FORK RESERVO IR	MO00114	DRY FORK	C	DAEN SWT	37 16,5	79,0	59,	55,	75,	6,U	0, U	0,
	SWT0252				94 17,0					T	,93T	1,0
NECK CITY RESERV OIR	MO00119	NORTH FORK SPRIN	CSRD	DAEN SWT	37 16,0	988,0	734,	64,	86,	382,U	0, U	0,
	SWT0253	G RIVER			94 28,0					T	3,74T	14,9
PROSPERITY RESER VOIR	MO00121	CENTER CREEK	CSR	DAEN SWT	32 7,0	207,0	176,	59,	80,	71,U	0, U	0,
	SWT0254				94 21,5					T	2,12T	9,5
TURKEY CREEK RES ERVOIR	MO00123	TURKEY CREEK			37 6,0	16,0	13,	78,	78,	0,U	0, U	0,
	SWT0255				94 28,0					T	,21T	,4
WACO RESERVOIR	MO00125	DRY FORK SPRING	CS	DAEN SWT	37 15,5	1150,0	854,	51,	69,	300,U	0, U	0,
	SWT0256	RIVER			94 33,0					T	3,50T	13,9
TURKEY CREEK RES ERVOIR	MO00123	TURKEY CREEK	C	DAEN SWT	37 6,0	16,0	12,	58,	78,	20,E	0, E	0,
	SWT0257				95 14,0					N	,19N	,2

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, F=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MISSOURI

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: **JEFFERSON**					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
NONAME	MO30400	TR-BALL BRANCH	R		38 12.0	8.0	6.	78.	85.	4.	E 0.	E 0.
	LMS0047				90 36.0					N	.12	N .2
COUNTY NAME: **JOHNSON**					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
CENTERVILLE DAMSITE	MOU0164	WEST FORK POST O			38 40.3	27.0	22.	24.	32.	7.	U 0.	U 0.
	MRK0082	AK CREEK			93 51.6					T	.20	T .3
COLUMBUS DAMSITE	MOU0167	NORTH FORK BLACK W			38 50.3	42.0	34.	27.	36.	23.	U 0.	U 0.
	MRK0083	ATER RIVER			93 53.9					T	.29	T .3
GLENDALE DAMSITE	MOU0173	EAST FORK POST O			38 41.9	40.0	32.	18.	25.	14.	U 0.	U 0.
	MRK0084	AK CREEK			93 47.2					T	.14	T .2
HOLDEN DAMSITE	MOU0176	SOUTH FORK BLACK			38 47.6	94.0	76.	18.	24.	52.	U 0.	U 0.
	MRK0085	WATER RIVER			93 54.0					T	.27	T .3
MONTSERRATT DAMSITE	MOU0181	CLEAR FORK BLACK			38 43.2	69.0	56.	38.	51.	38.	U 0.	U 0.
	MRK0086	WATER RIVER			93 37.0					T	.58	T .9
COUNTY NAME: **KNOX**					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
MO NONAME 90001	MOU0001	NORTH FORK SALT			40 5.0	157.0	94.	60.	70.	0.	U 0.	U 0.
	LMS0048	RIVER			92 20.8					T	1.64	T 2.3
COUNTY NAME: **LAFAYETTE**					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
ODESSA DAMSITE	MOU0184	DAVIS CREEK			38 58.3	50.0	41.	41.	55.	28.	U 0.	U 0.
	MRK0087				93 49.4					T	.31	T .4

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MISSOURI

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: LEWIS					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE					
MISSISSIPPI RIVE	MO10303	MISSISSIPPI RIVE	N	DAEN NCR	40 8.6	134000.0	71074.	5.	32.	58.	E 0.	E 0.
R LOCK + DAM'20	NCR0077	R	R		91 30.7						N 59.26	N 242.9
COUNTY NAME: LINCOLN					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
MO NONAME 90033	MOU0033	QUIVRE RIVER			39 .3	921.0	662.	90.	100.	0.	U 0.	U 0.
	LMS0049				90 58.1						T 15.86	T 22.3
MO NONAME 90034	MOU0034	QUIVRE RIVER			38 57.2	978.0	703.	30.	40.	0.	U 0.	U 0.
	LMS0050				90 55.1						T 3.27	T 6.2
POOL 25	MO10301	MISSISSIPPI	NR		39 0.	142000.0	82155.	12.	41.	176.	E 0.	E 0.
	LMS0051				90 42.0						N 169.26	N 677.4
COUNTY NAME: LINN					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
BROOKFIELD DAMSI	MOU0162	WEST YELLOW CREE			39 50.6	140.0	105.	63.	85.	300.	U 0.	U 0.
TE	MRK0088	K			93 4.8						T 1.67	T 2.1
LINNEUS DAMSITE	MOU0177	LOCUST CREEK			39 55.0	546.0	326.	59.	80.	1035.	U 0.	U 0.
	MRK0089				93 13.9						T 3.34	T 5.9
ST CATHERINE DAM	MOU0188	EAST YELLOW CREE			39 48.5	118.0	92.	63.	85.	255.	U 0.	U 0.
SITE	MRK0090	K			92 57.9						T 1.48	T 1.8
COUNTY NAME: LIVINGSTON					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
CHILLICOTHE DAM	MOU0134	GRAND RIVER	H		39 42.0	4860.0	2992.	43.	50.	1521.	U 0.	U 0.
	MRK0091				92 21.0						T 52.96	T 77.0

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MISSOURI

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MACON					FERC POWER SUPPLY AREA 15			FERC REGIONAL OFFICE CODE CH				
LONG BRANCH DAM	MO00138	E. F. LITTLE CHA	CSO	OAEN MRK	39 44,9	109.0	64.	52.	70.	164.	U 0.	U 0.
	MRK0092	RITOR RIVER			92 30,8						T 1.27	T 1.3
COUNTY NAME: MADISON					FERC POWER SUPPLY AREA 25			FERC REGIONAL OFFICE CODE FW				
TURKEY CR. DAM	MO00207	ST FRANCIS RIVER			37 34,0	239.0	290.	150.	150.	0.	U 0.	U 0.
	LMM0013				90 27,0						T 3.88	T 15.7
MARBLE CR. DAM	MO00208	ST FRANCIS RIVER			37 27,0	767.0	879.	125.	125.	0.	U 0.	U 0.
	LMM0014				90 28,0						T 34.59	T 57.3
NIMS DAM	MO30064	HILLS BRANCH	HR	ST. LOUIS AR	37 38,2	4.5	6.	41.	50.	5.	E 0.	E 0.
	LMM0015			EA COUNCIL-	90 19,7						N .07	N .1
COUNTY NAME: MARION					FERC POWER SUPPLY AREA 15			FERC REGIONAL OFFICE CODE				
MISSISSIPPI RIVE R LOCK + DAM '21	MO10304 NCR0078	MISSISSIPPI RIVE	N R	OAEN NCR	39 54,3 91 25,5	135000.0	71605.	7.	28.	62.	E 0. N 85.88	E 0. N 344.6
COUNTY NAME: MERCER					FERC POWER SUPPLY AREA 15			FERC REGIONAL OFFICE CODE CH				
MERCER DAMSITE	MO00179 MRK0093	MELOCN RIVER			40 29,3 93 35,0	427.0	238.	63.	85.	875.	U 0. T 2.57	U 0. T 4.1
COUNTY NAME: MILLER					FERC POWER SUPPLY AREA 15			FERC REGIONAL OFFICE CODE CH				
BAGNELL DAM	MO30014 MRK0094	OSAGE RIVER	HR	UNION ELECTR IC CO	38 12,7 92 37,1	14000.0	5313.	95.	112.	1927.	E 172.00 N 142.57	E 440.0 N 161.8

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MISSOURI

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MONROE					FERC POWER SUPPLY AREA 15			FERC REGIONAL OFFICE CODE CH				
MO NONAME 90006	MOU0006 LMS0052	MIDDLE FORK SALT RIVER			39 32,6 92 13,6	276.0	188.	40.	50.	0. 	0.U 2.02T	0. 3.0
MO NONAME 90012	MOU0012 LMS0053	SOUTH FORK SALT RIVER			39 22,2 91 47,2	304.0	207.	30.	40.	0. 	0.U 1.73T	0. 2.5
COUNTY NAME: MORGAN					FERC POWER SUPPLY AREA 15			FERC REGIONAL OFFICE CODE CH				
SYRACUSE DAMSITE	MOU0189 MRK0095	RICHLAND CREEK			38 39,3 92 56,5	136.0	105.	49.	66.	76.	0.U 1.53T	0. 2.1
COUNTY NAME: NEWTON					FERC POWER SUPPLY AREA 34			FERC REGIONAL OFFICE CODE FW				
GRANBY RESERVOIR	MOU0116 SWT0258	SHOAL CREEK	CSRO	DAEN SWT	36 56,5 94 15,0	250.0	239.	96.	130.	377.	0.U 3.96T	0. 12.5
JORLIN RESERVOIR	MOU0117 SWT0259	SHOAL CREEK	CSR	DAEN SWT	37 2,5 94 36,5	443.0	329.	71.	84.	47.	0.U 3.05T	0. 6.9
LOST CREEK SITE A-1	MOU0214 SWT0260	LOST CREEK	C	SCS OUA	36 51,0 94 33,0	10.0	8.	37.	50.	3.	0.U .06T	0. .1
GRANBY RESERVOIR	MOU0277 SWT0261	SHOAL CREEK	C	DAEN SWT	36 56,5 94 15,0	250.0	239.	69.	94.	282.	0.U 2.99T	0. 9.1
SMACKOUT RESERVOIR	MOU0280 SWT0262	SHOAL CREEK	C	DAEN SWT	36 54,5 94 8,0	141.0	135.	84.	113.	182.	0.U 2.36T	0. 6.4
COUNTY NAME: NODAWAY					FERC POWER SUPPLY AREA 17			FERC REGIONAL OFFICE CODE CH				
CLEARMONT RES	MOU0166 MRK0096	CLEAR CREEK			40 29,9 95 ,7	66.0	27.	50.	67.	44.	0.U .54T	0. 1.0

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSES: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MISSOURI

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: NODAWAY					FERC POWER SUPPLY AREA 17			FERC REGIONAL OFFICE CODE CH				
ELMO RES	MOU0171	MILL CREEK			40 32,3	43.0	22.	30.	41.	34.	U 0.	U 0.
	MRK0097				95 8,4						T .21	T .3
COUNTY NAME: OREGON					FERC POWER SUPPLY AREA 25			FERC REGIONAL OFFICE CODE FW				
RIVERTON	MOU0140	ELEVEN POINT RIV			36 49,0	793.0	761.	125.	125.	0.	U 0.	U 0.
	SWL0114	ER			91 22,0						T 19.94	T 63.3
LONG HOLLOW	MOU0141	ELEVEN POINT			36 49,0	585.0	561.	90.	90.	0.	U 0.	U 0.
	SWL0115				91 22,0						T 7.17	T 31.1
COUNTY NAME: OZARK					FERC POWER SUPPLY AREA 34			FERC REGIONAL OFFICE CODE FW				
BRYANT CREEK	MOU0150	BRYANT CREEK			36 37,0	570.0	525.	145.	145.	0.	U 0.	U 0.
	SWL0117				92 18,0						T 19.44	T 46.4
HOLLOW	MOU0151	NORTH FORK RIVER			36 38,0	561.0	721.	205.	205.	0.	U 0.	U 0.
	SWL0118				92 14,0						T 32.13	T 96.8
COUNTY NAME: PERRY					FERC POWER SUPPLY AREA 15			FERC REGIONAL OFFICE CODE CH				
PORT PERRY LAKE	MO30030	NATIONS CREEK	R		37 42,0	25.0	28.	60.	68.	6.	E 0.	E 0.
	LMS0054				90 0,						N .56	N .7
COUNTY NAME: PETTIS					FERC POWER SUPPLY AREA 15			FERC REGIONAL OFFICE CODE CH				
DRESDEN DAMSITE	MOU0169	MUDDY CREEK			38 43,7	115.0	93.	35.	47.	64.	U 0.	U 0.
	MRK0094				93 20,9						T .89	T 1.4
HIGGINS DAMSITE	MOU0175	SOUTH FORK BLACK			38 53,9	39.0	32.	25.	34.	13.	U 0.	U 0.
	MRK0099	WATER RIVER			93 25,5						T .16	T .2

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) - PROJECT PURPOSES: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MISSOURI

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: PETTIS					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
MISSION DAMSITE	MOU0180	HEATHS CREEK			38 53,0	36,0	29,	31,	42,	10,U	0. U	0.
	MRK0100				93 15,4					T	.18T	.2
SEDALIA DAMSITE	MOU0185	FLAT CREEK			38 37,6	129,0	105,	39,	53,	72,U	0. U	0.
	MRK0101				93 18,0					T	1.21T	1,6
SITE B DAM	MOU0186	FLAT CREEK			38 34,1	61,0	49,	38,	51,	48,U	0. U	0.
	MRK0102				93 21,4					T	.51T	.8
SPRING FORK DAMSITE	MOU0187	SPRING FORK RIVE			38 37,3	35,0	28,	39,	51,	17,U	0. U	0.
	MRK0103	R			93 14,5					T	.32T	.5
WALNUT GROVE DAM SITE	MOU0191	LITTLE MUDDY CRE			38 46,3	25,0	20,	27,	37,	7,U	0. U	0.
	MRK0104	EK			93 17,3					T	.14T	.3
COUNTY NAME: PHELPS					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
MO NONAME 90061	MOU0061	NORMAN CREEK			38 58,4	369,0	265,	90,	100,	0,U	0. U	0.
	LMS0055				91 31,4					T	4.10T	7.3
MO NONAME 90063	MOU0063	NORMAN CREEK			37 55,4	344,0	259,	90,	100,	0,U	0. U	0.
	LMS0056				91 35,0					T	3.71T	12.2
MO NONAME 90064	MOU0064	DRY FORK			37 50,6	226,0	170,	70,	80,	0,U	0. U	0.
	LMS0057				91 41,1					T	2.11T	6.4
RICH FOUNTAIN DAM	MOU0127	GASCONADE RIVER	HC		38 22,1	3223,0	2825,	58,	78,	1078,U	0. U	0.
	MRK0105				91 49,5					T	51.37T	108.4
ARLINGTON DAM	MOU0128	GASCONADE RIVER	HC		37 56,0	2580,0	2260,	89,	120,	769,U	0. U	0.
	MRK0106				92 51,0					T	57.09T	109.8

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MISSOURI

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: PIKE					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
MO NONAME 90020	MOU0020	SALT RIVER			39 33.2	2828.0	1915.	90.	100.	0.	U 0.	U 0.
	LMS0058				91 13.2						T 72.91	T 93.0
POOL 24	MO10300	MISSISSIPPI RIVE	NR		39 18.0	140900.0	81516.	11.	32.	125.	E 0.	E 0.
	LMS0059	R			90 54.0						N 166.58	N 627.0
COUNTY NAME: PULASKI					FERC POWER SUPPLY AREA 34		FERC REGIONAL OFFICE CODE CH					
RICHLAND DAM	MOU0129	GASCONADE RIVER	HC		37 51.2	1386.0	1074.	105.	142.	1400.	U 0.	U 0.
	MRK0107				92 19.1						T 36.29	T 69.8
COUNTY NAME: RALLS					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
MO NONAME 90016	MOU0016	SPENCER CREEK			39 27.6	105.0	77.	90.	100.	0.	U 0.	U 0.
	LMS0060				91 27.7						T 1.97	T 2.8
MO NONAME 90017	MOU0017	SALT RIVER			39 36.0	2501.0	1694.	70.	80.	0.	U 0.	U 0.
	LMS0061				91 24.4						T 50.15	T 64.0
MO NONAME 90018	MOU0018	SPENCER CREEK			39 30.5	194.0	131.	70.	80.	0.	U 0.	U 0.
	LMS0062				91 22.5						T 2.18	T 3.3
CLARENCE CANNON DAM	MOU0300	SALT RIVER			39 30.0	2316.0	1570.	128.	138.	0.	U 0.	U 0.
	LMS0063				91 36.0						T 84.99	T 108.4
MISSISSIPPI RIVE R LOCK + DAM '22	MO10305	MISSISSIPPI RIVE	N	DAEN NCR	39 38.3	137500.0	72931.	8.	27.	80.	E 0.	E 0.
	NCR0079	R			91 14.8						N 101.57	N 402.6
COUNTY NAME: RANDOLPH					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
THOMAS HILL RESE RVOIR	MO10134	MIDDLE FORK CHAR ITON RIVER	SR	ASSOC. ELECT RIC COOP	39 33.1	147.0	87.	38.	52.	86.	E 0.	E 0.
	MRK0106				92 38.7						N 1.30	N 1.7

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MISSOURI

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: RAY					FERC POWER SUPPLY AREA 15			FERC REGIONAL OFFICE CODE CH				
EAST FORK DAMSITE	MO00170	EAST FORK FISHING RIVER			39 21,0	19,0	11,	88,	119,	27,	U 0,	U 0,
	MRK0109				94 12,4						T .36	T .4
MONONAME 165	MO10580	FISHING RIVER	R		39 21,4	18,0	13,	56,	70,	3,	E 0,	E 0,
	MRK0110				94 11,6						N .19	N .2
COUNTY NAME: REYNOLDS					FERC POWER SUPPLY AREA 34			FERC REGIONAL OFFICE CODE FW				
RIVERSIDE	MO00148	BLACK RIVER			37 20,3	484,0	568,	117,	117,	0,	U 0,	U 0,
	SWL0119				90 47,0						T 17.91	T 38,3
LESTERVILLE	MO00149	MIDDLE FORK BLACK			37 28,0	320,0	376,	115,	115,	0,	U 0,	U 0,
	SWL0120	K RIVER			90 52,5						T 6.14	T 21,0
TAUM SAUK LOWER DAM	MO30041	EAST FORK BLACK RIVER	H	UNION ELECTRIC CO.	37 29,8	94,5	106,	44,	60,	12,	E 0,	E 0,
	SWL0121				90 49,6						N 1.08	N 2,8
MO NONAME 51 DAM	MO30166	ADAIR CREEK	O		37 22,2	5,8	6,	40,	50,	4,	E 0,	E 0,
	SWL0122				91 8,4						N .07	N .1
CLEARWATER	MO30203	BLACK	C	DAEN SWL	37 6,1	698,0	896,	84,	113,	391,	E 0,	E 0,
	SWL0123				90 46,5						N 21.44	N 49,4
COUNTY NAME: RIPLEY					FERC POWER SUPPLY AREA 25			FERC REGIONAL OFFICE CODE FW				
GOOSE LAKE	MO00142	CURRENT RIVER			36 30,3	2116,0	2815,	55,	55,	0,	U 0,	U 0,
	SWL0128				90 48,5						T 32.11	T 103,0
DONIPHAN	MO00195	CURRENT RIVER			36 40,0	2015,0	2681,	125,	125,	0,	U 0,	U 0,
	SWL0129				91 8,0						T 69.49	T 223,0
FAIRDEALING	MO00196	LITTLE BLACK RIVER	C		36 38,0	182,0	323,	49,	66,	110,	U 0,	U 0,
	SWL0130				90 35,0						T 2.59	T 7,0

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MISSOURI

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: SALINE					FERC POWER SUPPLY AREA 15			FERC REGIONAL OFFICE CODE CH				
BLUE LICK DAMSITE	MOU0159	FINNEY CREEK			39 .6	49.0	40.	31.	42.	18.	U 0.	U 0.
	MRK0111				93 13.5						T .25	T .3
WILTON SPRINGS DAMSITE	MOU0192	CAMP CREEK			39 4.4	26.0	21.	27.	37.	9.	U 0.	U 0.
	MRK0112				93 6.4						T .17	T .2
COUNTY NAME: SHANNON					FERC POWER SUPPLY AREA 34			FERC REGIONAL OFFICE CODE FW				
JACKS FORK	MOU0144	JACKS FORK			37 8.5	242.0	271.	170.	170.	0.	U 0.	U 0.
	SWL0131				91 31.0						T 7.92	T 25.4
WELLSFORD	MOU0145	CURRENT RIVER			37 21.3	408.0	495.	170.	170.	0.	U 0.	U 0.
	SWL0132				90 29.2						T 26.59	T 46.1
BLAIR CREEK	MOU0193	CURRENT			37 11.0	1324.0	1522.	174.	174.	0.	U 0.	U 0.
	SWL0133				91 12.5						T 60.75	T 169.4
COUNTY NAME: SHELBY					FERC POWER SUPPLY AREA 15			FERC REGIONAL OFFICE CODE CH				
MO NONAME 90003	MOU0003	BEAR CREEK			39 50.7	371.0	216.	70.	80.	0.	U 0.	U 0.
	LMS0064				92 15.7						T 3.35	T 9.3
MO NONAME 90005	MOU0005	TENMILE CREEK			39 47.2	427.0	248.	30.	40.	0.	U 0.	U 0.
	LMS0065				92 12.0						T 2.00	T 2.9
COUNTY NAME: ST CLAIR					FERC POWER SUPPLY AREA 34			FERC REGIONAL OFFICE CODE CH				
OSCEOLA DAM	MOU0133	OSAGE RIVER	H	MO PUB SERV CO	38 2.0	8180.0	5100.	14.	14.	0.	E 1.60	E 3.7
	MRK0113				93 44.0						N 5.16	N 21.3

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MISSOURI

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: STONE					FERC POWER SUPPLY AREA 34		FERC REGIONAL OFFICE CODE FW					
GALENA	MOU0111	JAMES	CHSR		37 15,0	980.0	950.	103.	140.	560.	U 0.	U 0.
	SWL0134				93 50,0						T 27.16	T 49.9
COUNTY NAME: ST. CHARLES					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
LAKE ST. LOUIS DAM	MO10545	PERUQUE CREEK	R		38 48,0	56.0	38.	36.	43.	8.	E 0.	E 0.
	LMS0066				90 48,0						N .42	N .5
COUNTY NAME: ST. FRANCOIS					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
MO NONAME 90079	MOU0079	BIG RIVER			38 3,6	516.0	472.	100.	110.	0.	U 0.	U 0.
	LMS0067				90 36,8						T 4.08	T 17.8
MO NONAME 90081	MOU0081	BIG RIVER			37 52,9	168.0	197.	90.	100.	0.	U 0.	U 0.
	LMS0068				90 38,0						T 3.49	T 9.4
CARLYLE DAM	MO30274	KASKASKIA RIVER	O		37 54,0	7.0	6.	53.	60.	13.	E 0.	E 0.
	LMS0069				90 36,0						N .08	N .2
SLIME POND	MO30277	SHAW BRANCH	O		37 48,0	9.0	11.	53.	60.	23.	E 0.	E 0.
	LMS0070				90 30,0						N .19	N .3
COUNTY NAME: ST. GENEVIEVE					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
MO NONAME 90088	MOU0088	ESTABLISHMENT CR			38 2,3	116.0	88.	190.	220.	0.	U 0.	U 0.
	LMS0071	EEK			90 10,8						T 3.90	T 6.3
MO NONAME 90091	MOU0091	SALINE CREEK			37 53,5	223.0	169.	40.	45.	0.	U 0.	U 0.
	LMS0072				89 58,6						T 1.90	T 2.8

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MISSOURI

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: ST. LOUIS					FERC POWER SUPPLY AREA 15			FERC REGIONAL OFFICE CODE CH				
POOL 27	MO10302	MISSISSIPPI	N		38 48,0	700910,0	176201,	12,	50,	0, E	0. E	0.
	LMS0073				90 12,0					N	437.98 N	1514,1
COUNTY NAME: TANEY					FERC POWER SUPPLY AREA 34			FERC REGIONAL OFFICE CODE FW				
LONE PILGRIN	MOU0152	BEAVER CREEK			36 40,0	375,0	359,	130,	130,	0, U	0. U	0.
	SWL0124				93 2,0					T	4.56 T	19,3
OZARK BEACH DAM	MO30088	WHITE RIVER	HR	EMPIRE DISTR	36 40,1	4500,0	4495,	47,	62,	28, E	16.00 E	94,4
	SWL0125			ICT ELECT CO	93 7,3					N	41.37 N	42,5
TABLE ROCK DAM	MO30202	WHITE RIVER	CH	DAEN SWL	36 35,7	4020,0	4016,	204,	225,	3462, E	200.00 E	495,0
	SWL0126				93 18,5					N	23.46 N	38,5
COUNTY NAME: VERNON					FERC POWER SUPPLY AREA 34			FERC REGIONAL OFFICE CODE CH				
NEVADA RES	MOU0182	LITTLE DRY WOOD			37 46,0	123,0	91,	29,	39,	76, U	0. U	0.
	MRK0114	CREEK			94 23,8					T	.61 T	,8
COUNTY NAME: WASHINGTON					FERC POWER SUPPLY AREA 15			FERC REGIONAL OFFICE CODE CH				
MO NONAME 90076	MOU0076	COURTOIS CREEK			37 50,2	83,0	63,	190,	200,	0, U	0. U	0.
	LMS0074				91 3,6					T	2.22 T	6,5
NONAME	MO30473	MARYS CREEK-OFFS	D		38 6,0	10,0	8,	100,	109,	7, E	0. E	0.
	LMS0075	TREAM			91 0,					N	,25 N	,3
NONAME	MO30474	TR-MILL CREEK	D		38 0,	6,0	5,	110,	125,	7, E	0. E	0.
	LMS0076				90 42,0					N	,16 N	,3
NONAME	MO30482	TR-HAZEL CREEK	D		37 48,0	4,0	3,	68,	75,	4, E	0. E	0.
	LMS0077				90 54,0					N	,08 N	,1

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF MISSOURI

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,S)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: WASHINGTON					FERC POWER SUPPLY AREA 15		FERC REGIONAL OFFICE CODE CH					
INDIAN CREEK MIN	MO30717	TR-GOOSE CREEK	O		38 0,	6.0	5,	60,	68,	4,*E	0, *E	0,
E TAILINGS POND	LMS0078				90 54,0					*N	,10*N	,1
NONAME	MO3072*	TURKEY CREEK	O		38 6,0	6.0	5,	60,	75,	7,*E	0, *E	0,
	LMS0079				90 48,0					*N	,11*N	,2
COUNTY NAME: WAYNE					FERC POWER SUPPLY AREA 25		FERC REGIONAL OFFICE CODE FW					
EAGLE BLUFF	MOU0147	BLACK RIVER			36 59,0	1101.0	1098,	65,	65,	0,*U	0, *U	0,
	SWL0127				90 36,0					*T	20,45*T	47,2
ROWLAND CHURCH 1	MOU0209*	ST FRANCIS RIVER			37 13,8	702.0	805,	78,	105,	597,*U	0, *U	0,
	LMM0016				90 30,7					*T	4,94*T	19,4
HUBBLE CR, DAM	MOU0212*	ST FRANCIS RIVER			37 8,8	1022.0	1172,	40,	40,	0,*U	0, *U	0,
	LMM0017				90 28,0					*T	4,07*T	15,3
WAPPAPELLO DAM	MO30204*	ST FRANCIS RIVER		DAEN LMM	36 55,8	1310.0	1502,	73,	99,	1135,*E	,01*E	0,
	LMM0018		C		90 16,7					*N	34,57*N	57,3
COUNTY NAME: WEBSTER					FERC POWER SUPPLY AREA 34		FERC REGIONAL OFFICE CODE FW					
COUNTY LINE	MOU0194*	JAMES RIVER			37 14,5	153.0	136,	146,	146,	0,*U	0, *U	0,
	SWL0135				93 5,0					*T	3,40*T	9,0

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (O,S,A,C,E,) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

STATE OF OHIO

. . . PRELIMINARY ESTIMATE . . . (07/06/79)

PHYSICAL POTENTIAL FOR ADDITIONAL HYDROELECTRIC CAPACITY AND ENERGY DEVELOPMENT IN THE STATE OF OHIO

HEAD (FEET)	UNIT	.05 MW - 15 MW				15 MW - 25 MW				GREATER THAN 25 MW				TOTAL			
		EXIST INST CAP 1	EXIST INCR CAP 2	UNDEV POTEN CAP 3	TOTAL INCR CAP 4	EXIST INST CAP 1	EXIST INCR CAP 2	UNDEV POTEN CAP 3	TOTAL INCR CAP 4	EXIST INST CAP 1	EXIST INCR CAP 2	UNDEV POTEN CAP 3	TOTAL INCR CAP 4	EXIST INST CAP 1	EXIST INCR CAP 2	UNDEV POTEN CAP 3	TOTAL INCR CAP 4
0-19	NUMBER	0	12	0	12	0	5	0	5	0	2	0	2	0	19	0	19
	CAPCTY	0.0	27.0	0.0	27.0	0.0	108	0.0	108	0.0	55.6	0.0	55.6	0.0	191	0.0	191
	ENERGY	0.0	102	0.0	102	0.0	260	0.0	260	0.0	134	0.0	134	0.0	495	0.0	495
20-49	NUMBER	0	47	10	57	0	0	0	0	0	0	0	0	0	47	10	57
	CAPCTY	0.0	64.5	21.0	85.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	64.5	21.0	85.5
	ENERGY	0.0	172	59.6	232	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	172	59.6	232
50-99	NUMBER	0	8	7	15	0	1	0	1	0	0	1	1	0	9	8	17
	CAPCTY	0.0	9.6	19.0	28.6	0.0	24.4	0.0	24.4	0.0	0.0	43.0	43.0	0.0	34.0	62.0	96.0
	ENERGY	0.0	21.9	59.7	81.7	0.0	35.5	0.0	35.5	0.0	0.0	70.0	70.0	0.0	57.5	130	187
>100	NUMBER	0	1	1	2	0	1	0	1	0	0	0	0	0	2	1	3
	CAPCTY	0.0	4.2	6.5	10.7	0.0	20.2	0.0	20.2	0.0	0.0	0.0	0.0	0.0	24.5	6.5	31.0
	ENERGY	0.0	12.0	11.7	23.8	0.0	26.9	0.0	26.9	0.0	0.0	0.0	0.0	0.0	38.9	11.7	50.7
TOTAL	NUMBER	0	68	18	86	0	7	0	7	0	2	1	3	0	77	19	96
	CAPCTY	0.0	105	46.6	152	0.0	153	0.0	153	0.0	55.6	45.0	98.7	0.0	314	89.6	404
	ENERGY	0.0	308	131	439	0.0	323	0.0	323	0.0	134	70.0	204	0.0	764	201	966

POTENTIAL INCREMENTAL CAPACITY RANGES

LEGEND

COLUMN 1 = EXISTING HYDROPOWER DEVELOPMENT
COLUMN 2 = ADDITIONAL POTENTIAL AT EXISTING DAMS
COLUMN 3 = UNDEVELOPED POTENTIAL
COLUMN 4 = TOTAL POTENTIAL AT ALL SITES (SUM OF COLUMNS 2 AND 3)
CAPCTY = SUM OF CAPACITIES FOR GIVEN HEAD RANGE (MEGAWATT)
ENERGY = SUM OF ENERGIES FOR GIVEN HEAD RANGE (GIGAWATT-HOUR)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF OHIO

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)		ENERGY (GWH) (3)	
COUNTY NAME: ADAMS					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY							
BUZZARD ROOST	OHU0065	BRUSH CREEK	C		38 36,0	402,0	462,	76,	93,	173,	U	0,	U	0,
	ORH0017				83 36,0						T	3,61	T	11,5
COUNTY NAME: ASHLAND					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY							
CHARLES MILL	OHU0059	BLACK FORK	CRO	DAEN ORH	40 44,4	215,0	196,	16,	40,	88,	E	0,	E	0,
	ORH0018				82 21,6						N	,69	N	1,9
PLEASANT HILL	OHU0077	CLEAR FORK	CRO	DAEN ORH	40 36,2	197,0	194,	54,	100,	88,	E	0,	E	0,
	ORH0019				82 19,6						N	2,80	N	6,8
COUNTY NAME: ASHTABULA					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY							
ROAMING ROCK	OH00397	ROCK CREEK	R	DEVELOPMENT	41 39,3	57,0	80,	40,	0,	0,	E	0,	E	0,
	NC80190			SERVICES INC	80 50,4						N	1,28	N	2,1
GENEVA LOW HEAD DAM	OH00810	GRAND RIVER	S	VILLAGE OF G	41 45,3	563,0	800,	8,	0,	0,	E	0,	E	0,
	NC80191			ENEVA	80 56,7						N	,45	N	1,6
COUNTY NAME: ATHENS					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY							
TOM JENKIN BURR OAK LAKE	OHU0380	EAST BRANCH OF S	CRS	DAEN ORH	39 32,5	33,0	34,	33,	57,	27,	E	0,	E	0,
	ORH0020	UNDAY CR,			82 3,5						N	,31	N	,6
COUNTY NAME: BELMONT					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY							
BELMONT LAKE	OH00292	BARKCAMP CREEK	R	STATE OF OHI	40 0,	5,0	6,	48,	65,	6,	E	0,	E	0,
	ORP0020			O	81 ,6						N	,08	N	,2
BARNESVILLE RESE RVOIR NO 3	OH00753	SLOPE CREEK	S	VILLAGE OF B	39 54,5	6,0	7,	57,	77,	4,	E	0,	E	0,
	ORP0021			ARNESVILLE	81 9,6						N	,14	N	,3

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF OHIO

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: BELMONT					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY					
ST CLAIRSVILL RE	OH00793	LITTLE MCMAHON C	S	OGLEBAY NORT	40 0,	15.0	17.*	22.*	29.*	0.*E	0. *E	0.
S NO 1 SOUTH	ORP0022	R		ON COAL CO.	80 55.3					*N	.12*N	.2
COUNTY NAME: BROWN					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY					
WHITE OAK LAKE	OHU0069	WHITE OAK CREEK	CR		38 48.0	214.0	248.*	135.*	174.*	78.*U	0. *U	0.
	ORH0021				83 55.0					*T	6.53*T	11.8
LAKE WAYNOKA	OH00162	STRAIGHT CREEK	R	LAKE WAYNOKA	38 55.9	7.0	7.*	44.*	55.*	5.*E	0. *E	0.
	ORL0181			INC.	83 47.8					*N	.13*N	.2
COUNTY NAME: BUTLER					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CM					
DRY FORK	OHU0006	DRY FK WHITEWATE			39 18.8	45.0	45.*	35.*	45.*	37.*U	0. *U	0.
	ORL0182	R RIVER			84 45.1					*T	.39*T	.9
ACTON LAKE	OH00575	FOUR MILE CREEK	R	STATE OF OHI	39 33.4	102.0	102.*	44.*	45.*	15.*E	0. *E	0.
	ORL0183			U	84 44.1					*N	1.23*N	2.0
COUNTY NAME: CARROLL					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY					
LEESVILLE	OHU0071	MCGUIRE CREEK	CRO	DAEN ORH	40 28.1	48.0	52.*	47.*	62.*	37.*E	0. *E	0.
	ORH0022				81 11.7					*N	.81*N	1.7
COUNTY NAME: CLARK					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CM					
CLARENCE J BROWN	OH00028	BUCK CREEK	CR	DAEN ORL	39 57.0	82.0	82.*	44.*	55.*	64.*E	0. *E	0.
RESERVOIR	ORL0184				83 44.8					*N	.60*N	2.0

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF OHIO

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,S)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: CLEARMONT					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
STONELICK LAKE	OH00269	STONELICK CREEK	R	STATE OF OHI	39 13,0	23,0	23,0	44,0	35,0	7,0 E	0, E	0,
	ORL0185		O		84 5,1					N	,37 N	,6
EAST FORK LAKE	OH00929	EAST FORK OF LIT	CR	DAEN ORL	38 57,2	342,0	342,0	114,0	176,0	295,0 E	0, E	0,
	ORL0186	TLE MIAMI			84 5,1					N	20,30 N	26,9
COUNTY NAME: CLINTON					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
COWAN LAKE	OH00500	COWAN CREEK	R	STATE OF OHI	39 23,3	72,0	72,0	44,0	55,0	21,0 E	0, E	0,
	ORL0187		O		83 55,5					N	1,22 N	2,0
COUNTY NAME: COLUMBIANA					FERC POWER SUPPLY AREA 9			FERC REGIONAL OFFICE CODE NY				
WELLSVILLE RESER	OH00307	LITTLE YELLOW CR	S	CITY OF WELL	40 37,3	11,0	12,0	39,0	48,0	1,0 E	0, E	0,
VIOR	ORP0023	EEK		SVILLE	80 41,6					N	,18 N	,2
HIGHLANDTOWN LAK	OHC0635	LITTLEYELLOW CRE	R	STATE OF OHI	40 38,3	23,0	25,0	32,0	43,0	2,0 E	0, E	0,
E	ORP0024	EEK		O	80 44,9					N	,26 N	,5
COUNTY NAME: DEFIANCE					FERC POWER SUPPLY AREA 9			FERC REGIONAL OFFICE CODE NY				
DEFIANCE POWER D	OH00365	AUGLAIZE RIVER	R	TOLEDO EDISO	41 14,2	2329,0	1690,0	34,0	0,0	0,0 E	0, E	0,
AM	NCB0192			N POWER CO	84 24,0					N	4,61 N	16,7
OHNONAME 17	OH00388	MAUMEE RIVER	C		41 17,4	5530,0	4000,0	12,0	0,0	0,0 E	0, E	0,
	NCB0193				84 16,9					N	4,71 N	17,5
COUNTY NAME: DELAWARE					FERC POWER SUPPLY AREA 9			FERC REGIONAL OFFICE CODE NY				
ALUM CREEK	OH00055	ALUM CREEK	CR	CORPS	40 10,6	123,0	120,0	66,0	81,0	135,0 E	0, E	0,
	ORH0023				82 57,4					N	1,96 N	3,5

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF OHIO

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: DELAWARE					FERC POWER SUPPLY AREA 9			FERC REGIONAL OFFICE CODE NY				
BELLEPOINT	OHU0066	SCIOTO RIVER	C		40 24.0	768.0	618.	45.	60.	50.	U 0.	U 0.
	ORH0024				83 8.0						T 3.22	T 10.0
DELAWARE	OHU0066	OLENTANGY RIVER	CRSO	DAEN ORH	40 21.6	381.0	347.	34.	67.	132.	E 0.	E 0.
	ORH0025				83 4.2						N 2.51	N 5.2
OSHAUGNESSY	OH01310	SCIOTO	SR	COLUMBUS	40 6.0	979.0	787.	75.	90.	16.	E 0.	E 0.
	ORH0026				83 7.5						N 24.40	N 35.6
COUNTY NAME: FRANKLIN					FERC POWER SUPPLY AREA 9			FERC REGIONAL OFFICE CODE NY				
BIG DARBY	OHU0082	BIG DARBY CREEK	C		39 42.0	448.0	372.	65.	80.	93.	U 0.	U 0.
	ORH0027				83 15.0						T 2.55	T 9.1
HOOVER	OHU0091	BIG WALNUT CREEK	SR	COLUMBUS	40 6.0	190.0	184.	65.	91.	90.	E 0.	E 0.
	ORH0028				82 52.9						N 2.47	N 5.0
J GRIGGS	OH03000	SCIOTO	SR	COLUMBUS	40 0.	1044.0	839.	25.	52.	15.	E 0.	E 0.
	ORH0029				83 5.6						N 3.64	N 8.9
COUNTY NAME: GALLIA					FERC POWER SUPPLY AREA 9			FERC REGIONAL OFFICE CODE NY				
CORA LAKE	OHU0062	RACCOON CREEK	C		38 54.0	611.0	677.	51.	66.	240.	U 0.	U 0.
	ORH0030				82 25.0						T 3.24	T 13.0
COUNTY NAME: GREENE					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
WASHINGTON MILLS	OHU0004	LIT MIAMI RIVER			39 38.9	308.0	308.	35.	45.	61.	U 0.	U 0.
	ORL0188				84 2.8						T 2.27	T 5.4
MUFFMAN RESERVOIR	OH00426	MAD RIVER	C	MIAMI CONSER VANCY DISTR	39 47.8	512.0	512.	44.	55.	297.	E 0.	E 0.
	ORL0189				84 5.4						N 3.25	N 13.0

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF OHIO

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: GUERNSEY					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY					
SENECAVILLE	OHU0078	SENECA FORK	CRO	DAEN ORH	39 55,6	118.0	129.	28.	39.	89.	E 0.	E 0.
	ORH0031				81 26,7						N 1.18	N 2.5
WILLS CREEK	OHU0081	WILLS CREEK	CRO	DAEN ORH	40 6,0	642.0	905.	21.	59.	196.	E 0.	E 0.
	ORH0032				81 50,8						N 3.77	N 11.2
COUNTY NAME: HAMILTON					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
WEST FORK OF MIL L CREEK LAKE	OHO0029	W FORK OF MILL C REEK	CR	DAEN ORL	39 15,6	30.0	30.	48.	66.	11.	E 0.	E 0.
	ORL0190				84 29,8						N .43	N .7
COUNTY NAME: HARRISON					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY					
CLENDENING	OHU0060	BRUSHY FORK	CRO	DAEN ORH	40 16,2	69.0	140.	39.	52.	54.	E 0.	E 0.
	ORH0033				81 16,6						N 1.04	N 2.0
PIEDMONT	OHU0076	STILLWATER CREEK	CRO	DAEN ORH	40 11,4	86.0	133.	37.	50.	67.	E 0.	E 0.
	ORH0034				81 12,8						N 1.17	N 2.3
TAPPAN	OHU0079	LITTLE STILLWATE R CREEK	CRO	DAEN ORA	40 21,5	71.0	75.	33.	44.	62.	E 0.	E 0.
	OPH0035		R		81 13,6						N .91	N 1.7
COUNTY NAME: HIGHLAND					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE NY					
PAINT CREEK	OHU0075	PAINT CREEK	C	DAEN ORH	39 15,1	573.0	600.	49.	97.	145.	E 0.	E 0.
	ORH0036				83 21,0						N 2.55	N 10.4
COUNTY NAME: HOCKING					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY					
ATHENS COUNTY RE SERVOIR	OHU0063	HOCKING RIVER	C		39 24,0	569.0	552.	43.	58.	61.	U 0.	U 0.
	ORH0037				82 28,0						T 2.42	T 10.2

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF OHIO

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: HOCKING					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY					
LOGAN LAKE	OHU0084 ORH0036	CLEAR CREEK	C SRO		39 35,0 82 36,0	84.0	81.	73.	92.	78.	U 0. T 1.73	U 0. T 3.6
COUNTY NAME: HOLMES					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY					
MILLERSBURG LAKE	OHU0086 ORH0039	KILLBUCK CREEK	C		40 30,0 81 57,0	361.0	328.	30.	45.	77.	U 0. T 3.17	U 0. T 6.6
COUNTY NAME: JEFFERSON					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY					
FRIENDSHIP PARK LAKE	OHU0123 ORP0025	LITTLE MCINTIRE CREEK	R	JEFFERSON COUNTY	40 17,0 80 45,9	3.0	3.	69.	87.	2.	E 0. N .05	E 0. N .1
COUNTY NAME: KNOX					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY					
NORTH BRANCH OF KOKOSING	OHU0074 ORH0040	NORTH BRANCH OF KOKOSING	CRO	DAEN ORH	40 30,4 82 34,6	45.0	45.	30.	60.	15.	E 0. N .48	E 0. N .7
UTICA LAKE	OHU0088 ORH0041	NORTH FORK LICKI NG RIVER	CSRO		40 15,0 82 27,0	112.0	128.	39.	52.	76.	U 0. T 1.47	U 0. T 2.8
COUNTY NAME: LAWRENCE					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY					
GETAWAY LAKE	OHU0067 ORH0042	SYMMES CREEK	C		38 18,0 82 31,0	327.0	327.	53.	68.	140.	U 0. T 3.26	U 0. T 8.6
COUNTY NAME: MAHONING					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY					
NEWPORT LAKE	OHU0415 ORP0026	MILL CREEK	R	YOUNGSTOWN TOWNSHIP PARK	41 0, 80 40,7	66.0	58.	13.	15.	1.	E 0. N .28	E 0. N .4

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF OHIO

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DH,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MAHONING				FERC POWER SUPPLY AREA 9			FERC REGIONAL OFFICE CODE NY					
LAKE GLACIER	OH00416	MILL CREEK	R	YOUNGSTOWN T	41 0,	78.0	78.	11.	13.	0.*E	0. *E	0.
	ORP0027			OWNSHIP PARK	80 40.5					*N	.23*N	.6
LAKE MILTON	OH00419	MAHONING RIVER	RCS	CITY OF YOUN	41 6.0	273.0	238.	37.	47.	29.*E	0. *E	0.
	ORP0028			GSTOWN	80 58.7					*N	2.04*N	5.7
MCKELVEY LAKE	OH00626	DRY RUN	S	OHIO WATER S	41 6.0	9.0	9.	55.	69.	4.*E	0. *E	0.
	ORP0029			ERVICE CO.	80 35.7					*N	.16*N	.3
LAKE HAMILTON	OH00629	YELLOW CREEK	SR	OHIO WATER S	41 0,	39.0	38.	57.	74.	3.*E	0. *E	0.
	ORP0030			ERVICE CO.	80 55.5					*N	.65*N	1.4
BURGESS LAKE	OH00630	BURGESS RUN	S	OHIO WATER S	41 0,	31.0	30.	22.	30.	0.*E	0. *E	0.
	ORP0031			ERVICE CO.	80 36.0					*N	.20*N	.4
EVANS LAKE	OH00631	YELLOW CREEK	SR	OHIO WATER S	40 58.9	19.0	20.	32.	43.	14.*E	0. *E	0.
	ORP0032			ERVICE CO.	80 37.1					*N	.25*N	.3
COUNTY NAME: MERCER				FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH					
GRAND LAKE ST. M ARYS	OH00580	BEAVER CREEK	R	STATE OF OHI	40 32.1	118.0	918.	44.	26.	177.*E	0. *E	0.
	ORL0191			O	84 34.4					*N	1.42*N	2.2
COUNTY NAME: MONTGOMERY				FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH					
GERMANTOWN DAM	OH00425	TWIN CREEK	C	MIAMI CONSER	39 38.3	272.0	272.	44.	55.	865.*E	0. *E	0.
	ORL0192			VANCY DISTR,	84 24.2					*N	2.40*N	5.2
TAYLORSVILLE DAM	OH00427	GREAT MIAMI RIVE	C	MIAMI CONSER	39 52.5	1050.0	1050.	44.	55.	386.*E	0. *E	0.
	ORL0193	R		VANCY DISTR,	84 9.7					*N	3.13*N	13.8
ENGLEWOOD DAM	OH00431	STILLWATER RIVER	C	MIAMI CONSER	39 52.2	664.0	664.	44.	55.	413.*E	0. *E	0.
	ORL0194			VANCY DISTR,	84 17.1					*N	2.36*N	8.9

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, F=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=UNINSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF OHIO

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MORGAN					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY					
LOCK + DAM NO.6	OHU0096	MUSKINGHAM RIVER	R	OHIO	39 32.8	7611.0	7509.	11.	0.	0.	0. E	0. E
	ORH0043				81 47.3						N	24.34 N	58.4
LOCK + DAM NO.7	OHU0097	MUSKINGHAM RIVER	R	OHIO	39 38.6	7411.0	7334.	9.	0.	0.	0. E	0. E
	ORH0044				81 51.0						N	19.39 N	46.5
LOCK + DAM NO.8	OHU0098	MUSKINGHAM RIVER	R	OHIO	39 44.0	7248.0	7151.	10.	0.	0.	0. E	0. E
	ORH0045				81 54.5						N	21.07 N	30.6
COUNTY NAME: MUSKINGUM					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY					
DILLON	OHU0069	LICKING RIVER	CRO	DAEN ORH	39 59.5	742.0	786.	31.	65.	274.	0. E	0. E
	ORH0046				82 4.8						2.32 N	9.5
FRAZEYSBURG LAKE	OHU0043	WAKATOMIKA CREEK	C		40 6.0	139.0	147.	27.	70.	125.	0. U	0. U
	ORH0047				82 8.0						1.26 T	2.4
LOCK + DAM NO.9	OHU0099	MUSKINGHAM RIVER	R	OHIO	39 52.2	7019.0	6925.	9.	0.	0.	0. E	0. E
	ORH0048				81 54.6						N	6.93 N	31.3
LOCK + DAM NO.10	OHU0100	MUSKINGHAM RIVER	R	OHIO	39 56.5	6840.0	6749.	14.	0.	0.	0. E	0. E
	ORH0049				81 .8						N	27.84 N	66.8
COUNTY NAME: PICKAWAY					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY					
DEER CREEK	OHU0061	DEER CREEK	CRO	DAEN ORH	39 37.3	277.0	295.	39.	74.	103.	0. E	0. E
	ORH0050				83 12.9						2.20 N	4.8
COUNTY NAME: PORTAGE					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY					
MICHAEL J KIRWIN DAM AND RESERVO	OH00030	WEST BRANCH OF THE MAHONING	CROS	DAENONP	41 19.3	81.0	104.	65.	77.	124.	0. E	0. E
	ORP0033				81 4.8						1.41 N	4.5

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION, D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF OHIO

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM.M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE CAPACITY (1000 AC FT)	(MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: PORTAGE					FERC POWER SUPPLY AREA 9				FERC REGIONAL OFFICE CODE NY			
BERLIN DAM	OH00032	MAHONING RIVER	CRSO	DAENORP	41 2.8	249.0	229.	40.	89.	91.	E 0.	E 0.
	ORP0034				81 .2						N 2.47	N 6.5
LAKE ROCKWELL	OH00668	CUYAHOGA RIVER	SR	CITY OF AKRO	41 11.0	208.0	240.	25.	0.	0.	E 0.	E 0.
	NC80194			N	81 19.8						N 2.25	N 5.1
COUNTY NAME: PREBLE					FERC POWER SUPPLY AREA 12				FERC REGIONAL OFFICE CODE CH			
LAKE LAKENGREN	OH00156	PAINT CREEK	R	LAKE LAKENGR	39 40.5	18.0	18.	44.	55.	0.	E 0.	E 0.
	ORL0195			EN PROPERTY	84 41.2						N .29	N .5
COUNTY NAME: SANDUSKY					FERC POWER SUPPLY AREA 8				FERC REGIONAL OFFICE CODE NY			
FREMONT LOW HEAD DAM	OH00809	SANDUSKY RIVER	R	CITY OF FREM	41 19.5	1251.0	940.	21.	0.	0.	E 0.	E 0.
	NC80195			ONT	83 8.2						N 3.06	N 8.2
COUNTY NAME: SCIOTO					FERC POWER SUPPLY AREA 9				FERC REGIONAL OFFICE CODE NY			
HARRISON MILLS	OH00064	LITTLE SCIOTO RI	C		38 42.0	182.0	182.	56.	71.	102.	U 0.	U 0.
	ORH0051	VER			82 41.0						T 2.69	T 6.0
COUNTY NAME: SENECA					FERC POWER SUPPLY AREA 9				FERC REGIONAL OFFICE CODE NY			
TIFFIN LOW HEAD DAM 1031-007	OH00801	SANDUSKY RIVER	S	OHIO CITIES WATER CO	41 7.4	1000.0	900.	7.	0.	0.	E 0.	E 0.
	NC80196				83 10.5						N .38	N 1.5
TIFFIN LOW HEAD DAM 1031-006	OH00802	SANDUSKY RIVER	S	OHIO CITIES WATER CO	41 8.0	966.0	850.	8.	0.	0.	E 0.	E 0.
	NC80197				83 11.4						N .40	N 1.5

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF OHIO

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: SHELBY					FERC POWER SUPPLY AREA 12			FERC REGIONAL OFFICE CODE CH				
LOCKINGTON DRY RESERVOIR	OH00391 ORL0196	LORAMIE CREEK	C	MIAMI CONSER VANCY DISTR,	40 12,9 84 14,7	232,0	232,	44,	55,	126,	E 0, N 2,07	E 0, N 3,7
LAKE LORAMIE	OH00442 ORL0197	LORAMIE CREEK	R	STATE OF OHI O	40 21,5 84 21,5	70,0	70,	44,	30,	17,	E 0, N ,99	E 0, N 1,4
COUNTY NAME: STARK					FERC POWER SUPPLY AREA 9			FERC REGIONAL OFFICE CODE NY				
UPPER DEER CREEK RES.	OH00241 ORP0035	DEER CREEK	S	CITY OF ALLI ANCE	40 58,4 81 10,7	33,0	22,	26,	35,	15,	E 0, N ,39	E 0, N ,7
DEER CREEK RESERVOIR	OH00779 ORP0036	DEER CREEK	S	CITY OF ALLI ANCE	40 58,1 81 7,0	33,0	22,	26,	34,	4,	E 0, N ,40	E 0, N ,7
COUNTY NAME: TRUMBULL					FERC POWER SUPPLY AREA 9			FERC REGIONAL OFFICE CODE NY				
MOSQUITO CREEK DAM	OH00031 ORP0037	MOSQUITO CREEK	CRSD	DAENDRP	41 16,0 80 45,5	97,0	86,	35,	42,	176,	E 0, N 1,02	E 0, N 2,0
MEANDER CREEK RESERVOIR	OH00337 ORP0038	MEANDER CREEK	SR	MAHONING VAL LEY SANITARY	41 6,0 80 46,8	84,0	87,	33,	45,	53,	E 0, N ,94	E 0, N 1,7
NEWTON FALLS DAM	OH00339 ORP0039	EAST BR MAHONING RIVER	H	OHIO EDISON CO,	41 11,8 80 58,0	276,0	238,	8,	11,	1,	E 0, N ,38	E 0, N 1,2
LIBERTY LAKE	OH00633 ORP0040	SQUAW CREEK	SR	OHIO WATER S ERVICE CO,	41 11,1 80 42,3	15,0	16,	32,	40,	2,	E 0, N ,20	E 0, N ,2
LAKE GIRARD	OH00634 ORP0041	SQUAW CREEK	SR	OHIO WATER S ERVICE CO,	41 11,6 80 43,2	11,0	12,	41,	54,	4,	E 0, N ,19	E 0, N ,2

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION, D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF OHIO

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: TUSCARAWAS					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY					
ATWOOD LAKE	OHU0056	INDIAN FORK	CRO	DAEN ORH	40 31,6	70,0	72,*	41,*	55,*	50,*E	0, *E	0,
	ORH0052				81 17,1					*N	1,11*N	2,1
BEACH CITY	OHU0057	SUGAR CREEK	CRO	DAEN ORH	40 38,2	300,0	140,*	17,*	46,*	72,*E	0, *E	0,
	ORH0053				81 33,4					*N	1,68*N	4,0
DOVER	OHU0070	TUSCARAWAS RIVER	C	DAEN ORH	40 33,4	1379,0	1387,*	9,*	51,*	203,*E	0, *E	0,
	ORH0054				81 24,8					*N	3,78*N	8,7
COUNTY NAME: VINTON					FERC POWER SUPPLY AREA 9		FERC REGIONAL OFFICE CODE NY					
SALT CREEK	OHU0087	SALT CREEK	C		39 30,0	270,0	270,*	68,*	83,*	130,*U	0, *U	0,
	ORH0055				82 37,0					*T	1,93*T	7,9
COUNTY NAME: WARREN					FERC POWER SUPPLY AREA 12		FERC REGIONAL OFFICE CODE CH					
TODD FORK	OHU0002	TODD FK LIT MIAM			39 20,8	245,0	245,*	35,*	45,*	95,*U	0, *U	0,
	ORL0198	I RIVER			84 4,8					*T	2,26*T	4,7
MORROW	OHU0003	LIT MIAMI RIVER			39 21,5	685,0	685,*	35,*	45,*	244,*U	0, *U	0,
	ORL0199				84 7,0					*T	4,11*T	15,6
COWAN CREEK	OHU0005	COWAN CREEK			39 24,8	51,0	51,*	35,*	45,*	14,*U	0, *U	0,
	ORL0200				83 57,4					*T	,53*T	1,0
ARMCO PARK RESER VOIR	OHU0553	SHAKER CREEK	R	ARMCO STEEL CORPORATION	39 27,0	0,0	0,*	44,*	55,*	5,*E	0, *E	0,
	ORL0201				84 17,6					*N	,08*N	,1
CAESAR CREEK LAKE	OHU0927	CAESAR CREEK	CR	DAEN ORL	39 27,5	237,0	237,*	110,*	144,*	242,*E	0, *E	0,
	ORL0202				83 58,4					*N	4,22*N	12,1

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/09/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF OHIO

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: WASHINGTON					FERC POWER SUPPLY AREA 9			FERC REGIONAL OFFICE CODE NY				
LOCK + DAM NO.2	OHU0092	MUSKINGHAM RIVER	R	OHIO	39 28.2	8018.0	7911.	10.	0.	0.	E 0.	E 0.
	ORH0056				81 29.5						N 23.31	N 55.9
LOCK + DAM NO.3	OHU0093	MUSKINGHAM RIVER	R	OHIO	39 31.8	7985.0	7878.	12.	0.	0.	E 0.	E 0.
	ORH0057				81 31.0						N 27.86	N 66.9
LOCK + DAM NO.4	OHU0094	MUSKINGHAM RIVER	R	OHIO	39 33.2	7940.0	7834.	8.	0.	0.	E 0.	E 0.
	ORH0058				81 38.8						N 6.97	N 31.4
LOCK + DAM NO.5	OHU0095	MUSKINGHAM RIVER	R	OHIO	39 32.2	7744.0	7641.	9.	0.	0.	E 0.	E 0.
	ORH0059				81 43.3						N 20.26	N 48.6

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

STATE OF WISCONSIN

PHYSICAL POTENTIAL FOR ADDITIONAL HYDROELECTRIC CAPACITY AND ENERGY DEVELOPMENT IN THE STATE OF WISCONSIN

HEAD (FEET)		POTENTIAL INCREMENTAL CAPACITY RANGES															
		.05 MW - 15 MW				15 MW - 25 MW				GREATER THAN 25 MW				TOTAL			
		EXIST INST CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP	EXIST INST CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP	EXIST INST CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP	EXIST INST CAP	EXIST INCR 2 CAP	UNDEV POTEN 3 CAP	TOTAL INCR 4 CAP
0-19	NUMBER	36	85	31	116	0	4	1	5	0	2	0	2	36	91	32	123
	CAPCTY	60.2	110	49.2	159	0.0	78.8	21.0	99.9	0.0	69.7	0.0	69.7	60.2	258	70.3	329
	ENERGY	307	429	215	644	0.0	205	54.2	259	0.0	269	0.0	269	307	903	269	1172
20-49	NUMBER	30	30	27	57	3	4	0	4	2	6	6	12	35	40	33	73
	CAPCTY	91.6	78.9	102	181	56.5	80.2	0.0	80.2	62.2	164	239	402	211	323	341	664
	ENERGY	449	255	457	713	251	162	0.0	162	227	363	870	1233	926	781	1327	2108
50-99	NUMBER	9	8	2	10	3	2	0	2	1	4	0	4	13	14	2	16
	CAPCTY	67.6	30.8	6.2	37.0	55.4	46.2	0.0	46.2	35.2	154	0.0	154	158	231	6.2	237
	ENERGY	262	82.6	27.2	110	283	94.4	0.0	94.4	142	226	0.0	226	707	403	27.2	430
>100	NUMBER	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	1
	CAPCTY	0.0	0.0	0.0	0.0	0.0	0.0	19.2	19.2	0.0	0.0	0.0	0.0	0.0	0.0	19.2	19.2
	ENERGY	0.0	0.0	0.0	0.0	0.0	0.0	37.3	37.3	0.0	0.0	0.0	0.0	0.0	0.0	37.3	37.3
TOTAL	NUMBER	75	123	60	183	6	10	2	12	3	12	6	18	84	145	68	213
	CAPCTY	220	219	158	377	112	205	40.3	246	97.5	387	239	626	429	812	437	1249
	ENERGY	1038	768	699	1467	534	462	91.5	553	368	858	870	1728	1940	2087	1661	3748

LEGEND

COLUMN 1 = EXISTING HYDROPOWER DEVELOPMENT
COLUMN 2 = ADDITIONAL POTENTIAL AT EXISTING DAMS
COLUMN 3 = UNDEVELOPED POTENTIAL
COLUMN 4 = TOTAL POTENTIAL AT ALL SITES (SUM OF COLUMNS 2 AND 3)
CAPCTY = SUM OF CAPACITIES FOR GIVEN HEAD RANGE (MEGAWATT)
ENERGY = SUM OF ENERGIES FOR GIVEN HEAD RANGE (GIGAWATT-HOUR)

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: ADAMS					FERC POWER SUPPLY AREA 13			FERC REGIONAL OFFICE CODE				
SHERWOOD	WI00001	FOURTEEN MILE CR	R		44 12.2	64.0	58.	21.	29.	4.	E 0.	E 0.
	NCS0193	EEK			89 48.4						N .33	N .4
CASTLE ROCK 2WP7	WI00724	WISCONSIN	HCR	WI RIVER POW	43 54.0	6845.0	4077.	28.	32.	241.	E 15.00	E 75.0
24	NCS0194			ER CO	89 57.3						N 20.05	N 35.5
COUNTY NAME: ASHLAND					FERC POWER SUPPLY AREA 16			FERC REGIONAL OFFICE CODE				
BAKER	WI00119	BAD	H		46 33.7	570.0	576.	104.	104.	44.	U 0.	U 0.
	NCS0195				90 40.6						T 19.27	T 37.3
WHITE RIVER 1693	WI00725	WHITE	HR	LAKE SUPERIO	46 29.9	269.0	280.	50.	49.	1.	E 0.	E 0.
C99	NCS0196			R DIST PWR	90 54.5						N 2.20	N 8.9
COUNTY NAME: BARRON					FERC POWER SUPPLY AREA 16			FERC REGIONAL OFFICE CODE CH				
CHETEK	WI00098	CHETEK	HR	BARRON COUNT	45 18.6	190.0	95.	10.	11.	42.	E 0.	E 0.
	NCS0197			Y	91 36.9						N .33	N .8
CEDAR LAKE	WI00100	RED CEDAR	R	BARRON COUNT	45 35.4	132.0	39.	8.	11.	69.	E 0.	E 0.
	NCS0198			Y	91 36.0						N .16	N .7
RICE LAKE	WI00102	RED CEDAR	HR	BARRON COUNT	45 30.0	410.0	121.	11.	12.	11.	E 0.	E 0.
	NCS0199			Y	91 44.0						N .65	N 3.0
COUNTY NAME: BAYFIELD					FERC POWER SUPPLY AREA 16			FERC REGIONAL OFFICE CODE				
WHITE RIVER	WI00118	WHITE	H		46 28.4	269.0	280.	50.	50.	18.	U 0.	U 0.
	NCS0326				91 0.						T 2.20	T 8.9
DRUMMOND LAKE	WI00503	LONG LAKE BRANCH	R	BAYFIELD COU	46 20.9	33.0	34.	10.	13.	3.	E 0.	E 0.
	NCS0200	WHITE		NTY	91 15.5						N .08	N .3

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: BAYFIELD					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
MIDDLE EAU CLARE	*WI00523*	EAU CLAIRE	*R	*BAYFIELD COU*	46 17,1	89,0*	72,*	11,*	15,*	24,*E	0, *E	0,
LAKE 2WP366	*NCS0201*		*	*NTY	91 32,6	*	*	*	*	*N	,24*N	1,0
NAMEKAGON	*WI00623*	NAMEKAGON	*R	*TOWN OF LAKE*	46 13,4	33,0*	30,*	7,*	10,*	71,*E	0, *E	0,
	NCS0202		*	* NAMEKAGON	91 8,8	*	*	*	*	*N	,06*N	,5
PORT WING 2WP689	*WI00726*	IRON	*HR	*LAKE SUPERIO*	46 44,8	60,0*	173,*	41,*	55,*	3,*E	0, *E	0,
	NCS0203		*	*R DIST PWR	91 29,1	*	*	*	*	*N	,59*N	2,5
COUNTY NAME: BROWN					FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE CH					
WEST DEPERE	*WI00140*	FOX	*	*NICOLET PAPE*	44 27,0	6240,0*	4392,*	7,*	0,*	0,*E	1,12*E	6,4
	NCC0215		*	*R CORP	88 3,0	*	*	*	*	*N	3,16*N	13,1
COUNTY NAME: BURNETT					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE CH					
DANBURY	*WI00003*	YELLOW	*HR	*	45 59,8	310,0*	381,*	30,*	38,*	1,*E	1,08*E	6,0
	NCS0204		*	*	92 22,4	*	*	*	*	*N	,35*N	,3
CLAM RIVER	*WI00004*	CLAM	*HR	*NW WISE ELEC*	45 56,8	378,0*	311,*	35,*	35,*	6,*E	1,20*E	4,0
	NCS0205		*	* CO	92 32,3	*	*	*	*	*N	,83*N	5,0
LOON LAKE	*WI00243*	LOON CREEK	*RO	*BURNETT COUN*	45 59,0	40,0*	32,*	6,*	8,*	4,*E	0, *E	0,
	NCS0206		*	*TY	92 10,5	*	*	*	*	*N	,06*N	,2
CLAM LAKE 2WP233	*WI00260*	CLAM	*R	*BURNETT COUN*	45 50,0	320,0*	260,*	6,*	8,*	16,*E	0, *E	0,
	NCS0207		*	*TY	92 18,7	*	*	*	*	*N	,29*N	1,3
CLAM LAKE 2WP233	*WI00619*	CLAM	*R	*BURNETT COUN*	45 50,5	296,0*	240,*	6,*	8,*	16,*E	0, *E	0,
	NCS0208		*	*TY	92 18,9	*	*	*	*	*N	,27*N	1,2

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: CHIPPEWA					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
SITE NO 21	WI00094	FLAMBEAU	H		45 18,5	1868,0	1804,	17,	17,	5,U	0, U	0,
	NCS0209				91 13,9					T	4,70 T	20,1
OTTER LAKE	WI00066	OTTER CREEK	R	CHIPPEWA COU	45 5,5	37,0	29,	13,	18,	15,E	0, E	0,
	NCS0210			NTY	90 57,2					N	,19 N	,3
JIM FALLS 1903C1	WI00729	CHIPPEWA	HR	NORTHERN STA	45 3,6	4891,0	2891,	54,	54,	21,E	14,40 E	62,8
72	NCS-IF0			TES POWER CO	91 16,0					N	49,15 N	80,7
WISSOTA WP37	WI00730	CHIPPEWA	HR	NORTHERN STA	44 56,3	5548,0	4943,	54,	58,	226,E	35,28 E	141,6
	NCS0211			TES POWER CO	91 20,4					N	35,10 N	42,9
CHIPPEWA FALLS W	WI00731	CHIPPEWA	HR	NORTHERN STA	44 55,9	5550,0	5042,	30,	30,	5,E	21,60 E	73,5
P304	NCS0212			TES POWER CO	91 23,3					N	18,46 N	29,6
HOLCOMBE 2WP723	WI00732	CHIPPEWA	HR	NORTHERN STA	45 13,5	4700,0	3960,	42,	42,	72,E	33,75 E	99,7
	NCS0213			TES POWER CO	91 7,7					N	6,56 N	22,7
COUNTY NAME: CLARK					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
MEAD	WI00067	SOUTH BRANCH EAU	R	CLARK COUNTY	44 47,4	79,0	63,	12,	16,	4,E	0, E	0,
	NCS0214	CLAIRE			90 46,3					N	,20 N	,3
COUNTY NAME: COLUMBIA					FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE CH					
PARDEEVILLE	WIU0142	FOX	R		43 32,0	40,0	25,	11,	13,	3,E	,05 E	,1
	NCC0216				89 19,0					N	0, N	0,
KILBOURN	WI00005	WISCONSIN	HR	WPYL	43 37,6	7877,0	3742,	24,	25,	10,E	8,20 E	47,2
	NCS0215				89 46,9					N	26,37 N	61,8

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: CRAWFORD					FERC POWER SUPPLY AREA 16					FERC REGIONAL OFFICE CODE		
BOSCOREL	WI00122	WISCONSIN	H		43 9,0	10790,0	7695,	22,	22,	95, U	0, U	0,
	NCS0216				90 43,0					T	37,18 T	136,8
LYNXVILLE UNITED STATES 9	WI00733	MISSISSIPPI	N	DAEN NCS	43 12,7	66800,0	31539,	5,	9,	270, E	0, E	0,
	NCS-IFO				91 5,7					N	29,87 N	113,0
COUNTY NAME: DANE					FERC POWER SUPPLY AREA 13					FERC REGIONAL OFFICE CODE		
MENDOTA LOCKS 2W P1286	WI00621	YAHARA	NR	CITY OF MADI	43 5,7	235,0	154,	8,	8,	295, E	0, E	0,
	NCR0080			SUN	89 22,2					N	,21 N	,8
COUNTY NAME: DODGE					FERC POWER SUPPLY AREA 13					FERC REGIONAL OFFICE CODE CH		
HORICON	WI00114	ROCK RIVER			43 50,0	465,0	358,	9,	0,	0, U	0, U	0,
	NCR-IFO				88 50,0					T	,48 T	2,1
UPPER BEAVER	WI00119	BEAVERDAM	R	CITY OF BEAV	43 27,3	300,0	140,	11,	35,	57, E	0, E	0,
	NCR0082			ER DAM	88 50,7					N	,27 N	1,0
FOX LAKE	WI00253	BEAVERDAM	R	VILLAGE OF F	43 33,6	70,0	40,	7,	35,	28, E	0, E	0,
	NCR0083			OX LAKE	88 55,1					N	,09 N	,2
HUSTISFORD	WI00254	ROCK	R	VILLAGE OF H	43 20,8	482,0	235,	7,	35,	19, E	0, E	0,
	NCR0084			USTISFORD	88 35,9					N	,37 N	,9
THERESA MARSH 2W P2537	WI00612	EAST BRANCH ROCK	R	WI DNR	43 31,5	151,0	87,	8,	8,	21, E	0, E	0,
	NCR0085				88 25,3					N	,23 N	,4
COUNTY NAME: DOUGLAS					FERC POWER SUPPLY AREA 16					FERC REGIONAL OFFICE CODE		
SAINT CROIX	WI00504	SAINT CROIX	R	DOUGLAS COUN	46 15,2	486,0	393,	7,	9,	20, E	0, E	0,
	NCS0217			TY	91 55,6					N	,50 N	2,2

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: DUNN					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
VARNEY CREEK	WI00095	RED CEDAR	H		44 49,9	1605,0	1220,	30,	30,	4,U	0, U	0,
	NCS0218				91 56,9					T	5,17 T	24,9
DUNNVILLE	WI00096	RED CEDAR	H		44 43,2	1838,0	1243,	30,	30,	18,U	0, U	0,
	NCS0219				91 54,4					T	5,23 T	25,3
EAU GALE	WI00008	EAU GALLE	HR	NSP	44 41,6	180,0	72,	30,	30,	2,E	0, E	0,
	NCS0220				92 ,6					N	,43 N	1,0
CEDAR FALLS 1883 C3	WI00734	RED CEDAR	I	NORTHERN STA TES POWER CO	44 51,1	1690,0	**********	50,	52,	37,E	6,00 E	29,1
	NCS0221				91 53,3					N	1,63 N	9,8
MENOMNEE 1861 C3b	WI00735	RED CEDAR	HR	NORTHERN STA TES POWER CO	44 53,0	1760,0	1154,	32,	32,	21,E	5,40 E	21,9
	NCS0222				91 55,7					N	0, N	0,
COUNTY NAME: EAU CLAIRE					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
SITE NO 10	WI00103	CHIPPEWA	H		44 47,1	6737,0	6066,	13,	13,	2,U	0, U	0,
	NCS0223				91 34,1					T	21,07 T	54,2
ALTOONA	WI00011	EAU CLAIRE	R		44 49,2	792,0	713,	20,	27,	11,E	0, E	0,
	NCS0224				91 26,6					N	1,75 N	7,1
COUNTY NAME: EAU CLAIRE					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE CH					
DELLS 1907 C35	WI00736	CHIPPEWA	HR	CITY OF EAU CLAIRE	44 49,6	5752,0	5179,	26,	26,	10,E	9,50 E	43,8
	NCS-IF0				91 30,7					N	26,48 N	48,8
COUNTY NAME: FLORENCE					FERC POWER SUPPLY AREA 1		FERC REGIONAL OFFICE CODE CH					
PINE MP 146	WI00736	PINE RIVER		WI - MI POWER CO	45 49,8	520,0	424,	79,	104,	3,E	3,60 E	19,0
	NCC0217				88 15,6					N	2,15 N	2,7

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: GRANT						FERC POWER SUPPLY AREA 16				FERC REGIONAL OFFICE CODE CH		
BRIDGEPORT	WIU0121	WISCONSIN	H		42 59,0	11660,0	6544,	25,	25,	0, U	0. U	0.
	NCS0323				91 4,0					T	41.10 T	164,8
MUSCODA	WIU0123	WISCONSIN	H		43 12,0	10300,0	8423,	20,	20,	61, U	0. U	0.
	NCS0324				90 26,0					T	32.71 T	119,0
COUNTY NAME: IOWA						FERC POWER SUPPLY AREA 13				FERC REGIONAL OFFICE CODE CH		
MINERAL POINT	WIU0115	PECATONICA RIVER			42 50,0	80,0	56,	37,	0,	0, U	0. U	0.
	NCW0092				90 15,0					T	,43 T	1,2
COUNTY NAME: IRON						FERC POWER SUPPLY AREA 16				FERC REGIONAL OFFICE CODE		
FLAMBEAU RESERVO	WI00041	FLAMBEAU	SR	CHIPPEWA FLA	46 4,2	666,0	635,	20,	27,	370, E	0. E	0.
IR	NCS0229			MBEAU IMP CO	90 13,4					N	1.99 N	9,1
GILE RESRVOIR	WI00042	WEST FORK MONTRE	SCR	LAKE SUPERIO	46 25,6	65,0	77,	17,	23,	55, E	,92 E	2,2
	NCS0230	AL		R DIS PWR CO	90 13,6					N	0. N	0.
LAKE OF THE FALL	WI00618	TURTLE	R	TOWN OF NERO	46 9,0	110,0	105,	8,	11,	5, E	0. E	0.
S 2WP257	NCS0231			EK	90 9,8					N	,23 N	,6
COUNTY NAME: JACKSON						FERC POWER SUPPLY AREA 16				FERC REGIONAL OFFICE CODE CH		
BLACK R NO 1	WIU0127	BLACK	H		44 3,9	2200,0	1667,	40,	40,	179, U	0. U	0.
	NCS0232				91 18,5					T	6,30 T	30,0
HATFIELD	WI00016	BLACK	HR		44 24,7	1326,0	993,	66,	92,	23, E	3,84 E	16,0
	NCS0233				90 43,3					N	23,65 N	22,9
BLACK RIVER FALL	WI00043	BLACK	HR	CITY BLACK R	44 17,8	1674,0	1253,	18,	20,	4, E	,92 E	2,2
S	NCS-IF0			IVER FALLS	90 50,8					N	2,89 N	6,9

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSES: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: JUNEAU					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
NECEDAH	WI00146	YELLOW	R	WI POWER AND	44 12.0	565.0	307.	8.	11.	3.	E 0.	E 0.
	NCS0234			LIGHT CO	90 4.2						N .37	N 1.2
PETENWELL	WI00740	WISCONSIN	HCR	WI RIVER POW	44 3.4	5860.0	4920.	42.	42.	547.	E 20.00	E 102.0
	NCS0235			EN CO	90 1.2						N 25.01	N 39.9
COUNTY NAME: LA CROSSE					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
NESHONOC	WI00148	LA CROSSE	R	LACROSSE COU	43 54.8	390.0	281.	10.	14.	9.	E 0.	E 0.
	NCS0236			NTY	91 4.5						N .49	N 2.0
COUNTY NAME: LAFAYETTE					FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE CH					
CALAMINE	WIU0111	PECATONICA RIVER			42 45.0	198.0	134.	32.	0.	0.	U 0.	U 0.
	NCR0086				90 10.0						T .85	T 2.5
COTTAGE INN	WIU0112	PECATONICA RIVER			42 45.0	14.0	9.	29.	0.	0.	U 0.	U 0.
	NCR0087				90 15.0						T .06	T .1
DILL	WIU0113	PECATONICA RIVER			42 30.0	1037.0	700.	16.	0.	0.	U 0.	U 0.
	NCR-IFO				89 50.0						T 2.21	T 7.1
PECATONICA	WIU0116	PECATONICA RIVER			42 50.0	69.0	49.	27.	0.	0.	U 0.	U 0.
	NCR0089				90 15.0						T .27	T .8
WOOD BRANCH	WIU0117	PECATONICA RIVER			42 55.0	18.0	11.	26.	0.	0.	U 0.	U 0.
	NCR0090				90 10.0						T .06	T .2
YELLOWSTONE	WI00071	YELLOWSTONE	R	WI DNR	42 45.4	29.0	18.	18.	35.	7.	E 0.	E 0.
	NCR0091				89 57.4						N .06	N .2

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: LANGLADE					FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE CH					
NORTH POST LK	WI00054	WOLF			45 27.6	101.0	65.	16.	18.	19.U	0. U	0.
	NCC0225				89 5.0					T	.32T	1.2
LOWER POST LK	WI00147	WOLF			45 24.0	278.0	184.	11.	12.	10.U	0. U	0.
	NCC0284				88 54.0					T	.49T	1.8
HANSON RIPS	WI00170	WOLF			45 7.0	485.0	324.	35.	39.	0.U	0. U	0.
	NCC0226				88 40.3					T	2.78T	12.1
GARDNER	WI00171	WOLF			45 6.0	482.0	322.	54.	60.	0.U	0. U	0.
	NCC0265				88 41.0					T	4.05T	18.3
WHITE LK CK	WI00172	WOLF			45 6.0	466.0	311.	44.	49.	0.U	0. U	0.
	NCC0227				88 44.0					T	3.31T	14.5
LANGLADE	WI00173	WOLF			45 13.0	462.0	309.	36.	40.	0.U	0. U	0.
	NCC0228				88 43.0					T	2.71T	11.8
SHERRY RAPIDS	WI00174	WOLF			45 12.0	459.0	269.	42.	47.	0.U	0. U	0.
	NCC0229				88 45.0					T	3.12T	13.7
LILY	WI00175	WOLF			45 18.0	394.0	262.	27.	30.	0.U	0. U	0.
	NCC0230				88 51.3					T	1.83T	7.6
COUNTY NAME: LINCOLN					FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE					
DELIS	WI00019	PRAIRIE	R		45 15.4	126.0	125.	33.	45.	2.E	0. E	0.
	NCS0237				89 33.8					N	.89N	2.7
LITTLE SOMO RIVE R 2WP46	WI00710	LITTLE SOMO	R	LINCOLN COUNTY	45 29.8	138.0	133.	5.	7.	5.E	0. E	0.
	NCS0238				89 50.8					N	.14N	.5
RICE	WI00741	TOMAHAWK	OR	WI VALLEY IMPROVEMENT CO	45 32.5	545.0	531.	10.	13.	26.E	0. E	0.
	NCS0239				89 44.7					N	.72N	3.7

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCHEMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

AD-A075 965 INSTITUTE FOR WATER RESOURCES (ARMY) FORT BELVOIR VA F/G 10/1
NATIONAL HYDROELECTRIC POWER RESOURCES STUDY. PRELIMINARY INVEN--ETC(U
JUL 79 W R SIGLEO , J R HANCHEY , D G NOLTON

UNCLASSIFIED NL

3 OF 3
AD A075965

END
DATE FILMED
11-79
DDC


1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0
4.5
5.0
5.6
6.3
MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: LINCOLN					FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE CH					
MERRILL 1874C118	WI00742	WISCONSIN	HR	WI PUBLIC SE	45 10.7	2780.0	2672.	14.	15.	12. E	.84 E	6.0
	NCS0240			RVICE CORP	89 41.2					N	4.61 N	18.9
UPPER GRANDFATHE	WI00743	WISCONSIN	HR	WI PUBLIC SE	45 18.8	2293.0	2204.	95.	94.	10. E	17.24 E	101.0
R FALLS 2WP35	NCS0241			RVICE CORP	89 47.1					N	28.37 N	49.0
KINGS 1853C30	WI00744	WISCONSIN	HR	TOMAHAWK POW	45 28.9	1297.0	1198.	23.	23.	14. E	.32 E	1.0
	NCS0242			ER AND PULP	89 40.8					N	4.04 N	18.2
JERSEY 2WP33	WI00745	TOMAHAWK	HR	WI PUBLIC SE	45 29.5	557.0	543.	15.	15.	3. E	.51 E	2.8
	NCS0243			RVICE CORP	89 45.0					N	.82 N	3.2
TOMAHAWK 2WP320	WI00746	WISCONSIN	HR	WI PUBLIC SE	45 26.5	2028.0	1949.	16.	15.	15. E	2.60 E	14.0
	NCS0244			RVICE CORP	89 43.8					N	2.12 N	6.9
GRANDMOTHER FALL	WI00747	WISCONSIN	HR	OWENS ILLINO	45 22.0	2269.0	2200.	19.	19.	6. E	3.00 E	18.2
S WP185	NCS0245			IS INC	89 43.7					N	2.81 N	9.1
ALEXANDER WP200	WI00748	WISCONSIN	HR	WI PUBLIC SE	45 11.3	2520.0	2400.	24.	23.	8. E	4.20 E	22.6
	NCS0246			RVICE CORP	89 45.3					N	3.90 N	15.7
SPIRIT RIVER RES	WI00749	SPIRIT	OR	WI VALLEY IM	45 20.3	174.0	167.	10.	14.	27. E	0. E	0.
ORVOIR 2WP585	NCS0247			PROVEMENT CO	89 44.5					N	.33 N	1.1
COUNTY NAME: MARATHON					FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE CH					
TRAPPE RAPIDS	WIU0058	WISCONSIN	H		45 5.0	2790.0	2682.	24.	24.	1. U	0. U	0.
	NCS-IFO				89 37.2					T	9.09 T	42.5
TRAPPE RAPID	WIU0126	WISCONSIN	H		45 5.0	2790.0	2682.	24.	24.	13. U	0. U	0.
	NCS0248				89 37.2					T	9.09 T	42.5
MOSINEE 1893C138	WI00750	WISCONSIN	HR	MOSINEE PAPE	44 47.5	4126.0	3400.	22.	22.	3. E	3.40 E	23.0
	NCS0249			R COMPANY	89 41.8					N	9.14 N	26.1

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MARATHON					FERC POWER SUPPLY AREA 13					FERC REGIONAL OFFICE CODE CH		
ROTHSCHILD 1903C	WI00751	WISCONSIN	HR	WEYERHAEUSER	44 53.5	4016.0	2874.	21.	20.	20. E	3.64 E	21.0
155	NC80250			COMPANY	89 37.6					N	6.74 N	23.5
WAUSAU 1854C82	WI00752	WISCONSIN	HR	WI PUBLIC SE	44 57.4	3092.0	2900.	28.	27.	3. E	5.40 E	27.5
	NC80251			RVICE CORP	89 38.1					N	12.73 N	32.1
BIG EAU PLEINE 2	WI00753	BIG EAU PLEINE	OCR	WI VALLEY IM	44 43.9	365.0	337.	22.	30.	161. E	0. E	0.
WP189	NC80252			PROVEMENT CO	89 45.6					N	1.43 N	3.3
COUNTY NAME: MARINETTE					FERC POWER SUPPLY AREA 13					FERC REGIONAL OFFICE CODE CH		
ROARING RAPIDS	IU0128	PESHTIGO			45 23.3	435.0	290.	10.	0.	0. E	9.70 E	49.4
	NCC0231				88 18.3					N	0. N	0.
HIGH FALLS	WI00754	PESHTIGO		WI PUB SERV	45 16.8	554.0	478.	70.	94.	28. E	7.00 E	15.0
	NCC0232			CORP	88 12.0					N	0. N	0.
LITTLE QUINNESEC FALLS	WI00755	MENOMINEE RIVER		NIAGARA OF W	45 46.2	2502.0	2541.	60.	81.	2. E	8.39 E	35.0
	NCC0233			I PAPER CORP	87 59.4					N	22.64 N	71.5
PESHTIGO	WI00756	PESHTIGO		WI PUB SERV	45 3.0	1086.0	936.	10.	24.	3. E	.58 E	3.2
	NCC0234			CORP	87 45.0					N	2.14 N	7.9
POTATO RAPIDS	WI00757	PESHTIGO		WI PUB SERV	45 7.2	1601.0	1333.	16.	22.	3. E	1.38 E	4.8
	NCC0235			CORP	87 45.6					N	2.61 N	9.9
JOHNSON FALLS	WI00758	PESHTIGO		WI PUB SERV	45 17.4	647.0	558.	38.	51.	2. E	3.52 E	12.0
	NCC0236			CORP	88 9.6					N	.33 N	2.3
CALDRON FALLS	WI00759	PESHTIGO		O.	45 21.0	496.0	428.	66.	90.	22. E	6.40 E	17.0
	NCC0237				88 13.8					N	0. N	0.
SANDSTONE RAPIDS	WI00760	PESHTIGO		WI PUB SERV	45 13.8	675.0	582.	38.	51.	2. E	3.84 E	15.0
	NCC0238			CORP	88 4.2					N	0. N	0.

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: MARQUETTE					FERC POWER SUPPLY AREA 1		FERC REGIONAL OFFICE CODE CH					
LAWRENCE	WI00020	DUCK CREEK		PIONEER POWE	43 52,8	29.0	20.	27.	37.	2.	.20E	.4
	NCC0239			R LIGHT CO	89 33,0						0. N	0.
HARRISVILLE	WI00074	MONTELLO CREEK		DUANE MILLER	43 52,8	100.0	87.	15.	20.	1.	.19E	.6
	NCC0240				89 24,6						0. N	0.
LAWRENCE	WI00075	DUCK CREEK		MONTELLO GRA	43 47,4	160.0	140.	15.	20.	3.	.38E	.5
	NCC0241			NITE CO	89 19,8						0. N	0.
COUNTY NAME: MENOMINEE					FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE CH					
KESHENA FALLS	WI00136	WOLF			44 53,0	812.0	549.	33.	37.	0. U	0. U	0.
	NCC0242				88 38,0					T	4.11 T	18.0
DALLAS	WI00137	WOLF			45 2,0	604.0	406.	75.	83.	9. E	10.20E	27.2
	NCC0243				88 40,0					N	0. N	0.
SHOTGUN RAPIDS	WI00138	WOLF			45 5,0	508.0	340.	48.	56.	0. E	5.80E	15.3
	NCC0244				88 37,3					N	0. N	0.
NEOPIT	WI00143	W BR WOLF		MENOMINEE IN	44 58,0	108.0	70.	12.	13.	0. E	.11E	.4
	NCC0245			DIAN MILLS	88 50,0					N	.12N	.5
BIG EDDY FALLS	WI00168	WOLF			44 57,0	629.0	423.	12.	0.	0. U	0. U	0.
	NCC0246				88 37,0					T	1.31 T	5.2
SMOKY FALLS	WI00169	WOLF			45 0,	617.0	415.	25.	0.	0. U	0. U	0.
	NCC0247				88 38,0					T	2.61 T	11.0
COUNTY NAME: MONROE					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
TRI CREEK NUMBER ONE 3WR1378	WI00806	TR MORRIS CREEK CK		MONROE COUNT	43 51,2	33.0	21.	17.	23.	2. E	0. E	0.
	NCS0253			Y SUCO	90 37,6					N	.05N	.2

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: OCONTO					FERC POWER SUPPLY AREA 1		FERC REGIONAL OFFICE CODE CH					
STILES	WI00762	OCONTO		OCONTO EIE C	44 51,6	796,0	686,	24,	32,	6,	E 1,50	7,0
	NCC0248			OOP	88 3,6						N 1,71	4,3
UPPER OCONTO FALLS	WI00763	OCONTO		WI - MI PWR	44 52,8	750,0	646,	27,	36,	1,	E 1,32	5,9
	NCC0249			CO	88 9,0						N 2,01	6,0
COUNTY NAME: ONEIDA					FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE					
HANCOCK LAKE	WI00684	RICE CREEK	R	VILLAGE OF W	45 36,5	29,0	28,	7,	10,	3,	E 0,	0,
	NCS0254			OOOBORD	89 38,3						N ,09	,1
BURNT ROLLWAYS 1909C36	WI00764	EAGLE	OR	WI VALLEY IM	45 53,6	129,0	120,	7,	9,	49,	E 0,	0,
	NCS0255			PROVEMENT CO	89 8,5						N ,16	,6
SUGAR CAMP 1909C361	WI00766	SUGAR CAMP CREEK	OR	WI VALLEY IM	45 52,3	59,0	54,	5,	7,	17,	E 0,	0,
	NCS0256			PROVEMENT CO	89 23,7						N ,05	,2
MINOCQUA 1909C361	WI00767	TOMAHAWK	OR	WI VALLEY IM	45 52,6	89,0	87,	6,	8,	33,	E 0,	0,
	NCS0257			PROVEMENT CO	89 43,7						N ,21	,3
HAT RAPIDS 1903C239	WI00770	WISCONSIN	HR	WI PUBLIC SE	45 34,3	1143,0	1055,	21,	20,	4,	E 1,12	7,5
	NCS0258			RVICE CORP	89 28,8						N 2,83	8,3
RHINELANDER 1907C280	WI00771	WISCONSIN	HR	RHINELANDER	45 38,5	861,0	795,	30,	32,	6,	E 2,12	10,0
	NCS0259			PAPER CO	89 25,2						N 1,95	6,9
NORTH PELICAN LAKE 1909C36	WI00772	NORTH BRANCH PEL	OR	WI VALLEY IM	45 36,1	71,0	66,	4,	6,	10,	E 0,	0,
	NCS0260	ICAN		PROVEMENT CO	89 14,6						N ,06	,2
WILLOW RIVER RESERVOIR 2WP50	WI00774	TOMAHAWK	OCR	WI VALLEY IM	45 42,7	327,0	319,	11,	15,	74,	E 0,	0,
	NCS0261			PROVEMENT CO	89 50,7						N ,58	2,6
RAINBOW RESERVOIR 2WP76	WI00775	WISCONSIN	OR	WI VALLEY IM	45 50,0	740,0	688,	16,	21,	86,	E 0,	0,
	NCS0262			PROVEMENT CO	89 32,7						N 1,63	7,8

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PUMP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: ONEIDA					FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE					
PICKERAL 2WP185	WI00776	SAINT GERMAIN	OR	WI VALLEY IM	45 52.4	109.0	100.	5.	7.	7.	0. E	0.
	NC90263			PROVEMENT CO	89 31.8					N	.12 N	.4
COUNTY NAME: OUTAGAMIE					FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE CM					
APPLETON 03500	WI00129	FOX	H	CONSOLIDATED	44 15.3	6100.0	4292.	7.	0.	0.	.48 E	2.6
	NCC0250			PAPERS INC	88 25.0					N	3.73 N	16.5
APPLETON 03520	WI00130	FOX		APPLETON WOO	44 15.3	6100.0	4291.	9.	0.	0.	.10 E	.7
	NCC0251			LEN MILLS	88 25.0					N	5.06 N	23.6
ATLAS MILL	WI00131	FOX			44 15.3	6090.0	4284.	13.	0.	0.	0. U	0.
	NCC0252				88 25.0					T	6.92 T	34.6
APPLETON 03540	WI00132	FOX		WISCONSIN MI	44 15.3	6065.0	4267.	9.	0.	0.	1.44 E	9.8
	NCC0253			CHIGAN POWER	88 25.0					N	3.72 N	14.4
APPLETON 03550	WI00133	FOX			44 15.3	6090.0	4284.	14.	0.	0.	0. U	0.
	NCC0254				88 25.0					T	7.55 T	37.3
LEEMAN	WI00134	WOLF			44 34.3	1230.0	838.	16.	20.	0.	5.00 E	12.4
	NCC0255				88 33.0					N	0. N	0.
BADGER	WI00139	FOX		KAUKAUNA ELE	44 23.0	6138.0	4319.	22.	0.	0.	5.60 E	35.0
	NCC0256			CTINC WATER	88 16.0					N	9.39 N	26.7
FIGOR	WI00141	DUCK CREEK		FIGOR,D.J.	44 23.0	25.0	16.	16.	0.	0.	.04 E	.1
	NCC0257				88 20.0					N	.20 N	.5
KAUKAUNA	WI00080	FOX		DAUKAUNA ELE	44 16.8	6138.0	4111.	19.	26.	1.	4.80 E	31.8
	NCC0258			C WTR DEPT	88 16.2					N	11.21 N	24.1
MIDDLE APPLETON	WI00166	FOX		FOX RIVER PA	44 15.6	6100.0	4085.	15.	20.	0.	1.16 E	7.0
	NCC0259			PER CORP	88 24.6					N	6.67 N	32.3

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,S)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: OUTAGAMIE					FERC POWER SUPPLY AREA 1		FERC REGIONAL OFFICE CODE CH					
LITTLE CHUTE	WI00779	FOX		KAUKAUNA ELE	44 16,8	6120.0	4099.	15.	20.	2.	E 3.30	E 19.0
	NCC0260			C WTR DEPT	88 19,2						N 4.56	N 20.4
KIMBERLY	WI00852	FOX		DIMBERLY - C	44 16,8	6110.0	4092.	12.	16.	2.	E 2.70	E 13.0
	NCC0261			LARK CORP	88 19,8						N 2.85	N 17.7
RAPIDE CROCHE	WI00853	FOX RIVER		KAUKAUNA ELE	44 19,2	6150.0	4119.	10.	14.	3.	E 2.40	E 13.0
	NCC0262			C WTR DEPT	88 12,0						N 3.35	N 15.0
COUNTY NAME: OZAUKEE					FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE CH					
UDPWI90001	WIU0177	CEDAR CK			43 18,0	121.0	69.	8.	0.	0.	U 0.	U 0.
	NCC0263				87 5,9						T .18	T .3
LIME KILN	WIU0176	MILWAUKEE			43 18,3	476.0	273.	9.	11.	0.	U 0.	U 0.
	NCC0264				87 56,9						T .39	T 1.1
COUNTY NAME: PEPIN					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE CH					
DURAND NO 1	WIU0086	CHIPPEWA	H		44 45,0	9300.0	4585.	20.	26.	7.	U 0.	U 0.
	NCS0264				91 58,0						T 35.09	T 107.5
DURAND NO 2	WIU0087	CHIPPEWA	H		44 38,0	9010.0	6873.	37.	42.	18.	U 0.	U 0.
	NCS0265				91 59,0						T 52.40	T 185.5
COUNTY NAME: PIERCE					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
PLUM CREEK 2	WI00382	PLUM CREEK	CD	PIERCE COUNT	44 40,1	35.0	28.	41.	55.	8.	E 0.	E 0.
	NCS0266			Y SWCD	92 12,4						N .11	N .3
EAU GALLE RIVER LAKE	WI00780	EAU GALLE RIVER	CR	DAEN NCS	44 51,5	60.0	25.	86.	117.	57.	E 0.	E 0.
	NCS0267				92 14,4						N .42	N 1.0

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: POLK					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE CH					
CLAM FALLS	WI00022	CLAM	HM		45 41,2	45,0	32,*	30,*	32,*	1,*E	,11*E	,5
	NCS0268				92 17,7					*N	0, *N	0,
SAINT CROIX FALLS	WI00023	SAINT CROIX	HR		45 24,7	5930,0	3547,*	59,*	60,*	13,*E	23,20*E	114,3
	NCS0269				92 38,9					*N	41,25*N	53,3
LOWER BALSAM LAKE	WI00024	BALSAM BRANCH	HR		45 26,9	240,0	131,*	24,*	32,*	47,*E	0, *E	0,
	NCS0270				92 27,0					*N	,57*N	2,1
BLACK BROOK	WI00050	APPLE	R	POLK COUNTY	45 15,8	240,0	131,*	18,*	24,*	1,*E	0, *E	0,
	NCS0271				92 24,2					*N	,41*N	1,6
AMERY	WI00172	APPLE	R	NORTHERN SUP	45 18,5	240,0	131,*	7,*	10,*	5,*E	0, *E	0,
	NCS0272			PLY COMPANY	92 21,6					*N	,17*N	,7
COUNTY NAME: PORTAGE					FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE CH					
COB TOWN	WIU0154	WAUPACA			44 22,0	154,0	101,*	11,*	0,*	0,*U	0, *U	0,
	NCC0218				89 12,0					*T	,21*T	1,0
AMHERST	WIU0155	WAUPACA	OR	WIS POWER +	44 25,0	92,0	60,*	8,*	9,*	0,*U	0, *U	0,
	NCC0219			LIGHT CO	89 17,0					*T	,09*T	,5
PAGEL MILL	WIU0156	WAUPACA			44 26,0	90,0	58,*	9,*	0,*	0,*U	0, *U	0,
	NCC0220				89 17,0					*T	,10*T	,5
NELSONVILLE	WIU0157	WAUPACA	HR	WIS POWER +	44 29,0	62,0	40,*	8,*	9,*	0,*U	0, *U	0,
	NCC0221			LIGHT CO	89 19,0					*T	,06*T	,3
STEVENS POINT 2WP43	WI00781	WISCONSIN	HR	CONSOLIDATED	44 31,0	4964,0	4600,*	18,*	17,*	12,*E	3,84*E	25,0
	NCS0273			WATER POWER	89 35,3					*N	16,89*N	29,7
DUBAY 2WP533	WI00784	WISCONSIN	HR	CONSOLIDATED	44 39,9	4822,0	4317,*	27,*	25,*	103,*E	7,20*E	40,0
	NCS0274			WATER POWER	89 39,0					*N	19,05*N	37,2

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: PRICE						FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE				
SITE NO 29	WI00088	FLAMBEAU	H		45 51,5	1052,0	1012,	20,	20,	2, U	0, U	0,
	NC80275				90 38,3					T	3,04 T	12,7
MURRAY	WI00178	ELK	R	CITY OF PHIL	45 42,2	662,0	639,	7,	10,	7, E	0, E	0,
	NC80276			LIPS ETAL	90 39,9					N	,60 N	2,8
JOBES	WI00179	ELK	R	CITY OF PHIL	45 41,0	191,0	184,	7,	10,	6, E	0, E	0,
	NC80277			LIPS	90 27,1					N	,26 N	,9
MUSSER	WI00180	ELK	R	CITY OF PHIL	45 44,5	57,0	55,	9,	12,	6, E	0, E	0,
	NC80278			LIPS ETAL	90 17,2					N	,19 N	,3
UPPER HYDRO	WI00786	FLAMBEAU	HR	FLAMBEAU PAP	45 56,3	760,0	725,	18,	19,	5, E	,90 E	5,5
	NC80279			ER COMPANY	90 26,7					N	1,09 N	2,7
PIXLEY WP61	WI00787	FLAMBEAU	HR	FLAMBEAU PAP	45 52,8	783,0	726,	22,	21,	2, E	,96 E	5,1
	NC80280			ER COMPANY	90 30,7					N	1,52 N	5,3
CROWLEY WP381	WI00788	FLAMBEAU	HR	FLAMBEAU PAP	45 52,1	800,0	742,	20,	21,	5, E	1,50 E	7,8
	NC80281	—		ER COMPANY	90 35,1					N	,80 N	1,8
COUNTY NAME: RICHLAND						FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE CH				
LONE ROCK	WI00124	WISCONSIN	H		43 10,0	9808,0	8021,	28,	28,	197, U	0, U	0,
	NC80325				90 10,0					T	40,09 T	156,2
COUNTY NAME: RUSK						FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE				
SITE NO 4	WI00099	CHIPPEWA	H		45 42,0	965,0	858,	19,	19,	3, U	0, U	0,
	NC80282				91 12,7					T	2,65 T	11,0
BRUNET	WI00100	CHIPPEWA	H		45 39,5	1087,0	966,	28,	28,	9, U	0, U	0,
	NC80283				91 10,8					T	4,25 T	18,2

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: RUSK						FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE				
MURRY	#WI00101	CHIPPEWA	H		45 35.4	1265.0	1124.	35.	35.	7.	U 0.	U 0.
	#NCS0284				91 12.1						T 5.96	T 26.2
GRAND RAPIDS	#WI00102	CHIPPEWA	H		45 31.2	1330.0	1147.	35.	35.	19.	U 0.	U 0.
	#NCS0285				91 14.1						T 6.22	T 27.6
AMACOY	#WI00422	TR CHIPPEWA	CR	TOWN OF STUB	45 24.5	1705.0	1471.	15.	20.	9.	E 0.	E 0.
	#NCS0225			BS	91 17.9						N 3.72	N 14.6
LADYSMITH	#WI00791	FLAMBEAU	HR	LAKE SUPERIO	45 27.9	1940.0	1873.	17.	17.	3.	E 1.80	E 11.0
	#NCS0226			R DIST POWER	91 5.0						N 2.77	N 7.9
THORNAPPLE WP148	#WI00792	FLAMBEAU	HR	LAKE SUPERIO	45 24.7	1965.0	1797.	14.	13.	3.	E 1.40	E 8.5
	#NCS-IFO			R DIST POWER	91 13.0						N 2.56	N 7.4
BIG FALLS 2 WP917	#WI00793	FLAMBEAU	HR	LAKE SUPERIO	45 33.3	1838.0	1760.	52.	50.	6.	E 7.78	E 41.0
	#NCS0227			R DIST POWER	90 57.6						N 9.06	N 21.6
FLAMBEAU 2 WP683	#WI00794	FLAMBEAU	HR	DAIRYLAND PO	45 29.5	1910.0	1760.	66.	68.	58.	E 15.00	E 68.0
	#NCS0228			WER COOP	91 2.8						N 10.09	N 16.7
COUNTY NAME: SAUK						FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE CH				
HONEY CREEK	#WI00125	WISCONSIN	H		43 14.2	9080.0	7426.	12.	12.	13.	U 0.	U 0.
	#NCS0286				89 48.3						T 14.59	T 61.0
PRARIE DV SAC	#WI00029	WISCONSIN	HR	WI POWER AND	43 18.6	9000.0	5265.	40.	38.	80.	E 28.50	E 126.9
	#NCS-IFO			LIGHT CO	89 43.5						N 26.85	N 74.2
DELL CREEK	#WI00055	DELL CREEK	H	UNIV OF WI A	43 36.2	61.0	49.	16.	22.	2.	E 0.	E 0.
	#NCS0287			LUMNI ASSOC	89 46.1						N .14	N .6
DUTCH HOLLOW LAK	#WI00193	DUTCH HOLLOW CRE	R	BRANIGAN LAK	43 36.4	223.0	130.	35.	47.	6.	E 0.	E 0.
E	#NCS0288	EK		E PROP OF WI	90 10.7						N .90	N 3.1

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: SAWYER					FERC POWER SUPPLY AREA 16			FERC REGIONAL OFFICE CODE				
SITE NO 28	#WI00089	#FLAMBEAU	#H		45 46,9	1080,0	1039,	19,	19,	4, #U	0, #U	0,
	#NCS0289				90 45,2					#T	2,97 #T	12,4
SITE NO 27	#WI00090	#FLAMBEAU	#H		45 41,2	1744,0	1664,	22,	22,	0, #U	0, #U	0,
	#NCS0290				90 48,6					#T	5,71 #T	24,2
SITE NO 26	#WI00091	#FLAMBEAU	#H		45 38,9	1619,0	1561,	20,	20,	2, #U	0, #U	0,
	#NCS0291				90 47,6					#T	4,79 #T	20,5
SITE NO 25	#WI00092	#FLAMBEAU	#H		45 38,0	1794,0	1732,	22,	22,	4, #U	0, #U	0,
	#NCS0292				99 53,0					#T	5,52 #T	24,6
SITE NO 24	#WI00093	#FLAMBEAU	#H		45 36,4	1789,0	1756,	25,	25,	3, #U	0, #U	0,
	#NCS0293				90 55,6					#T	6,05 #T	27,7
LOWERS	#WI00097	#CHIPPEWA	#H		45 48,7	790,0	703,	29,	29,	8, #U	0, #U	0,
	#NCS0294				91 4,7					#T	3,26 #T	13,7
SITE NO 2	#WI00098	#CHIPPEWA	#H		45 47,4	795,0	707,	19,	19,	2, #U	0, #U	0,
	#NCS0295				91 9,3					#T	2,18 #T	9,1
GHOST LAKE	#WI00194	#GHOST CREEK	#H	#M PEARSON AN	46 4,5	130,0	116,	10,	14,	3, #E	0, #E	0,
	#NCS0296			#D F SMITH	91 3,0					#N	,32 #N	1,4
MOOSE LAKE	#WI00195	#WEST FORK CHIPPE	#R	#CHIPPEWA FLA	46 2,0	224,0	199,	10,	13,	18, #E	0, #E	0,
	#NCS0297	#A		#MBEAU IMP CO	91 4,5					#N	,31 #N	1,3
TOTAGATIC	#WI00197	#TOTAGATIC	#R	#SAWYER COUNT	46 6,0	52,0	42,	10,	14,	44, #E	0, #E	0,
	#NCS0298			#Y	91 30,8					#N	,13 #N	,6
PRICE 2 #P1664	#WI00676	#BRUNET	#R	#SAWYER COUNT	45 47,7	69,0	60,	12,	16,	10, #E	0, #E	0,
	#NCS0299			#Y	90 59,3					#N	,28 #N	,5
ARPIN	#WI00796	#CHIPPEWA	#HR	#NORTH CENTRA	45 45,6	929,0	825,	34,	35,	2, #E	1,45 #E	5,8
	#NCS0300			#L POWER CO	91 12,1					#N	2,93 #N	13,0

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U,S,A,C,E,) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES

(07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: SAWYER					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE CH					
CHIPPEWA	WI00797	CHIPPEWA	DR	NORTHERN STA	45 53,3	864.0	710.	26.	35.	332.	E 0.	E 0.
	NCS0301			TES POWER CO	91 4,6						N 3,20	N 13.4
COUNTY NAME: SHAWANO					FERC POWER SUPPLY AREA 13		FERC REGIONAL OFFICE CODE CH					
TIGERTON	WI00040	S BR EMBARRASS			49 43,8	80.0	25.	12.	0.	0.	U 0.	U 0.
	NCC0265				89 2,0						T .16	T .5
GRALAPPS	WI00041	S BR EMBARRASS			44 46,8	55.0	35.	10.	0.	0.	U 0.	U 0.
	NCC0266				89 10,0						T .09	T .3
WEASLE	WI00165	M BR EMBARRASS			44 46,0	116.0	75.	7.	8.	0.	U 0.	U 0.
	NCC0267				88 58,0						T .14	T .4
SHAWANO	WI00205	WOLF RIVER		SHAWANO PAPE	44 46,8	1127.0	1098.	11.	15.	1.	E .26	E 1.4
	NCC0268			R MILLS	88 37,2						N 1,91	N 7.2
UPPER GRESHAM	WI00799	RED RIVER		VILLAGE OF G	44 51,6	147.0	109.	33.	44.	1.	E .28	E .7
	NCC0269			RESHAM	88 47,4						N .66	N 1.7
UPPER SHAWANO	WI00800	WOLF RIVER		WI POWER + L	44 50,4	850.0	828.	16.	22.	1.	E .70	E 3.9
	NCC0270			IGHT CO	88 37,8						N 1,69	N 5.6
WEED DAM	WI00801	FOX		VILLAGE OF G	44 50,4	192.0	142.	26.	35.	3.	E .63	E 1.8
	NCC0271			RESHAM	88 45,0						N .29	N .7
COUNTY NAME: ST CROIX					FERC POWER SUPPLY AREA 16		FERC REGIONAL OFFICE CODE					
WILLOW FALLS	WI00026	WILLOW	R	STATE OF WI	45 1,2	205.0	42.	75.	101.	1.	E 0.	E 0.
	NCS0302			DNR	92 40,4						N 1,48	N 5.6
APPLE RIVER FALL S	WI00027	APPLE	HR		45 9,4	575.0	25.	83.	84.	1.	E 0.	E 0.
	NCS0303				92 42,6						N 3,79	N 16.9

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: **ST CROIX**					FERC POWER SUPPLY AREA 16			FERC REGIONAL OFFICE CODE				
MOUND PLANT	*WI00028* *NCS0304*	WILLOW	R	STATE OF WI DNR	45 1,7 92 38,9	199,0	41,0	32,0	43,0	1,0	E 0, N ,64	E 0, N 2,3
LITTLE FALLS NUMBER 3	*WI00053* *NCS0305*	WILLOW	R	WI DNR	45 1,0 92 42,4	289,0	60,0	17,0	23,0	2,0	E 0, N ,45	E 0, N 1,8
LOWER POWER	*WI00167* *NCS0306*	WILLOW	R	NORTHERN STATES POWER CO	44 59,5 92 45,8	293,0	60,0	10,0	14,0	2,0	E 0, N ,28	E 0, N 1,1
COUNTY NAME: **TAYLOR**					FERC POWER SUPPLY AREA 16			FERC REGIONAL OFFICE CODE				
BONDEAUX RIVER 2 WP262	*WI00824* *NCS0307*	BONDEAUX	R	USDA FS	45 20,0 90 27,0	33,0	30,0	7,0	10,0	6,0	E 0, N ,09	E 0, N ,1
CHEQUAMEGON WATERS 2 WP206	*WI00654* *NCS0308*	YELLOW	R	TAYLOR COUNTY	45 12,0 90 42,6	134,0	77,0	9,0	12,0	30,0	E 0, N ,21	E 0, N ,3
COUNTY NAME: **TREMPEALEAU**					FERC POWER SUPPLY AREA 16			FERC REGIONAL OFFICE CODE				
TREMPEALEAU UNITED STATES NUMBER	*WI00802* *NCS-IFO*	MISSISSIPPI	N	DAEN NCS	44 0, 91 26,3	60000,0	25800,0	5,0	7,0	57,0	E 0, N 23,53	E 0, N 84,7
COUNTY NAME: **VERNON**					FERC POWER SUPPLY AREA 46			FERC REGIONAL OFFICE CODE				
WEST FORK KICKAPOO 1	*WI00416* *NCS0309*OG	WEST FORK KICKAPOO	CR	VERNON COUNTY SWCD	46 28,0 11 0,	40,0	1084,0	39,0	39,0	2,0	E ,04 N 0,	E ,2 N 0,
GENOA UNITED STATES NUMBER 8	*WI00803* *NCS-IFO*	MISSISSIPPI	N	DAEN NCS	43 34,2 91 13,9	64700,0	29115,0	7,0	11,0	197,0	E 0, N 39,86	E 0, N 156,0

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: VILAS						**FERC POWER SUPPLY AREA 13**					**FERC REGIONAL OFFICE CODE**	
BUCKATABON 1909C	WI00804	BUCKATABON CREEK	OR	WI VALLEY IM	46 1,2	103,0	151,	6,	8,	14,	E 0,	E 0,
361	NCS0310			PROVEMENT CO	89 18,7						N ,17	N ,7
COUNTY NAME: WASHBURN						**FERC POWER SUPPLY AREA 16**					**FERC REGIONAL OFFICE CODE CH**	
BIRCH LAKE	WI00065	RED CEDAR	R	WASHBURN COU	45 39,6	61,0	18,	14,	19,	11,	E 0,	E 0,
	NCS0311			NTY	91 33,4						N ,21	N ,9
MINONG FLOWAGE	WI00067	TOTAGATIC	RH	WASHBURN COU	46 7,2	325,0	262,	13,	16,	22,	E 0,	E 0,
	NCS0312			NTY	91 56,1						N ,66	N 2,9
TOTAGATIC WILDLI	WI00217	TOTAGATIC	R	WI DNR	46 7,6	57,0	46,	7,	10,	3,	E 0,	E 0,
FE	NCS0313				91 33,6						N ,10	N ,4
LONG LAKE	WI00325	BRILL	R	WASHBURN COU	45 40,1	82,0	56,	6,	8,	110,	E 0,	E 0,
	NCS0314			NTY	91 40,8						N ,12	N ,5
TREGO HP376	WI00812	WAMEKAGON	HR	NORTHERN STA	45 56,9	503,0	464,	31,	29,	6,	E 1,20	E 7,0
	NCS0315			TES POWER CO	91 53,5						N 1,19	N 3,6
COUNTY NAME: WAUPACA						**FERC POWER SUPPLY AREA 13**					**FERC REGIONAL OFFICE CODE CH**	
GMEINER	WI00152	WAUPACA			44 20,0	191,0	125,	10,	0,	0,	U 0,	U 0,
	NCC0272				89 3,0						T ,24	T 1,2
FISHER-FALL GATT	WI00153	WAUPACA			44 21,0	186,0	122,	12,	0,	0,	U 0,	U 0,
ER	NCC0273				89 4,0						T ,28	T 1,4
CRYSTAL	WI00159	WAUPACA			44 19,0	90,0	58,	8,	9,	0,	U 0,	U 0,
	NCC0274				89 7,0						T ,09	T ,4
RURAL	WI00159	CRYSTAL			44 18,0	85,0	55,	7,	8,	0,	U 0,	U 0,
	NCC0275				89 9,0						T ,07	T ,4

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM.M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET POWER HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW)	ENERGY (GWH)
COUNTY NAME: WAUPACA					FERC POWER SUPPLY AREA 13			FERC REGIONAL OFFICE CODE CH				
SYMCO	WI00160	LITTLE WOLF			44 30.0	234.0	154.	8.	9.	0.U	0. U	0.
	NCC0276				88 54.0					T	.23T	1.2
BIG FALLS	WI00161	LITTLE WOLF			44 37.0	170.0	111.	27.	30.	0.U	0. U	0.
	NCC0277				89 1.0					T	.57T	2.8
CARY	WI00176	CRYSTAL			44 21.0	95.0	62.	9.	11.	0.U	0. U	0.
	NCC0278				89 4.0					T	.11T	.5
WEYAUWEGA	WI00813	WAUPACA		WI - MI POWER	44 19.8	310.0	271.	16.	21.	3.E	.40E	.9
	NCC0279			R CO	88 55.8					N	.20N	2.1
COUNTY NAME: WAUSHARA					FERC POWER SUPPLY AREA 13			FERC REGIONAL OFFICE CODE CH				
SAXVILLE	WI00146	PINE			44 10.0	111.0	72.	12.	0.	0.U	0. U	0.
	NCC0280				89 7.0					T	.17T	.8
IDLEWILD	WI00149	PINE			44 12.0	77.0	50.	13.	0.	0.U	0. U	0.
	NCC0281				89 12.0					T	.12T	.6
WILD ROSE	WI00150	HUMPHREY CK	R	VILLAGE OF W	44 10.0	70.0	45.	15.	17.	0.U	0. U	0.
	NCC0282			ILD ROSE	89 15.0					T	.13T	.6
CLARKS	WI00151	WALLA WALLA CK			44 14.0	25.0	16.	12.	0.	0.U	0. U	0.
	NCC0283				89 1.0					T	.05T	.1
COUNTY NAME: WINNEBAGO					FERC POWER SUPPLY AREA 13			FERC REGIONAL OFFICE CODE CH				
NEENAH	WI00144	FOX	H	BERGSTORM PA	44 11.0	6040.0	4045.	8.	7.	1515.E	.40E	1.5
	NCC0222			PER	88 27.0					N	4.28N	20.0
NEENAH	WI00647	FOX	H	BERGSTORM PA	44 11.0	6040.0	4045.	8.	7.	1515.E	.40E	1.5
	NCC0223			PER	88 27.0					N	4.28N	20.0

LEGEND

(1) - TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID. BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) - PROJECT PURPOSES: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) - E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) - U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

PRELIMINARY ESTIMATES (07/10/79)

POTENTIAL HYDROPOWER SITES

IN THE STATE OF WISCONSIN

PROJECT NAME	IDENT NUMBER (1)	NAME OF STREAM OR RIVER	PROJ PURP (2)	OWNER	LATITUDE LONGITUDE (DM,M)	DRAINAGE AREA (SQ MI)	AVERAGE ANNUAL INFLOW (CFS)	NET HEAD (FT)	HEIGHT OF DAM (FT)	MAXIMUM STORAGE (1000 AC FT)	CAPACITY (MW) (3)	ENERGY (GWH) (3)
COUNTY NAME: WINNEBAGO					**FERC POWER SUPPLY AREA 1**			**FERC REGIONAL OFFICE CODE CM**				
MENASHA	#WI00814	FOX		WHITING PAPE	44 12.0	6040.0	4045.	10.	14.	1515.	.25E	.5
	#NCC0224			R CO	88 27.0						5.47N	27.0
COUNTY NAME: WOOD					**FERC POWER SUPPLY AREA 15**			**FERC REGIONAL OFFICE CODE**				
FOUR MILE CREEK	#WI00032	FOUR MILE CREEK	HR		44 20.5	5502.0	33.	19.	26.	6.	2.92E	14.0
	#NCS0316				89 51.6						21.62N	50.7
SOUTH WOOD COUNTY PARK	#WI00060	FOUR MILE CREEK	R	WOOD COUNTY	44 21.9	69.0	62.	17.	23.	2.	0. E	0.
	#NCS0317				89 45.4						.33N	.4
DEXTERVILLE 2WP1 566	#WI00659	YELLOW	R	WOOD COUNTY	44 22.7	195.0	106.	11.	15.	4.	0. E	0.
	#NCS0318				90 7.0						.51N	.5
BIRON WP71	#WI00815	WISCONSIN	HCR	CONSOLIDATED	44 26.0	5341.0	4781.	24.	24.	23.	3.30E	16.0
	#NCS0319			WTR PWR CO	89 46.7						22.68N	60.1
CENTRALIA 1889C29	#WI00016	WISCONSIN	HR	NEKOOSA EDWA	44 22.1	5400.0	4834.	16.	15.	2.	3.20E	13.2
	#NCS0320			RDS PAPER CO	89 51.3						16.85N	39.7
WISCONSIN RAPIDS 2WP44	#WI00617	WISCONSIN	HR	CONSOLIDATED	44 23.8	5391.0	4826.	31.	32.	6.	4.68E	25.0
	#NCS0321			WTR PWR CO	89 49.3						34.10N	77.3
NEKOOSA WP348	#WI00818	WISCONSIN	HR	NEKOOSA EDWA	44 18.8	5500.0	4924.	22.	22.	4.	3.00E	12.9
	#NCS0322			RDS PAPER CO	89 53.6						25.08N	61.2
COUNTY NAME: CODE 123					**FERC POWER SUPPLY AREA 16**			**FERC REGIONAL OFFICE CODE**				
LA FARGE	#WI00120	KICKAPOO	H		43 35.0	263.0	739.	10.	10.	91.	.12E	.1
	#NCS5000				90 39.0						.14N	.9

LEGEND

(1) = TOP LINE IS INVENTORY OF DAMS CROSS REFERENCE ID, BOTTOM LINE DEFINES (U.S.A.C.E.) OFFICE AND SITE ID.
(2) = PROJECT PURPOSE: I=IRRIGATION, H=HYDROELECTRIC, C=FLOOD CONTROL, N=NAVIGATION, S=WATER SUPPLY, R=RECREATION,
(2) D=DEBRIS CONTROL, P=FARM POND, O=OTHER
(3) = E=INSTALLED CAPACITY AND ENERGY N=NEW INCREMENTAL POTENTIAL CAPACITY AND ENERGY (FOR EXISTING DAMS)
(3) = U=INSTALLED CAPACITY AND ENERGY T=TOTAL POTENTIAL CAPACITY AND ENERGY (FOR UNDEVELOPED SITES)

APPENDIX II

U.S. ARMY CORPS OF ENGINEERS

NATIONAL HYDROELECTRIC POWER RESOURCES STUDY

PRELIMINARY INVENTORY OF HYDROPOWER RESOURCES

DESCRIPTION OF TERMS

PRELIMINARY INVENTORY OF HYDROPOWER RESOURCES

DESCRIPTION OF TERMS

ACRE FOOT: (AcFt) A measure of volume. An acre (43,560 square feet) of water, one foot deep (43,560 cubic feet).

AVERAGE ANNUAL INFLOW: The average yearly inflow into a reservoir for the historical period of record, measured in cubic feet per second (cfs).

CAPABILITY: The maximum load which a generator, generating station, or other electrical apparatus can supply under specified conditions for a given period of time, without exceeding approved limits of temperature and stress.

CAPACITY: The load for which a generating unit, generating station, or other electricl apparatus is rated either by the user or manufacturers' nameplate rating. Capacity is sometimes used synonymously with capability.

CONVENTIONAL HYDROELECTRIC POWER PLANT: An electric power plant utilizing falling water from stream flow or reservoir storage as the primary motive force of electrical generation.

DEMAND: The rate at which electric energy is required.

ELECTRIC ENERGY/POWER: That which does or is capable of doing work; measured in terms of the work it is capable of doing; i.e., kilowatt-hours.

EXISTING FACILITIES: A dam or other existing water resource project which has created a hydraulic head suitable for generating hydroelectric power. Such facilities include, but are not limited to:

- Irrigation drop structures and canals.
- Existing dams without any provisions for installing power facilities.
- Existing dams with minimum facilities for installing power in the future; i.e., intakes and penstocks usually have been installed.
- Existing dams with generating facilities and with additional space constructed for adding more generating equipment.
- Existing dams with generating equipment installed; however, a potential exists for additional power generation.

FLOW DURATION CURVE: A plot of stream flows ranked in descending order of magnitude, against time intervals, for a specific period.

FOSSIL FUEL: Refers to coal, oil, and natural gas.

GENERATOR: A machine which transforms mechanical energy from the prime mover (turbines) into electric energy.

GIGAWATT (GW): One million (1,000,000) kilowatts.

GIGAWATT-HOURS (GWH): One million kilowatt-hours.

HEIGHT OF DAM: Distance from streambed at dam centerline to the top of the dam with respect to maximum storage capacity.

HYDROELECTRIC POWER: Electrical energy derived from the energy of falling or flowing water.

INCREMENTAL DEVELOPMENT: The estimated hydroelectric power potential that can be added to an existing facility or water resource project.

INSTALLED CAPACITY: The total of the capacities as shown by the nameplates of the generating units in a station or system.

KILOWATT-HOURS (KWH): The basic unit of electric energy equal to one kilowatt demand over a period of one hour, equal to 3,413 BTU.

LOAD: The amount of electric power delivered at a given point or points in a system.

L/D: An indication that the existing project is a dam with a navigation lock included; lock and dam.

MEGAWATTS (MW): A million watts or 1,000 kilowatts.

MEGAWATT-HOURS (MW): 1,000,000 watt-hours or 1,000 KWH.

NAMEPLATE RATING: The full-load, continuous operation rating of a generator, prime mover or other electrical equipment under specified conditions as designated by the manufacturer.

NET POWER HEAD: The difference between the elevations of the power pool and the tailwater less hydraulic and mechanical losses in the waterways.

NUCLEAR POWER PLANT: An electric generating plant utilizing the heat from a nuclear reactor as the source of power.

PENSTOCK: A conduit used to convey water to the turbine units of a hydroelectric plant.

PLANT FACTOR: The ratio of the average load on the plant for the period of time considered to the aggregrate rating of all the generating equipment installed in the plant.

POTENTIAL HYDROELECTRIC POWER: The aggregate capacity capable of being developed by practical use of available stream flow and net power head.

POWER HOUSE: An electric generating station at which is located prime movers, electric generators, and auxiliary equipment for producing electric energy.

PUMPED STORAGE POWER PLANT: A hydropower plant where electric energy is generated for peak load use by utilizing water pumped into a storage reservoir, usually during off-peak hours.

SMALL-SCALE HYDROELECTRIC POWER PLANT: A hydroelectric generating station with less than 15 MW of installed capacity.

THERMAL GENERATING FACILITY: A generating plant which uses heat as the source of energy for the prime mover. Such plants may burn fossil fuels or use nuclear energy to produce the heat.

UNDEVELOPED SITES: No dam or other structure exists at this site to create the hydraulic head needed for generating hydroelectric energy. However, the topography of the site is favorable for developing a hydroelectric power project.

WATER RESOURCE PROJECT: A facility planned and constructed to obtain one or more uses or benefits from water. Purposes or uses may include navigation, flood control, hydroelectric power, land and water recreation, irrigation, water supply and water quality management.

WATT: The rate of energy transfer equivalent to one ampere under a pressure of one volt at unity power factor.

APPENDIX III

U.S. ARMY CORPS OF ENGINEERS

NATIONAL HYDROELECTRIC POWER RESOURCES STUDY

DIVISION AND DISTRICT REPRESENTATIVES

DIVISION STUDY COORDINATORS

NATIONAL HYDROPOWER STUDY

U.S. Army Engineer Division
Lower Miss. Valley
ATTN: John C. Cole, LMVPD-F
P.O. Box 80
Vicksburg, MS 39180
601-636-1311, X5827

U.S. Army Engineer Division
Missouri River
ATTN: Chris Garvey, MRDPD
P.O. Box 103 Downtown Station
Omaha, NE 68101
402-221-7267

U.S. Army Engineer Division
North Atlantic
ATTN: James Daniels, NADPL
90 Church Street
New York, NY 10007
212-264-7088

U.S. Army Engineer Division
North Central
ATTN: Joseph Raoul, Jr., NCDED-W
536 S. Clark Street
Chicago, IL 60605
312-353-4595

U.S. Army Engineer Division
New England
ATTN: Harmon Guptill, NEDPL-H
424 Trapelo Road
Waltham, MA 02154
617-894-2400, X513

U.S. Army Engineer Division
North Pacific
ATTN: Tom White, NPDPL
P.O. Box 2870
Portland, OR 97208
503-221-2088

U.S. Army Engineer Division
Ohio River
ATTN: Daniel E. Steiner, ORDPD-F
P.O. Box 1159
Cincinnati, OH 45201
513-684-3043

U.S. Army Engineer Division
Pacific Ocean
ATTN: H. Paul Mizue, PODED-PP
Building 230
Ft. Shafter, HI 96858
808-438-9526 (5 hrs difference)

U.S. Army Engineer Division
South Atlantic
ATTN: Merlin Foreman, SADPD-P
510 Title Building
30 Pryor St., S.W.
Atlanta, GA 30303
404-221-6739

U.S. Army Engineer Division
South Pacific
ATTN: Ted Albrecht, SPDED-M
630 Sansome Street, Room 1216
San Francisco, CA 94111
415-556-5709

U.S. Army Engineer Division
Southwestern
ATTN: Jerrell Sartor, SWDPL-M
Main Tower Building
1200 Main Street
Dallas, Texas 75202
214-767-2310


NORTH PACIFIC DIVISION
MISSOURI RIVER DIVISION
NORTH CENTRAL DIVISION
NORTHEAST DIVISION
NORTH ATLANTIC DIVISION
SOUTH PACIFIC DIVISION
SOUTHWESTERN DIVISION
LOWER MISSISSIPPI VALLEY DIVISION
OHIO RIVER DIVISION
SOUTH ATLANTIC DIVISION
Seattle
Walla Walla
Sacramento
San Francisco
Los Angeles
Albuquerque
Fort Worth
Dallas
Tulsa
Kansas City
St Paul
Omaha
Rock Island
Chicago
Detroit
Pittsburgh
New York
Philadelphia
Norfolk
Wilmington
Charleston
Savannah
Jacksonville
Atlanta
Mobile
New Orleans
Vicksburg
Memphis
Little Rock
St Louis
Louisville
Nashville
Cincinnati
Huntington
Galveston
CORPS OF ENGINEERS
DIVISION & DISTRICT BOUNDARIES
LEGEND
DIVISION BOUNDARY
DISTRICT BOUNDARY
DIVISION HEADQUARTERS
DISTRICT HEADQUARTERS
DIVISION AND DISTRICT HQRS
OFFICE OF THE CHIEF OF ENGINEERS, U.S. ARMY
THE ALASKA DISTRICT, HEADQUARTERS, ANCHORAGE ALASKA, IS INCLUDED IN THE NORTH PACIFIC DIVISION.
THE STATE OF HAWAII AND ISLANDS IN THE PACIFIC ARE INCLUDED IN HONOLULU DISTRICT, PACIFIC OCEAN DIVISION, WITH HEADQUARTERS AT HONOLULU, HAWAII
THE TERRITORY OF PUERTO RICO AND ADJACENT ISLANDS IS INCLUDED IN JACKSONVILLE DISTRICT, SOUTH ATLANTIC DIVISION

DISTRICT REPRESENTATIVES

NATIONAL HYDROPOWER STUDY

U.S. Army Engineer District
Vicksburg
ATTN: Hydro Study Rep
P.O. Box 60
Vicksburg, MS 39180
601-636-6744

U.S. Army Engineer District
Baltimore
ATTN: Hydro Study Rep
P.O. Box 1715
Baltimore, MD 21203
301-962-4713

U.S. Army Engineer District
Memphis
ATTN: Hydro Study Rep
668 Clifford Davis
Federal Building
Memphis, TN 38103
901-521-3233

U.S. Army Engineer District
New York
ATTN: Hydro Study Rep
26 Federal Plaza
New York, NY 10007
214-264-3567

U.S. Army Engineer District
New Orleans
ATTN: Hydro Study Rep
P.O. Box 60267
New Orleans, LA 70160
504-865-1121, x220

U.S. Army Engineer District
Norfolk
ATTN: Hydro Study Rep
803 Front Street
Norfolk, VA 23510
804-446-3772

U.S. Army Engineer District
St. Louis
ATTN: Hydro Study Rep
210 North 12th Street
St. Louis, MO 63101
314-268-3385

U.S. Army Engineer District
Philadelphia
ATT: Hydro Study Rep
U.S. Custom House
2nd & Chestnut Street
Philadelphia, PA 19106
215-597-4839

U.S. Army Engineer District
Kansas City
ATTN: Hydro Study Rep
700 Federal Building
Kansas City, MO 64106
816-374-3062

U.S. Army Engineer District
Buffalo
ATTN: Hydro Study Rep
1776 Niagara Street
Buffalo, NY 14207
716-876-5454, X2147

U.S. Army Engineer District
Omaha
ATTN: Hydro Study Rep
6014 USPO & Courthouse
215 North 17th Street
Omaha, NE 68102
402-221-3900

U.S. Army Engineer District
Chicago
ATTN: Hydro Study Rep
219 South Dearborn Street
Chicago, IL 60604
312-353-0789

U.S. Army Engineer District
Detroit
ATTN: Hydro Study Rep
P.O. Box 1027
Detroit, MI 48231
313-226-6791

U.S. Army Engineer District
Rock Island
ATTN: Hydro Study Rep
Clock Tower Building
Rock Island, IL 61201
309-788-6289

U.S. Army Engineer District
St. Paul
ATTN: Hydro Study Rep
1135 U.S. Post Office & Custom House
St. Paul, MN 55101
612-725-7472

U.S. Army Engineer District
Alaska
ATTN: Hydro Study Rep
P.O. Box 7002
Anchorage, AK
907-752-2114

U.S. Army Engineer District
Portland
ATTN: Hydro Study Rep
P.O. Box 2946
Portland, OR 97208
503-221-6449

U.S. Army Engineer District
Seattle
ATTN: Hydro Study Rep
P.O. Box C-3755
Seattle, WA 98124
206-764-3473

U.S. Army Engineer District
Walla Walla
ATTN: Hydro Study Rep
Bldg 602
City-County Airport
Walla Walla, WA 99362
509-525-5500

U.S. Army Engineer District
Huntington
ATTN: Hydro Study Rep
P.O. Box 2127
Huntington, WV 25721
304-529-5639

U.S. Army Engineer District
Louisville
ATTN: Hydro Study Rep
P.O. Box 59
Louisville, KY 40201
502-582-5643

U.S. Army Engineer District
Nashville
ATTN: Hydro Study Rep
P.O. Box 1070
Nashville, TN 37202
615-251-7194

U.S. Army Engineer District
Pittsburgh
ATTN: Hydro Study Rep
Federal Building
1000 Liberty Avenue
Pittsburgh, PA 15222
412-644-6849

U.S. Army Engineer District
Charleston
ATTN: Hydro Study Rep
P.O. Box 919
Charleston, SC 29402
803-724-4236

U.S. Army Engineer District
Jacksonville
ATTN: Hydro Study Rep
P.O. Box 4970
Jacksonville, FL 32201
904-791-3467

U.S. Army Engineer District
Mobile
ATTN: Hydro Study Rep
P.O. Box 2288
Mobile, AL 36228
205-690-2781

U.S. Army Engineer District
Savannah
ATTN: Hydro Study Rep
P.O. Box 889
Savannah, GA 31402
912-233-8822, X378

U.S. Army Engineer District
Wilmington
ATTN: Hydro Study Rep
P.O. Box 1890
Wilmington, NC 28401
919-343-9971, X447

U.S. Army Engineer District
Sacramento
ATTN: Hydro Study Rep
650 Capital Mall
Sacramento, CA 95814
916-440-3557

U.S. Army Engineer District
Los Angeles
ATTN: Hydro Study Rep
P.O. Box 2711 Room 6562
Los Angles, CA 90053
213-688-5441

U.S. Army Engineer District
San Francisco
ATTN: Hydro Study Rep
211 Main Street
San Francisco, CA 94105
415-556-8550

U.S. Army Engineer District
Albuquerque
ATTN: Hydro Study Rep
P.O. Box 1580
Albuquerque, NM 87103
505-766-3225

U.S. Army Engineer District
Fort Worth
ATTN: Hydro Study Rep
P.O. Box 17300
Ft. Worth, TX 76102
817-334-2024

U.S. Army Engineer District
Galveston
ATTN: Hydro Study Rep
P.O. Box 1229
Galveston, TX 77553
713-763-6323

U.S. Army Engineer District
Little Rock
ATTN: Hydro Study Rep
P.O. Box 867
Little Rock, AR 72203
501-378-5735

U.S. Army Engineer District
Tulsa
ATTN: Hydro Study Rep
P.O. Box 61
Tulsa, OK 74102
918-581-7666