

AD-A076 339

PITTSBURGH UNIV PA LEARNING RESEARCH AND DEVELOPMENTS--ETC F/G 12/1
THEORY OF CONSTRUCTIONS AND SET IN PROBLEM SOLVING.(U)
AUG 79 J G GREENO , M E MAGONE , S CHAIKLIN N00014-78-C-0022

UNCLASSIFIED

NL

| DF |
AD
A076339



END
DATE
FILMED
11-79
DDC

12

LEVEL

AD A076339

LEARNING RESEARCH AND DEVELOPMENT CENTER


THEORY OF CONSTRUCTIONS AND SET IN PROBLEM SOLVING

1979/9

JAMES G. GREENO, MARIA E. MAGONE, AND SETH CHAIKLIN

0 10 20 11 62

MC FILE COPY



University of Pittsburgh

DDC
RECEIVED
NOV 9 1979
A

DISTRIBUTION STATEMENT A
Approved for public release
Distribution Unlimited

①④ LRDC-1979/9, MR-4

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER Technical Report No. 4	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) ⑥ THEORY OF CONSTRUCTIONS AND SET IN PROBLEM SOLVING.	5. TYPE OF REPORT & PERIOD COVERED ⑨ Technical Report	
7. AUTHOR(s) ⑩ James G. Greeno and Maria E. Magone University of Pittsburgh Seth Chaiklin University of Washington		8. CONTRACT OR GRANT NUMBER(s) ⑮ N00014-78-C-0022
9. PERFORMING ORGANIZATION NAME AND ADDRESS University of Pittsburgh Learning Research & Development Center Pittsburgh, PA 15260	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Prog. Ele.: 61153N Proj.: RR 042-06 Task Area: RR042-06-02 Work Unit: NR 157-408	
11. CONTROLLING OFFICE NAME AND ADDRESS Personnel & Training Research Programs Office of Naval Research (Code 458) Arlington, VA 22217	12. REPORT DATE ⑪ 27 August 1979	13. NUMBER OF PAGES 54
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) ⑫ 67	15. SECURITY CLASS. (of this report) Unclassified	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) ⑬ RR04206		
18. SUPPLEMENTARY NOTES To be published in <u>Memory & Cognition</u> . ⑭ RR0420602		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) problem solving, planning, spatial cognition, problem space, set, functional fixedness, ill-structured problems, creativity, schemata		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Hierarchically organized knowledge about actions has been postulated to explain planning in problem solving. Perdix, a simulation of problem solving in geometry with schematic planning, knowledge is described. Perdix' planning knowledge enables it to augment the problem space it is given by constructing auxiliary lines. The planning system also provides a mechanism that can result in problem-solving set. Results		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-LF-014-6601

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

388006

✓B

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

Results of three experiments involving set and constructions seem consistent with the kinds of knowledge structures hypothesized in the model. Protocols given during solution of 11 geometry problems showed general agreement with the explanation of constructions and set based on planning knowledge, but also indicated processes of human problem solving not represented in the model. Finally, the explanation of constructions is discussed in relation to the general question of ill-structured problems and creativity, and the explanation of set is discussed in relation to other phenomena in the problem-solving literature, including functional fixedness.

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DDC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or special
A	

5/N 0102- LF- 014- 6601

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

THEORY OF CONSTRUCTIONS AND SET IN PROBLEM SOLVING

James G. Greeno and Maria E. Magone
University of Pittsburgh

Seth Chaiklin
University of Washington

27 August 1979

Technical Report No. 4

This research was sponsored by the Personnel and Training Research Programs, Psychological Sciences Division, Office of Naval Research, under Contract No. N00014-78-C-0022, Contract Authority Identification Number, NR 157-408.

This report is issued by the Learning Research and Development Center, supported in part as a research and development center by funds from the National Institute of Education (NIE), United States Department of Health, Education, and Welfare.

Reproduction in whole or part is permitted for any purpose of the United States Government.

Approved for public release; distribution unlimited.

Abstract

Hierarchically organized knowledge about actions has been postulated to explain planning in problem solving. Perdix, a simulation of problem solving in geometry with schematic planning knowledge, is described. Perdix' planning knowledge enables it to augment the problem space it is given by constructing auxiliary lines. The planning system also provides a mechanism that can result in problem-solving set. Results of three experiments involving set and constructions seem consistent with the kinds of knowledge structures hypothesized in the model. Protocols given during solution of 11 geometry problems showed general agreement with the explanation of constructions and set based on planning knowledge, but also indicated processes of human problem solving not represented in the model. Finally, the explanation of constructions is discussed in relation to the general question of ill-structured problems and creativity, and the explanation of set is discussed in relation to other phenomena in the problem-solving literature, including functional fixedness.

THEORY OF CONSTRUCTIONS AND SET IN PROBLEM SOLVING

James G. Greeno and Maria E. Magone

University of Pittsburgh

Seth Chaiklin

University of Washington

Several recent analyses of knowledge used in solving problems have hypothesized a structure in which knowledge about actions is hierarchical. Knowledge about each action includes knowledge about preconditions that are required for the action to be performed, knowledge about consequences of the action, and knowledge of the component subactions that are performed in the process of performing the more global action. A system based on this principle was developed by Sacerdoti (1977) in the domain of robotics, and systems designed along similar lines have been proposed for a number of other problem domains. These include an analysis of geometry theorem proving by Goldstein (Note 1), analyses of solving textbook problems in physics by Bhaskar and Simon (1977) and by Larkin (Note 2), an analysis of designing electrical circuits by Sussman (1977), an analysis of writing prose by Flower and Hayes (in press), an analysis of designing computer programs by Atwood, Polson, Jeffries, and Ramsey (Note 3), by Goldstein and Miller (Note 4), and by Long (Note 5), and a general discussion by McDermott (1978). These theories are all consistent in a general way with earlier suggestions by Berlyne (1965), Duncker (1945), Hull (1930), Miller, Galanter, and Pribram (1960), and others regarding hierarchical structure of thinking and behavior. The more recent work has included hypotheses about the specific knowledge structures involved in performing the various kinds of tasks that have been studied.

This paper presents an analysis of hierarchical knowledge for planning in solving textbook problems in high school geometry. A simulation model of problem solving called Perdix (Greeno, 1978) has been extended in a way that involves hierarchical planning knowledge. This development has provided two extensions of previous theories. First, an explanation is provided for the occurrence of constructions in problem solving. Second, the knowledge of global actions used in planning provides an explanation of problem-solving set.

The developments presented here permit a conceptual integration of several general issues in the theory of problem solving. The process developed for constructions is relevant to issues in the theory of ill-structured problem solving and the theory of creativity. There is a strong connection between constructions and set, because the main cognitive structure that causes set is also the structure that permits constructions to occur.

One feature of ill-structured problems is that important materials needed for solution are not provided in the initial problem space. Auxiliary lines needed for solving some geometry problems are materials that must be added to the problem space by the problem solver. Thus, Perdix' ability to add constructions provides some new understanding of an aspect of ill-structured problem solving. In the domain of geometry, the problem-solving demands are relatively modest in comparison, for example, with musical composition (Reitman, 1965). Nonetheless, the kind of process that enables Perdix to construct auxiliary lines seems applicable in other domains as well.

The process represented in Perdix for augmenting a problem space involves a form of problem finding. Problem finding has been identified as a major factor in creative work on ill-structured problems such as painting (Getzels & Csikszentmihalyi, 1976). Thus, the theoretical development to be presented may provide a step toward a

more rigorous analysis of some aspects of creative processes in problem solving.

The explanation of set that is provided by hierarchical knowledge of actions is entirely consistent with conventional explanations of set in experimental psychology (e. g., Bourne, Ekstrand & Dominowski, 1971). The representation in *Perdix* specifies knowledge structures for solving a class of problems in a way that shows how set can occur. The point of greatest interest is the close relationship between the cognitive structures involved in set and constructions. The analysis also suggests some ways to begin to interpret the considerable experimental literature on problem-solving set in relation to recently developed theoretical concepts of information processing and representation of knowledge.

We will begin by presenting illustrations of the phenomena of constructions and set in geometry problem solving in order to provide a concrete context for the theoretical concepts that we will develop. Next, we will describe the knowledge used by *Perdix* for planning, and the way in which *Perdix* simulates phenomena of constructions and set. Then we will describe the results of three experiments and a set of thinking-aloud protocols that provide further illustrations of the principles that are incorporated in the model and also indicate some important aspects of human processing involving constructions that are beyond the capabilities programmed in *Perdix*. Finally, we will discuss general implications of the analysis concerning the relation of constructions to the issues of ill-structured problems and creativity and the general question of set in problem solving.

Example of Construction

An example of a problem that is solved with a simple construction is the following: Prove that if two sides of a triangle are congruent,

then the angles opposite those sides are congruent. (An alternative statement is: Prove that the base angles of an isosceles triangle are congruent.)

Table 1 shows a protocol of a solution of this problem. The student began by drawing a triangle, labelling its vertices A, B, and C, marking the congruent sides \overline{AC} and \overline{BC} , and marking the angles at A and B, which were to be proved congruent, as shown in Figure 1. At *1 in the protocol the student drew a line from C to the base of the triangle, labelling the point of intersection D. At *2 the student tentatively specified that \overline{CD} would be the bisector of $\angle ACB$, and confirmed this at *3 when it was realized that since \overline{CD} is in both triangles, it provides the needed second pair of congruent sides for the side-angle-side pattern of congruence of triangles.

Example of Set

Consider the problem shown in Figure 2. The problem can be solved by proving that triangles are congruent: $\triangle ACM \cong \triangle BDM$ (side-side-side); then $\angle AMC \cong \angle BMD$ since they are corresponding parts of congruent triangles. However, an easier solution is possible. $\angle AMC$ and $\angle BMD$ are vertical angles, so their congruence can be inferred directly.

Luchins (1942) gave a problem like the one in Figure 2 to 10 student subjects who had just solved a series of four problems in which congruence of angles was shown by proving that triangles were congruent. Eight of these 10 students solved the problem by proving that triangles were congruent, rather than the simpler solution involving vertical angles. Another set of 10 students solved four problems involving congruence of triangles, followed by a problem similar to Figure 1 in which the given information was insufficient to prove the triangles congruent. Six of these 10 students failed to find a solution

Table 1
Protocol for the Base Angles Theorem

-
- S: Okay, so, I want to prove that angle A is congruent to angle B. Now, let's see. Do you want . . . ?
- *1 E: Yeah . . . why are you drawing that line?
- S: I don't know yet. Okay, uhm . . . okay, then I could . . . if I drew a line . . .
- E: Mm-hmm.
- *2 S: That would be the bisector of angle ACB, and that would give me . . . those congruent angles . . . no. (Pause.)
- *3 S: Yeah, well that would give me those congruent angles, but I could have the reflexive property, so this would be equal to that. Okay, I got it.
- E: Now, before you go ahead and write it all down, when you said you were going to draw the line . . .
- S: Yeah . . .
- E: And I said, why are you doing that, and you said you didn't know yet, what do you think happened to give you the idea of making it the bisector?
- *4 S: Okay. Well, I have to try to get this . . . I have to try to get triangle ACD congruent to BCD, because if I do that, then angle A is congruent to angle B because corresponding parts of congruent triangles are congruent.
- E: So you were drawing the line to give yourself triangles, is that the idea?
- *5 S: No, to . . . to get a side that was in both triangles.
- E: Okay.
- *6 S: And to get congruent angles.
- E: So that's why you drew it as the bisector.
- S: Yeah.
-





Figure 1. Diagram drawn by student during solution given in Table 1.



Given: M is the midpoint of \overline{AB} and \overline{CD} ;

$$\overline{AC} \cong \overline{BD}.$$

Prove: $\angle AMC \cong \angle BMD$

Figure 2. Problem of the kind studied by Luchins (1942)

to the problem in 2.5 minutes that were allowed. In contrast, the problem was solved easily by all 12 students in a group who were given the problem without preceding problems to induce the attempt to prove triangles congruent.

General Hypotheses

The gist of the explanation of set and constructions to be proposed here is that both are consequences of the way in which planning occurs. The hypothesis to be proposed about planning is a hierarchical system that includes a set of plan-schemata that are associated with subgoals. Each plan-schema includes information about global features of the situation that are required for the plan to be feasible; for example, the plan of proving triangles congruent requires that two triangles be present in the diagram. When a plan has been adopted, work proceeds in relation to the specific subgoals that are required for that plan to succeed.

This planning system produces constructions by a process of partial pattern matching and pattern completion. Perdix recognizes that a situation partially matches a pattern that satisfies the prerequisites for a plan-schema and then activates productions that complete the required pattern. For example, a pattern that frequently enables the plan of proving congruence of triangles is a pair of triangles with a shared side. Before line \overline{CD} is drawn in Figure 1, the diagram contains some but not all of the lines, angles, and points that constitute that pattern. A system that can detect that partial match and identify the discrepancy between the situation and the pattern it has in memory has the knowledge it needs to choose an appropriate construction for this problem.

This idea also provides an explanation of problem-solving set. A plan may be adopted on the basis of global features, and because of

the top-down nature of the system, the plan will become the basis of work on the problem until it either succeeds or it is determined that the plan is impossible. For example, in Figure 2, the prerequisites are present for the plan of proving that angles are congruent by showing that they are corresponding parts of congruent triangles. If this plan is adopted, the system focuses on the subgoal of proving congruence of the triangles and can easily fail to notice that the angles are vertical angles.

Planning Knowledge in Perdix

We will give a brief survey of the characteristics of Perdix as a problem-solving system. More detailed information about Perdix' geometry knowledge has been given in other articles (Greeno, 1976, 1977, 1978).

Perdix is a system that solves problems by matching and completing patterns. It is a production system with a general control structure adapted from Anderson's (1976) ACT system. The problem situation is represented as a semantic network. Points, lines, angles, and closed figures are represented by nodes. Connections between nodes include part-whole relations (e. g., a point that is part of a line segment or a segment that is part of a triangle) and propositional structures that correspond to relations of congruence and other geometric relations.

The productions that constitute Perdix' problem-solving knowledge are in three categories: inferential principles, feature tests for pattern recognition, and strategic knowledge. The main problem-solving steps are accomplished by inferential productions. These represent knowledge of propositions such as "Vertical angles are congruent," or "Angles formed by bisection of an angle are congruent." The actions of these productions add relations to the semantic network that

represents the situation; for example, if two angles have previously been identified as being vertical angles, the relation of congruence can be added between them.

Simple pattern recognition is involved in the conditions that are tested in each production. More complex patterns are identified by sets of productions organized in the form of decision networks with terminal nodes corresponding to patterns and relations that can be identified. Patterns and relations that are identified during problem solving are added to the representation of the problem situation.

Strategic knowledge consists of productions for setting goals and adopting plans. Simple goal-setting involves associations that select productions that are relevant to the current problem-solving goal. More complex goals are set in the actions of productions and a push-down store memory is used to retain goals that must be recalled when their subgoals have been achieved.

The theoretical development to be reported in this paper is a set of productions that perform planning. Perdix' knowledge for planning consists of some global actions, or plan-schemata. The characteristics of plan-schemata are like those used by Sacerdoti (1977) in his theory of planning based on a procedural network. Goldstein (Note 1) used a similar organization of knowledge for geometry problems; his system includes experts that apply knowledge in specific topic areas, such as triangles or parallel lines. Each plan-schema in Perdix is characterized by three components of information: (a) a set of prerequisite features that make the plan promising, (b) pointers to pattern-recognition and inferential productions that are used in executing the plan, and (c) tests to determine whether execution of the plan has succeeded. The procedures for planning also include checks for a few salient features that would allow the goal to be achieved directly without going through the usual process of planning and

executing a series of steps. Technically, these shortcuts could be classified as additional plans.

In Perdix' knowledge structure, plans are associated with general goals. Some goals are attempted directly through productions for pattern recognition. Other goals require propositional inferences. These latter goals activate planning productions. When one of these goals is generated during problem solving, a series of tests is performed. Each test is an attempt to find the general features that make one of the plans for the goal promising. Each planning system is thus a pattern recognizer in which each identifiable pattern corresponds to a set of features needed to make one of the plans promising.

Two planning systems have been implemented in Perdix. One is associated with the goal of finding the measure of an angle, and the other is associated with a category of goals of finding or proving a quantitative relationship such as congruence between two angles or two segments. One plan for finding the measure of an angle uses the sum of angles in a triangle. The other uses a quantitative relationship with another angle. The planning system is essentially a decision tree that chooses one of these plans, based on whether the unknown angle is part of a triangle and on the nature of available information about the measures of other angles in the situation.

We will describe the planning system for inferring quantitative relations in some detail. Perdix has three plans for inferring quantitative relations between angles or segments. It can infer congruence between angles or segments that are corresponding parts of congruent triangles. This plan is abbreviated TRICONGQREL: TRIangle CON-Gruence is used to infer a Quantitative RELation. A second plan uses relations between angles with a shared vertex: RTNRELQREL means that a relation based on rotation, RTNREL, is used to infer a Quantitative RELation. The third plan uses relations between angles with parallel sides: PRLRELQREL.

The procedure that has been implemented for constructing auxiliary lines is part of the planning system for quantitative relations. If none of the preconditions for Perdix' three main plans is found, Perdix can identify a partial match to a pattern that provides the prerequisites for one of its plans, the congruence of triangles. If a sufficient subset of the features of that pattern is present, Perdix completes the pattern and will then choose the plan that its own construction has enabled.

Figure 3 shows the components of the planning procedure for finding a quantitative relation between two angles or segments. V1 and V11 denote the angles or segments in that goal. There are tests at (1), (2), and (3) for a few features that can provide quick solutions. Next, at (4), Perdix tests whether the target elements are parts of triangles. If they are, triangles are tested at (5), (6), and (7) to see whether there are features that would make it feasible to try to prove that they are congruent. These tests have two functions. First, if the triangles are not promising, the system can look for other plans that might be easier. Second, since many diagrams include more than one pair of triangles, the tests at (5), (6), and (7) serve to select triangles that contain congruent components. If one of these tests is successful then at (8), the plan is adopted to find a quantitative relation based on congruent triangles, and at (9) the goal is set to show that the selected triangles are congruent.

If promising triangles are not found, Perdix tests at (10) and (13) for features of its other general plans for finding quantitative relations. If the targets are angles with a single vertex then at (11) the plan RTNRELQREL is adopted to infer a quantitative relation from a relation based on rotation, and at (12) the goal is set to find a relation of rotation between the angles. The system will then engage in pattern recognition that can identify vertical angles, linear pairs, or angles




Figure 3. Procedure for planning, including construction of new components, when goal is to find a quantitative relation between angles or segments.

- continued -




Figure 3 (continued).

formed by perpendicular lines. If the test at (13) shows that the angles are formed by parallel lines intersected by a transversal, then at (14) the plan PRLRELQREL is adopted to infer a quantitative relation from a relation involving parallel sides. Under the goal PRLREL, set at (15), Perdix will perform pattern recognition that can identify corresponding angles, alternate interior angles, or interior angles on the same side of the transversal. If these plans are not feasible, Perdix will try to use triangles that seemed unpromising earlier, if they are found in the test at step (16).

The process for constructing auxiliary lines is used if the test at (16) is negative. If the prerequisite features of none of the available plans are present, Perdix checks whether the problem situation has features that provide a partial match for a schema that includes the prerequisites for one of the plans. The schema consists of a pair of triangles with a shared side. It contains 11 components: two triangles, five segments, and four points. The partial match can consist of two segments that intersect, found at (17), and either of two further conditions: two additional intersecting segments at (18), or a single segment found at (20) that can be divided to form two needed segments. If the appropriate components are found, Perdix constructs a segment that completes the pattern at (19) and returns to the top of the planning process.¹

¹The part of the system in which the productions for construction interact with the present planning system has not been debugged. At its present size the system is relatively expensive to work with, and I believe that only technical insights would be gained from completing the programming task. The productions for construction were debugged in an earlier system, described at meetings of the Midwestern Psychological Association in 1976, in which the decision to construct a line was made when conditions for setting a subgoal of congruent triangles were satisfied.

If the features needed to perform this construction are not present, then the system adopts the goal of finding a chain of relations between angles at (22). This is a kind of default plan, involving an attempt to find some third angle that is congruent to one of the angles that can then be related to the other target, perhaps through mediation of further linking angles.

When the planning process is finished, one of three things will have happened. First, the goal may be achieved on the basis of a feature permitting a quick solution. Second, a plan may have been chosen, and this generally involves setting a subgoal that will permit the plan to work. Adoption of a plan may have been preceded by a construction to make the plan feasible. Finally, the system's planning knowledge may be insufficient for the problem at hand, and there may be no successful outcome for planning. (In the system shown in Figure 3 this leads to setting the goal of forming a chain of congruent components.) In the situation where a plan is chosen, the system then executes procedures that are associated with the plan, including pattern-recognition and propositional inferences.

Explanation of Constructions and Set

The planning process in Perdis is an example of one kind of knowledge structure that can produce constructions and set. The relevant general feature is the knowledge of global actions and planning systems that choose a general approach to the problem from among the available global actions. Figure 3 is an example: the alternative global actions are called TRICONGQREL, RTNRELQREL, and PRLRELQREL. The planning system uses general features of the problem situation such as the presence of triangles with known relations between their components to select one of the global actions as a plan.

The general idea about constructions illustrated in Perdix involves knowledge of prerequisite features for plans and the ability to recognize partial satisfaction of a set of prerequisites. When Perdix finds that the prerequisites for none of its plans are satisfied, it can recognize that the situation has some of the components of a pattern that permits TRICONGQREL to be used. Perdix has problem-solving procedures that permit it to complete this pattern, and thus produce the prerequisites that are required for its planning system to choose a global action. This illustrates a general kind of process in which knowledge of needed prerequisites permits a system to identify an auxiliary problem. The new problem arises because the situation is discrepant from conditions known to be prerequisites for making progress on the main problem. In a hierarchical system, a deficit that arises at the level of global actions can generate an auxiliary problem that is solved in a problem space different from the space of the main problem. In the geometry example, the operators for the main problem are inferential propositions such as, "Vertical angles are congruent." The operators in the auxiliary problem space are a set of rules for adding lines to a diagram such as "Two points may be connected by a line segment," or "The bisector of an angle can be constructed." The process of identifying a deficit in the main problem space constitutes a form of problem finding, and thus provides some insight into creative problem solving (Getzels & Csikszentmihalyi, 1976) and solution of ill-structured problems (Simon, 1973).

The occurrence of set is explained in a straightforward way by the top-down nature of the planning system. Consider the problem shown in Figure 2. The two alternative solutions correspond to different plans, one involving congruent triangles and the other involving a relation between angles having the same vertex. Whether Perdix finds the simple solution involving vertical angles or proves that triangles are congruent depends on the order in which the productions

testing feasibility of these plans are included in the production list. In the configuration shown in Figure 3, the features needed for the plan of congruent triangles are tested before the feature needed for the plan of a relation involving rotation. With the productions ordered in this way, Perdix agrees with the majority of Luchins' subjects on the way to solve problems like Figure 2. The test "V1, V11 in triangles?" passes as does the subsequent confirming test, "V1, V11 in triangles with sides or angles congruent?" This leads to adoption of the plan to prove the triangles congruent, and the system works on that subproblem and eventually succeeds in solving the problem by proving the triangles congruent by side-side-side.

The relative strengths of productions are represented in Perdix by the order in which their conditions are tested. For example, the test for "V1, V11 angles with shared vertex?" could be performed before "V1, V11 in triangles?" and in that case, Perdix would find the simpler solution based on vertical angles. The mechanism involving ordered productions is not intended as a plausible hypothesis about the way in which stronger productions dominate performance; other systems such as Anderson's version of ACT (1976) or the OPS system (McDermott & Forgy, 1977) include a variety of mechanisms that have greater psychological plausibility. It would be natural to assume that the strength of a production would be increased by the major factors that are usually assumed to influence set, such as the frequency and recency of successful use of a plan in problems similar to the present one. The present analysis does not provide any new ideas about the way in which set occurs. The contribution of this analysis is in showing that the knowledge structures responsible for set may be the same as those that are responsible for planfulness and creativity in problem solving.

Experiments on Constructions and Set

The model described above provides a way of interpreting the results of three experiments we have conducted. The first experiment involved a problem requiring a simple construction. The problem was presented in two different forms, and in one form the construction was produced by a greater proportion of subjects than in the other. A plausible interpretation of the difference between the two forms can be given in terms of the planning model that we have presented.

The second experiment used the same problem as Experiment I. We investigated conditions that could be expected to make it more likely that subjects would produce the construction needed for solution in the harder version of the problem. One of the conditions that we used was successful in making that version of the problem easier, and the effect is consistent with the idea of pattern-based planning that is incorporated in Perdix.

The third experiment was a traditional study of set, and focused on a problem requiring a construction. We used a problem that has two solutions, one based on parallel lines and the other based on congruent triangles. We gave different groups of subjects different series of problems before presenting the ambiguous problem. The problems in one induction sequence used parallel lines and the problems in the other induction sequence used congruent triangles. The majority of the solutions that subjects chose for the ambiguous problem agreed with the plan they had been using, and this result agrees with the interpretation of problem-solving set that we have given based on the model of schematic planning presented above.

Experiment I

The experiment involved two problems presented to different groups of subjects. Both problems used the diagram shown in Figure

4. Point O is the center of the circle, and \overline{BC} is a diameter. In the problem given to one group of subjects, given information included the measure of arc \widehat{AC} , 80 degrees, and the goal was to find the measure of the angle $\angle ABC$. In the other form, the measure of $\angle ABC$ was given as 40 degrees, and the goal was to find the measure of arc \widehat{AC} . To solve either problem, a subject had to give a series of steps justifying each inference, as is customary in high-school geometry. The solution of either problem depends on making the construction \overline{AO} . This creates the central angle $\angle AOC$, and by definition the measure of a central angle and the measure of its intercepted arc are the same. Construction of \overline{AO} also creates an isosceles triangle $\triangle OAB$, with sides \overline{OA} and \overline{OB} that are congruent, being radii of the circle. The angles at A and B , $\angle OAB$ and $\angle ABC$, are congruent since they are the base angles of the isosceles triangle. Using these relationships, a solution for problems with the arc given is as follows: (a) measure of arc \widehat{AC} is 80 degrees (given), (b) construct segment \overline{AO} , (c) measure of $\angle AOC$ is 80 degrees (central angle), (d) measure of $\angle AOB$ is 100 degrees (linear pairs are supplementary), (e) sum of measures of $\angle OAB$ and $\angle ABC$ is 80 degrees (sum of angles in a triangle is 180 degrees), and (f) measure of $\angle ABC$ is 40 degrees ($\angle OAB$ and $\angle ABC$ are equal). A solution for the problem with the angle given is as follows: (a) measure of $\angle ABC$ is 40 degrees (given), (b) construct segment \overline{AO} , (c) measure of $\angle OAB$ is 40 degrees (base angles of isosceles triangle are equal), (d) measure of $\angle AOB$ is 100 degrees (sum of angles in a triangle is 180 degrees), (e) measure of $\angle AOC$ is 80 degrees (linear pairs are supplementary), and (f) measure of arc \widehat{AC} is 80 degrees (arc intercepted by central angle).

Method. Subjects were students in introductory psychology at the University of Pittsburgh who participated to fulfill a course requirement. Fifty-three subjects were given the problem with the angle




Figure 4. Diagram for problems in Experiments I and II.

given, and 52 subjects were given the problem with the arc given. Subjects participated in groups of up to six in size.

Experimental sessions began with a review of geometric concepts needed to solve either problem, including the congruence of base angles of an isosceles triangle, the relation between an exterior angle and its opposite interior angles in a triangle, and the definitional equality of the measure of a central angle and the arc it intercepts on a circle. The review of concepts was given in the form of 10 problems, which were worked individually by the subjects in the group. The experimenter monitored the subjects' work and explained how to solve any problems that any subjects were unable to solve. The experimenter also called attention to features of the various training problems that were relevant to the critical problem. The 11th problem in the series was Figure 4, with either the measure of arc \widehat{AC} or the measure of $\angle ABC$ given and the other unknown. No assistance was given on this problem, and four minutes were allowed for solution of the problem. At the end of the allotted time, subjects who had not solved the problem were asked to turn to a second sheet containing the same problem, and were given the hint that a line drawn between points A and O would be helpful in solving the problem. An additional four minutes were allowed to see whether the subjects could solve the problem with the hint given.

Results. The problem with the arc given was considerably easier than the problem with the angle given; proportions of subjects solving the problem in the initial four minutes were .731 and .471, respectively. The difference is statistically reliable; $\chi^2(1) = 7.34, p < .01$.

An important question for our theoretical interpretation involves the degree to which the difficulty of the problem with the angle given was caused by a difficulty in seeing the correct construction. Of the 28 subjects who had the angle given and failed to solve the problem, seven drew the correct construction during the initial four minutes of

work; of the 14 subjects who had the arc given and failed to solve, two drew the correct construction during the initial four minutes. If these subjects are counted along with the subjects who solved, the difference between the conditions is attenuated and becomes marginally nonsignificant: .769 vs .604, $\chi^2(1) = 3.32$, $.05 < p < .10$. However, the status of these unsuccessful constructions is unclear. Only two subjects showed evidence in their protocols of relating the construction to appropriate relational patterns (one of the seven subjects with the angle given mentioned the isosceles triangle, and one of the two subjects with the arc given mentioned the central angle). An alternative interpretation is that some subjects who failed to see the correct pattern simply drew an additional line in the diagram somewhere, and the significance of the constructed line was not evident in many cases. It may be noted that irrelevant constructions were inserted by nine subjects: a radius perpendicular to the diameter was drawn by seven subjects (six with the angle given, one with the arc given) and points A and C were connected by two subjects (one in each condition).

There was also some marginal evidence that the problem with the arc given was easier than the problem with the angle given when the construction was given as a hint. Thirteen of the 14 subjects who had the arc given and failed to solve in the first four minutes did solve after the hint was given; 20 of the 28 initial nonsolvers who had the angle given solved the problem after the hint was given. The difference was marginally nonsignificant: .929 vs .714 $\chi^2(1) = 3.18$, $.05 < p < .10$.

Discussion. The major finding of the experiment was that the problem with the arc given was easier to solve than the problem with the angle given. The most reasonable conjecture is that the difficulty had two sources: First, subjects were apparently somewhat less likely to generate the needed construction when the angle was given;

second, the sequence of inferences was apparently harder to find with the angle given, even when the segment \overline{AO} was present in the problem situation.

An interpretation of the result can be given using the idea of schematic planning. A relevant fact is that student subjects usually work forward in geometry problems. Subjects who were given the measure of the arc probably tried to find features of the problem related to the arc, and subjects who were given the measure of the angle probably tried to find features of the problem related to the angle. It seems reasonable to suppose that the pattern of the central angle was relatively easy to retrieve with the arc as a cue. The measure of the arc and the measure of the central angle are related definitionally, and the central angle is a rather simple pattern. On the other hand, it was probably less likely that the pattern of the isosceles triangle formed by radii would be retrieved with the inscribed angle as a cue. There is no direct definitional connection between the measure of the inscribed angle and the triangle formed by radii of the circle, and that pattern is somewhat more complex than the inscribed angle. Thus, it seems reasonable that the greater difficulty of the problem with the angle given was caused at least partly by a lower probability of retrieving the pattern from memory that was needed to provide a basis for planning the first major step in the solution of the problem.

Experiment II

This study explored two ways of providing experience that might facilitate solution of the harder form of the problem of Figure 4. One way to make solution more likely would be to increase the probability of retrieving the pattern involving an isosceles triangle formed by radii of the circle. A second possibility would be to induce a strategy of planning backward from the goal of the problem; this could lead

subjects to consider problem components that can be related to the measure of the arc, and thus to retrieve the pattern involving the central angle.

Method. Three conditions were used. A control condition was identical to the condition used for the problem with the angle given in Experiment I. For the other two conditions, the sequence of review problems was condensed to seven problems and three additional problems were included. For the isosceles-pattern condition, the three added problems involved isosceles triangles that were formed by radii of circles. For the backward-planning condition, the three added problems involved solution sequences that were easier to find by working backward from the goal than by working forward from the given information. In the backward-planning condition, the experimenter specifically instructed the subjects to find a sequence of steps that started with the unknown quantity and progressed toward the given information and coached them so they identified appropriate sequences for the three problems.

The procedure was the same as in Experiment I, with the problem of Figure 5 presented as the 11th problem in all three conditions with the measure of $\angle ABC$ given and the measure of arc \widehat{AC} the goal. Two groups of subjects participated: 86 students from introductory psychology at the University of Pittsburgh who participated to fulfill a course requirement and 81 students who answered an advertisement in the campus newspaper who were paid for their participation. The numbers of subjects from these two sources in the three conditions were as follows: control, 28, 27; isosceles pattern, 29, 28; backward planning, 29, 26.

Results. The proportions of subjects who solved the problem in the three conditions were as follows: control, .436; isosceles pattern, .649; backward planning, .527. The difference was not quite large

enough to give a significant test statistic: $\chi^2(2) = 5.14$, $.05 < p < .10$. However, a chi-square statistic involving just the control and isosceles-pattern conditions was significant, $\chi^2(1) = 5.10$, $p < .025$, and the results for the two groups of subjects were very consistent, providing some additional confidence. Proportions of solvers from introductory psychology were .500, .724, and .586; proportions of paid subjects who solved were .370, .571, and .462. It seems reasonable to conclude that solution was made more probable in the isosceles-pattern condition. A conclusion is not warranted regarding the backward-planning condition; it may have provided no facilitation, or it may have facilitated problem-solving as much as the isosceles-pattern condition.

A substantial number of nonsolvers added the appropriate construction to the diagram, although they failed to solve the problem using it. Of the 31 nonsolvers in the control group, 15 added \overline{AO} to the diagram in the first four minutes of work. Of the 26 nonsolvers with backward-planning induction, nine added \overline{AO} ; and six of the 20 nonsolvers with the isosceles pattern added \overline{AO} . The proportions (including solvers) who made the correct construction were: control, .709; isosceles pattern, .754; backward planning, .691. These were clearly not significantly different. Again, the status of the correct constructions by nonsolvers is uncertain. Thirteen of the 30 correct constructions made by nonsolvers were accompanied by additional lines in the diagram that were not useful in the solution, and 21 of 47 subjects who did not make the correct construction added some line or lines in their attempts to solve the problem. It seems likely that relatively haphazard modifications of a diagram can be made by subjects, and some of the constructions in our experiments must have been of that nature. Perhaps the best interpretation of the results is that training with the isosceles pattern increased subjects' ability to identify the pattern and thus to produce a well-motivated construction.

The effect of giving the hint to draw line \overline{AO} was inconclusive. Proportions of initial nonsolvers who solved the problem following the hint were .613, .750, and .654. The result is not inconsistent with the idea that the backward-planning and isosceles-pattern conditions facilitated problem solving with the completed diagram as well as facilitating making the construction, but the difference was far too small to be significant, $\chi^2(2) = 1.03$, $p > .50$.


Discussion. The facilitation of problem solving in the isosceles-pattern condition is consistent with the hypothesis of a planning system that is based on knowledge of patterns that are identified as conditions for adopting plans, and that are used in making constructions that take the form of pattern completion. Our interpretation is that the additional problems given with the isosceles pattern made that pattern more salient for subjects, and thus made it more likely that they would retrieve that pattern from memory in the problem situation.

Experiment III


This experiment involved the role of problem-solving set in a problem requiring a construction. Our explanation of problem-solving set given above is that the pattern-based planning system becomes biased toward choice of a plan that has been successfully used in recent problems. Our explanation of constructions is that a pattern associated with a plan is partially identified, and the system completes that pattern in order to have the prerequisites for a plan. This suggests that if a problem can be solved with alternative constructions related to different plans, the construction that is chosen should be influenced by a series of problems that are solved using one or the other of the two plans.

The problem used in the experiment is shown in panel (a) of Figure 5. The problem can be solved by showing that triangles are

(a)
Opposite sides of a parallelogram are equal and parallel.
Show that opposite angles are equal, that is, $\angle A = \angle D$.



(b)




Given: $\angle BDE = \angle ABD$
 $AB = DE$
 $\angle ACD = 55^\circ$
Find: $\angle CAB$

Figure 5. Problems used in experiment on constructions and set.

-continued-

(c)



Given: $\overleftrightarrow{BD} \parallel \overleftrightarrow{EF}$
 \overline{BD} and \overline{AF} bisect each other.
 $\angle CFD = 65^\circ$
 $\angle ABC = 75^\circ$

Find: $\angle ACB$

Figure 5 (continued).

congruent. This requires constructing the diagonal line \overline{BD} ; the resulting triangles are congruent by side-side-side. The problem can also be solved using relations based on parallel lines. This solution usually uses a construction such as extending line \overline{BD} upward. In this case, $\angle A$ is congruent to the exterior angle at B (alternate interior angles) and that angle is congruent to $\angle D$ (corresponding angles).

Method. The subjects were 12 University of Michigan students who were paid for participating. Thinking-aloud protocols were tape recorded to permit later identification of subjects' solution strategies. The experimental sequence began with a series of review exercises that reminded the subject of ideas involved in proving congruence of triangles and in proving theorems involving angles formed by parallel lines and an intersecting transversal. Then there was a series of 14 induction problems. For six subjects the induction problems all used congruent triangles; the other six subjects had 14 problems that used relations between angles based on parallel lines. The 15th problem for all subjects was the problem shown in panel (a) of Figure 6. After this ambiguous problem, each subject received a problem that required use of the plan that had not been used in the induction sequence that the subject had received. These problems did not require constructions, but gave a further opportunity to observe the biasing effect of problem-solving set at the level of general planning. For subjects who had been induced to use congruent triangles, the 16th problem was the one shown in panel (b) of Figure 5. This is an easy problem using parallel lines: \overline{AB} and \overline{CE} are parallel ($\angle BDE$ and $\angle ABD$ are alternate interior angles); hence, $\angle ACD$ and $\angle CAB$ are supplementary (interior angles on the same side of the transversal). The 16th problem for subjects who received induction of parallel lines is shown in panel (c) of Figure 5. The triangles are congruent by side-angle-side, because of vertical angles; then $\angle BAC = 65$ degrees (congruent to $\angle CFD$), and $\angle ACB$ can be found

by subtraction from 180 degrees. For the subjects with induction of congruent triangles, panel (c) was the 14th problem; for the subjects with induction of parallel lines, panel (b) was the 14th problem. This permitted comparison between subjects for whom the problem was consistent with the induction series and subjects for whom it was not.

Results. The manipulation was strong enough to produce reliable differences, even with only six subjects per condition. In the ambiguous problem, panel (a), five of the subjects who received induction with congruent triangles solved the problem by constructing the diagonal and proving that the resulting triangles were congruent. Only one of the six subjects who were induced to use parallel lines found the proof based on triangles; the other five found proofs using relations formed by parallel lines. The difference is significant, $p < .02$, on a sign test where the random event is agreement between the subject's solution and the induction sequence.

The problem in panel (c) of Figure 5 must be solved by proving that triangles are congruent. All six subjects who were induced for congruence of triangles adopted a plan involving triangles initially. In the group induced with parallel lines, only two subjects initially worked with a plan for proving the triangles congruent; the other four subjects tried to use the relation of parallel lines. This is also significant by a sign test, $p < .02$.

The problem in panel (b) of Figure 5 is solved using parallel lines. In the group where induction was with parallel lines, four of the six subjects used the plan involving parallel lines initially; the other two failed to see that parallel lines could be inferred but mentioned parallel lines as a subgoal. In the group where induction was with congruent triangles, three of the six subjects began with a plan involving congruent triangles and only one used parallel lines; the other two subjects initially used a plan involving the sum of the interior angles of a

quadrilateral. Counting just those subjects whose initial plan was either congruence or parallel lines, the difference between the conditions was significant with $p < .04$ by a sign test.

Discussion. This experiment on set provides a supportive illustration of the idea of a strong connection between the process of making constructions and the process of planning. The idea that a single planning process is responsible for both problem-solving set and the making of constructions seems a plausible one.

Thinking-Aloud Protocols

A collection of thinking-aloud protocols was obtained from six students who were interviewed individually approximately once each week during the year in which they took a course in high school geometry. In the interviews, students solved a wide variety of problems, only some of which are relevant to the issues in this paper. Solutions of nine of the problems used constructions, and two of the problems provided illustrations of problem-solving set. Protocols from these problems were examined to provide an informal evaluation of the general hypothesis of schema-based planning processes. A brief summary of the conclusions of this informal analysis will be given here. A more detailed discussion of the protocols from the nine problems involving constructions is available in a technical report (Greeno, Note 6).

Problems Involving Constructions


Plan-based constructions. Nine problems that were given required construction of auxiliary lines. Most of the protocols indicated solution processes that were generally consistent with the kind of process programmed in Perdux, where constructions are related to schemata that function as plans. Various schemata were involved in the different

problems, including formation of triangles and other geometric figures, and the central angle of a circle.


An example involving the pattern of parallel lines intersected by a transversal is shown in Figure 6. This example has special interest because different constructions were used by subjects, based on different schemata. This problem was given to students early in the course, before they had studied congruence of triangles. They had been taught about relations between pairs of angles with parallel sides, such as corresponding angles, alternate interior angles, and so on. Constructions used in solving the problem are shown in panels (b), (c), and (d). The construction shown in (b) completes transversals that intersect the parallel lines by extending lines already in the diagram. The protocol in which (b) occurred indicated that the subject probably completed the pattern and made justified inferences based on alternate interior angles, and then realized that the presence of triangles permitted further inferences, which then led to the solution. The subject who gave the construction in (c) specified the added line as the perpendicular going through the vertex, and apparently foresaw using the 90 degree angles to permit inference of the remaining angles in the triangles based on the sum of angles in a triangle being 180 degrees. At the time this problem was presented the class had not studied triangles, so the sum of angles of a triangle was recalled from earlier study by the subjects who used (b) and (c). The construction in panel (d) permitted solution without using the triangle-sum property. This construction was not used by any subjects on the problem in panel (a), although one subject saw that it could be used when a pattern of three parallel lines was presented in another problem, and another subject used it in an other construction problem involving parallel lines.

Working-forward pattern completion. While most of the protocols were consistent with Perdix' procedure for constructing auxiliary lines,


(a)



(b)



(c)



(d)




Figure 6. Problem involving parallel lines, and constructions formed by subjects.

several included significant features that could not be simulated by the kind of procedure that has been programmed. One process involves pattern completion that does not seem to be directly related to the problem goal. An example occurred in a problem of proving that if sides of a triangle are unequal, the angles opposite those sides also are unequal. This problem requires a construction to form an isosceles triangle inside the given triangle. One student made a construction similar to the one in Figure 1, bisecting the angle between the two specified sides of the triangle. It seems likely that features of the problem reminded the subject of the pattern involving two triangles containing the angles in the problem goal. However, that pattern is not a useful one for proving inequality of angles.

Procedures for making forward-working constructions have not been programmed for Perdix; however, they are quite straightforward. The kind of process needed could be represented either as single productions activated by features of the situation with actions that add the auxiliary lines or set goals for adding lines. An example relevant to the problem used in Experiments I and II would be a production in which the condition is an arc of a circle with known measure and the action is construction of the central angle corresponding to the arc.

In order for a construction produced in working forward to be useful, there must be a procedure for recognizing the results of the construction that may be helpful in achieving the goal of the problem. The planning process represented in the present version of Perdix is suited well for that purpose, since the planning procedure consists of a pattern recognition system for identifying features that are favorable for the available plans. Thus, if a forward-working production were to produce a new feature of the problem that could enable choice of a plan, the system would only have to invoke its planning system in the usual way for that new feature to be recognized and used. For

example, in the problem used in Experiment I the construction of the central angle produces a triangle that has the unknown angle as one of its components. This configuration of features is then available for a planning process that has the form of a pattern-recognition system.

A problem that must be solved in a system that includes forward chaining is that many inferences may be generated that are not useful in the problem. This would become especially critical in a system that permits use of auxiliary lines, since this greatly increases the number of potential objects about which inferences might be made. Nevins (Note 7) and Ullman (Note 8) have given some attention to this difficulty in systems for geometry theorem proving. Nevins' system restricts forward-chaining inferences to those that are related to generally useful subgoals that he called paradigms, such as finding congruent triangles. Ullman's system applies a general criterion of compactness of inferred information, such as the inference that a closed figure is a parallelogram, for setting aside the process of forward-chaining. It seems quite likely that some mechanism such as these would keep a process of forward-chaining under control in Perdix, especially if forward-chaining were used only when none of the plans that the system has provide a basis for progress.

Stages in specifying constructions. Another feature of some protocols that would require extension of Perdix occurred when constructions had to be given some geometric property in addition to the spatial features used in drawing the line. A construction in geometry is often added in a single step, for example, by connecting two points in the diagram. However, some constructions are more complicated, requiring specification of some geometric property in addition to simply locating a line in the diagram. An example is the construction used in proving that base angles of isosceles triangles are congruent. In Table 1, there is a clear indication that the subject drew the line that

completed the pattern of two triangles and then chose the specification of the line as the bisector of the angle at point C, rather than identifying the construction as the angle bisector initially.

Geometry constructions illustrate a general feature of problems in which material added to the problem space must satisfy constraints. In geometry, the constraints are specified in a set of theorems that assert that certain constructions are permitted. An example of such a permissive theorem is that an angle has exactly one bisector, which is used to justify construction of the bisector of an angle. Students are taught that an auxiliary line added to a diagram should not be either underdetermined or overdetermined. That is, just enough conditions should be specified for the line that exactly one line can be drawn to meet the conditions.

The process of forming a construction apparently has two major components. One is a process that motivates the construction, and the other specifies properties of the construction that satisfy constraints. The analysis given in this paper has dealt mainly with the process of motivating a construction; protocols seem consistent with the idea that constructions are motivated by knowledge of patterns in plan schemata that can be completed by adding auxiliary lines. The process of satisfying constraints is relatively simple in geometry, where permissive theorems give a complete list of the conditions that may be used. When a problem solver encounters a situation in which an auxiliary line is desired, the construction theorems are consulted and the construction is added if the conditions of a permissive construction theorem are satisfied in the situation.

Three distinguishable patterns of forming constructions of this kind occurred in the protocols available for this study. In one pattern, found in two of the five protocols for the base angles theorem, subjects specified the construction completely at the outset. A second

way of forming the construction shown in Table 1 and by one other subject involved drawing the line, then giving the geometric specification in relation to a goal of the problem. In this case, the goal is to generate components of triangles that can be proved congruent, and by specifying the auxiliary line as an angle bisector there are congruent angles. The third way of forming the construction involved drawing the line, then giving a geometric specification that was not related to the goal of the problem in any definite way. The subject who showed this pattern drew the line, then said, "I would probably say that this is a median." After completing the problem, the subject answered a question about the construction by saying, "All I wanted was just a name for a line that was going to give me two triangles."

In its present form, Perdix satisfies multiple constraints on constructions because its productions for construction have appropriate specifications as parts of their actions. This is inconsistent with most of the constructions observed in the protocols used in this study. Most of the time when an angle bisector or a line parallel or perpendicular to a given line was constructed, there was no evidence of special consideration given to the legitimacy of the construction. Of the three examples in which permissive theorems seemed to be used, one was consistent with the process used by Gelernter's system (1963), in which the need for the construction arises as a subgoal and there is explicit checking of the permissive theorems stored as a list to see whether a justification can be found. In the other two cases, a specification was apparently chosen in order to satisfy subgoals that were anticipated for a later stage of the problem. This kind of anticipatory planning has not been implemented in Perdix, but it is not incompatible with the general kind of planning mechanism that Perdix uses. In Sacerdoti's (1977) model NOAH, unbound variables can be included in high-level components of plans, so that further analysis

can be performed before deciding precisely how to specify the actions that will be performed.

Problems Involving Set

Two problems were given that could be solved either by ratios of sides of special right triangles or by congruence of triangles. Simpler solutions could be obtained using congruence, but the class topic at the time was properties of special triangles, and a majority of the solutions obtained used that approach.

These protocols give further illustrations of the idea that general approaches to problems can be influenced by recent use. The currency of the properties of special triangles in the geometry course apparently provided a context that was sufficient to induce a problem-solving set for most of these subjects. On the other hand, examination of the protocols provided evidence against the specific form of planning that is used in Perdix to explain problem-solving set. Perdix has plans associated with goals and checks these plans one at a time until one of them is selected. Performance by some subjects was more flexible, involving inference of some propositions in an apparent working-forward process and consideration of congruence of triangles. One subject in thinking retrospectively about solving a problem said, "I wondered why you were giving me these things, and I went at the problem saying, well, let me try and use these things, and I said, well, I give up. Or, I give up, I see there's an easier way in my mind. But I--I was working on it until I saw that things just came more naturally in another direction."

Performance of some human subjects would be simulated more accurately if Perdix' planning productions could be tested occasionally during problem solving. Plan-schemata could be represented as structures that have some probability of being activated at any time

during problem solving, rather than only at the time a goal is activated. Effects of set could still be simulated if the probability of a plan-schema's activation depended on the strengths of relevant productions, and these strengths were influenced by factors such as recency of successful use of the various plans in the system (cf. Anderson, 1976; McDermott & Forgy, 1977).

General Discussion

This final section includes comments on the relationship of constructions to the general question of ill-structured problem solving and creativity, and on the general issue of problem-solving set.

Constructions in Ill-Structured Problems

A property of many ill-structured problems is that the problem space initially given in the problem is insufficient for the solution to be achieved. The initial situation may contain few if any of the components that are eventually generated and brought together in a solution of the problem. Examples that are often used include problems of composition, such as music, poetry, paintings, or scientific articles, where the problem solver adopts the goal of composing something, and creates most of the elements of the problem space as well as their arrangement in order to solve the problem.

Geometry problems are not poetry, of course, but problems with constructions seem to provide a nontrivial but manageable case in which the initial problem space must be enriched in order for the problem to be solved. In the model we have described in this paper, constructions are required when available problem-solving plans have prerequisites that are not present in the situation. Then the prerequisites of a plan become a goal that the problem solver tries to achieve. Construction of the prerequisites is itself a well-structured problem. However,

solution of this problem requires operators (drawing lines) that are not in the set of operators available in the problem space of the main problem.²

In this analysis, constructions occur as solutions to auxiliary problems that arise in solving the main problem. This view puts problems requiring constructions into the class of problems requiring more than one problem space in their solution. Simon (1973) discussed general characteristics of problem solving with multiple problem spaces and pointed out that solutions require access to information that is used to generate new subgoals, new constraints, and new problem-solving operators.

For ill-structured problems of this kind, the theory of well-structured problem solving must be extended by providing a mechanism for coordinating activity in different problem spaces. In Perdix, coordination is achieved by use of general schemata that guide pattern-recognition and pattern-completion processes of different kinds. A new problem space is generated when a pattern required by the planning process in one problem space is incomplete. Then problem-solving activity is transferred to a problem space that includes operators appropriate for the kind of pattern completion that is required.

The general nature of this mechanism seems a plausible basis for productive problem solving in many situations that involve composition.

²This emphasizes that a problem is well or ill structured only in relation to a specified problem space. In the specification assumed here, problem-solving operators are the propositions of geometry that permit inferences about properties and relations, and operators that permit drawing lines are in another problem space. Of course, an expanded problem space could be specified in which both sets of operators were available. In that case, problems requiring constructions would be well defined in the usual sense, and the construction of auxiliary lines would be guided by ordinary subgoals.

It seems a reasonable conjecture that an important component of composition is a process of pattern completion guided by the composer's knowledge of general schemata that represent general forms of material that is included in the work at various levels of structure. Flower and Hayes' (in press) analysis of planning processes in writing seems consistent with this general idea.

This idea also provides an intriguing possibility regarding an important aspect of creativity. Investigators who have studied creative problem solving in artistic composition have emphasized the importance of processes that result in the formulation of interesting problems. Apparently skill in problem formulation is important in distinguishing artists whose work is recognized in the field from those who are competent, but not influential (Getzels & Csikszentmihalyi, 1976). The analysis presented here suggests that the ability to formulate problems may be based on knowledge in the form of general schemata and procedures for recognizing the possibility of creating specific instances and combinations of general structures.

The general conclusion of this analysis is that in an ill-structured problem with an insufficient initial problem space, problem solving takes place in a number of different problem spaces. The contents of the initial problem space depend on the problem solver's knowledge about the domain, so problems that are ill-structured for some problem solvers may be well-structured for more experienced problem solvers. An important feature of ill-structured problems is that new problem spaces must be generated in the process of problem solving. There are probably many ways in which this occurs, but the mechanism that is in the present version of *Perdix*, involving generation of problems based on schemata that are also the basis of planning, seems to provide an interesting example of the process.

It should be remembered that the issue of ill-structured problems involves other factors in addition to insufficient initial problem spaces.

Another way in which a problem can have weak structure is to have an indefinite goal that can be achieved by alternative combinations of components or features. The idea of an indefinite goal is represented in *Perdix* as a pattern-recognition system that identifies the various combinations of congruent components that are sufficient to prove that triangles are congruent (Greeno, 1976). Since it can work both with indefinite goals and incomplete initial problem spaces, *Perdix* seems to provide a moderately successful extension of problem-solving theory into the domain of ill-structured problems. Of course, there are important aspects of ill-structured problem solving that are not represented in *Perdix*, such as the development of new problem-solving operators, and discovery of new concepts of strategies in the course of problem solving. Recent analyses of learning processes in problem solving systems (Anzai & Simon, 1979; Neches & Hayes, 1978; Sussman, 1975) suggest that these generative aspects of creative problem solving may be understood best as instances of learning.

General Nature of Set

The traditional behaviorist explanation of set is that a higher-level response that has high strength dominates performance on the problem. The explanation in *Perdix* is consistent with this idea and adds a specific mechanism by which higher-level responses can have their dominating effect. The explanation gains in interest because the cognitive structure that causes set is the same as the structure that permits constructions. It is of some interest to consider the relationship between the mechanism proposed here and various phenomena of problem-solving set that have been investigated experimentally.

There are two general kinds of problem-solving set. One kind is typified by Luchins' water-jug tasks and the examples from geometry discussed in this paper, in which the problem solver is biased toward

the use of a problem-solving plan or method. A second kind of phenomenon is involved in functional fixedness, studied by Duncker (1945), in which use of an object or idea in one context prevents the problem solver from recognizing a potential use of that object or idea in a subsequent problem situation.

Biased top-down planning. The principle of schema-based planning represented in Perdix gives a straightforward explanation of problem-solving set that involves bias toward use of a specific problem-solving method. For example, a system like Perdix involving schemata for solution types in Luchins' water-jug task would show biases of the same kind as it shows in the geometry problems considered in this paper, in agreement with performance of human subjects (Luchins, 1942).

Lewis (Note 9) has also developed an analysis of set to use a specific problem-solving method. In Lewis' system, a sequence of actions that occurs regularly can become integrated into a single action. This integration can eliminate tests for appropriateness of intermediate steps in the solution. Without performing these tests, the problem solver may miss opportunities to solve the problem in a more efficient way, as in the situation studied by Luchins. Using a letter substitution task, Lewis obtained evidence that subjects integrated problem-solving steps in a way consistent with his model, but they maintained a capability of noticing conditions for applying alternative operations when they were instructed to use them if possible. It seems possible that Lewis' system could provide an explanation for the development of structures that correspond to plans in the version of Perdix described in this paper. Plans are integrated action sequences but, in general, use of a plan is optional, so that with appropriate instructions a plan's inappropriate use could be avoided.

Functional fixedness. Phenomena involving functional fixedness seem to be of a different character from those involving a specific

problem-solving method. Weisberg and Suls' (1973) analysis of the candle problem and Magon's (Note 10) analysis of the two-string problem identified analysis of features of objects in the situation as an important component of the process of solving the problem. For example, in the candle problem where a box must be seen as a potential supporting surface, a condition for solution may be the problem-solver noticing the flatness of the box. Magone found that subjects achieved a greater variety of solutions in the two-string problem if they were initially prompted to consider features of objects than if they were initially prompted to find a solution of a specified kind, such as extension of one of the strings or causing a string to swing back and forth.

There are two alternative mechanisms that could be postulated in the framework of a production system for explaining functional fixedness, viewed as prevention of recognizing some feature of an object in the situation. One mechanism would cause functional fixedness by engaging in a top-down search for objects with features that could be used in a plan-schema that was previously selected. For example, if the system had selected the plan of extending a string in the two-string problem, then the analysis of objects in the situation would involve their length rather than other features that would fit into different possible plans for solving the problem. A second mechanism would involve competing productions for identifying features of objects. Suppose that an object has two features that can be identified by different productions, and one of these is much stronger than the other because of the way the object has already been used in the situation. Then when that object is considered by the problem solver, the production that could identify the second feature may be prevented from executing by the rapid execution of the stronger production.

The mechanism of top-down search is very similar to the mechanism that is represented in *Perdix* to provide an explanation for

problem-solving set based on top-down planning. Consider Figure 2, and recall that Perdix solves this problem by proving that triangles are congruent. The solution involves recognizing the presence of triangles in the diagram, rather than another feature that is also present, the fact that the two angles involved in the goal of the problem have the same vertex. Perdix fails to notice a relevant feature of the problem because a general plan-schema that includes tests for different features is active and prevents testing for the feature of a shared vertex. A simulation of problem solving in situations like the candle or two-string problem would require a somewhat different use of this kind of structure, since there are several different objects in the situation, and in some cases failure to find a feature of an object needed for the current plan apparently leads the problem solver to pass by that object rather than to test the object for additional features. However, it seems reasonable to conjecture that the basic structure of schema-based planning that causes Perdix to show problem-solving set in geometry would also produce functional fixedness in situations where attempts to use a general plan lead to the neglect of important features of objects.

Phenomena recently reported by Halstead-Nussloch (Note 11) can be interpreted by assuming a top-down search for problem features. Halstead-Nussloch trained different groups of subjects to identify serial patterns using two different pattern languages taken from analyses by Restle (1970) and Simon (1972). Results indicated that subjects trained to represent serial patterns in terms of hierarchies of transformations applied that schema in the analysis of sequences that could be analyzed either as hierarchies of transformations or as sequences composed of two or more interleaved subsequences. Another kind of set phenomenon that can be interpreted as resulting from top-down search is the difficulty of simple discrimination learning following a few trials of random feedback, reported by Levine (1971). Levine's interpretation was that during random feedback trials subjects rejected

simple hypotheses about stimulus attributes and removed them from consideration, and thus were prevented from recognizing simple relationships between stimulus attributes and feedback on later trials. Search for solution was apparently guided by a metahypothesis that the correct rule was a sequential pattern, which permits a very large number of possibilities. Plans, as represented in Perdix, establish categories of hypotheses that guide search for a solution to a problem, and thus planning processes provide a specific procedural hypothesis with which to understand Levine's findings.

The second mechanism, in which use of an object in one way causes a feature of the object to be ignored, probably involves a different functional level of productions from the planning procedures that we have considered in this paper. Some cases in which a feature of an object is ignored probably involve simple perceptual salience. In the candle problem, where use of a box as a candle-stand is inhibited by its use for holding tacks, solution is facilitated if the word "Box" is printed on the box, relative to the situation in which "Tacks" is printed on the box (Glucksberg & Weisberg, 1966). This presumably aids recognition of the physical features of the box through simple direction of attention. A similar phenomenon has recently been reported by Sweller and Gee (1978) who found that effects of set in Luchins-type water-jug problems and Levine-type induction problems were greatly reduced by perceptual manipulations. In the water-jug situation, Sweller and Gee virtually eliminated the effect of set by having subjects write their solution numerically, rather than in terms of letters designating the jars used. In induction problems, the manipulation involved giving feedback that described the correct stimulus, rather than stating whether the subject's response was correct or wrong. Both of these manipulations seem to be interpretable as avoiding the removal of attention from aspects of the situation that are important in solving a problem, and

thus support the hypothesis that set occurs because of relatively low salience of the important stimulus features.

In other cases, however, suppression of detection of a feature is apparently related to a more active process. In Duncker's (1945) gimlet problem, use of the gimlet as a hook was inhibited by the subject's use of the gimlet to bore holes for the conventional hooks that were available. In a production system, solution of the problem of boring holes would strengthen productions for identifying features of the gimlet used in boring holes and could make less likely the recognition of features involved in serving as a hook.

All of the explanations of functional fixedness proposed here are based on the idea that productions must be executed for the relevant features of objects to be recognized. The required productions can be prevented by the dominance of other recognition productions, involving top-down search, ordinary perceptual salience, or recent use in another context.

Reference Notes

1. Goldstein, I. P. Elementary geometry theorem proving (AI Memo 280). Cambridge, Mass.: Massachusetts Institute of Technology, 1973.
2. Larkin, J. H. Skilled problem solving in physics: A hierarchical planning model. Unpublished manuscript, University of California at Berkeley, September 1977.
3. Atwood, M. E., Polson, P. G., Jeffries, R., & Ramsey, H. R. Planning as a process of synthesis (Tech. Rep. SAI-78-144-DEN). Englewood, Colo.: Science Applications Inc., December 1978.
4. Goldstein, I. P., & Miller, M. L. Structured planning and debugging a linguistic theory of design (AI Memo 387). Cambridge, Mass.: Massachusetts Institute of Technology, Artificial Intelligence Laboratory, December 1976.
5. Long, W. J. A program writer (Tech. Rep. #MIT/LCS/TR-187). Cambridge, Mass.: Massachusetts Institute of Technology, Laboratory for Computer Science, November 1977.
6. Greeno, J. G. Constructions in geometry problem solving. Pittsburgh, Pa.: University of Pittsburgh, Learning Research and Development Center, in press.
7. Nevins, A. J. Plane geometry theorem proving using forward chaining (Artificial Intelligence Memo. No. 303). Cambridge, Mass.: Massachusetts Institute of Technology, January 1974.
8. Ullman, S. A model-driven geometry theorem prover (Artificial Intelligence Memo. No. 321). Cambridge, Mass.: Massachusetts Institute of Technology, May 1975.
9. Lewis, C. H. Production system models of practice effects. Unpublished doctoral dissertation, University of Michigan, 1978.
10. Magone, M. E. Goal analysis and feature detection as processes in the solution of an insight problem. Unpublished master's thesis, University of Pittsburgh, 1977.
11. Halstead-Nussloch, R. P. Characteristics of set in sequence learning. Unpublished doctoral dissertation, University of Michigan, 1978.

References

- Anderson, J. R. Language, memory, and thought. Hillsdale, N. J.: Lawrence Erlbaum Associates, 1976.
- Anzai, Y., & Simon, H. A. The theory of learning by doing. Psychological Review, 1979, 86(2), 124-140.
- Berlyne, D. E. Structure and direction in thinking. New York: Wiley, 1965.
- Bhaskar, R., & Simon, H. A. Problem solving in semantically rich domains: An example from engineering thermodynamics. Cognitive Science, 1977, 1, 193-215.
- Bourne, L. E., Jr., Ekstrand, B. R., & Dominowski, B. R. The psychology of thinking. Englewood Cliffs, N. J.: Prentice-Hall 1971.
- Duncker, K. On problem solving. Psychological Monographs, 1945, 58(Whole No. 270).
- Flower, L., & Hayes, J. R. Plans that guide the composing process. In C. Frederiksen, M. Whiteman, & J. Dominic (Eds.), Writing: The nature, development and teaching of written communication. Hillsdale, N. J.: Lawrence Erlbaum Associates, in press.
- Gelernter, H. Realization of a geometry-theorem proving machine. In E. A. Feigenbaum & J. Feldman (Eds.), Computers and thought. New York: McGraw-Hill, 1963.
- Getzels, J. W., & Csikszentmihalyi, M. The creative vision: A longitudinal study of problem finding in art. New York: John Wiley, 1976.
- Glucksberg, S., & Weisberg, R. W. Verbal behavior and problem solving: Some effects of labeling in a functional fixedness problem. Journal of Experimental Psychology, 1966, 71, 659-664.
- Greeno, J. G. Indefinite goals in well-structured problems. Psychological Review, 1976, 83, 479-491.
- Greeno, J. G. Process of understanding in problem solving. In N. J. Castellan, D. B. Pisoni & G. R. Potts (Eds.), Cognitive theory (Vol. 2). Hillsdale, N. J.: Lawrence Erlbaum Associates, 1977.

- Greeno, J. G. A study of problem solving. In R. Glaser (Ed.), Advances in instructional psychology (Vol. 1). Hillsdale, N. J.: Lawrence Erlbaum Associates, 1978.
- Hull, C. L. Knowledge and purpose as habit mechanisms. Psychological Review, 1930, 37, 241-256.
- Levine, M. Hypothesis theory and nonlearning despite ideal S-R-reinforcement contingencies. Psychological Review, 1971, 78, 130-140.
- Luchins, A. S. Mechanization in problem solving. Psychological Monographs, 1942, 54(Whole No. 248).
- McDermott, D. Planning and acting. Cognitive Science, 1978, 2, 71-110.
- McDermott, J., & Forgy, C. Production system conflict resolution strategies. In D. Waterman & F. Hayes-Roth (Eds.), Pattern-directed inference systems. New York: Academic Press, 1977.
- Miller, G. A., Galanter, E. H., & Pribram, K. H. Plans and the structure of behavior. New York: Holt, Rinehart, & Winston, 1960.
- Neches, R., & Hayes, J. R. Progress towards a taxonomy of strategy transformations. In A. M. Lesgold, J. W. Pellegrino, S. D. Fokkema & R. Glaser (Eds.), Cognitive psychology and instruction. New York: Plenum Press, 1978.
- Reitman, W. R. Cognition and thought. New York: Wiley, 1965.
- Restle, F. Theory of serial pattern learning: Structural trees. Psychological Review, 1970, 77, 481-495.
- Sacerdoti, E. D. A structure for plans and behavior. New York: Elsevier-North Holland Publishing Co., 1977.
- Simon, H. A. Complexity and the representation of patterned sequences of symbols. Psychological Review, 1972, 79, 369-382.
- Simon, H. A. The structure of ill structured problems. Artificial Intelligence, 1973, 4, 181-201.
- Sussman, G. J. A computer model of skill acquisition. New York: Elsevier-North Holland Publishing Co., 1975.

Sussman, G. J. Electrical design: A problem for artificial intelligence research. Proceedings of the International Joint Conference on Artificial Intelligence, Cambridge, Massachusetts, 1977, 894-900.

Sweller, J., & Gee, W. Einstellung, the sequence effect, and hypothesis theory. Journal of Experimental Psychology: Human Learning and Memory, 1978, 4, 513-526.

Weisberg, R., & Suls, J. M. An information-processing model of Duncker's candle problem. Cognitive Psychology, 1973, 4, 255-276.

Navy	Navy
1 Dr. Ed Aiken Navy Personnel R&D Center San Diego, CA 92152	1 Naval Medical R&D Command Code 44 National Naval Medical Center Bethesda, MD 20014
1 Dr. Jack R. Borsting Provost & Academic Dean U.S. Naval Postgraduate School Monterey, CA 93940	1 Library Navy Personnel R&D Center San Diego, CA 92152
1 Dr. Robert Breaux Code N-71 NAVTRAEQUIPCEN Orlando, FL 32813	5 Commanding Officer Naval Research Laboratory Code 2627 Washington, DC 20390
1 DR. PAT FEDERICO NAVY PERSONNEL R&D CENTER SAN DIEGO, CA 92152	1 JOHN OLSEN CHIEF OF NAVAL EDUCATION & TRAINING SUPPORT PENSACOLA, FL 32509
1 Dr. John Ford Navy Personnel R&D Center San Diego, CA 92152	1 Psychologist ONR Branch Office 495 Summer Street Boston, MA 02210
1 LT Steven D. Harris, MSC, USN Code 6021 Naval Air Development Center Warminster, Pennsylvania 18974	1 Psychologist ONR Branch Office 536 S. Clark Street Chicago, IL 60605
1 Dr. Norman J. Kerr Chief of Naval Technical Training Naval Air Station Memphis (75) Millington, TN 38054	1 Office of Naval Research Code 200 Arlington, VA 22217
1 CAPT Richard L. Martin USS Francis Marion (LPA-249) FPO New York, NY 09501	1 Code 436 Office of Naval Research Arlington, VA 22217
2 Dr. James McGrath Navy Personnel R&D Center Code 306 San Diego, CA 92152	1 Office of Naval Research Code 437 800 N. Quincy SStreet Arlington, VA 22217
1 DR. WILLIAM MONTAGUE LRDC UNIVERSITY OF PITTSBURGH 3939 O'HARA STREET PITTSBURGH, PA 15213	5 Personnel & Training Research Programs (Code 458) Office of Naval Research Arlington, VA 22217

Navy	Navy
1 Psychologist OFFICE OF NAVAL RESEARCH BRANCH 223 OLD MARYLEBONE ROAD LONDON, NW, 15TH ENGLAND	1 A. A. SJOHOLM TECH. SUPPORT, CODE 201 NAVY PERSONNEL R & D CENTER SAN DIEGO, CA 92152
1 Psychologist ONR Branch Office 1030 East Green Street Pasadena, CA 91101	1 Dr. Alfred F. Smode Training Analysis & Evaluation Group (TAEG) Dept. of the Navy Orlando, FL 32813
1 Scientific Director Office of Naval Research Scientific Liaison Group/Tokyo American Embassy APO San Francisco, CA 96503	1 CDR Charles J. Theisen, JR. MSC, USN Head Human Factors Engineering Div. Naval Air Development Center Warminster, PA 18974
1 Office of the Chief of Naval Operations Research, Development, and Studies Branch (OP-102) Washington, DC 20350	1 W. Gary Thomson Naval Ocean Systems Center Code 7132 San Diego, CA 92152
1 Scientific Advisor to the Chief of Naval Personnel (Pers-Or) Naval Bureau of Personnel Room 4410, Arlington Annex Washington, DC 20370	
1 LT Frank C. Petho, MSC, USNR (Ph.D) Code L51 Naval Aerospace Medical Research Laborat Pensacola, FL 32508	
1 DR. RICHARD A. POLLAK ACADEMIC COMPUTING CENTER U.S. NAVAL ACADEMY ANNAPOLIS, MD 21402	
1 Roger W. Remington, Ph.D Code L52 NAMRL Pensacola, FL 32508	
1 Dr. Worth Scanland Chief of Naval Education and Training Code N-5 NAS, Pensacola, FL 32508	

Army	Air Force
1 HQ USAREUE & 7th Army ODCSOPS USAAREUE Director of GED APO New York 09403	1 Dr. Genevieve Haddad Program Manager Life Sciences Directorate AFOSR Bolling AFB, DC 20332
1 DR. RALPH DUSEK U.S. ARMY RESEARCH INSTITUTE 5001 EISENHOWER AVENUE ALEXANDRIA, VA 22333	1 Dr. Roger Pennell AFHRL/TT Lowry AFB, CO 80230
1 Dr. Ed Johnson Army Research Institute 5001 Eisenhower Blvd. Alexandria, VA 22333	1 Dr. Marty Rockway (AFHRL/TT) Lowry AFB Colorado 80230
1 Dr. Michael Kaplan U.S. ARMY RESEARCH INSTITUTE 5001 EISENHOWER AVENUE ALEXANDRIA, VA 22333	1 Jack A. Thorpe, Capt, USAF Program Manager Life Sciences Directorate AFOSR Bolling AFB, DC 20332
1 Dr. Milton S. Katz Individual Training & Skill Evaluation Technical Area U.S. Army Research Institute 5001 Eisenhower Avenue Alexandria, VA 22333	1 Brian K. Waters, LCOL, USAF Air University Maxwell AFB Montgomery, AL 36112
1 Dr. Beatrice J. Farr Army Research Institute (PERI-OK) 5001 Eisenhower Avenue Alexandria, VA 22333	
1 Dr. Harold F. O'Neil, Jr. ATTN: PERI-OK 5001 EISENHOWER AVENUE ALEXANDRIA, VA 22333	
1 Dr. Robert Sasmor U. S. Army Research Institute for the Behavioral and Social Sciences 5001 Eisenhower Avenue Alexandria, VA 22333	
1 Dr. Frederick Steinheiser U. S. Army Reserch Institute 5001 Eisenhower Avenue Alexandria, VA 22333	

Marines

- 1 H. William Greenup
Education Advisor (E031)
Education Center, MCDEC
Quantico, VA 22134
- 1 Director, Office of Manpower Utilization
HQ, Marine Corps (MPU)
BCB, Bldg. 2009
Quantico, VA 22134
- 1 DR. A.L. SLAFKOSKY
SCIENTIFIC ADVISOR (CODE RD-1)
HQ, U.S. MARINE CORPS
WASHINGTON, DC 20380

CoastGuard

- 1 Mr. Richard Lanterman
PSYCHOLOGICAL RESEARCH (G-P-1/62)
U.S. COAST GUARD HQ
WASHINGTON, DC 20590

Other DoD

- 1 Dr. Stephen Andriole
ADVANCED RESEARCH PROJECTS AGENCY
1400 WILSON BLVD.
ARLINGTON, VA 22209
- 12 Defense Documentation Center
Cameron Station, Bldg. 5
Alexandria, VA 22314
Attn: TC
- 1 Dr. Dexter Fletcher
ADVANCED RESEARCH PROJECTS AGENCY
1400 WILSON BLVD.
ARLINGTON, VA 22209
- 1 Military Assistant for Training and
Personnel Technology
Office of the Under Secretary of Defense
for Research & Engineering
Room 3D129, The Pentagon
Washington, DC 20301

Civil Govt

- 1 Dr. Susan Chipman
Basic Skills Program
National Institute of Education
1200 19th Street NW
Washington, DC 20208
- 1 Dr. Joseph I. Lipson
Division of Science Education
Room W-638
National Science Foundation
Washington, DC 20550
- 1 Dr. John Mays
National Institute of Education
1200 19th Street NW
Washington, DC 20208
- 1 Dr. Arthur Melmed
National Institute of Education
1200 19th Street NW
Washington, DC 20208
- 1 Dr. Andrew R. Molnar
Science Education Dev.
and Research
National Science Foundation
Washington, DC 20550
- 1 Dr. Jeffrey Schiller
National Institute of Education
1200 19th St. NW
Washington, DC 20208
- 1 Dr. Thomas G. Sticht
Basic Skills Program
National Institute of Education
1200 19th Street NW
Washington, DC 20208
- 1 Dr. Frank Withrow
U. S. Office of Education
400 6th Street SW
Washington, DC 20202
- 1 Dr. Joseph L. Young, Director
Memory & Cognitive Processes
National Science Foundation
Washington, DC 20550

Non Govt	Non Govt
1 Dr. Earl A. Alluisi HQ, AFHRL (AFSC) Brooks AFB, TX 78235	1 Dr. Lyle Bourne Department of Psychology University of Colorado Boulder, CO 80302
1 Dr. John R. Anderson Department of Psychology Carnegie Mellon University Pittsburgh, PA 15213	1 Dr. Kenneth Bowles Institute for Information Sciences University of California at San Diego La Jolla, CA 92037
1 Dr. John Annett Department of Psychology University of Warwick Coventry CV4 7AL ENGLAND	1 Dr. John S. Brown XEROX Palo Alto Research Center 3333 Coyote Road Palo Alto, CA 94304
1 DR. MICHAEL ATWOOD SCIENCE APPLICATIONS INSTITUTE 40 DENVER TECH. CENTER WEST 7935 E. PRENTICE AVENUE ENGLEWOOD, CO 80110	1 Dr. Bruce Buchanan Department of Computer Science Stanford University Stanford, CA 94305
1 1 psychological research unit Dept. of Defense (Army Office) Campbell Park Offices Canberra ACT 2600, Australia	1 DR. C. VICTOR BUNDERSON WICAT INC. UNIVERSITY PLAZA, SUITE 10 1160 SO. STATE ST. OREM, UT 84057
1 Dr. Alan Baddeley Medical Research Council Applied Psychology Unit 15 Chaucer Road Cambridge CB2 2EF ENGLAND	1 Dr. John B. Carroll Psychometric Lab Univ. of No. Carolina Davie Hall 013A Chapel Hill, NC 27514
1 Dr. Patricia Baggett Department of Psychology University of Denver University Park Denver, CO 80208	1 Charles Myers Library Livingstone House Livingstone Road Stratford London E15 2LJ ENGLAND
1 Mr Avron Barr Department of Computer Science Stanford University Stanford, CA 94305	1 Dr. William Chase Department of Psychology Carnegie Mellon University Pittsburgh, PA 15213
1 Dr. Nicholas A. Bond Dept. of Psychology Sacramento State College 600 Jay Street Sacramento, CA 95819	1 Dr. Micheline Chi Learning R & D Center University of Pittsburgh 3939 O'Hara Street Pittsburgh, PA 15213

Non Govt

1 Dr. William Clancey
Department of Computer Science
Stanford University
Stanford, CA 94305

1 Dr. Allan M. Collins
Bolt Beranek & Newman, Inc.
50 Moulton Street
Cambridge, Ma 02138

1 Dr. Meredith Crawford
Department of Engineering Administration 1
George Washington University
Suite 805
2101 L Street N. W.
Washington, DC 20037

1 Mr. Ken Cross
Anacapa Sciences, Inc.
P.O. Drawer Q
Santa Barbara, CA 93102

1 Dr. Hubert Dreyfus
Department of Philosophy
University of California
Berkeley, CA 94720

1 MAJOR I. N. EVONIC
CANADIAN FORCES PERS. APPLIED RESEARCH
1107 AVENUE ROAD
TORONTO, ONTARIO, CANADA

1 Dr. Ed Feigenbaum
Department of Computer Science
Stanford University
Stanford, CA 94305

1 Mr. Wallace Feurzeig
Bolt Beranek & Newman, Inc.
50 Moulton St.
Cambridge, MA 02138

1 Dr. Victor Fields
Dept. of Psychology
Montgomery College
Rockville, MD 20850

Non Govt

1 Dr. Edwin A. Fleishman
Advanced Research Resources Organ.
Suite 900
4330 East West Highway
Washington, DC 20014

1 Dr. John R. Frederiksen
Bolt Beranek & Newman
50 Moulton Street
Cambridge, MA 02138

1 Dr. Alinda Friedman
Department of Psychology
University of Alberta
Edmonton, Alberta
CANADA T6G 2J9

1 Dr. R. Edward Geiselman
Department of Psychology
University of California
Los Angeles, CA 90024

1 DR. ROBERT GLASER
LRDC
UNIVERSITY OF PITTSBURGH
3939 O'HARA STREET
PITTSBURGH, PA 15213

1 Dr. Ira Goldstein
XEROX Palo Alto Research Center
3333 Coyote Road
Palo Alto, CA 94304

1 Dr. Ron Hambleton
School of Education
University of Massachusetts
Amherst, MA 01002

1 Dr. Barbara Hayes-Roth
The Rand Corporation
1700 Main Street
Santa Monica, CA 90406

1 Dr. Frederick Hayes-Roth
The Rand Corporation
1700 Main Street
Santa Monica, CA 90406

Non Govt

- 1 Dr. James R. Hoffman
Department of Psychology
University of Delaware
Newark, DE 19711
- 1 Library
HumRRO/Western Division
27857 Berwick Drive
Carmel, CA 93921
- 1 Dr. Earl Hunt
Dept. of Psychology
University of Washington
Seattle, WA 98105
- 1 Mr. Gary Irving
Data Sciences Division
Technology Services Corporation
2811 Wilshire Blvd.
Santa Monica CA 90403
- 1 Dr. Steven W. Keele
Dept. of Psychology
University of Oregon
Eugene, OR 97403
- 1 Dr. Walter Kintsch
Department of Psychology
University of Colorado
Boulder, CO 80302
- 1 Dr. David Kieras
Department of Psychology
University of Arizona
Tucson, AZ 85721
- 1 Dr. Stephen Kosslyn
Harvard University
Department of Psychology
33 Kirkland Street
Cambridge, MA 02138
- 1 Mr. Marlin Kroger
1117 Via Goleta
Palos Verdes Estates, CA 90274

Non Govt

- 1 LCOL. C.R.J. LAFLEUR
PERSONNEL APPLIED RESEARCH
NATIONAL DEFENSE HQS
101 COLONEL BY DRIVE
OTTAWA, CANADA K1A 0K2
- 1 Dr. Jill Larkin
Department of Psychology
Carnegie Mellon University
Pittsburgh, PA 15213
- 1 Dr. Alan Lesgold
Learning R&D Center
University of Pittsburgh
Pittsburgh, PA 15260
- 1 Dr. Michael Levine
Department of Educational Psychology
University of Illinois
Champaign, IL 61820
- 1 Dr. Robert A. Levit
Manager, Behavioral Sciences
The BDM Corporation
7915 Jones Branch Drive
McClean, VA 22101
- 1 Dr. Robert Linn
College of Education
University of Illinois
Urbana, IL 61801
- 1 Dr. Mark Miller
Systems and Information Sciences Laborat
Central Research Laboratories
TEXAS INSTRUMENTS, INC.
Mail Station 5
Post Office Box 5936
Dallas, TX 75222
- 1 Dr. Richard B. Millward
Dept. of Psychology
Hunter Lab.
Brown University
Providence, RI 02912

Non Govt

- 1 Dr. Allen Munro
Univ. of So. California
Behavioral Technology Labs
3717 South Hope Street
Los Angeles, CA 90007
- 1 Dr. Donald A Norman
Dept. of Psychology C-009
Univ. of California, San Diego
La Jolla, CA 92093
- 1 Dr. Seymour A. Papert
Massachusetts Institute of Technology
Artificial Intelligence Lab
545 Technology Square
Cambridge, MA 02139
- 1 Dr. James A. Paulson
Portland State University
P.O. Box 751
Portland, OR 97207
- 1 MR. LUIGI PETRULLO
2431 N. EDGEWOOD STREET
ARLINGTON, VA 22207
- 1 DR. PETER POLSON
DEPT. OF PSYCHOLOGY
UNIVERSITY OF COLORADO
BOULDER, CO 80302
- 1 Dr. Peter B. Read
Social Science Research Council
605 Third Avenue
New York, NY 10016
- 1 Dr. Fred Reif
SESAME
c/o Physics Department
University of California
Berkeley, CA 94720
- 1 Dr. Andrew M. Rose
American Institutes for Research
1055 Thomas Jefferson St. NW
Washington, DC 20007

Non Govt

- 1 Dr. Ernst Z. Rothkopf
Bell Laboratories
600 Mountain Avenue
Murray Hill, NJ 07974
- 1 Dr. David Rumelhart
Center for Human Information Processing
Univ. of California, San Diego
La Jolla, CA 92093
- 1 DR. WALTER SCHNEIDER
DEPT. OF PSYCHOLOGY
UNIVERSITY OF ILLINOIS
CHAMPAIGN, IL 61820
- 1 Dr. Allen Schoenfeld
Department of Mathematics
Hamilton College
Clinton, NY 13323
- 1 Dr. Robert Smith
Department of Computer Science
Rutgers University
New Brunswick, NJ 08903
- 1 Dr. Richard Snow
School of Education
Stanford University
Stanford, CA 94305
- 1 Dr. Robert Sternberg
Dept. of Psychology
Yale University
Box 11A, Yale Station
New Haven, CT 06520
- 1 DR. ALBERT STEVENS
BOLT BERANEK & NEWMAN, INC.
50 MOULTON STREET
CAMBRIDGE, MA 02138
- 1 DR. PATRICK SUPPES
INSTITUTE FOR MATHEMATICAL STUDIES IN
THE SOCIAL SCIENCES
STANFORD UNIVERSITY
STANFORD, CA 94305

Non Govt

- 1 Dr. Kikumi Tatsuoka
Computer Based Education Research
Laboratory
252 Engineering Research Laboratory
University of Illinois
Urbana, IL 61801
- 1 Dr. Maurice Tatsuoka
Department of Educational Psychology
University of Illinois
Champaign, IL 61801
- 1 Dr. John Thomas
IBM Thomas J. Watson Research Center
P.O. Box 218
Yorktown Heights, NY 10598
- 1 DR. PERRY THORNDYKE
THE RAND CORPORATION
1700 MAIN STREET
SANTA MONICA, CA 90406
- 1 Dr. Douglas Towne
Univ. of So. California
Behavioral Technology Labs
3717 South Hope Street
Los Angeles, CA 90007
- 1 Dr. J. Uhlner
Perceptronics, Inc.
6271 Variel Avenue
Woodland Hills, CA 91364
- 1 Dr. Benton J. Underwood
Dept. of Psychology
Northwestern University
Evanston, IL 60201
- 1 Dr. Phyllis Weaver
Graduate School of Education
Harvard University
200 Larsen Hall, Appian Way
Cambridge, MA 02138
- 1 Dr. David J. Weiss
N660 Elliott Hall
University of Minnesota
75 E. River Road
Minneapolis, MN 55455

Non Govt

- 1 DR. SUSAN E. WHITELEY
PSYCHOLOGY DEPARTMENT
UNIVERSITY OF KANSAS
LAWRENCE, KANSAS 66044
- 1 Dr. J. Arthur Woodward
Department of Psychology
University of California
Los Angeles, CA 90024
- 1 Dr. Karl Zinn
Center for research on Learning
and Teaching
University of Michigan
Ann Arbor, MI 48104