

AD-A077 400

NAVAL OCEANOGRAPHIC OFFICE NSTL STATION MS
SURFACE CURRENTS. SOUTHEAST CENTRAL NORTH PACIFIC OCEAN INCLUDI--ETC(U)
AUG 77


F/G 8/3

UNCLASSIFIED


N00-SP-1402-NP-12

NL

| OF |
AD
A077400



END
DATE
FILMED
1 -80
DDC



1.0

1.1

1.25

4.5
5.0
5.6
6.3
7.1
8.0
9.0

2.8

3.2

3.6

4.0

2.5

2.2

2.0

1.8

1.6

MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

AD A 077400

DDC FILE COPY

NAVAL OCEANOGRAPHIC OFFICE SPECIAL PUBLICATION 1402-1 NP 12

SURFACE CURRENTS

SOUTHEAST CENTRAL NORTH PACIFIC OCEAN INCLUDING THE HAWAIIAN ISLANDS



AUGUST 1977
(Reprinted 1979)



APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED

DEPARTMENT OF THE NAVY 79 11 26 178
NSTL STATION MISSISSIPPI 39522

LEVEL

DDC
REFERENCE
RESERVED

ABSTRACT

THIS AREA, AND THE RANGE OF WHICH IS A UNIT, IS CON-
TAINING OBSERVED AND STATISTICAL VALUES. IT IS AVAILABLE TO
THE USER THE MOST RECENT AVAILABLE DATA WITH CORRECTIONS AND WILL BE
OBTAINED THROUGH THE ASSISTANT MANAGER OF DATA AND ACCESS TO THE DATA
FILE. THIS AND THE OTHER ATTACHED ARE BASED ON A TEST QUANTITY OF
DATA AS COMPARED TO THE THEORETICAL NORMAL-DISTRIBUTED VALUES
IN THE MID-SEVENTIES.

THE SUBJECT CURRENT INFORMATION IS BASED ENTIRELY ON THE
DATA, WHICH IS THE DIFFERENCE BETWEEN THE DATA COLLECTION POSITION
AND THE POSITION DETERMINED BY AIT TEST OF STATISTICAL TEST.
THIS DIFFERENCE INDICATES THE VARIATION AND SPREAD OF THE CURRENT.

DISCLAIMER NOTICE

**THIS DOCUMENT IS BEST QUALITY
PRACTICABLE. THE COPY FURNISHED
TO DDC CONTAINED A SIGNIFICANT
NUMBER OF PAGES WHICH DO NOT
REPRODUCE LEGIBLY.**

6

SURFACE CURRENTS

SOUTHEAST CENTRAL NORTH PACIFIC OCEAN INCLUDING THE HAWAIIAN ISLANDS .

14
NOO-SR-1402-NP-12



9 Final rept.

11

AUGUST 1977
(Reprinted 1979)

12
25

ACCESSION FOR	<input checked="" type="checkbox"/>
NTIS GRA&I	<input type="checkbox"/>
DDC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	<input type="checkbox"/>
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or special
A	22 23

APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED.

NAVAL OCEANOGRAPHIC OFFICE
NSTL STATION MISSISSIPPI 39522

250 450

JP

100-56148-001

STARRS EDAFAS

MAKING THE HAWAIIAN ISLANDS
SOUTH PACIFIC OCEAN

ACKNOWLEDGMENTS

Messrs. Raymond J. Beauchene and William E. Boisvert
made major contributions to this atlas.

UNIVERSITY OF HAWAII LIBRARY


300 UNIVERSITY AVENUE
HONOLULU, HAWAII



FOREWORD

THIS ATLAS, ONE IN A SERIES OF 43 REGIONAL SURFACE CURRENT ATLASES, IS PRODUCED TO FULFILL A NEED OF NAVY PLANNING STAFFS AND THE SCIENTIFIC AND INDUSTRIAL COMMUNITIES FOR THE LATEST AVAILABLE OCEAN SURFACE CURRENT DATA. THESE ATLASES ADD TO THE WEALTH OF NAUTICAL INFORMATION UPON WHICH OPERATIONAL PLANNING, NAVIGATIONAL SAFETY, AND SHIPPING ECONOMY DEPEND. RAPID PRODUCTION AND WIDE DISSEMINATION OF THIS ATLAS ARE MADE POSSIBLE BY THE LATEST COMPUTER TECHNIQUES.

THE CONSTANT IMPROVEMENT IN THE QUALITY OF SURFACE CURRENT DATA RECEIVED OVER THE YEARS IS MADE POSSIBLE LARGELY BY THE MORE THOROUGH REPORTS OF VOLUNTARY OBSERVERS IN RECENT YEARS. THE DEFENSE MAPPING AGENCY, THE OCEANOGRAPHIC OFFICE, AND THE USER OF THE ATLASES RELY ON THE PERSONAL OBSERVATIONS OF THE MAN WHO HAS "BEEN THERE." MARINERS, IN REPORTING THEIR OBSERVATIONS, RENDER A SERVICE NOT ONLY TO THEMSELVES BUT ALSO TO ALL "WHO GO DOWN TO THE SEA IN SHIPS." WITH THE ADVENT OF NUCLEAR POWER, ELECTRONIC NAVIGATION AIDS, AND 300,000-TON SHIPS, UP-TO-DATE, RAPIDLY DISSEMINATED ENVIRONMENTAL AND NAVIGATIONAL INFORMATION HAS BECOME INCREASINGLY IMPORTANT.


JOHN R. McDONNELL
Captain, U.S. Navy
Commander

(A)

SURFACE CURRENT ATLASES


THIS SERIES OF COMPUTERIZED ATLASES REPLACES THE OLD HYDROGRAPHIC OFFICE ATLASES OF SURFACE CURRENTS (HOP 566, 568, 569, 570) WHICH WERE MANUALLY COMPILED FROM DATA OBTAINED DURING THE PERIOD 1903 - 1934. THESE NEW ATLASES CONFORM TO THE STANDARD NAVY OCEAN AREA AND REGION INDEX LIMITS SHOWN BELOW: e.g., NOO SP 1402-NP 10 COVERS NORTH PACIFIC REGION 10 EAST OF THE PHILIPPINES.

RECENT IMPROVEMENTS IN THE DATA FILE ASSURE THE INCLUSION OF THE LATEST, HIGH QUALITY SURFACE CURRENT DATA AVAILABLE. THE FILE NOW CONTAINS MORE THAN 4,200,000 OBSERVATIONS AND A GENERAL UPDATE OF THE FILE WILL BE MADE

AS AMOUNTS OF NEW DATA WARRANT, MOST LIKELY EVERY 12 - 18 MONTHS.

THESE GRAPHICS MAY NOT BE TRULY REPRESENTATIVE OF THE ACTUAL FLOW IN SUCH AREAS AS THE NORTH SEA, PERSIAN GULF, GULF OF THAILAND, AND YELLOW SEA WHERE CURRENTS ARE STRONGLY TIDAL. FOR SUCH AREAS, OTHER SOURCES DESCRIBING PREDICTABLE HOURLY CHANGES OF TIDAL CURRENTS SHOULD BE CONSULTED.

INDEX



Introduction

The Surface Current Data File, from which these atlases are derived, consists primarily of over four million ship set and drift observations. These data were collected by the Netherlands, Japan, Britain, France, and the United States. The file is supplemented by several thousand Geomagnetic Electromagnetograph (GEM) observations, mostly Japanese. The file spans the period from the early 1850's to the present. The earliest observations were collected by the Netherlands and Great Britain; those of the 1960's through the present are primarily United States data.


General Quality

The quality of this data file is considered high for this type of derived value. The data have been carefully screened or duplication, observations taken under adverse conditions (i.e. high wind and heavy seas), observations greater than 12 hours have been eliminated when warranted. Consideration of sea and drift were edited, and observations with erroneous locations (mostly observations on land) have been eliminated. The accepted data are considered most useful when used collectively as in summaries where a number of observations show trends.

General Observation Technique

The set (direction) and drift (speed) are computed by the navigator from the difference between the dead reckoning (DR) position and the position determined by any type of navigational fix. The drift can be determined along any straight line track and includes all factors which cause changes in the DR position. When a fix is obtained, the current set (direction) is FROM the DR position TO the fix; the drift (speed) is equal to the distance in nautical miles between the DR and the fix, divided by the number of hours since the last fix. For successive observations, the TO POSITION of one observation becomes the FROM POSITION of the next observation.


Because the influence of current may vary along a ship's track, the MEAN POSITION of the track is assigned as the geographic location of the current observation. An example of a current computation is shown in the figure below.






EXAMPLE OF A SURFACE CURRENT (SHIP'S DRIFT) OBSERVATION

Data Presentation



The following legend shows two types of surface current presentations by 1° quadrant. Type 1 with 12 or more observations and type 2 with fewer than 12 observations. Where there are 11 or fewer observations within a 1° quadrant, the total number of observations is shown within the 90° quadrant containing the observations.




If there are 12 or more observations in a 1° quadrant, the surface current is depicted by vector resultants as follows:





- (1) Persistent Current - 60 percent or more of all observations fall within a 45° sector
- (2) Prevailing Current - 70 percent or more of all observations fall within two adjacent 45° sectors.
- (3) Primary Current with Secondary Direction - (a) Primary Current - 50 percent or more of all observations fall within three adjacent 45° sectors. (b) Secondary Direction - 20 percent or more of all observations fall within a 45° sector, and the two resultant vector directions are separated by more than 90° of arc.




- (4) Bifurcal Flow - Practically all observations are concentrated in opposite pairs of 45° sectors, and one pair contains at least 80 percent as many observations as the opposite pair. This generally indicates variability that occurs in zones of entrainment between opposing currents (see examples A and B, quadrangles 1, 2, and 3).
- (3) Variable Current - The 45° sector with most observations has less than 25 percent of all observations; direction is indeterminate.












MARCH





140 W
APRIL





MAY



















DECEMBER
MAR 1950




ANNUAL-JAN THROUGH DEC

0 5N 10N 15N 20N 25N 29N
160 W 155 W 150 W 145 W 140 W 135 W 130 W 125 W 120 W

0 5N 10N 15N 20N 25N 29N
160 W 155 W 150 W 145 W 140 W 135 W 130 W 125 W 120 W





SPRING-APR, MAY, JUN

0 160 W 155 W 150 W 145 W 140 W 135 W 130 W 125 W 120 W

5 N 10 N 15 N 20 N 25 N 29 N

0 160 W 155 W 150 W 145 W 140 W 135 W 130 W 125 W 120 W

5 N 10 N 15 N 20 N 25 N 29 N

0 160 W 155 W 150 W 145 W 140 W 135 W 130 W 125 W 120 W

5 N 10 N 15 N 20 N 25 N 29 N

0 160 W 155 W 150 W 145 W 140 W 135 W 130 W 125 W 120 W

5 N 10 N 15 N 20 N 25 N 29 N

0 160 W 155 W 150 W 145 W 140 W 135 W 130 W 125 W 120 W

5 N 10 N 15 N 20 N 25 N 29 N

0 160 W 155 W 150 W 145 W 140 W 135 W 130 W 125 W 120 W

5 N 10 N 15 N 20 N 25 N 29 N

0 160 W 155 W 150 W 145 W 140 W 135 W 130 W 125 W 120 W

5 N 10 N 15 N 20 N 25 N 29 N

0 160 W 155 W 150 W 145 W 140 W 135 W 130 W 125 W 120 W

5 N 10 N 15 N 20 N 25 N 29 N

0 160 W 155 W 150 W 145 W 140 W 135 W 130 W 125 W 120 W

5 N 10 N 15 N 20 N 25 N 29 N

0 160 W 155 W 150 W 145 W 140 W 135 W 130 W 125 W 120 W

5 N 10 N 15 N 20 N 25 N 29 N

0 160 W 155 W 150 W 145 W 140 W 135 W 130 W 125 W 120 W

5 N 10 N 15 N 20 N 25 N 29 N

0 160 W 155 W 150 W 145 W 140 W 135 W 130 W 125 W 120 W


5 N 10 N 15 N 20 N 25 N 29 N


0 160 W 155 W 150 W 145 W 140 W 135 W 130 W 125 W 120 W

5 N 10 N 15 N 20 N 25 N 29 N

0 160 W 155 W 150 W 145 W 140 W 135 W 130 W 125 W 120 W

5 N 10 N 15 N 20 N 25 N 29 N





AUTUMN-OCT, NOV, DEC

DISTRIBUTION LIST

NAVY

CINCPACFLT (02M)
COMTHIRDFLT
COMSEVENTHFLT
COMNAVAIRPAC
COMNAVSURFPAC
COMSUBPAC
COMPATWINGS PAC
PATWING 1
PATWINGS PAC DET ADAK
NMSD ASHEVILLE
NMSD ADAK
NMSD AGANA
NMSD ATSUGI
NMSD KADENA
NMSD MISAWA
NORDA
OCEANAV
PLENUMEACEN
FLEWEACEN GUAM
FLEWEACEN PEARL
NAVWEASERVFAC SAN DIEGO
NAVWEASERVFAC YOKOSUKA
NAVOCEANSYSGEN

GOVERNMENT

DMAH/TC (NVSS)
DTIC
NOAA/NCC
NOAA/NODC
NOAA/NOS
USCG OCCUNIT

12 copies

FOREIGN

HYDROGRAPHER R.A.N.

UNIVERSITY

SIO
WHOI
URI
UMIAMI
FSU
TAMU
UWASH
OSU
UDELL
LSU
UNOCAR

REPORT DOCUMENTATION PAGE

1. REPORT NUMBER N00 SFL402-NP12		2. GOVT ACCESSION NO.		3. READ INSTRUCTIONS BEFORE COMPLETING FORM	
4. TITLE (and Subtitle) Surface Currents Southeast Central North Pacific Ocean Including the Hawaiian Islands		5. TYPE OF REPORT & PERIOD COVERED Final		6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(s) U.S. Naval Oceanographic Office		8. CONTRACT OR GRANT NUMBER(s)		9. PROGRAM ELEMENT PROJECT TASK AREA & WORK UNIT NUMBER	
10. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Oceanographic Office NSITL Station, NS 39522		11. REPORT DATE August 1977		12. NUMBER OF PAGES 24	
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Oceanographic Office		13. SECURITY CLASS. (of this report)		14. SECURITY CLASS. (of this report)	
12. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		15. DISTRIBUTION STATEMENT (of this Report)		16. SECURITY CLASS. (of this report)	
13. SUPPLEMENTARY NOTES		17. DISTRIBUTION STATEMENT (of this Report)		18. SECURITY CLASS. (of this report)	
14. KEY WORDS (Continue on reverse side if necessary and identify by block number) Surface Currents, Southeast Central North Pacific Ocean, Hawaiian Islands		19. DISTRIBUTION STATEMENT (of this Report)		20. SECURITY CLASS. (of this report)	
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This atlas, and the series of which it is a part, is computer generated and automatically plotted. It makes available to the user the most recent surface current data collected and will be updated whenever sufficient amounts of data are added to the data file. This and the other atlases are based on a vast quantity of data as compared to the previous manually compiled editions printed in the mid-thirties.		21. DISTRIBUTION STATEMENT (of this Report)		22. SECURITY CLASS. (of this report)	

FORM 1073
1 JAN 73
EDITION OF 1 NOV 68 IS OBSOLETE
5/M 0107-102-6001

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

20. The surface current information is based mainly on ship drift, which is the difference between the dead reckoning position and the position determined by any type of navigational fix. This difference describes the direction and speed of the current.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)