

AD-A076 853

CALIFORNIA UNIV LOS ANGELES DEPT OF MATHEMATICS
PROBLEM IN STABILITY ANALYSIS OF FINITE DIFFERENCE SCHEMES FOR
1979 M GOLDBERG

F/S 12/1

---ETC(U)

AFOSR-76-3046

UNCLASSIFIED

AFOSR-TR-79-1245

NL

1P
AD-A076 853



END
DATE
FOR WFL
1-80
DDI

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER AFOSR-TR-79-1285	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER	
4. TITLE (and Subtitle) PROBLEM IN STABILITY ANALYSIS OF FINITE DIFFERENCE SCHEMES FOR HYPERBOLIC SYSTEMS		5. TYPE OF REPORT & PERIOD COVERED Interim / rept.	
6. AUTHOR(s) Moshe Goldberg		7. PERFORMING ORG. REPORT NUMBER 6 Jan 78-31 May 79	
8. PERFORMING ORGANIZATION NAME AND ADDRESS University of California Department of Mathematics Los Angeles, CA 90024		9. CONTRACT OR GRANT NUMBER(s) AFOSR-76-3046	
10. CONTROLLING OFFICE NAME AND ADDRESS Air Force Office of Scientific Research/NM Bolling AFB, Washington, DC 20332		11. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 2304/A3 61102F	
12. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) 15/16		13. REPORT DATE 11 1979	
14. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		15. NUMBER OF PAGES 4	
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		16. SECURITY CLASS. (of this report) UNCLASSIFIED	
18. SUPPLEMENTARY NOTES		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Difference approximations; Hyperbolic initial-boundary value problems; Dissipative difference schemes; Non-dissipative schemes; stability.			
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The research done under Air Force Grant No. AFOSR 76-3046 during the period 6.1.78 - 5.31.79, consists mainly of generalizing previous work to obtain new, easily checkable stability criteria for general, dissipative or nondissipative, explicit or implicit difference approximations to hyperbolic mixed initial- boundary value problems. The criteria obtained are independent of the basic scheme and are given solely in terms of the boundary conditions; thus they are			

LEVEL

**DDC
JAN 4 1980
RECEIVED
E**

072 266

AD A078853

DDC FILE COPY

~~Unclassified~~
20. Abstract (Continued)

significantly more convenient than traditional criteria.. The results imply that many well known boundary conditions, when used in combination with arbitrary dissipative or nondissipative schemes, always maintain stability.

Accession For	
NTIS Grant	☒
EDC TAB	☐
Unannounced	☐
Justification	☐
By _____	
Date _____	
Approved _____	
Dist	_____
A	_____

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Ent)

AFOSR-TR- 79 - 1285

PROBLEMS IN STABILITY ANALYSIS OF FINITE
DIFFERENCE SCHEMES FOR HYPERBOLIC SYSTEMS

Interim Report
1.6.78 - 5.31.79

by

Moshe Goldberg
Principal Investigator
Grant No. AFOSR 76-3046

Department of Mathematics
University of California
Los Angeles, California, 90024

79 - 1285

Approved for public release;
distribution unlimited.

During the period 6.1.78 - 5.31.79 I was mainly engaged with E. Tadmor in extending previous work [1,2] to obtain new stability criteria for a wide family of difference approximations to hyperbolic initial-boundary value problems in the quarter plane $x \geq 0, t \geq 0$.

In our work, [3], the approximated differential system is of the form

$$\partial u(x,t)/\partial t = A \partial u(x,t)/\partial x,$$

where A is a Hermitian nonsingular matrix, and the inflow and outflow unknowns interact at the boundary. For the difference approximation we consider arbitrary stable basic schemes --dissipative or nondissipative, explicit or implicit--together with general boundary conditions which determine the boundary values in terms of outflow values of internal grid points.

Using the stability theory of Gustafsson, Kreiss and Sundström [4] we show that the entire approximation is stable if and only if the scalar component of its outflow part are stable. We thus reduce the overall stability question to that of a scalar outflow problem, and from this point on our purpose becomes to obtain easily checkable, sufficient stability criteria for the reduced outflow problems.

Our results in this vein are essentially independent of the basic scheme and are given entirely in terms of the boundary conditions. Hence, these results are much more convenient than traditional criteria which involve the basic difference scheme as well as the boundary conditions.

As in [2], the main results are for the case where the outflow boundary conditions are translatory, i.e., determined at all boundary points by the same procedure. Roughly speaking, our results assure overall stability if the boundary conditions satisfy certain properties such as solvability and the von Neumann condition, plus a single inequality in one unknown which is usually verified without much effort.

Using the new results, numerous examples were worked out. For example, we show that if the basic scheme is dissipative (explicit or implicit) and two time leveled, and if the outflow boundary values are determined by horizontal extrapolation, then the overall approximation is stable (compare [5, 1, 2].) Surprisingly, it is shown that this result is false if the

AIR FORCE RESEARCH AND DEVELOPMENT COMMAND (AFRC)
NOTICE OF REPRODUCTION (AFRC)
THIS DOCUMENT IS UNCLASSIFIED
DISTRIBUTION STATEMENT (7D).
A. D. LLOYD
Technical Information Officer

basic scheme is of more than two time levels; namely, outflow dissipative multi-step basic schemes extrapolated horizontally at the boundary, are not always stable.

For multi-level dissipative basic schemes we show that if the boundary conditions are generated for example by oblique extrapolation (compare [4, 2]), by the Box-Scheme (compare [4, 7]), or by the right-sided weighted Euler scheme (compare [8]), then overall stability is assured. For general (dissipative or nondissipative) basic schemes we prove that if the boundary conditions are defined by the right-sided explicit or implicit Euler schemes (compare [4, 7, 2]), then the entire approximation is stable.

At present Tadmor and I are extending the above results to the case where the differential system is of the general form

$$\partial u(x,t)/\partial t = A \partial u(x,t)/\partial x + Bu(x,t) + F(x,t),$$

and where A is Hermitian, B an arbitrary matrix, and F a given inhomogeneity vector. This is the most general case studied by Gustafsson, Kreiss and Sundström in [4]. We expect to complete this work by the summer of 1980.

References

1. M. Goldberg, On a boundary extrapolation theorem by Kreiss, Math. Comp., v. 31, 1977, pp. 469-477.
2. M. Goldberg and E. Tadmor, Scheme-independent stability criteria for difference approximations of hyperbolic initial-boundary value problems. I, Math. Comp., v. 32, 1978, pp. 1097-1107.
3. M. Goldberg and E. Tadmor, Scheme-independent stability criteria for difference approximations of hyperbolic initial-boundary value problems. II, to appear.
4. B. Gustafsson, H. -O. Kreiss and A. Sundström, Stability theory of difference approximations for mixed initial-boundary value problems. II, Math. Comp., v. 26, 1972, pp. 649-686.
5. H. -O. Kreiss, Difference approximations for hyperbolic differential equations, Proc. Sympos. Univ. of Maryland, Maryland, Academic Press, New York, 1966, pp. 51-58.

6. H. -O. Kreiss and J. Oliger, Methods for the approximate solution of time dependent problems, GARP Publication Series No. 10, 1973.
7. G. Skölleremo, How the boundary conditions affect the stability and accuracy of some implicit methods for hyperbolic equations, Rep. No. 62, 1975, Dept. of Comp. Sci., Uppsala University, Uppsala, Sweden.
8. G. Skölleremo, Error analysis for the mixed initial boundary value problem for hyperbolic equations, Rep. No. 63, 1975, Dept. of Comp. Sci., Uppsala University, Uppsala, Sweden.