

AD-A079 549


NAVAL RESEARCH LAB WASHINGTON DC SHOCK AND VIBRATION--ETC F/G 20/11
THE SHOCK AND VIBRATION DIGEST. VOLUME 11, NUMBER 12, (U)
DEC 79 J NAGLE-ESHLEMAN

UNCLASSIFIED

NL

1 of 2
AD A
079549






MICROCOPY RESOLUTION TEST CHART

NATIONAL BUREAU OF STANDARDS-1963-A

DA079549



SVIC NOTES

DDC
RECEIVED
JAN 16 1980
E

With this issue we complete another year and come to the end of a decade. This is the Annual Index issue. It is, in effect, a measure of our accomplishments in the DIGEST during the past year. Look at it critically with a view to guiding us in our future efforts. Our goal is to provide a useful current awareness journal in the shock and vibration field. Any suggestions on how this can become a better publication would be most welcome. Furthermore, if you see an item or an article in the DIGEST which you consider wrong, or your viewpoint differs from that of the author, let us know about it. Letters to the Editor are often the beginning of fruitful interchange.

It seems appropriate to look at some highlights of SVIC activities during 1979. Our "International Survey of Shock and Vibration Technology" was published and seems to have been well received. This survey is being extended to countries not covered in the original effort. The 49th Shock and Vibration Bulletin has been printed and distributed. The 50th Symposium in Colorado Springs was a definite success, with about 325 in attendance. Our thanks to the hosts -- the Air Force Flight Dynamics Laboratory and the U.S. Air Force Academy -- for providing the support to make this possible. As you read this column, SVM-11 -- a monograph on calibration of shock and vibration transducers -- will be available. A monograph on the balancing of rotating machinery is expected to be available before the end of the fiscal year. All of these publications may be purchased from SVIC.

In September, I had the privilege of serving as Acting Chairman of Committee TC108 of the International Standards Organization in Moscow. This committee is concerned with international standards on vibration and shock. At the Moscow meeting, I was able to establish dialogue with several Soviet experts on shock and vibration with a view to opening direct channels for interchange on technical matters of mutual interest. The prospects are promising and I will keep DIGEST readers informed on any significant progress.

Plans are afoot to establish a stronger link between SVIC and other DoD information analysis centers. Details are not yet worked out, but direct discussions within the IAC community on goals, methods of operation, and mutual problems should result in better information service from all sources. This becomes increasingly important with the realization that timely availability of technical information plays an important role in the new thrusts to spur innovation and increase productivity.

I am pleased to announce that Mrs. Carol Healey is assuming a principal role in customer relations at SVIC. Many of you know Carol from the symposia. She is pleasant and efficient, and now becomes your first contact relative to SVIC services and publications. I know that she will see that your needs are met.

As we close out the year, I extend my personal best wishes to all DIGEST readers for a happy holiday season and a prosperous new decade.

H.C.P.

80 1 14 034

EDITORS RATTLE SPACE

THE PLENARY SESSION

The 50th Shock and Vibration Symposium was successful because it was well planned by the staff and technical advisory group of the SVIC. Although a full report on the meeting will appear next month, it is worthwhile to assess the value of the plenary session at this technical meeting.

A number of plenary sessions were held during the Symposium. These sessions, scheduled before the regular technical sessions, featured lectures by established shock and vibration engineers. The Elias Klein Memorial Lecture -- newly instituted by the SVIC to commemorate its founder -- was given in one plenary session. The plenary lectures -- each about one hour in length -- were used by the speakers for different purposes: technology review, prediction of future events, discussion of advanced technical concepts, and historical perspectives. Each of the four speakers selected a topic within the scope of his technical interest.

The plenary lectures provided continuity and added an atmosphere of formality to the Symposium usually evident only in the opening session -- which has always been more formal than that of any other technical meeting. Not only were the plenary sessions interesting but they also contained valuable new technical information and insights not typical of technical papers.

In my opinion, the plenary sessions at the 50th Shock and Vibration Symposium provided a new and effective way for technology transfer. I hope that more engineers will have the opportunity to participate in such lectures in the near future.

R.L.E.

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DDC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distributed to/	
Availability Codes	
Dist	Avail and/or special
2 A 21	

VEHICLE-GUIDEWAY INTERACTION PROBLEMS

J. Genin* and E.C. Ting**

Abstract - This article discusses three general methods for studying vehicle-guideway interaction problems: moving force approximation, massless guideway approximation, and moving mass approximation. The trolley problem at the Sandia Laboratories is also summarized.

This article is an update and extension of a previous literature review on the dynamic interaction of bridge structures and vehicles [1]. The first review focused on the effects of the kinematical coupling that occurs as a vehicle traverses a flexible guideway. The mathematical difficulties of the problem were discussed, and suitable methods for analyzing the resulting boundary value problem were reviewed. A summary of the traditional modal expansion technique and an algorithm capable of handling a variety of vehicle-guideway interaction problems were also given.

Before the advent of high-speed digital computers the prime concern in studies of the vehicle-guideway interaction problem was proper treatment of the kinematical coupling term that arises in the mathematical formulation of the problem. Physically, the coupled or mixed derivative term arises when the effect of the transverse inertia of the vehicle on the dynamical properties of the system is accounted for. When this effect is considered, the resulting boundary value problem is commonly referred to as the moving mass problem.

Much of the earlier research on vehicle-guideway problems involved attempts to obtain closed-form solutions to serve as design aids. The methods of solution were generally within the mathematical framework of modal expansion and linear transformation techniques. Because these basic techniques are not readily amenable for handling the coupling terms, however, the effects of the vehicle inertia term were often ignored in the analysis.

When these effects are ignored, the boundary value problem is commonly called the moving force approximation. Some techniques neglect the inertia effects of the guideway. This assumption is frequently made in studies of the response of a vehicle traveling on a lightweight structure, such as a cable. The foregoing are extreme approximations in modeling the vehicle-guideway interaction problem.

Although modern computational techniques have eliminated the need for many of the limitations and simplifications previously imposed - especially in modeling the physical system - the work of many researchers seem to be traditional. The majority of studies are attempted either to extend the sophistication of the field equations or to include more complex forcing functions and boundary conditions. A moving force approximation is usually assumed, and a modal expansion technique is used as a solution method. Although modal analysis can be incorporated with iterative processes to accommodate the inertia effects of a vehicle, serious drawbacks in numerical calculations and limitations in practical applications exist. Detailed discussions of these points are available [1]. It has become increasingly doubtful that future developments based on the classical approach can be incorporated into engineering design and synthesis procedures, particularly as computational facilities become more readily available and more precise modeling is required for the simulation of a physical system.

GENERAL METHODOLOGY

Moving force approximation. There is sufficient justification for using the moving force approximation, provided its limitations are understood. The moving force approximation provides an adequate model for the moving mass problem if the order of magnitude of the transverse acceleration

* Professor of Mechanical Engineering, Purdue University, West Lafayette, Indiana 47907

**Associate Professor of Civil Engineering, Purdue University, West Lafayette, Indiana 47907

term is insignificant compared to the static inertia term of the traversing vehicle. Such cases arise when the vehicle is traveling at a low speed and the vehicle mass is a much smaller value than that of the guideway. The moving force approximation has been applied to design charts (e.g., Cooper loadings) and dynamic impact factor tables (as found in various bridge design codes) that have been developed to analyze the dynamic characteristics of highway and railway bridges.

A summary of early pre-computer work on the moving force approximation is available [2]. An excellent account of the evolution of the concept of dynamic impact factors has been published [3].

In the majority of early moving force studies, the guideway was modeled as a Bernoulli-Euler beam with simply-supported end conditions. Concentrated and uniformly distributed forces were used to model the vehicle loads.

Most recent developments are extensions of these analyses and simulate the dynamic heave response of new vehicle concepts for high-speed ground transportation and personal rapid transit systems. *Vehicle suspension systems* in particular are being considered to obtain more precise models. A typical model usually contains a set of sprung masses (passenger compartment), a set of unsprung masses (chassis), linear elastic springs, and linear viscous dampers. This discrete model is flexible and can represent a wide range of suspension designs - wheels, magnetic suspensions, and air-cushioned suspensions [4-7]. Although the inclusion of the suspension system complicates the analysis, the basic formulations remain linear and uncoupled. Hence, modal analysis yields excellent results.

As indicated above, another area in which considerable attention has recently been focused is improvement of the mathematical descriptions for the forcing functions - effects of surface roughness and irregularities occurring in the guideway [8-10] - on the vehicle guideway system. Numerical results have also been obtained for vehicles traversing multi-span, simply-supported, and continuously supported guideways [10-15].

Analyses that include more novel guideway models have also been considered. Guideways modeled by


sophisticated beam theories or foundations without tensile resistance have also been studied [16, 17] but are usually complex and appear to have limited application.

A series of interesting problems recently considered [18-20] involves horizontally curved guideways with tandem vehicle loads. Dynamic amplifications of the critical moment and the rotation angle of the curved guideway can be as much as five times that of the corresponding static values. Further, above a critical traversing speed, multiple curved span responses can be several times higher than those occurring for single spans. Data were substantiated with scaled model tests. The dynamic effects for angular motion of the guideway are apparently considerably higher than those for heave motion; it would seem, therefore, that further studies in this area of angular motion for two-dimensional guideway structures are warranted.

Massless guideway approximation. The massless guideway approximation is the limiting case for a large vehicle mass/guideway mass ratio. Mathematically, such approximations do not lead to computational advantages when such techniques as modal expansion, finite differences, finite elements, and Fourier series expansions are used [11, 21-24], especially when high vehicle traversing speeds are considered. Thus, in those cases in which the moving force approximation is not valid, the massless structure approximation is a poor choice for a mathematical model.

A physical system that naturally fits the category of a massless guideway is a cable car traversing a taut cable. Although the formulation of the problem is simplified by eliminating the cable inertia effect, the resulting analysis can become more difficult if a modal expansion technique is attempted. This is so because the lack of bending rigidity in the cable results in discontinuities similar to those found in transverse wave propagation problems. Wave solutions for a mass traversing with constant velocity have been obtained [25, 26]. Kanning [27] recently studied the problem using both a polynomial expansion and an integral formulation previously introduced [1, 28]. Because the integral formulation employs an influence function that can incorporate the discontinuities in the deflection shape, it has distinct advantages in the computational process.

Moving mass approximation. With the moving mass approximation two distinct categories of mathematical models must be differentiated. One model (the classic moving mass problem) disregards the effects of the vehicle suspension system when the transverse inertia terms caused by the vehicle-guideway interaction are considered. The other model accounts for the effects of the vehicle suspension system in the derivation of the transverse inertia terms. The difference in the two models is demonstrated in the figure; the two problems are solved for a consistent set of vehicle and guideway parameters, and the guideway deflection is plotted as the traveling vehicle passes the three-quarter span point. For comparative purposes the moving force solution is also presented in the figure.



Transverse Displacement of a Simply Supported Beam as the Traversing Vehicle Passes the Three-Quarter Span Point. Vehicle Speed = 90 m/s. Mass of Vehicle/Mass of Guideway = 0.67

The trends shown in the figure are consistent for all cases [28, 29]. They become more pronounced when higher mass ratios and/or vehicle traversing speeds are considered. Note that the traditional design procedure, the moving force approximation, leads to the largest deformations -- hence the largest stresses -- in the guideway. When the true suspension

system is considered, the lightest guideway design is feasible. Note also that the moving force approximation yields an undesirable (and incorrect) condition: that the maximum deflection occurs at approximately mid-span.

These results were obtained using an algorithm developed by the authors [28, 29]. Other relatively recent efforts dealing with problems associated with the vehicle guideway problem are available [30-34].

SANDIA'S TROLLEY PROBLEM

An interesting physical problem, known as Sandia's trolley problem, has recently attracted much attention; it falls in the category of a moving mass problem. The Shock Simulation Department of Sandia Laboratories, Albuquerque, New Mexico, has utilized a cable trolley system to perform aerial experiments [35]. Trolleys carrying various payloads are launched from fixed positions at selected times and travel predetermined paths along a steel cable.

The steel cable, which has a diameter of 35 mm and a fracture strength of 750 kN, is stretched across a 1.5 km wide canyon. One end of the cable is anchored to a rock outcrop; the other end continues over a supporting sheave and down to a hoisting winch. The winch is used to control the tension in the cable and to position the cable to desired sag dimensions. For example, a tension of 490 kN yields a sag of 30 m and results in a cable transverse wave speed of 307 m/s.

The trolley-cable interaction problem is an interesting analytical study because, in contrast to the usual low, constant velocity assumption, the vehicle moves at a high velocity that varies as a function of time. Further, the sag is such that the static cable shape plays an important role in the dynamic response of the vehicle. In Sandia's initial studies [36, 37], the dynamics of a cable with an accelerating force were adopted to obtain an approximate solution. In the first study [36], the inertia of the moving mass was neglected, and the mass was modeled as a constant force. The second study [37] accounted for part of the inertial effects; the mass was modeled as a constant force plus a force proportional to the square of the vehicle velocity (an inertia term). The inertia was thus approximated as the centrifugal force due

to a mass traversing a constant curvature represented by the static cable shape. The moving mass considered in the study was small compared to the cable mass, so that this approximation gave reasonable results up to a fairly high velocity.

In a recent field test, a sudden and dramatic cable failure occurred as a trolley was accelerated through the transverse wave speed of a cable. A movie of the incident showed a sharp kink in the cable between the two supports of the trolley. Analysis of the system, accounting for the inertia of the moving mass [38], revealed that, when a mass is accelerated or decelerated through the transverse wave speed of an ideal string, two oppositely-traveling discontinuities are propagated in the string. These discontinuities are not predicted by the moving force analysis; thus, it is necessary to include all the kinematical terms representing the trolley-cable interactions.

The foregoing problem has also been considered by Ting and Kanning [39]. They used an integral formulation [27] that proved to be efficient and accurate.

OTHER MATHEMATICAL TECHNIQUES

The basic methods of analysis previously reviewed [1] were the modal analysis, finite difference, finite element, and series expansion methods. Two other mathematical techniques are worthy of comment: the modeling technique known as bond graphs [40] and use of the computational tools known as Lagrangian multipliers [41].

Bond graphs in essence represent a subtle alternative to the conventional technique of free body diagrams for developing the equations of motion of a system. Originally the technique found great favor among researchers in automatic controls because of its similarity to the conventional block diagram procedure. The method itself is related to a concept known as a mathematical tree [42, 43]. A variety of applications for bond graphs have been given [44]; papers on current applications to mechanical systems are available [45, 46].

The Lagrangian multiplier technique is, in a sense, another bond graph form [47]. The equations of motion for each component of the system are devel-

oped for each free body diagram; the interaction forces, or Lagrangian multipliers, are represented as external forces on the system. With the appropriate constraint equations a numerical procedure can be developed to determine the interactive forces at each point in time. An interesting feature is that the constraint equation can be written in terms of an error function that can be minimized numerically.

RELATED DYNAMIC INTERACTION PROBLEMS

A class of fluid problems lends itself to the same mathematical framework as the vehicle-guideway system. Included are problems of pipe structures submerged in a parallel flow field and pipes conveying laminar fluid flow. A recent review of the state of the art by Chen [48] contains a large collection of references on these problems. Conceptually, the pipe-flow interactions are similar to those for a guideway subjected to a continuous vehicle mass. The kinematical coupling term also appears in the mathematical formulation of the problem. Modal expansion is again the predominant method of analysis used in the literature [49]. Recently, Ting and Kanning [50] have applied the integral formulation discussed previously [1] to study the transient and steady-state response of a pipe-flow system. The critical velocities associated with the dynamic instability phenomenon were obtained.

REFERENCES

1. Ting, E.C., Genin, J., and Ginsberg, J.H., "Dynamic Interaction of Bridge Structures and Vehicles," *Shock Vib. Dig.*, 7 (11), p 61 (1975).
2. Inglis, C.E., A Mathematical Treatise on Vibrations in Railway Bridges, Cambridge Univ. Press (1934).
3. Goodman, L.E., "How We Get Our Present Impact Specifications," *Proc. Second Illinois Struc. Engr. Conf.*, p 96 (1952).
4. Nathoo, N.S. and Healey, A.J., "Coupled Vertical-Lateral Dynamics of a Pneumatic Tired Vehicle: Part I - A Mathematical Model," *J. Dyn.*

- Syst. Meas. and Control, Trans. ASME, 100 (4), p 311 (1978).
5. Katz, R.M., Neve, V.D., Ravera, R.J., and Skalski, C.A., "Performance of Magnetic Suspensions for High Speed Vehicles Operating Over Flexible Guideways," J. Dyn. Syst. Meas. and Control, Trans. ASME, 96 (2), p 204 (1974).
 6. Genin, J., Ginsberg, J.H., and Ting, E.C., "Fluid Suspension Model for Air Cushioned Vehicles," J. Sound Vib., 25, p 83 (1972).
 7. Genin, J., Ginsberg, J.H., and Ting, E.C., "A Complete Formulation of Inertial Effects in the Guideway-Vehicle Interaction Problem," J. Sound Vib., 38 (1), p 15 (1975).
 8. Hedreck, J.K., Ravera, R.J., and Andres, J.R., "The Effect of Elevated Guideway Construction Tolerances on Vehicle Ride Quality," J. Dyn. Syst. Meas. and Control, Trans. ASME, 97 (4), p 408 (1975).
 9. Hullender, D.A., "Analytical Models for Certain Guideway Irregularities," J. Dyn. Syst. Meas. and Control, Trans. ASME, 94 (4), p 417 (1975).
 10. Snyder, J.E. and Wormley, D.N., "Dynamic Interactions Between Vehicles and Elevated Flexible Randomly Irregular Guideways," J. Dyn. Syst. Meas. and Control, 99 (1), p 23 (1977).
 11. Smith, C.C. and Wormley, D.N., "Response of Continuous Periodically Supported Guideway Beams to Traveling Vehicle Loads," J. Dyn. Syst. Meas. and Control, Trans. ASME, 97 (1), p 21 (1975).
 12. Smith, C.C., Gilchrist, A.J., and Wormley, D.N., "Multiple and Continuous Span Elevated Guideway-Vehicle Dynamic Performance," J. Dyn. Syst. Meas. and Control, Trans. ASME, 97 (1), p 31 (1975).
 13. Chung, Y.I. and Genin, J., "Stability of a Vehicle on a Multispan Simply Supported Guideway," J. Dyn. Syst. Meas. and Control, Trans. ASME, 100 (4), p 326 (1978).
 14. Chung, Y.I., "A Parametric Study of the Interaction of a Vehicle Traversing an Elastic Guideway Structure," Ph.D. Dissertation, Purdue Univ. (Aug 1977).
 15. Alexandridis, A.A. and Dowell, E.H., "The Coupled Response of a Dynamic Element Riding on a Continuously Supported Beam," J. Appl. Mech., Trans. ASME, 45 (4), p 864 (1978).
 16. Chonan, S., "The Elastically Supported Timoshenko Beam Subjected to an Axial Force and a Moving Load," Intl. J. Mech. Sci., 17 (9), p 573 (1975).
 17. Choros, J. and Adams, G.G., "A Steadily Moving Load on an Elastic Beam Resting on a Tensionless Winkler Foundation," J. Appl. Mech., Trans. ASME, 46 (1), p 175 (1979).
 18. Wilson, J.F., "Transient Dynamics of Curved Guideway Structures for Urban Vehicles," Modeling and Simulation, 8, p 159 (1977).
 19. Joseph, T.P., "Experimental Studies of Curved Guideway Responses to Moving Urban Transit Vehicles," M.S. Thesis, Duke Univ. (1977).
 20. Wilson, J.F., "Dynamic Theories and Experiments of Alternative Guideway-Vehicle Systems, Part II," Rept. DOT/RSPA/DPB-50/79/4, Dept. Transport. (Mar 1979).
 21. Chiu, W., Smith, R., and Wormley, W.N., "Influence of Vehicle and Distributed Guideway Parameters on High-Speed, Vehicle-Guideway Dynamic Interactions," J. Dyn. Syst. Meas. and Control, Trans. ASME, 93 (1), p 25 (1971).
 22. Stanisic, M.M., Euler, J.A., and Montgomery, S.T., "On a Theory Concerning the Dynamic Behavior of Structures Carrying Moving Masses," Ing. Arch., 43 (5), p 295 (1974).
 23. Yoshida, D.M. and Weaver, W., "Finite-Element Analysis of Beams and Plates with Moving Loads," Pub. Intl. Assoc. Bridge Struc. Engr., 31 (1), p 179 (1971).
 24. Dailey, G., Caywood, W.C., and O'Connor, J.S., "A General Purpose Computer Program for

- the Dynamic Simulation of Vehicle-Guideway Interactions," *AIAA J.*, 11 (3), p 278 (1973).
25. Smith, C.E., "Motions of a Stretched String Carrying a Moving Mass Particle," *J. Appl. Mech.*, *Trans. ASME*, 31 (1), p 29 (1964).
 26. Fox, E.N., "On Wave Solutions in Overhead Wire Dynamics," *Intl. J. Mech. Sci.*, 18 (7, 8), p 417 (1976).
 27. Kanning, J.L., "Inertial Effects of Masses Moving on Cables," Ph.D. Dissertation, Purdue Univ. (Dec 1978).
 28. Ting, E.C., Genin, J., and Ginsberg, J.H., "A General Algorithm for the Moving Mass Problem," *J. Sound Vib.*, 33 (1), p 49 (1974).
 29. Ginsberg, J.H., Ting, E.C., and Genin, J., "Parametric Study of the Interaction of Bridges and Moving Vehicles," *J. Appl. Sci. Res.*, 32, p 355 (1976).
 30. Richardson, H.H. and Wormley, D.N., "Transportation Vehicle/Beam - Elevated Guideway: Dynamic Interactions - A State of the Art Review," *J. Dyn. Syst. Meas. and Control, Trans. ASME*, 96 (2), p 169 (1974).
 31. Margolis, D.L., Tylee, J.L., and Hrovat, D., "Heave Mode Dynamics of a Tracked Air Cushion Vehicle with Semiactive Airbag Secondary Suspension," *J. Dyn. Syst. Meas. and Control, Trans. ASME*, 97 (4), p 399 (1975).
 32. Doran, A.L. and Mingori, D.L., "Periodic Motion of Vehicles on Flexible Guideways," *J. Dyn. Syst. Meas. and Control, Trans. ASME*, 99 (4), p 268 (1977).
 33. Hoberoch, L.L., "A Survey of Longitudinal Acceleration Comfort Studies in Ground Transportation Vehicles," *J. Dyn. Syst. Meas. and Control, Trans. ASME*, 99 (2), p 76 (1977).
 34. Sinha, P.K., Wormley, D.N., and Hedrick, J.K., "Rail Passenger Vehicle Lateral Dynamic Performance Improvement Through Active Control," *J. Dyn. Syst. Meas. and Control, Trans. ASME*, 100 (4), p 270 (1978).
 35. Bickel, D.C. and Forrestal, J.H., "Rocket-Powered Aerial Trolleys," *Sandia Tech.*, Sandia Labs., SAND 76-0059, p 4 (Winter 1975-76).
 36. Sagartz, M.H. and Forrestal, M.J., "Motion of a Stretched String Loaded by an Accelerating Force," *J. Appl. Mech.*, *Trans. ASME*, 42 (6), p 505 (1975).
 37. Forrestal, M.J., Bickel, D.C., and Sagartz, M.H., "Motion of a Stretched Cable with Small Curvature Carrying an Accelerating Mass," *AIAA J.*, 13 (11), p 1533 (1975).
 38. Rodeman, R., Longcope, D.B., and Shampine, L.F., "Response of a String to an Accelerating Mass," *J. Appl. Mech.*, *Trans. ASME*, 43 (12), p 675 (1976).
 39. Ting, E.C. and Kanning, J.L., "Cable Interaction with a High Speed Mass," *Proc. Eighth U.S. Natl. Congr. Appl. Mech.* (June 1978).
 40. Toma, J.V., *Introduction to Bond Graphs and Their Applications*, Pergamon Press (1975).
 41. Whittaker, E.T., *Analytical Dynamics of Particles and Rigid Bodies*, Cambridge Univ. Press (1959).
 42. Parter, S., "On the Eigenvalues and Eigenvectors of a Class of Matrices," *SIAM J. Appl. Math.*, 8, p 376 (1960).
 43. Genin, J. and Maybee, J.S., "Mechanical Vibrating Trees," *J. Math. Anal. Appl.*, 45 (3), p 746 (1974).
 44. Wormley, D.N., Garg, D.P., and Richardson, H.H., "A Comparative Study of the Nonlinear and Linear Performance of Vehicle Air Cushion Suspensions Using Bond Graph Models," *J. Dyn. Syst. Meas. and Control, Trans. ASME*, 94 (3), p 189 (1972).
 45. Sweet, L.M. and Keane, M.J., "Optimal Control of On-Board and Station Flywheel Storage for Rail Transit Systems," *J. Dyn. Syst. Meas. and Control, Trans. ASME*, 100 (4), p 284 (1978).

46. Margolis, D.L. and Karnopp, D.C., "Bond Graphs for Flexible Multibody Systems," *J. Dyn. Syst. Meas. and Control, Trans. ASME*, 101 (1), p 50 (1979).
47. Blejwas, T.E., "The Simulation of Vehicle and Structure Interaction with Nonlinear Constraint Conditions," Ph.D. Dissertation, University of Colorado (1978).
48. Chen, S.S., "Flow-Induced Vibrations of Circular Cylindrical Structures, Part I: Stationary Fluids and Parallel Flow," *Shock Vib. Dig.*, 9 (10), p 25 (1977).
49. Blevins, R.D., Flow-Induced Vibration, Van Nostrand (1977).
50. Ting, E.C. and Kanning, J.L., "Dynamics of Flow Conveying Pipe Structures," Flow-Induced Vibrations, 3rd Natl. Congr. Press. Vessel Piping Tech., ASME, p 57 (June 1979).

LITERATURE REVIEW

survey and analysis
of the Shock and
Vibration literature

The monthly Literature Review, a subjective critique and summary of the literature, consists of two to four review articles each month, 3,000 to 4,000 words in length. The purpose of this section is to present a "digest" of literature over a period of three years. Planned by the Technical Editor, this section provides the DIGEST reader with up-to-date insights into current technology in more than 150 topic areas. Review articles include technical information from articles, reports, and unpublished proceedings. Each article also contains a minor tutorial of the technical area under discussion, a survey and evaluation of the new literature, and recommendations. Review articles are written by experts in the shock and vibration field.

This issue of the DIGEST contains review articles on flow-induced vibration of nuclear reactor fuel; and a survey of structural optimization under dynamic constraints.

Dr. M.W. Wambsganss and Dr. T.M. Mulcahy of Argonne National Laboratory have concluded their two-part article on flow-induced vibration of nuclear reactor fuel. Part II covers design considerations.

Dr. M.A.V. Rangacharyulu of the Birla Institute of Technology & Science, Pilani, India, and Professor G.T.S. Done of The City University, London, have co-authored an article which reviews the literature since 1970 on structural optimization under dynamic constraints. Methods used with continuous and discrete modes are described for free vibration problems. Methods for forced vibration problems and nonconservative problems are also discussed.

FLOW-INDUCED VIBRATION OF NUCLEAR REACTOR FUEL Part II: Design Considerations

M.W. Wambsgans and T.M. Mulcahy*

Abstract - This two-part article focuses on the role of reactor fuel in flow-induced vibrations in nuclear reactors. Part I is on mathematical modeling of the fuel assemblies. Part II describes design considerations.

DESIGN EVALUATION VIBRATION TESTING

It is generally necessary to resort to testing for final evaluation of each new component design from the standpoint of flow-induced vibration. Although reduced geometry scale models are often employed to investigate the potential for flow-induced vibration, fuel assemblies, because of their more manageable size and readily achievable flow-rate requirements, lend themselves to full-scale testing. Despite the fact that fuel assembly tests are full-scale, out-of-pile design evaluation tests, in general, must be considered as model tests, for, even in those cases in which the fuel assembly is prototypic, the environmental conditions are generally not simulated. Water, for example, is typically used to simulate sodium; air-water mixtures are used to simulate the two-phase flow condition associated with boiling; and air is often used to simulate CO₂ or helium. In addition, the model tests are often performed at ambient temperatures and, of course, radiation and relative thermal expansion effects are not present. Consequently, test results must be extrapolated to reactor operating conditions, or, if possible, the tests must be shown to be conservative.

Design evaluation tests are generally carried out using prototypic fuel rods with simulated fuel pellets; depleted uranium and lead pellets have been used. Water is typically used as the test fluid in the evaluation of PWR (pressurized water reactor) and fast

(sodium-cooled) reactor fuel assemblies; air-water mixtures are often used to simulate the two-phase (steam-water) flow that occurs in BWRs (boiling water reactors) and reactors of the CANDU-BWR (Canadian deuterium uranium-boiling water reactor) type. Instrumentation includes accelerometers, strain gages, and velocity sensors for measurement of pin motion. Tests are carried out to evaluate specific designs; parameter studies are used to evaluate the effects of particular design features. Because of the complexities involved and the differences in fuel assembly designs, results from one test are usually not directly applicable in the design evaluation of another assembly. Nevertheless, results from different tests do provide insights and trends that are useful in test design and in the analysis and interpretation of results.

The design evaluation of fast reactor fuel assemblies has been reported [59, 64-66].** Both grid spacers [59, 64, 65] and wire wrapped spacers [66] are included. Hess et al [65] have reported the results of endurance tests in sodium at temperatures to 650°C (1200°F). Kinsel [66] has reported on full-sized, 217-pin fuel assembly tests in water at temperatures of 38°C, 76°C, and 93°C (100°F, 169°F, and 200°F); 93°C (200°F) water closely simulates the viscosity of sodium at reactor operating temperatures. Kinsel found that pin vibration response is essentially unaffected by fluid temperature. Irradiation tests of wire-wrapped fuel bundles in EBR-II have shown that wear occurs between fuel pin and wire wrap; the wear has been correlated with fuel-pin-bundle porosity [67], which is computed as the difference between the inside dimension of the fuel duct and the theoretical dimension of the fuel pin bundle, divided by the number of rings of fuel pins making up the bundle; porosity is given in distance/ring. The greater the bundle porosity the greater the wear.

* Components Technology Division, Argonne National Laboratory, Argonne, Illinois 60439

**For a complete list of References, see the November, 1979, issue of the Digest.

The proprietary nature of the light water reactors has limited the information available on designs and test results. As new fuel assemblies evolve, design evaluation testing is performed but usually only the fact that tests have been done is published in the open literature [68]. In an early study, Pavlica and Marshall [69] performed tests on a PWR 4 x 4 assembly of fuel rods with spacer grids of the spring type. They investigated the effect of the number of spacers and temperature (70°F and 150°F) on rod response; results showed that the temperature effect was not great. Carmignani et al [70] also performed tests on a 4 x 4 rod bundle of a BWR design. Six different assembly configurations were tested to evaluate the effect of spacer position, number, and design on rod response. Vibration amplitude decreased as the number of spacers increased. Results were compared with predictions using available empirical correlations [11, 62, 63]; for one test configuration reasonable agreement was achieved. Walton et al [38] have reported the results of in-core monitoring; fuel assembly lateral frequency decreased due to irradiation effects.

A large amount of work has been reported on the CANDU reactor fuel [33, 71-74]. The CANDU fuel assembly design is unique in the sense that the fuel rods are assembled in fuel bundles that are loaded end-to-end on a central support to form what is called a fuel string. Forrest and Hancox [71] investigated the effect of support structure motion as a source of excitation for the fuel string. Their test results indicated an apparent reduction in the effect of mechanical excitation as the flow was increased; at flow velocities above 13 m/s the measured motion was determined to be due to fluid excitation; the mechanical excitation effect was negligible. Card [72] studied the effect of upstream noise generators and determined that they have an important effect. Forrest and Monti [33] used steam-water flow introduced at the inlet to simulate two-phase flow, which occurs at the outlet of the fuel string; rms-displacement increased with quality, peaking at 13%; reducing axial tension resulted in a considerable increase in lateral response.

At the 1973 Conference on Vibration Problems in Industry a group of papers [75-79] had to do with the design evaluation of the AGR (advanced gas reactor) fuel. The papers discuss the effect of roughness on flow-induced vibration response [75], the

effect of reactor noise as simulated by loudspeakers [76], vibrations during on-power loading [77], and full-scale testing [78, 79]. The gas coolant in the AGR is CO₂; Whitton and Hammill [80] have discussed the differences in vibration response resulting from the use of CO₂, helium, and air as test fluids.

The measurements involved in design evaluation testing are often difficult and require state-of-the-art instrumentation, particularly small and relatively sensitive equipment; for in-reactor testing, survival at high temperatures and in a radiation environment are also required. Miniature accelerometers, strain gages, and variable reluctance transducers have been used; many of the references given above include discussions of instrumentation and measurement techniques; in some cases the descriptions are detailed. More exotic methods of detection involve the use of neutron flux measurements as an indicator of fuel rod motion [81, 82].

VIBRATION DAMAGE

A significant amount of work has been devoted to the mathematical modeling of parallel flow-induced vibrations, the measurement and characterization of the pressure field, the development of empirical prediction methods, and the performance of laboratory and in-reactor tests to measure fuel rod response in particular fuel assemblies. After the response has been characterized, the next very difficult step is to relate the vibration response to damage and to develop a set of acceptance criteria. Because of the small amplitudes of parallel flow-induced vibration, fatigue is generally not a failure mechanism of concern. Rather, fretting/wear is the failure mechanism of most importance [3, 4] because of inherent clearances between reactor fuel rods and support grids, or between fuel pin and wire wrap. Several papers [67, 76, 78, 83-85] refer to fatigue and wear assessments but, for the most part, do not contain details. An exception is Schmutz [84, 85] who discusses wear theory and models and describes a procedure for determining wear from fluid forces and rod response. Although the procedure was implemented and checked with test results, no details are given.

Fretting or wear failure due to parallel flow excitation has not occurred, to the authors' knowledge,

except where defective parts allowed vibration above design levels [4]. Some cross flow is an integral part of fuel assembly heat-transfer design [70]. Only unforeseen components of cross flow have been responsible for fuel element failure by fretting. However, the occurrence of fretting is minimal, and in PWR practice the damaged fuel rods are often operated over their full reactivity lifetime [4].

Prediction of wear from basic pressure field and vibration response data is apparently in the developmental stage. The fuel rods employed in design evaluation tests are usually inspected to determine if a particular design produces abnormal amounts of wear; endurance testing is performed for critical conditions to determine wear rates [3, 70]. However, wear testing is still performed [70] in operating reactors to provide confidence in design. The best assessment of the reliability of a new fuel assembly design is perhaps the performance of a currently operating design.

SUMMARY AND CONCLUDING REMARKS

Nuclear reactor fuel rods are subjected to excitation forces consisting of both fluid-borne pressure fluctuations and structurally transmitted motion imparted to the supports. The structurally-transmitted forces are associated with rotating machinery, such as pumps, and their transmission is highly dependent on the overall system design. The fluid-borne pressure fluctuations include both nearfield and farfield contributions. The farfield contributions are system dependent - they are functions of the pumps and piping arrangement, including valves, elbows, and headers and of the location of these components relative to the inlet to the fuel assemblies. The nearfield contribution is locally generated within the boundary layer and is modified by wake flows from such inherent disturbances as are provided by support grids, spacers, and wire wrap.

Mathematical modeling to predict response via the equations of motion is syymied because the forcing function, which consists of wall pressure fluctuations, must be characterized. Semi-empirical correlations for response are available; however, they are generally accurate only within an order-of-magnitude and

consequently are useful only in providing early design guidance. Therefore, designers have found it necessary to resort to full-scale testing for design verification. However, there is uncertainty even in full-scale testing because prototypic conditions of high temperature, radiation environments, and, perhaps most important, system features as they effect structural-borne vibration and farfield noise, are not easily achieved; it is necessary to extrapolate results to operating conditions. Nevertheless, design evaluation tests have proved beneficial in identifying potential problems and in contributing to design modifications and fixes. An area in which relatively little work has been reported is that of predicting fretting/wear based on knowledge of fluid pressures and rod response. Most wear data for new fuel assembly designs are obtained in full-scale flow tests and operating reactors.

In summary, awareness, on the part of the designer, of the potential for flow-induced vibration, coupled with the use of empirical correlations and tests, have resulted in fuel assembly designs that have proved to be reliable and free from flow-induced vibration damage; the authors know of no fuel rod failure caused by parallel flow-induced vibration. In this regard, it is interesting to note that a conclusion of an international working group on fast reactors was (at the time of the meeting) that "it appears that there are not serious vibrations problems existing in LMFBR fuel assemblies" [86]. However, as basic designs change (for example, spacer designs or flow paths) and as coolant flow velocities increase, it becomes necessary to reexamine the potential for flow-induced vibrations using the design tools and background experience available at the time.

There continues to be an active interest in fuel rod/assembly vibration; in particular an International Conference on Vibration in Nuclear Plants held at Keswick, England, in 1978. Unfortunately, the "Proceedings" were not available to the authors in time to include the papers in this review article. Two international conferences have been held this year that included papers on fuel vibration: 5th International Conference on Structural Mechanics in Reactor Technology in August in Berlin, and Symposium on Practical Experiences with Flow Induced Vibrations in September in Karlsruhe, Germany.

A SURVEY OF STRUCTURAL OPTIMIZATION UNDER DYNAMIC CONSTRAINTS

M.A.V. Rangacharyulu* and G.T.S. Done**

Abstract - This article reviews the literature since 1970 on structural optimization under dynamic constraints. Methods used with continuous and discrete models are described for free vibration problems. Methods for forced vibration problems and nonconservative problems are also discussed.

Methods of structural analysis have developed tremendously over the past two decades, due mainly to the advent of digital computers capable of speedily handling large arrays of numbers. As confidence has grown in the ability to predict the detailed performance of a structure, so has the desire to improve the design in a systematic way toward the optimum. The need to reduce structure weight without compromising structural integrity is all important in aerospace applications, and much of the motivation behind the development of structural optimization methods has been due to this factor. Furthermore, development has been assisted by making use of mathematical methods drawn from such fields as operations research and optimal control theory.

A well-posed problem of optimal structural design involves specifying:

- (i) the purpose of the structure
- (ii) the geometric design constraints
- (iii) the behavioral constraints
- (iv) the design objective, which acts as a basis for choice between acceptable alternative designs

When the problem is expressed mathematically, the constraints become simple bounds on variables in (ii) above, or on functions (iii); the design objective (iv) is expressed mathematically as an objective function to be minimized. Much of the earlier literature was concerned with problems having relatively simple behavioral constraints; e.g., minimum weight

design for various static loading conditions. However, papers dealing with the more complicated dynamic constraints have also been appearing in the literature in increasing numbers, and this survey is specifically concerned with this aspect.

Comprehensive reviews covering the whole field of structural optimization are available [1-6]. Reviews on the more specialized aspects, in which dynamic constraints are involved, have also been published [7-9].

The bibliography covered in this review extends mainly from 1970 onward; the greatest volume of work appeared in 1975 and 1976. References are classified according to problem free vibration, forced vibration, and nonconservative systems -- but a range of different methods of optimization applies to each problem. Before the particular problems are considered, the various methods available will be briefly surveyed.

GENERAL METHODS OF STRUCTURAL OPTIMIZATION

The general methods fall into three broad categories:

- (a) optimality criterion methods
- (b) mathematical programming methods
- (c) optimal control methods

In (a) an optimality condition relating to the behavior of the structure is derived; the premise is that when the structure is sized to satisfy this condition, the objective function automatically attains an optimum value. The fully stressed or uniform strength design is an example of the early use of optimality criteria. The methods, which often yield computationally efficient solutions, have been

* Birla Institute of Technology & Science, Pilani (Rajasthan), India

**The City University, Northampton Square, London EC1V 0HB, England

extended to dynamic situations. There are some problem areas, however, such as those caused by multiple minima, multiple constraints, and active and passive grouping by members [4]. Methods using iterative schemes derived from the necessary conditions of optimality (Kuhn-Tucker conditions) are sometimes classed as optimality criterion methods even though they are purely numerical in nature.

The mathematical programming methods are applicable to a wide range of problems, of which structural optimization represents only one particular application. The general matrix methods of structural analysis form a mathematical basis on which numerical search procedures are used to progress to the optimum. The capability to deal with all types of objective and constraint functions makes these programming methods very versatile. Textbooks [10-12] provide lucid expositions of various algorithms used in programming techniques. Moe [13] presented a survey of mathematical programming methods with special emphasis on penalty function methods. A recent review [5] examined two important techniques (optimality criteria and programming methods) and related them via a Lagrangian function.

In methods based on the optimal control approach extensive use is made of calculus of variations, but the structure is represented by a continuous model, and the behavior is described by differential equations. The nondiscrete nature of the approach imposes limitations. An advantage is that various questions can be discussed using the continuous approach and optimal control theory: the existence and uniqueness of optimal solutions, the creation of an exact solution as a check for discrete methods, and the development and interpretation of optimality criteria.

Only very recently have optimal control techniques been applied to large framed structures having many members. The basic algorithm for optimization is based on the steepest descent optimal control techniques of Bryson and Ho [14]. A distinction is made between state and design variables associated with the problem, and the variables are related only through the equilibrium equations. The variables are treated independently in the optimization process. This distinction allows the designer to take advantage of efficient structural analysis methods and to eliminate explicit dependence on the state variables

through adjoint relationships. Haug and Arora [15] presented a survey of optimal design problems in the area of mechanical systems that can be addressed by this technique. The textbook by Bryson and Ho [14] is an excellent reference for optimal control techniques and the methods used in solving the resulting boundary value problems.

SPECIFIC PROBLEMS

The various problem areas and the methods used in structural optimization under dynamic conditions are described in this section.

Free Vibration Problems

Among the first problems of optimization under dynamic conditions were those involving the free vibrations of simple structural elements and framed structures; minimum weight designs having constraints on the natural frequencies and sectional areas are typically sought. Pierson [7] has given an account of work done during the 1960s; much of it was concerned with the minimization of weight for a specified fundamental frequency. The approach adopted generally depends on whether the system being investigated is continuous or discretely modeled.

Continuous models. A steepest descent method for solving continuous minimum weight problems with a specified fundamental frequency has been applied to a portal-frame design [16]. Weisshaar [17] made interesting observations on the optimum design of simple one-dimensional continuous systems with constraints on higher mode natural frequencies using variational methods. If the reference structure has periodic eigenfunctions, the optimum structure has periodic eigenfunctions. If this is the case and if the eigenvalues are integral multiples of each other, the optimum solutions for higher natural frequency constraints can be generated from the fundamental solution; the weight saving is not a function of which natural frequency is fixed.

Some authors have employed a piecewise uniform approximation to continuous problems [18-21]. Haug, Pan, and Streeter [18], using such an approximation coupled with a steepest descent method, studied frequency constrained minimum weight beams and plates. Cardou [19, 20] treated axial and

torsional vibration of beams, and Sippel and Warner [21] solved flexural vibration problems with frequency constraints using a Lagrangian multipliers approach.

Armand [22] presented an interesting application of a classical distributed parameter optimal control method to plates for fixed fundamental frequency. Minimum weight designs of stiffened cylindrical shells for maximum separation of the two lowest natural frequencies were presented using a sequential constrained minimization technique [23]. De Silva and Grant [24] tackled an interesting problem of maximizing a linear combination of natural frequencies of a turbine disc for a given weight. An optimal control approach was used; computation was via a penalty function approach coupled with a hill climbing technique.

Pappas [25] used a direct search procedure coupled with a gradient-based direction-finding algorithm to study the optimal frequency separation problem for cylindrical shells. Patnaik and Maiti [26] used programming techniques to study the problem of the interaction of different constraints, especially the static instability and natural frequencies of stiffened structures. Weisshaar [27] presented two approximate solutions to frequency-constrained problems for simple structural elements: a shooting technique used in optimal control theory and a perturbation technique. They are suitable for small-scale problems having few design variables.

Haug, Arora, and Matsui [28] used a steepest descent optimal control method to design a minimum weight continuous problem. The method, coupled with constraint error compensation, converges quite rapidly. Pierson [29] used a similar approach of state space formulation and a gradient projection algorithm to design minimum weight beams for fixed natural frequencies. More than one frequency can be constrained.

Elwany and Barr [30] studied some optimization problems in torsional vibration using a variational method with a view to maximize a given natural frequency for a fixed weight, or equivalently to minimize weight for a fixed frequency. Constraints are implemented through Lagrangian multipliers; the resulting nonlinear equations are solved numerically. Cardou and Warner [31] applied an optimality

criterion to simple axially vibrating bars and portal frames under frequency and section constraints (the use of the term sandwich structures in the title of this reference is misleading).

Discrete models. Mathematical programming methods and optimality criterion methods are extensively used for the structures represented by discrete models. Attempts have been made to extend optimal control methods to cover these problems. Rubin [32] developed a procedure in which the fundamental frequencies can be subjected to an inequality constraint. The process follows two alternating cycles; initially a steepest descent gradient iteration is used to change frequency until it lies within a prescribed margin. Then the weight is minimized using a steepest descent algorithm. Occasional correction steps using frequency modification cycles are needed to maintain the desired frequency change.

Fox and Kapoor [33] used Zoutendijk's method of feasible directions to solve frequency constrained problems. Setlur and Kapoor [34] presented a parametric differentiation method in conjunction with the penalty function approach. The design is treated as a function of the penalty parameter to determine the appropriate parameter. A sequential method is used that requires both first and second derivatives of the objective function.

Pappas and Amba Rao [25] also proposed a penalty function approach to treat both static and dynamic optimization problems with inequality constraints. The objective function is formulated with an appropriate penalty function; the function is appended so that a reasonably symmetric ridge is created at the acceptable/unacceptable region. A direct search method coupled with a local search technique is used to move along the ridge to the optimum. The method performed very well, but large-scale problems were not tested.

A sequential unconstrained minimization technique involving a variable metric algorithm was used to design large framed structures for a fixed fundamental frequency [35]. The concept of design variable linking was used to reduce the number of variables, thus increasing the efficiency of the optimization process. An extended interior penalty function method was implemented for determining the transition between the interior and extended por-

tions; this method was a powerful algorithm for general inequality constrained problems [36] and can easily be applied to implement frequency constraints. Minimization can be carried out in both feasible and infeasible regions.

Reddy and Rao [37] studied some optimization problems related to machine tool structures represented by finite elements. Minimum weight designs with constraints on natural frequencies and chatter stability were obtained through a penalty function method, thus increasing the scope of application of programming techniques. Schmit and Miura [38] incorporated an efficient combination of finite element techniques and mathematical programming techniques. Several approximation concepts - design variable linking, constraint approximations, and constraint deletion - were used.

An energy density criterion has been derived; a recursive relation for the design variables was derived so that the design can be continuously improved [39]. Taig and Kerr [40] also derived an optimality criterion and a related recursive relation. They considered constraints on dynamic stiffness, strength, and sectional areas of members. These methods were very efficient for large structures.

Recently an efficient algorithm [41] has been proposed that is similar to one for mechanical design problems with natural frequency constraints [37]. A similar technique has been used to study the effect of shear deformation and rotary inertia on optimum beam designs with frequency constraints [42]. Yoshimura [43] used an energy density optimality criterion to study the design of machine tool structures for minimum chatter conditions and frequency constraints.

An optimal control method using a steepest descent algorithm has been applied to the design of plane frames with constraints on deflection, strength, and natural frequencies [44, 45]. A similar algorithm was used to design mechanical systems [28]. These applications of optimal control techniques to large-scale problems are noteworthy.

Rizzi [46] presented a general procedure for structural optimization with several constraints, including frequency constraints. He used a recursion relation derived from the necessary conditions of Kuhn-

Tucker and a procedure to delete the inactive constraints. The method has excellent convergence properties. Flewry and Geradin [47] showed how the optimality criterion method can be interpreted from a mathematical programming point of view and have proposed a generalized form of optimality criterion based on the Kuhn-Tucker conditions of the exact problem. The solution obtained is thus identical to that obtained by mathematical programming for a problem using inverse design variables and linearized constraints.

Arora and Haug [48] developed a hybrid method that combines the best features of both optimality criterion methods and state space gradient projection methods used in optimal control theory. The potential of the method is demonstrated; such hybrid methods may lead to more efficient design procedures.

Recent contributions have appeared in a special journal issue on structural optimization [49-51]. Two general purpose optimization algorithms were applied to a beam axial vibration problem [49]. The Kuhn-Tucker optimality criteria were used in conjunction with the finite element method, with the usual constraints on natural frequencies and design variables [50]. The application is to a thin-walled shaft and a turbine shaft. The use of second order frequency sensitivities in conjunction with SUMT was described [51].

Forced Vibration Problems

The optimum design of shock and vibration isolators is an early example of structural optimization under forced vibration conditions; methods of mathematical programming have been applied [52]. In general, the total structural weight must be minimized subject to constraints on the displacements and stresses, when both are functions of time and the design variables. The displacements satisfy the usual equations of motion that now include forcing terms. The problem is simplified if sinusoidal excitation is considered. Frequency constraints can be included in the formulation.

Mróz [53] and Plaut [54] employed energy methods connected with Rayleigh's inequality to design minimum weight structures under simple harmonic excitations for a specified deflection. A common feature of their approaches is that the forcing fre-

quency is limited from above by the fundamental frequency of the optimal configuration. Similar problems have been examined using optimal control techniques with the frequency restriction removed [55, 56]. Maximum allowable stress amplitude and minimum cross-sectional area constraints were imposed. The analyses revealed that the design space in the absence of damping can contain many disjoint feasible regions and that multiple optima exist. Seireg and Hamad [57] noticed similar features; they used a combination of gradient based search and a univariate search to arrive at the optimum design. State space gradient projection methods [28, 29] do not seem to have been applied to this class of problem, but they can easily be extended.

Some steps have recently been taken to design structures under stochastic loading [58-61]. Rao [58] used standard mathematical programming techniques to design beam and platelike structures under blast and acoustic loading with constraints on the probability of failure. Narayanan and Nigam [59] applied a SUMT method using the gradient method of Fletcher and Powell to design sheet stringer panels subjected to jet noise excitation. They considered constraints on stresses, fatigue life, and natural frequencies. Design in a seismic environment has also been studied [60, 61].

Fox and Kapoor [33] examined some discrete problems described earlier and obtained numerical results for several truss problems. A single sine wave-forcing function was assumed. The objective was to obtain partial derivative information so that efficient minimization techniques could be used. A shock spectral method was used to remove time dependency in the dynamic response constraints. The actual displacements and stresses were replaced by conservative upper bounds.

Cheng and Botkin [62] used a similar approach to design minimum weight damped frames subjected to general dynamic loads. The method of analysis is based on modal superposition; the dynamic amplification factors were obtained from the shock spectrum. The peak dynamic response was constrained. Cassis and Schmit Jr. [63] also studied frame problems; they included the dynamic response quantities treated parametrically in time in the formulation of optimization design problem.

Approximation concepts applied elsewhere [36, 38] have been extended to the dynamic response regime. The realization of the disjoint nature of the design space leads to the choice of an exterior penalty function method incorporating the Davidon, Fletcher, and Powell minimization algorithm. Successful implementation is facilitated by using dummy constraint boundaries and a new approach to the move limit problem. The need for move limitation arises from the use of approximate analysis techniques based on Taylor's series expansions for dynamic response quantities. It has been shown how an interior penalty function can be applied to problems of optimum design for dynamic loads [36].

An algorithm has been presented for studying piecewise uniform structures [64]. Constraints were imposed on displacements, stresses, frequency, and design parameters. The time-dependent constraints were transformed to equivalent functional constraints; a state space steepest descent algorithm (optimal control theory) was used. The same authors [65] have also developed the state space approach to sensitivity analysis and optimization of structures under transient dynamic excitations. The gradient projection algorithm used by Pierson [29] can also be employed on these problems.

An energy density based optimality criterion was used to devise a recursive relation to design large structures subjected to dynamic loading with constraints on displacements and stresses [66, 67]. The aperiodic forcing function was represented by a Fourier integral in determining the dynamic response. The optimality criterion derived for normal modes was used as an approximation to design in the dynamic mode, which is replaced by a combination of normal modes. Sciarra [68] used a recursive relation based on the strain energy distribution to reduce vibratory response for harmonically excited structures with minimum weight penalty.

Nonconservative Problems

A class of problems closely related to problems with natural frequency constraints is that of optimal design with such specific aeroelastic eigenvalues as divergence speed or flutter speed. In general, the earlier attempts to design minimum weight structures for flutter constraints adopted a mathematical programming point of view or applied a Lagrangian multiplier approach.

Several interesting one-dimensional panel and axisymmetric circular cylindrical shell optimization problems, for which the flutter speed is held constant, have been formulated and solved. The design of cantilever columns under follower forces [69-72] falls into the same category. In some early papers various one-dimensional problems were treated using optimal control techniques. The resulting two-point boundary value problem was solved with shooting techniques. Armand and Vitte [73] and Weisshaar [74] used a similar approach to treat minimum weight panel design problems with flutter constraints.

Plaut [75] applied a two-term Ritz procedure to the related problem of maximizing the critical flutter parameter for a given mass of piecewise uniform thick panels. Pierson [76] and Pierson and Russell [77] proposed a discrete approximation to continuous panel problems; finite difference equations and a gradient projection algorithm were used in conjunction with a penalty function technique.

Pierson [78, 79] also used a gradient projection optimal control algorithm incorporating conjugate gradient directions of search to treat the same kind of problem, and Pierson and Genalo [80] extended the method to treat two-dimensional panel problems that fall into the category of distributed parameter optimal control problems. Inplane loads and minimum section constraints were allowed. The algorithm differs from the usual projection operator in optimal control theory in three ways: the requirement for terminal state constraint satisfaction at each iteration, the method of step size selection along projected directions of search, and the treatment of control parameters. It is more efficient than earlier approaches, in which two-point boundary problems that arise from necessary conditions of optimality must be solved; the terminal state values are sensitive to initial guesses of thickness distribution and control parameters.

Several types of mathematical programming methods have been successfully applied to flutter optimization in conjunction with finite element formulation. Craig [81] used a gradient projection algorithm to design a supersonic panel with a flutter constraint. Rudisill and Bhatia [82, 83] used a gradient search technique incorporating an approximate sequence of gradient searches that increase flutter velocity and a gradient mass search that

reduces flutter velocity; when the desired velocity is reached, a gradient projection algorithm maximizes the flutter speed at constant mass. This is similar to the process of Rubin [32] for frequency constraints. Simodynes [84] used a similar approach. In these procedures the step size in the search is arbitrary. Rao [85] has an interior penalty function method to design large structures to a flutter constraint.

Haftka [86, 87] used the same method in the context of continuous flutter constraints, which are treated as parametric constraints. The idea of an equivalent minimum constraint was used to simplify the problem. Gwin and Taylor [88] used a feasible direction method, and Craig and Erbug [89] proposed a gradient projection algorithm to study minimum weight flutter constrained problems. Special features were the use of analytical expressions for gradients (calculated only for active constraints), constraint tolerances, and a return vector for whenever constraints are violated. These speed up convergence. Weisshaar [90] also used a gradient projection method based on a Fletcher-Reeves conjugate direction search with a refined finite element formulation. Phea and Chi [91] employed approximations in the general nonlinear programming problem and then applied linear programming techniques.

A search technique with a defined step size has been presented for the minimization of mass for fixed flutter speed [92]. The flutter speed was exactly satisfied at each resizing step; step size was determined by a direct minimization of mass for each set of flutter derivatives calculated. Niblett [93] investigated three different mathematical programming approaches based on gradient projection; he applied the most economical to a swept wing example. A number of philosophical questions relating to flutter optimization were also addressed.

Several researchers have employed optimality criterion techniques to solve flutter optimization problems. The important steps are the derivation of necessary conditions to be satisfied by a locally optimum design and a recursive procedure to realize these conditions. Pines and Newman [94] derived a rigorous optimality condition for flutter-constrained minimum-weight design problems. The energy density criterion thus derived can be viewed as the nonconservative equivalent of the Lagrange energy density optimality criterion [39]. An iterative

scheme was used to arrive at the optimum design. Newman's work is significant in that he used an integral formulation; the iterative procedure for satisfying the optimality criterion is integrated with the flutter solution, thereby improving the efficiency. Taig and Ker [40] developed a resizing algorithm based on a general optimality theorem to design flutter constrained structures.

Wilkinson et al [95] also used an optimality criterion method. They examined several ad hoc optimality criteria. They obtained a uniform flutter velocity derivative criterion for flutter critical elements and a fully stressed design criterion for strength critical elements. Their approach provides a design for both flutter and strength constraints.

Segenerich and McIntosh [96] used a hybrid method that is essentially a direct numerical search technique having the direction of move related to the optimality criterion. Haftka et al [97] presented a comparative study of optimality criterion-based methods and programming methods for flutter optimization; the former methods were rated better. McIntosh and Ashley [98] developed an heuristic design algorithm based on an optimality criterion and compared the results to those obtained by a search scheme based on the method of feasible directions. They too considered that the former technique was a better candidate for large structures with multiple constraints. They also showed how the optimality criterion might be constructed when the aeroelastic constraint is written in the time domain. Their work suggests that complete mathematical rigor is not always necessary in a procedure for design optimization.

REFERENCES

1. Sheu, C.Y. and Prager, W., "Recent Developments in Optimal Structural Design," *Appl. Mech. Rev.*, 21 (10), pp 985-992 (1968).
2. Gellatly, R.A., "Survey of the State-of-the-Art of Optimization Technology within NATO Countries," AGARD Symp. Struc. Optimiz., Milan (Apr 1973).
3. Gallagher, R.H. and Zienkiewicz, O.C., Optimum Structural Design - Theory and Applications, John Wiley & Sons (1973).
4. Structural Optimization Symposium, Winter Ann. Mtg., ASME, New York, L.A. Schmit, Jr., Ed. (Nov 17-21, 1974).
5. Kelly, D.W., Morris, A.J., Bartholomew, P., and Stafford, R.O., "A Review of Techniques for Automated Structural Design," *Computer Methods Appl. Mech. Engr.*, 12, pp 219-242 (1977).
6. Venkayya, V.B., "Structural Optimization: A Review and Some Recommendations," *Intl. J. Numer. Methods Engr.*, 13, pp 203-228 (1978).
7. Pierson, B.L., "A Survey of Optimal Structural Design under Dynamic Constraints," *Intl. J. Numer. Methods Engr.*, 4, pp 491-499 (1972).
8. Rao, S.S., "Optimum Design of Structures under Shock and Vibration Environment," *Shock Vib. Dig.*, 7, pp 61-70 (1975).
9. Olhoff, N., "A Survey of the Optimal Design of the Vibrating Structural Elements," part I, Theory; part II, Applications, *Shock Vib. Dig.*, 8 (8), pp 3-10 (9), pp 3-10 (1976).
10. Fox, R.L., Optimization Methods for Engineering Design, Addison-Wesley (1971).
11. Himmelblau, Applied Non-linear Programming, McGraw Hill (1971).
12. Rao, S.S., Optimization Methods in Engineering, Wiley Eastern, New Delhi (1978).
13. Moe, J., "Fundamentals of Optimization, Computers and Struc.", 4, pp 95-113 (1974).
14. Bryson, A.E. and Ho, Y.C., Applied Optimal Control, Ginn and Co. (1969).
15. Haug, E.J. and Arora, J.S., "Optimal Mechanical Design Techniques Based on Optimal Control Methods," *Proc. 1st ASME Design Tech. Conf.*, New York, pp 65-74 (1974).
16. McCart, B.R., Haug, E.J., and Streeter, T.D., "Optimal Design of Structures with Constraints on Natural Frequencies," *AIAA J.*, 8 (6), pp 1012-1019 (1970).

17. Weisshaar, T.A., "Optimization of Simple Structures with Higher Mode Frequency Constraints," *AIAA J.*, 10 (5), pp 691-693 (1972).
18. Haug, E.J., Pan, K.C., and Streeter, T.D., "A Computational Method for Optimal Structural Design; I. Piecewise Uniform Structures," *Intl. J. Numer. Methods Engr.*, 5 (2), pp 171-184 (1972).
19. Cardou, A., "Piecewise Uniform Optimum Design for Axial Vibration Requirement," *AIAA J.*, 11 (2), pp 1760-1761 (1973).
20. Cardou, A., "Necessary Conditions for Piecewise Uniform Optimum Design under a Frequency Constraint," *AIAA J.*, 12 (10), p 1415 (1974).
21. Sippel, D.L. and Warner, W.H., "Minimum Mass Design of Multi-Element Structures under a Frequency Constraint," *AIAA J.*, 11 (4), pp 483-489 (1973).
22. Armand, J.L., "Minimum Weight Design of Plate Structures for Specified Fundamental Frequency," *AIAA J.*, 9 (9), pp 1739-1746 (1971).
23. Bronwicki, A.J., Nelson, R.B., Felton, L.P., and Schmit, L.A., Jr., "Optimization of Ring Stiffened Cylindrical Shells," *AIAA J.*, 13 (10), pp 1319-1325 (1975).
24. DeSilva, B.M.E. and Grant, G.N.C., "Optimal Frequency-weight Computations for a Disc," *Intl. J. Numer. Methods Engr.*, 9 (3), pp 509-533 (1975).
25. Pappas, M. and Amba Rao, C.L., "A Direct Search Algorithm for Automated Structural Design," *AIAA J.*, 9 (3), pp 387-393 (1971).
26. Patnaik, S.N. and Maiti, M., "Optimum Design of Stiffened Structures with Constraint on the Frequency in the Presence of Initial Stress," *Computer Methods Appl. Mech. Engr.*, 7 (3), pp 303-322 (1976).
27. Weisshaar, T.A., "Appropriate Solutions to Idealised Structural Dynamic Optimization Problems," *J. Opt. Theory Applic.*, 16 (1/2), pp 119-133 (1975).
28. Haug, E.J., Arora, J.S., and Matsui, K., "A Steepest Descent Method for Optimization of Mechanical Systems," *J. Opt. Theory Applic.*, 19 (3), pp 401-424 (1976).
29. Pierson, B.L., "An Optimal Control Approach to Minimum Weight Vibrating Beam Design," *14th Intl. Congr. Theor. Appl. Mech.*, Delft (1976).
30. Elwany, M.H.S. and Barr, A.D.S., "Some Optimization Problems in Torsional Vibration," *J. Sound Vib.*, 57 (1), pp 1-33 (1978).
31. Cardou, A. and Warner, W.H., "Minimum Mass Design of Sandwich Structures with Frequency Constraints," *J. Opt. Theory Applic.*, 14 (6), pp 633-647 (1974).
32. Rubin, C.P., "Minimum Weight Design of Complex Structures Subject to a Frequency Constraint," *AIAA J.*, 8 (5), pp 923-927 (1970).
33. Fox, R.L. and Kapoor, M.P., "Structural Optimization in the Dynamic Response Regime. A Computational Approach," *AIAA J.*, 8 (10), pp 1798-1804 (1970).
34. Setlur, A.V. and Kapoor, M.P., "Parametric Differentiation Methods for Structural Optimization," *AIAA J.*, 8 (11), pp 2069-2070 (1970).
35. Shamie, J. and Schmit, L.A., Jr., "Frame Optimization Including Frequency Constraints," *ASCE J. Struc. Div.*, 101 (ST1), pp 283-293 (1975).
36. Cassis, J.H. and Schmit, L.A., Jr., "On the Implementation of the Extended Interior Penalty Function Method," *Intl. J. Numer. Methods Engr.*, 10 (1), pp 3-24 (1976).
37. Reddy, C.P. and Rao, S.S., "Automated Optimum Design of Machine Tool Structures for Static Rigidity, Natural Frequencies and Regenerative Chatter Stability," *J. Engr. Indus., Trans. ASME*, 100 (2), pp 137-146 (1978).
38. Schmit, L.A. and Miura, H., "An Advanced Structural Analysis/Synthesis Capability AC-

- CESS-2," AIAA/ASME/SAE 17th SDM Conf., pp 432-437 (May 5-7, 1976).
39. Venkayya, V.B., Khot, N.S., and Berke, L., "Application of Optimality Criteria Approaches to Automated Design of Large Practical Structures," 2nd AGARD Symp. Struc. Optimiz., Milan (Apr 2-3, 1973).
 40. Taig, I. and Kerr, R.I., "Optimization of Aircraft Structures with Multiple Stiffness Requirements," 2nd AGARD Symp. Struc. Optimiz., Milan (Apr 2-4, 1973).
 41. Khan, M.R., Thornton, W.A., and Willmert, K.D., "Optimality Criteria Techniques Applied to Mechanical Design," J. Mech. Des., Trans. ASME, 100 (2), pp 319-327 (1978).
 42. Kamat, M.P., "Effect of Shear Deformation and Rotary Inertia on Optimum Beam Frequencies," Intl. J. Numer. Methods Engr., 9 (1), pp 51-62 (1975).
 43. Yoshimura, M., "Study of Optimum Design of Machine Structures with Respect to Dynamic Characteristics," Bull. JSME, 20 (145), pp 811-818 (1977).
 44. Arora, J.S., Haug, E.J., and Kwan Rim, "Optimal Design of Plane Frame," ASCE J. Struc. Div., 101 (ST10), pp 2063-2078 (1975).
 45. Arora, J.S. and Haug, E.J., Jr., "Efficient Optimal Design of Structures by Generalised Steepest Descent Programming," Intl. J. Numer. Methods Engr., 10 (4), pp 747-766 (1976).
 46. Rizzi, P., "Optimization of Multi-constrained Structures Based on Optimality Criteria," AIAA/ASME/SAE 17th SDM Conf., pp 448-462 (May 5-7, 1976).
 47. Fleury, C. and Geradin, M., "Optimality Criteria and Mathematical Programming in Structural Weight Optimization," Computers Struc., 8, pp 7-17 (1978).
 48. Arora, J.S. and Haug, E.J., "Efficient Hybrid Methods of Optimal Structural Design," ASCE J. Engr. Mech. Div., 104 (3), pp 667-680 (1978).
 49. Miele, A., Mangiavacchi, A., Mohanty, B.P., and Wu, A.K., "Numerical Determination of Minimum Mass Structures with Specified Natural Frequencies," Intl. J. Numer. Methods Engr., 13, pp 265-282 (1978).
 50. Kiusalaas, J. and Shaw, R.C.J., "An Algorithm for Optimal Structural Design with Frequency Constraints," Intl. J. Numer. Methods Engr., 13, pp 283-295 (1978).
 51. Miura, H. and Schmit, L.A., Jr., "Second Order Approximation of Natural Frequency Constraints in Structural Synthesis," Intl. J. Numer. Methods Engr., 13, pp 337-351 (1978).
 52. Ng, C. and Cunniff, P.F., "Optimization of Mechanical Vibration Isolation Systems with Multi-degrees of Freedom," J. Sound Vib., 36 (1), pp 105-117 (1974).
 53. Mróz, Z., "Optimal Design of Elastic Structures Subjected to Harmonically Varying Loads," Z. Angew. Math. Mech., 50, pp 303-309 (1970).
 54. Plaut, R.H., "Optimal Structural Design for Given Deflection under Periodic Loading," Quart. Appl. Math., 29, pp 315-318 (1971).
 55. Johnson, E.H., "Disjoint Design Spaces in the Optimization of Harmonically Excited Structures," AIAA J., 14 (2), pp 259-261 (1976).
 56. Johnson, E.H., Rizzi, P., Ashley, H., and Segenrich, S.A., "Optimization of Continuous One-dimensional Structures under Steady State Harmonic Excitation," AIAA J., 4 (12), pp 1690-1698 (1976).
 57. Seireg, A. and Harrad, B., "Optimum Design of Vibratory Systems," 4th World Congr. Theory Machines Mech., Newcastle-upon-Tyne, England (Sept 8-13, 1975).
 58. Rao, S.S., "Structural Optimization under Combined Blast and Acoustic Loading," AIAA J., 4 (2), pp 276-278 (1976).
 59. Narayanan, S. and Nigam, N.C., "Optimum Structural Design of Sheet Stringer Panels Subjected to Jet Noise Excitation," IUTAM

- Symp. Stochastic Problems Dynamics, Southampton Univ. (July 19-23, 1976).
60. McConnell, R.D., "Least Weight Structures for Threshold Frequencies in a Seismic Environment," *Computers Struc.*, 7, pp 157-160 (1977).
 61. Cheng, F.Y. and Srifuengfung, D., "Optimum Structural Design for Simultaneous Multicomponent Static and Dynamic Inputs," *Intl. J. Numer. Methods Engr.*, 13, pp 353-371 (1978).
 62. Cheng, F.Y. and Botkin, M.E., "Non-linear Optimum Design of Dynamic Damped Frames," *ASCE J. Struc. Div.*, 102 (ST3), pp 609-627 (1976).
 63. Cassis, J.H. and Schmit, L.A., Jr., "Optimal Structural Design with Dynamic Constraints," *ASCE J. Struc. Div.*, 102 (ST10), pp 2053-2071 (1976).
 64. Feng, T.T., Arora, J.S., and Haug, E.J., Jr., "Optimal Structural Design under Dynamic Loads," *Intl. J. Numer. Methods Engr.*, 11 (2), pp 39-52 (1977).
 65. Haug, E.J., Arora, J.S., and Feng, T.T., "Sensitivity Analysis and Optimization of Structures for Dynamic Response," *J. Mech. Des., Trans. ASME*, 100 (2), pp 311-318 (1978).
 66. Venkayya, V.B., Khot, N.S., Tischeler, V.A., and Taylor, R.F., "Design of Optimum Structures for Dynamic Loads," 3rd Airforce Conf. Matrix Methods Struc. Mech., AFFDL, Wright-Patterson AFB, Dayton, OH (Oct 1971).
 67. Venkayya, V.B. and Khot, N.S., "Design of Optimum Structures to Impulsive Type Loading," *AIAA J.*, 13 (8), pp 989-994 (1975).
 68. Sciarra, J.J., "Use of Finite Element Damped Forced Response Strain Energy Distribution for Vibration Reduction," Rept. D210-10819-1, Boeing Vertol Company, Philadelphia, PA (July 1974).
 69. Plaut, R.H., "On the Optimal Structural Design for a Non-conservative Stability Problem," *J. Opt. Theory Applic.*, 7 (1), pp 52-61 (1971).
 70. Anderson, G.L., "Optimal Design of a Cantilever Subjected to Dissipative and Non-conservative Forces," *J. Sound Vib.*, 33 (2), pp 155-169 (1974).
 71. Sundararajan, C., "Optimization of a Non-conservative Elastic System with Stability Constraint," *J. Opt. Theory Applic.*, 16 (34), pp 355-378 (1975).
 72. Thomas, C.R., "Mass Optimization of Non-conservative Cantilever Beams with Internal and External Damping," *J. Sound Vib.*, 43 (3), pp 483-498 (1975).
 73. Armand, J.L. and Vitte, W.J., "Foundations of Aeroelastic Optimization and Some Applications to Continuous Systems Having Dynamic or Aeroelastic Constraints," Stanford Univ. Rept., SUDAAR No. 390 (Jan 1970).
 74. Weisshaar, T.A., "An Application of Control Theory Methods to the Optimization of Structures Having Dynamics or Aeroelastic Constraints," Stanford Univ. Rept. SUDAAR No. 412 (Oct 1970).
 75. Plaut, R.H., "Structural Optimization of a Panel Flutter Problem," *AIAA J.*, 9 (1), pp 182-184 (1971).
 76. Pierson, B.L., "Discrete Variable Approximation to Minimum Weight Panel with Fixed Flutter Speed," *AIAA J.*, 10 (9), pp 1147-1149 (1972).
 77. Pierson, B.L. and Russell, S.S., "Further Discrete Variable Results for a Panel Flutter Optimization Problem," *Intl. J. Numer. Methods Engr.*, 7, pp 537-543 (1973).
 78. Pierson, B.L., "Aeroelastic Optimization with Aerodynamic Damping," *AIAA J.*, 13 (4), pp 515-517 (1975).
 79. Pierson, B.L., "Panel Flutter Optimization by Gradient Projection," *Intl. J. Numer. Methods Engr.*, 9 (2), pp 271-295 (1975).
 80. Pierson, B.L. and Genalo, L.J., "Minimum Weight Design of a Rectangular Panel Subject to Flutter Speed Constraint," Prepr. ERI-76263, Iowa State Univ., Ames, IA (Mar 1976).

81. Craig, R.R., Jr., "Optimization of a Supersonic Panel Subject to a Flutter Constraint - A Finite Element Solution," 12th AIAA/ASME/SDM Conf., Anaheim, CA (1971).
82. Rudisill, C.S. and Bhatia, K.G., "Optimization of Complex Structures to Satisfy Flutter Requirements," AIAA J., 9 (8), pp 1487-1491 (1971).
83. Rudisill, C.S. and Bhatia, K.G., "Second Derivatives of the Flutter Velocity and the Optimization of Aircraft Structures," AIAA J., 10 (12), pp 1569-1572 (1972).
84. Simodynes, E.E., "Gradient Optimization of Structural Weight for Specified Flutter Speed," AIAA/ASME/SAE 14th SDM Conf., Williamsburg, VA (1973).
85. Rao, S.S., "Optimization of Complex Structures to Satisfy Static, Dynamic and Aeroelastic Requirements," Intl. J. Numer. Methods Engr., 8 (2), pp 249-269 (1974).
86. Haftka, R.T., "Automated Procedure for Design of Wing Structures to Satisfy Strength and Flutter Requirements," NASATND-7264 (1973).
87. Haftka, R.T., "Parametric Constraints with Application to Optimization for Flutter using a Continuous Flutter Constraint," AIAA J., 13 (4), pp 471-475 (1975).
88. Gwin, L.B. and Taylor, R.F., "A General Method for Flutter Optimization," AIAA J., 11 (12), pp 1613-1617 (1973).
89. Craig, R.R. and Erbug, I.O., "Application of a Gradient Projection Method to Minimum Weight Design of a Delta Wing with Static and Aeroelastic Constraints," Computers Struc., 6, pp 529-538 (1976).
90. Weisshaar, T.A., "Panel Flutter Optimization - A Refined Finite Element Approach," Intl. J. Numer. Methods Engr., 10 (1), pp 77-92 (1976).
91. Phoa, Y.T. and Chi, F.H., "Application of RAND Developed Non-linear Programming Method to Flutter Optimization," Computers Struc., 6, pp 305-312 (1976).
92. O'Connell, R.F., Radiorcich, N.A., and Hassig, H.J., "Structural Optimization with Flutter Speed Constraints Using Maximised Step Size," J. Aircraft, 14 (1), pp 85-89 (1977).
93. Niblett, L.I.T., "Weight Optimization with Flutter Constraints," RAE Tech. Rept. 77130 (Aug 1977).
94. Pines, S. and Newman, M., "Structural Optimization for Aeroelastic Requirements," AIAA/ASME/SAE 14th SDM Conf., Williamsburg, VA (1973).
95. Wilkinson, K., Lerner, E., and Taylor, R.F., "Practical Design of Minimum Weight Aircraft Structures for Strength and Flutter Requirements," AIAA J., 13 (8), pp 614-624 (1975).
96. Segenrich, S.A. and McIntosh, S.C., "Weight Minimization of Structures for Fixed Speed via an Optimality Criterion," AIAA Paper No. 75-779 (1975).
97. Haftka, R.T., Staines, J.H., Barnton, F.W., and Dixon, S.C., "Comparison of Two Types of Structural Optimization Procedures for Flutter Requirements," AIAA J., 13 (10), pp 1333-1339 (1975).
98. McIntosh, S.C. and Ashley, H., "On the Optimization of Discrete Structures with Aeroelastic Constraints," Computers Struc., 8, pp 411-419 (1978).

ANNUAL ARTICLE INDEX

FEATURE ARTICLES

	ISSUE	PAGES
Lund, J.W. Evaluation of Stiffness and Damping Coefficients for Fluid-Film Bearings	1	5-10
Rao, S.S. Structural Optimization Under Shock and Vibration Environment	2	3-12
Holzer, S.M. Dynamic Snap-Through of Shallow Arches and Spherical Caps	3	3-6
Rieger, N.F. Damping Properties of Turbine Blades	4	3-5
Murthy, P.N. Some Recent Trends in Aircraft Flutter Research	5	7-11
Migliore, H.J. and Webster, R.L. Current Methods for Analyzing Dynamic Cable Response	6	3-16
Ginsberg, J.H. Recent Developments for the Nonlinear Distortion of Non-Dispersive Acoustic Waves. Part I: Planar Waves and the Basic Method	7	3-8
Ginsberg, J.H. Recent Developments for the Nonlinear Distortion of Non-Dispersive Acoustic Waves. Part II: Multidimensional Systems	8	3-12
Bort, R.L. A History of Shock Testing of Ships with Underwater Explosions	9	9-15
Gibson, R.F. and Wilson, D.G. Dynamic Mechanical Properties of Fiber-Reinforced Composite Materials	10	3-11
Nelson, F.C. A Review of Substructure Analysis of Vibrating Systems	11	3-9
Genin, J. and Ting, E.C. Vehicle-Guideway Interaction Problems	12	3-9

LITERATURE REVIEWS

	ISSUE	PAGES
Berman, A. Parameter Identification Techniques for Vibrating Structures	1	13-16
Mugridge, B.D. Noise Characteristics of Axial and Centrifugal Fans as Used in Industry - A Review	1	17-24
Reddy, J.N. Finite Element Modeling of Structural Vibration: A Review of Recent Advances	1	25-39
Radeş, M. Analysis Techniques of Experimental Frequency Response Data	2	15-24
Mazumdar, J. A Review of Approximate Methods for Determining the Vibrational Modes of Membranes	2	25-29
Kalinowski, A.J. A Survey of Finite Element-Related Techniques as Applied to Acoustic Propagation in the Ocean. Part I: Finite Element Method and Related Techniques	3	9-16
Iwatsubo, T. Stability Problems on Rotor Systems	3	17-26
Kalinowski, A.J. A Survey of Finite Element-Related Techniques as Applied to Acoustic Propagation in the Ocean. Part II: Transparent Boundary Simulation Techniques	4	7-16
Johns, D.J. Wind-Excited Behavior of Structures. II	4	17-29
Jones, D.I.G. High Temperature Damping of Dynamic Systems	5	13-18
Sakata, T. Reduction Methods for Problems of Vibration of Orthotropic Plates. Part I: Exact Methods	5	19-26
Sakata, T. Reduction Methods for Problems of Vibration of Orthotropic Plates. Part II: Generalized Reduction Method for Generally Orthotropic Plates with Arbitrary Shape	6	19-22
Plunkett, R. Shock and Vibration Instrumentation	6	23-24
Hobaica, E.C. Behavior of Elastomeric Materials Under Dynamic Loads - II	7	11-18

LITERATURE REVIEWS (CONTINUED)

	ISSUE	PAGES
Baker, W.E. Approximate Techniques for Plastic Deformation of Structures Under Impulsive Loading. II	7	19-24
Pope, L.D. Update on the Low Wavenumber Content of TBL Pressure Fields	8	15-18
Agrawal, B.N. and Evan-Iwanowski, R.M. Nonstationary and Nonlinear Vibration Analysis	8	19-22
Volin, R.H. Techniques and Applications of Mechanical Signature Analysis	9	17-33
Beards, C.F. Damping in Structural Joints	9	35-41
Bert, C.W. Recent Research in Composite and Sandwich Plate Dynamics	10	13-23
Mayne, R.W. Optimization Techniques for Shock and Vibration Isolator Development	10	25-33
Wambsganss, M.W. and Mulcahy, T.M. Flow-Induced Vibration of Nuclear Reactor Fuel. Part I: Modeling	11	11-22
Derby, T.F. Computer Programs: Shock and Vibration Isolation	11	23-28
Wambsganss, M.W. and Mulcahy, T.M. Flow-Induced Vibration of Nuclear Reactor Fuel. Part II: Design Considerations	12	11-13
Rangacharyulu, M.A.V. and Done, G.T.S. A Survey of Structural Optimization Under Dynamic Constraints	12	15-25

BOOK REVIEWS

STABILITY THEORY AND ITS APPLICATIONS TO STRUCTURAL MECHANICS

C.L. Dym
Noordhoff, 1974

This short, interesting text is a good introduction to some of the modern stability methods for continuous structures. Applications are sprinkled throughout. The material is suitable for self study or for a graduate engineering course.

In the author's words, "...the book has three principle parts: 1) The development of the Lyapunov direct method and of the minimum energy principle for discrete systems; 2) Analogous development of the Lyapunov functional method and of the minimum energy approach for continuous systems; 3) Applications." In particular, the analysis of imperfection sensitivity as pioneered by Koiter and elaborated by Budiansky and Hutchinson is carried out for a number of simple examples including columns, arches, and circular and rectangular plates.

Again, in the author's words, "...we intend to be informal rather than rigorous in our presentation." This is an attractive feature of the book but has, perhaps, led to sloppiness in some of the mathematics. For example, in the analyses of three different problems on pages 37, 38, and 41, the author states that the time derivatives of certain Lyapunov functions are negative definite whereas, in fact, they are only negative semi-definite as functions of all the state variables. To include asymptotic stability in this case one must invoke the notion of invariant sets.

In summary, Professor Dym has given us a concise, up-to-date introduction to some of the newer practical methods for the stability analysis of structures.

J.G. Simmonds
Professor of Applied Mathematics
University of Virginia
Charlottesville, Virginia 22901

AN INTRODUCTION TO OPTIMAL ESTIMATION OF DYNAMICAL SYSTEMS

J.L. Junkins
Sijthoff & Noordhoff International Publishers
B.V. Alphen an den Rijn, The Netherlands, 1978

The text presents a carefully developed theory and numerous applications of estimation of dynamic systems. Examples are used throughout to describe the class of problems being discussed and to illustrate use of the computational algorithms that are developed. The examples range from simple, but applicable, idealizations to realistic problems. Statistics of measurement error are accounted for in each class of problems treated.

An introductory chapter on least square approximation develops the least squares method for both batch and sequential data. Linear systems are introduced with examples; necessary and sufficient conditions for optimal estimation are derived. Batch problems are treated, including constraints that zero error shall occur in selected observations. Sequential data are then treated and several forms of state update equations derived. Finally, nonlinear estimation is introduced and least square differential correction algorithms are derived.

The second chapter is devoted to a brief and somewhat more rigorous treatment of minimum variance estimation. Optimum state estimation matrices are derived, both with and without a priori estimates of the state and its co-variance matrix. Selection of the weighting matrix in the least square method to provide minimum variance estimation is discussed.

Applications of parameter estimation methods are presented in the third chapter. Planar triangulation and spacecraft trajectory and orientation determination are treated as elementary to moderately complex examples. Modeling the earth's topography and modeling gravitational potentials are presented as more challenging examples.

An introduction to the theory of ordinary differential equations is provided in Chapter 4 in preparation for dynamic systems. Reduction of arbitrary ordinary differential equations to first-order form is discussed. Differentiability of the solution with respect to initial state and model parameters is derived for both linear and nonlinear systems. A brief introduction to numerical integration theory is presented.

This theory is then combined in Chapter 5 with ideas developed in Chapters 1 and 2 to develop a theory of estimation of dynamic systems. Methods and algorithms are developed for estimation of initial state, model parameters, and the state of a dynamic system at a discrete sequence of points in time. The latter result is extended by taking the limit, as the time grid goes to zero, to obtain conditions and algorithms for continuous state estimation. Finally, sequential estimation of nonlinear dynamic systems is briefly treated.

In the final chapter, methods of Chapter 5 are used to solve optimal estimation problems involving projectile trajectories and satellite photogrammetry.

The text is clearly written at a technical level and should be accessible to advanced senior undergraduate students, first-year graduate students, and practicing engineers and scientists. The author's insights and care in formulating and solving illustrative examples will greatly aid the applications-oriented reader. Presentations of none but essential mathematical concepts and the basic theory of minimization, probability, and linear algebra make the text essentially self-contained. The text is recommended to anyone with a moderate mathematical background who wants to gain access to the methods and more advanced literature on optimal estimation of dynamical systems.

E.J. Haug
University of Iowa
Iowa City, Iowa 52242

THE DYNAMICAL BEHAVIOR OF STRUCTURES - 2ND EDITION

G.B. Warburton
Pergamon Press, Maxwell House, Elmsford, NY, 1976

This delightful little book, written by a master structural dynamicist, is a complete revision, up-dated to provide information on current thinking. The book contains six major chapters plus five appendixes.

Chapter I discusses the single-degree-of-freedom system and responses due to harmonic motion, hysteric damping, shock response, and transient response including Duhamel's integral. The shock response section is too short for such an important topic. The chapter concludes with an introduction to random processes and random vibration.

Chapter II introduces the reader to dynamics of frames (harmonic and transient analysis). The use of matrix methods in multi-degree-of-freedom systems is described, as are the normal mode method of solution and complex eigenvalue procedures. The chapter concludes with random vibration, too short a discussion, but the reviewer considers this an excellent chapter.

Beam vibration plays an important role in structural dynamics. The author leads us from simple beam theory to the more complex, with general end conditions in Chapter III. Harmonic, simple, and transient responses are described. The author packs a tremendous amount of information into a small section, including the Rayleigh-Ritz for uniform and non-uniform beams and an introduction to finite elements.

Chapter IV delves further into beam theory: the response to time-dependent boundary conditions, beam column vibration, beams in elastic foundations, shear deformation, and torsion. The chapter concludes with a discussion of the dynamic response of rigid-plastic beams.

Chapter V focuses upon vibrations of plates and shells. Most vibration texts omit these important topics. Transverse vibration of rectangular plates with simple end conditions are discussed, as are the use of Rayleigh-Ritz method and the finite element approach to in-plane vibration of plates. The author briefly discusses four- and eight-node isoparametric elements applied to plate design and then shows how they can be applied to transient response of plates. The dynamics of shells are considered, as is its matrix application.

In Chapter VI the author briefly considers fluid-structure dynamic interaction, which is emerging as an important phase of dynamics. Ground-structure dynamic interaction (important in earthquake applications) is briefly considered. Wind-induced vibration of structures is lightly touched upon. The reviewer would have liked more discussion of applica-

tions dealing with fluid structures utilizing random processes.

The appendixes include Fourier transforms, matrix properties, Lagrangian equations, and orthogonality conditions for beams. A short section on eigenvalue economizers has direct application to finite elements.

In summary, this is an excellent book considering the large number of topics that are discussed. The reviewer believes that the book could be enhanced by extending the sections on random vibrations and fluid-structure dynamic interaction and finite elements.

H. Saunders
General Electric Company
Building 41, Room 319
Schenectady, New York 12345

BOOK REVIEWS: 1979

Achenbach, J.D., Wave Propagation in Elastic Solids, North-Holland Publishing Co., Amsterdam; 1975, Reviewed by R.A. Scott, SVD, 11 (7), pp 25-27 (July 1979)

Ahlborn, B., Hertzberg, A., and Russell, D., eds., Shock Tube and Shock Wave Research: Proceedings of the Eleventh International Symposium, University of Washington Press, Seattle, Reviewed by H. Napadensky, SVD, 11 (11), p 29 (Nov 1979)

Ariartnam, S.T. and Leipholz, H.H.E., eds., Stochastic Problems in Mechanics, University of Waterloo, Canada, Reviewed by H. Saunders, SVD, 11 (3), pp 28-29 (Mar 1979)

Barra, R.J., Geo-Metric Vibration Analysis, RMS Publishing Co., P.O. Box 227, Hannover, MD; 1977, Reviewed by W.D. Pilkey, SVD, 11 (8), p 23 (Aug 1979)

Caruthers, J.W., Fundamentals of Marine Acoustics, Elsevier Scientific Publishing Co., NY; 1977, Reviewed by R.L. Bort, SVD, 11 (1), pp 40-41 (Jan 1979)

Chung, T.J., Finite Element Analysis in Fluid Dynamics, McGraw-Hill; 1978, Reviewed by P.E. Allaire, SVD, 11 (9), pp 43-44 (Sept 1979)

Cinlar, E., Introduction to Stochastic Processes, Prentice-Hall; 1975, Reviewed by T.T. Soong, SVD, 11 (5), p 27 (May 1979)

Cunniff, P.F., Environmental Noise Pollution, John Wiley & Sons; 1977, Reviewed by W. Tustin, SVD, 11 (10), pp 34-35 (Oct 1979)

Dimarogonas, A.D., Vibration Engineering, West Publishing Co.; 1976, Reviewed by B.P. Wang, SVD, 11 (7), p 25 (July 1979)

Dym, C.L., Stability Theory and Its Applications to Structural Mechanics, Noordhoff; 1974, Reviewed by J.G. Simmonds, SVD, 11 (12), p 29 (Dec 1979)

Faulkner, L.L., ed., Handbook of Industrial Noise Control, Industrial Press, Edison, NJ; 1976, Reviewed by H. Saunders, SVD, 11 (7), pp 27-28 (July 1979)

Flügge, W., Viscoelasticity, Springer-Verlag; 1975, Reviewed by S.K. Datta, SVD, 11 (1), p 42 (Jan 1979)

Forsythe, G.E., et al, Computer Methods for Mathematical Computations, Prentice-Hall, Inc., Englewood Cliffs, NJ; 1977, Reviewed by H.G. Schaeffer, SVD, 11 (9), pp 44-45 (Sept 1979)

Graff, K.F., Wave Motion in Elastic Solids, Ohio State University Press; 1975, Reviewed by J.J. Dick, SVD, 11 (6), p 26 (June 1979)

Junkins, J.L., An Introduction to Optimal Estimation of Dynamical Systems, Sijthoff & Noordhoff International Publishers, B.V. Alphen an den Rijn, The Netherlands; 1978, Reviewed by E.J. Haug, SVD, 11 (12), pp 29-30 (Dec 1979)

Kamal, M.M. and Wolf, J.A., Jr., eds., Finite Element Applications in Vibrations Problems, American Society of Mechanical Engineers, NY; 1977, Reviewed by R.D. Cook, SVD, 11 (2), pp 30-31 (Feb 1979)

Kuethe, A.M. and Chow, C.-Y., Foundations of Aerodynamics: Bases of Aerodynamic Design, John Wiley & Sons, Inc., NY; 1976, Reviewed by M. Pierucci, SVD, 11 (1), pp 41-42 (Jan 1979)

Kulkarni, S.V. and Zweben, C.H., eds., Composites in Pressure Vessels and Piping, ASME, NY; 1977, Reviewed by T.J. Chung, SVD, 11 (5), pp 28-29 (May 1979)

Kuzmen'ko, V.A., ed., Fatigue Strength of Materials and Structural Elements Under Sonic and Ultrasonic Frequency of Loading, Kiev, SSR: Naukova Dumka Publishers; 1977, Reviewed by J. Dulevičius, SVD, 11 (4), pp 31-32 (Apr 1979)

Lipscomb, D.M. and Taylor, A.C., eds., Noise Control, Handbook of Principles and Practices, Van Nostrand Reinhold Co.; 1978, Reviewed by G. Schweitzer, SVD, 11 (8), p 23 (Aug 1979)

Naudascher, E., ed., Flow-Induced Structural Vibrations, Springer-Verlag; 1974, Reviewed by S.S. Chen, SVD, 11 (2), pp 31-32 (Feb 1979)

Nowacki, W.K., Stress Waves in Non-Elastic Solids, Pergamon Press, Oxford; 1978, Reviewed by J.J. Dick, SVD, 11 (3), p 27 (Mar 1979)

Pain, H.J., The Physics of Vibrations and Waves, 2nd Edition, John Wiley & Sons, Ltd.; 1976, Reviewed by W.R. Case, SVD, 11 (5), pp 27-28 (May 1979)

Perrone, N. and Pilkey, W., eds., Structural Mechanics Software Series, Volume II, University Press of Virginia, Charlottesville; 1978, Reviewed by R.D. Cook, SVD, 11 (10), p 36 (Oct 1979)

Porges, G., Applied Acoustics, Halsted Press, Div. of John Wiley & Sons, NY; 1977, Reviewed by K. Kleinschmidt, SVD, 11 (10), p 35 (Oct 1979)

Provan, J.W., ed., Continuum Models of Discrete Systems, University of Waterloo Press, Waterloo, Ontario, Canada; 1978, Reviewed by A.F. D'Souza, SVD, 11 (6), p 25 (June 1979)

Rettinger, M., Acoustic Design and Noise Control. Volume 1, Acoustic Design, Chemical Publishing Co., Inc., NY; 1977, Reviewed by K. Kleinschmidt, SVD, 11 (3), pp 27-28 (Mar 1979)

Rolfe, S.T. and Barsom, J.M., Fracture and Fatigue Control in Structures, Prentice-Hall, Inc., Englewood Cliffs, NJ, Reviewed by S.E. Benzley, SVD, 11 (2), p 30 (Feb 1979)

Rolfe, S.T. and Barsom, J.M., Fracture and Fatigue Control in Structures - Application of Fracture Mechanics, Prentice-Hall, Inc., Englewood Cliffs, NJ; 1977, Reviewed by H. Saunders, SVD, 11 (6), pp 26-28 (June 1979)

Sih, G.C., ed., Plates and Shells with Cracks, Noordhoff; 1977, Reviewed by A. Leissa, SVD, 11 (4), p 31 (Apr 1979)

Spotts, M.F., Design of Machine Elements, Fifth Edition, Prentice-Hall, Inc., Englewood Cliffs, NJ; 1978, Reviewed by T. Willis, SVD, 11 (11), pp 31-32 (Nov 1979)

Tondl, A., On the Interaction Between Self-Excitation and Parametric Vibrations, SNTL-Publishers, Prague, Czechoslovakia; 1978, Reviewed by R.A. Ibrahim, SVD, 11 (11), pp 29-30 (Nov 1979)

Warburton, G.B., The Dynamical Behavior of Structures - 2nd Edition, Pergamon Press, Maxwell House, Elmsford, NY; 1976, Reviewed by H. Saunders, SVD, 11 (12), pp 30-31 (Dec 1979)

Yerges, L.F., Sound, Noise and Vibration Control, Van Nostrand Reinhold Co., NY; 1978, Reviewed by C.L. Dym, SVD, 11 (9), pp 42-43 (Sept 1979)

Yih, C.-S., ed., Advances in Applied Mechanics, Volume 17, Academic Press; 1977, Reviewed by J.J. Jensen, SVD, 11 (8), pp 24-25 (Aug 1979)

Failure Data and Failure Analysis: In Power and Processing Industries, ASME Publication PVP-PB-023, Presented at the Energy Technology Conference, Houston, TX; 1977, Reviewed by H. Saunders, SVD, 11 (11), pp 30-31 (Nov 1979)

The Mechanics of Fracture, ASME-AMD, Vol. 19, 1976, Papers presented at the ASME Winter Annual Meeting; Dec 1976, Reviewed by A.J. McEvily, SVD, 11 (4), p 30 (Apr 1979)

SHORT COURSES

DECEMBER

SURFACE BLASTING

Dates: December 5-7, 1979

Place: Washington, D.C.

Objective: This is a field-oriented course on commercial surface blasting (quarries, open pits and construction). The course uses a variety of presentation techniques, including movies, problem solving, question and answer sessions and special "hands-on" exercises. Topics to be covered are: commercial explosives in use today; detonation methods; rock breakage; blast design; blasting economics; and blasting and the neighbors.

Contact: E.I. du Pont de Nemours & Co. (Inc.), Applied Technology Division, Room 35901, Wilmington, DE 19898 - (302) 774-6406.

VIBRATION AND SHOCK SURVIVABILITY, TESTING, MEASUREMENT, ANALYSIS, AND CALIBRATION

Dates: December 10-14, 1979

Place: Ling Electronics, Anaheim, California

Dates: February 4-8, 1980

Place: Santa Barbara, California

Dates: April 7-11, 1980

Place: Dayton, Ohio

Objective: Topics to be covered are resonance and fragility phenomena, and environmental vibration and shock measurement and analysis, also vibration and shock environmental testing to prove survivability. This course will concentrate upon equipments and techniques, rather than upon mathematics and theory.

Contact: Wayne Tustin, 22 East Los Olivos St., Santa Barbara, CA 93105 - (815) 682-7171.

MACHINERY VIBRATION ANALYSIS

Dates: December 11-13, 1979

Place: New Orleans, Louisiana

Objective: The topics to be covered during this course are: fundamentals of vibration; transducer concepts; machine protection systems; analyzing vibration to predict failures; balancing; alignment; case histories; improving your analysis capability; managing vibration data by computer; and dynamic analysis.

Contact: Bob Kiefer, Spectral Dynamics, P.O. Box 671, San Diego, CA 92112 - (714) 268-7100.

JANUARY

PROBABILISTIC AND STATISTICAL METHODS IN MECHANICAL AND STRUCTURAL DESIGN

Dates: January 7-11, 1980

Place: Tucson, Arizona

Objective: To provide practical information on engineering applications of probabilistic and statistical methods, and design under random vibration environments. Modern methods of structural and mechanical reliability analysis will be presented. Special emphasis will be given to fatigue and fracture reliability.

Contact: Dr. Paul H. Wirsching, College of Engineering, The University of Arizona, Tucson, AZ 85721 - (602) 626-3159/626-3054.

FINITE ELEMENT ANALYSIS

Dates: January 7-11, 1980

Place: Tucson, Arizona

Objective: The purpose of this course is to provide structural engineering practitioners with an understanding of the fundamental principles of finite element analysis, to describe applications of the method, and to present guidelines for the proper use of the method and interpretation of the results obtained through it. Emphasis will be placed upon the

linear analysis of frameworks, plates, shells and solids; and dynamic analysis will also be treated.

Contact: Dr. Hussein Kamel, College of Engineering, The University of Arizona, Tucson, AZ 85721 - (602) 626-1650/626-3054.

DYNAMIC ANALYSIS IN TURBOMACHINERY DESIGN

Dates: January 14-18, 1980

Place: Madison, Wisconsin

Objective: This course will be devoted to the understanding of mechanical phenomena involved in turbomachinery design, including torsional and lateral shaft vibrations and vibrations of components such as rotating fan and turbine blades and non-rotating vanes. Topics to be covered include lumped parameter analysis of rotors in rigid and flexible bearings, internal and external damping, effects of coupled transverse and angular motion; lumped parameter and normal mode analysis of blade response allowing for effects of damping, hysteresis loop characteristics, slip at dovetails and at platforms; and vibrations of stationary vanes. Some state of the art experimental techniques will be discussed.

Contact: Dr. Donald E. Baxa, Dept. of Engineering, University of Wisconsin - Extension, 432 N. Lake St., Madison, WI 53706 - (608) 262-2061.

FEBRUARY

FIXTURE DESIGN FOR VIBRATION AND SHOCK TESTING

Dates: February 11-15, 1980

Place: Santa Barbara, California

Dates: March 10-14, 1980

Place: St. Petersburg, Florida

Objective: The relative merits of various types of shakers and shock test machines are briefly considered, with most emphasis on electromagnetic shakers. The seminar will be devoted to practical and proven simplified design and fabrication techniques. An important area to be covered is that of evaluating a fixture once it is built.

Contact: Wayne Tustin, Tustin Institute of Technology, 22 East Los Olivos St., Santa Barbara, CA 93105 - (815) 682-7171.

FINITE ELEMENTS IN BIOMECHANICS

Dates: February 18-21, 1980

Place: Tucson, Arizona

Objective: As a forum for the exchange of ideas, for the definition of the state-of-the-art, and for the presentation of new research results in biomechanics.

Contact: Professor Bruce R. Simon, Dept. of Aerospace and Mechanical Engineering, College of Engineering, The University of Arizona, Tucson, AZ 85721 - (602) 626-3752/626-3054.

BALANCING OF ROTATING MACHINERY

Dates: February 26-28, 1980

Place: Shamrock Hilton, Houston, Texas

Objective: The seminar will emphasize the practical aspects of balancing in the shop and in the field. The instrumentation, techniques, and equipment pertinent to balancing will be elaborated with case histories. Demonstrations of techniques with appropriate instrumentation and equipment are scheduled. Specific topics include: basic balancing techniques (one- and two-plane), field balancing, balancing without phase measurement, balancing machines, use of programmable calculators, balancing sensitivity, flexible rotor balancing, and effect of residual shaft bow on unbalance.

Contact: Dr. Ronald L. Eshleman, Vibration Institute, 101 W. 55th St., Suite 206, Clarendon Hills, IL 60514 - (312) 654-2254/654-2053.

MARCH

MEASUREMENT SYSTEMS ENGINEERING

Dates: March 10-14, 1980

Place: Phoenix, Arizona

MEASUREMENT SYSTEMS DYNAMICS

Dates: March 17-21, 1980

Place: Phoenix, Arizona

Objective: Program emphasis is on how to increase

productivity, cost-effectiveness and data-validity of data acquisition groups in the field and in the laboratory. Emphasis is also on electrical measurements of mechanical and thermal quantities.

Contact: Peter K. Stein, 5602 East Monte Rosa, Phoenix, AZ 85018 - (602) 945-4603/946-7333.

MACHINERY VIBRATIONS COURSE

Dates: March 17-20, 1980

Place: Oakbrook Hyatt House, Oakbrook, IL

Objective: This course on machinery vibrations will cover physical/mathematical descriptions, calculations, modeling, measuring, and analysis. Machinery vibrations control techniques, balancing, isolation, and damping, will be discussed. Techniques for machine fault diagnosis and correction will be reviewed along with examples and case histories. Torsional vibration measurement and calculation will be covered.

Contact: Dr. Ronald L. Eshleman, Vibration Institute, 101 W. 55th St., Suite 206, Clarendon Hills, IL 60514 - (312) 654-2254/654-2053.

BOUNDARY INTEGRAL EQUATION METHODS

Dates: March 17-22, 1980

Place: University of Arizona, Computer Center

Objective: The objective of this short course is to introduce the Boundary Integral Equation Method (BIEM) as an efficient numerical tool for the solution of various types of ground-water problems. The course is designed to provide a working knowledge of the BIEM so that the participants will be able to use and modify the existing computer programs and to develop their own programs for their specific problems.

Contact: Professor James A. Liggett or Professor Phillip L.-F. Liu, School of Civil and Environmental Engrg., Cornell University, Hollister Hall, Ithica, NY 14853 - (607) 256-3556/256-5090 respectively.

EXPLOSION HAZARDS EVALUATION

Dates: March 31-April 4, 1980

Place: Southwest Research Institute

Objective: This course covers the full spectrum of problems encountered in assessing the hazards of accidental explosions, in designing the proper con-

tainment as necessary, as well as developing techniques to reduce incidence of accidents during normal plant and transport operations. Specific topics to be covered are: fundamentals of combustion and transition to explosion; free-field explosions and their characteristics; loading from blast waves; structural response to blast and non-penetrating impact; fragmentation and missile effects; thermal effects; damage criteria; and design for blast and impact resistance.

Contact: Wilfred E. Baker, Southwest Research Institute, P.O. Drawer 28510, San Antonio, TX 78284 - (512) 684-5111, Ext. 2303.

APRIL

ACOUSTICS AND NOISE CONTROL

Dates: April 14-18, 1980

Place: The University of Tennessee Space Inst.

Objective: This is an introductory course dealing with the fundamentals of vibration and noise control. The equations governing the vibrations of continuous systems and sound propagation will be developed and certain elementary solutions derived to illustrate the basic characteristics of the wave motion. Sound propagation in the atmosphere, acoustic filters and resonators, and the attenuation of sound in rooms and ducts by acoustic treatment will be discussed. Fundamental measurement techniques and statistical parameters applicable to the description of noise will be presented.

Contact: Jules Bernard, The Univ. of Tennessee Space Institute, Tullahoma, TN 37388 - (615) 455-0631, Ext. 276.

APPLICATIONS OF TIME SERIES ANALYSIS

Dates: April 14-18, 1980

Place: Institute of Sound and Vibration Research, University of Southampton, UK

Objective: To provide a comprehensive treatment of time and frequency domain analysis methods for transient and stationary random signals summarizing essential theory and giving engineering applications.

To present theories and some applications related to non-stationary processes, system identification and response of non-linear systems to stochastic excitation. To apply the theory to well conceived practical problems utilizing the computers in the Data Analysis Centre enabling participants to experience how new methods may be related to present day industrial requirements.

Contact: Dr. Joseph K. Hammond, Institute of Sound and Vibration Research, University of Southampton, Southampton, Hampshire, England, SO9 5NH - 559122, Ext. 467.

JUNE

MACHINERY VIBRATIONS SEMINAR

Dates: June 24-26, 1980

Place: Mechanical Technology, Inc.
Latham, New York

Objective: To cover the basic aspects of rotor-bearing system dynamics. The course will provide a fundamental understanding of rotating machinery vibrations; an awareness of available tools and techniques for the analysis and diagnosis of rotor vibration problems; and an appreciation of how these techniques are applied to correct vibration problems. Technical personnel who will benefit most from this course are those concerned with the rotor dynamics evaluation of motors, pumps, turbines, compressors, gearing, shafting, couplings, and similar mechanical equipment. The attendee should possess an engineering degree with some understanding of mechanics of materials and vibration theory. Appropriate job functions include machinery designers; and plant, manufacturing, or service engineers.

Contact: Mr. Paul Babson, MTI, 968 Albany-Shaker Rd., Latham, NY 12110 - (518) 785-2371.

NEWS BRIEFS news on current and Future Shock and Vibration activities and events

1979 SAE AEROSPACE MEETING

The 1979 SAE Aerospace Meeting will be held at the Hyatt House at the Los Angeles Airport on December 3-6.

Topics to be covered are: Simulation - state of the art review; The need and prospects for multi-role transport aircraft; Advances in dynamic analysis & design; Advances in dynamic & modal analysis/testing; Options for heavy lift rotorcraft; and Options for high speed rotorcraft.

Registration fees are as follows: SAE members - no fee (membership card must be shown); Nonmember guests - \$15.00 daily (will be credited toward the combination of membership initiation fee and first year's dues, when elected, if application is made within six months), and \$48.00 for the entire meeting; College students - \$1.00 (college ID cards must be shown).

Papers will be on sale at \$1.95 each during the meeting in the SAE Publication Sales Area. Papers may also be ordered from SAE Headquarters at the following prices: Members \$1.95 each and Nonmembers \$2.95 each.

A tour of the Continental Airlines Maintenance Facilities will be held on Wednesday evening, December 5.

For further information or a complete program contact: Phil Columbus, SAE Headquarters, 400 Commonwealth Drive, Warrendale, PA 15096 - (412) 776-4841.

ABSTRACT CATEGORIES

ANALYSIS AND DESIGN

Analogs and Analog
Computation
Analytical Methods
Dynamic Programming
Impedance Methods
Integral Transforms
Nonlinear Analysis
Numerical Analysis
Optimization Techniques
Perturbation Methods
Stability Analysis
Statistical Methods
Variational Methods
Finite Element Modeling
Modeling
Digital Simulation
Parameter Identification
Design Information
Design Techniques
Criteria, Standards, and
Specifications
Surveys and Bibliographies
Tutorial
Modal Analysis and Synthesis

COMPUTER PROGRAMS

General
Natural Frequency
Random Response
Stability
Steady State Response
Transient Response

ENVIRONMENTS

Acoustic
Periodic
Random
Seismic
Shock
General Weapon
Transportation

PHENOMENOLOGY

Composite
Damping
Elastic
Fatigue
Fluid
Inelastic
Soil
Thermoelastic
Viscoelastic

EXPERIMENTATION

Balancing
Data Reduction
Diagnostics
Equipment
Experiment Design
Facilities
Instrumentation
Procedures
Scaling and Modeling
Simulators
Specifications
Techniques
Holography

COMPONENTS

Absorbers
Shafts
Beams, Strings, Rods, Bars
Bearings
Blades
Columns
Controls
Cylinders
Ducts
Frames, Arches
Gears
Isolators
Linkages
Mechanical
Membranes, Films, and Webs

Panels
Pipes and Tubes
Plates and Shells
Rings
Springs
Structural
Tires

SYSTEMS

Absorber
Acoustic Isolation
Noise Reduction
Active Isolation
Aircraft
Artillery
Bioengineering
Bridges
Building
Cabinets
Construction
Electrical
Foundations and Earth
Helicopters
Human
Isolation
Material Handling
Mechanical
Metal Working and Forming
Off-Road Vehicles
Optical
Package
Pressure Vessels
Pumps, Turbines, Fans,
Compressors
Rail
Reactors
Reciprocating Machine
Road
Rotors
Satellite
Self-Excited
Ship
Spacecraft
Structural
Transmissions
Turbomachinery
Useful Application

ABSTRACTS FROM THE CURRENT LITERATURE

Copies of articles abstracted in the DIGEST are not available from the SVIC or the Vibration Institute (except those generated by either organization). Inquiries should be directed to library resources. Government reports can be obtained from the National Technical Information Service, Springfield, VA 22151, by citing the AD-, PB-, or N- number. Doctoral dissertations are available from University Microfilms (UM), 313 N. Fir St., Ann Arbor, MI; U.S. Patents from the Commissioner of Patents, Washington, D.C. 20231. Addresses following the authors' names in the citation refer only to the first author. The list of periodicals scanned by this journal is printed in issues 1, 6, and 12.

ABSTRACT CONTENTS

ANALYSIS AND DESIGN 42	EXPERIMENTATION 50	Structural 65
Analytical Methods 42	Balancing 50	Seals 66
Optimization Techniques . . . 42	Diagnostics 51	
Modeling 43	Equipment 55	SYSTEMS 66
Criteria, Standards, and	Facilities 55	Noise Reduction 66
Specifications 43	Instrumentation 55	Active Isolation 67
Surveys and	Scaling and Modeling 56	Aircraft 67
Bibliographies 43	Techniques 56	Bridges 67
		Building 68
		Foundations and
		Earth 68
		Helicopters 69
		Human 70
		Isolation 71
		Mechanical 71
		Pumps, Turbines, Fans,
		Compressors 71
		Rail 72
		Reactors 72
		Reciprocating Machine . . . 73
		Road 73
		Rotors 74
		Ship 75
		Spacecraft 75
		Structural 76
		Transmissions 76
		Turbomachinery 76
COMPUTER PROGRAMS 44	COMPONENTS 56	
General 44	Shafts 56	
	Beams, Strings, Rods,	
	Bars 56	
	Bearings 58	
	Blades 59	
	Columns 60	
	Controls 60	
	Ducts 61	
	Frames, Arches 61	
	Gears 61	
	Linkages 62	
	Mechanical 62	
	Membranes, Films, and	
	Webs 62	
	Panels 63	
	Pipes and Tubes 63	
	Plates and Shells 64	
ENVIRONMENTS 44		
Acoustic 44		
Periodic 46		
Random 46		
Seismic 46		
Shock 47		
PHENOMENOLOGY 48		
Damping 48		
Fatigue 49		

ANALYSIS AND DESIGN

ANALYTICAL METHODS

(Also see Nos. 2236, 2237)

79-2125

The Role of Observations in Stochastic Linear Dynamic Models

T. Prasad and O. Ibidapo-Obe
Solid Mechanics Div., Univ. of Waterloo, Waterloo, Ontario, Canada N2L 3G1, Appl. Math. Modeling, 3 (4), pp 263-268 (Aug 1979) 4 figs, 3 tables, 20 refs

Key Words: Mathematical models, Stochastic processes

Emphasis is placed on using realistic observations for response evaluation in stochastic linear dynamic systems. A simulation study is performed. The structural model and the ensuing computational algorithms are presented, keeping in view their relevance to numerous applied problems of life sciences and technology.

79-2126

The Effects of Internal Resonance on Impulsively Forced Non-Linear Systems with Two Degrees of Freedom

R.P. Vito and G. Cabak
School of Engrg. Science and Mechanics, Georgia Inst. of Tech., Atlanta, GA 30332, Intl. J. Nonlin. Mech., 14 (2), pp 93-99 (1979) 3 figs, 5 refs

Key Words: Internal resonance, Two degree of freedom systems

The method of multiple time scales is used to study the non-linear oscillations of impulsively forced systems under conditions of internal resonance. A partial analytical solution is obtained. The method is illustrated by an example in which the internal resonance effects are shown to be significant.

79-2127

Elastodynamics of Planar Mechanisms Using Planar Actual Finite Line Elements, Lumped Mass Systems, Matrix-Exponential Method, and the Method of "Critical-Geometry-Kineto-Elasto-Statics"

C. Bagci and S. Kalaycioglu
Tennessee Technological Univ., Cookeville, TN 38501
J. Mech. Des., Trans. ASME, 101 (3), pp 417-427 (July 1979) 32 figs, 1 table, 49 refs

Key Words: Mechanisms, Elastodynamic response

The article presents a general method for the elastodynamic analysis of planar mechanisms. It uses planar actual finite line elements and lumped mass systems to formulate the equations of motion of a mechanism. The matrix exponential method is introduced for the numerical solution of the equations of motion. Matrix displacement method of determining dynamic stresses using the generalized coordinate displacements is given. Elastodynamic analysis of a plane four-bar mechanism is performed for several cycles of kinematic motion, and the dynamic stresses are compared with those obtained by experiments.

OPTIMIZATION TECHNIQUES

(Also see No. 2277)

79-2128

Computational Techniques in Optimal State-Estimation - A Tutorial Review

W. Kortum
German Research Ctr. for Aeronautics and Astronautics (DFVLR), Inst. for Dynamics of Flight Systems, Oberpfaffenhofen, Germany 8031, J. Dyn. Syst., Meas. and Control, Trans. ASME, 101 (2), pp 99-107 (June 1979) 2 figs, 3 tables, 19 refs

Key Words: Optimization, Dynamic systems, Reviews

The objective of this tutorial presentation is to review the main computational techniques of the state-estimation problem for linearizable dynamic systems where the design is oriented toward a minimum variance (quadratic loss, gaussian) estimation error. The continuous and the discrete estimation problem are both treated.

79-2129

Mechanism Optimization via Optimality Criterion Techniques

W.A. Thornton, K.D. Willmert, and M.R. Khan
Clarkson College of Technology, Potsdam, NY 13676,
J. Mech. Des., Trans. ASME, 101 (3), pp 392-397
(July 1979) 3 figs, 4 tables, 17 refs

Key Words: Mechanisms, Optimization

Presented in this paper are two new design techniques, based on optimality criteria, for selecting the cross-sectional sizes of the links within a mechanism. The objective is to minimize weight subject to stress and displacement (deformation) constraints. The mechanisms are assumed to be undergoing vibrational effects. These new optimality criterion methods are compared with a standard SUMT technique of nonlinear programming.

MODELING

79-2130

Modelling as an Aid in Measurement Technology, Part I (Modellbildung, ein Hilfsmittel der Messtechnik, Teil 1)

E.D. Gilles
Institut f. Systemdynamik und Regelungstechnik,
Universität Stuttgart, Pfaffenwaldring 9, 7000 Stuttgart 80, West Germany, Techn. Messen-ATM, 46 (6), p 225 (June 1979) 13 figs, 16 refs
(In German)

Key Words: Mathematical models, Measurement techniques

The use of mathematical models for the calculation of certain parameters in a mechanical system which cannot be measured directly is presented.

79-2131

Interactive Modeling and Analysis of Open or Closed Loop Dynamic Systems with Redundant Actuators

R.J. Williams and A. Seireg
Pennsylvania State Univ., University Park, PA 16802,
J. Mech. Des., Trans. ASME, 101 (3), pp 407-416
(July 1979) 11 figs, 39 refs

Key Words: Mathematical models

This paper deals with the development of a computer-based procedure for the modeling and analysis of large displacement dynamic systems of the open or closed loop types. The procedure facilitates the construction of the model for such systems, automatically formulates the dynamic equations and provides the solution for any given input motion. The program is capable of analyzing complex systems with redundant force actuators utilizing a linear programming optimization scheme.

CRITERIA, STANDARDS, AND SPECIFICATIONS

(See No. 2218)

SURVEYS AND BIBLIOGRAPHIES

79-2132

Recent Developments for the Nonlinear Distortion of Non-Dispersive Acoustic Waves. Part I: Planar Waves and the Basic Method

J.H. Ginsberg
School of Mech. Engrg., Purdue Univ., West Lafayette, IN 47907, Shock Vib. Dig., 11 (7), pp 3-8
(July 1979) 50 refs

Key Words: Reviews, Elastic waves

This two-part paper describes a perturbation procedure for investigating finite amplitude acoustic waves that depend on more than one spatial coordinate. The discussion focuses on wave motions that are non-dispersive in the linear approximation, in which case amplitude dispersion and self-refraction are the primary mechanisms for nonlinear distortion. Part I covers planar waves and the basic method.

79-2133

Behavior of Elastomeric Materials Under Dynamic Loads - II

E.C. Hobaica
Electric Boat Div., General Dynamics Corp., Eastern Point Rd., Groton, CT 06340, Shock Vib. Dig., 11 (7), pp 11-18 (July 1979) 7 figs, 30 refs

Key Words: Reviews, Elastomers, Periodic excitation, Testing techniques

This review describes the properties of rubber and other elastomers when they are subjected to small amplitude sinusoidal stresses. Testing methods and data on dynamic properties are given.

79-2134

Approximate Techniques for Plastic Deformation of Structures Under Impulsive Loading. II

W.E. Baker

Southwest Research Inst., P.O. Box 28510, San Antonio, TX 78284, Shock Vib. Dig., 11 (7), pp 19-24 (July 1979) 4 figs, 1 table, 30 refs

Key Words: Reviews, Testing techniques, Impact response (mechanical)

Recent work on approximate techniques for plastic deformation of structures under impulsive loading is summarized. Research-oriented methods and design-oriented methods are described. Several design-oriented methods have been utilized by structural designers.

COMPUTER PROGRAMS

GENERAL

(Also see No. 2249)

79-2135

CEL Blast Wave Propagation Code for Air Ducts

R.S. Chapler and R.H. Fashbaugh

Civil Engrg. Lab. (Navy), Port Hueneme, CA, Rept. No. CEL-TN-1543, 64 pp (Jan 1979)

AD-A066 259/3GA

Key Words: Shock wave propagation, Computer programs, Nuclear explosion effects, Ducts, Ventilation, Hardened installations

Refinement of a CEL hydrodynamic code for prediction of air blast propagation in variable area ventilation ducts was completed. Code solutions are one-dimensional and achieved using a refined finite-difference pseudo-viscosity method in a Lagrange formulation for solution of either classical nuclear

blast waves or general time variant pressure waves. Solutions for a single constant area duct with the effects of viscosity at the wall are included. An example case is presented with a description of the single duct geometry, the applied nuclear blast parameters, and the code input parameters, including their magnitudes and their sources.

ENVIRONMENTS

ACOUSTIC

(Also see No. 2132)

79-2136

A New Type Flap Valve for Generating Sonic Booms in a Pyramidal Horn

J.J. Gottlieb, W. Czerwinski, N.N. Wahba, and R.E. Gnoyke

Inst. for Aerospace Studies, Toronto Univ., Ontario, Canada, Rept. No. UTIAS-208; CN-ISSN-0082-5255, 78 pp (Oct 1978)

N79-23755

Key Words: Sonic boom, Simulation

The design, operation and performance of a radically new type of sonic-boom generating flap-valve are described with emphasis on the ancillary cam, clutch, flywheel and electric motor system, and the air reservoir which is much larger than those used previously. An updated and greatly extended analysis describes the time varying reservoir conditions (e.g., pressure) and mass-flow rate of air through the flap valve, as well as the wave motion or characteristics of the traveling N-wave in the pyramidal concrete horn of traveling-wave sonic-boom simulation facility.

79-2137

A Study of Scattering, Production, and Stimulated Emission of Sound by Vortex Flows

J.E. Yates

Aeronautical Research Associates of Princeton, Inc., NJ, Rept. No. NASA-CR-3139; ARAP-363, 62 pp (May 1979)

N79-23756

Key Words: Fluid-induced excitation, Vortex noise, Acoustic scattering, Sound generation

The basic theory of aeroacoustics of homentropic fluid media is applied to the problems of sound scattering, production, and stimulated emission. A general theory of scattering from low speed three-dimensional vortex flows is presented. Specific results are given for the horseshoe vortex and vortex ring. The noise of an elementary corotating vortex pair in various flows is calculated.

79-2138
Potential Energy Effects on the Sound Speed in Liquids

B. Hartmann
Polymer Physics Group, Naval Surface Weapons Ctr.,
White Oak, Silver Spring, MD 20910, J. Acoust. Soc.
Amer., 65 (6), pp 1392-1396 (June 1979) 1 fig, 22
refs

Key Words: Sound propagation, Liquids

Sound speed in liquids is calculated in terms of Mie potential parameters with the assumption that the intermolecular potential energy is the dominant factor. Using this simple model, it is shown that Beyer's parameter of nonlinearity, Rao's exponent, and the Gruneisen parameter are all simply related to each other.

79-2139
Correlation Function Determination for Inhomogeneities Scattering an Acoustic Wave

J. Lewandowski
Dept. of Physical Acoustics, Inst. of Fundamental
Technological Research, Polish Academy of Sciences,
Warsaw, Poland, Arch. Acoust., 3 (4), pp 283-292
(1978) 7 refs

Key Words: Wave propagation, Wave diffraction, Elastic waves

A random inhomogeneous isotropic medium filling a domain immersed in an infinitely extended homogeneous isotropic medium is considered. The formulae describing the scalar potential of the scattered field are deduced for small and large distances from the domain of the heterogeneous material. The fluctuations of density and wave propagation velocity are treated as random variables of the space coordinates. The correlation function is calculated from the

appropriate farfield solution and expressed in terms of a scalar potential for the angular distribution of the scattered wave. This general method is adapted for a nonviscous random emulsion and the correlation function is expressed in terms of the intensity angular distribution of the scattered wave.

79-2140
Theoretical Study of Finite Amplitude Standing Waves in Rectangular Cavities with Perturbed Boundaries

M. Aydin
Naval Postgraduate School, Monterey, CA, 61 pp
(Dec 1978)
AD-A066 356/7GA

Key Words: Sound waves, Resonant cavities

The effects of various geometrical boundary perturbations on finite-amplitude acoustical standing waves in a rectangular, rigid-walled cavity are investigated using non-linear theory. The standing waves that exist in an ideal cavity must be corrected when the boundaries are irregular. Three specific examples (stepped, linear and wedged perturbations) are worked out to demonstrate the corrections (in first order) near degeneracies for small perturbations. Those specific examples are compared to the experiments.

79-2141
Virtual Modes and Mode Amplitudes Near Cutoff

C.T. Tindle
Applied Research Labs., The Univ. of Texas at Austin,
TX 78712, J. Acoust. Soc. Amer., 65 (6), pp
1423-1428 (June 1979) 5 figs, 8 refs

Key Words: Underwater sound, Normal modes

For a Pekeris model the contribution of the continuous mode integral is analyzed in terms of virtual modes with particular attention to cases with a discrete mode just below or just above cutoff. There is a steady change of amplitude as a virtual mode changes into a discrete mode. The mode amplitudes decay with range and analytic approximations valid in most practical situations are obtained.

79-2142

A Method of Predicting Noise Equivalent Level Value in Urban Structure

R. Makarewicz and G. Kerber

Adam Mickiewicz Univ., Arch. Acoust., 3 (4), pp 231-248 (1978) 7 figs, 27 refs

Key Words: Urban noise, Noise prediction

The paper presents a method of predicting the noise equivalent level value in urban structure. The paper presents a solution of the problem of determination of the minimum number of the measurements of the parameter necessary to determine the noise equivalent level value with a preset accuracy.

79-2143

An Analysis of Contoured Crystal Resonators Operating in Overtones of Coupled Thickness Shear and Thickness Twist

H.F. Tiersten and R.C. Smythe

Dept. of Mech. Engrg., Aeronautical Engrg. and Mechanics, Rensselaer Polytechnic Inst., Troy, NY 12181, J. Acoust. Soc. Amer., 65 (6), pp 1455-1460 (June 1979) 3 figs, 3 tables, 7 refs

Key Words: Quartz resonators, Variable cross section

A previous treatment of overtone modes in trapped energy resonators is extended to the case of plates with slowly varying thickness. The resulting single scalar equation is applied in the analysis of plano-convex contoured quartz crystal resonators, and a lumped parameter representation of the admittance, which is valid in the vicinity of a resonance, is obtained. The influence of piezoelectric stiffening, electrode mass loading, and electrical shorting is included in the analysis.

PERIODIC

(Also see No. 2133)

79-2144

An Application of Newton's Diagram in the Periodic Solution of Quasiharmonic Oscillator, and the Stability of Such Solution (Une Application de Diagramme de Newton a la Recherche Des Solutions Periodiques D'un Oscillateur Quasiharmonique et L'etude de la

Stabilite de Ces Solutions)

V. Carpent, J. Hubin, and G. Khmelevskaja-Plotnikova

Facultes Universitaires Notre-Dame de la Paix, Namur, 61 rue de Bruxelles, Belgique, Intl. J. Nonlin. Mech., 14 (2), pp 67-80 (1979) 1 fig, 4 tables, 9 refs (In French)

Key Words: Periodic response

Periodic solutions of autonomous quasiharmonic systems are studied in the resonant case if the branching equation has multiple roots. Newton's diagram is used to find all the real solutions of this equation. The stability of the periodic solutions is also considered.

RANDOM

79-2145

Mathematical Model of the Stick-Slip Phenomenon

J. Korycki

Working Liquids Group, Materials and Tech. Dept., Aviation Inst., Warsaw, Poland, Wear, 55 (2), pp 261-263 (Aug 1979) 1 fig, 6 refs

Key Words: Stick-slip response, Mathematical models

A mathematical model of the stick-slip phenomenon is presented which is related to the characteristic changes of the friction forces as a function of the slip speed. The model leads to simple differential equations without the necessity of using distribution equations. It can be utilized in a simple way to describe actual friction nodes.

SEISMIC

79-2146

Study of Selected Events in Pamirs in a Seismic Discrimination Context

P.A. Sobel, D.H. von Seggern, E.I. Sweetser, and D.W. Rivers

Seismic Data Analysis Center, Teledyne Geotech, Alexandria, VA, Rept. No. SDAC-TR-77-3, 74 pp (Oct 10, 1977)

AD-A066 325/2GA

Key Words: Seismic detection, Earthquakes

Eleven earthquakes with low reported M_{sb} for their m_{sb} from the Northern Pamirs were examined in a seismic discrimination context. Seismograms from ALPA, LASA, NORSAR, the HGLP and the WWSSN stations were studied for source mechanism, M_{sb} - m_{sb} , corner frequency, pP , complexity, and spectral ratio. All the Pamir events can be identified as earthquakes when their characteristics are compared to those of Kazakh explosions.

79-2147

Extraction of Seismic Waveforms

A.C. Strauss

Equipment Group, Texas Instruments, Inc., Dallas, TX, Rept. No. TI-ALEX(01)-TR-78-02, 75 pp (Sept 29, 1978)

AD-A066 711/3GA

Key Words: Seismic detection, Seismic waves

This report considers the effects on detectability and measurability resulting from attempts to extract seismic waveforms by application of cascaded processors and polarization filters.

79-2148

Application of Ringdal's Method to Unbiased Measurement of the M_{sb} - m_{sb} Relationship

A.C. Strauss

Equipment Group, Texas Instruments, Inc., Dallas, TX, Rept. No. TI-ALEX(01)-TR-78-03, 50 pp (Aug 31, 1978)

AD-A066 712/1GA

Key Words: Seismic detection, Seismic waves

Ringdal's maximum likelihood method of removing magnitude bias was tested by removing the apparent bias of surface wave magnitude estimates. Bias removal was demonstrated by comparing maximum likelihood estimates of M_{sb} obtained by a single sensor to those obtained by an array at the Alaskan Long Period Array (ALPA) site. Since the beamformed array has a lower detection threshold than the single-sensor reference site, it can serve as the standard by which to judge whether positive magnitude bias has been removed from the reference site surface wave magnitude estimates.

79-2149

Short-Period Noise Envelope Statistics: A Basis for Envelope Detector Design

R. Unger

Equipment Group, Texas Instruments, Inc., Dallas, TX, Rept. No. TI-ALEX(01)-TR-78-05, 78 pp (Sept 26, 1978)

AD-A066 713/9GA

Key Words: Seismic detection, Seismic waves

This report focuses on the use of certain detection statistics, in particular the instantaneous amplitude or envelope, and the instantaneous power, in the design of a controlled false alarm rate detector. To achieve false alarm rate control, the detection statistic must be stationary, but need not be Gaussian. Parameters of a Gaussian process can be conveniently transformed into a stationary, normalized detection statistic.

79-2150

Seismic Analysis of Internal Equipment and Components in Structures

J.L. Sackman and J.M. Kelly

Dept. of Civil Engrg., Univ. of California, Berkeley, CA, *Engrg. Struc.*, 1 (4), pp 179-180 (July 1979)

7 figs, 20 refs

Key Words: Equipment response, Seismic response

In this paper, a rational approach to the design of lightly damped relatively light equipment in structures subjected to seismic loading or other forms of ground motion is presented. The analysis is carried out in the context of a model that consists of an N -degree of freedom structure to which is attached a single-degree-of-freedom component. An analytical method is developed whereby a simple estimate can be obtained of the maximum dynamic response of light equipment attached to a structure subjected to ground motion.

SHOCK

(Also see Nos. 2134, 2135, 2272)

79-2151

The Structure of Shock Layers in Elastic-Plastic Media: Micro-Plastic Regime

R.W. Lardner and S. Ramakesavan

Dept. of Mathematics, Simon Fraser Univ., Burnaby, British Columbia V5A 1S6, Canada, Intl. J. Nonlin. Mech., 14 (2), pp 81-92 (1979) 5 figs, 15 refs

Key Words: Shock waves, Shock wave propagation, Elastoplastic properties

The Granato-Lücke theory of internal friction is used as the basis of a model of shock-wave formation and propagation in elasto-plastic solids below the general yield point. The structure of shock layers in such a model is shown to be in general asymmetric and, at sufficiently large jumps in strain, to exhibit oscillations in the strain at its trailing edge.

79-2152

Extending Finite Element Methodology for a Class of Impact Problems

A.T. Change

Dept. of Mech. Engrg., Stevens Inst. of Tech., Hoboken, NJ, Rept. No. ARO-15522, 34 pp (Feb 1979) AD-A066 044/9GA

Key Words: Finite element technique, Impact response (mechanical)

This research has concentrated on a class of impact problems whose angle of impact is so shallow that the target impact disturbance might be considered as a surface wave problem. The theoretical background for the pressure distribution developed during impact is given in the last chapter.

79-2153

Some Notes on the Dynamic Properties of Unsaturated Concrete

S.T. Wu

EBASCO Services, Inc., 2 Rector St., New York, NY 10006, Nucl. Engr. Des., 53 (1), pp 97-103 (June 1979) 9 figs, 1 table, 22 refs

Key Words: Concretes, Dynamic response

A simplified computation model is presented at the microscopic level to predict the dynamic behaviors of unsaturated concrete. The dynamic response to the stress waves are formulated and described. With certain assumptions, the transient mass flow from the hindered absorbed layer to the capillary pores can be evaluated in the transient state.

PHENOMENOLOGY

DAMPING

(Also see No. 2182)

79-2154

Elastomer Mounted Rotors - An Alternative for Smoother Running Turbomachinery

J.A. Tecza, M.S. Darlow, S.W. Jones, A.J. Smalley, and R.E. Cunningham

Mechanical Technology Inc., Latham, NY, ASME Paper No. 79-GT-149

Key Words: Elastomeric dampers, Rotors (machine elements), Turbomachinery, Unbalanced mass response

This paper describes the design of elastomeric bearing supports for a rotor built to simulate the power turbine of an advanced gas turbine engine which traverses two bending critical speeds. The elastomer dampers are constructed to minimize rotor dynamic response at the critical speeds. Results are presented of unbalance response tests performed with two different elastomer materials.

79-2155

The Response of a Single Degree of Freedom System with Quadratic Damping to Step and Impulse Inputs

G. Jacazio and B. Piombo

Istituto di Meccanica Applicata alle Macchine, Politecnico, Torino, Italy, Mech. Res. Comm., 6 (3), pp 121-127 (1979) 4 figs, 3 refs

Key Words: Single degree of freedom systems, Quadratic damping

Single degree of freedom systems with quadratic damping are often encountered in mechanical systems; particularly in hydraulic systems where damping is often obtained by forcing oil to flow through a small orifice.

79-2156

A Design Point Correlation for Losses Due to Part-Span Dampers on Transonic Rotors

W.B. Roberts
Dept. of Aerospace and Mech. Engrg., Univ. of
Notre Dame, Notre Dame, IN, J. Engr. Power, Trans.
ASME, 101 (3), pp 415-421 (June 1979) 11 figs,
20 refs

Key Words: Dampers, Fan blades

The design-point losses caused by part-span dampers are correlated for 21 transonic axial-flow fan rotors that have tip speeds varying from 350 to 488 meters per second and design pressure ratios of 1.5 to 2.0. The additional loss attributable to the damper and the total region along the blade height influenced are correlated with selected aerodynamic and geometric parameters.

79-2157
Oil Squeeze Film Dampers for Reducing Vibration of Aircraft Gas Turbine Engines

T. Miyachi, S. Hoshiya, Y. Sofue, M. Matsuki, and
T. Torisaki
National Aerospace Lab., Tokyo, Japan, ASME Paper
No. 79-GT-133

Key Words: Vibration dampers, Squeeze film dampers,
Aircraft engines, Gas turbine engines

Theoretical analysis and experiments are carried out on cylindrical oil squeeze film dampers. The finite element method (FEM) is applied for calculating pressure distribution in the dampers with end seals and oil grooves. Measurements of the viscous damping coefficient of several dampers are conducted and compared with theoretical values. The effects of the dampers on the vibrational characteristics of engines are reviewed through theoretical analysis and experiments on an engine model. Then, the effects of squeeze film dampers on an actual engine are evaluated for design information.

FATIGUE
(Also see No. 2184)

79-2158
The Effect of Frequency and Environment on the Fatigue-Crack Growth Behaviour of ASTM A533 Grade B Class 1 Weldment Material
C.J. Poon and D.W. Hoepfner

Univ. of Toronto, Toronto, Canada M5S 1A4, Intl.
J. Fatigue, 1 (3), pp 141-152 (July 1979) 23 figs,
13 refs

Key Words: Fatigue (materials), Crack propagation

The effects of frequency and distilled water environment on the fatigue-crack growth characteristics of ASTM A533 Grade B Class 1 weldment material is studied with major emphasis placed on the crack growth along the weld centerline as well as along the heat affected zone (HAZ). A single deterministic fatigue-crack growth model based on the Four Parameter Weibull Survivorship Function is used.

79-2159
Environmental Dynamic Fatigue Crack Propagation in Nylon 66

H.A. ElHakeem and L.E. Culver
The National Inst. for Standards, Cairo, Egypt, Intl.
J. Fatigue, 1 (3), pp 133-140 (July 1979) 9 figs,
1 table, 21 refs

Key Words: Fatigue (materials), Crack propagation

Standard samples of nylon 66 are pre-treated in either air, water, or dilute sulphuric acid and then notched and examined for fatigue crack propagation in the various environments. Tensile dynamic fatigue tests under constant sinusoidal load amplitudes are carried out at different frequencies.

79-2160
Gust Severity Effects on Fatigue Crack Propagation in Aluminum Alloy Sheet Materials

R.J.H. Wanhill
National Aerospace Lab., NLR, Amsterdam, The
Netherlands, Intl. J. Fatigue, 1 (3), pp 118-123
(July 1979) 10 figs, 16 refs

Key Words: Fatigue (materials), Crack propagation

Flight simulation fatigue tests are carried out on specimens of two aluminum alloys to investigate the effect of differing gust load experiences on fatigue crack propagation in 7075-T6 and the effect of gust load alleviation on 2024-T3. Two gust spectra were used: the Fokker F-27 spectrum for 7075-T6; and the reference spectrum TWIST for 2024-T3.

EXPERIMENTATION

BALANCING

79-2161

High Speed Rotor Balancing

W.D. Pilkey

Dept. of Mech. and Aerospace Engrg., Univ. of Virginia, Charlottesville, VA, Rept. No. UVA/525-088/MAE78/102, ARO-15080.7-E, 14 pp (Dec 1978) AD-A067 221/2GA

Key Words: Balancing techniques, Rotors (machine elements), Shafts (machine elements), Flexible rotors

This report summarizes the accomplishments of the final year of a study exploring new methods for balancing, analyzing, and designing flexible rotating shafts. A technique for identifying rotor bearing parameters is proposed. Then a quadratic programming formulation is presented for influence coefficient balancing with constraints. Finally, a method is developed for determining the optimal axial location of balancing planes.

79-2162

Synchronous Unbalance Response of an Overhung Rotor with Disk Skew

D.J. Salamone and E.J. Gunter

Allis-Chalmers Corp., Milwaukee, WI, ASME Paper No. 79-GT-135

Key Words: Balancing techniques, Rotors (machine elements)

This paper deals with the influence of disk skew on the synchronous unbalance response of flexible rotors in damped bearings. A simple overhung rotor is treated to illustrate the effects of various combinations of unbalance and disk skew on the amplitude and phase angle response at the disk and bearings.

79-2163

Four Run Balancing Without Phase

P.O.L. Carlson

Electronic Dynamic Balancing Co., Hillside, IL, Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 117-122, 7 figs

Key Words: Balancing techniques

The paper details the single plane balancing of a disc, fly-wheel or bladed fan such as a cooling tower fan. Other wider parts can be balanced at the center of gravity to accomplish a single plane balance.

79-2164

An Introduction to a Unified Approach to Flexible Rotor Balancing

A.G. Parkinson, M.S. Darlow, A.J. Smalley, and R.H. Badgley

Univ. College of London, UK, ASME Paper No. 79-GT-161

Key Words: Balancing techniques, Flexible rotors, Rotors (machine elements)

Existing methods for the balancing of flexible rotors are discussed and a unified approach for such balancing is presented. A program for testing the method is also described.

79-2165

Laser Balancing Demonstration on a High-Speed Flexible Rotor

R.S. DeMuth, R.A. Rio, and D.P. Fleming

Mechanical Technology Inc., Latham, NY, ASME Paper No. 79-GT-56

Key Words: Balancing techniques, Lasers, Flexible rotors, Rotors (machine elements)

This paper describes a flexible rotor system used for two-plane laser balancing and an experimental demonstration of the laser material removal method for balancing. A laboratory test rotor was modified to accept balancing corrections using a laser metal removal method while the rotor is at operating speed. The laser setup hardware required to balance the rotor using two correction planes is described.

79-2166

Five-Plane Laser Balancing System for a Flexible Rotor

R.S. DeMuth

Mechanical Technology Inc., 968 Albany-Shaker Rd., Latham, NY 12110, Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 123-128, 9 figs, 2 refs

Key Words: Balancing techniques, Lasers, Flexible rotors

This paper describes the system for a five-plane laser balancing and experimental demonstration of the laser material removal method for balancing. A laboratory supercritical test rotor was modified to accept balancing corrections using a laser metal removal method while the rotor is at operating speed. The laser hardware required to balance the rotor using five correction planes is described. The optical table, laser module and laser controller were assembled and calibrated for material removal rates.

79-2167

TF30 Engine Trim Balancing and Vibration Diagnostic System

R.A. Rio, J. Rutledge, and F. Fanuele

Diagnostic Systems Section, Mechanical Technology Inc., 968 Albany-Shaker Rd., Latham, NY 12110, Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 139-145, 3 figs, 1 table, 1 ref

Key Words: Balancing techniques, Diagnostic techniques, Aircraft engines

The Trim Balancing and Diagnostic System, installed in four TF30 engine test cells at the Oklahoma City Air Logistics Center (OC-ALC), is described. This project demonstrates the practical application of combining minicomputer technology with extensive rotor dynamics expertise to provide the Air Force with a system which solves many of the previously mentioned problems.

DIAGNOSTICS

(Also see Nos. 2167, 2189)

79-2168

Machinery Vibration Monitoring and Analysis Semi-

nar and Meeting Proceedings

Sponsored by Vibration Institute, Apr 1979, New Orleans, LA, Avail: Vibration Institute, 101 W. 55th St., Suite 206, Clarendon Hills, IL 60514

Key Words: Machinery vibration, Vibration monitoring, Diagnostic techniques

Twenty five papers presented at the Machinery Vibration Monitoring and Analysis Seminar and Meeting feature lectures on techniques for data analysis and problem identification and correction, and methods for evaluating and reporting data. The seminar was directed to individuals involved in the design, experimental testing, development and procurement of reciprocating and rotating machinery. Vibration problems likely to occur during the development and commissioning of new equipment are described. An annotated bibliography listing 198 items is also included. (Individual papers are also abstracted in this issue of the DIGEST).

79-2169

Random Test Generation for Fault Detection and Diagnosis

D.K. Goel

Ph.D. Thesis, Syracuse Univ., NY, 260 pp (1978)
UM 7908534

Key Words: Diagnostic techniques

A method of test generation is developed which aims at: eliminating the golden unit (a random test generation scheme in which the outputs of the golden unit and the circuit under test are compared); minimizing the length of the test sequence; reducing the complexity of deriving the tests; minimizing the chances of making a wrong decision; and minimizing the information required for reaching a decision about the state of the circuit. The testing procedure developed is analogous to the statistical hypothesis testing problem. Tests are derived for four different kinds of faults. The effectiveness of the tests is studied by randomly injecting faults into a circuit. A new testing procedure called the sequential probabilistic testing procedure is developed for the purpose of fault diagnosis. An algorithm is presented for computing the optimal sequential testing procedure for locating a fault.

79-2170

The Practical Vibration Primer

C. Jackson

Gulf Publishing Co., Houston, TX, 1979, 114 pp, Avail: Vibration Institute, 101 W. 55th St., Clarendon Hills, IL 60514

Key Words: Diagnostic techniques, Machinery vibration, Books

The Practical Vibration Primer provides a working knowledge of the fundamentals required to evaluate malfunctions caused by excessive vibration. It begins with the basics of vibratory motion, and expands to cover the application of measurement and correction techniques. In addition to discussing motion-displacement, velocity, and acceleration of vibrating systems, with practical examples and illustrations to enhance understanding, the book describes various types of sensors used to measure vibration. Also provided are guidelines for selecting the proper machinery and structure vibration sensor. Other topics include logarithmic scaling, filters, phase and basic balancing (machine balancing techniques are illustrated with example problems), instrumentation, severity, thrust bearings, alignment, and information on how to avoid the common mistake of confusing strobe vibration analysis with probe vibration analysis.

79-2171

Computer Managed Vibration Monitoring and Analysis of Plant Machinery

B. Buckley and J. Chavez
DYNAMIC Div. of Spectral Dynamics, San Diego, CA, Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 183-189, 5 figs

Key Words: Diagnostic techniques, Turbomachinery

This paper describes some manufacturer's results in combining current computer and vibration instrumentation technology. This new system is dedicated to monitoring and analysis of plant turbomachinery (and auxiliary equipment) health and performance.

79-2172

The Right Way to Overhaul Turbomachinery

J.D. Houghton
Shell Oil Co., Deer Park, TX, Hydrocarbon Processing, 58 (6), pp 129-136 (June 1979) 3 figs, 2 tables, 4 refs

Key Words: Diagnostic techniques, Turbomachinery

How to plan, execute and document turbomachinery overhauls are described based on data gathered on approximately 30 machines. Specific examples of what can go wrong and corrective action are also included.

79-2173

Investigating Steady State Vibrations in Large Engines and Reciprocating Compressors

T.J. Finneran
Ingersoll-Rand Co., Painted Post, NY, Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 155-161, 10 figs

Key Words: Diagnostic techniques, Reciprocating engines, Periodic response

This paper is primarily concerned with the investigation of vibrations associated with large engines and reciprocating compressors, but is also applicable to other machinery. Its intent is to familiarize users of this equipment with some vibration principles, the major sources of excitation and the reasons why excessive vibrations may occur. It finally outlines investigatory procedures on vibration problems when they arise. First, the steps to be followed by observations; second, the steps to be followed using instruments. It concludes with some examples where these principles have been used.

79-2174

Dynamic Analysis of a 7500 HP Induction Motor

J.E. Corley
Rotating Equipment, Arabian American Oil Co., Dhahran, Saudi Arabia, Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 37-41, 6 figs

Key Words: Diagnostic techniques, Induction motors

This paper describes the diagnosis and analysis of two large four pole induction motors which are used in a crude oil loading system. The paper describes the techniques used to analyze the resonance and the experimental testing using an impedance analysis system to obtain the system stiffnesses necessary to model the system. The paper also presents the analysis of the recommended solution using an elliptical bearing to detune the horizontal resonance.

79-2175

An Analysis Procedure for the Validation of On-Site Performance Measurements of Gas Turbines

R.K. Agrawal, B.D. MacIsaac, and H.I.H. Saravannamutto

Carleton Univ., Ottawa, Canada, J. Engr. Power, Trans. ASME, 101 (3), pp 405-414 (June 1979) 18 figs, 9 refs

Key Words: Diagnostic techniques, Gas turbine engines

In order to ensure accuracy and credibility of an engine health monitoring system, it is vital that the measurements used in the analysis process be accurate. An analysis procedure is developed to verify the accuracy of daily measurements taken from industrial gas turbines in the gas pipeline industry. The procedure is extended to use the measurements to develop an engine health monitoring system for this class of equipment which is based solely on existing instrumentation.

79-2176
Measurement Techniques for Preventing Fan Vibration Failures

P.K. Baade
Dynamics Research Div., Carrier Corp., Syracuse, NY 13221, Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 27-36, 10 figs, 7 refs

Key Words: Fans, Diagnostic techniques, Critical speeds

This paper is concerned with the development of a practical measurement technique for predicting the critical speeds of propeller fans used in typical heating, refrigeration and air conditioning units. The paper reviews a typical fan failure history and describes tests conducted to diagnose the cause of the failure, as well as two different test methods which are candidates for an ASHRAE standard aimed at preventing such failures. Areas requiring further work are outlined.

79-2177
Automating Signature Analysis for Predicting Machinery Failures

B.M. Rickert
Mechanical Technology Inc., 968 Albany-Shaker Rd., Latham, NY 12110, Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 191-197

Key Words: Diagnostic techniques, Machinery, Vibration signatures, Signatures, Computer aided techniques

A system for automating the techniques of signature analysis, which reduces the cost of performing a detailed signature analysis by a factor of ten, is described.

79-2178
The Shock Pulse Method for Determining the Condition of Anti-Friction Bearings

K. Barthel
Testing Machines, Inc., Amityville, NY, Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 199-204, 10 figs

Key Words: Diagnostic techniques, Shock pulse method, Antifriction bearings, Bearings

The Shock Pulse Method, which is based on monitoring the mechanical impacts caused by bearing damage and operating condition problems, is described. It allows a bearing's condition to be tested over its entire life.

79-2179
A Comparison of Vibration Measurement Techniques for Monitoring and Analysis

R.L. Fox
IRD Mechanalysis, Inc., Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 73-82, 15 figs

Key Words: Diagnostic techniques, Vibration measurement, Measuring instruments, Rotor-bearing systems

This paper discusses the three basic approaches in vibration measurement in terms of transducer selection and practical limitations. An evaluation of each measurement approach is made with consideration given to various rotor/bearing configurations as well as relative response to various specific machinery malfunctions and associated vibration characteristics. Recommendations and conclusions are supported with comparative spectrum analysis data of each measurement approach obtained on a variety of machinery installations.

79-2180
Identification of Gear Defects by Vibration Analysis

J.I. Taylor

Gardinier, Inc., Tampa, FL, Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 93-105, 23 figs

Key Words: Diagnostic techniques, Vibration signatures, Gears

This paper describes procedures for identifying gear defects and/or problems. Analysis of vibration velocity signals in the time and frequency domains was utilized. The specific gear that causes the mesh problems can be identified by analyzing gear mesh frequencies.

79-2181

Detection of Valve Leakage in Reciprocating Compressors by Demodulated Resonance Analysis

D.L. St. John

Shell Oil Co., Wood River, IL, Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 177-182, 11 figs

Key Words: Diagnostic techniques, Valves, Compressors, Demodulated resonance analysis

This paper is a discussion of the relevant factors involved in successfully developing a technique to improve reciprocating compressor reliability and maintenance cost through the early detection of defective valves by demodulated resonance analysis.

79-2182

An Effective Discriminant for Evaluating the Quality of Viscous Dampers Applied to EMD 20-645E3 Locomotive Engines

H. Hershkowitz

Applications Engrg., Scientific-Atlanta, Inc., Randolph, NJ, Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 147-153, 6 figs, 4 tables, 7 refs

Key Words: Diagnostic techniques, Vibration dampers, Viscous damping, Torsional vibration

In situations where many different measured parameters describe the functional performance of a system, the meth-

ods of Multivariate Discriminatory Analysis allow the accept-reject criteria to be readily determined. This paper illustrates one such technique and demonstrates a means of estimating the quality of viscous torsional vibration dampers, where three measured parameters are associated with the determination.

79-2183

Statistical Techniques for Automating the Detection of Anomalous Performance in Rotating Machinery

K.R. Piety and T.E. Magette

Oak Ridge National Lab., Oak Ridge, TN 37830, Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 163-176, 9 figs, 4 tables, 23 refs

Key Words: Diagnostic techniques, Statistical analysis, Automated testing, Rotating structures

A methodology for monitoring industrial rotating equipment which would upgrade ongoing programs and yet still be practical for implementation is investigated. An improved anomaly recognition methodology is formulated and implemented on a minicomputer system. The effectiveness of the monitoring system is evaluated in laboratory tests on a small rotor assembly, using vibrational signals from both displacement probes and accelerometers.

79-2184

Simultaneous Monitoring of Acoustic Emission and Ultrasonic Attenuation During Fatigue of 7075 Aluminum

J.C. Duke, Jr. and R.E. Green, Jr.

College of Engrg., Virginia Polytechnic Inst. and State Univ., Blacksburg, VA 24001, Intl. J. Fatigue, 1 (3), pp 125-132 (July 1979) 9 figs, 40 refs

Key Words: Fatigue (materials), Diagnostic techniques, Acoustic emission

A thorough review of the previous work employing either technique (ultrasonic attenuation monitoring or acoustic emission monitoring) for the examination of aluminium during fatigue is presented.

EQUIPMENT

(Also see No. 2150)

79-2185

Transient Analysis of Equipment-Structure Interaction at High Frequencies

J.L. Sackman and J.M. Kelly

Weidlinger Associates, Menlo Park, CA, Rept. No. R-7828, DNA-4675F, 66 pp (May 1978)

AD-A066 607/3GA

Key Words: Equipment response, Transient excitation

An analytical method is developed which yields a simple estimate of the maximum dynamic response of light equipment attached to a structure subjected to ground motions. The natural frequency of the equipment, modeled as a single-degree-of-freedom system, is considered to be close, or equal, to one of the natural frequencies of the N-degree-of-freedom structure. The approach is based on the transient analysis of lightly damped, tuned or detuned equipment-structure systems in which the mass of the equipment is small in comparison with that of the structure.

FACILITIES

79-2186

Measurements of Low-Velocity Flow Noise on Pressure and Pressure Gradient Hydrophones

R.A. Finger, L.A. Abbagnaro, and B.B. Bauer

CBS Technology Center, Stamford, CT 06905, J. Acoust. Soc. Amer., 65 (6), pp 1407-1412 (June 1979) 7 figs, 9 refs

Key Words: Test facilities, Noise measurement, Fluid-induced excitation

A circular flow tank facility is developed which features extremely low acoustic and vibration ambient conditions. This facility is described, operating procedures associated with its use are presented, and limitations in the measurement procedures are mentioned. The flow facility is used to measure the noise output of pressure and pressure gradient hydrophones during actual flow conditions and results of these tests are presented and discussed.

INSTRUMENTATION

(Also see No. 2179)

79-2187

Vibration Measurement - An Introduction to Piezoceramic Accelerometers and Associated Instrumentation - Part 2

D. Purdy

Noise Control Vib. Isolation, 10 (5), pp 178-181 (May 1979) 11 figs, 5 refs

Key Words: Vibration measurement, Measuring instrumentation, Accelerometers

In part 2 of this article, continued from the April 1979 issue, the conditioning of signals from piezoceramic accelerometers is discussed.

79-2188

Concepts and Transducers Used in Measuring Dynamic Mass

R.R. Bouche

Bouche Labs., Sun Valley, CA, Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 11-17, 7 figs, 7 refs

Key Words: Electrodynamic shakers, Vibration measurement, Measurement techniques, Measuring instruments

The general requirements for accurate dynamic mass measurements include using a small electrodynamic shaker together with an accelerometer and force gage having high sensitivities. The mechanical impedance or mobility can be computed from the measured dynamic mass simply by using the relationship between the velocity and acceleration for sinusoidal vibration motion. There are many important applications for the simplest form of dynamic mass measurements. These include measuring the dynamic mass at the driving point and the transfer dynamic mass while applying a single rectilinear force.

79-2189

A Review of Machinery Analysis Instrumentation

J.S. Mitchell

Turbomachinery Consultant, San Juan Capistrano,

CA, Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 1-9, 6 figs

Key Words: Machinery, Vibration analyzers, Measuring instruments

Vibration transducers, signal conditioning and some of the factors which must be considered in deciding which measurement to make are discussed. This paper is a condensation of three chapters in a comprehensive book on machinery analysis which will provide the reader with a good general basis for machinery analysis.

SCALING AND MODELING

79-2190

Use of Scaled Plastic Models in Mobility Studies

R.L. Bannister

Westinghouse Electric Corp., Lester, PA, Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., New Orleans, LA, pp 19-23, 3 tables, 40 refs

Key Words: Scaling

This paper reviews the techniques that are used to design, construct and test scaled plastic models. Scaling laws, material characteristics, mobility analyses, experimental procedures, and test instrumentation are covered.

TECHNIQUES

(See Nos. 2130, 2188)

COMPONENTS

SHAFTS

(Also see No. 2161)

79-2191

Shaft and Casing Motion of Large, Single Shaft, Industrial Gas Turbines

R.C. Eisenmann

North American Region, Bently Nevada Corp., Houston, TX, Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 83-91, 10 figs

Key Words: Shafts, Gas turbines, Lateral vibration, Test equipment and instrumentation, Vibration tests

This paper addresses the shaft and casing vibration response characteristics of large, single shaft, industrial gas turbines. A contemporary suite of vibration transducers consisting of proximity displacement probes, velocity seismoprobes, and piezoelectric accelerometers are considered. The individual transducers are discussed, and the mechanical characteristics of gas turbines are reviewed. Finally, two specific machinery examples are presented to illustrate the various measurements, and data reduction techniques.

BEAMS, STRINGS, RODS, BARS

79-2192

Wave Motion in Micropolar Elastic Bars with Rectangular Cross Section

R.Y. Vasudeva and R.K. Bhaskara

Dept. of Appl. Mathematics, Andhra Univ., Waltair, India, Intl. J. Engr. Sci., 17 (8), pp 965-971 (1979) 9 refs

Key Words: Beams, Rectangular bars, Wave propagation, Frequency equation, Normal modes

Effect of couple stresses on the propagation of elastic waves in an infinite bar of rectangular cross section is studied in the framework of Eringen's micropolar theory of elasticity. The crosswise superposition technique is used to obtain the general solution and the frequency equation for longitudinal modes of vibration of the bar.

79-2193

The Modelling of Net and Cloth Dynamics

C.M. Leech

Dept. of Mech. Engrg., The Univ. of Manchester Inst. of Science and Tech., Manchester, UK M60 1QD, J. Franklin Inst., 307 (6), pp 361-378 (1979) 6 figs, 17 refs

Key Words: Mathematical models, Grids (beam grids)

The dynamic modeling of dense nets, cloths and gridworks is approached through Hamilton's principle and Fourier series. The technique is examined in consequence of natural frequencies, travelling waves and wave propagation. The model is checked with previous results. The approach is extendible to laminates and to reinforcements.

79-2194

Vibration Properties of Curved Thin-Walled Beams

A. Rutenberg

Faculty of Civil Engrg., Technion-Israel Inst. of Tech., Haifa, Israel, ASCE J. Struc. Div., 105 (ST7), pp 1445-1455 (July 1979) 3 figs, 2 tables, 12 refs

Key Words: Beams, Curved beams, Bridges, Natural frequencies

A simple procedure is proposed to evaluate the out-of-plane vibration frequencies for a class of horizontally curved beams. The method is illustrated by a numerical example: a fixed-fixed curved highway with open cross-section.

79-2195

On the Rectilinear Motion of an Inextensible String

M. Kuipers

Dept. of Mathematics, Univ. of Groningen, Groningen, The Netherlands, J. Engr. Math., 13 (3), pp 249-256 (July 1979) 5 figs, 3 refs

Key Words: Strings, Chains, Normal modes

In this paper the rectilinear motion of a string or chain with no bending stiffness, which is arranged in a straight line and bent double is investigated. Two mechanisms, one of which is dissipative and the other is not are examined. The results of the calculations are compared with analogous computations in the literature.

79-2196

Inertial Effects of Masses Moving on Cables

J.L. Kanning

Ph.D. Thesis, Purdue Univ., 163 pp (1978)
UM 7914913

Key Words: Cables (ropes), Moving loads, Inertial forces

The effect of inertia on the motion of masses traveling on taut cables is investigated. An approximate analytical solution is presented. A numerical approach fully accounting for kinematical coupling effects is also presented. Finally, the numerical solution, developed for a moving point mass, is shown to be adaptable to systems with continuous moving masses, and the dynamic stability of tubular cantilevers conveying fluid is briefly investigated. The numerical results are compared with theoretical and experimental results from Gregory and Paidoussis.

79-2197

Seismic Support: Speedy Determination of Frequency

A.K. Kar

Ebasco Services, Inc., New York, NY, ASCE J. Struc. Div., 105 (ST7), pp 1289-1306 (July 1979) 12 figs, 9 refs

Key Words: Cables (ropes), Seismic response, Nuclear power plants

Approximate formulas, based on the stiffness of the SDOF models, are presented to determine the natural frequencies very quickly and reliably. The formulas have the added advantage of demonstrating the contribution of different members to the frequency of a frame. The use of the formulas, presented in the paper, can considerably simplify the dynamic analysis of seismic supports for electrical cables and HVAC ducts in nuclear power plant and other structures.

79-2198

Cable Spring Constants for Guyed Tower Analysis

R.A. Skop

Appl. Mechanics Branch, Ocean Tech. Div., U.S. Naval Research Lab., Washington, D.C., ASCE J. Struc. Div., 105 (ST7), pp 1307-1318 (July 1979) 5 figs, 17 refs

Key Words: Cables (ropes), Towers, Guyed structures

In this paper new formulas are developed for calculating guy cable preloads and spring constants. The formulas are evolved for arbitrarily loaded guys containing any number of discrete masses and having arbitrary constitutive relations. The calculations of guy preloads and spring constants from these formulas are demonstrated by numerical examples.

BEARINGS

(Also see No. 2178)

79-2199

Dynamically Loaded Bearings Operating with Non-Newtonian Lubricant Films

Z.S. Safar

Mech. Engrg. Dept., Univ. of California, Berkeley, CA 94720, *Wear*, 55 (2), pp 295-304 (Aug 1979) 7 figs, 12 refs

Key Words: Bearings, Lubrication

The behavior of a laminar non-Newtonian film (power law) is studied for dynamically loaded bearings. An expression for the modified Reynolds equation is obtained for the non-Newtonian fluid film. The load-carrying capacity is obtained for various values of the viscometric exponent of the power law model.

79-2200

Predicting Wear in Misaligned Rolling Contact

P.A. Engel

IBM Corp., Endicott, NY, *Mach. Des.*, 51 (17), pp 128-132 (July 26, 1979)

Key Words: Bearings, Wear, Alignment, Antifriction bearings

A new procedure for the determination of wear of rolling machinery components is described. The method shows how to determine the critical misalignment angle, given the contact geometry and elastic properties of two rolling surfaces. Then, from the critical misalignment angle, the maximum wear depth that can be expected at the contact area edge of the two surfaces is determined.

79-2201

Analysis of Fitted Partial Arc and Tilting-Pad Journal Bearings

M.N. Abdul-Wahed, J. Frene, and D. Nicolas

Institut National des Sciences Appliquees de Lyon, 69621 Villeurbanne, France, *ASLE Trans.*, 22 (3), pp 257-266 (July 1979) 21 figs, 10 refs

Key Words: Bearings, Tilting pad bearings

As a step towards tilting fitted-pad bearing, calculated steady-state and dynamic characteristics are given for the finite-length fitted partial arc bearing for different values of bearing angle. Steady-state and dynamic characteristics are then given for a tilting-pad bearing with the load between pads. Results are compared with the similar clearance type bearing.

79-2202

Geometry Effects in Tilting-Pad Journal Bearings

G.J. Jones and F.A. Martin

The Glacier Metal Co., Ltd., Wembley, Middlesex, UK, *ASLE Trans.*, 22 (3), pp 227-244 (July 1979) 14 figs, 2 tables, 12 refs

Key Words: Bearings, Tilting pad bearings, Geometric effects

A theoretical study is undertaken to show the influence of bearing geometry on the steady-state and dynamic behavior of tilting-pad journal bearings. The computer model used takes into account a different viscosity on each pad, turbulence in the oil film and pad inertia. The geometric changes considered include the pad clearance and the bearing clearance, the length/diameter ratio, the number of pads, and the orientation of the bearing with respect to the load direction. The major operating characteristics examined are oil film thickness, pad temperature, power loss, and oil film stiffness and damping.

79-2203

Analytical and Experimental Determination of Surface Finish Effects on the EHD Performance of Ball Bearings

T.E. Russell and J.C. Clark

General Electric Co., Cincinnati, OH 45215, *ASLE Trans.*, 22 (3), pp 286-292 (July 1979) 8 figs, 4 tables, 15 refs

Key Words: Bearings, Ball bearings, Fatigue tests, Surface roughness

An analytical and experimental analysis is conducted to determine the effects of surface finish on the elastohydrodynamic performance of a group of 168-mm bore diameter, gas turbine engine, main shaft ball bearings found to have discrepant outer raceway surface finishes.

79-2204

Dynamics of Rolling-Element Bearings. Part I: Cylindrical Roller Bearing Analysis

P.K. Gupta

Mechanical Technology Inc., 968 Albany-Shaker Rd., Latham, NY 12110, J. Lubric. Tech., Trans. ASME, 101 (3), pp 293-304 (July 1979) 8 figs, 14 refs

Key Words: Bearings, Roller bearings

An analytical formulation for the roller motion in a cylindrical roller bearing is presented in terms of the classical differential equations of motion. Roller-race interaction is analyzed in detail and the resulting normal force and moment vectors are determined. Elastohydrodynamic traction models are considered in determining the roller-race tractive forces and moments. Formulation for the roller end and race flange interaction during skewing of the roller is also considered.

79-2205

Dynamics of Rolling-Element Bearings. Part II: Cylindrical Roller Bearing Results

P.K. Gupta

Mechanical Technology Inc., 968 Albany-Shaker Rd., Latham, NY 12110, J. Lubric. Tech., Trans. ASME, 101 (3), pp 305-311 (July 1979) 16 figs, 8 refs

Key Words: Bearings, Roller bearings

Cylindrical roller bearing performance simulations are expressed in terms of the general motion of the bearing elements as derived by integrating the differential equations of motion. Roller skew as induced by relative race misalignment is simulated. The influence of geometrical parameters, such as roller/cage or race/cage clearance and radial preload, on the roller and cage motion is also investigated.

79-2206

Dynamics of Rolling-Element Bearings. Part III: Ball Bearing Analysis

P.K. Gupta

Mechanical Technology Inc., 968 Albany-Shaker Rd., Latham, NY 12110, J. Lubric. Tech., Trans. ASME, 101 (3), pp 312-318 (July 1979) 5 figs, 19 refs

Key Words: Bearings, Ball bearings

An analytical formulation for the generalized ball, cage, and

race motion in a ball bearing is presented in terms of the classical differential equations of motion. Ball-race interaction is analyzed in detail and the resulting force and moment vectors are determined. The ball-cage and race-cage interactions are considered to be either hydrodynamic or metallic and a critical film thickness defines the transition between the two regimes. Simplified treatments for the drag and churning losses are also included to complete a rigorous analytical development for the real-time simulation of the dynamic performance of ball bearings.

79-2207

Dynamics of Rolling-Element Bearings. Part IV: Ball Bearing Results

P.K. Gupta

Mechanical Technology Inc., 968 Albany-Shaker Rd., Latham, NY 12110, J. Lubric. Tech., Trans. ASME, 101 (3), pp 319-326 (July 1979) 24 figs, 9 refs

Key Words: Bearings, Ball bearings, Alignment

Dynamic simulations of the performance of a ball bearing are presented in terms of the general motion as obtained by integrating the differential equations of motion of the various bearing elements.

79-2208

Elastohydrodynamic Contact Between Two Rollers Under Conditions of Unsteady Motion

S. Pytko and K. Wierzcholski

Dept. of Machines, Technical Univ. AGH, Krakow, Poland, Wear, 55 (2), pp 245-260 (Aug 1979) 2 figs, 2 tables, 3 refs

Key Words: Bearings, Rolling contact bearings, Rolling friction, Contact vibration, Elastohydrodynamic properties, Lubrication

An analysis of the elastohydrodynamic (EHD) contact between two rotating rollers in unsteady motion when one roller rolls around the other is presented.

BLADES

79-2209

Optimization of Propeller Skew Distribution to Minimize the Vibratory Forces and Moments Acting at the Propeller Hub

M.G. Parsons and J.E. Greenblatt
Dept. of Naval Architecture and Marine Engrg.,
Michigan Univ., Ann Arbor, MI, Rept. No. UM/
NAME-206, MA-RD-940-79023, 66 pp (Dec 1978)
PB-293 934/6GA

Key Words: Blades, Propeller blades, Marine propellers,
Skew plates, Optimum design, Computer programs

The propeller skew design problem is formulated as an optimization problem to minimize a weighted, linear combination of the six vibratory forces and moments acting at the propeller hub. The SKEWOPT propeller skew optimization program is described. This interactive program was developed to perform the propeller skew optimization in a routine design setting. The vibratory forces and moments are evaluated using either a two-dimensional, sinusoidal gust theory or a three-dimensional, unsteady, lifting-line theory.

COLUMNS

79-2210
Inelastic Response of Reinforced Concrete Columns Subjected to Two-Dimensional Earthquake Motion
M.I.H. Suharwardy
Ph.D. Thesis, Univ. of Illinois at Urbana-Champaign,
225 pp (1979)
UM 7915433

Key Words: Columns, Reinforced concrete, Earthquake response

This study was undertaken to determine the effects of two-dimensional earthquake motion on reinforced concrete (R/C) columns. An analytical model to represent the shear-deflection-axial load relationship of R/C columns is developed from stress-strain relations of steel and concrete. The analytical model compares favorably with experimental results for both uniaxial and biaxial loading conditions. The analytical model predicts significant changes in the strength, energy absorption capacity and accumulated damage responses of the column under biaxial deformations as compared to the corresponding responses under uniaxial deformations.

79-2211
Parametric Response of a Metallic Column at Elevated Temperature

G.J. Wang
Dept. of Mechanics and Materials Science, Rutgers
Univ., New Brunswick, NJ 08903, Intl. J. Nonlin.
Mech., 14 (2), pp 123-132 (1979) 5 figs, 13 refs

Key Words: Parametric resonance, Columns, Thermal excitation, Self-excited vibrations

The parametric response of a metallic column at elevated temperature is investigated, taking into account its non-linear viscous characteristics. An asymptotic method for the determination of the region of self-excitation and the amplitudes and phase angles for both stationary and non-stationary responses is outlined briefly.

CONTROLS

(Also see No. 2181)

79-2212
Some Connections Between Modern and Classical Control Concepts

A.E. Bryson, Jr.
Paul Pigott Professor of Engrg., Stanford Univ., Stanford, CA 94305, J. Dyn. Syst., Meas. and Control, Trans. ASME, 101 (2), pp 91-98 (June 1979) 15 figs, 13 refs

Key Words: Control equipment, Structural synthesis

This is a tutorial paper that discusses the synthesis of optimum constant-gain feedback controllers for stationary linear systems. A fourth order example is used throughout the paper to help clarify the concepts.

79-2213
Experience with Experimental Applications of Multi-variable Computer Control

D.E. Seborg and D.G. Fisher
Dept. of Chemical and Nuclear Engrg., Univ. of California, Santa Barbara, CA 93106, J. Dyn. Syst., Meas. and Control, Trans. ASME, 101 (2), pp 108-116 (June 1979) 12 figs, 38 refs

Key Words: Control equipment, Computer aided techniques

This paper summarizes experience gained over the past ten years in applying multivariable control techniques to a pilot

scale, double effect evaporator at the University of Alberta. It is possible to make meaningful comparisons between conventional control strategies and modern multivariable techniques including: optimal control, eigenvalue assignment, state estimation, adaptive control, frequency domain methods, time delay compensation, disturbance localization and model reference identification. The paper concludes with a discussion of the implications of this research for industrial application.

DUCTS

(Also see No. 2135)

79-2214

A Statistical Theory for Sound Radiation and Reflection from a Duct

Y.C. Cho

Joint Inst. for Advancement of Flight Sciences, The George Washington Univ., NASA Langley Research Ctr., Hampton, VA 23665, J. Acoust. Soc. Amer., 65 (6), pp 1373-1379 (June 1979) 8 figs, 13 refs

Key Words: Ducts, Sound waves, Sound propagation, Sound reflection, Statistical analysis

A new analytical method is introduced for the study of the sound radiation and reflection from the open end of a duct. The sound is thought of as an aggregation of the quasi-particles-phonons. The motion of the latter is described in terms of the statistical distribution, which is derived from the classical wave theory. The results are in good agreement with the solutions obtained using the Wiener-Hopf technique.

FRAMES, ARCHES

79-2215

Reinforced Concrete Ductile Frames Under Earthquake Loadings with Stiffness Degradation

D. Soleimani

Ph.D. Thesis, Univ. of California, Berkeley, CA, 533 pp (1978)
UM 7914772

Key Words: Frames, Reinforced concrete, Earthquake response

An extensive experimental and analytical research program for the inelastic response evaluation of ductile moment-resisting reinforced concrete multistory frame structures under strong earthquake motions is described. A twenty-story, four-bay strong column-weak beam reinforced concrete ductile frame, representing a typical office building, is designed in accordance with the seismic resistant 1970 UBC and 1971 ACI Code provisions. The influence of column axial deformations, flexural stiffness variations, and shear deformations on the static elastic analysis of the frame is examined.

GEARS

(Also see No. 2180)

79-2216

Dynamic Behavior of Planetary Gear (4th Report, Influence of the Transmitted Tooth Load on the Dynamic Increment Load)

T. Hidaka, Y. Terauchi, and K. Ishioka

Yamaguchi Univ., Tokiwadai, Ube, Japan, Bull. JSME, 22 (168), pp 877-884 (June 1979) 14 figs, 7 refs

Key Words: Gears

The influence of the transmitted tooth load on the dynamic increment load and others about a single-stage Stoeckicht planetary gear (Type 2K-H) constructed with spur gears is studied.

79-2217

Why Gears Explode

R.J. Drago and F.W. Brown

Boeing Vertol Co., Philadelphia, PA, Power Transm. Des., 21 (7), pp 77-80 (July 1979) 6 figs

Key Words: Gears, Resonant frequencies

Several experimental techniques for determining resonant frequencies and mode shapes of gearing components are described.

79-2218

Low-Cycle Fatigue and Ultimate Strength Related to Gear Design

W.L. Moore

The Boeing Co., Seattle, WA, J. Mech. Des., Trans. ASME, 101 (3), pp 373-379 (July 1979) 11 figs, 1 table, 16 refs

Key Words: Gears, Standards, Fatigue life

This paper describes the development of a method for assessing the ultimate tensile and limit load strength values required by MIL-A-8860(ASG) for aircraft actuator gear teeth, and the subsequent effect of a few very-high-load cycles with regard to bending and surface fatigue life. Background and application data are provided for gear teeth under relatively common load conditions that are not included in AGMA standards.

LINKAGES

79-2219

Painless Analysis of Four-Bar Linkages

L.O. Barton

E.I. du Pont de Nemours & Co., Wilmington, DE, Mach. Des., 51 (17), pp 124-127 (July 26, 1979)

Key Words: Four bar mechanisms, Linkages

A technique is presented which simplifies the calculation of stresses, loads, vibration, and noise in a four-bar linkage by using elementary algebra and trigonometry to calculate link velocity and acceleration.

MECHANICAL

79-2220

Reaction Forces in Elastomeric Couplings

H. Schwerdlin

Lovejoy Inc., Downers Grove, IL, Mach. Des., 51 (16), pp 76-79 (July 12, 1979)

Key Words: Couplings, Flexible couplings, Testing techniques

Tests for the determination of reaction forces in flexible couplings caused by misalignment, speed and torque, and their effect on bearings, shafts, and other drive components are described.

79-2221

Application of the Infinitesimal Operators of Translation and Rotation (No. 1. The Lineage of Dynamic Equations)

N. Oshima

Faculty of Engrg., Univ. of Tokyo, Hongo, Bunkyo-ku, Tokyo, Japan, Bull. JSME, 22 (168), pp 809-814 (June 1979) 4 figs, 2 refs

Key Words: Mechanical elements

Various mechanical quantities and conservation equations of dynamics can be arranged by means of appropriate infinitesimal operators. In the dynamics of point mass systems, the infinitesimal operators of translation and rotation yield various dynamical quantities from the energy form. Dynamics of a rigid body is considered from the view-point of infinitesimal operators.

79-2222

Coupling Response

H. Schwerdlin

Lovejoy Inc., Downers Grove, IL, Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 57-62, 11 figs

Key Words: Couplings, Mechanical systems, Alignment

Reaction forces exerted on a mechanical system by the misalignment of couplings, torque, and speed were measured under controlled conditions. The system tested consisted of a four cylinder gasoline engine and disc brake dynamometer connected by a variety of flexible couplings.

MEMBRANES, FILMS, AND WEBS

79-2223

Forced Vibration of a Prestressed Rectangular Membrane: Near Resonance Response

V.O.S. Olunloyo and K. Hutter

Univ. of Lagos, Lagos, Nigeria, Acta Mech., 32 (1-3), pp 63-77 (1979) 2 figs, 5 refs

Key Words: Membranes (structural members), Rectangular membranes, Forced vibration, Resonant response, Viscous damping, Flexural stiffness, Anisotropy

Using singular perturbation the near resonance behavior of anisotropically prestressed thick rectangular membranes is analyzed to determine the effects of viscous damping, bending rigidity, prestress anisotropy and aspect ratio.

79-2224

Experiments on a Aerofoil at High Angle of Incidence in Longitudinal Oscillations

C. Maresca, D. Favier, and J. Rebont
Institut de Mecanique des Fluides, Laboratoire Associe no. 3 du C.N.R.S., Marseille, J. Fluid Mech., 92 (4), pp 671-690 (June 27, 1979) 18 figs, 1 table, 12 refs

Key Words: Airfoils, Aerodynamic loads, Longitudinal response

Details of flow visualization, aerodynamic forces and pitching moment, static pressure and skin friction measurements are carried out on a symmetrical aerofoil at fixed angle of incidence in longitudinal oscillations parallel to the uniform airstream of a wind-tunnel.

PANELS

79-2225

Effects of Environment, Damping and Shear Deformations on Flutter of Laminated Composite Panels

S.N. Chatterjee and S.V. Kulkarni
Materials Sciences Corp., Blue Bell Office Campus, Blue Bell, PA 19422, Intl. J. Solids Struc., 15 (6), pp 479-491 (1979) 8 figs, 2 tables, 34 refs

Key Words: Panels, Composite structures, Plates, Flutter, Damping effects, Transverse shear deformation effects

Flutter type instability of laminated fiber composite panels is studied based on piston theory aerodynamics and a laminated plate theory which includes the effects of shear deformations. Structural damping is considered in terms of frequency-dependent complex moduli of constituents. Stiffness of the laminae and the laminates are obtained by the use of well known elastic solutions and the dynamic elastic-viscoelastic correspondence principle. A modal method of solution is employed for obtaining flutter boundaries of panels which are constrained to deform in a state of plane deformation, i.e., cylindrical bending. Numerical results are reported for some Graphite/Epoxy laminates which are

representative of laminated panels used in aircraft structures. Use is made of the shift hypothesis and shift factors of the epoxy matrix to study effects of environmental factors like temperature and moisture content.

PIPES AND TUBES

79-2226

Research on Wave Phenomena in Hydraulic Lines (5th Report, Coupled Vibration in Bending and Branching Lines)

S. Washio, T. Konishi, and T. Sonoda
Kyoto Univ., Sakyo-ku, Kyoto, Japan, Bull. JSME, 22 (168), pp 833-840 (June 1979) 18 figs, 2 refs

Key Words: Piping systems, Lateral vibration, Hydraulic equipment, Coupled response

The roles of the lateral oscillation of a pipe in the coupled vibrations of pipes with oil in hydraulic circuits are studied. The vibrations are theoretically analyzed. Solid viscosity is introduced into the dynamics of a pipe wall to explain the damping of pipe oscillations. The pipe oscillation in the lateral direction is mathematically represented by several equations of bending vibration of a beam.

79-2227

Dynamic Stability of a Liquid Carrying Pipe

A. Tylikowski
Inst. of Machine Design Fundamentals, Warsaw Technical Univ., Poland, Mech. Res. Comm., 6 (3), pp 141-146 (1979) 9 refs

Key Words: Pipes (tubes), Fluid-filled containers, Elastic foundations, Fluid-induced excitation

The stability of fluid carrying straight pipe laying on an elastic foundation is studied. Destabilizing effects of liquid motion as well as stochastic component of an axial force acting on the pipe are taken into consideration. The direct Liapunov-Movchan method is used to derive the sufficient stochastic stability conditions. Flexible hose with constant axial force and the liquid conveying pipe without elastic foundation are analyzed.

PLATES AND SHELLS

79-2228

Flutter of a Plate-Like Member in Horizontal Fluctuating Flow

E. Simiu and R.H. Scanlan
National Engrg. Lab., National Bureau of Standards,
Washington, D.C., Engrg. Struc., 1 (4), pp 207-210
(July 1979) 2 tables

Key Words: Flutter, Plates, Aerodynamic loads, Bridges

An investigation of the aerodynamic stability of a thin plate in horizontally fluctuating flow is considered in the solution of the problem of suspended-span bridge flutter.

79-2229

Fluid Force on a Plate Moving Up-and-Down with a Finite Amplitude in the Still Fluid

H. Ueno and E. Kishioka
Faculty of Engrg., Kanazawa Univ., Kanazawa, Japan,
Bull. JSME, 22 (168), pp 825-832 (June 1979)
17 figs, 3 refs

Key Words: Plates, Fluid-induced excitation

To investigate the fluid force acting on a body oscillating with a finite amplitude in a fluid extending to the infinite space, a brief theory is presented based on the virtual mass of the fluid taking into account the phase difference between the motion of the body and that of the virtual mass.

79-2230

Experiments on Viscoplastic Response of Circular Plates to Impulsive Loading

S.R. Bodner and P.S. Symonds
Div. of Engrg., Brown Univ., Providence, RI 02912,
J. Mech. Phys. Solids, 27 (2), pp 91-113 (Apr 1979)
21 figs, 2 tables, 13 refs

Key Words: Plates, Circular plates, Impact response (mechanical), Viscoplastic properties

Tests are described of circular plates of mild steel and commercially pure titanium loaded impulsively by means of

explosive sheet. Three loading geometries are used, with magnitudes such that final deflections in the range from one to about seven plate thicknesses are produced. Clamping against radial as well as transverse deflections at the edge is provided. Parameters describing this behavior are obtained from stress-strain tests at low to intermediate rates together with published data for high strain rates. The measured final deflections and response times are compared with predictions of the mode approximation technique as extended to large deflections of viscoplastic structures.

79-2231

Finite Viscoplastic Deflections of an Impulsively Loaded Plate by the Mode Approximation Technique

P.S. Symonds and C.T. Chon
Div. of Engrg., Brown Univ., Providence, RI 02912,
J. Mech. Phys. Solids, 27 (2), pp 115-133 (Apr 1979)
5 figs, 22 refs

Key Words: Plates, Impact response (mechanical), Mode approximation technique, Viscoplastic properties

The application of the mode approximation technique to a fully clamped circular plate is described. Mode solutions for finite deflections are obtained from a sequence of instantaneous modes. Master solutions for chosen initial velocity amplitudes are constructed in nondimensional form. These depend weakly on a parameter of viscoplastic material behavior and size of structure, and so can be applied to a variety of loadings and structures. Finding each instantaneous mode shape and acceleration constitutes an eigenproblem, solved by finite elements with iterations. Comparisons with recent tests on steel and titanium plates are discussed in some detail.

79-2232

The Effect of Mass Loading on a Stiffening Rib

B.L. Woolley
Naval Ocean Systems Center, San Diego, CA, Rept.
No. NOSC/TR-286, 29 pp (Sept 1, 1978)
AD-A066 614/9GA

Key Words: Acoustic scattering, Plates, Ribs (supports), Stiffening

In the scattering of an acoustic wave incident upon a rib-reinforced plate, the effect of the rib can be characterized by a pair of impedances. One of these impedances is associated with the longitudinal vibrations of the rib, and the

other impedance is associated with the flexural vibrations of the rib. This report calculates the impedances and the effect of mass loading on these impedances. The calculations are done for a thick or Timoshenko-Mindlin rib which is fluid loaded with the rib immersed either in water or air.

79-2233

Flow and Heat Transfer Due to Small Torsional Oscillations of a Disk About a Constant Mean

V.P. Sharma

Dept. of Mathematics, Indian Inst. of Tech., Kharagpur, India, *Acta Mech.*, 32 (1-3), pp 19-34 (1979)
3 figs, 7 refs

Key Words: Disks, Torsional vibration

The paper deals with the study of flow and heat transfer in a viscous fluid from a disk performing small rotating oscillations about a constant mean. Separate solutions for low and high frequency ranges are developed.

79-2234

Natural Frequencies of Thin-Walled Isotropic, Circular-Cylindrical Shells

Engrg. Sciences Data Unit, London, UK, Rept. No. ESDU-78004; ISBN-0-85679-226-8, 46 pp (1978)
N79-21415

Key Words: Cylindrical shells, Natural frequencies, Flexural vibrations, Torsional vibration, Chimneys, Wind-induced excitation

Graphical and tabulated data for the estimation of the lower natural frequencies of thin-walled unstiffened shells are discussed. Natural frequencies of initially unstressed shells for both flexural and torsional vibration are considered. For each combination of these mode numbers there are three natural frequencies in which the vibrating motion is either primarily radial, axial, or circumferential. Natural frequencies of shells subjected to uniform static loads are considered, and shell modal density data are given. Response calculations of shells under wide band excitation, when using statistical energy analysis methods are studied. The limitations of data presented, and some guidance on the calculation of stiffened shell natural frequencies is given. Applications include estimation of the response of shells subject to high intensity acoustic loading and estimation of natural frequencies of chimneys subject to wind loads.

79-2235

The Seismic Response of a Column-Supported Cooling Tower

C.S. Gran

Ph.D. Thesis, Purdue Univ., 142 pp (1978)
UM 7914901

Key Words: Cooling towers, Shells, Seismic response

Hyperboloidal reinforced-concrete shells are modeled using orthotropic quadrilateral flat plate finite elements. The supporting columns and top ring beam are modeled by beam finite elements. Natural frequencies and corresponding mode shapes are found for several different tower configurations. Results for fixed-base shells are in close agreement with those determined using alternate methods of analysis. A cooling tower in the 1200 MW Fossil Fuel Steam Generating Power Plant at Paradise, Kentucky (Tennessee Valley Authority) is studied.

STRUCTURAL

79-2236

The Method of Quasimodal Form Solutions for the Dynamic Response of Rigid-Plastic Structures

U. Lepik

Tartu State Univ., Tartu, Estonian S.S.R., USSR, *Mech. Res. Comm.*, 6 (3), pp 135-140 (1979) 1 fig, 1 table, 4 refs

Key Words: Dynamic response, Structural members

A technique for the analysis of a rigid-plastic thin-walled structure subjected to high dynamic loads, causing plastic hinges, is presented.

79-2237

Accelerated Convergence of Dynamic Flexibility in Series Form

Y.T. Leung

Dept. of Civil Engrg, Univ. of Hong Kong, Hong Kong, *Engrg. Struc.*, 1 (4), pp 203-206 (July 1979)
2 figs, 8 refs

Key Words: Dynamic structural analysis, Natural frequencies, Beams, Plates

In a natural vibration analysis of a structural system, the conventional dynamic flexibility (receptance) matrix in series forms is re-examined. Examples involving beams and plates are given. The method is suitable for dynamic sub-structure analysis.

SEALS

79-2238

Aeroelastic Instability in F100 Labyrinth Air Seals

D.A. Lewis, C.E. Platt, and E.B. Smith
Pratt & Whitney Aircraft Group, West Palm Beach, FL, J. Aircraft, 16 (7), pp 484-490 (July 1979)
10 figs, 12 refs

Key Words: Seals (stoppers), Stability analysis

The aeroelastic instability in F100 labyrinth air seals is investigated.

79-2239

Stiffness of Straight and Tapered Annular Gas Path Seals

D.P. Fleming
NASA Lewis Research Ctr., Cleveland, OH 44135,
J. Lubric. Tech., Trans. ASME, 101 (3), pp 349-355 (July 1979) 7 figs, 13 refs

Key Words: Seals (stoppers)

Radial stiffness of annular (ring-type) gas path seals is calculated for both constant-clearance designs and tapered designs for which the inlet clearance is larger than the outlet clearance.

79-2240

Hydrodynamic Effects in a Misaligned Radial Face Seal

I. Etsion
Dept. of Mech. Engrg., Technion-Israel Inst. of Tech., Haifa, Israel, J. Lubric. Tech., Trans. ASME, 101 (3), pp 283-292 (July 1979) 6 figs, 23 refs

Key Words: Seals (stoppers), Alignment, Hydrodynamic excitation

Hydrodynamic effects in a flat seal having an angular misalignment are analyzed, taking into account the radial variation in seal clearance. An analytical solution for axial force, restoring moment, and transverse moment is presented that covers the whole range from zero to full angular misalignment. Both low pressure seals with cavitating flow and high pressure seals with full fluid film are considered.

SYSTEMS

NOISE REDUCTION

79-2241

Impulse Wave Diffraction by Rigid Wedges and Plates

J.H. Bremhorst
Naval Postgraduate School, Monterey, CA, 114 pp
(Dec 1978)
AD-A066 476/3GA

Key Words: Noise barriers, Wedges, Plates, Acoustic diffraction, Acoustic absorption

The problem of diffraction of acoustic signals by rigid barriers is studied empirically. Backward and forward diffraction from a 90 degree wedge and a thin plate are analyzed. Attempts to measure the diffracted energy in the illuminated region over the apex of the barrier, when direct and reflected signals coexist with diffracted, are discussed. Factors influencing the choice of the barriers physical dimensions and composition are listed, as are the problems surrounding the selection of an ideal sound source and receiver.

79-2242

Practical Applications of Outdoor Noise Control Barriers

G.C. Tocci and W.H. Pickett
Cavanaugh Tocci Associates, Natick, MA, S/V, Sound Vib., 13 (6), pp 10-16 (1979) 17 figs, 10 refs

Key Words: Noise barriers

An overview of noise barrier attenuation estimation procedures is presented for both general noise barrier problems

and in forms which incorporate simplifying approximations for implementation in specific noise barrier problems. Estimation procedures for assessing the effect of wind and scattering of sound by trees are also described. Typical applications of outdoor noise barriers are discussed as well.

ACTIVE ISOLATION

79-2243

Design and Development of a Motion Compensator for the RSRA Main Rotor Control

P. Jeffrey and R. Huber

Sikorsky Aircraft, Stratford, CT, In: NASA Johnson Space Ctr., The 13th Aerospace Mech. Symp, pp 15-25 (1979)

N79-22541

Key Words: Active isolation, Helicopter rotors

The RSRA, an experimental helicopter, is equipped with an active isolation system that allows the transmission to move relative to the fuselage. The purpose of the motion compensator is to prevent these motions from introducing unwanted signals to the main rotor control. A motion compensator concept is developed that has six-degree-of-freedom capability. The mechanism is implemented on RSRA and its performance verified by ground and flight tests.

AIRCRAFT

79-2244

Aeroelastical Encounters

L.R. Felt, L.J. Huttshell, T.E. Noll, and D.E. Cooley
Air Force Flight Dynamics Lab., Wright-Patterson AFB, OH, J. Aircraft, 16 (7), pp 477-483 (July 1979)
13 figs, 23 refs

Key Words: Flight vehicles

Recent Air Force experiences that emphasize the need for aeroelastical considerations on a variety of research, development, prototype, and production aircraft are presented in this paper. Typical analysis and test techniques available to predict and prevent adverse aeroelastical effects are presented. The results of two in-house aeroelastical analyses are presented.

79-2245

Wing Store Active Flutter Suppression - Correlation of Analyses and Wind-Tunnel Data

T.E. Noll and L.J. Huttshell

Air Force Flight Dynamics Lab., Wright-Patterson AFB, OH, J. Aircraft, 16 (7), pp 491-497 (July 1979)
14 figs, 8 refs

Key Words: Aircraft wings, Wing stores, Flutter, Vibration control

The results of an analytical effort to study the behavior of an active flutter suppression wind-tunnel model are presented and compared with available test data. For this application, the model was aerodynamically represented by subsonic doublet lattice theory and stability was evaluated using modified Nyquist criteria.

79-2246

Physical and Subjective Studies of Aircraft Interior Noise and Vibration

D.G. Stephens and J.D. Leatherwood

NASA Langley Research Ctr., Hampton, VA, Rept. No. NASA-TM-80084, 16 pp (Apr 1979)
N79-23754

Key Words: Aircraft noise, Interior noise, Interior vibration, Helicopter noise

Measurements to define and quantify the interior noise and vibration stimuli of aircraft are reviewed as well as field and simulation studies to determine the subjective response to such stimuli, and theoretical and experimental studies to predict and control the interior environment. In addition, ride quality criteria/standards for noise, vibration, and combinations of these stimuli are discussed in relation to the helicopter cabin environment. Data on passenger response are presented to illustrate the effects of interior noise and vibration on speech intelligibility and comfort of crew and passengers.

BRIDGES

(Also see No. 2228)

79-2247

Fatigue Tests of Full-Size-Prestressed Girders

B.G. Rabbat, P.H. Kaar, H.G. Russell, and R.N. Bruce, Jr.

Construction Technology Labs., Portland Cement Assn., Skokie, IL, Rept. No. FHWA/LA-78-206(P), 148 pp (June 1978)
PB-294 291/0GA

Key Words: Bridges, Girders, Fatigue tests

An experimental investigation was carried out to determine the effect of repetitive loading on the behavior and strength of girders with draped and blanketed strands. Controlled variables in the test program were load level, development length, and use of ties to confine the concrete in the stress transfer region of the blanketed strands.

BUILDING

(Also see No. 2261)

79-2248

Earthquake Analysis of Belted High-Rise Building Structures

A. Rutenberg

Faculty of Civil Engrg., Technion-Israel Inst. of Tech., Haifa, Israel, Engrg. Struct., 1 (4), pp 191-196 (July 1979) 9 figs, 1 table, 6 refs

Key Words: Multistory buildings, Earthquake response, Seismic response, Modal analysis

A modal analysis procedure is presented for the seismic response of belted high-rise building structures within the framework of the response spectrum technique. The first 3-modes of vibration are considered. Natural periods, internal forces and deflections are computed, and design charts are presented for the parameters of interest. Based on the Applied Technology Council tentative seismic provisions, a numerical example is worked out to illustrate the use of the charts, and a comparison is made with the ATC equivalent lateral force procedure.

79-2249

The Buffeting of Tall Structures by Strong Winds, Windload Program

E. Simiu and D.W. Lozier

Center for Bldg. Technology, National Engrg. Lab (NBS), Washington, D.C., Rept. No. NBS/DF-79/001 (1979)

PB-294 757/0GA

Key Words: Buildings, Wind-induced excitation, Computer programs

A computer program is presented for the calculation of the along-wind response of tall buildings. Program input includes building dimensions, natural frequencies, damping coefficients, modal shapes, and weight distribution, design wind speed, roughness of surrounding terrain, pressure coefficients on windward and leeward faces, and specific weight of air. The output consists of mean, rms, and peak deflections, and rms and peak accelerations.

FOUNDATIONS AND EARTH

79-2250

Turbomachinery Foundations Practical Aspects

J.S. Sohre

One Lakeview Circle, Ware, MA 01082, Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 129-137, 10 figs, 2 refs

Key Words: Machine foundations, Turbomachinery

This presentation explains the practical and theoretical requirements for the design of foundations for high speed machinery.

79-2251

Vertical and Torsional Stiffnesses of Cylindrical Footings

E. Kausel and R. Ushijima

Constructed Facilities Div., Massachusetts Inst. of Tech., Cambridge, MA, Rept. No. R79-6, 73 pp (Feb 1979)

PB-293 997/3GA

Key Words: Footings, Torsional response

A numerical evaluation of the vertical and torsional stiffnesses of a cylindrical foundation embedded in an elastic stratum is presented. Empirical formulas are given that relate stiffnesses and damping values with the embedment ratio and the depth of the stratum. Good agreement is found between the reported approximations and available analytical solutions for particular geometries.

79-2252

Analysis of Lateral Response of Non-Uniform Section Piles

H.G. Poulos and M.A. Adler
Civil Engr. Labs., Sydney Univ., Australia, Rept.
No. R-330, 37 pp (Oct 1978)
PB-294 255/5GA

Key Words: Pile structures, Lateral response, Finite element technique, Finite difference theory

Two alternative methods of analyzing the lateral response of a pile of non-uniform section in an elasto-plastic soil mass are presented. The first utilizes a finite element formulation for the pile while the second uses a finite difference formulation. Some parametric solutions are presented for a uniformly tapered pile, and these are presented as correction factors to the solutions for uniform section piles. Finally, two practical examples are given to illustrate the application of the analysis.

79-2253

Dynamic Response of Elastic Plates on the Surface of the Half-Space

S.A. Savidis and T. Richter
Inst. of Soil Mechanics and Foundation Engrg., Technical Univ., Berlin, Germany, Intl. J. Numer. Anal. Methods Geomech., 3 (3), pp 245-254 (July-Sept 1979) 8 figs, 13 refs

Key Words: Interaction: soil-foundation, Half-space, Foundations

A mixed method for the dynamic calculation of foundations on soil is presented. The half-space is computed analytically, the foundation with finite elements. The method is very well suited for the solution of three-dimensional problems including interaction. Numerical results for a simple case involving a dynamically loaded elastic plate are presented and the influence of plate stiffness is studied.

HELICOPTERS

(Also see Nos. 2243, 2246, 2285)

79-2254

Fatigue of Helicopters: Service Life Evaluation Method

F. Liard

Helicopter Div., Societe Nationale Industrielle Aero-spatiale, Paris, France, In: AGARD Helicopter Fatigue, pp 47-69 (Feb 1979)
N79-23079

Key Words: Helicopters, Fatigue tests

The general principle of fatigue substantiation for helicopter components consists in evaluating the fatigue strength of the component, determining the value and frequency of the loads to which it will be subjected during normal operation, and then deriving from these data the steps to be taken to make the possible occurrence of serious accidents due to the failure of the component extremely remote.

79-2255

Present Fatigue Analysis and Design of Helicopters. Requirements and Qualification Procedures

P. Alli
Costruzioni Aeronautiche Giovanni Agusta S.p.A., Gallarate, Italy, In: AGARD Helicopter Fatigue, pp 29-46 (Feb 1979)
N79-23078

Key Words: Helicopters, Fatigue tests

The state-of-the-art in AGUSTA in the area of structural fatigue and fail-safe strength evaluation is reported. The need of general regulations and procedures was pointed out. The convenience of automatic procedures was underlined.

79-2256

Fatigue Life Estimation Methods for Helicopter Structural Parts

F. Och
Messerschmitt-Boelkow-Blohm G.m.b.H., Munich, West Germany, In: AGARD Helicopter Fatigue, pp 21-27 (Feb 1979)
N79-23077

Key Words: Helicopters, Fatigue tests

Analytical fatigue life estimation mainly consists of three steps: prediction of loads, determination of fatigue strength, and application of a damage hypothesis linking these two aspects. Following the above mentioned three steps of fatigue life investigation, methods for the prediction of

loads are dealt with according to the available amount of information. Methods describing the fatigue strength of components, taking into account the influence of steady loads and the reduction of a mean S/N curve to a working level curve are investigated.

79-2257

Helicopter Fatigue Evaluation. The UK Approach
A.D. Hall

Westland Helicopters Ltd., Yeovil, UK, In: AGARD Helicopter Fatigue, pp 13-20 (Feb 1979)
N79-23076

Key Words: Helicopters, Fatigue tests

The philosophies of fatigue substantiation are used satisfactorily for the Lynx. The main concern is with the safe fatigue life substantiation of the vital components of a helicopter and consideration is given to three phases in the life cycle, i.e., design, development, and production.

79-2258

U.S. Army Helicopter Fatigue Requirements and Substantiation Procedures

R.A. Wolfe and R.W. Arden
Structures and Aeromechanics Branch, Army Aviation Res. & Dev. Command, St. Louis, MO, In: AGARD Helicopter Fatigue, pp 1-12 (Feb 1979)
N79-23075

Key Words: Helicopters, Fatigue tests

The current fatigue criteria and testing requirements are provided for U.S. Army helicopter structures with primary emphasis on dynamic components. The comparative industry applications of the requirements were brought to light as a result of the Army's latest major helicopter competitions for the Utility Tactical Transport Aircraft System, recently designated BLACK HAWK, and the Advanced Attack Helicopter.

79-2259

Correlation Study Between Vibrational Environ-

mental and Failure Rates of Civil Helicopter Components

O. Alaniz

Textron Bell Helicopter, Fort Worth, TX, Rept. No. NASA-CR-159033, 75 pp (May 1979)
N79-23064

Key Words: Helicopters, Vibration control

An investigation of two selected helicopter types, namely, the Models 206A/B and 212, is reported. An analysis of the available vibration and reliability data for these two helicopter types resulted in the selection of ten components located in five different areas of the helicopter and consisting primarily of instruments, electrical components, and other noncritical flight hardware. The potential for advanced technology in suppressing vibration in helicopters was assessed.

79-2260

Rotary-Wing Aerodynamics. Volume 1: Basic Theories of Rotor Aerodynamics with Application to Helicopters

W.Z. Stepniewski
Boeing Vertol Co., Philadelphia, PA, Rept. No. NASA-CR-3082, 302 pp (Jan 1979)
N79-22039

Key Words: Rotary wings, Helicopters, Aerodynamic loads

The concept of rotary-wing aircraft in general is defined. The energy effectiveness of helicopters is compared with that of other static thrust generators in hover, as well as with various air and ground vehicles in forward translation. The most important aspects of rotor-blade dynamics and rotor control are reviewed. The combined blade-element and momentum theory approach is described as well as the vortex theory which models a rotor blade by means of a vortex filament or vorticity surface. The application of the velocity and acceleration potential theory to the determination of flow fields around three dimensional non-rotating bodies as well as to rotor aerodynamic problems is described. Airfoil sections suitable for rotors are also considered.

HUMAN

(See No. 2278)

ISOLATION

79-2261

Optimal Design of an Earthquake Isolation System

M.A. Bhatti, K.S. Pister, and E. Polak
Earthquake Engrg. Research Ctr., California Univ.,
Richmond, CA, Rept. No. UCB/EERC-78/22, NSF/
RA-780544, 120 pp (Oct 1978)
PB-294 735/6GA

Key Words: Isolators, Buildings, Seismic design, Earthquake resistant structures, Energy absorption

Optimal design of an earthquake isolation system, consisting of natural rubber bearings and special nonlinear energy absorbing devices, is presented. An algorithm for efficient analysis of structural response, based upon the Newmark and Runge-Kutta methods with optional Newton-Raphson iteration, is given. The optimal design problem, incorporating this simulation algorithm, is formulated as a mathematical programming problem with time-dependent constraints and is solved using a feasible directions algorithm. Several numerical examples are presented.

MECHANICAL

79-2262

Don't Forget the Basics

J.P. Platt, Jr.
Standard Oil Co. (Indiana), Naperville, IL, Machinery
Vibration Monitoring and Analysis Seminar and Mtg.,
Proc., Sponsored by Vibration Inst., Apr 1979, New
Orleans, LA, pp 51-55, 3 tables

Key Words: Machinery vibration

This paper presents five simple machinery vibration problems. It is the intent of this paper to make the modern machinery vibration analyst more effective by re-focusing his attention on the basics of machinery vibration problems.

PUMPS, TURBINES, FANS, COMPRESSORS

(Also see No. 2176)

79-2263

Computer Aided Design of Mixed Flow Turbines for Turbochargers

N.C. Baines, F.J. Wallace, and A. Whitfield
Dept. of Engrg., Univ. of Bath, Bath, UK, J. Engr.
Power, Trans. ASME, 101 (3), pp 440-449 (June
1979) 10 figs, 1 table, 16 refs

Key Words: Turbines, Computer-aided techniques, Design techniques

The paper describes a comprehensive computer aided design procedure and its use to investigate mixed flow turbines for automotive turbocharger applications. The outside dimensions of rotor and casing as well as blade angles are determined from one-dimensional design and off design calculations, the detailed blade shape from quasi-three-dimensional analysis and mechanical stressing and vibration programs, and geometric data are presented as outside views and sections of the rotor by a graphics subroutine.

79-2264

Low Frequency Gas Turbine Noise

J.R. Newman and K.I. McEwan
British Gas, Hinckley, UK, ASME Paper No. 79-GT-
196

Key Words: Gas turbine engines, Noise generation, Low frequencies

British Gas has experienced problems at some installations from low frequency turbine noise. The paper describes how the low frequency noise problems were investigated and then resolved by aerodynamic modifications and a silencer extension.

79-2265

Instability Problem in a High Pressure Ammonia Syn-Gas Compressor

F.C. Aguilar
Instituto Mexicano del Petroleo, Mexico City, Mexico,
Machinery Vibration Monitoring and Analysis

Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 63-71, 22 figs, 4 refs

Key Words: Compressors, Vibration response

This paper deals with the vibration problems experimented in a high pressure compressor installed in an ammonia plant of a large Pemex Petrochemical Complex located in the southeast part of Mexico. The various analytical studies, the field and laboratory analysis performed by the Instituto Mexicano del Petróleo IMP to pinpoint the cause of the problem, including a brief description of present rotor dynamics capabilities, are described. Some orbit shapes, acceleration and displacement frequency spectrums and other graphic results as unbalance response and Bode plots are illustrated. Finally, the corrective actions recommended by the compressor manufacturer and the current unit behavior are discussed.

RAIL

79-2266

Urban Rail Noise Abatement Program: A Description

L.G. Kurzweil and W.N. Cobb
Transportation Systems Center, Cambridge, MA,
Rept. No. DOT-TSC-UMTA-79-23, UMTA-MA-06-0099-79-1, 26 pp (Mar 1979)
PB-295 545/8GA

Key Words: Rail transportation, Noise reduction

This report presents the background, current activities, and future plans for the Urban Rail Noise Abatement Program. This program, sponsored by the Office of Technology Development and Deployment of the Urban Mass Transportation Administration (UMTA) was initiated in 1972 and has been technically managed by the Transportation Systems Center. The problem of urban rail noise and vibration is described and the rationale for the UMTA funded program is given. The body of the report presents a definition of the program objectives, a discussion of the program organization, and a description of past, current, and future program activities. Major accomplishments of the program to date are listed in the final section.

79-2267

Dynamic Theories and Experiments of Alternative Guideway-Vehicle Systems. Part II

J.F. Wilson

Dept. of Civil Engrg., Duke Univ., Durham, NC, Rept. No. DOT/RSPA/DPB/50-79/4, 189 pp (Mar 1979)
PB-294 247/2GA

Key Words: Interaction: vehicle-guideway

In both the companion report (Part I) and the present study, the broad purpose is to investigate theoretically and experimentally guideway-vehicle system dynamics. Four alternative systems are studied in terms of nondimensional parameters.

REACTORS

79-2268

Analysis of Containment Structures for Randomly Arriving Transient Loads

M.P. Singh and A. Al-Dabbagh
Dept. of Engrg. Science and Mechanics, Virginia Polytechnic Inst. and State Univ., Blacksburg, VA 24061, Engrg. Struc., 1 (4), pp 197-202 (July 1979)
7 figs, 4 refs

Key Words: Containment structures, Nuclear reactor containment, Hydrodynamic excitation

Hydrodynamic loads such as those due to safety relief valve discharges and a postulated accidental loss of coolant are some of the major loads on boiling water reactor (BWR) containments. The formulation of the response transfer function approach is developed for axisymmetric containment structures. The formulation to obtain the mean and standard deviation of response for uniformly distributed load arrival time is also provided and the numerical results for a typical BWR containment are given.

79-2269

A Comparison of Background Seismic Risks and the Incremental Seismic Risk Due to Nuclear Power Plants

Y.T. Lee, D. Okrent, and G. Apostolakis
School of Engrg. and Applied Science, Univ. of California, Los Angeles, CA 90024, Nucl. Engr. Des., 53 (1), pp 141-154 (June 1979) 3 figs, 7 tables, 44 refs

Key Words: Nuclear power plants, Seismic response

The seismic risk for the continental United States, in terms of the expected annual number of deaths and severe injuries, and the expected property damage, is evaluated in this work. Probabilistic models and correlations are developed and used in the evaluations of the risks, accounting for such important variables as the variability of property values, damage factors and so on. In addition, the incremental seismic risk due to the presence of nuclear power plants is evaluated utilizing results and methods available in the literature.

RECIPROCATING MACHINE

(Also see Nos. 2173, 2174)

79-2270

Engine Evaluation of a Vibration Damping Treatment for Inlet Guide Vanes

J.P. Henderson, L.C. Rogers, D.B. Paul, and M.L. Parin
Wright-Patterson AFB, OH, ASME Paper No. 79-GT-163

Key Words: Engine vibration, Vibration damping

This paper describes the results of engine test-cell tests and the comparison of these results with actual service experience obtained under operational conditions. Measured effects on engine performance, distortion tolerance, and anti-icing performance are presented along with measured stress reductions, as compared with increases in modal damping. Durability design considerations are discussed, along with the results of durability tests in an engine test stand and actual service experience.

79-2271

Knock-Induced Cavity Resonances in Open Chamber Diesel Engines

R. Hickling, D.A. Feldmaier, and S.H. Sung
Engrg. Mechanics Dept., General Motors Research Labs., Warren, MI 48090, J. Acoust. Soc. Amer., 65 (6), pp 1474-1479 (June 1979) 10 figs, 2 tables, 7 refs

Key Words: Diesel engines, Engine noise, Cavity resonators

Cavity resonances are investigated in detail for six open-chamber diesel engines of different sizes. Spectral data are

obtained from cylinder pressure-time traces and compared with predictions from finite-element calculations of the cavity resonances. Good agreement is found.

ROAD

79-2272

Nonlinear Rebound of a Rod After Impact Against a Deformable Barrier

H. Garnet and H. Armen
Research Dept., Grumman Aerospace Corp., Bethpage, NY, Intl. J. Numer. Methods Engrg., 14 (7), pp 1037-1050 (1979) 8 figs, 10 refs

Key Words: Collision research (automotive), Guardrails, Ground vehicles, Mathematical models

The nonlinear impact of a vehicle against a deformable barrier and its subsequent rebound from that barrier are simulated. A one-dimensional elastoplastic model represents the vehicle as a series of rod finite elements and the barrier as a single mass, nonlinear spring. The solution procedure utilizes variable time step integration, contains an error control and eliminates numerical instabilities. A limited study assesses the influence of system parameters on both structure and occupants. The chief objective is to establish the feasibility of the proposed treatment of this class of problems.

79-2273

Task 4 Test Report for Development of Compliance Test for Truck Rear Underride Protection

R. Baczynski and S. Davis
Dynamic Science, Inc., Phoenix, AZ, Rept. No. 8319-78-149A, DOT-HS-803 991, 261 pp (Sept 1978)
PB-294 785/1GA

Key Words: Trucks, Collision research (automotive), Experimental data

This report presents the results of the six passenger car-to-rear underride crash tests conducted in accordance with the requirements of Task 4 of the 'Development of Compliance Test for Truck Rear Underride Protection' program. The test vehicles selected for Task 4 tests were 1978 VW Rabbit and 1978 Chevrolet Impala four-door sedans.

79-2274

Task 5 Report of Tests 5.1, 5.2, and 5.3 for Development of Compliance Test for Truck Rear Underride Protection

R. Baczynski, S. Davis, and R. Cropper
Dynamic Science, Inc., Phoenix, AZ, Rept. No. 8319-78-193A, DOT-HS-803 990, 162 pp (Nov 1978)
PB-294 831/3GA

Key Words: Collision research (automotive), Experimental data

This report presents the results of the first three of eight passenger car-to-rear underride crash tests conducted in accordance with the requirements of Task 5 of the 'Development of Compliance Test for Truck Rear Underride Protection' program. The test vehicles selected for these tests were 1978 VW Rabbits and a 1978 Ford Fiesta. These vehicles were impacted into bolt-on, rigid, cantilevered guards mounted to a truck/trailer body simulator at selected heights above ground level.

79-2275

Vibration Tests on Transit Buses

J. Anderson and H. Thomas
Gould Information Identification, Inc., Fort Worth, TX, Rept. No. UMTA-MA-06-0041-79-6, DOT-TSC-UMTA-79-13, 56 pp (Mar 1979)
PB-295 091/3GA

Key Words: Buses, Vibration measurement

The objective of this vibration measurement program is to quantify the vibration environment which is experienced by Automatic Vehicle Monitoring (AVM) equipment when installed on buses during typical city route service operations. Two buses are utilized in this measurement program; a General Motors Corporation Model 3100 provided by the Southern California Rapid Transit District, and a Flexible Corporation Model 207 provided by the City Transit of Fort Worth, Texas. The approach taken involved instrumenting the buses and representative electronic hardware on the buses with calibrated accelerometers and recording the output of these accelerometers while driving the buses over selected test routes at specified speeds.

79-2276

Improvement of Shock Measurements for Armored Vehicles - ILIR Task 4

W.S. Walton

Aberdeen Proving Ground, MD, Rept. No. APG-MT-5192, 64 pp (Jan 1979)
AD-A066 303/9GA

Key Words: Shock tests, Shock measurement, Armored vehicles

A study was conducted at Aberdeen Proving Ground from April to September 1978. Data from piezoelectric and piezoresistive accelerometers subjected to short duration shocks were analyzed. Various configurations and materials were used to mechanically filter out high-frequency acceleration.

79-2277

Optimal Control Concepts for the Characterization and Design of Highway Vehicle-Trailer Systems

M.A. Townsend, A.B. Shapiro, and K.T.A. Ho
Dept. of Mech. Engrg. and Materials Science, Vanderbilt Univ., Nashville, TN, J. Dyn. Syst., Meas. and Control, Trans. ASME, 101 (2), pp 127-137 (June 1979) 11 figs, 41 refs

Key Words: Articulated vehicles, Dynamic stability, Optimum control theory

In this paper, design concepts are developed from optimal control theory to provide criteria for comparison and are then applied to one of the more innovative and potentially competitive concepts in commercial trucking: the multiple-trailer highway vehicle train. The definition of relevant models is given and criteria are then developed. Their applicability is demonstrated by the posing of optimal unloading schedules to improve dynamic performance, the sensitivity of such designs to changes in system parameters, and the design synthesis of couplers between the system components.

ROTORS

(Also see Nos. 2154, 2161, 2164)

79-2278

Calculation of Rotor Impedance for Articulated-Rotor Helicopters in Forward Flight

K. Kato and T. Yamane
Univ. of Tokyo, Tokyo, Japan, J. Aircraft, 16 (7), pp 470-476 (July 1979) 8 figs, 5 refs

Key Words: Helicopters, Mechanical impedance, Flexible rotors, Rotors (machine elements)

A procedure is presented to calculate the loads transferred from an articulated flexible rotor to the fuselage when the hub is forced to oscillate sinusoidally. Blade motions are determined from a set of linear algebraic equations derived from equations of motion with periodic coefficients. The aerodynamic loads are based on two-dimensional quasisteady strip theory.

79-2279

Engine Rotor Dynamics, Synchronous and Non-synchronous Whirl Control

R.A. Marmol

Government Products Div., Pratt and Whitney Aircraft Group, West Palm Beach, FL, Rept. No. FR-10632, USARTL-TR-79-2, 149 pp (Feb 1979) AD-A066 093/6GA

Key Words: Rotors (machine elements), Turbine components, Design techniques, Mathematical models, Experiments' results

A combined analytical and test program is performed to develop a method of designing highspeed power turbine rotors to minimize rotor-induced dynamic loads under normal operating conditions; minimize rotor tip-to-shroud clearance to maintain high flow-path efficiency; and minimize rotor deflections due to sudden abusive imbalance loads associated with blade loss. Using the results of the analytical models and experimental tests, a method of design optimization is developed to obtain the best trade-off between all the rotor design variables considered in this program.

The dynamic response of a moored open-bottom floating platform to random loading is examined by a time-domain simulation technique. The equations of motion of the floating platform in the time domain are derived from the impulse response method which takes into consideration the frequency dependence of the fluid reaction force terms, i.e., added mass and damping force coefficients. The sway and roll responses of the moored platform to random environmental loadings are evaluated by solving the equations of motion. The hydrodynamic coefficients of the open-bottom platform, with pressurized subdivided air chambers having a free air-water interface, are evaluated by a modified Frank's close fit method. Numerical examples of the motion response of the floating platform, to harmonic excitation, random wind loading and earthquake are illustrated and discussed in this study.

79-2281

Spectral Dynamic Fatigue Analysis of the ANDOC Dunlin A Platform

D. Zijp

Volker Sterin Civil Engrg. and Construction, P.O. Box 3, 1940 AA Beverwijk, The Netherlands, Engrg. Struc., 1 (4), p 211 (July 1979) 15 figs, 2 refs

Key Words: Offshore structures, Fatigue life, Computer programs

The necessary computer programs have been developed by the IBM computer center in Zoetermeer and have been extensively tested by the ANDOC design team, using the Dunlin A geometry. A comparison is made between deterministic and a spectral analysis as well as between the harmonic solution and time step integration.

SHIP

79-2280

Response Analysis of a Moored Open-Bottom Floating Platform to Random Loadings

S.S. Fang

Ph.D. Thesis, Columbia Univ., 94 pp (1979) UM 7916402

Key Words: Off-shore structures, Random excitation, Time domain method, Harmonic excitation, Seismic excitation, Wind-induced excitation

SPACECRAFT

79-2282

Flight Vibration Environments Defined From Mk 12 Booster Static Tests

N. Rubinstein and W.C. Caywood

Appl. Physics Lab., The Johns Hopkins Univ., Laurel, MD, J. Spacecraft Rockets, 16 (4), pp 214-217 (July/Aug 1979) 4 figs, 4 tables, 4 refs

Key Words: Booster rockets, Vibration tests

Results of a static firing test program concerning the environmental effects of rough burning of the Mk12 rocket motor booster on the Standard Missile components are discussed. Vibration and pressure data were recorded and processed using methods of time series analyses. The test procedures, methods of data processing, and significant results are presented. The results show good agreement with flight vibration data and theoretical acoustic pressure frequencies.

STRUCTURAL

79-2283

Theoretical Study of the Dynamic Response of a Chimney to Earthquake and Wind

L. Shiau

Ph.D. Thesis, Purdue Univ., 168 pp (1978)

UM 7914971

Key Words: Chimneys, Earthquake response, Wind-induced excitation

An analytical investigation of the response of a chimney to earthquake and wind is presented. The 823 foot tall chimney is modeled using Bernoulli-Euler beam finite elements. The modal superposition method is used for analyzing the elastic response while the numerical direct integration method is used to solve the equations for the inelastic response. A mathematical model that enables one to predict the vortex-excited resonant responses of two cylinders in line in the wind direction is developed.

79-2284

Earthquake-Induced Sloshing in Axisymmetric Tanks

M. Aslam

Ph.D. Thesis, Univ. of California, 281 pp (1978)

UM 7914532

Key Words: Tanks (containers), Fluid-filled containers, Sloshing, Dams, Off-shore structures, Seismic excitation

The present study was motivated by the concern about possible effects of seismic-sloshing in pressure-suppression pools of boiling water reactors. These suppression pools may be designed as annular or torus tanks. An analysis to predict the sloshing displacements and impulsive pressures in annular tanks, and a finite element technique applicable to all axisymmetric tanks with rigid walls and subjected to horizontal ground motions are presented.

79-2285

Dynamic Structural Analysis with Substructures

J.S. Arora and D.T. Nguyen

Div. of Materials Engrg., Univ. of Iowa, Iowa City, IA, Rept. No. TR-46, 34 pp (Dec 1978)

AD-A065 937/5GA

Key Words: Dynamic structural analysis, Finite element technique, Natural frequencies, Mode shapes, Helicopters

A method for dynamic structural analysis with substructures and the subspace iteration is developed. The method uses only substructural stiffness matrices and the mass matrix for each finite element of the system.

TRANSMISSIONS

79-2286

Keeping Hydrostatic Transmissions Quiet

S.J. Skaistis

Sperry-Vickers Div. of Sperry Rand Corp., Troy, MI, Diesel Gas Turbine Prog., 45 (8), pp 24-25 (Aug 1979) 7 figs

Key Words: Transmission systems, Noise reduction

Existing technology for the airborne, fluidborne, and structureborne noise abatement in hydrostatic transmissions is discussed.

TURBOMACHINERY

(Also see Nos. 2171, 2172)

79-2287

Rotor Critical Speed and Response Studies for Equipment Selection

C. Jackson and M.E. Leader

Monsanto Co., Texas City, TX, Machinery Vibration Monitoring and Analysis Seminar and Mtg., Proc., Sponsored by Vibration Inst., Apr 1979, New Orleans, LA, pp 43-50, 17 figs

Key Words: Turbomachinery, Turbine components, Critical speeds, Unbalanced mass response

This paper addresses some of the latest techniques available for turbomachinery analysis.

ANNUAL AUTHOR INDEX

A

Abaravicius, G.A.	1405, 1413	Aizerman, M.A.	907	Apetaur, M.	1292
Abbagnaro, L.A.	2186	Akai, T.J.	61	Apostolakis, G.	2269
Abbas, B.A.H.	92	Akhlaghi, M.	543	Aprolan, P.	938
Abdel-Ghaffar, A.M.	514, 1240, 1640	Akkas, N.	306	Arafa, H.	2089
Abdelhamid, A.N.	1074	Akky, M.R.	1483	Arakawa, K.	1209
Abdelrahman, A.M.S.A.	136, 1330	Akolkar, P.M.	1558	Aravamudan, K.S.	669, 673
Abdul-Wahed, M.N.	2201	Alaniz, O.	2259	Arden, R.W.	2258
Abedi-Hayati, S.	271	Albrecht, H.	1835	Argyris, J.H.	1993
Abel, I.	1843	Albright, H.E.	1044	Ariaratnam, S.T.	1931, 1997, 2001
Abercrombie, G.E.	542	Al-Dabbagh, A.	2268	Arii, M.	36
Aboud, G.M.	1272, 1273, 1274	Alem, N.M.	868, 869, 870, 871	Ariman, T.	1198
Abraham, B.	149	Alexandridis, A.A.	882	Armand, J.L.	445
Abramovich, H.	1206, 1829, 1830	Alfaro-Bou, E.	151	Armen, H.	2272
Abrishaman, M.	300	Alfrey, R.J.	250	Armstrong, J.H.	2042
Achenbach, J.D.	1160	Ali, M.R.	1797	Arndt, R.E.A.	727
Acker, L.W.	1069	Ali, R.	472	Arnold, J.M.	507
Ackermann, U.	1331	Ali, S.M.J.	695	Arora, H.L.	976
Adamczyk, J.J.	945, 1261	Allaire, P.E.	700, 1566, 1792, 1793	Arora, J.S.	11, 1679, 2285
Adams, E.	1892	Allen, R.R.	1583	Arya, A.S.	1506, 1509, 1647, 1681, 1854
Adams, G.G.	1182	Alli, P.	2255	Arya, J.C.	95
Adams, R.D.	1779, 1818	Almosnino, D.	2067	Asavanich, S.	1318
Adams, W.M., Jr.	922	Alwar, R.S.	331	Ashford, R.A.	702
Adamson, T.C., Jr.	755, 1321	Ames, W.F.	1892	Ashley, H.	1156, 1442
Adegoke-Anthony, C.	2095	Amiet, R.K.	664	Aslam, M.	1762, 2284
Adler, A.	1700	A-Moneim, M.T.	476, 925	Atanackovic, T.M.	202
Adler, M.A.	2252	Anand, G.V.	96, 286	Atassi, H.	61
Agrawal, A.B.	37, 1493	Anderes, J.R.	1308	Athanasiou-Grivas, D.	1618, 1672
Agrawal, G.K.	1215	Anderheggen, E.	909	Atkatsh, R.	2040
Agrawal, K.B.	1524	Andersen, C.M.	903	Atkočiūnas, J.	1392, 1414, 1415
Agrawal, R.K.	2175	Anderson, G.L.	1359	Au, W.	1765
Aguilar, F.C.	2265	Anderson, J.	2275	Au, Y.H.J.	1516
Ahmadi, G.	573, 1608	Anderson, J.C.	205	Audibert, J.M.E.	1483
Ahmed, K.M.	176	Anderson, J.G.	572	Audoynaud, D.	1502
Ahmed, M.S.	915	Anderson, J.G.	1504	Auerbach, E.I.	1911
Ahmed, S.	1645	Anderson, J.H.B.	246	Auld, B.A.	759
Ahuja, K.K.	345	Anderson, J.M.	974	Aumen, C.P.	1198
Aicher, W.	1993	Anderson, J.S.	1424	Aurora, P.R.	1398
Aida, H.	983	Anderson, T.L.	1591	Au-Yang, M.K.	535, 1464
Ailman, C.M.	189	Anderson, W.J.	788	Averbuch, A.J.	1171
Aizawa, K.	1353	Andersson, L.E.	2016	Aydin, M.	2140
		Andrews, R.S.	1314	Ayre, R.S.	80
		Anglin, E.L.	508	Aziz, T.S.	376, 379
		Angrilli, F.	1389	Azuma, A.	663, 991

B

Baade, P.K.	370, 2176,	Barney, B.G.	2049	Benahm, R.A.	41
Babson, P.E.	1769	Barney, C.B.	138	Benedict, C.E.	875, 876
Babu, P.V.T.	1403	Barney, G.B.	517	Bennett, A.G.	542
Bache, T.C.	1146	Baron, M.	204	Bennett, R.M.	229
Backasch, M.	1806	Baron, M.L.	2040	Benson, J.B.	868, 869, 870
Baczynski, R.	2273, 2274	Barr, A.D.S.	1358	Benson, R.C.	321
Badgley, R.H.	2164	Barrett, L.E.	1095, 1792	Bently, D.E.	1519
Badlani, M.	458, 459, 982	Barron, R.M.	437	Benton, M.C.	1107
BadriNath, Y.V.	1673	Barrows, J.F.	1074	Bergamaschi, S.	1389
Bagchi, J.K.	1657	Barsch, H.	1981	Bergamasco, G.	961
Bagci, C.	1590, 2127	Barschdorff, D.	957	Berger, H.	1983
Bagge, C.F.	575	Bartenwerfer, M.	471, 879	Berglund, J.W.	1211
Bahar, L.Y.	175	Barthel, K.	2178	Bergmann, E.	1643
Baig, M.I.	433	Bartholic, K.R.	68	Berman, A.	725
Bailey, C.M.	593	Bartlett, F.D., Jr.	2081	Berns, H.	1965
Bailey, J.T.	1546	Barton, C.K.	1130	Bernussou, J.	1705
Baines, N.C.	2263	Barton, J.R.	288	Berry, G.	1278
Bajaj, A.K.	748, 2023	Barton, L.O.	2219	Bert, C.W.	833, 1939, 1940
Bajons, P.	1972	Basak, A.K.	1616	Bertero, V.V.	1233, 1234, 1235, 1582
Baker, C.J.	2097	Basavanhally, N.	131, 1868	Beskos, D.E.	90
Baker, R.N.	501	Basci, M.I.	979	Bessey, R.L.	454
Baker, W.E.	44, 683, 2134	Basu, P.K.	1391	Best, A.	2083
Balachandra, M.B.	575	Basu, S.	1509	Bettess, P.	440
Balakrishnan, R.	332, 1832	Batchelor, B.DeV.	987	Bhandari, N.C.	2038
Balasubramanian, R.	137	Bates, L.	1741	Bhandari, R.K.	1650
Baldwin, R.M.	889	Bätge, J.	1869	Bhandwalkar, P.K.	1655
Balke, R.W.	1865	Bathe, K.J.	943	Bhaskara, R.K.	2192
Balsara, J.P.	245	Bathias, C.	67	Bhat, R.B.	1229
Balzer, L.A.	172	Battis, J.C.	2080	Bhat, W.V.	646
Bamer, F.	543	Batts, M.E.	1449	Bhatia, K.G.	1553, 1599
Bandyopadhyay, S.S.	2104	Bauer, A.B.	343, 2065	Bhatti, M.A.	2261
Banerjee, D.	1111	Bauer, B.B.	2186	Bhave, M.V.	1670
Banerjee, M.M.	1406	Baumeister, K.J.	1106, 1580	Bhutiani, P.K.	345
Bannister, R.L.	1072, 2093, 2190	Baumhoff, N.	1973	Bianchi, V.	544
Banon, H.	1932	Bayer, A.R., Jr.	1143	Bicanic, N.	1606
Bansal, A.S.	597, 791, 793, 1367	Bayliss, A.	551, 1735	Bick, F.A.	1942
Bapat, V.A.	1836	Bazzi, G.	909	Bickel, H.J.	1770
Barach, D.	970	Bea, R.G.	1483, 1484	Bieniek, M.P.	2040
Barakat, R.	259	Beards, C.F.	487	Bies, D.A.	1345, 1396, 1428
Barber, J.P.	48	Beason, W.L.	1633	Biggs, J.M.	518
Barbosa, H.J.C.	1691	Beaufait, F.W.	496	Bigler, W.B.	1052
Barclay, D.W.	941	Beazley, W.G.	813	Bigley, W.J.	1375
Bardowicks, H.	709	Beck, C.J., Jr.	32	Billington, D.P.	485
Baret, M.	1541	Beck, J.L.	719, 1140	Bily, M.	1291
Barker, T.G.	42	Beckemeyer, R.J.	104	Birdsall, T.G.	276
Barker, W.R.	691, 692	Becker, R.J.	361	Bishop, R.E.D.	468, 1481
Barnes, S.B.	1232	Bediashvili, M.A.	1860	Biswas, J.K.	534
		Beercheck, R.C.	108	Bjorno, L.	438
		Bellinger, E.D.	1729	Black, J.A.	1485
		Bellomo, N.	1495	Blair, C.N.	342
		Beltzer, A.I.	1754		

Chamis, C.C.	1999	Cho, H.S.	1458	Cook, L.M.	131
Chan, H.C.	2036	Cho, Y.C.	24, 2214	Cooke, P.W.	1115
Chanaud, R.C.	231	Chokshi, N.C.	372	Cooley, D.E.	2244
Chandler, R.F.	351	Chon, C.T.	981, 2231	Cooper, J.D.	1643
Chandra, B.	1509, 1647, 1854	Chonan, S.	93, 2032	Cooperrider, N.K.	1080, 1081, 1262
Chandrasekaran, A.R.	1496, 1540, 1600, 1662	Chopra, A.K.	1934	Coppa, A.P.	1799
Chang, C.H.	615	Chopra, I.	1096, 1571, 2106, 2112	Cops, A.	426
Chang, C.T.	449	Choros, J.	1182	Corley, J.E.	686, 2174
Chang, J.D.	68	Chou, C.C.	711, 1102, 1898	Corley, W.G.	497, 1028
Chang, N.	485	Chou, R.C.	143	Cornell, C.A.	1932
Chang, R.Y.	614	Chou, Y.F.	480, 2020	Corrall, D.R.	1901
Chang, P.Y.	424, 498, 499	Chow, C.	282	Cost, T.L.	1401
Chang, Y.M.	2018	Choy, K.C.	1095	Cottin, N.	563
Chang, Y.W.	476	Christ, A.	2116	Cottingham, R.V.	1071
Change, A.T.	2152	Christiansen, H.N.	970	Coulon, G.	1497
Chapler, R.S.	2135	Chu, F.H.	1834	Cox, C.R.	1245
Chapman, R.B.	1153	Chu, K.	1561	Cox, J.J.	1081
Chapman, R.E.	1115	Chu, K.K.	329	Cozzarelli, F.A.	1368
Chappell, D.P.	1959	Chu, M.L.	431	Craggs, A.	839
Char, C.V.	1388	Chung, T.J.	414	Craik, R.J.M.	2007
Chari, R.T.	413	Chuprina, A.A.	1862	Crandall, S.H.	825, 2044
Charman, J.C.	170, 1457	Chwang, A.T.	1668	Crawford, C.C., Jr.	668
Chatani, A.	1175	Chwierothe, F.S.	218	Crawley, E.F.	1402
Chatterjee, S.N.	307, 2225	Cipra, R.J.	1257	Crespo Da Silva, M.R.M.	295, 1549, 1783
Chavez, J.	2171	Clapp, D.E.	168	Crews, S.T.	1111
Cheeseman, I.C.	650	Clark, J.C.	2203	Crichton, D.G.	1607, 2019
Chen, C.C.	1363, 2008	Clarke, R.J.	197	Crill, W.	1727, 1728
Chen, E.P.	1105	Clement, G.	1743	Crisp, J.N.	1287
Chen, F.Y.	614, 1100	Clements, R.M.	1938	Cromer, J.C.	16
Chen, H.-T.	46	Clevenson, S.A.	1061	Crook, A.	1777
Chen, L.T.	1469	Clough, R.W.	1450	Cropper, R.	2274
Chen, S.J.	1049	Coats, D.W.	17	Crouse, J.E.	1752
Chen, S.J.H.	1110	Cobb, W.N.	2266	Crowe, C.T.	158
Chen, S.S.	114, 309, 1689	Cockerham, G.	680	Crump, M.W.	1467
Chen, T.L.C.	833	Cohen, H.	1816, 2039	Cudlin, R.	886
Chen, W.W.H.	1523	Coladonato, R.J.	739	Culver, C.C.	1115
Chen, Y.N.	311	Colclough, A.R.	1967, 1968	Culver, L.E.	2159
Cheng, F.Y.	571	Cole, J.E., III	259, 1576	Cummings, A.	808, 809, 1426
Cheng, K.-M.	1197, 1596	Coleman, P.L.	42	Cumpsty, N.A.	395
Cherry, J.T.	42	Collings, A.G.	1492	Cunningham, H.J.	253
Cheung, M.S.	1025	Collins, J.D.	49	Cunningham, R.E.	2154
Cheung, Y.K.	2048	Collins, J.F.	1148	Curry, W.H.	844, 1631
Chi, M.	636, 637	Colpin, J.	1076	Curtis, C.M.	121
Chia, C.Y.	323	Colson, H.J., Jr.	1906	Cutchins, M.A.	1635
Chipman, R.R.	511	Colton, D.	1732	Czajkowski, R.L.	592
Chishaki, T.	837	Colton, J.D.	45, 582	Czarnecki, S.	22
Chitharanjan, N.	1646	Colwill, W.H.	1074	Czerwinski, W.	2136
Chitty, D.E.	2013	Comninou, M.	764	Czoboly, E.	1757
Chmielewski, J.F.	1868	Connor, J.J.	396		
		Connors, H.J., Jr.	59		

D

Dabell, B.J. 1945
 Dadone, L. 2111
 Dahlberg, T. 1440
 Dale, B. 1727, 1728
 Dalzell, J.F. 185
 Dambra, F. 1244, 1246
 Damongeot, A. . . . 425, 930, 1244
 Dancer, A. 867
 Dancy, E. 191
 Daniele, C.J. 1708
 Daniels, E.F. 1130
 Daniere, P. 425
 Dannan, R.E. 520
 Darden, C.M. 1429
 Dareing, D.W. 897
 Darlow, M.S. 278, 365,
 2154, 2164
 Da Silva, M.R.M.C. 992
 Dathe, I. 1741
 Datner, B. 955
 Datta, S.K. 1161
 Davidson, L.C. 362
 Davies, H.G. 1419
 Davis, R.E. 1776
 Davis, S. 2273, 2274
 Davis, S.S. 1969
 Dawe, D.J. 91, 126
 Dawson, M.J. 1501
 Day, S.M. 42, 1319
 De, S. 43
 Dean, J. 1438
 Dean, P.D. 998
 Dear, T.A. 235
 DeFelice, J.J. 52, 1247
 DeHoff, R.L. 775
 Deksnis, E.B. 533
 Delery, J. 39
 DeLoach, R. 159, 857, 1059
 Delph, T.J. 1152
 Dempsey, K.M. 1237
 Dempsey, T.K. 1059, 1061
 DeMuth, R.S. . . . 1950, 2165, 2166
 Dendrou, B.A. 1295
 Denkhaus, H.G. 1501
 Denman, H.H. 1898
 Dennis, B.G., Jr. 637

de Oliveira, J.G. 1814, 1986
 Derecho, A.T. 139, 241,
 1028, 1216
 DeRuntz, J.A. 441, 1127
 Desai, A.R. 1013
 Deschamps, G.A. 760
 Desmarais, R.N. 229
 Destuynder, R. 2064
 Devers, A.D. 21
 DeVilliers, A.L. 212
 DeWitt, R.L. 888
 Dhaliwal, R.S. 118
 Dhar, C.L. 1041
 Dhotarad, M.S. 287, 628
 Dib, G.M. 399
 Dickinson, S.M. 828, 1929
 Diekhans, G. 2123
 Dieudonne, J.E. 220
 Diez, L. 324, 616
 Dijksman, J.F. 1214
 Dikmen, M. 2041
 Dilipkumar, D.D. 452
 Dillon, D.B. 460
 DiMaggio, F.L. . . . 204, 493, 1827
 DiMarco, R.J. 1848
 Dimasi, F. 1083
 Dinkeloo, C.J. 1311
 Dittmar, J.H. 1637
 Dixon, K.O. 276
 Dizon, J.O. 1664
 Djuric, S.V. 1536
 Dobbenschütz, J. 1806
 Dobbs, N. 1029
 Dodds, C.J. 1970
 Dodlbacher, G. 178
 Doelling, N. 898
 Doige, A.G. 1346, 1347
 Dokainish, M.A. 805
 Dokumaci, E. 200
 Dominguez, J. 1045, 1047
 Domis, M.A. 1601
 Dong, R.G. 1688
 Dong, S.B. 297
 Dosanjh, D.S. 345
 Douglas, B.E. 87, 787
 Dousis, D.A. 688
 Dow, A.L. 212
 Dowell, E.H. 462, 882, 1439
 Dowling, P.J. 623
 Downs, B. 789
 Downs, B.D. 1865

Doyle, G.R. 431
 Doyle, L.B. 234
 Drago, R.J. 19, 194, 958, 2217
 Dragonette, L.R. 1128
 Drechsler, J. 698, 1951
 Drnevich, V.P. 772
 Droms, C.R. 900
 Dubowsky, S. 1683
 Duck, P.W. 1801, 2004
 Duff, C.G. 376, 379, 526,
 534, 538
 Dufrane, K.D. 1795
 Dugdale, D.S. 2027
 Dugundji, J. 1571
 Duke, J.C., Jr. 2184
 Duncan, P.E. 546, 2118
 Dundurs, J. 764
 Dungar, R. 444
 Dunnill, W.A. 1741
 DuParquet, J. 1370
 Dupas, J. 1468
 Durelli, A.J. 1348
 Durkin, J.M. 528
 Dutt, D.N. 313
 Dutta, T.K. 1856
 DuVal, R.W. 1798
 Dvorak, R.A. 109
 Dyka, C.T. 1810, 1811, 2028
 Dym, C.L. 625
 Dzagdlo, Z. 155

E

Eastep, F.E. 397
 Eaton, R.A. 381
 Eckhardt, H.D. 1134
 Edighoffer, H.H. 1696
 Edwards, B.D. 1245, 1865
 Edwards, J.W. 1442
 Edwards, R.M. 648
 Egupov, K.V. 1649
 Ehlbeck, J.M. 219
 Ehle, P.E. 1888
 Ehrlich, S.L. 969
 Eidemiller, R.I. 949
 Eiding, J.M. 163
 Eierman, R.G. 1371
 Einaudi, G. 549
 Einstein, H.H. 1528

G

Gabel, R.	1055	Ghosh, S.K.	139, 241, 1028	Green, G.C.	672
Gabrielsen, B.L.	333	Gianetti, C.E.	324, 616	Green, J.L.	213
Gabuzov, R.K.	1860	Giannopoulos, F.	354	Green, R.E., Jr.	2184
Gaffke, H.	178	Giencke, E.	562	Green, W.A.	58
Gajewski, R.R.	928	Giers, A.	1909	Greenberg, J.B.	824
Galaitis, A.G.	1462	Gikadi, T.	879	Greenblatt, J.E.	2209
Galbraith, T.J.	1629	Gilbert, L.J.	366	Greenfield, L.P.	1878
Gallagher, R.	552	Gilles, E.D.	2130	Greenway, M.E.	767
Gallagher, R.H.	1825	Gilmore, D.R., Jr.	1958	Greiner, H.F.	1094
Galloway, W.J.	1051	Ginsberg, J.H.	626, 770, 771, 1212, 1805, 2132	Grewatsch, R.	1771
Gambhir, M.L.	987	Girgis, R.S.	525	Griffin, O.M.	1193
Ganapathy, S.	1455	Glattfelder, A.H.	2116	Griffiths, M.J.	576
Ganesan, N.	287, 628, 1408	Glazik, J.L., Jr.	398	Grittner, H.	1087
Garcia-Gardea, E.	10	Glienicke, J.	2108, 2114	Groeneweg, J.F.	1687
Garniner, R.A.	1236	Glotzbach, R.W.	1091	Groger, K.	906
Garnet, H.	2272	Glynn, C.C.	1549, 1783	Grosche, F.-R.	864
Garrard, W.L.	935	Gnoyke, R.E.	2136	Grossi, R.O.	128, 1409, 1812, 2033
Gasch, R.	1951	Gobetti, A.	1293	Grosveld, F.	782
Gasparini, D.A.	1317	Godden, W.G.	1230, 1762	Grover, L.K.	310
Gatchel, S.G.	84	Goel, D.K.	2169	Gruenwald, A.	1289
Gates, N.C.	1750, 1751	Goel, S.M.	1671	Gudehus, H.	1944
Gatski, T.B.	1928	Goethert, B.H.	1741	Guha, S.K.	1655
Gaudriot, L.	16	Goldstein, M.E.	945	Guicking, D.	2047
Gaukroger, D.R.	1692	Golis, M.J.	894	Guins, S.	1873
Gaul, L.	2078	Gomes de Oliveira, J.	980	Gulbinas, A.	1421
Gaunaud, G.	1332	Gomez-Masso, A.J.	256	Gummlich, H.	1113
Gauss, F.	1277	Gonzalez, J.J.	1046	Gunter, E.J.	700, 1095, 1793, 2162
Gautesen, A.K.	1518	Goodling, E.C., Jr.	474	Gupchup, V.N.	1858
Gazetas, G.	1665, 1666	Goodno, B.J.	1871	Gupta, A.K.	478
Gebman, J.R.	509	Goodwin, R.	1304	Gupta, B.P.	666
Geers, T.L.	1127	Gopal, R.	779, 1681	Gupta, K.K.	4
Geissler, W.	653	Gorman, D.G.	1386	Gupta, L.K.	1540
Gellert, M.	400	Gorman, D.J.	129	Gupta, M.K.	1527, 1534, 1662
George, J.	940, 1207, 1612	Gossmann, E.	556	Gupta, P.K.	2204, 2205, 2206, 2207
George, J.A.	451	Gottlieb, J.J.	2136	Gupta, R.	2016
Gerasch, W.-J.	566	Goudreau, G.L.	488	Gupta, R.B.	604
Gerber, N.	491	Gould, P.L.	1015, 1391	Gupta, R.K.	852
Gergely, P.	539	Gowan, E., III.	760	Gupta, S.P.	1527, 1617
Geromel, J.C.	1705	Goyal, M.R.	890	Gupta, U.S.	826, 2029
Gersbach, V.	177	Grabowski, B.	1956	Gupta, V.K.	280
Gerwig, W.	2058	Gracey, B.	1167	Gupta, Y.P.	1616
Geschwindner, L.F., Jr.	1562	Grafov, C.C.	1861	Guruswamy, P.	1397
Geyser, L.C.	745	Graham, T.S.	1820	Guthrie, K.M.	276
Ghai, R.C.	1791	Gran, C.S.	123, 2235	Gutierrez, M.	1162
Gharib, M.	345	Gran, J.K.	45	Gutierrez, R.H.	616
Ghosh, M.K.	465	Grant, H.P.	963	Guyton, R.W.	469
		Grant, S.J.	796	Gwinn, J.M.	377
		Graves, R.D.	218		
		Green, A.T.	456		

H

Haasz, A.A.	865, 1845	Harris, J.D.	502	Hermanns, E.	1981
Habeck, R.	1023	Harris, J.G.	1160	Heron, R.A.	1777
Haber, C.P.	166	Harris, W.J.	68	Herr, R.W.	328
Habercom, G.E., Jr.	13, 404, 409, 410, 411, 412, 721, 722, 1717, 1718, 1913, 1914, 1915, 1916	Harris, W.L.	673	Herrmann, G.	1152
Hablani, H.B.	388	Harrison, I.R.	401	Hershkowitz, H.	264, 1150, 2182
Hacklinger, M.	198	Hart, G.C.	1451	Herting, D.N.	742
Haddow, J.B.	941	Harting, D.R.	777	Hertzog, H.	705
Hafer, X.	1533	Hartman, W.F.	267	Heveron, G.D.	364
Hagedorn, P.	1900	Hartmann, B.	2138	Hibbert, J.H.	712, 1908
Hagler, R.	978	Hartmann, M.J.	945	Hibner, D.H.	182
Hahn, E.J.	1478	Hartung, C.	630	Hickey, J.V.	266
Hahn, W.F.	943	Hasegawa, T.	926, 927	Hickling, R.	210, 2271
Haibach, E.	1902	Hasenpusch, B.	682	Hicks, J.E.	1674
Haidl, G.	1971	Hashirizaki, S.	620	Hidaka, T.	2216
Hain, H.L.	165	Hassan, H.	389	Higashi, T.	1570
Haines, K.A.	877	Hasse, T.	1935	Higgins, P.B.	41
Haisler, W.E.	1500	Hassel, R.L.	272	Highter, W.H.	258, 1038
Hale, A.L.	662, 736	Hatcher, D.S.	1236	Hilding, R.K.	949
Hale, F.J.	2071	Haug, E.J., Jr.	11, 1679	Hill, A.	1276
Haley, J.L.	1674	Hauger, W.	1490	Hill, J.A.	1163
Hall, A.D.	2257	Haupt, W.	2079	Hillberry, B.M.	655
Hall, D.D.	1886	Havas, I.	1757	Hillquist, R.K.	1713
Hall, R.G., III	182	Hawker, K.E.	1133, 1306	Hilton, D.A.	1052
Hall, W.E., Jr.	775, 1453	Hawkings, D.L.	665	Himmler, G.	1420
Hall, W.J.	378	Hayden, R.E.	669	Hinchey, M.J.	106
Hallauer, W.L., Jr.	79, 735, 1176	Hayes, D.J.	1482	Hinckley, R.H.	737
Halsted, D.M., III	1220	Hayes, M.	763	Hinton, E.	449, 1606
Ham, E.H.	540	Haynes, H.H.	575	Hirano, Y.	1209, 2031
Hamdi, M.A.	580	Hays, W.W.	1510	Hiromitsu, S.	239
Hamilton, J.F.	2	Hazell, C.R.	1407	Hirsch, R.	1497
Hampton, J.R.	140	Healey, A.J.	1090, 1092, 1093	Hirt, C.W.	703
Han, E.	337	Healey, T.J.	1850	Hirt, M.	1910
Hanaoka, M.	1560	Healy, S.P.	893	Hirtz, H.	564
Haney, R.S.	1587, 1588	Heck, P.H.	347	Hitch, H.	1842
Hannoyer, M.J.	88, 1184, 1185	Heckel, H.	2110	Hixson, E.L.	1719
Hanschmann, D.	1973	Hedrich, J.K.	1079	Ho, D.V.	2042
Hansen, C.H.	1345	Hedrick, J.K.	1081, 1082	Ho, K.T.A.	2277
Hanson, D.B.	1372	Hegemier, G.A.	1187, 1746, 1747	Ho, M.T.	930
Hanson, H.W.	1865	Hegner, H.R.	778	Hoa, S.V.	792
Harari, A.	115, 120	Heidelberg, L.J.	1621	Hoad, D.R.	672
Harder, R.L.	1729	Heidmann, M.F.	1577	Hobaica, E.C.	2133
Hardin, J.C.	232	Hein, L.A.	1188	Hodges, D.H.	1475
Harper, R.E.	881	Heinen, R.	1966	Hodgetts, D.	893
Harrington, J.T.	69, 451	Helleur, C.	1826	Hodulak, L.	1925
		Hellion, A.	1502	Hoepfner, D.W.	2158
		Henderson, H.R.	1052	Hoffman, E.P.	469
		Henderson, J.P.	56, 2270	Hoffmann, P.P.	1957
		Hengel, M.F.	1878	Hohenemser, K.H.	1111, 2113
		Hennlich, H.-H.	707	Hojo, A.	1175
		Henseleit, O.	1935	Holden, M.S.	2121
		Hensle, W.	957	Holger, D.K.	1129

Holland, E.	1586	Hui, W.H.	1627	Iyengar, K.T.S.R.	320
Holland, J.	2017	Hulusi, T.H.	450	Iyengar, N.G.R.	1844
Holliday, B.G.	159, 857	Humes, B.	606	Iyengar, R.N.	1988
Holmer, C.I.	1173	Hundal, M.S.	1943	Izmailov, Y.V.	1861
Holmes, H.K.	159, 857	Hung, Y.Y.	1348	Izumi, H.	504
Holmes, P.J.	312	Hunt, J.T.	970		
Holmes, R.	606	Huntley, B.L.	1341		
Holstein, G.L.	869	Huser, L.	2116		
Holt, J.S.	1905	Huss, M.F.	2098		
Holtzman, Z.	1800	Hutchinson, J.R.	1208		
Holzer, S.M.	1121	Hutter, K.	2223		
Homyak, L.	1621	Hutton, S.G.	599		
Hontschik, H.	1063	Huttzell, L.J.	2244, 2245		
Hoobler, G.	2054	Hwang, C.	845, 2068		
Hoogterp, F.B.	1724	Hyer, M.W.	788, 1555		
Hooley, R.	1641				
Hope, P.S.	1905				
Horgan, C.O.	758				
Horie, M.	814				
Horikawa, H.	462, 1439				
Horner, E.F.	1311	Ibidapo-Obe, O.	2125	Jacazio, G.	2155
Horner, J.E.	1610	Ibrahim, R.A.	750	Jackson, C.	527, 2170, 2287
Hosford, S.	886	Ibrahim, S.R.	78, 113, 273	Jackson, E.	1006, 1007, 1008, 1009, 1010
Hoshiya, S.	2157	Iding, R.H.	1103	Jackson, J.L.	773, 774
Houghton, J.D.	2172	Ieong, L.	60	Jacobs, W.R.	1797
Houstis, E.N.	1295	Igaki, H.	588	Jacoby, G.	1973
Hovanesian, J.D.	1348	Iguchi, M.	1349	Jacquot, R.G.	643
Howard, G.F.	718	Ii, J.M.	447	Jaeger, L.G.	1493
Howe, M.S.	724, 1427, 1760	Ikui, T.	2022	Jagadish, K.S.	1977
Howell, J.F.	1333	Imbert, J.	1491	Jager, E.H.	1613
Howells, R.W.	19, 194, 1283	Imbsen, R.A.	853	Jain, A.K.	835
Howson, W.P.	101	Imam, I.M.A.	487	Jakub, M.	860, 950
Hoy, J.M.	507	Ingard, U.	24	Jandrasits, W.G.	1003, 1004
Hruda, R.F.	14	Inoue, T.	1337, 1881	Jarchow, F.	2014
Hsiao, C.C.	458, 459	Iqbal, M.	139, 241, 1028	Jayaraman, G.	1559
Hsiao, M.H.	1679	Irie, T.	821, 823, 1018, 1022, 1552	Jayasekaran, T.	1559
Hsu, T.	515	Irvine, H.M.	1237	Jeary, A.P.	591
Hsu, T.-K.	689	Irwin, A.W.	1099	Jefferson, R.M.	247
Hu, A.S.	46	Isenberg, J.	1157, 1725	Jeffrey, A.	1488
Huang, C.-C.	633, 634	Ishida, Y.	1353, 1781	Jeffrey, P.	2243
Huang, C.C.	1366	Ishihara, K.	1796, 1889	Jehlicka, P.	1937
Huang, C.L.	1398	Ishihara, T.	1377	Jendrzeczyk, J.A.	308, 309
Huang, H.	1205, 1614	Ishikawa, H.	1199	Jennings, S.J.	1072
Huang, S.	1451	Ishioka, K.	2216	Jensen, A.P.	1151
Huang, T.	897	Itao, K.	825	Jensen, F.R.	192
Huber, R.	2243	Itou, S.	713, 714	Jensen, U.	2088
Hubin, J.	2144	Ivanov, P.L.	1544	Jeyapalan, R.K.	1459
Huckvale, S.A.	195	Iwan, W.D.	685, 1701, 1750, 1751	Jha, S.K.	1470
Huffington, N.J., Jr.	193	Iwatsubo, T.	64, 697, 1118	Jines, R.H.	1264
Hugg, S.B.	1031			Johannesen, N.H.	754
Hughes, W.J.	237			Johansson, I.	483
				Johns, D.J.	1300
				Johns, M.D.	276
				Johnson, A.W.	1232
				Johnson, E.R.	304
				Johnson, E.S.	1228
				Johnson, G.R.	1947
				Johnson, J.C.	208, 1252
				Johnson, J.E.	1031
				Johnson, M.R.	1263

J

Johnson, T.L.	201, 1893	Kaplan, K.	333	Khanna, S.K.	1690
Johnson, W.	1057, 2106	Kar, A.K.	2197	Khazanchi, A.C.	1856
Johnston, G.W.	865, 1845	Kar, R.C.	1784	Khera, R.P.	1526
Jonczyk, J.	1936	Kareem, A.	2076	Khmelevskaja-Plotnikova, G.	2144
Jones, A.J.	1278	Karkauskas, R.	1392	Khot, N.S.	397
Jones, D.	276	Karmakar, B.M.	1602	Khozeimeh, K.	979
Jones, D.I.G.	55, 56, 99, 1715	Karnopp, D.C.	180, 1225, 1684, 1709	Kido, K.	505
Jones, G.J.	2202	Karvelis, A.V.	303	Kiger, S.A.	245
Jones, H.W.	1401	Katayama, K.	687	Kikuchi, K.	1354
Jones, N.	217, 416, 980, 1814, 1986	Katayama, T.	1505	Kilimnik, L.S.	1851
Jones, P.J.	14	Katholi, C.R.	94	Killian, J.W.	1819
Jones, R.	1064	Kato, K.	1056, 2278	Kilmer, R.D.	660
Jones, R.S.	1676	Kato, M.	986	Kim, J.H.	1525
Jones, S.W.	2154	Katsikadelis, J.T.	1365	Kineke, J.H., Jr.	578
Jordan, H.J.	1958	Kaul, M.K.	434	King, W.F., III	530
Joseph, M.G.	1651, 1857, 1863, 1864	Kaul, R.K.	1152	Kingsbury, H.B.	931
Joyner, R.G.	1196	Kausel, E.	2251	Kino, G.S.	1351
Juneja, B.L.	2038	Kavolélis, A.P.	1355, 1356, 1421, 1479	Kishioka, E.	2229
Juran, D.	337	Kawachi, K.	991	Kiso, M.	1337, 1881
		Kawahara, T.	1488	Kitamura, Y.	1663
		Kawai, R.	34, 64	Kitchens, C.W., Jr.	491
		Kawano, K.	951	Kiusalaas, J.	558
		Kawashima, K.	1231	Klahs, J.W., Jr.	1212
		Keating, P.N.	1737	Klein, R.E.	1711
		Kelkel, K.	1952	Kleinhenz, W.	458, 459, 982
		Kellenberger, W.	457	Klement, H.-D.	1924
		Keller, A.C.	1307	Klenner, J.	1764
		Keller, C.L.	733	Klippel, P.	135
		Keller, J.J.	26, 999	Klosner, J.M.	734
		Kelly, J.M.	163, 645, 1823, 2013, 2150, 2185	Klud-um, W.	1381
		Kelly, S.G.	627	Knight, W.A.	681
		Keltie, R.F.	1218	Knobloch, W.	2077
		Kemmerling, P.T., Jr.	1542	Knoell, A.C.	1219
		Kempner, L.	608	Knop, W.-D.	2060
		Kenna, J.	1006, 1007, 1008, 1009, 1010	Knothe, K.	561
		Kennedy, R.P.	1592	Knott, P.R.	347
		Kennedy, T.E.	40	Ko, P.L.	1808
		Kennedy, W.	1386	Kobayakawa, M.	1638
		Kenton, E.	211	Kobayashi, A.S.	222, 913, 1925
		Kerber, G.	2142	Kobayashi, H.	1687
		Kerr, A.D.	1876	Kobayashi, S.	1354
		Kerrebrock, J.L.	1476	Koebler, H.G.	1756
		Kerstens, J.	125	Koenigsberg, D.	756
		Kessler, L.W.	959, 1352	Koerber, E.	394
		Kettlekamp, D.B.	655	Kohli, V.K.	1222
		Khalil, T.B.	1447	Kolkman, P.A.	387, 1883
		Khan, M.R.	6, 1895, 2129	Kolodziej, R.M.	83
				Komatsu, K.	1828
				Koncsek, J.L.	371
				Kondo, H.	122, 946
				Konig, G.	638

K

Kaar, P.H.	517, 2247
Kacena, W.J.	190
Kachadourian, G.	1308
Kaestle, H.J.	565
Kaftka, P.G.	268
Kagawa, T.	1336
Kaiser, J.E.	611, 1723
Kaiser, W.D.	883
Kajita, T.	1399
Kalanta, S.	1392, 1414
Kalaycioglu, S.	1590, 2127
Kalinowski, A.J.	740, 1122, 1301
Kaliski, S.	38
Kamash, K.M.A.	694
Kamat, M.P.	794
Kamenskiy, Y.N.	1058
Kamperman, G.W.	1239
Kana, D.D.	454
Kanatani, K.	1194
Kanber, H.	1284
Kandil, O.A.	470
Kannel, J.W.	1795
Kanning, J.L.	2196
Kantola, R.A.	1259, 1930
Kao, R.	494

R

Rabbat, B.G.	138, 517, 2049, 2247	Rao, V.R.	1844	Rinehart, R.E.	696
Rack, M.	1982	Rasch, W.	177	Rio, R.A.	1949, 2165, 2167
Rackwitz, R.	429	Rasmussen, G.	1343	Rivers, D.W.	2146
Rades, M.	1119	Rathnam, K.	619	Rivin, E.I.	393, 874
Radhakrishnan, R.	1651, 1857, 1863, 1864	Rauch, T.	421	Rizzetta, D.P.	769
Raftopoulos, D.D.	952	Rault, A.	1497	Rizzo, V.	1375
Raghavan, K.S.	819	Ravanel, M.-A.	601	Roberson, J.A.	158
Raghunandan, C.R.	96, 286	Rawtani, S.	1190	Roberts, J.B.	238, 749, 784
Raider, J.W.	2057	Ray, D.	1664	Roberts, W.B.	1752, 2156
Rainer, J.H.	1641	Rea, D.	271, 1451	Robinson, R.R.	1144, 1145
Rajanna, B.C.	1644	Rebont, J.	2224	Robson, J.D.	693
Rajaraman, A.	1581	Reddy, D.V.	1403	Rodden, W.P.	1729
Rajkumar, C.	1557	Reddy, J.N.	728, 1939, 2035	Roesset, J.M.	860, 950, 1045, 1046, 1047, 1666
Raju, I.S.	486	Reddy, T.Y.	1221	Royers, A.	1164
Raju, K.K.	486, 818, 1019	Reding, J.P.	2069	Rogers, A.M.	1510
Ram, B.S.	1524, 1650	Reed, C.L.	806, 807	Rogers, L.C.	54, 2270
Ramachandran, J.	1833	Reed, K.E.	1322	Rogers, R.J.	1419
Ramaiah, G.K.	127	Reed, R.S., Jr.	1125	Rogers, S.R.	186
Ramakesavan, S.	2151	Reethof, G.	303	Rohde, S.M.	1564
Ramakrishna, B.S.	313	Reich, H.	1113	Rohrle, H.	554
Rama Murthy, T.V.	1778	Reichenbach, F.M.	881	Rollvik, S.	1511, 1512
Ramamurti, V.	413	Reid, S.R.	1026, 1221	Rom, J.	2067
Raman, J.	1657, 1659	Reilly, M.J.	153, 1264, 1265, 1266, 1267	Romander, C.M.	475
Raman, P.V.	320	Reinhold, T.A.	659	Romberg, T.M.	3
Ramer, D.J.	1242	Remington, P.J.	1462	Romeo, D.J.	1275
Ramsey, K.A.	962	Remmers, E.P.	811	Romilly, N.	417
Rand, R.H.	1893	Rempel, J.R.	1126	Ronneberger, D.	1331
Randall, S.E.	1220	Renger, A.	1706	Roos, H.J.	2086
Raney, J.P.	541	Reynolds, R.S.	1545	Roos, R.	1624
Rangaiah, V.P.	1985	Rhodes, D.J.	1733	Rosemeier, G.	707
Rangaswami, R.	1559	Ribner, H.S.	27, 1745	Rosenblueth, E.	917, 1448
Ranjan, G.	1660	Rice, E.J.	105, 1577, 1578, 1579	Roskam, J.	842
Ranken, R.E.	1948	Rice, J.R.	1894	Ross, C.F.	841
Ranlet, D.	204, 493, 734	Rice, J.S.	175	Ross, D.	233
Ranshi, A.S.	176	Rich, B.L.	141	Ross, S.M.	577
Rao, B.M.	292	Richards, E.J.	1459	Rossin, R.	1569
Rao, B.V.A.	287	Richards, R., Jr.	1619	Rothaug, K.	265
Rao, C.K.	1553	Richards, T.L.	1470	Rouverol, W.S.	2011
Rao, D.K.	89, 595, 790	Richardson, J.M.	942	Row, D.G.	1123, 1124
Rao, G.V.	486, 779, 818, 1019, 1817	Richey, A.E.	367	Rowe, W.T.	1228
Rao, N.S.	98, 464, 605	Richter, T.	2253	Royal, A.C.	1282
Rao, P.V.	1539, 1977	Ricker, R.E.	44	Rubayi, N.A.	283
Rao, S.S.	819, 1117, 1844	Ricker, T.W.	315	Rubin, D.	1722
		Rickert, B.M.	2177	Rubin, H.	557
		Rickley, E.J.	24	Rubin, S.	956
		Rieger, N.F.	1303	Rubinstein, N.	783, 2282
		Riffel, R.E.	1520	Rudnick, I.	1284
		Rijnja, H.A.J.	28	Ruetenik, J.R.	2101
		Riley, P.P.	1298	Ruf, G.	383
		Riley, W.W.	1865	Ruggeri, T.	1489

Rugh, W.J.	1712	Sankaran, K.S.	1658	Schoen, B.	1226
Rumerman, M.L.	1734	Santhakumar, A.R.	1559, 1620, 1646	Schöllhorn, K.	2109
Ruo, S.Y.	923, 924	Saran, S.	1513, 1660	Schomer, P.D.	1171
Ruscheweyh, H.	706	Saravanamuttoo, H.I.H.	2175	Schrage, D.P.	356, 990
Russell, H.G.	497, 2049, 2247	Sarna, S.P.	695	Schreyer, H.L.	993
Russell, M.F.	1269, 1270	Sarpkaya, T.	1921	Schroeder, E.C.	1031
Russell, R.E.	209	Sathikh, S.	413	Schubert, K.	1258
Russell, T.E.	2203	Sathyamoorthy, M.	484, 1604	Schuetz, D.	51
Rutenberg, A.	515, 2194, 2248	Sato, K.	1385	Schuller, K.	1787
Rüter, G.	1063	Sato, S.	690	Schultz, T.J.	2075
Rutherford, S.R.	1133	Sato, T.	1349	Schulze, B.	1531
Rutledge, J.	2167	Sato, Y.	1369	Schumacher, R.T.	196
Ryan, W.W., Jr.	330	Satter, M.A.	1608	Schwartz, C.W.	1528
Ryden, L.	1256	Saunders, A.S.	164	Schwarz, M.	1838
Ryde-Weller, A.	1891	Savidis, S.A.	2253	Schwer, L.E.	45, 475
Rylander, R.	867	Savy, J.B.U.	1933	Schwerdlin, H.	978, 2220, 2222
		Sawatari, T.	1737	Schwerdtfeger, H.	1955
		Sawdy, D.T.	104	Schwieger, H.	934
		Sax, M.	785	Schwirzer, Th.	1896
		Sayers, M.W.	1079	Sciarra, J.J.	19, 194
		Scalise, D.T.	1762	Scott, R.A.	250, 788
		Scanlan, R.H.	352, 353, 2228	Scott, R.F.	1240
		Scavuzzo, R.J.	610	Scott, I.G.	1315
		Schaeffer, E.G.	194, 1250	Scott, W.A.	754
		Schapery, R.A.	1474	Screwvala, F.N.	1526
		Scharnhorst, K.P.	1332	Seaman, P.E.	968
		Schary, M.	274	Seborg, D.E.	2213
		Schauer, J.J.	469	Sedney, R.	491
		Schiff, A.J.	932	Seebass, A.R.	1444
		Schiff, M.I.	1422, 1423	Seed, H.B.	1926, 1927
		Schiffman, M.C.	1954	Sehitoglu, H.	1711, 1907
		Schildt	1694	Seifferth	1694
		Schilken, R.	704	Seireg, A.	2131
		Schirmer, W.	1131	Sela, U.	65
		Schlack, A.L., Jr.	1547	Selleck, R.A.	798
		Schlesinger, A.	1678	SenGupta, G.	147, 1430
		Schliekelmann, R.J.	251	Sensburg, O.	1226
		Schlinker, R.H.	1376	Senseny, P.E.	1772
		Schlitzer, L.D.	182	Sentek, J.	838
		Schmid	1694	Sertour, G.	67
		Schmid, H.	618	Seshadri, T.V.	723
		Schmid, I.	177	Sethna, P.R.	748, 2023
		Schmidt, E.	1531	Seto, K.	644
		Schmidt, L.V.	1441	Seybert, A.F.	2, 781
		Schmit, L.A., Jr.	559	Shah, A.H.	1816, 2039
		Schmitz, F.H.	671, 1053	Shah, L.C.	741
		Schneider, B.	1982	Shah, V.N.	418
		Schneider, C.P.	1695	Shahabadi, A.	854
		Schneider, J.F.	589	Shahinpoor, M.	332, 1832
		Schnobrich, W.C.	1030, 1853	Shaishmelashvili, V.N.	1860
				Shakal, A.F.	1932

S

Sachse, W.	1733
Sackman, J.L.	2150, 2185
Sadek, M.M.	681
Safar, Z.S.	2199
Safford, F.B.	40
Sagartz, M.J.	334
Saini, S.S.	1513
St. Hilaire, A.O.	1763
St. John, D.L.	2181
St. John, R.C.	1885
Saito, H.	1362, 1551
Sakata, T.	830, 1714, 1918, 2037
Sakata, Y.	2037
Sakurai, S.	1663
Salama, A.L.	800
Salama, M.	2120
Salamone, D.J.	2162
Saliba, G.	1868
Salvadori, M.G.	816, 817
Salvidge, A.C.	2097
Samaha, M.A.	531, 1463
Samant, C.G.	1858
Sandercock, D.	1752
Sanders, J.R.	812
Sandford, J.	1626
Sandler, B.Z.	1976
Sandler, I.S.	1722
Sandman, B.E.	115, 121
Sankar, S.	71, 1067
Sankar, T.S.	66, 776, 1463

Shaker, B.S.	611, 1723	Singer, J.	1206, 1829, 1830	Snyder, M.R.	1038
Shanks, J.M.	1186	Singh, A.K.	1599	So, W.	171
Shantaram, D.	1554	Singh, A.V.	1393	Sobel, P.A.	2146
Shapiro, A.B.	2277	Singh, B.M.	118	Sobieczky, H.	1444
Sharan, S.K.	355	Singh, D.V.	1791	Socie, D.	1965
Sharma, C.B.	1831	Singh, K.	1387	Sodhi, D.S.	1403
Sharma, R.K.	1652	Singh, M.	1471	Soedel, W.	340, 1460, 2024
Sharma, S.K.	243	Singh, M.P.	2268	Sofrin, T.G.	1577
Sharma, V.P.	2233	Singh, P.S.	1654	Sofronie, R.	1040
Sharp, B.H.	495	Singh, R.	274, 1460, 2024	Sofue, Y.	2157
Shaw, J.	661	Singh, R.D.	1525	Soh, C.H.	621, 622
Shaw, L.L.	1636	Singh, V.K.	1190	Sohre, J.S.	2250
Shaw, R.C.J.	558	Singhal, M.K.	1693	Sokolova, Y.A.	1058
Shaw, R.J.	371	Sinha, B.K.	761	Soleimani, K.	815
Sheets, H.	756	Sinha, K.N.	1657	Soleimani, D.	2215
Shefrin, J.	1265	Sinha, P.K.	1065, 1082	Solla, E.	1598
Sheinman, I.	1556	Sinha, S.C.	711, 1102, 1898	Soni, S.R.	1409
Shepherd, K.P.	1241	Sinhasan, R.	1791	Sonoda, T.	1809, 2226
Sherkat, V.R.	392	Sislian, J.P.	581	Sotiropoulos, G.H.	594
Shevchuk, G.J.	1017	Sisto, F.	1569	Soustova, I.A.	31
Shiau, L.C.	1991, 2283	Skaff, A.	242	Southwood, B.J.	1050
Shibata, H.	1890	Skaistis, S.J.	523, 2286	Sozen, M.A.	1043
Shidler, P.A.	670, 1454	Skibo, M.A.	268	Spalding, G.R.	8
Shieh, R.C.	1178	Skinkle, M.E.	1515	Spandrio, A.M.	187
Shifflet, G.	1965	Skinner, D.W.	35	Spanos, P.-T.D.	430, 912, 1138, 1701
Shih, P.	993	Skop, R.A.	2198	Sparks, P.R.	659
Shilling, R.B., III.	1012	Skow, A.M.	1630	Sparmann, R.	701
Shimogo, T.	36	Skrikerud, P.E.	1086	Speakman, J.D.	146, 344
Shin, Y.S.	308	Sleeper, R.K.	403	Spector, S.R.	675
Shinozuka, M.	1199	Slonim, A.	1976	Spencer, A.J.M.	1024
Shiu, K.N.	138, 2049	Slonim, M.	1976	Sperry, W.C.	2066
Shivashankara, B.N.	167	Slutsky, S.	2098, 2099, 2100	Spielhagen, D.	1870
Shkola, A.V.	1615	Smalley, A.J.	278, 365 2154, 2164	Spiker, R.L.	1720
Short, S.A.	1592	Smiley, R.F.	2101	Spindel, J.E.	1902
Shostak, A.G.	735	Smith, C.C.	1872	Spurk, J.H.	1325
Showalter, J.G.	1920	Smith, D.A.	1682	Sreekantiah, H.R.	1656
Shrivastava, S.K.	388, 1599	Smith, D.L.	1447	Sridharan, A.	1659
Shum, K.L.	173	Smith, E.B.	2238	Sridharan, K.	1183
Siddorn, T.E.	290	Smith, G.M.	513	Srifuengfung, D.	571, 1042
Siegner, H.	2052	Smith, J.H.	1633	Srinivasan, K.	360
Siegrist, G.	367	Smith, J.R.	779	Srinivasan, R.K.	1400
Sienkiewicz, A.	965	Smith, N.	381	Srinivasan, R.S.	851
Sigillito, V.G.	783	Smith, P.W., Jr.	319, 625, 1294	Srinivasulu, P.	1653, 1661
Sigman, R.K.	684	Smith, R.R.	872, 970	Srivastava, L.S.	1509, 1540, 1667
Silver, M.L.	2096	Smith, R.T.	288, 438	Stadelbauer, D.G.	215
Simiu, E.	2228, 2249	Smullin, J.I.	1846	Stadter, J.T.	783
Simmonds, J.G.	1213	Smy, P.R.	1938	Stafford, J.F.	79
Simpson, D.G.	1775	Smythe, R.C.	2143	Stagliano, T.R.	1720
Simpson, H.M.	1802	Sneckenberger, J.E.	236	Stahl, B.	1804
Sinclair, G.B.	953	Snowdon, J.C.	335	Staid, P.S.	347
Sinclair, J.H.	1999				

Stakolich, E.G.	1069	Stuurman, A.M.	373	Takahashi, Y.	271
Standing, R.G.	500	Subrahmanyam, M.S.	1656	Takayanagi, T.	1030
Stanway, R.	1342	Subramanian, R.	717	Takemiya, H.	951
Stapleford, R.L.	1848	Succi, G.P.	299	Takeuchi, R.	29, 30
Stapper, M.	427, 428	Sugimoto, N.	206	Takeyama, H.	1815
Starace, J.J.	2100	Suharwardy, M.I.H.	1373, 2210	Talasilidis, D.	1014
Stasyszyn, N.	2074	Suhner, O.H.	1548	Talbot, R.J.	1446
Stavsky, Y.	824, 1609	Sullivan, B.M.S.	521	Tam, D.S.F.	1931
Stea, W.	1029	Sullivan, J.W.	341	Tam, P.K.Y.	468
Steckler, K.D.	73	Sullivan, P.A.	106	Tamura, A.	1369
Steenackers, P.	426	Sun, C.T.	480, 2008, 2020	Tanaka, S.	1570
Steenken, W.G.	799	Sundaram, S.	1858	Tang, D.T.	1450
Steiger, A.R.	2071	Sundararajan, C.	896	Tani, J.	133, 318
Steininger, M.	1971	Sung, S.H.	2271	Tanida, Y.	2005, 2006
Stenschke, R.	380	Suresh, S.	283	Taniguchi, H.H.	1343
Stephen, R.M.	856	Sussman, H.	969	Tanimura, S.	588
Stephens, D.G.	159, 857, 866, 1062, 1253, 2246	Sussman, N.E.	1308	Tann, T.A.	870
Stephens, R.W.B.	438	Sutin, A.M.	31	Tanner, A.E.	1264
Stepniewski, W.Z.	2260	Sutphin, H.W.	69, 451	Tansirikongkol, V.	901, 1923
Stere, C.	1048	Sutton, H.B.	2062	Taylor, D.L.	1220
Sternfeld, H., Jr.	234, 1250	Sutton, J.L.	1736	Taylor, J.I.	2180
Stetson, K.A.	401	Suzuki, H.	929	Taylor, R.E.	546, 547
Stevenson, A.E.	956	Suzuki, K.	983	Tecza, J.A.	2154
Stevenson, J.D.	537	Suzuki, S.	119, 1016	Tee, G.J.	1492
Stewart, S.	100	Suzuki, S.	1070	Teh, K.K.	1366
Stiewitt, H.	864	Suzuki, S.-I.	596, 1364	Teichmann, D.	1782
Stockmaier, H.	1910	Swaddiwudhipong, S.	2048	Teipel, K.	2091
Stoddard, F.S.	2000	Swan, P.	1639	Teramoto, M.	687
Stoke, K.H.	732	Sweetser, E.I.	2146	Terauchi, Y.	2216
Stokey, W.F.	610	Swisdak, M.M., Jr.	244	Tesar, D.	812, 875, 876, 1011, 1589
Stone, B.J.	1779	Sylvester, J.	960	Tesch, W.A.	799
Stone, D.E.W.	262	Symmons, G.R.	680	Tester, B.J.	747
Stotler, C.L.	1799	Symonds, P.S.	981, 1000, 1210, 2230, 2231	Tezak, E.G.	803, 1897
Stott, S.J.	873, 884, 885	Szemplinska-Stupnicka, W.	1702	Thajuddin, M.D.	102
Stoykovich, M.	536	Szenasi, F.R.	613	Thakkar, S.K.	1529
Strandberg, M.W.P.	1380	Szenaski, F.R.	889	Thambiratnam, D.P.	1816, 2039
Strange, W.A.	1610	Szewczyk, V.M.	747	Thandavamoorthy, T.S.	1661
Strasberg, L.	1874			Thiele, F.	656
Strasberg, M.	374			Thomas, H.	2275
Strauss, A.C.	2147, 2148			Thomas, H.-J.	699, 2107
Strenkowski, J.	836			Thomas, J.	92
Stringas, E.J.	347			Thomas, R.E.	1031
Struebel, R.	934	Taat, M.	1011	Thompkins, W.T., Jr.	1476
Stubbs, S.M.	403	Tabarrok, B.	555, 911	Thompson, J.P.	1628
Stuble, P.H.	315	Tada, M.	588	Thompson, J.R.	2045
Stubstad, J.M.	381	Taha, M.M.A.	810	Thoms, R.L.	949
Stuehlen, B.	957	Takada, S.	1199	Thomsen, C.	1537
Stühler, W.	1992	Takahashi, I.	1552	Thomson, W.T.	1451
Sturgeon, J.B.	1946	Takahashi, K.	837, 1786	Thornton, W.A.	6, 2129
Sturmth, R.	2014	Takahashi, S.	983	Thullen, P.	1017

T

AD-A079 549

NAVAL RESEARCH LAB WASHINGTON DC SHOCK AND VIBRATION--ETC F/G 20/11
THE SHOCK AND VIBRATION DIGEST, VOLUME 11, NUMBER 12, (U)
DEC 79 J NAGLE-ESHLEMAN


UNCLASSIFIED

NL

2 OF 2
AD A
079549



END
DATE
FILMED
2 - 80
DDC



Y

Yadav, D. 891
 Yaeger, R.C. 143
 Yahraus, W.A. 466
 Yakovlev, P.I. 1615
 Yakovlevich, D.I. 1507
 Yamada, G. 821, 823, 1018,
 1022, 1552
 Yamada, T. 1195
 Yamada, Y. 951
 Yamamoto, F. 1568
 Yamamoto, T. 986
 Yamamoto, T. 1353, 1781
 Yamamoto, T. 1390
 Yamamoto, Y. 2022
 Yamane, T. 1056, 2278
 Yamanouch, M. 644
 Yamanouchi, M. 174
 Yamazaki, K. 1288
 Yan, M.J. 473
 Yanabe, S. 1354
 Yanagisawa, E. 1766
 Yancey, C.W.C. 918

Yang, H.T.Y. 1445
 Yang, J.C.S. 87
 Yang, J.N. 1280
 Yang, T.Y. 123, 1397, 1991
 Yao, J.T.P. 932, 1110
 Yasuda, K. 986
 Yasue, M. 1251
 Yasumoto, Y. 30
 Yates, J.E. 2137
 Yazaki, Y. 620
 Yeghiayan, R.P. 510
 Yeh, T.T. 114
 Yeung, K.S. 1088
 Yim, S.J. 1785
 Yocum, A.M., II 878
 Yokel, F.Y. 732
 Yoshimura, H.R. 247
 Young, M.E. 919, 920
 Youngdahl, C.K. 314
 Yousri, S.N. 784
 Youssef, N.A.N. 1487, 1749
 Yu, N.J. 1444
 Yu, Y.H. 671, 1053
 Yuhas, D.E. 959, 1352
 Yun, C.B. 1330
 Yuruzume, I. 1584

Z

Zable, J.L. 35, 1994
 Zachman, N.J. 655
 Zagajeski, S.W. 1582
 Zajaczkowski, J. 1313, 1357
 Zakic, B.D. 1984
 Zammert, W.U. 1384, 1960
 Zarek, J.H.B. 840
 Zarur, G.L. 218
 Zaveri, K. 1535
 Zbieranowski, W. 965
 Zebarjadian, A. 1664
 Zharov, A.M. 1851
 Ziebarth, H. 1955
 Ziegler, G. 1998
 Zienkiewicz, O.C. 440, 449
 Zijp, D. 2281
 Zilch, K. 657
 Zilinskas, G. 1737
 Zimmermann, H. 652
 Zimmermann, W. 682
 Zini, G. 961
 Zinn, B.T. 684
 Zorea, C. 2067
 Zorumski, W.E. 346
 zur Lippe, C.F. 1158

ANNUAL SUBJECT INDEX

- A -

<p>Absorbers (Equipment) 642</p> <p>Absorbers (Materials) 840 1621</p> <p>Accelerometers 1170 591 1773 75 76 2187</p> <p>Acoustic Absorption 30 2241 73 74 1165 1316 28 840 1428</p> <p>Acoustic Attenuation use Acoustic Absorption</p> <p>Acoustic Detectors 1736</p> <p>Acoustic Diffraction 2241 237</p> <p>Acoustic Emission 1350 1821 2184 1315</p> <p>Acoustic Excitation 192 1464 225 1306 627 228 159 555 857 635</p> <p>Acoustic Holography 1349</p> <p>Acoustic Imaging 1736 1737</p> <p>Acoustic Impedance 300 781 362 1173 274 2018 1579</p> <p>Acoustic Insulation 640</p> <p>Acoustic Liners use Acoustic Linings</p>	<p>Acoustic Linings 1580 103 24 1426 997 998 469 1427 1378 1579 1428</p> <p>Acoustic Measurement 674</p> <p>Acoustic Measuring Instruments 1173 959</p> <p>Acoustic Microscopy 1352</p> <p>Acoustic Properties 31 684 27 169</p> <p>Acoustic Radiation 31</p> <p>Acoustic Range 2058</p> <p>Acoustic Reflection 330</p> <p>Acoustic Resonance 1470 311 1165 1129</p> <p>Acoustic Resonators 26</p> <p>Acoustic Response 1920 492 2024 225 226 227 626</p> <p>Acoustic Scattering 551 1312 443 1574 1735 1207 1128 1731 1732 1733 1734 2137 2232</p> <p>Acoustic Signatures 1242 688</p> <p>Acoustic Techniques 260 1351 1284 456 67 1158 779 620 1736 267 1738 587 1968 1737 1967</p>
<p>Abstract Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287</p>	
<p>Volume 11</p>	
<p>Issue: 1 2 3 4 5 6 7 8 9 10 11 12</p>	

Acoustic Transmission
1822

Air Blast
40

193

436
1126

Acoustic Waves
443

Airborne Equipment Response
154

76

Acoustical Data
use Experimental Data

Air Compressors
use Compressors

Active Control
850 841 1082 313 1906 1439
1842 1843

Air Conditioning Equipment

1676 808

Active Damping
145

Aircraft

150 51 152 1443 844 155 76 147 68 349
510 651 512 1633 1034 175 156 157 148 509
850 1311 652 2063 1624 1035 266 267 508 939
1630 1441 922 1634 1625 346 397 708 1039
1531 1062 2064 1036 507 768 1629
1631 1442 1086 1037 1038 1639
2071 1542 1226 1627 1628
1632 1446 1717
1626 1727
1716 1847
1846

Active Flutter Control
512 354 507

Active Isolation
1440 1622 1623 1225
2062 2243

Adhesives
938

Aerodynamic Characteristics
2121 1695 447 508
1717

Aircraft Engines

541 542 775 2157 268 1999
2101 2167 278
1708

Aerodynamic Excitation
2067

Aircraft Equipment

267 149

Aerodynamic Loads
1570 61 1442 253 844 945 1796 1497 448 1639
1630 991 1632 653 2224 1485 1916 768 1699
2260 1441 1543 1728
1631 1763 2228
2001

Aircraft Landing Areas

213 258

Aerodynamic Response
use Aerodynamic Stability

Aircraft Noise

1430 521 782 343 344 345 146 727 348 159
551 842 1113 1774 865 866 737 648 209
1112 1343 1845 1636 847 668 529
2065 2066 857 848 649
2246 1227 1228 849
1297 1059
1637 1229
1299

Aeroelasticity
880 446 708 769
1156 1729
2106

Aircraft Response

176

Agricultural Machinery
1686 467 1068

Air Bags (Safety Restraint Systems)
1272 1275

Aircraft Seat Belts
351

Abstract
Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Automobile Noise

1217

Automobiles

1090 892 1093 384 695 406 177 178 179
 1092 694 1996 407 249
 2052 2056 1219

Automobile Seat Belts

1087

Automobile Tires

1217

Automotive Transmission

472

Axial Excitation

93

Axial Force786
1206**Axisymmetric Vibrations**

1611 2042 1393 824 2045 818 1609
 2029

- B -

Baffles

1380 237

Balancing

use Balancing Techniques

Balancing Machines

215

Balancing Techniques

1530 1951 1952 2163 584 585 1546 1337 1768 1909
 1950 2161 2162 2164 2165 2166 1767 1949
 2167

Ball Bearings

1353 955 2206 2207 288 289
 1563 988
 2203 1188

Bars

1560 2192 953 64 1779
 284 1989

Beam-Plate Systems

1810

2028

Beams

90 91 92 93 84 205 86 87 88 89
 280 281 982 573 114 435 416 217 138 189
 790 461 1182 643 594 595 596 597 598 279
 980 741 1362 793 1184 1005 716 787 728 599
 1030 791 1552 1363 1364 1185 786 1077 788 789
 1180 981 1782 1553 1554 1365 936 1357 908 979
 1360 1181 1783 1754 1555 1366 1367 1178 1179
 1550 1361 1853 1784 1785 1786 1617 1358 1549
 1710 1551 1984 1855 1876 2057 1988 2049
 2194 1985 1986 2237

Beams-Columns

243

1368

Bearings

1340 451 1342 463 1564 1515 796 877 98 1369
 1370 1371 1622 1623 1794 1795 2206 1177 1188 1519
 2200 2201 2202 1793 2204 2205 2207 2178 2199
 2123 2208
 2203

Belt Conveyors

1868

Belt Drives

1100

Belts (Moving)

1994

Bernoulli-Euler Method

982 573 1985
 1182 643

Bibliographies

410 211 12 13 404 405 406 407 1498 409
 920 411 412 1913 1914 1915 1916 1717 1718 919
 721 722

Bioengineering

161 513

Bird Strikes

48

Blade Loss Dynamics

182

798

Abstract

Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Buildings (Continued)

1850 1141 1862 2073 1864 1855 1646 1647 1448 1099
 1860 1651 2072 2074 2075 1856 1857 1648 1239
 2060 1851 2084 2076 1977 1718 1449
 1861 1858 1649
 2021 1859
 2261 2249

Bumpers

920 2052 919
 1219

Buses

2275 406 407

Business Equipment

1425

- C -

Cables (Ropes)

460 1561 702 1993 94 285 496 987 1788 1199
 1010 1562 354 1645 2196 1187 2198 1789
 1992 1787 1919
 2197

Calibrating

964 75 1536

Calibration

use Calibrating

Cams

1067

Cantilever Beams

810 281 282 283 84 85 117 1358 89
 601 462 1853 784 335 1357 1988 1359
 602 1184 365 1987
 1012 1554 785
 1185
 1365
 1555

Cantilever Plates

1402 1408

Caps (Supports)

494

Cargo Restraint Systems

1009

Cargo Transportation

1010 1006 1007 1008 1009

Catenaries

1389

Cavitation

373 364

Cavitation Noise

374
 1464

Cavity-Containing Media

1151 1332

Cavity Resonators

2140 2271 26

Central Processing Units

1954

Centrifugal Pumps

362 1768

Ceramics

932

Chains

813 1704 2195 1009

Chatter

360 2091 1117

Chimneys

1991 2283 2234 706
 1086
 1826

Circuit Boards

1882 1315

Circular Bars

1183

Circular Cylinders

1800 1803 2006 118 309

Circular Panels

815 1506

Abstract

Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Circular Plates
 320 1211 132 823 824 825 1397 1018 629
 1020 1411 322 1813 1814 1405 1208 929
 1210 2031 2028 1019
 2030 1209
 2230 1609
 2029

Circular Shells
 1831 1394

Clay Soils
 1765

Clays
 1525 1526

Clearance Effects
 796 2107

Clutches
 1573 1885

Coated Beam Method
 579

Coatings
 617 579

Coherence Function Technique
 568

Collapse
 use Failure Analysis

Collision Research (Aircraft)
 use Crash Research (Aircraft)

Collision Research (Automotive)
 870 211 12 1063 574 1275 1276 247 248 249
 920 871 1272 1143 1274 1087 868 869
 1880 2272 1273 2274 1088 919
 2273 1089
 1169

Collision Research (Railroad)
 1264 1265 1266 1267

Collision Research (Ships)
 424 756 498 499

Columns
 2210 101 1102 295 608
 2211

Columns (Supports)
 992 803 994
 993
 1373

Combustion Excitation
 192

Commercial Transportation
 1277 1148

Compacting
 1286

Complex Modulus
 579

Complex Structures
 1363 1527
 1633

Component Mode Analysis
 734

Component Mode Synthesis
 741 662 1123 1124 1696 567 2118
 1761 742

Composite Beams
 603

Composite Materials
 51 824 2035 936 757 758 1939
 1941 1746 937 2019
 1747

Composites
 1940 1942

Composite Structures
 1322 1323 214 115 307 1748 1819
 1385
 2225

Compressive Strength
 1671 1522 1526
 1652

Compressor Blades
 292 293 99
 1572 963 799

Abstract
 Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue:	1	2	3	4	5	6	7	8	9	10	11	12
--------	---	---	---	---	---	---	---	---	---	----	----	----

Compressors
 1460 1261 2002 1074 1075 586 527 368
 2181 2265 1076 1657
 1476

Computer Aided Techniques
 170 11 1492 1973 54 775 1057 68 139
 340 401 1582 2213 904 905 2177 698 889
 1950 571 2263 1564 1945 1338 1959
 881 1774 1538
 1311 1974

Computer Programs
 20 21 222 123 84 745 226 227 18 19
 220 221 292 193 194 925 316 607 228 229
 420 421 422 223 224 1445 496 737 488 419
 500 571 442 243 314 1635 536 1127 498 469
 710 741 742 363 424 1725 736 1177 518 499
 740 911 862 423 444 1925 746 1727 618 739
 810 921 922 473 744 1935 856 1927 738 799
 910 1311 1042 703 804 2135 1126 1038 1309
 1310 1391 1142 733 924 1556 1088 1559
 1500 1501 1722 743 1564 1726 1308 1599
 1580 1721 1902 853 1724 1806 1728 1629
 1610 1971 2092 923 1924 1926 1858 1729
 1720 1991 943 1879
 1730 2281 1283 1999
 1790 1633 2209
 2000 1673 2249
 2040 1723

Computer Simulation
 1001 1002

Computerized Simulation
 1320 1311 223 224 888
 1631 813 844 1318
 1083
 2073

Computer Storage Devices
 1545

Computerized Symbolic Manipulation
 903

Concentric Structures
 1614

Concretes
 483 1286
 2153 1646

Condensation Method
 552 553 554

Configuration Effects
 use Geometric Effects

Conformal Mapping
 616 468

Conical Shells
 1613 1824 615 189

Constitutive Equations
 765 937 258
 948

Constrained Structures
 1419

Construction Equipment
 160 1437
 520

Contact Vibration
 2208

Containment Structures
 482 316 327 2268 539

Continuous Parameter Method
 1711 1989

Continuum Mechanics
 942

Control Equipment
 850 2212 2213 174 1375 806 1709
 1705

Control Systems
 use Control Equipment

Conveyors
 1455 2086 1868 359

Cooling Fans
 use Fans and Cooling Systems

Cooling Systems
 1601 363 1464 315

Abstract
 Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Cooling Towers
 960 631 122 123 1825 338 339
 1391 632 2235 1558
 1431 2122
 1841

Core-Containing Structures
 516

Cornering Effects
 1473 879

Correlation Techniques
 1891 1502 1975 1206 1608

Coulomb Friction
 1521 1943 1854 1678
 1878
 1908

Coupled Response
 550 1761 882 1783 555 946 617 2078
 580 635 1656 1237
 1665 2226

Coupled Systems
 1294 1205 1107

Couplings
 2220 1421 2222 393 1585 877
 613

Crack Detection
 1955

Crack Propagation
 1160 222 1554 2158 509
 2160 2159

Cracked Media
 1161 713 714 1105 398
 933 1894 1518

Crane Booms
 1318

Crankshafts
 1980 1981 1982 1979

Crash Research (Aircraft)
 151 152 1673 1674 1726 1848 1849
 351 1032

Crashworthiness
 920 1272 153 1264 1265 1266 1267
 1880 1273 1674 1726
 2063

Critical Damping
 1873

Critical Speeds
 1590 613 1354 365 596 2287 278
 2110 633 1356
 2176

Cross Correlation Technique
 303 1855 1608

Curve Fitting
 1588

Curved Beams
 792 983 794 1556
 1782 2194

Curved Plates
 1411

Cushioning
 use Impact Shock Insulation

Cutting
 1067

Cylinders
 60 941 102 703 1144 815 1396 297 468
 610 1201 1192 1193 1154 1105 2006
 940 1801 1762 1803 1184 1145
 1390 1802 1574 1155
 1185

Cylindrical Bodies
 use Cylinders

Cylindrical Shells
 120 491 482 633 524 635 116 117 118 119
 330 1611 492 1833 634 1205 1016 1017 328 329
 610 1831 1402 2043 1204 1395 1206 2047 1128 619
 1830 1612 1394 2045 1396 1198 1229
 1832 1824 1826 1829
 2042 2044 2046
 2234

Abstract
 Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Discontinuity-Containing Media
 120 942 933 714 1105
 1733

Discs
 use Disks

Disks
 801 802 2233

Disks (Shapes)
 1610 321 1386 2027 1288

Dissipation Factor
 2058

Distillation Equipment
 1328

Distribution Functions
 1706

Drillships
 use Drills/Ships

Drive Line Vibrations
 1870 893 1196 1869

Drive Shafts
 408 179
 1979

Drop Tests (Impact Tests)
 1034 1035 1036 1037

Ducts
 300 301 302 103 104 105 106 997 298 299
 470 471 612 303 1804 1575 1106 1377 808 469
 1380 611 1723 2004 1805 1376 1577 998 809
 1580 2214 2005 1426 2007 1378 999
 2135 1576 1428 1379
 2006 1578 1579

Dynamic Analysis
 1904

Dynamic Antiresonant Vibration Isolators
 1064

Dynamic Balancing
 960

Dynamic Buckling
 1102 2043 494

Dynamic Data System Technique
 10

Dynamic Excitation
 1165

Dynamic Loads
 use Dynamic Excitation

Dynamic Modulus of Elasticity
 56

Dynamic Plasticity
 980 1823 1814 416 217
 1000

Dynamic Properties
 1011 732 1174 1565
 1491 1542

Dynamic Relaxation
 623

Dynamic Response
 50 331 422 1993 614 85 396 37 8 799
 1660 421 652 2153 1894 935 886 1257 488 819
 651 2082 906 1617 528
 931 1446 1877 948
 1151 1616 1947
 2236

Dynamic Shear Modulus
 1802 1765 1766

Dynamic Stability
 1900 112 1443 1624 1625 306 1187 909
 2000 982 1995 846 1627 1189
 1156 2277 1899
 1486

Dynamic Stiffness
 860 883 605 1047 859
 950

Dynamic Structural Analysis
 1500 481 1492 203 904 905 446 207 398
 1730 921 1792 1103 1015 916 1697 1818
 1491 1493 1295 2237
 1865
 2285

Abstract
 Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Dynamic Structural Response
use Dynamic Response

Dynamic Synthesis
662 904

Dynamic Systems
400 1302 1494 907 748 199
1137 2128

Dynamic Tests
140 381 282 1443 655 856 177 138 639
1790 681 592 1563 1525 1006 1007 938 739
881 1522 1753 1526 1008
1941 1652 2013

Dynamic Vibration Absorption (Equipment)
643 644 335 1836

- E -

Earth Structures
1672

Earthquake Damage
710 1851 572 1596 1197 1199
1852 1597

Earthquake Prediction
752

Earthquake Resistant Design
Use Earthquake Resistant Structures

Earthquake Resistant Structures
1010 241 242 163 524 1115 1216 497 138 139
2080 411 412 243 1234 1235 1236 517 378 519
861 1142 1233 1484 1505 1027 518 2049
1991 1232 1373 1594 1595 1417 1028
2261 1483 2008
1593
1643

Earthquake Response
1240 1141 932 573 944 355 176 1857 2248 1449
1320 1451 1853 1504 685 516 1927
1450 2283 1525 1926 2087
1730 2215
1750
1850
2020
2210

Earthquakes
271 1742 753 434 2146

Eccentricity
1449

Eigenvalue Problems
200 821 552 553 744 5 356 758 399
990 1102 783 616 1209
1490 1892 1289

Eigenvalues
use Eigenvalue Problems

Elastic Analysis
1003 1004
1203

Elastic Foundations
1550 2031 92 93 994 826 2227 2048 929
1182 1403

Elastic Media
760 761 762 763 764 58 759
1740 941 942 934 1518 1149
1151 1152 1754

Elastic-Plastic Properties
2040 1561 1392 1444 325 327
1415 1827

Elastic Properties
2041 953 974 1785 937

Elastic Waves
1740 31 62 604 795 206 1577 928 619
1301 1312 1345 2016 929
1821 1612 1805 1379
2132 2139

Elastodynamic Response
1105 2127
1755

Elastohydrodynamic Properties
2208

Elastomeric Bearings
163

Elastomeric Dampers
2154

Abstract												
Numbers:	1-198	199-395	396-550	551-710	711-902	903-1101	1102-1287	1288-1487	1488-1700	1701-1887	1888-2124	2125-2287
Volume 11												
Issue:	1	2	3	4	5	6	7	8	9	10	11	12

Elastomers	583	1586	1327	28	Energy Methods	820	911	595	
	2133			2058					
Elasto-Plastic Properties	1181	906			Energy Storage Systems			833	
	2151				Engine Mounts			1245	
Electric Generators					Engine Mufflers	341		406	407
use Electric Power Plants					Engine Noise	1621	1343	504	505
Electric Power Plants	1433	1434	167	2008		2271			529
	1503				Engine Roughness		543	544	
	1983								
	2093				Engine Vibration	2270	542		888
Electrical Machines	1503					1572			889
Electrodynamic Shakers	271	1962		2188	Engines				1958
Electrohydraulic Shakers	1341				Environmental Effects		704	1507	589
Electromagnetic Excitation	1962				Environmental Simulation		704		
Electromagnetic Properties			1065		Equations of Motion	581	202	814	595
Electromagnetic Shielding			1017			652	824	736	1979
Electronic Instrumentation	972	964				922	1184		
							1764		
Enclosures	1422	503	504	505	Equipment Mounts			165	677
	1423	1424	1425					685	
Energy Absorbers					Equipment Response	2150		35	2088
use Energy Absorption								685	
Energy Absorption	500	141	1032	143				2185	
	1221	2052	1743	424	Equivalent Linearization Method	1701	1523	285	
	2261	2053	2054		Error Analysis				
						2	203		77
Energy Dissipation	142	953	1765						18
									207
									1968

Abstract
 Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Exhaust Noise
1840

Exhaust Systems
52
302

Expansion Joints

1586

Experimental Data

370 151 42 153 784 1185 1236 107 48 1029
1060 181 342 163 1204 1525 1346 1217 198 1869
1450 971 1132 1043 2274 1426 1347 788 2279
1610 1891 1522 1143 1507 1028
1620 1572 1513 1098
1880 1563 1268
2273

Experimental Results

use Experimental Data

Explosion Detection (Nuclear)

use Nuclear Explosion Detection

Explosion Effects

1722 44
244
1524

Explosions

41 246
576

Explosives

1544 578

Extremum Principles

1392 1414 1415

- F -

Failure Analysis

2002 34 816 817 509
784 889

Fan Blades

use Fans

Fans

290 291 372 1433 2156 607 168 169
370 371 792 2176 1687 298 339
730 1432 338 369
960 1752 528 529
1070 838 879
878 1069
1259
1799
1999

FAST (Computer Program)

229

Fast Fourier Transform

90 191

Fast Fourier Transformation

use Fast Fourier Transform

Fasteners

1006 1007 1008

Fatigue Life

620 51 52 33 1384 1965 466 277 2218 149
2281 1983 1944 766 1959

Fatigue (Materials)

150 2184 1945 776 67 2158 269
2160 1946 1757 2159

Fatigue Strength

use Fatigue Life

Fatigue Tests

150 1902 1803 1974 575 1756 2247 1628 149
1972 1973 2254 2255 1946 2257 2258 1959
2203 2256

FESAP (Computer Program)

420

Fiber Composites

1940 251 262 414 2035 936 217 1939
1941 1322 1024 1746 1747

Finite Difference Technique

2252 1076 489

Finite Difference Theory

use Finite Difference Technique

Abstract

Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Finite Element Technique

200	91	132	243	4	45	176	37	308	399
400	121	222	433	124	355	546	297	398	419
420	401	482	443	424	445	1046	397	418	499
580	561	492	483	444	905	1186	707	558	739
740	741	562	723	684	1005	1366	987	718	819
800	801	792	743	744	1015	1446	1077	728	839
970	1301	802	903	1014	1145	1496	1157	738	859
1470	1361	1122	913	1144	1295	1996	1397	1048	909
1500	1391	1192	1203	1334	1335		1407	1088	979
1560	1691	1642	1283	1414	1445		1747	1128	1019
1590	1711	2152	1523	1474	1895		1817	1288	1319
2050	1761	2252	1553	1904	1925		1947	1408	1789
	1791		1793		1935			1828	1879
	1871		1823		2035			2008	1919
	1991				2285				
	2051								

Finite Strip Method

851		1025	126		2048
			2036		

Flexibility Methods

17

Flexible Couplings

2220					108
					978

Flexible Foundation

1096

Flexible Rotors

1950	2161	182		2164	2165	1546	1337	2278
						2166		

Flexible Shafts

1548

Flexural Response

825

Flexural Stiffness

2223

Flexural Vibrations

90	91	102	323	284	95	126	87	128	789
280	321	642	833	324	295	326	127	828	1179
490	701	812	1603	484	485	486	597	1208	1209
1180	1021	1602	1833	1324	2115	616	787		1709
1410	2031	1812	2033	1394		826	1017		
1550				1754		1136	1817		
				2234		1386			

Flexural Waves

1820

Flight Simulation

1541	1542			157	188
				187	

Flight Tests

900		1453		1486	1628
-----	--	------	--	------	------

Flight Vehicles

2070	1531		1764		447
			2244		

Floating Bodies

use Floating Structures

Floating Ice

896

Floating Structures

703	164		946
1153			

Floors

	164	1126	837
			1417

Floquet Theory

1003

Flow-Induced Excitation

use Fluid-Induced Excitation

Flow-Induced Vibration

use Fluid-Induced Excitation

Flugge's Shell Theory

117

Fluid Couplings

394

Fluid-Filled Containers

491	312	2023	524	475		327	88
1761	1012		2284	635		1207	328
		1202				1827	438
						2227	1808
							1828

Fluid-Filled Media

257

Abstract

Numbers: 1-198 199-395 396-560 561-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Free Vibration (Continued)
 600 1022 1213 1004 1025 946 2048 829
 800 1832 1403 986 1399
 1603 1406
 1606
 1786

Freight Cars
 1262 173 1875 1308
 1463 1878

Frequency Analyzers
 1530 962

Frequency Domain
 136 9

Frequency Domain Method
 1482

Frequency Equation
 2192

Frequency Meters
 1975

Frequency Response
 741

Frequency Response Method
 1712 198 1119
 1108

Friction
 1292

Friction Bearings
 2108

Friction Damping
 1463

Frozen Soils
 592

Fuel Flammability
 1849

Fuel Tanks
 2063 1849

Fundamental Frequency
 831 993 125 916

Fundamental Mode
 324

- G -

Galerkin Method
 684 1786

Gas Bearings
 464 98

Gas Turbine Engines
 1071 2264 1435 2157
 2175

Gas Turbines
 2191 1223 1685 167

Gear Boxes
 810 472 275 1246 877

Gear Couplings
 1382

Gear Drives
 2123

Gear Noise
 811 1584

Gears
 1910 811 682 613 305 2216 107 2218
 2180 2011 2012 1583 1195 2217

Geometric Effects
 481 302 923 924 875 486 57 838
 811 792 1413 976 307 1998
 821 2202 1797

Girders
 423 2247

Glass
 934

Gradient Methods
 162

Graphic Methods
 1220 1682 1886 1587

Abstract												
Numbers:	1-198	199-395	396-550	551-710	711-902	903-1101	1102-1287	1288-1487	1488-1700	1701-1887	1888-2124	2125-2287
Volume 11												
Issue:	1	2	3	4	5	6	7	8	9	10	11	12

Grids (Beam Grids)
2193 1194

Grinding Machinery
1743 1838

Ground Effect Machines
2102 1913 1914 1915 106

Ground Motion
42 43 1934 855 1146 1858
1742 973
1523
1943

Ground Shock
1722 1985

Ground Vehicles
210 431 852 1253 1114 2105 336 1277 179
1440 891 892 1724 1686 279
2061 2272

Ground Vibration
81

Group Velocity
763

Guard Rails
2272 45 1276

Guideways
532

Guyed Structures
2198

Gyroscopes
1807 679

- H -

Half-Space
953
2253

Handbooks
use Manuals - Handbooks

Hankel Transformation
952

Harbors
186

Hardened Installations
13 245
575
2135

Hardened Structures
use Hardened Installations

Harmonic Analysis
1701 46

Harmonic Balance Method
1786

Harmonic Excitation
800 931 603 2034 295 626 627 1499
2280 823 885 1136 1897 1549
953 1555
1663
1943

Harmonic Response
580 1021 442 598 599
1520 622
1132

Harmonic Waves
214 1816

Head (Anatomy)
630 1063 1447

Heat Exchangers
311 1012 308 59
1201 1808

Helical Springs
134 1215

Helicopter Blades
use Rotary Wings

Helicopter Engines
540 52 194 1865 408 19

Abstract
Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

• Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Helicopter Noise
 670 671 672 663 674 675 666 667 668 669
 1050 1051 1052 673 864 1245 676 1247 1058 1249
 1241 1282 863 1054 1246 1248
 1053 1244 2246
 1243 1454

Helicopter Rotors
 990 671 862 183 234 665 356 667 548
 1250 991 1692 663 664 1475 1056 797 798
 1051 2243 674 2085
 1111 864
 1251 1064
 2111 1454

Helicopter Seats
 153

Helicopter Vibration
 2081

Helicopter Vibration Effects
 1055 1058

Helicopters
 810 451 662 1453 954 1865 1056 1057 2258 69
 2260 661 1242 1673 1674 2255 1846 1997 2278 2259
 741 2082 2254 2285 2106 2257
 2256

Helmholtz Resonators
 25

Hemispherical Shells
 1828

High Frequencies
 1377

High Frequency Resonance Technique
 587 958
 777

High Frequency Response
 554

High Speed Rotors
 1566

High Speed Transportation Systems
 530 172
 690

Highway Transportation
 1222

Hitches
 use Drawbars

Hoists
 1992

Hole-Containing Media
 322 29

Holographic Techniques
 780 1545 1957 1828 1739
 1610

Honeycomb Structures
 115

Hopkinson Bar Technique
 1175

Hospitals
 918

Hovercraft
 use Ground Effect Machines

Human Head
 use Head (Anctony)

Human Organs
 use Organs (Biological)

Human Response
 870 521 1062 1253 234 675 866 357 648 649
 1060 871 1252 854 865 867 868 869
 1061 1244 1255 1058 1039
 1091 1254 1059
 1241 1079
 1099

Hunting Motion
 1081 1082 1873 696

Hydraulic Equipment
 501 502 523 254 2226 1097
 1962 374

Hydraulic Presses
 142

Abstract
 Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Hydraulic Servomechanisms
1191

Hydraulic Systems

1693 1777
1883

Hydraulic Valves

996 387

Hydrodynamic Excitation

2240 1192 703 445 468 1279
925 2268

Hydroelectric Power Plants

1896 1698

Hydrostatic Excitation

2088

Hyperbolic Parabolic Shells

122

Hysteretic Damping

1750 1441 134 835 1138 749
1521 884 2015
1751

- 1 -

Impact Dampers

use Shock Absorbers

Impact Load Prediction

48

Impact Noise

1459

Impact Pairs

1890

Impact Response (Mechanical)

1380 2231 2152 1653 1984 45 46 1847 689
1550 2134 1026 1999
1650 1086
1890
2230

Impact Shock

2053 2054 2025 47
2094 2055

Impact Testing

use Impact Tests

Impact Tests

1010 1272 1263 1274 1175 1276 1009
1273 1879
1743

Impedance

40 251 317

Induction Motors

882 2174

Industrial Facilities

22 503 1304 235 506 807 1438 1459
843 425 1256
1513

Industrial Noise

use Industrial Facilities and Noise Generation

Inertial Forces

812 174 1196 1798
2196

Inflatable Structures

85

Influence Coefficient Matrix

use Influence Coefficient Method

Influence Coefficient Method

875 876 698
1635

Infrasonic Frequencies

1254 1966

Initial Deformation Effects

494

Initial Value Problems

use Boundary Value Problems

Instrumentation

454

Instruments

use Instrumentation

Interaction: Rail-Motor

882

Abstract

Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Interaction: Rail-Wheel
 530 1462 883 1874 375 1077 1078
 1873 1875 1308

Interaction: Rotor-Stator
 395

Interaction: Soil-Foundation
 1660 2253 1654 1659
 1664

Interaction: Soil-Structures
 1550 951 732 13 474 255 176 1157 598 1139
 1730 1651 952 953 1334 1645 256 1197 1528 1319
 1661 1333 1665 1046 1507 1948 1529
 1336 1527 2118
 1666

Interaction: Structure-Fluid
 440 441 62 443 204 355 217 2118 599
 580 1211 442 943 444 475 547
 710 1761 944

Interaction: Structure-Foundation
 1281 1662 473 386 1658
 536 2078

Interaction: Tire-Pavement
 1310 1474 1309

Interaction: Vehicle-Guideway
 1872 1083 2267 1268
 2102

Interaction: Vehicle-Structure
 1041 1078
 1691

Interaction: Vehicle-Terrain
 223 144
 224

Interaction: Wheel-Pavement
 1277

Interface: Solid-Fluid
 1203

Interference Response Spectra
 1200 751

Interferometers
 1610 432 1545 1967 1968
 1775

Interior Noise
 1470 782 863 695 1846 1637 848 849
 2246

Interior Vibration
 2246

Intermittent Motion
 1888

Internal Combustion Engines
 341 888

Internal Damping
 740 1552 633 57

Internal Friction
 961 974

Internal Pressure
 1016 119

Internal Resonance
 2126

Isolation
 2053 2034 2055

Isolators
 2261 163 164 165 166
 2084 645
 2085

Isotropy
 1104 826 828

Iteration
 397

- J -

Jet Noise
 570 1741 1224 345 646 347
 1930 727
 747

Joints (Junctions)
 120 1461 614 2015 816 817 1048
 1860 1384 1806
 1960 2016

Abstract
 Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Journal Bearings
 1791 1792
 465 1566 1567
 605
 1195
 1565

- K -

Knee (Anatomy)
 655

- L -

Laminates
 use Layered Materials

Lamps
 32

Landing Fields
 use Aircraft Landing Areas

Landing Gear
 403 1634 149

Landing Impact
 use Landing and Impact Shock

Landing Shock
 use Landing and Impact Shock

Landing Simulation
 use Landing and Simulation

Laplace Transformation
 952 1385 47 119

Lasers
 1950 1172 1775 1976
 2165 2166

Lateral Response
 1262 1876 1237
 2252 1987

Lateral Vibration
 2191 1815 1626 1368 1989
 2226

Launch Vehicles
 1696

Layered Damping
 788

Layered Materials
 250 251 942 323 1946 87 758 629
 2030 1732 297 1609
 757
 787

Liapunov's Method
 use Lyapunov Functions

Linear Analysis
 use Linear Theories

Linear Systems
 430 1 3 1326 1137
 1290 1901

Linear Theories
 951

Linings
 612 1838 49
 1452 809
 1772

Linkages
 1001 812 813 814 585 2219
 1002 1003 1004 1005

Liquid Filled Containers
 use Fluid Filled Containers

Liquids
 1947 2138

Longitudinal Response
 634 155
 2224

Longitudinal Vibration
 1661 1626 1809

Low Frequencies
 1430 2264 1778

Lubrication
 680 1094 1515 2017 2208 2199

Abstract

Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Mathematical Modeling
use **Mathematical Models**

Mathematical Models

220	121	42	173	134	15	366	7	8	499
1030	161	162	513	1414	195	606	107	498	689
1450	171	172	533	1474	435	856	577	708	719
1460	271	472	623	1944	665	876	737	1108	1229
1870	341	532	693	1994	735	1226	807	1218	2279
2090	531	662	753		885	1466	887	1658	
2130	581	732	953		1005		1447	1708	
	1101	1092	1053		1295		1467	1868	
	1111	1392	1073		1395		1707	1978	
	1141	1442	1093		1415		2077	2008	
	1281	1482	1193		1495			2078	
	1471	1662	2103		1905				
	1521	2272	2193		1985				
	1601				2065				
	1681				2095				
	1691				2125				
	2081				2145				
	2131								

Matrix Methods

552	1493	124		716	1347		859
				746	1617		
				1346			

Maximum Response

1487

Measurement Instruments

use **Measuring Instruments**

Measurement Techniques

50	41	732	113	274	275	276	797	1778	889
380	81	782	883	974	975	1966	1777	2188	
450	781	1692	1173	1174	1345	1976	1917		
900	1131		1343	1804		2276			
1780			1963						
2130									

Measuring Instrumentation

use **Measuring Instruments**

Measuring Instruments

590	961	972	963	964	275	1166	797	2188	1539
900	1131	1172	1343	1344	965	1966	1167		2179
1540	1171	1802	1773		1775		1917		2189
1770			1963				2187		

Measuring Techniques

use **Measurement Techniques**

Mechanical Admittance

1967

Mechanical Drives

394

Mechanical Elements

2221

66

Mechanical Excitation

1961

Mechanical Impedance

1692 2113

1985 1056

2278

Mechanical Properties

404 55
405

Mechanical Reliability

use **Reliability**

Mechanical Systems

680 11 962 1683

197

1682

1257

2222

Mechanical Telemetry

1700

Mechanisms

1011 812

814 875 796 2127 678 2129
1684 876 1888

Membranes

110 62

1815 616

1120

Membranes (Structural Members)

2223 615 306
1386

Metal Working

681

1067

Method of Characteristics

1523

Method of Harmonic Balance

1908

Method of Initial Functions

320

1020

Abstract

Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Motor Vehicles

406 407
1916

Motors

1044 1867

Mountings

1867

Moving Loads

250 851 1182 633 854 1415 1306
1041 1644 2196
1691 2104

Moving Strips

415
1995

Mufflers

340

Multi-Beam Systems

1360

Multidegree of Freedom Systems

240 901 1702 1923 875 876 1317 1238 1889
1701 1495 1897

Multiple Resonance

197

Multistory Buildings

1030 1451 1042 1043 145 516 657 638 1859
1450 1871 1853 1855 856 1857 1238
1850 1646 1648
1858
2248

Musical Instruments

550 196 57 198
197

- N -

Nacelles

371

NASTRAN (Computer Programs)

740 741 742 123 744 1445 1996 738 739
743 1729

Natural Frequencies

20 1 602 113 514 115 6 127 18 559
830 131 712 283 624 125 826 297 148 979
910 281 822 433 794 525 916 987 558 1779
1020 801 862 823 1394 1405 1366 1117 1208 2029
1360 821 1402 1413 1654 1655 1896 1397 1408
1560 1381 1412 1613 1714 2285 1407 1818
1800 1501 1562 1633 1874 1447 1918
1810 1642 1924 1557 2028
2010 1782 2194 1807
2042 2234 2027
2047
2237

Naval Ships

617

Noise Barriers

2060 2241 22 23 24 2059
342 843
1222 1033
2242 1423

Noise Control

use Noise Reduction

Noise Generation

100 231 382 663 254 405 236 1687 298 289
160 681 1372 1243 294 425 1116 338 299
170 1061 1683 234 545 2096 368 339
210 1841 2093 404 665 1078 879
230 664 1745 1229
290 1164 1239
530 1874 1459
650 2124
690 2264
730
930

Noise Measurement

570 671 892 343 24 975 146 847 168
1050 1171 1052 2073 344 1305 676 1217 1298
1741 2072 1514 1845 1636 1227
1911 1774 2186 1717
2097

Noise Meters

use Sound Level Meters

Noise Prediction

730 541 1372 1134 665 666 737 348 669
1431 2142 806 1247
1841

Abstract

Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Noise Propagation

879

Noise Reduction

660 361 452 503 194 235 236 147 208 19
 670 501 502 843 504 345 296 347 338 339
 720 841 842 1033 1224 395 346 407 368 369
 730 1271 1422 1113 1304 505 406 647 668 389
 930 1431 1432 1163 1424 895 506 667 1148 529
 1070 1621 1462 1223 1434 1125 646 807 1228 669
 1250 1841 1912 1423 1454 1245 676 1147 1278 939
 1270 2011 1433 2074 1425 866 1227 1438 1069
 1430 2051 2084 1435 1246 1297 2058 1229
 1840 2061 1835 1256 1437 2088 1249
 2050 2075 1436 1457 2098 1269
 2100 2105 1686 1637 1429
 1846 2007 1719
 2066 2059
 2266 2099
 2286

Noise Source Identification

370 1502 1053 864 167 568 1259
 1248
 1458

Noise Tolerance

1252 234 1255

Noise Transmission

use Sound Transmission

Nomographs

55 56

Nondestructive Testing

use Nondestructive Tests

Nondestructive Tests

780 1031 262 263 774 455 67 258 269
 1350 1351 1162 773 894 1315 267 288 1779
 1352 1957 1158

Nonlinear Analysis

use Nonlinear Theories

Nonlinear Damping

912 36

Nonlinear Response

2030 711 1004 137 908 1019
 2027

Nonlinear Springs

1781

Nonlinear Systems

220 201 822 205 1137 419
 750 1702 1257 1979

Nonlinear Theories

1500 942 1703 396 37 238 399
 1740 2103 536 1697 298 449
 1398 1549

Normal Modes

610 1 2192 1893 2195 276 987 698 279
 201 1306 2027
 2141

Nozzles

570 1321 1224 236 347 569

Nuclear Explosion Effects

510 2101 1722 1144 1145 436 49
 1510 1942 1725 1146
 2135

Nuclear Explosions

1721 42 43 245 1126

Nuclear Power Plants

1260 952 533 364 175 176 377 378 379
 2020 534 565 376 497 538 779
 804 885 536 537 618 1599
 884 1085 886 1467 1338 2269
 1084 1465 1086 1937 1468
 1466 2197 1688
 1936

Nuclear Powered Ships

424 498 499

Nuclear Reactor Components

1601 422 363 534 315 526 887 1689
 804 535 536 1827
 1464 1085
 1685

Nuclear Reactor Containment

143 1827 2268

Nuclear Reactors

421 1879

Abstract

Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Nuclear Weapons Effects

575

Numerical Analysis

980	1181	602	1153	1824	555	206	557	199
		1663			715	556	907	569
					1105	716		
					1735	1106		
						1446		

Numerical Methods

908

- O -

Oceans

1301

Off-Highway Vehicles

501	502	523						1258
	682							

Off-Shore Structures

710	621	522	1483	444	455	386	547	898	599
1280	1281	622		1484		546	897	2118	
2280	2281	702		2284		896			
		1482				956			

Oil Whirl Phenomena

1519

Optimization

280	511	162	1283	1414	1415	6	1117	558	559
1440		602			1895	1896		1288	1589
		1302						2128	2129
		1392							

Optimum Control Theory

1472 2277

Optimum Design

910	461	1042		1404			397	1288	1679
	911			1494			1107	1448	2089
								2209	

Organs (Biological)

161 513

Orthotropism

490	131			1714	1905		297	828
							827	

Oscillation

1905 448

Oscillators

1931	912							238
	1882							

Otto Engines

543 544

- P -

Panel-Cavity Response

1130

Panels

111	842	333	1624	815	496	307	848	2019
				2225	1506	417		
						617		

Parameter Identification Technique

1111		563		725		7		9
		1453						1629

Parameter Amplification

1135 1136

Parameter Identification Technique

1710	241	1532	733	1494	915	1296	1347	1908	719
	1711				1855	1346	1497	2118	
							1907		

Parametric Excitation

560	1931		803		1995		1897
	750		1313				
	1980						

Parametric Resonance

1480 2211 697 318

Parametric Response

1644 135 1628

Parametric Vibration

1357 1387

Passenger Transportation

1462

Abstract

Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue:	1	2	3	4	5	6	7	8	9	10	11	12
--------	---	---	---	---	---	---	---	---	---	----	----	----

Pavement Roughness

693

1038

File Structures

2252 13 1334 1335 386

Pavements1690 691 692 213 2104
1173

1286

258

Pipe Joints

1200

Penetration

582 683

Pipelines621 622 1013 1594 816 817 1199
751 1593 1197 1389
2021**Periodic Excitation**900 531 92 133 1414 1805 596 1107 748 1149
1620 1481 992 513 1654 1988 1939
1392 613 1894
803
2133**Pipes (Tubes)**480 312 13 1384 205 196 1347 1388 479
620 1012 943 475 1396 1387 619
1200 2227 1809
1600**Periodic Functions**

1898

Periodic Response250 1791 1002 43 1294 1466 887
330 1182 633 1564
1370 1552 2173 2144**Piping Systems**480 481 422 113 314 315 476 477 478 1199
1960 1591 1592 143 474 885 686 1597 618
2020 303 804 925 1596 1198
473 884 1595 2226 1598
533**Periodic Structures**

791 793

1367

1707

Pistons

1380

1329

Perturbation Theory220 401 1213 794 465 437 1488 1549
350 1703 605
2023 1075
1295
1705**Plane Mechanisms**

1590 1684

Photoelastic Analysis

913 715

Plastics

402

Photographic Techniques

797

Plates20 161 322 133 124 125 316 57 318 29
550 641 822 483 624 325 416 197 728 319
820 821 972 573 724 485 626 317 818 729
1400 911 1022 623 1024 625 936 487 928 819
1710 1021 1212 903 1404 1025 1406 627 1208 1409
1810 1181 1402 993 1414 1415 1606 837 1398 1609
1820 1401 1412 1023 1604 1605 1816 1397 1408 1819
2050 1811 1602 1403 1714 1815 2026 1407 1608 1939
2230 1821 1812 1413 1734 2025 2036 1607 1818 2229
1871 1822 1813 1814 2035 1817 1918
2031 2032 1823 1824 2225 1957 2038
2051 2232 2034 2037 2228
2231 2237
2241**Piers**

951

1049

File Drivers

549

File Driving

1661

Pneumatic Isolators

1840

1677

Abstract

Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Pneumatic Tires
 1092 1093
Pogo Oscillation
 use Pogo Effect
Point Source Excitation
 1306
Polyurethane Resins
 971 1838
Porous Materials
 840 931 464 257 839
 1754
Power Plants (Facilities)
 use Electric Power Plants
Power Spectra
 896 1758
Power Transmission Belts
 1886
Power Transmission Systems
 392 393 194 195 277 278 19
 1283 394 695
 1583
Prediction Techniques
 40 495
Presses
 1256
Pressure Vessels
 260 422 489
Prestressed Concrete
 816
Prestressed Structures
 1401
Printing Devices
 1994 2057
Prismatic Bodies
 641 709
Probability Theory
 430 1291 1293 34 1706 509
 184

Proceedings
 446 947
 1486 2087
Propellants
 44
Propeller Blades
 1372 294 1797 2209
 664
 864
Propeller Noise
 864
Propellers
 373 374
Propulsion Systems
 1284 367
Prosthetic Devices
 513 655
Protective Shelters
 1725 436 1879
Protective Shields
 1743
Pulleys
 1100
Pulse Excitation
 630 482 483 475 476 477 318
 1605
Pumps
 1260 361 362 363 364 365 526 877
 523 1795 686 1777
 2003 1686

 - Q -

Quadratic Damping
 2155
Quartz Resonators
 2143

Abstract
 Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287
Volume 11
 Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Radioactive Materials												
	683	2094										
Rail Transportation												
1010	212	173		1006	1007	1008	1009					
2100		1713		2266		2098	2099					
Railroad Cars												
1080	531	1082	1083	1264	1265	1266	1267	688	689			
	1081	1262	1263	2094	1875		1877	1308	1079			
			1463				1878					
			1873									
Railroad Tracks												
	171		883		2095	1876	1077			1079		
Railroad Trains												
690	1041					2097		2099				
1080	1461											
2100												
Railroad Transportation												
use	Rail Transportation											
Railroad Vehicles												
use	Railroad Trains											
Rails												
use	Railroad Tracks											
Railway Vehicles												
use	Railroad Trains											
Railway Wheels												
				1874								
Random Excitation												
240	431	912	873	784	825	36	1317	238	239			
900	781		1013	884	885	66		1318	429			
1970			1293		1935	766		1608	749			
2280					1995	776						
						2056						
Random Parameters												
750				64								
Random Response												
1330	951						1137	1138	429			
Random Vibration												
70	1931	32	33	34						148		
430		82		2044								
Rapid Transit Railways												
2100									2096	1268	2099	
										2098		
Rayleigh-Ritz Method												
		903	2034	125				127		1399		
		1833										
Rayleigh Method												
										828		
Reciprocating Engines												
		2173			1435			1567				
Recording Instruments												
					1965					1169		
Rectangular Bars												
		2192			795							
Rectangular Membranes												
		2223			1385							
Rectangular Panels												
		111								2018		
Rectangular Plates												
130	131	832	323	284	1605	126	127	128	129			
830	831	1812	1603	324	2035	486	827	628	829			
1400			2033	1604		826	837	828	1409			
				2034		2036	1407	1608				
						1957						
						2037						
Reduction Methods												
					554					1918		
					1714							
Re-entry Vehicles												
900	2121									189		
Regulations												
210		1112	863	1114	2105					209		
720		1912	1113									
Reinforced Concrete												
1850		122	243	1234	1235	396	37	138	539			
2210		632	1043		2215	436	497		1879			
		1582	1103			1236	517					
Abstract												
Numbers:	1-198	199-395	396-550	551-710	711-902	903-1101	1102-1287	1288-1487	1488-1700	1701-1887	1888-2124	2125-2287
Volume 11												
Issue:	1	2	3	4	5	6	7	8	9	10	11	12

Reinforced Concrete (Continued)
 1233 1616 1027
 1373 1776
 1853
Reinforced Plates 1024
Reinforced Structures 638
Reliability
 1110 429
Remote Control 1709
Resonance Bar Techniques
 961 772 1613 1765 56 2079
Resonance Equalization Technique
 1375
Resonance Pass Through
 1354
 1364
Resonance Tests 1418
Resonant Bar Technique
 use Resonance Bar Technique
Resonant Cavities
 use Cavity Resonators
Resonant Frequencies
 121 832 525 197 748
 251 1322 785 2217
 1661 1702
 2082
Resonant Response
 560 1783 134 1375 186 1207 408
 2223
Resonators
 31
Response Spectra
 1863 534 618
Retaining Walls 1618

Reverberation Chambers
 73 74
Reviews
 730 1121 212 213 214 215 216 217 408 729
 1120 1301 402 403 414 415 416 417 728 1119
 1300 1921 1122 413 724 725 726 727 918 1299
 1920 1302 723 1714 1715 1116 1117 1118 1919
 2132 1303 2134 1716 1917 1918
 2133 2128
Ribs (Supports)
 2232
Ride Dynamics
 1090 1091 1082 693 694 1915 1878 1079
 1092 893 1724
 1093 1914
 1253
 1913
 2083
Rigid Foundations
 1663 1664
Rings
 1720 1421 132 133 326 2028 969
 833 1416 2029
 1213 2119
Ritz Method 128
Road Roughness
 180 181 383 694
 380 693
Roads (Pavements)
 381 2104
Road Tests (Ride Dynamics)
 use Ride Dynamics
Rock (Soil) 949
Rods
 30 1183 604 985 47
 1800 984 97
 1990 557
Roller Bearings
 2204 955
 2205

Abstract
 Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287
Volume 11
 Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Roller Coaster
 1287
Rolling Contact Bearings
 use Antifriction Bearings
Rolling Friction
 2012 2208
Roofs
 410 641 496 409
Rotary Inertia Effects
 use Rotatory Inertia Effects
Rotary Seals
 700 1094
Rotary Wings
 650 991 862 1243 674 1675 356 667 408
 2260 1251 1056 727 548
 797 798
 1997
Rotating Structures
 700 372 2183 264 958 1339
 1610 1212 984 1118
Rotation
 321
Rotatory Inertia Effects
 980 91 92 93 284 1365 126 217 458 459
 1550 982 1403 484 486 1208
 2032 1553 1364 1016
 1603 1604 1366
 1814 1986
 2046
Rotor-Bearing Systems
 2114 1095 697 98 2179
 1177 1478
 1477 2108
Rotor Blades
 290 1571 1798 1189
 990 2001
Rotor Blades (Rotary Wings)
 use Rotary Wings
Rotor-Induced Vibration
 1064 2085 1056

Rotors (Machine Elements)
 700 701 1692 2113 584 545 1096 697 408 439
 880 1261 1752 894 1475 1116 1337 458 459
 1480 1881 1952 1094 1955 1476 1477 698 699
 1700 1951 2112 1284 2115 1956 2087 1798 1479
 2110 2161 2162 2154 2165 2106 2107 2278 1909
 2164 1949
 1959
 2109
 2279

Rubber
 use Elastomers

Rubber Bearings
 1996

- S -

Safety Belts
 use Seat Belts

Safety Devices
 1287

Safety Restraint Systems
 351 1272 1273 1274 248

Sand
 1524 1766 1927

Sandwich Laminates
 use Sandwich Structures

Sandwich Panels
 use Panels or Sandwich Structures

Sandwich Structures
 790 2032 283 595 938 489
 1819

SAP (Computer Programs)
 420 123 17

Satellite Antennas
 use Spacecraft Antennas

Saws
 100 1324 415 1457 1458

Abstract
Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287
Volume 11
Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Suspension Systems (Missiles)
166

Suspension Systems (Vehicles)
1440 531 162 383 1914 1065 696 1677 1079
1461 212 1913 1225 1066
2062 2083

Switches
1285

Symposia
use Proceedings

Synchronous Motors
613 586

System Identification Technique
10 1712 914 915 719
1110 1922
1140 1982

- T -

Tank Cars
1263 1877

Tanks (Containers)
1762 63 1204 946
2284

Taxiing Effects
1038

Temperature Effects (Excitation)
use Thermal Excitation

Test Data
use Experimental Data

Test Equipment and Instrumentation
780 391 72 1964 655 1097 588 1169
1420 1341 452 1969
1531 1162
1541 1542
1961 1772
2191 1962

Test Facilities
1532 453 74 65 2186 849
1163 964
1533 1164
1694

Test Fixtures
use Test Facilities

Test Instrumentation
use Test Equipment and Instrumentation

Test Models
732 756 1507 1098
1776

Test Stands
1960

Testing Apparatus
use Test Equipment and Instrumentation

Testing Equipment
use Test Equipment and Instrumentation

Testing Instrumentation
use Test Equipment and Instrumentation

Testing Machines
use Test Equipment and Instrumentation

Testing Techniques
80 971 32 83 384 1345 1176 1097 78 79
780 1071 82 1443 574 1346 1347 288 249
920 1771 592 2133 1544 1486 1348 2109
1700 1971 1162 2134
2200 1352

Textile Looms
930 1134 425

Thermal Excitation
2211 1322 414 628 1129
1018

Thickness Effects
use Geometric Effects

Tilting Pad Bearings
1371 2202 1793
2201

Time-Dependent Excitation
1400 1291 1364 897

Time-Dependent Parameters
1901 2 113 986 1107 718
1313

Abstract
Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Two-Degree of Freedom Systems
1662

2126

- U -

Ultimate Load
1360

Ultrasonic Techniques
1972 773 774

1738 269

Ultrasonic Tests
use Testing Techniques

Unbalanced Mass Response
2154 365 1196 1477 1478 679
2115 2287

Underground Explosions
1511 42 44 1509
1512

Underground Pipelines
1505

Underground Structures
1462 1593 44 245 436 1157 1198 1199
1772 474 575 816 1197 1508 1529
1084 1145 1596 1597 1598
1144 1595
1594

Underwater Explosions
244

Underwater Pipelines
1390 1013 1389

Underwater Sound
2141 1122 233 1314 276 28 1349
1132 1133 1736

Underwater Structures
460 85 1127
115 1187

Universal Joints
2014 1807

Urban Noise
720 2142 426 357

- V -

Valve Actuators
1374

Valves
2181 2002 804 805 296 807 609
1374 806
1434 996

Variable Cross Section
830 611 1552 1723 1184 1185 826 1407 1398 89
1810 831 1812 1833 1405 1386 2037 789
1361 2143 1396 829
1811 1406 1409
1779
2029

Variable Material Properties
2042 1323 644 307

Variational Methods
561 202 1903 1784 1755 616 1747
1831

V-Belts
1886

Vehicle Response
180 181 144

Vehicle Wheels
696 688

Vehicles
1061

Ventilation
471 2135 2007

Vertical Takeoff Aircraft
650

Vibrating Structures
770 771 1802 463 1404 1345 1706 1767
1801 1855 1936

Vibration Absorbers
use Vibration Absorption (Equipment)

Vibration Absorption (Equipment)
1220 1023 1055
1835

Abstract

Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Vibration Absorption (Materials)

1977

Vibration Analyzers

1891 272

2189

Vibration Control

661 372 53 144 705 686
 1421 1653 154 845 2056
 1541 194 1055
 2091 654 1355
 2064 1715
 2084 2245

178 19
 208 1039
 968 1479
 2259

Vibration Dampers

971 2182 413
 873

287 658 579
 2157

Vibration Damping

2270 1611 642 1183
 972
 2182

964 385 706 147
 1715 966 487
 967
 1327

Vibration Excitation

811
 1061

35 1188 969
 625 1239

Vibration Frequencies

792 695

Vibration Generation

1062 2093

Vibration Isolation

212 874 1055 1676
 522

1678

Vibration Isolators

872 523 2084 2085 1866
 583
 2013

358 1679

Vibration Measurement

590 1641 2072 963 694 1775 566 1787 2188 1539
 1090 2081 1613 2275 956 1917 1779
 1260 1773 1976 2187 2079
 1770 1963 2179
 1780

Vibration Meters

1162 76

Vibration Monitoring

2168

Vibration Reduction

use Vibration Control

Vibration Resonance

use Natural Frequencies

Vibration Response

390 101 132 923 124 225 1326 157 188 159
 1920 891 852 1903 924 1195 2036 187 628 189
 1811 1362 2113 1754 1895 857 898 679
 1831 1872 2123 2265 2087 908 729
 1871 1348 899

1059
 1099
 1889

Vibration Signatures

2180 2177

Vibration Spectra

use Vibration Response Spectra

Vibration Tests

80 691 82 83 964 2085 156 78 79
 1080 1341 72 273 1694 1176 1538
 1451 692 593 1336
 1961 1962
 2111 2282
 2191

Vibration Tolerance

1255

Vibration Tuning

2056 147

Vibrators (Machinery)

1101 1455 549

Vibratory Conveyors

use Vibrators (Machinery) and Materials Handling Equipment

Vibratory Techniques

520 1661 772 213 1166 548
 1286 1068

Vibratory Tools

467

Abstract

Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1987 1988-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

Wedges
2241

Welded Joints

Wheel Shimmy

Wheels

Whirling

Wind-Induced Excitation

1040 591 352 183 564 145 136 117 158 659
1300 641 632 353 1764 705 636 637 608 1559
1330 721 722 1333 1864 1825 656 657 638 2249
1730 731 1532 1863 2234 706 707 658
2280 1251 2283 1796 947 858
1991 1826 1558
2071 2076 1638
1758
1848

Windmills
880

Windows
1871

Wind Tunnels

Wind Tunnel Tests

310 371 672 183 674 1165 1486 637 349
570 641 673 1485 569
1443 1675 659
1543 989

Wind Turbines
2000 1571

Wing Stores

Winkler Foundations
1182

Wire
1010

Abstract

Numbers: 1-198 199-395 396-550 551-710 711-902 903-1101 1102-1287 1288-1487 1488-1700 1701-1887 1888-2124 2125-2287

Volume 11

Issue: 1 2 3 4 5 6 7 8 9 10 11 12

TECHNICAL NOTES

B.R. Mace

The Evaluation of Infinite Sums with Special Reference to the Response of a Simply Supported Beam

J. Sound Vib., 63 (4), pp 597-601 (Apr 22, 1979)
2 figs, 7 refs

H.R. Srirangarajan

Pulse Response of a Non-Linear System

J. Sound Vib., 63 (4), pp 593-596 (Apr 22, 1979)
1 fig, 7 refs

A. Michalke and U. Michel

Relation Between Static and In-Flight Directivities of Jet Noise

J. Sound Vib., 63 (4), pp 602-605 (Apr 22, 1979)
3 figs, 3 refs

A. Brot

A Dynamic Analysis of Landing Impact

Israel J. Tech., 16 (3), pp 154-158 (1978) 3 figs,
3 refs

E.P. Chen

Transient Behavior of a Cracked Orthotropic Cylinder Under Torsion

J. Appl. Mech., Trans. ASME, 46 (2), pp 472-473
(June 1979) 3 refs

H. Lecoanet and J. Piranda

In-Plane Vibrations of Thick Circular Rings with T or I Cross Sections

J. Appl. Mech., Trans. ASME, 46 (2), pp 470-472
(June 1979) 2 figs, 7 refs

K. Itao and S.H. Crandall

Natural Modes and Natural Frequencies of Uniform, Circular, Free-Edge Plates

J. Appl. Mech., Trans. ASME, 46 (2), pp 448-453
(June 1979) 1 table, 5 refs

M. Lakshmanan

On a Non-Linear Harmonic Oscillator

J. Sound Vib., 64 (3), pp 458-461 (June 8, 1979)
8 refs

P.A.A. Laura and L. Luisoni

Approximate Solution of the Two-Dimensional Helmholtz Equation in the Case of Convex Polygonal Domains

J. Sound Vib., 64 (3), pp 451-454 (June 8, 1979)
2 figs, 3 refs

F. Culick and K. Magiawala

Excitation of Acoustic Modes in a Chamber by Vortex Shedding

J. Sound Vib., 64 (3), pp 455-457 (June 8, 1979)
2 figs, 2 refs

M.S. Naschie and S. Al Athel

Remarks on the Stability of Flexible Rods Under Follower Forces

J. Sound Vib., 64 (3), pp 462-465 (June 8, 1979)
3 figs, 7 refs

G.J. Erickson

Some Frequencies of Underwater Noise Produced by Fishing Boats Affecting Albacore Catch

J. Acoust. Soc. Amer., 66 (1), pp 296-299 (July 1979) 5 figs, 1 table, 2 refs

J. Mazumdar

Comments on "Estimation of Fundamental Frequency of Non-Circular Plates with Free Circular Cutouts"

J. Sound Vib., 65 (1), pp 145-146 (July 8, 1979)
1 fig, 3 refs

S. Ko and C.H. Sherman

Flexural Wave Baffling

J. Acoust. Soc. Amer., 66 (2), pp 566-570 (Aug 1979) 4 figs, 8 refs

W.E. Cundiff

Simulating System Dynamics in APL

Appl. Math. Modeling, 3 (4), pp 312-314 (Aug 1979)
4 figs, 5 refs

K. Singh and B.L. Dhoopar

Free Vibration of Circular Rings on Radial Supports

J. Sound Vib., 65 (2), pp 297-301 (July 22, 1979)
1 fig, 1 table, 3 refs

PERIODICALS SCANNED

PUBLICATION AND ADDRESS	ABBREVIATION	PUBLICATION AND ADDRESS	ABBREVIATION
ACTA MECHANICA Springer-Verlag New York, Inc. 175 Fifth Ave. New York, NY 10010	Acta Mech.	AMERICAN SOCIETY OF MECHANICAL ENGINEERS, TRANSACTIONS United Engineering Center 345 East 47th St. New York, NY 10017	
ACUSTICA S. Hirzel Verlag, Postfach 347 D-700 Stuttgart 1 W. Germany	Acustica	JOURNAL OF APPLIED MECHANICS	J. Appl. Mech., Trans. ASME
AERONAUTICAL JOURNAL Royal Aeronautical Society 4 Hamilton Place London W1V 0BQ, UK	Aeronaut. J.	JOURNAL OF DYNAMIC SYSTEMS, MEASUREMENT AND CONTROL	J. Dyn. Syst., Meas. and Control, Trans. ASME
AERONAUTICAL QUARTERLY Royal Aeronautical Society 4 Hamilton Place London W1V 0BQ, UK	Aeronaut. Quart.	JOURNAL OF ENGINEERING FOR INDUSTRY	J. Engr. Indus., Trans. ASME
AIAA JOURNAL American Institute of Aeronautics and Astronautics 1290 Avenue of the Americas New York, NY 10019	AIAA J.	JOURNAL OF ENGINEERING FOR POWER	J. Engr. Power, Trans. ASME
AMERICAN SOCIETY OF CIVIL ENGINEERS, PROCEEDINGS Publications Office, ASCE United Engineering Center 345 East 47th St. New York, NY 10017		JOURNAL OF LUBRICATION TECHNOLOGY	J. Lubric. Tech., Trans. ASME
JOURNAL OF ENGINEERING MECHANICS DIVISION	ASCE J. Engr. Mech. Div.	JOURNAL OF MECHANICAL DESIGN	J. Mech. Des., Trans. ASME
JOURNAL OF ENVIRONMENTAL ENGINEERING DIVISION	ASCE J. Environ. Engr. Div.	JOURNAL OF PRESSURE VESSEL TECHNOLOGY	J. Pressure Vessel Tech., Trans. ASME
JOURNAL OF GEOTECHNICAL ENGINEERING DIVISION	ASCE J. Geotech. Engr. Div.	APPLIED ACOUSTICS Applied Science Publishers, Ltd. Ripple Road, Barking Essex, UK	Appl. Acoust.
JOURNAL OF HYDRAULICS DIVISION	ASCE J. Hydraulics Div.	APPLIED MATHEMATICAL MODELING IPC House 32 High St., Guildford Surrey GU1 3EW, UK	Appl. Math. Modeling
JOURNAL OF IRRIGATION AND DRAINAGE DIVISION	ASCE J. Irrigation Drainage Div.	ARCHIVES OF ACOUSTICS Polish Academy of Sciences Committee on Acoustics Polish Acoustical Society	Arch. Acoust.
JOURNAL OF STRUCTURAL DIVISION	ASCE J. Struc. Div.	ARCHIVES OF MECHANICS (ARCHIWUM MECHANIKI STOSOWANEJ) Export and Import Enterprise Ruch UL, Wronia 23, Warsaw, Poland	Arch. Mech.
JOURNAL OF TRANSPORTATION ENGINEERING DIVISION	ASCE J. Transport. Engr. Div.	ASTRONAUTICS AND AERONAUTICS AIAA EDP 1290 Avenue of the Americas New York, NY 10019	Astronaut. & Aeronaut.
AMERICAN SOCIETY OF LUBRICATING ENGINEERS, TRANSACTIONS Academic Press 111 Fifth Ave. New York, NY 10019	ASLE, Trans.	AUTOMOBILTECHNISCHE ZEITSCHRIFT Franckh'sche Verlagshandlung Abteilung Technik 7000 Stuttgart 1, Pfizerstrasse 5-7 W. Germany	Automobiltech. Z.

PUBLICATION AND ADDRESS	ABBREVIATION	PUBLICATION AND ADDRESS	ABBREVIATION
AUTOMOTIVE ENGINEER (SAE) Society of Automotive Engineers, Inc. 400 Commonwealth Drive Warrendale, PA 15096	Auto. Engr. (SAE)	HEATING/PIPING/AIR CONDITIONING Circulation Dept. 614 Superior Ave. West Cleveland, OH 44113	Heating/ Piping/ Air Cond.
AUTOMOTIVE ENGINEER (UK) P.O. Box 24, Northgate Ave. Bury St., Edmunds Suffolk IP21 GBW, UK	Auto. Engr. (UK)	HYDRAULICS AND PNEUMATICS Penton/IPC, Inc. 614 Superior Ave., West Cleveland, OH 44113	Hydraulics & Pneumatics
BALL BEARING JOURNAL (English Edition) SKF (U.K.) Ltd. Luton, Bedfordshire LU3 1JF, UK	Ball Bearing J.	HYDROCARBON PROCESSING Gulf Publishing Co. Box 2608 Houston, TX 77001	Hydrocarbon Processing
BROWN BOVERI REVIEW Brown Boveri and Co., Ltd. CH-5401, Baden, Switzerland	Brown Boveri Rev.	IBM JOURNAL OF RESEARCH AND DEVELOPMENT International Business Machines Corp. Armonk, NY 10504	IBM J. Res. Dev.
BULLETIN DE L'ACADEMIE POLONAISE DES SCIENCES, SERIES DES SCIENCES TECHNIQUES Ars Polona-Ruch 7 Krokowskie Przedmiescie, Poland	Bull. Acad. Polon. Sci., Ser. Sci. Tech.	INDUSTRIAL RESEARCH Dun-Donnelley Publishing Corp. 222 S. Riverside Plaza Chicago, IL 60606	Indus. Res.
BULLETIN OF JAPAN SOCIETY OF MECHANICAL ENGINEERS Japan Society of Mechanical Engineers Sanshin Hokusei Bldg. H-9 Yoyogi 2-chome Shibuya-ku Tokyo 151, Japan	Bull. JSME	INGENIEUR-ARCHIV Springer-Verlag New York, Inc. 175 Fifth Ave. New York, NY 10010	Ing. Arch.
BULLETIN OF SEISMOLOGICAL SOCIETY OF AMERICA Bruce A. Bolt Box 826 Berkeley, CA 94705	Bull. Seismol. Soc. Amer.	INSTITUTE OF MARINE ENGINEERS, TECHNICAL REPORTS The Memorial Building 76 Mark Lane London EC3R 7IN, UK	Inst. Mar. Engr., T.R.
CIVIL ENGINEERING (NEW YORK) ASCE Publications Office 345 E. 47th St. New York, NY 10017	Civ. Engr. (N.Y.)	INSTITUTION OF ENGINEERS, AUSTRALIA, CIVIL ENGINEERING TRANSACTIONS 11 National Circuit Barton, A.C.T. 2600 Australia	Instn. Engr., Austral., C.E. Trans.
COMPUTERS AND STRUCTURES Pergamon Press Inc. Maxwell House, Fairview Park Elmsford, NY 10523	Computers Struc.	INSTITUTION OF ENGINEERS, AUSTRALIA, ELECTRICAL ENGINEERING TRANSACTIONS 11 National Circuit Barton, A.C.T. 2600 Australia	Instn. Engr., Austral., E.E. Trans.
DESIGN NEWS Cahners Publishing Co., Inc. 221 Columbus Ave. Boston, MA 02116	Des. News	INSTITUTION OF ENGINEERS, AUSTRALIA, MECHANICAL ENGINEERING TRANSACTIONS 11 National Circuit Barton, A.C.T. 2600 Australia	Instn. Engr., Austral., M.E. Trans.
DIESEL AND GAS TURBINE PROGRESS Diesel Engines, Inc. P.O. Box 7406 Milwaukee, WI 53213	Diesel Gas Turbine Prog.	INSTITUTION OF MECHANICAL ENGINEERS, (LONDON), PROCEEDINGS Institution of Mechanical Engineers 1 Birdcage Walk, Westminster, London SW1, UK	Instn. Mech. Engr. Proc.
ENGINEERING MATERIALS AND DESIGN IPC Industrial Press Ltd. 33-40 Bowling Green Lane London EC1R, UK	Engr. Matl. Des.	INSTRUMENT SOCIETY OF AMERICA, TRANSACTIONS Instrument Society of America 400 Stanwix St. Pittsburgh, PA 15222	ISA Trans.
EXPERIMENTAL MECHANICS Society for Experimental Stress Analysis 21 Bridge Sq., P.O. Box 277 Westport, CT 06880	Exptl. Mech.	INTERNATIONAL JOURNAL OF CONTROL Taylor and Francis Ltd. 10-14 Macklin St. London WC2B 5NF, UK	Intl. J. Control
FORSCHUNG IM INGENIEURWESEN Verein Deutscher Ingenieur, GmbH Postfach 1139, Graf-Recke Str. 84 4 Dueseldorf 1 W. Germany	Forsch. Ingenieurw.		

PUBLICATION AND ADDRESS	ABBREVIATION	PUBLICATION AND ADDRESS	ABBREVIATION
INTERNATIONAL JOURNAL OF EARTHQUAKE ENGINEERING AND STRUCTURAL DYNAMICS John Wiley and Sons, Ltd. 650 Third Ave. New York, NY 10016	Intl. J. Earthquake Engr. Struc. Dynam.	JOURNAL OF THE AMERICAN HELICOPTER SOCIETY American Helicopter Society, Inc. 30 E. 42nd St. New York, NY 10017	J. Amer. Helicopter Soc.
INTERNATIONAL JOURNAL OF ENGINEERING SCIENCES Pergamon Press Inc. Maxwell House, Fairview Park Elmsford, NY 10523	Intl. J. Engr. Sci.	JOURNAL OF ENGINEERING MATHEMATICS Academic Press 198 Ash Street Reading, MA 01867	J. Engr. Math.
INTERNATIONAL JOURNAL OF MACHINE TOOL DESIGN AND RESEARCH Pergamon Press, Inc. Maxwell House, Fairview Park Elmsford, NY 10523	Intl. J. Mach. Tool Des. Res.	JOURNAL OF ENVIRONMENTAL SCIENCES Institute of Environmental Sciences 940 E. Northwest Highway Mt. Prospect, IL 60056	J. Environ. Sci.
INTERNATIONAL JOURNAL OF MECHANICAL SCIENCES Pergamon Press, Inc. Maxwell House, Fairview Park Elmsford, NY 10523	Intl. J. Mech. Sci.	JOURNAL OF FLUID MECHANICS Cambridge University Press 32 East 57th St. New York, NY 10022	J. Fluid Mech.
INTERNATIONAL JOURNAL OF NONLINEAR MECHANICS Pergamon Press, Inc. Maxwell House, Fairview Park Elmsford, NY 10523	Intl. J. Nonlin. Mech.	JOURNAL OF THE FRANKLIN INSTITUTE Pergamon Press, Inc. Maxwell House, Fairview Park Elmsford, NY 10523	J. Franklin Inst.
INTERNATIONAL JOURNAL FOR NUMERICAL METHODS IN ENGINEERING John Wiley and Sons, Ltd. 605 Third Ave. New York, NY 10016	Intl. J. Numer. Methods Engr.	JOURNAL OF HYDRONAUTICS American Institute of Aeronautics and Astronautics 1290 Avenue of the Americas New York, NY 10019	J. Hydro- nautics
INTERNATIONAL JOURNAL FOR NUMERICAL AND ANALYTICAL METHODS IN GEOMECHANICS John Wiley and Sons, Ltd. Baffins Lane Chichester, Sussex, UK	Intl. J. Numer. Anal. Methods Geomech.	JOURNAL OF THE INSTITUTE OF ENGINEERS, AUSTRALIA Science House, 157 Gloucester Sydney, Australia 2000	J. Inst. Engr., Austral.
INTERNATIONAL JOURNAL OF SOLIDS AND STRUCTURES Pergamon Press, Inc. Maxwell House, Fairview Park Elmsford, NY 10523	Intl. J. Solids Struc.	JOURNAL OF MECHANICAL ENGINEERING SCIENCE Institution of Mechanical Engineers 1 Birdcage Walk, Westminster London SW1 H9, UK	J. Mech. Engr. Sci.
ISRAEL JOURNAL OF TECHNOLOGY Weizmann Science Press of Israel Box 801 Jerusalem, Israel	Israel J. Tech.	JOURNAL OF THE MECHANICS AND PHYSICS OF SOLIDS Pergamon Press, Inc. Maxwell House, Fairview Park Elmsford, NY 10523	J. Mech. Phys. Solids
JOURNAL DE MÉCANIQUE Gauthier-Villars 55 Quai des Grands Augustines, Paris 6, France	J. de Mécanique	JOURNAL OF PHYSICS E. (SCIENTIFIC INSTRUMENTS) American Institute of Physics 335 East 45th St. New York, NY 10017	J. Phys. E. (Sci. Instr.)
JOURNAL OF THE ACOUSTICAL SOCIETY OF AMERICA American Institute of Physics 335 E. 45th St. New York, NY 10010	J. Acoust. Soc. Amer.	JOURNAL OF SHIP RESEARCH Society of Naval Architects and Marine Engineers 20th and Northhampton Sta. Easton, PA 18042	J. Ship Res.
JOURNAL OF AIRCRAFT American Institute of Aeronautics and Astronautics 1290 Avenue of the Americas New York, NY 10019	J. Aircraft	JOURNAL OF SOUND AND VIBRATION Academic Press 111 Fifth Ave. New York, NY 10019	J. Sound Vib.

PUBLICATION AND ADDRESS	ABBREVIATION	PUBLICATION AND ADDRESS	ABBREVIATION
JOURNAL OF SPACECRAFT AND ROCKETS American Institute of Aeronautics and Astronautics 1290 Avenue of the Americas New York, NY 10019	J. Spacecraft Rockets	NAVAL ENGINEERS JOURNAL American Society of Naval Engineers, Inc. Suite 507, Continental Bldg. 1012 - 14th St., N.W. Washington, D.C. 20005	Naval Engr. J.
JOURNAL OF TESTING AND EVALUATION (ASTM) American Society for Testing and Materials 1916 Race St. Philadelphia, PA 19103	J. Test Eval. (ASTM)	NOISE CONTROL VIBRATION ISOLATION Trade and Technical Press Ltd. Crown House, Morden Surrey SM4 5EW, UK	Noise Control Vib. Isolation
KONSTRUKTION Springer Verlag 3133 Connecticut Ave., N.W. Suite 712 Washington, D.C. 20008	Konstruktion	NOISE CONTROL ENGINEERING P.O. Box 2167 Morristown, NJ 07960	Noise Control Engr.
LUBRICATION ENGINEERING American Society of Lubrication Engineers 838 Busse Highway Park Ridge, IL 60068	Lubric. Engr.	NORTHEAST COAST INSTITUTION OF ENGINEERS AND SHIPBUILDERS, TRANSACTIONS Bolbec Hall Newcastle upon Tyne 1, UK	NE Coast Instr. Engrs. Shipbldrs., Trans.
MACHINE DESIGN Penton Publishing Co. Penton Bldg. Cleveland, OH 44113	Mach. Des.	NUCLEAR ENGINEERING AND DESIGN North Holland Publishing Co. P.O. Box 3489 Amsterdam, The Netherlands	Nucl. Engr. Des.
MASCHINENBAUTECHNIK VEB Verlag Technik Oranienburger Str. 13/14 102 Berlin, E. Germany	Maschinen- bautechnik	OIL AND GAS JOURNAL The Petroleum Publishing Co. 211 S. Cheyenne Tulsa, OK 74101	Oil Gas J.
MECCANICA Pergamon Press, Inc. Maxwell House, Fairview Park Elmsford, NY 10523	Meccanica	PACKAGE ENGINEERING 5 S. Wabash Ave. Chicago, IL 60603	Package Engr.
MECHANICAL ENGINEERING American Society of Mechanical Engineers 345 E. 45th St. New York, NY 10017	Mech. Engr.	POWER P.O. Box 521 Hightstown, NJ 08520	Power
MECHANICS RESEARCH AND COMMUNICATIONS Pergamon Press, Inc. Maxwell House, Fairview Park Elmsford, NY 10523	Mech. Res. Comm.	POWER TRANSMISSION DESIGN Industrial Publishing Co. Division of Pittway Corp. 812 Huron Rd. Cleveland, OH 44113	Power Transm. Des.
MECHANISM AND MACHINE THEORY Pergamon Press, Inc. Maxwell House, Fairview Park Elmsford, NY 10523	Mech. Mach. Theory	PRODUCT ENGINEERING (NEW YORK) McGraw-Hill Book Co. P.O. Box 1622 New York, NY	Product Engr. (NY)
MEMOIRES OF THE FACULTY OF ENGINEERING, KYOTO UNIVERSITY Kyoto University Kyoto, Japan	Mem. Fac. Engr. Kyoto Univ.	QUARTERLY JOURNAL OF MECHANICS AND APPLIED MATHEMATICS Wm. Dawson & Sons, Ltd. Cannon House Folkestone, Kent, UK	Quart. J. Mech. Appl. Math.
MEMOIRES OF THE FACULTY OF ENGINEERING, NAGOYA UNIVERSITY Library, Nagoya University Furo-Cho, Chikusa-ku Nagoya, Japan	Mem. Fac. Engr. Nagoya Univ.	REVUE ROUMAINE DES SCIENCES TECHNIQUES, SERIE DE MECANIQUE APPLIQUEE Editions De L'Academie De La Republique Socialiste de Roumaine 3 Bis Str., Gutenberg, Bucarest, Romania	Rev. Roumaine Sci. Tech., Mécanique
MTZ MOTORTECHNISCHE ZEITSCHRIFT Franckh'sche Verlagshandlung Pflzerstrasse 5-7 7000 Stuttgart 1 W. Germany	MTZ Motor- tech. Z.	REVIEW OF SCIENTIFIC INSTRUMENTS American Institute of Physics 335 East 45th St. New York, NY 10017	Rev. Scientific Instr.
		SAE PREPRINTS Society of Automotive Engineers Two Pennsylvania Plaza New York, NY 10001	SAE Prepr.

PUBLICATION AND ADDRESS	ABBREVIATION	PUBLICATION AND ADDRESS	ABBREVIATION
SIAM JOURNAL ON APPLIED MATHEMATICS Society for Industrial and Applied Mathematics 33 S. 17th St. Philadelphia, PA 19103	SIAM J. Appl. Math.	VDI FORSCHUNGSHEFT Verein Deutscher Ingenieur GmbH Postfach 1139, Graf-Recke Str. 84 4 Duesseldorf 1, Germany	VDI Forsch.
SIAM JOURNAL ON NUMERICAL ANALYSIS Society for Industrial and Applied Mathematics 33 S. 17th St. Philadelphia, PA 19103	SIAM J. Numer. Anal.	VEHICLE SYSTEMS DYNAMICS Swets and Zeitlinger N.V. 347 B. Herreweg Lisse, The Netherlands	Vehicle Syst. Dyn.
S/V, SOUND AND VIBRATION Acoustic Publications, Inc. 27101 E. Oviat Rd. Bay Village, OH 44140	S/V, Sound Vib.	WAVE MOTION North Holland Publishing Co. P.O. Box 211 1000 AE Amsterdam The Netherlands	Wave Motion
TECHNISCHES MESSEN - ATM R. Oldenburg Verlag GmbH Rosenheimer Str. 145 8 München 80, W. Germany	Techn. Messen-ATM	WEAR Elsevier Sequoia S.A. P.O. Box 851 1001 Lausanne 1, Switzerland	Wear
TURBOMACHINERY INTERNATIONAL Turbomachinery Publications, Inc. 22 South Smith St. Norwalk, CT 06855	Turbomach. Intl.	ZEITSCHRIFT FÜR ANGEWANDTE MATHEMATIK UND MECHANIK Akademie Verlag GmbH Liepziger Str. 3-4 108 Berlin, Germany	Z. angew. Math. Mech.
VDI ZEITSCHRIFT Verein Deutscher Ingenieur GmbH Postfach 1139, Graf-Recke Str. 84 4 Duesseldorf 1, Germany	VDI Z.	ZEITSCHRIFT FÜR FLUGWISSENSCHAFTEN DFVLR D-3300 Braunschweig Flughafen, Postfach: 3267 W. Germany	Z. Flugwiss

SECONDARY PUBLICATIONS SCANNED

GOVERNMENT REPORTS ANNOUNCEMENTS & INDEX NTIS U.S. Dept. of Commerce Springfield, VA 22161	GRA	DISSERTATION ABSTRACTS INTERNATIONAL University Microfilms Ann Arbor, MI 48106	DA
SCIENTIFIC AND TECHNICAL AEROSPACE REPORTS Superintendent of Documents U.S. Government Printing Office Washington, D.C. 20402	STAR		

ANNUAL PROCEEDINGS SCANNED

INSTITUTE OF ENVIRONMENTAL SCIENCES, ANNUAL PROCEEDINGS Institute of Environmental Sciences 940 E. Northwest Highway Mt. Prospect, IL 60056	Inst. Environ. Sci., Proc.	THE SHOCK AND VIBRATION BULLETIN, UNITED STATES NAVAL RESEARCH LABORATORIES, ANNUAL PROCEEDINGS Shock and Vibration Information Center Naval Research Lab., Code 8404 Washington, D.C. 20375	Shock Vib. Bull., U.S. Naval Res. Lab., Proc.
INTERNATIONAL CONGRESS ON ACOUSTICS, ANNUAL PROCEEDINGS	Intl. Cong. Acoust., Proc.		

CALENDAR

DECEMBER 1979

- Aerospace Meeting [SAE] Los Angeles, CA (*SAE Meeting Dept.*)
- 2-7 Winter Annual Meeting [ASME] Statler Hilton, New York, NY (*ASME Hq.*)

JANUARY 1980

- 22-24 Reliability & Maintainability Symposium, San Francisco, CA (*ASME Hq.*)

FEBRUARY 1980

- 3-7 Energy Technology Conference and Exhibition [ASME] New Orleans, LA (*ASME Hq.*)
- 19 Current Techniques in Vibration Measurement and Recording [SEE] London, England (*SEE Hq.*)
- 26-29 Congress & Exposition [SAE] Cobo Hall, Detroit, MI (*SAE Meeting Dept.*)

MARCH 1980

- 9-13 25th Annual International Gas Turbine Conference and Exhibit [ASME] New Orleans, LA (*ASME Hq.*)
- 24-27 Design Engineering Conference and Show [ASME] McCormick Place, Chicago, IL (*ASME Hq.*)

APRIL 1980

- 21-25 Acoustical Society of America, Spring Meeting [ASA] Atlanta, GA (*ASA Hq.*)

MAY 1980

- 5-8 Offshore Technology Conference, Astrohall, Houston, TX (*ASME Hq.*)

- 19-23 Fourth International Conference on Pressure Vessel Technology [ASME] London, England (*ASME Hq.*)

- 25-30 Fourth SESA International Congress on Experimental Mechanics [SESA] The Copley Plaza, Boston, MA (*SESA Hq.*)

JUNE 1980

- 11 Experimental Techniques for Fatigue Crack Growth Measurement [SEE] British Rail Technical Centre (*SEE Hq.*)
- 17-19 International Conference on Vibrations in Rotating Machinery [ASME] Cambridge, England (*ASME Hq.*)
- 22-26 Summer Annual Meeting [ASME] Waldorf-Astoria, New York, NY (*ASME Hq.*)

JULY 1980

- 7-11 Recent Advances in Structural Dynamics Symp., [Institute of Sound and Vibration Research] University of Southampton, Southampton, SO9 5NH, UK (*Mrs. O.G. Hyde, ISVR Conference Secretary, The University, Southampton, SO9 5NH, UK - Tel (0703) 559122, Ext 2310*)

OCTOBER 1980

- 6-8 Computational Methods in Nonlinear Structural and Solid Mechanics [George Washington University & NASA Langley Research Center] Washington, D.C. (*Professor A.K. Noor, The George Washington University, NASA Langley Research Center, MS246, Hampton, VA 23665- Tel (804) 827-2897*)

NOVEMBER 1980

- 18-21 Acoustical Society of America, Fall Meeting [ASA] Los Angeles, CA (*ASA Hq.*)

CALENDAR ACRONYM DEFINITIONS AND ADDRESSES OF SOCIETY HEADQUARTERS

AFIPS:	American Federation of Information Processing Societies 210 Summit Ave., Montvale, NJ 07645	IEEE:	Institute of Electrical and Electronics Engineers 345 E. 47th St. New York, NY 10017
AGMA:	American Gear Manufacturers Association 1330 Mass. Ave., N.W. Washington, D.C.	IES:	Institute of Environmental Sciences 940 E. Northwest Highway Mt. Prospect, IL 60056
AHS:	American Helicopter Society 1325 18 St. N.W. Washington, D.C. 20036	IFTOMM:	International Federation for Theory of Machines and Mechanisms U.S. Council for TMM c/o Univ. Mass., Dept. ME Amherst, MA 01002
AIAA:	American Institute of Aeronautics and Astronautics, 1290 Sixth Ave. New York, NY 10019	INCE:	Institute of Noise Control Engineering P.O. Box 3206, Arlington Branch Poughkeepsie, NY 12603
AIChE:	American Institute of Chemical Engineers 345 E. 47th St. New York, NY 10017	ISA:	Instrument Society of America 400 Stanwix St. Pittsburgh, PA 15222
AREA:	American Railway Engineering Association 59 E. Van Buren St. Chicago, IL 60605	ONR:	Office of Naval Research Code 40084, Dept. Navy Arlington, VA 22217
ARPA:	Advanced Research Projects Agency	SAE:	Society of Automotive Engineers 400 Commonwealth Drive Warrendale, PA 15096
ASA:	Acoustical Society of America 335 E. 45th St. New York, NY 10017	SEE:	Society of Environmental Engineers 6 Conduit St. London W1R 9TG, UK
ASCE:	American Society of Civil Engineers 345 E. 45th St. New York, NY 10017	SESA:	Society for Experimental Stress Analysis 21 Bridge Sq. Westport, CT 06880
ASME:	American Society of Mechanical Engineers 345 E. 45th St. New York, NY 10017	SNAME:	Society of Naval Architects and Marine Engineers 74 Trinity Pl. New York, NY 10006
ASNT:	American Society for Nondestructive Testing 914 Chicago Ave. Evanston, IL 60202	SPE:	Society of Petroleum Engineers 6200 N. Central Expressway Dallas, TX 75206
ASQC:	American Society for Quality Control 161 W. Wisconsin Ave. Milwaukee, WI 53203	SVIC:	Shock and Vibration Information Center Naval Research Lab., Code 8404 Washington, D.C. 20375
ASTM:	American Society for Testing and Materials 1916 Race St. Philadelphia, PA 19103	URSI-USNC:	International Union of Radio Science - U.S. National Committee c/o MIT Lincoln Lab. Lexington, MA 02173
CCCAM:	Chairman, c/o Dept. ME, Univ. Toronto, Toronto 5, Ontario, Canada		
ICF:	International Congress on Fracture Tohoku Univ. Sendai, Japan		

ZF DEFENSE DOCUMENTATION CENTER
CAMFRON STATION
ALEXANDRIA, VA 22314