

AD-A084 235

FEDERAL AVIATION ADMINISTRATION WASHINGTON DC OFFICE --ETC F/8 1/3
NATIONAL AVIATION FUEL SCENARIO ANALYSIS PROGRAM (NAFSAP). VOLU--ETC(U)
MAR 80 S 6 VAHOVICH


UNCLASSIFIED


FAA/EE-80-12

NL

1 - 2


AL 30-80-15





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS 1963 A

ADA084235



**NATIONAL AVIATION
FUEL SCENARIO
ANALYSIS PROGRAM**

(NAFSAP)

LEVEL II

DTIC
MAY 9 1980


VOLUME I: MODEL DESCRIPTION

VOLUME II: USER MANUAL

BY

STEVE VAHOVICH

This document has been approved
for public release and sale; its
distribution is unlimited.



80

5

5

065

Technical Report Documentation Page

1. Report No. 14 FAA/EE-89-12	2. Government Accession No. AD-A084 235	3. Recipient's Catalog No.	
4. Title and Subtitle 6 National Aviation Fuel Scenario Analysis Program Volume I. Model Description. Volume II. User manual.		5. Report Date 11 March 1989	
6. Performing Organization Name and Address 10 Stephen G. Vahovich Federal Aviation Administration Office of Environment and Energy 800 Independence Ave., S.W. Washington, D.C. 20591		7. Performing Organization Code	
8. Sponsoring Agency Name and Address Same as Above		9. Performing Organization Report No.	
10. Work Unit No. (TRIS)		11. Contract or Grant No.	
12. Sponsoring Agency Code		13. Type of Report and Period Covered 9 Final Report	
14. Supplementary Notes 12 17			
15. Abstract This report forecasts air carrier jet fuel usage by body type for three user defined markets. The model contains options which allow the user to easily change the composition of the future fleet so that fuel usage scenarios can be "run." Both Volumes I and II are contained in this report. Volume I describes the structure of the model. Volume II is a computer users manual.			
16. Key Words Air carrier; model; jet fuel; forecasts		17. Distribution Statement Available through National Technical Information Service	
18. Security Classif. (of this report) Unclassified	19. Security Classif. (of this page) Unclassified	20. No. of Pages Vol. I 40 Vol. II 115	21. Price

NATIONAL AVIATION FUEL SCENARIO ANALYSIS PROGRAM
(NAFSAP)

VOLUME I: MODEL DESCRIPTION

BY

STEVE VAHOVICH, AEE-200

SEPTEMBER 1979

I. INTRODUCTION

NAFSAP is a computer simulation program which forecasts U.S. domestic fleet fuel burned from user supplied scenario inputs. The outputs from NAFSAP are presented using both tables and graphs.

The computer model and data are stored on the Computer Science Corporation (CSC) computers. The procedures to access NAFSAP and execute the computer program are described in "Volume II: USER MANUAL." The computer program is written in Fortran computer language.

NAFSAP is a quick and easy way to conduct scenario analysis, focusing on differences in fuel consumed given alternative user inputs. The user describes the following inputs to the program:*

- (1) The market (types of aircraft and their associated typical utilization, seats, speed, load factor, and fuel consumption rates);
- (2) The target revenue passenger miles (RPM) for the forecast years; and
- (3) Options determining how the program will create and fly aircraft to meet the target PRMs.

*Default historical data bases and default forecasts RPM data (see User's Manual), utilizing the most recent data, are available to the user.

Variations in any or all of these input parameters form the input scenario. Results, obtained by executing NAFSAP across different input scenarios, may be compared to determine the fuel impact of changes in the input set.

In brief, NAFSAP operates in the following manner. The program cumulates the number of aircraft purchased over the most recent 16 years of history to form the base year fleet (currently, the last historical year is set at 1978). Then it extends the base year fleet to future years retiring each aircraft after say 16 years (user specified option) of service (e.g., an aircraft purchased in 1978 is retired in 1994). This extended base year fleet, net of future retirements, forms the "basic core fleet." NAFSAP then computes the RPMs that are possible when this basic core fleet is flown according to the user specified input parameters (see Item 1, above). It then compares the possible against the target RPMs, and proceeds to create additional aircraft to exactly satisfy the deficit of target over possible RPMs. The selection of aircraft type(s) for new additions to the fleet is a user option. Fuel consumption is computed from the derived fleet and the fuel consumption characteristics of each type of aircraft.

NAFSAP is a product derived from work originally performed at NASA's AMES Research Center in California. The Office of Environment and Energy, Division of Energy (AEE-200), performed significant program and data modifications and provided additional capabilities to the original NASA program to obtain NAFSAP. In addition,

Accession For	NEIS GMAI		
	DEC TAB		
	Unannounced		
	Justification		
By			
Distribution/			
Availability Codes			
Available/or			
Dist special			
			A

NAFSAP has been subjected to a thorough series of debug test runs. Hence, NAFSAP is a fully tested product. Since the program changes are too numerous to discuss, only the additions to the original program are noted in the following:

- (1) Graphics capability using the fairly widely available DISSPLA package.
- (2) Capability to easily specify the beginning and ending year for the forecast period.
- (3) User option to specify any target revenue passenger mile (RPM), by year, for the forecast period. NAFSAP will then compute the required number of aircraft (according to user options set as per Item 4, below) and fuel burned to meet these RPM requirements.
- (4) User option to select among serveral pre-programmed future fleet control criterion, or alternatively, options for the user to design his own future fleet to meet the target RPM requirements.
- (5) User option to select among alternative preprogrammed data bases, according to the scenario he wishes to analyze. In addition, the user may create his own specialized data input.

II. MODEL DESCRIPTION

A. INPUTS

NAFSAP uses a three markets concept to disaggregate the total U.S. domestic fleet air carrier transportation system. The three markets are the long, short and medium range markets. There is nothing inherent in the computer program that prevents the user from defining these markets in any fashion desired. That is, the definition of each market is determined by the user supplied values for the following parameters:

<u>PARAMETERS</u>	<u>DESCRIPTION</u>
TYPE	Body type of aircraft
YRINTR	Year first introduced
SEATS	Average available seats per available aircraft mile (all revenue service)
SFC	Fuel consumed in lbs per seat-mile
SPEED	Average block-to-block speed (all revenue services; in MPH)
UTILIZ	Average number of airborne hours (all revenue service)
LIFTIM	Nominal retirement age in years for each type of aircraft
PRPM*	Proportion of total RPMs for that market attributable to each aircraft type

*This input is used by NAFSAP only if the user elects to construct his own future fleet (see OPTIONS section below)

In NAFSAP, the above parameters are defined for the base year, i.e., the most recent year of historical data (currently, the base year for the program and all default data sets is 1978). A sample input data list is presented in Table 1. The values presented in Table 1 represent the markets defined as follows:

- long range market : statute miles greater than or equal to 2500 ($SM \geq 2500$)
- short range market : statute miles less than 1500 ($SM < 1500$)
- medium range market : statute miles greater than or equal to 1500 and less than or equal to 2499 ($1500 \leq SM \leq 2499$)

By substituting a different set of values in Table 1, the user can define the three markets at his discretion.* The first row in Table 1 reads: for the long range market, the first four-engine narrow body turbofan (4 ENGNBTF) aircraft was introduced in 1960; in the base year, the typical aircraft of this body type has 150 seats, consumes .153 lbs of fuel per seat-mile, flew 405 MPH, flying 2,759 hours, was retired 16 years from date of purchase (see following paragraph for data of purchase), and its proportional share of total RPMs for that market is .158 (i.e., 15.8%).

*All of the information required to construct, update, or alter Table 1 can be obtained from The Computer Company by contacting Tom Morrison or Rob Durbin. See Appendix A for sample Technical Assistance Request used to obtain such information.

Table 1
SCENARIO: Default Aircraft Specific Options
(LF = .60 all markets each year)

TYPE	YRINTR	SEATS	SFC	SPEED	UTILIZ	LIFTIM	PRPM
LONG RANGE MARKET							
4 ENGNBTF	1960	150	.153	405	2,759	16	.168
4 ENGBBTF	1969	358	.130	456	3,511	16	.630
3 ENGBBTF	1971	246	.127	419	2,950	16	.202
*3 ENB777	1987	210	.134	450	2,486	16	.030
SHORT RANGE MARKET							
4 ENGNBTF	1960	150	.191	405	2,759	16	.007
3 ENGNBTF	1963	118	.184	359	2,752	16	.549
2 ENGNBTF	1965	91	.213	312	2,448	16	.234
3 ENGBBTF	1971	246	.137	419	2,950	16	.115
2 ENGBBTF	1977	240	.126	360	2,752	16	.015
*2 ENB757	1982	150	.147	300	1,987	16	.0
MEDIUM RANGE MARKET							
4 ENGNBTF	1960	150	.153	405	2,759	16	.271
3 ENGNBTF	1963	118	.155	359	2,752	16	.191
4 ENGBBTF	1969	357	.127	456	3,511	16	.136
3 ENGBBTF	1971	246	.124	419	2,950	16	.386
*2 ENB767	1984	200	.121	360	2,920	16	.030

* = New Type Aircraft.

The second major class of inputs to NAFSAP is the current fleet by year of purchase. That is, once the most recent year (base year) of available historical information has been determined, the preceeding 16 years (including the base year) of the number of aircraft purchases, is input.**

Similarly, if the historical data shows that some aircraft are retired prior to the user specified general retirement age (LIFTIM), this information directly follows the aircraft purchase data in the data base. In the following chapter, the vector of aircraft purchases is denoted by NOBUYS, and the aircraft retirements vector is denoted by NORETIR.

The third major class of inputs to NAFSAP is load factor. The load factor is specified once for each market. Within each market, the load factor is specified by year, for the base year and once for each forecast year. The load factor may be different for each market (and year within each market); however, once it is specified for a market, it applies to each aircraft within that market.

The final class of inputs is the target RPM values. U.S. fleet domestic RPMs are specified (in billions) for the base year and once for each forecast year. As will be detailed below, fuel burn and the future fleet size forecasts, generated by NAFSAP, are driven by the user specified target RPMs for forecast years.

**This information is available from The Computer Company by accessing the B-43 schedule information.

III. COMPUTATIONS IN NAFSAP

The procedure described below highlights the key working relationships in NAFSAP. It does not detail all of the data or computation cross-checks, counters, subroutine calls, or intermediate computations performed in the computer program. It does present a consistent beginning to end explanations of how NAFSAP works.

- A. Compute representative figures per aircraft type (I) per year (YR) for:

1. Seat-miles as the product of speed, utilization and seats.

$$\text{SEATMI (I,YR)} = \text{SPEED (I)} * \text{UTILIZ (I)} * \text{SEATS (I)}$$

2. RPMs as the product of seat-miles and load factor (LF)

$$\text{RPM (I,YR)} = \text{SEATMI (I,YR)} * \text{LF (YR)}$$

3. Fuel burn as the product of seat-miles and lbs. of fuel consumed per seat-mile

$$\text{FUELBR (I,YR)} = \text{SEATMI (I,YR)} * \text{SFC (I)}$$

As a result of these computations representative figures for seat-miles, RPMs, and fuel burn are available for each body type (and within each market) for the base year and the forecast years. Note, at this point these representative figures are identical across all years (YR).

B. Compute the basic core fleet.

1. Compute the base year fleet (I) by aircraft type (I) from the last 16 years (J).

$$\text{POPUL (I,1)} = \text{FOPUL (I,1)} + \text{NOBUYS (I,J)} - \text{NORETIR (I,J)}$$

That is, the net of the number of buys less the number of retirements are accumulated, over the most recent 16 years, to arrive at the current or base year fleet. The current base year is set in the computer program at 1978 and all default data bases are keyed to that base. (The "USER MANUAL" describes the procedure to change the base year in the program and the user must update the data bases accordingly).

2. Establish the basic core fleet for the forecast years (J + 16) for each aircraft type (I). To simplify the exposition, 16 years is used as the useful life of an aircraft. The first step in establishing this future core fleet is to move the number of historical aircraft purchases, by year, to retirement after 16 years useful life.

$$\text{NORETIR (I, J + 16)} = \text{NOBUYS (I,J)}$$

In the next step, the basic core fleet (POPUL) for years J + 1 (the forecast years) is computed, year by year, and updated each year on the basis of each preceeding year's results.

$$\text{POPUL (I, J + 1)} = \text{POPUL (I, J)} - \text{NORETIR (I, J + 16)}$$

For example, the 1979 core fleet is the 1978 core fleet less purchases made in 1963 (i.e., retirements in 1979).

- C. Compute total RPMs possible across aircraft types (I) for the core fleet for each forecast year (YR).

$$\text{TOTAL} = \text{TOTAL} + \text{RPM (I,YR)} * \text{POPUL (I,YR)}$$

That is, for each forecast year, the product of representative RPMs and the number of aircraft, by aircraft type, is aggregated across all types of aircraft. This calculation is repeated each forecast year; however, once the result for any given year is obtained, the computation described in section D, below, is performed prior to the TOTAL compute for a subsequent year.

- D. For each forecast year, check the user input target RPMs (MARKET) against possible RPMs (TOTAL)

$$\text{RPM DIF} = \text{MARKET} - \text{TOTAL}$$

If RPMDIF is greater than zero, additional aircraft are created according to user specified fleet control options (see "FUTURE FLEET CONTROL OPTIONS" chapter below). All options utilize some form of the following computation to determine the number of additional purchases required to satisfy RPMDIF.

$$\text{NOBUYS (I,YR)} = \text{RPMDIF/RPM (I,YR)}$$

That is, the number of new buys by type (I) per year (YR) is determined by the deficit (of target over possible) RPMs for that year divided by the representative RPM figure for that type of aircraft. For example, if RPMDIF = 100 and RPM (1,2) = 5, then $100/5 = 20$ aircraft of type 1 are purchased in year 2.

Finally, these new number of aircraft purchases are used to augment and update the core fleet for the forecast years as follows:

$$\text{POPUL (I,YR)} = \text{POPUL (I,YR)} + \text{NOBUYS (I,YR)}$$

That is, the sum of the core fleet and new purchases, by aircraft type for each forecast year, forms the future fleet consistent with the target RPMs.

Note that the two immediately preceeding computations update NOBUYS and POPUL for one forecast year at a time. The program then returns to the first computation shown in section B, subpart 2, and the entire procedure is iterated for each subsequent year.

- E. Compute the final outputs by using the representative figures per aircraft type (I) per year (YR), and applying them to the updated fleet which satisfies the target RPMs.

$$\text{SMILES (I,YR)} = \text{SEATMI (I,YR)} * \text{POPUL (I,YR)}$$

$$\text{FBRNED (I,YR)} = \text{FUELBR (I,YR)} * \text{POPUL (I,YR)}$$

$$\text{RPMS (I,YR)} = \text{RPM (I,YR)} * \text{POPUL (I,YR)}$$

Thus, given the target RPMs, the associated fleet (POPUL), seat-miles (SEATMI), fuel burn (FBRNED) and RPMS are computed as outputs. Upon completing each of the equations shown in sections A through E for a single market, the identical computations are performed using each subsequent market's data. As may be noted, the input target RPM forecast is for the entire domestic market. The program disaggregates this forecast across markets using base year data on each market's RPM share of the total domestic market (see "USER MANUAL" for procedure to alter these factors). This establishes the RPM target within each market, totals across markets are thus consistent with the user input.

The following chapter addresses the future fleet control options available to the user. As noted in section D, above, selection of this option determines the specific form of the number of new purchases (NOBUYS) computation.

IV. FUTURE FLEET CONTROL OPTIONS

The future fleet control options control the future fleet mix and hence the forecasts of fuel burned by type of aircraft. Three alternative options are available to the user:

- Basic Option
- Fuel Efficient Option
- Design Your Fleet Option

Each of these options are discussed below.

- A. Basic option--when this option is selected the last aircraft type on the input data set (within each market) is assigned all deficit (difference between target and possible RPMs = RPM_{DIF}) RPMs. Since the default data sets are arranged chronologically within each market (for example, see the YRINTR column in Table 1), exercising this option on a default data set would attribute RPM_{DIF} to the most recent vintage aircraft. Under the basic option, the NOBUYS equation as shown in section D above is used; however, the subscript I for RPM variable is set equal to the index counter for the last aircraft considered within each market.

B. Fuel efficient option--when this option is selected all deficit RPMs are assigned to the most fuel efficient aircraft. That is, the program conducts a search across all aircraft within one market and identifies the aircraft type with the lowest SFC value (e.g., in Table 1 this represents lbs. of fuel consumed per seat-mile). Under the fuel efficient option, the NOBUYS equation as shown in section D, above, is used; however, the subscript I for the RPM variable is set equal to the index associated with most fuel efficient aircraft.

C. Design Your Fleet Option--when this option is selected all deficit RPMs are assigned to a fleet which is constructed according to the following user specified parameters:

1. The annual percentage increase the user wishes to apply to the basic input RPM share factor for existing (year of introduction--YRINTR column in Table 1--less than or equal to the base year) aircraft. The input RPM share factors, for a sample data set, are shown in the PRPM column in Table 1. The user specified percentage increase is then applied to these PRPM values. As the computer program is currently written, the percentage increase for each market is specified separately.

2. The value indicator for the existing (YRINTR less than or equal to the base year) aircraft types in each market to which item 1 is applied. Acceptable values for the vector indicating the user's preference as to the disposition of the existing aircraft types are: 0, 1, or 2. Any other values will lead to spurious results. Setting the value indicator equal to 1 for a particular aircraft type will result in the percentage PRPM increase specified in item 1 being applied to that aircraft type. Since the sum of the PRPM factors must equal 1, a comparable percentage decrease must occur to other aircraft types. If the user desires this decrease to be applied to a specific aircraft type(s), a value indicator of 2 should be assigned to that type. All of the remaining types should be assigned a value indicator of zero, their PRPM factor share would remain constant. If the user does not wish to concentrate the decrease in particular aircraft types, the value indicator "2" should not be used. That is, the remaining types should be assigned a value indicator of zero. In the latter case, (i.e., the value indicator "2" is not used) the percentage decrease is distributed equally among all types having the value indicator zero.

The above description is applicable to all years prior to the introduction of a new type aircraft into a market (YRINTR greater than the base year).

For the year a new type aircraft enters a market and for all subsequent years, the percentage increase/decrease scheme changes slightly. That is, the percentage increase described in item 3 below becomes effective, and that for existing types (as per item 1 above) ceases to be effective. Thus, all of the PRPM percentage increase is applied to the new type aircraft. The comparable decrease will be concentrated in those aircraft types having a value indicator equal to 2. Since NAFSAP assumes all of the PRPM percentage increase is to be applied to the new type aircraft, the existing types with value indicators equal to 0 or 1 will retain their PRPM factor share effective at the time of introduction of the new type. If the user does not wish to concentrate, the percentage decrease (i.e., the value indicator "2" is not used), the percentage decrease is distributed equally among all types having the value indicators equal to 0 or 1.

In an effort to simplify the above discussion, the relationship between the value indicator, its associated PRPM factor share, is restated as follows:

Years Prior to Introduction of a New Type Aircraft

1. Case where at least one existing aircraft type has a value indicator equal to 2.

Value Indicator

1	PRPM factor share increases
2	PRPM factor share decreases
0	PRPM factor share constant

2. Case where no value indicator equals 2.

Value Indicator

1	PRPM factor share increases
0	PRPM factor share decreases

Years During and Subsequent to Introduction of a New Type Aircraft

1. Case where at least one existing aircraft type has a value indicator equal to 2.

Value Indicator for Existing Type*

1	PRPM factor share constant
2	PRPM factor share decreases
0	PRPM factor share constant

*All of the PRPM factor share increase is assigned to the new aircraft type.

2. Case where no value indicator equals 2.

Value Indicator for Existing Type*

1	PRPM factor share decreases
0	PRPM factor share decreases

*All of the PRPM factor share increase is assigned to the new aircraft type.

3. The annual percentage increase the user wishes to apply to the basic input RPM share factor for new type (YRINTR greater than base year) aircraft. The percentage increase for each market is specified separately. If more than one new type aircraft appears in any one market, the percentage increase specified for new types in that market is applied to each new type aircraft. Finally, it should be noted that should new type aircraft be included in the data input set (and assuming the associated annual percentage increase is not zero), the program will disregard the percentage increase specified for the existing type aircraft once the new aircraft type is introduced into the market.

When the design your fleet option is selected the numerator of the equation to compute NOBUYS (as presented in section D, above) is modified. That is, RPMDIF is disaggregated by the aircraft type RPM share factor (using the user input PRPM values for the base year and then the compound increments, as

explained in items 2 and 3 above, for the forecast years). Then the disaggregated RPMDIF is divided by the representative RPM value for the corresponding aircraft type to arrive at NOBUYS. Thus under this option, NOBUYS of each aircraft type and for each forecast year is closely controlled by the user.

Further, it should be noted that the computer program incorporates checks to ensure that the sum of the share factors across aircraft types is exactly 1.0. Only "relevant" aircraft are included in this check. Since NAFSAP computes estimates year-by-year, aircraft not yet introduced into the fleet by the current computation year are irrelevant and are excluded from the check. For example, for years prior to the introduction of a new type, if one aircraft in a market is incremented by 10 percent and there are five aircraft in that market, three of which are selected to be decreased (value indicator equal 2) and one type held constant (value indicator equal to 0), then the factor shares for the three selected for decrease are decreased by 3.3 ($10/3$) percent each. If two aircraft types were increased by 10 percent each, then the three types selected for decrease are decreased by 6.7 ($10/3 \times 2$) percent each. Similarly, checks are incorporated in the program to ensure that no factor share becomes negative.

Should any factor share become negative, that factor share is set to zero for that year, and the aircraft type having the maximum factor share is reduced by the negative amount.

For any of the above options, if new type aircraft are in the market, the option will not be effective for the new type aircraft for any year prior to the introduction of that aircraft type. For example, using the first market in Table 1, for the basic option this means that additional aircraft of the existing type will be created (i.e., next most recent ventage) to satisfy RPMDIF until 1987, at which time RPMDIF will be attributed to 3EWB77. Similarly, for the fuel efficient option, using the medium range market in Table 1, the additional purchases to satisfy RPMDIF will go to the most fuel efficient existing type prior to 1984. Only for 1984 and subsequent years will the 2EWB767 be assigned the RPMDIF. For the design your own fleet option, the percentage increase specified for the new type will only be effective after they are introduced into the market. Prior to that only the existing types will be incremented.

V. TYPES OF OUTPUT

Both tables and graphic output are available from NAFSAP. The output begins with the last historical year and ends with the last forecast year. Currently outputs go from 1978 through 2005.

A. TABLES - Tabular outputs are available as follows:

- SEAT MILES
- FUEL BURNED
- RPMs
- # OF AIRCRAFT
- # OF NEW PURCHASES
- # RETIRED

ABOVE ITEMS ARE AVAILABLE:

- A) FOR EACH AIRCRAFT TYPE WITHIN EACH MARKET (YEAR-BY-YEAR AND ACCUMULATED ACROSS YEARS)
- B) MARKET TOTALS FOR EACH MARKET ACROSS AIRCRAFT TYPES WITHIN EACH MARKET (YEAR-BY-YEAR AND ACCUMULATED ACROSS YEAR)
- C) ACCUMULATIVE TOTALS ACROSS ALL MARKETS (YEAR-BY-YEAR AND ACCUMULATED ACROSS YEAR)
- D) FRACTIONAL COMPONENT THAT EACH ITEM'S MARKET TOTAL REPRESENTS OF THE TOTAL ACROSS ALL MARKETS

Tables 2 through 4 present sample tabular outputs. Table 2 shows the output for a three-engine wide body turbo-fan aircraft (3ENGWBTF) in the medium range market. Specifically, this table shows that, given the fuel efficiency input scenario, in 1979 there were 118 of these aircraft (see "POPULATION" column), consuming 15,810,000 barrels of fuel, flying 21.6 billion RPMs. The "# buys/yr" and "# retired/yr" columns show that the ten 3ENGWBTF aircraft purchased in 1978 were retired 16 years later in 1994.

Table 3 shows information similar to that presented in Table 2, except that Table 3 presents the results aggregated across all types of aircraft within one market. Specifically, Table 3 shows the results of a user specified fuel efficiency scenario for the medium range market.

Table 4 presents similar results at a higher level of aggregation. In particular, the fuel efficiency scenario results are presented across all markets.

TABLE 2
FUEL EFFICIENCY: MEDIUM RANGE MARKET

YEAR	SEAT-MILES (YEAR)	FUELBURNED (YEAR)	AIRCRAFT TYPE - JET/ENGINE	MPG (YEAR)	POPULATION AS OF MID-YEAR	A BUIS/YR (THRU MID-YEAR)	A RETIRED/YR (THRU MID-YEAR)
1970	3338E+11	1444E+02		2023E+11	111E+03	100E+02	0.
1971	3559E+11	1502E+02		2160E+11	118E+03	121E+01	0.
1972	3772E+11	1553E+02		2321E+11	136E+03	201E+02	0.
1973	4052E+11	1611E+02		2511E+11	159E+03	207E+02	0.
1974	4357E+11	1681E+02		2706E+11	182E+03	231E+02	0.
1975	4630E+11	1762E+02		2917E+11	217E+03	352E+02	0.
1976	4902E+11	1842E+02		3178E+11	217E+03	0.	0.
1977	5172E+11	1922E+02		3468E+11	217E+03	0.	0.
1978	5447E+11	2012E+02		3775E+11	211E+03	0.	400E+01
1979	5725E+11	2123E+02		4091E+11	184E+03	0.	270E+02
1980	6013E+11	2233E+02		4417E+11	158E+03	0.	240E+02
1981	6302E+11	2343E+02		4751E+11	137E+03	0.	210E+02
1982	6592E+11	2453E+02		5091E+11	122E+03	0.	150E+02
1983	6882E+11	2563E+02		5437E+11	119E+03	0.	300E+01
1984	7172E+11	2673E+02		5782E+11	116E+03	0.	300E+01
1985	7462E+11	2783E+02		6127E+11	104E+03	0.	100E+02
1986	7752E+11	2893E+02		6472E+11	95E+02	0.	72E+01
1987	8042E+11	3003E+02		6817E+11	91E+02	0.	20E+02
1988	8332E+11	3113E+02		7162E+11	84E+02	0.	20E+02
1989	8622E+11	3223E+02		7507E+11	75E+02	0.	21E+02
1990	8912E+11	3333E+02		7852E+11	67E+02	0.	35E+02
1991	9202E+11	3443E+02		8197E+11	60E+02	0.	0.
1992	9492E+11	3553E+02		8542E+11	53E+02	0.	0.
1993	9782E+11	3663E+02		8887E+11	47E+02	0.	0.
1994	10072E+11	3773E+02		9232E+11	41E+02	0.	0.
1995	10362E+11	3883E+02		9577E+11	35E+02	0.	0.
1996	10652E+11	3993E+02		9922E+11	30E+02	0.	0.
1997	10942E+11	4103E+02		10267E+11	25E+02	0.	0.
1998	11232E+11	4213E+02		10612E+11	20E+02	0.	0.
1999	11522E+11	4323E+02		10957E+11	15E+02	0.	0.
2000	11812E+11	4433E+02		11302E+11	10E+02	0.	0.
2001	12102E+11	4543E+02		11647E+11	5E+02	0.	0.
2002	12392E+11	4653E+02		11992E+11	0.	0.	0.
2003	12682E+11	4763E+02		12337E+11	0.	0.	0.
2004	12972E+11	4873E+02		12682E+11	0.	0.	0.
2005	13262E+11	4983E+02		13027E+11	0.	0.	0.

TABLE 3
FUEL EFFICIENCY: SCENARIO

YEAR	SEAT-MILES (YEARS)	FUELCUMPAID (YEARS)	PASSENGER - MEDIUM RPPS (YEARS)	RANGE	POPULATION AS OF MID-YEAR	8 BUS/10 1000 MID-YEAR	8 RETIRED/10 1000 MID-YEAR
1978	.7840E+11	.3740E+08	.0710E+11		.3574E+03	.3000E+02	0.
1979	.8040E+11	.3840E+08	.0824E+11		.3613E+03	.3215E+02	.3000E+01
1980	.8240E+11	.4023E+08	.1064E+11		.3657E+03	.3038E+02	.1000E+02
1981	.8440E+11	.4159E+08	.1334E+11		.3733E+03	.3078E+02	.1000E+02
1982	.8624E+11	.4330E+08	.1571E+11		.3780E+03	.2315E+02	.2200E+02
1983	.8811E+11	.4510E+08	.1811E+11		.3769E+03	.3324E+02	.3300E+02
1984	.8998E+11	.4659E+08	.2220E+11		.3894E+03	.4500E+02	.3700E+02
1985	.9185E+11	.4800E+08	.2551E+11		.4045E+03	.4801E+02	.3800E+02
1986	.9372E+11	.4933E+08	.2883E+11		.4213E+03	.5228E+02	.3700E+02
1987	.9558E+11	.5066E+08	.3215E+11		.4382E+03	.5648E+02	.3700E+02
1988	.9745E+11	.5200E+08	.3547E+11		.4552E+03	.6068E+02	.3700E+02
1989	.9932E+11	.5333E+08	.3879E+11		.4722E+03	.6488E+02	.3700E+02
1990	.10119E+12	.5466E+08	.4211E+11		.4892E+03	.6908E+02	.3700E+02
1991	.10316E+12	.5599E+08	.4543E+11		.5062E+03	.7328E+02	.3700E+02
1992	.10513E+12	.5732E+08	.4875E+11		.5232E+03	.7748E+02	.3700E+02
1993	.10710E+12	.5865E+08	.5207E+11		.5402E+03	.8168E+02	.3700E+02
1994	.10907E+12	.6000E+08	.5539E+11		.5572E+03	.8588E+02	.3700E+02
1995	.11104E+12	.6133E+08	.5871E+11		.5742E+03	.9008E+02	.3700E+02
1996	.11301E+12	.6266E+08	.6203E+11		.5912E+03	.9428E+02	.3700E+02
1997	.11498E+12	.6399E+08	.6535E+11		.6082E+03	.9848E+02	.3700E+02
1998	.11695E+12	.6532E+08	.6867E+11		.6252E+03	.10268E+02	.3700E+02
1999	.11892E+12	.6665E+08	.7199E+11		.6422E+03	.10688E+02	.3700E+02
2000	.12089E+12	.6798E+08	.7531E+11		.6592E+03	.11108E+02	.3700E+02
2001	.12286E+12	.6931E+08	.7863E+11		.6762E+03	.11528E+02	.3700E+02
2002	.12483E+12	.7064E+08	.8195E+11		.6932E+03	.11948E+02	.3700E+02
2003	.12680E+12	.7197E+08	.8527E+11		.7102E+03	.12368E+02	.3700E+02
2004	.12877E+12	.7330E+08	.8859E+11		.7272E+03	.12788E+02	.3700E+02
2005	.13074E+12	.7463E+08	.9191E+11		.7442E+03	.13208E+02	.3700E+02

TABLE 4
FUEL EFFICIENCY: SCENARIO

YEAR	TOTALS FOR ALL MODELS					POPULATION PS OF MID-YEAR	A BUS/10 (1980 MID-YEAR)	A RETIRED/10 (1980 MID-YEAR)
	SEAT-MILES (1980)	FUELBURNED (1980)	MPS (1980)	MPS (1980)	MPS (1980)			
1970	-1330E+12	-1330E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1971	-1335E+12	-1335E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	-0590E+02	1000E+02
1972	-1340E+12	-1340E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	-0205E+02	1000E+02
1973	-1345E+12	-1345E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	-0000E+02	1000E+02
1974	-1350E+12	-1350E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1975	-1355E+12	-1355E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1976	-1360E+12	-1360E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1977	-1365E+12	-1365E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1978	-1370E+12	-1370E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1979	-1375E+12	-1375E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1980	-1380E+12	-1380E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1981	-1385E+12	-1385E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1982	-1390E+12	-1390E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1983	-1395E+12	-1395E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1984	-1400E+12	-1400E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1985	-1405E+12	-1405E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1986	-1410E+12	-1410E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1987	-1415E+12	-1415E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1988	-1420E+12	-1420E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1989	-1425E+12	-1425E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1990	-1430E+12	-1430E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1991	-1435E+12	-1435E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1992	-1440E+12	-1440E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1993	-1445E+12	-1445E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1994	-1450E+12	-1450E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1995	-1455E+12	-1455E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1996	-1460E+12	-1460E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1997	-1465E+12	-1465E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1998	-1470E+12	-1470E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
1999	-1475E+12	-1475E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
2000	-1480E+12	-1480E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
2001	-1485E+12	-1485E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
2002	-1490E+12	-1490E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
2003	-1495E+12	-1495E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
2004	-1500E+12	-1500E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
2005	-1505E+12	-1505E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
2006	-1510E+12	-1510E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
2007	-1515E+12	-1515E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
2008	-1520E+12	-1520E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
2009	-1525E+12	-1525E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02
2010	-1530E+12	-1530E+06	-1095E+12	-1095E+06	-2015E+04	-1530E+03	0	1000E+02

B. GRAPHICS - FUEL BURNED BY YEAR PLOTS ARE AVAILABLE AS FOLLOWS:

- A) SEPARATE PLOT FOR EACH MARKET SHOWING FUEL BURNED BY EACH AIRCRAFT TYPE IN THAT MARKET
- B) A PLOT SHOWING THE TOTAL FUEL BURNED FOR EACH OF THE MARKETS, TOGETHER WITH THE TOTAL ACROSS ALL MARKETS
- C) A PLOT OF ACCUMULATIVE FUEL BURNED, I.E., FUEL BURNED BY 1ST AIRCRAFT TYPE IN 1ST MARKET IS PLOTTED, THEN FUEL BURNED BY 2ND AIRCRAFT TYPE IN 1ST MARKET PLUS THE PRECEDING IS PLOTTED, AND SO ON ACROSS ALL AIRCRAFT TYPES AND MARKETS.

Exhibits 1 through 3 present sample graphics output. Exhibit 1 shows the results of a fuel efficiency scenario for the medium range market for each aircraft within that market. This graph is consistent with the Table 1 sample input data set. Exhibit 1 shows that barrels of fuel burned increases for 3 ENGWBTF until 1984. In 1984, when 2 EWB767 are introduced, RPMDIF is assigned to the latter relatively more fuel efficiency aircraft, resulting in a rapid rise in fuel burned for this type of aircraft. As shown in Table 2, the last 3 ENGWBTF was purchased in 1983, under this scenario. Exhibit 1 reflects the 16 year useful life assumption for 3 ENGWBTF and shows this aircraft type to go to zero in 1999.

Exhibit 2 shows fuel burned by year, for each market total. Total fuel burned across all market is also shown. The close proximity of the long and medium range market is due to market definition for this sample "run." That is, the market definitions presented in Chapter II and consistent with Table 1 were used. Since for the base year the long range market accounts for 21.4 percent of the total RPMs and the medium range market accounts for 24.6 percent, the close proximity of the curves representing these two markets is understandable. The uppermost curve in Exhibit 2 shows total fuel burned across all markets, corresponding to Table 4 output. It shows, for this scenario, fuel burned increasing from approximately 179 million barrels in 1978 to about 524 million barrels in 2005.

Finally, Exhibit 3 shows cumulative fuel burned as each aircraft type enters each market. That is, the lowest curve shows fuel consumed by 4ENGNBTF in the first market considered. The next highest line shows fuel consumed by 4ENGNBTF plus fuel consumed by 4ENGWBTF in the first market considered. After all aircraft in the first market are cumulated, the aircraft in the second market are added to these results one-at-a-time. Finally, aircraft in the third market are considered in the same manner. The uppermost curve corresponds to the total across all markets.

EXHIBIT 1 U.S. Fleet Fuel Usage Forecast

MEDIUM RANGE MARKET

- LEGEND
- = 4 ENG NBTFF
 - △ = 3 ENG NBTFF
 - ▽ = 4 ENG WBTFF
 - × = 3 ENG WBTFF
 - = 2 EW B767

FUEL EFFICIENCY: SCENARIO 10




EXHIBIT 2 U.S. Fleet Fuel Usage Forecast

AGGREGATE FOR EACH MARKET

FUEL EFFICIENCY: SCENARIO

- LEGEND
- o = LONG RANGE MARKET
 - Δ = SHORT RANGE MARKET
 - + = MEDIUM RANGE MARKET
 - x = TOTAL ACROSS ALL MARKETS




EXHIBIT 3

Forecast U.S. Fleet Fuel Usage Distribution


AGGREGATED ACROSS MARKETS

FUEL EFFICIENCY: SCENARIO

LEGEND

- o = 4ENGWBT
- Δ = 4ENGWBT
- + = 3ENGWBT
- x = 3ENGW77
- = 4ENGWBT
- v = 3ENGWBT
- = 2ENGWBT
- × = 3ENGWBT
- ◊ = 2ENGWBT
- ◐ = 2ENGW77
- ◑ = 4ENGWBT
- ◒ = 3ENGWBT
- ◓ = 4ENGWBT
- ◔ = 3ENGWBT
- ◕ = 2ENGW77

- + THE ABOVE
- + THE ABOVE
- + THE ABOVE
- + THE ABOVE
- + THE ABOVE
- + THE ABOVE
- + THE ABOVE
- + THE ABOVE
- + THE ABOVE
- + THE ABOVE
- + THE ABOVE
- + THE ABOVE
- + THE ABOVE
- + THE ABOVE
- + THE ABOVE



VI. SCENARIO ANALYSIS

The type of scenario analysis that may be generated using NAFSAP is illustrated in Table 5. This table presents information derived from five different scenario "runs" of NAFSAP. The column headings indicate the scenario options chosen by the user. As explained in Chapter V, above, in the fuel efficiency scenario all deficit (target less possible = RPMDIF). RPMs are attributed to the most fuel efficient aircraft. For the basic option, all deficit RPMs go to the most recent vintage aircraft. The inputs presented in Table 1 are used for the fuel efficiency and basic options. The third column heading indicates the "design your fleet option." Table 1 data is also used as the input when exercising this option. Specifically, a 1% increase is applied to the last existing type of aircraft in the long and medium range markets (i.e., 3 ENGWBTF in both markets, see Table 1), and to the last two existing types (2ENGWBTF and 2ENGWBTF, see Table 1) in the short range market. One new type of aircraft is entered in each market (see Table 1), and their RPM market share is increased at 2% per year. That is, each of the new types enters with a 5% factor share (3% PRPM factor as specified in Table 1, plus 2% increase) of RPMDIF and receives a 2% annual increase. As explained in Chapter V, the PRM factor share and associated increments for new type aircraft is effective only for, and subsequent to, the year it is introduced (YRINTR in Table 1) in the fleet. In addition, once the new type aircraft are introduced into the fleet, the factor share increments (1% in this example) are no longer applied to the existing type aircraft.

TABLE 5

CONCLUSIONS FROM SCENARIO ANALYSIS: 1978-2005

(ALL FIGURES EXPRESSED IN MILLIONS)

	SCENARIO			
	FUEL EFFICIENCY	BASIC	1 NEW EACH MARKET (@ 2%)*	LONG = 2 NEW; OTHER = 1 NEW AT 2% AT 10%
TOTAL FUEL BURNED (BARRELS)	8,426	9,054	10,120	10,090
COST AT \$.50/GAL.	\$176,946	\$190,134	\$212,520	\$211,890
BARRELS IN EXCESS OF EFFICIENCY	0	628	1,694	1,664
COST IN EXCESS OF EFFICIENCY AT \$.50/GAL.	0	\$ 13,188	\$ 35,574	\$ 34,944
				\$ 23,772

* Each new type enters with 5% market share with 2% annual increase.

** In long range market B-767 enters with 10% and B-777 enters with 5% market share with 2% annual increase. See * for other markets.

*** In long range market B-767 enters with 18% and B-777 enters with 13% market share with 10% annual increase. B-757 enters in short and B-767 enters in medium range market. each enters with a 13% market share with 10% annual increase.

The two right-most columns in Table 5 show results for two additional design your fleet scenarios. Both of these scenarios are very similar to the preceding scenario. However, in the latter two scenarios, two new aircraft are included in the long range market. Specifically, 2EWB767 aircraft are entered in the long range market along with the 3EWB777. As indicated in the footnotes to Table 5, for the column labeled "AT 2%," the 2EWB767 enters with a 10% share and the 3 EWB777 enters with a 5% market share, both receive 2% annual increases. To illustrate differences between the two scenarios where two new types of aircraft are introduced, the market share factors are altered for the new aircraft types. The footnote associated with the column label "AT 10%" defines the relevant market shares for the final scenario. For the two scenarios utilizing two new types of aircraft in the long range market, the scenario options related to the existing types of aircraft are identical to that presented in the immediately preceding paragraph.

Table 5 shows that under the fuel efficiency scenario 8,426 million barrels are consumed at a cost of approximately \$177 billion dollars. Results for the other scenarios may be compared to those for the fuel efficiency scenario to determine fuel consumption and costs in excess of the fuel efficiency case. For example, the third right-most column, where one new aircraft type is introduced in each market, shows the most extreme results. Under this scenario 10,120 million barrels fo fuel are consumed at a cost of approximately \$212.5 billion dollars. Comparing these results to comparable figures fo the fuel efficiency scenario shows that over the fore-

cast period almost 2 billion barrels of fuel are consumed in excess of the fuel efficiency results at an "extra" cost of about \$36 billion dollars.

Obviously, Table 5 is only one example of the manner in which NAFSAP can be used to conduct scenario analysis. Scenarios can be tailored by the user of NAFSAP to suit his/her own needs, and the results may be compare accordingly. In addition, results similar to Table 5 could be obtained for fleet composition comparisons, or seat-miles comparisons. Similarly, such tables can be generated for each market described by the user to NAFSAP. The wide range of options available to the user provides NAFSAP with great flexibility, thus making it a useful tool to analyze a wide variety of problems.

APPENDIX A



THE COMPUTER COMPANY

1211 CONNECTICUT AVENUE □ SUITE 708 □ WASHINGTON, D.C. 20036 □ (202) 467-6340

August 24, 1979

Charles J. Hoch
Federal Aviation Administration
800 Independence Ave., S.W.
Washington, D.C. 20590

Subject: Technical assistance in retrieval of C.A.B. data
for various mileage breakdowns by aircraft type.

Reference: Discussion between Steve Vahovich of F.A.A. and
Thomas Morrison of The Computer Company on
August 22, 1979.

Dear Mr. Hoch:

Per your request, The Computer Company is pleased to
present this task description to provide data for your
forecasting purposes.

Background

The Computer Company provides ER 586 data online to the
F.A.A. but the request in this particular case is best
suited to a batch run. This project will modify existing
F.A.A. software developed by T.C.C. to include additional
data items and then provide the report.

Task Description

- (1) The Computer Company will develop the software
necessary to provide a report with four components. The
first three components will be aircraft data for three
specified mileage markets. The fourth will be totals for
aircraft without regard to mileage.
- (2) Each component will contain calculated RPMS, Passengers,
Load Factor, Average Passenger Trip Length, the percent
of an aircrafts RPM's, the average available seats per
aircraft mile, average block to block speeds and block hours.
- (3) The aircraft types will be broken out individually as
types (ie. 727, 737, 747) and accumulated as groups (ie.
narrow body 2 engine, wide body 2 engine, etc.).

August 24, 1979
Mr. Charles Hoch
page 2

(4) The report will be provided for the most current 12 months.

(5) The report will be output as a printed report and as a tape.

Deliverables

(1) A printed report.

(2) A data Tape.

Staffing

The Computer Company will have available senior programmers/analysts to perform the described tasks.

Cost Estimate

The estimated level of expenditures is as follows:

Senior Programmer/Analyst	16 hours	\$480.00
The maximum estimated computer cost is \$1500.00.		

The computer cost can not be exceeded without an explicit approval by the F.A.A. contracting officer.

August 24, 1979
Mr. Charles Hoch
page 3

Schedule

Work on this task will be completed within 5 full working days after written authorization to proceed.

Sincerely,

The Computer Company
APL Division

Thomas G. Morrison / RRD

Thomas G. Morrison
Manager, Aireast

TGM/dlb

C. J. Hoch
Approved: Charles J. Hoch

8/27/79
Date

A. Dahmer
Approved: Arthur Dahmer

8/27/79
Date

NATIONAL AVIATION FUEL SCENARIO
ANALYSIS PROGRAM
(NAFSAP)

VOLUME II: USER MANUAL

STEVE VAHOVICH, AEE-200

SEPTEMBER 1979

I. INTRODUCTION

STEP 1:

To access NAFSAP, sign-on the Computer Science Corp. (CSC) computer system using the following procedure:

Dial: 937-0530 (access phone number will be different outside of the Washington, D.C. Metropolitan Area)

when green light on copuler lights, type: E (cr)* System will respond "CENTER," and user types NN (cr). Then type:

GPS, user computer number, password, project code (cr).

You are now on the CSC computer system.

STEP 2:

The user must now set the options for the scenario he wishes to input to NAFSAP. Three general categories of options may be set by the user:

- o aircraft specific options
- o target RPM's options
- o future fleet control options

*cr means depress carriage return button

Since the aircraft specific and target RPM's options contain the most recent historical and forecast information as their default values, these options will generally be exercised only when these data bases require update or for special (variations on history or alternative forecasts) analysis runs. Thus, a description of these options is presented later in the "Data Base Update" chapter. The following chapter describes the procedure to exercise the future fleet control options.

Appendix B-1 provides a copy of the FORTRAN code of the computer program comprising NAFSAP input data base and Appendix B-2 provides a sample input data base. Since all changes in options and data bases are accomplished via the REVISE command, and since the content of this REVISE command is specific to the particular values the user wishes to specify (the combinations are almost infinite), it is not practical to list the exact REVISE command for each option. However, all changes in options and data bases do follow the general form of the REVISE command as given in Guide to General Programming Subsystem (GPS), pages 23-32. The user is referred to that document for further detail. Appendix B-3 presents the computer code for the three separate programs that generate the graphics results.

STEP 3:

Having set all desired options and completed all modifications the user types in the following commands:

SWITCH IN\$: specify input data set name

(this statement identifies the input data set to NAFSAP)

SWITCH OUT\$: specify any unique output data set name

(all tabular output from NAFSAP will reside on this file for user retrieval)

*EQUATE 4 BET3IN

*EQUATE 8 BET4IN

EQUATE 3 specify the "target RPM" in our file name

(this statement identifies the target RPM input file)

EQUATE 16 specify any unique output data set name for graphs

(identifies the file to which outputs are written and which are used as inputs by the DISPL2 graphics program)

EQUATE 18 specify any unique output data set name for graphs

(identifies the file to which outputs are written and which are used as inputs by the DISPL3 graphics program)

EQUATE 17 specify any unique output data set name for graphs

(identifies the file to which outputs are written and which are used as inputs to the DISPLA4 graphics program)

*These files are utilized by subroutine UNIT04 as presented in Appendix B-1. This subroutine simply reads and writes the data presented in lines 1 through 35, Appendix B-2. This data relates to certain production cost characteristics for new type aircraft, which currently are not used by NAFSAP. Allowances are made for these files in the current version of NAFSAP to provide space for future expansion of NAFSAP to production cost problems. Alternatively, these files may be utilized by the user for special problems he/she wishes to consider.

FR5 BET2PR

(compiles the Fortran code in NAFSAP)

LINK BET2PR

(creates an executable module for the computer to process)

BET2PR

(executes NAFSAP, writing all tabular and graphics related output to specified files)

SWITCH IN\$:, CLOSE OUT\$:, CLOSE

(releases all files from the current computer job stream run)

SAVE specify the same data set name used in SWITCH OUT command

(saves the results of the current run; outputs for graphics programs are automatically saved)

Either of the following two commands may now be used to "claim" the tabular output:

LIST specify same data set name used in SAVE command

(lists the results at the terminal)

OUTPUT file name used in save high speed printer number

(causes the output to be printed at the high speed terminal)

STEP 4:

To obtain graphic output from a pen plotter the following additional statements are required:*

EQUATE 28 specify any unique file name for graphics output

(identifies file to which output of graphics program is written)

LINK, HIER, MORE specify desired graphics program name

(creates an executable module and allows for special graph control statements)

USE \$DISS1, \$DISS2

(allows use of DISSPLA graphics control statements)

QUIT

(attach the DISSPLA statements to the executable module)

specify desired graphics program name

(executes the specified graphics program; same name as specified in LINK)

*Alternative graphics programs; DISPL2, DISPL3, DISPL4, are discussed in Chapter IV. All these programs utilize DISSPLA, a commonly available graphics package. See the DISPLA Reference Manual for further detail.

SAVE specify same data set name used in EQUATE 28

(saves the results of the graphics program)

DISSPOP, ZET specify same name used in SAVE

(executes post processor which translates results of the graphics program to machine readable code used by the pen plotter)

cr

(depressing the carriage return button will cause the plot to begin on the pen plotter)

STEP 5:

Upon completion of the desired output the user "signs-off" the system with the following command:

OFF

TABLE M-1: FUTURE FLEET CONTROL OPTIONS

	USER FLEET			
	FUEL EFFICIENCY	BASIC	1 New Each Market	Long = 2 New, Others = 1 New At 2% At 10%
Indicate Fleet Design (INDIC=)	2 *	0 *	1 *	1 * 1 *
# of MRKT = 1 Existing Types Incremented (NOLD1=)	NA	NA	0,0,1,1	001,1,1 Same as 2%
# of MARKT = 2 Existing Types Incremented (NOLD2=)	NA	NA	0,0,0,1,1,1	Same as 1 New
# of MRKT = 3 Existing Types Incremented (NOLD3=)	NA	NA	0,0,0,1,1	Same as 1 New
% Increase Applied to NOLD (POLDTP=)	NA	NA	.01 *	.01 * .01 *
% Increase Applied to New Types (PNEWTP=)	NA	NA	.02 *	.02 * .10 *

* A vector of 3 elements, each element is equal to the value shown.

II. FUTURE FLEET CONTROL OPTIONS

Table M-1 shows the three categories of future fleet control options: (1) fuel efficiency; (2) basic; and (3) user fleet. These options are described in Volume I of the documentation of the NAFSAP mode. Volume I also presents the results of exercising the options for the exact values specified in Table M-1.

Each of the row labels in Table M-1 contains a variable name in the parenthesis. These variable names correspond to those used in the computer program code presented in Appendix B-1 (see subroutine Buys 2). Each variable name identifies a vector. The elements of the INDIC, POLDTP AND PNEWTP vector relate to the markets. For example, assuming the data input file (see discussion in Chapter III) is ordered long, short, and then medium market, the first element in each of these vectors relates to the long range market, the second element relates to the short range market, and the last relates to the medium range market.

The specific values presented in the first row for Table M-1 are the possible alternatives that may be specified in the computer code for the INDIC = 2 to use the fuel efficiency option; set INDIC = 0 to exercise the basic option; or set INDIC = 1 to use the user fleet option.

As illustrated in Table M-1, the "NA" for the remaining rows of the fuel efficiency and basic options means that no matter what value the user specifies for the associated variables (named in parenthesis), these values will be ignored by the computer program. That is, for these two options the computer program automatically determines, once it "sees" a value of "2" or "0" specified for INDIC, that it has all the information it needs to satisfy the user's desired option. To repeat, the "NA" in Table M-1 does not mean that the user sets the values for the associated variables equal to "NA" (this may result in a computer program error), vector

but rather that these variables may take on any arbitrary numerical integer value (i.e., does not contain a decimal point). However, the user must specify meaningful values for the variables listed in rows 2 through 6 of Table M-1 of the user fleet option is exercised. This is discussed in the following paragraph.

As shown in Table M-1, user supplied values to the variables listed in rows 2 through 6 describe to NAFSAP the particulars of the user fleet option. There are an infinite number of combinations of values the user may specify under this option. Assuming the input data is ordered long, short and then medium range market, NOLD1 relates to the long range market, NOLD2 to the short, and NOLD3 to the medium range market. The value of each of the elements of these NOLD vectors indicate whether the PRPM factor for a particular aircraft type is to be increased, decreased or held constant. The order of the elements in these vectors must correspond to the order of the aircraft types in the input data set for each market. For example, assume the above market order, and assume within the long range market that data for aircraft types and entered as follows: 4ENGNBTF, 4ENGWBTF, 3ENGWBTF, 3EWB777 (see Table 1, Volume I). Then the particular value indicators shown in the case where one new aircraft type is introduced in each market, would result in an increase (by the value specified in POLDTP) in the RPM factor share for 3ENGWBTF (i.e., third element of the NOLD1 vector has a value of 1) for all years prior to the introduction of the new type of aircraft. A corresponding decrease would occur to the RPM factor share for 4ENGNBTF and 4ENGWBTF (both having a value indicator equal to zero). Finally, when the new type of aircraft (3EWB777) is introduced into the market, say 1987, its RPM factor share would be increased (by the value specified in PNEWTP) and the corresponding decrease would be equally distributed across all existing aircraft types. The meaning and use of the value indicators in the NOLD vectors are discussed in detail in Volume I, Chapter IV, Section C.2. These values are set via the "data statements" in subroutine Buys (see Appendix B-1).

The remaining vectors listed in Table M-1 (POLDTP and PNEWTP) must be expressed in real terms (i.e., with decimal). The value of the elements in these vectors indicate the percentage increase applied to aircraft types as indicated by the NOLD vectors. The first value of the POLDTP vector existing aircraft types in the NOLD1 vector, the second element applies to the NOLD 2 vector, the third element applies to the NOLD 3 vector. A similar statement holds for the PNEWTP vector except that the specified increase applies to new aircraft types only. As shown in Table M-1 these vectors are used only for "user fleet" option. As specified increase applies to new aircraft types only. As shown in Table M-1, under the "1 NEW EACH MARKET" column for existing aircraft (as specified by user set values for NOLD1, NOLD2, NOLD3) are incremented by 1% (POLDTP = .01) per year. Similarly, this same column in Table M-1 shows that the PRPM value for each new type aircraft is incremented at 2% (PNEWTP = .02) per year.

Although Table M-1 shows the INDIC, POLDTY, and PNEWTP values to be the same for each market, these values may vary across markets. For example, the fuel efficiency option may be chosen for the first market, the basic option for the second market, and the user fleet option for the third market. The latter is achieved by specifying the following values for the INDIC vector: 2, 0, 1. Similarly the rates of increase applied to the RPM factor shares within each market, for both POLDTP and PNEWTP vectors, may be varied by market. The remaining paragraphs of this chapter present some additional notes of information.

As noted in Volume I, Chapter IV, Section C, PNEWTP is effective only for years during and after the new type aircraft is introduced into the market, and values for POLDTP are ignored for this period. Similarly, if the computer program is processing any year prior to the year of introduction of a new aircraft type (YRINTR variable in Table, Volume I), the value specified for POLDTP is used as the increment for existing types, and PNEWTP (and its associate PRPM value) for new type aircraft are ignored.

The user should note that setting POLDTP or PNEWTP equal to zero will not negate the option of utilizing the basic input data (i.e., PRPM values) for either existing or new type aircraft, but will only negate the increments. If the user desires to include only existing types of aircraft, then the data base must be modified to exclude aircraft types whose YRINTR value (see Volume I, Table 1) is greater than the default (1978) or user set base year value. The following chapter describes this procedure.

Finally, it should be noted that POLDTP and PNEWTP may take on any real values from 0.0 to 1.0. The values specified are applied as percentage increases to the base year PRPM values, resulting in new PRM factor shares for the first relevant forecast year. As pointed out in Volume I, Chapter IV, Section C, the computer program has a series of built in checks to ensure that the relevant RPM factor shares always sum to 100% (i.e., 1.0) and will balance the PRPM factors on each iteration (year) to achieve this result.

III. DATA BASE UPDATE

A. AIRCRAFT SPECIFIC DATA

Appendix B-2 presents a "sample data base" input to NAFSAP. The input is read by the "main" program BET2PR beginning with line 48 in the computer code presented in Appendix B-1. The following paragraphs present a item-by-items description of the input parameters, as presented in Appendix B-2*.

As noted in Chapter II, data lines 1 through 35 (Appendix B-2) are production cost characteristics to be used in future expansion of the application of NAFSAP. These data items are read by the subroutine UNIT04 (see Appendix B-1), but are not currently utilized by NAFSAP.

The first required line of input data (line 36 in Appendix B-2) specifies the name of the market that is to be associated with the data items to follow.

The next item of data (lines 37 through 41, Appendix B-2) are reserved for future data base and program expansion--any values may be entered here, they are read by the program (line 53, Appendix B-1) but are not utilized.

*This data set may be modified, as explained in this volume, Chapter I. Alternatively, the user may create a completely new data set by typing in his desired values, matching input columns and type (real/integer) data to the read format statements. For FAA in-house users, the data set listed in Appendix B-2 resides in their system under the name BETDA5; alternative available on-line data sets include BETDA4 (containing only existing aircraft types) and BETDA7 (containing 2 new aircraft in the long range market, and 1 new aircraft type in other markets), as presented in Appendix B-4.

The next data item are load factors (lines 41 through 44, Appendix B-2). One load factor value is entered per year. The first entry is for the base year and the remainder are for the forecast years. These load factor apply to the market, i.e., to each aircraft type within the market. As with all the following data items, they may be specified differently in each market. The read statement for load factors appears on line 61 of the computer program code.

The next data item (line 45, Appendix B-2) specifies the number of existing aircraft types in the market. The read statement for this data item appears on line 69 of the computer program code.

The next data item (line 46, Appendix B-2) itemizes the aircraft type characteristics for one aircraft type in the market. These eight characteristics, corresponding to the eight variables listed in the read statement (line 76, Appendix B-2), define the simulation parameters for an aircraft type. Using the values specified in line 46 of the sample data base in Appendix B-2, these characteristics may be defined as follows. For the long range market, the first four-engine narrow body turbo-fan (4ENGNBTF) aircraft was introduced in 1960; in the base year, the typical aircraft of this body type has 150 seats, consumes .153 lbs. of fuel per seat-mile, flew 405mph, flying 2,759 hours, has a useful life of 16 years from date of purchase, and its share of total PRMs for that market is .158. The user should note that values entered for these items should relate to the way the user wishes to define the three market. That is, the data values cited in this example are for the long range market defined as 2,500 statute

miles or more. If, for example, the user wished to define the long range market as 1,500 statute miles or more, these values would be different.*

The next data item (lines 47 through 48, Appendix B-2) lists the number of aircraft purchases (for the aircraft type described in the immediately preceding data item) for each of the 16 years of historical data required by the program. These 16 years of data are accumulated (after retirements--see following paragraph--are subtracted out) to form the base year fleet*. The read statement for this item appears on line 87 of the computer program code.

The next data item (lines 49 through 50, Appendix B-2) lists the number of aircraft retired (for the aircraft type described above) for each of the 16 years of historical data. These retirement are subtracted from the number of historical purchases, and the net result is accumulated to arrive at the base year fleet.** The read statement for this item appears on line 91 of the computer program code.

*With one exception, all of the information required to define these characteristics can be obtained from the Computer Company by contacting Tom Morrison or Rob Durbin. See Appendix A, Volume I, for sample Technical Assistance Request used to obtain such information. Fuel intensity figures are available in the literature, e.g., page 191 of Transportation Energy Conservation Data Book: Edition 2.

**Data for aircraft purchases and retirements are available from The Computer Company. See immediately preceding footnote.

Beginning with line 51 of the sample data base presented in Appendix B-2, the aircraft characteristics, number of buys, and number of retires data are repeated for each type of aircraft the user wishes to introduce into the first market. The number of such data sets must be exactly equal to the value specified for the number of existing aircraft types. As show in the sample data base (line 45, Appendix B-2), there are three existing aircraft types, and the related data inputs are presented on lines 46 through 60.

The next data item specifies the number of aircraft types the user wishes to modify (line 61, Appendix B-2). If modifications of any of the aircraft type characteristics are desired, an integer values should be entered, followed by a separate input data line describing the aircraft modification characteristics values in exactly the same format as described for line 46 above. Modification input data is read in line 105 of the computer code. The model assumes that a modification occurs over a two-year period. In the year a modification begins (comparable to the year of introduction parameter described for line 46 input), the aircraft characteristics are assumed to be the average of the old and the new values. In subsequent years the new (modification) values are used. As shown in line 61 of the sample data set (Appendix B-2), the no modification case is indicated by a zero entry.

The next data item (line 62, Appendix B-2) specifies the number of new aircraft types to enter the first market. This item is read in line 132 of the computer program code. As shown in the sample data set, one new aircraft type is entered into the long range market. The aircraft characteristics describing the new aircraft type(s) are listed on the following input line(s). In the sample data base presented in Appendix B-2, line 62.01 presents the aircraft characteristics for the new type. These characteristics are defined identical to those presented for existing aircraft types (see definitions given above for data input line 46). If the user does not wish to enter new aircraft types, a zero is entered for line 62, and, of course, no data would be entered to describe the new type aircraft.

All of the input data required to executed NAFSAP for one market has now been considered. The entire process is now repeated for the second market. In the sample data base presented in Appendix B-2, data input for the second market begins in line 63 and extends through line 99.01. Finally, input for the third market is presented. Current computer program dimension statements limit market disaggregation to the conventional three market breakdown.

Before leaving the aircraft specific data, the user should note that the RPM factor share characteristics (i.e., as presented in the sample data base, Appendix B-2) for existing aircraft types should sum to 1.0 within each market.* Otherwise, NAFSAP will balance the RPM factor shares to sum to 1.0 "automatically," however, the exact proportions specified by the user will be altered. When new types enter, their RPM factor share is included in the check on the sum and existing types

receive the corresponding decrease according to the user determined values in the NOLD vectors (see Volume I, Chapter IV, Section C. 2).

B. TARGET RPMs

Appendix B-2 presents a default data set, labeled DOMRPM, specifying the forecasted target RPMs for the U.S. domestic fleet. The entry in line 1 is for the base year, subsequent entries are for each forecast year. The read statement for this data item appears on line 74.003 of the computer program code (Appendix B-1). The user may substitute any target RPM values he wishes to analyze. The FAA RPM forecasts are published and updated annually in "Aviation Forecasts" (Office of Aviation Policy).

The user should be aware that NAFSAP disaggregates the forecasted total U.S. fleet domestic RPM input across the three markets using the most recent historical distribution available (base year data). This establishes a target RPM for each market. The disaggregation factors appear on lines 46.02 through 46.04 of the computer program code presented in Appendix B-1. The value of these factors are, of course, dependent on the user's definition of the markets. The factors presented in the computer program code relate to the long range market defined as 2,500 statute miles or more, a 1,500 - 2,499 mile medium range market, and a short run market of less than 1,500 miles. The user may alter these factors to comply with any desired market definition, ensuring that the factors sum to 1.0. For example, for the most recent update of the NAFSAP data base, the short range market is defined as 400 miles or less, the medium as 401 to 1,000 miles, and the long as 1,001 miles or more. In this case, the factors are FSHORT = .104, FMED = .267, and FLONG = .629, respectively. The input data set corresponding to this market definition is presented in Appendix B-4, and is labeled "BETDB1".

*This discussion relates only to the case where the user elects to use the "design your own fleet option." The RPM factor share are ignored for the other options.

IV. GRAPHICS

Appendix B-3 presents the computer programming code for the three graphics programs associated with NAFSAP. Each of these programs are discussed below. All of the graphics programs "automatically" accept the output generated by the execution of the computer code specified in Appendix B-1 as their input. That is, no intermediate data base building step is required. All of the graphics programs utilize the DISSPLA graphic package.* Detailed information on the DISSPLA graph control statements utilized is presented in the DISSPLA Reference Manual.

A. DISSPL2 PROGRAM

Exhibits B-1, B-2 and B-3 present samples of graphics displays that are generated by the DISSPL2 program. Fuel burned, in millions of barrels, is presented along the vertical axis, and years are given on the horizontal axis. Exhibit B-1 shown values for these coordinates plotted by type of aircraft for the long range market. Similar displays are shown for the short range market (Exhibit B-2) and the medium range market (Exhibit B-3). All three of these graphs are generated in a single execution of the DISSPL2 program. Current computer program "dimension" limits allow space for up to (and including) ten aircraft types in each market.

*DISSPLA is a proprietary software product of Integrated Software Systems Corporation, San Diego, California, and is available on many computer systems.

U.S. Fleet Fuel Usage Forecast

LONG RANGE MARKET




EXHIBIT B-1

U.S. Fleet Fuel Usage Forecast

SHORT RANGE MARKET

LEGEND
 o = 4ENG/NBT
 A = 3ENG/NBT
 + = 2ENG/NBT
 x = 3ENG/WBT
 * = 2ENG/WBT
 v = 2ENB/57

FUEL EFFICIENCY: SCENARIO




EXHIBIT B-2

U.S. Fleet Fuel Usage Forecast

MEDIUM RANGE MARKET

LEGEND
 O = 4 ENG NBTF
 A = 3 ENG NBTF
 + = 4 ENG WBTF
 x = 3 ENG WBTF
 ◆ = 2 EW B767

FUEL EFFICIENCY: SCENARIO




EXHIBIT B-3

B. DISSPL3 PROGRAM

Exhibit B-4 presents a sample output from the DISSPL3 program. This graph shows millions of barrels of fuel burned, by year, for each market. In addition, it presents total fuel burned across all markets.

C. DISSPL4 PROGRAM

Exhibit B-5 presents a sample output from the DISSPL4 program. This graph shows millions of barrels of cumulative fuel burned as each aircraft enters each market. That is, the lowest curve shows fuel consumed by 4ENGNBTF aircraft in the first market considered. The next highest line shows fuel consumed by 4ENGNBTF plus fuel consumed by 4ENGWBTF in the first market. After all aircraft in the first market are cumulated, the aircraft in the second market are added to these results one-at-a-time. Finally, aircraft in the third market are considered in the same manner. The uppermost curve corresponds to the total across all markets.

D. GRAPHICS PROGRAM EXECUTION

As shown in the Introduction to Volume II, each of the graphics programs are executed using the appropriate EQUATE, LINK, execute, and DISSPOP statements. The relevant input data sets/files for the graphics programs are specified via the EQUATE command. The user defined file name associated with the EQUATE 16 command is used by DISSPL2; EQUATE 18 is used by DISSPL3; and EQUATE 17 serves as the

U.S. Fleet Fuel Usage Forecast

AGGREGATE FOR EACH MARKET

FUEL EFFICIENCY: SCENARIO

- LEGEND
- o = LONG RANGE MARKET
 - Δ = SHORT RANGE MARKET
 - + = MEDIUM RANGE MARKET
 - x = TOTAL ACROSS ALL MARKETS




EXHIBIT B-4

Forecast U.S. Fleet Fuel Usage Distribution

AGGREGATED ACROSS MARKETS

FUEL EFFICIENCY: SCENARIO

LEGEND

- = 4ENGWBTf + THE ABOVE
- △ = 4ENGWBTf + THE ABOVE
- × = 3ENGWBTf + THE ABOVE
- = 3EWB777 + THE ABOVE
- ◊ = 4ENGWBTf + THE ABOVE
- ▽ = 3ENGWBTf + THE ABOVE
- ◆ = 2ENGWBTf + THE ABOVE
- ✧ = 3ENGWBTf + THE ABOVE
- ◈ = 2ENGWBTf + THE ABOVE
- ◉ = 2ENB757 + THE ABOVE
- ◊ = 4ENGWBTf + THE ABOVE
- ◈ = 3ENGWBTf + THE ABOVE
- ◉ = 4ENGWBTf + THE ABOVE
- ◊ = 3ENGWBTf + THE ABOVE
- ◈ = 2EWB767 + THE ABOVE




EXHIBIT B-5

input to DISSPL4. All of these files are generated by a single execution of the computer program code presented in Appendix B-1, and are "automatically" saved by the computer for future use. Thus, the user may generate any (or all) of the three types of graphics outputs desired. To generate any one of the three types of graphics results the user begins with the EQUATE 28 statement, as shown in the Introduction, and types in each of the remaining statements shown there. For example, assume the user wished to declare the output file name "PLTPL2" for the results of exercising the graphics program DISSPL2. In this case, the following statements would generate the graphics shown in Exhibits B-1, B-2 and B-3.

EQUATE 28 PLTPL2

LINK, HIER, MORE DISPL2

USE \$DISS1, \$DISS2

QUIT

DISPL2

SAVE PLTPL2

DISSPOP, ZET PLTPL2

cr

(the graphs are now being drawn on the pen plotter)

OFF

Note that by using the command "SAVE PLTPL2" the user saves the preprocessed plot file. Should the user ever wish to duplicate this graphic result in the future, only the following two commands would be necessary:

EQUATE 28 PLTPL2

DISSPOP, ZET PLTPL2

cr

In order to obtain the graphics results generated by DISSPL3 and/or DISSPL4 the user would repeat the above procedure instead of typing the OFF command. That is, a user declared file name would be substituted for PLTPL2 and the desired program name (DISSPL3 or DISSPL4) would be substituted for DISSPL2.

V. MODIFICATIONS

The NAFSAP computer program code presented in Appendix B-1 may be easily altered in three areas to tailor the output to user needs. These areas are: dates for the base year and the forecast ; units in which fuel burned is expressed; and factors used to disaggregate total U.S. domestic RPMs across each of the three markets. The latter area is discussed in Chapter III, Section B, the other areas are discussed below.

A. Modifications to Dates

The base year date and the date for the last forecast year are specified in the computer program code listed in Appendix B-1 and Appendix B-3. The program name and the line numbers associated with these dates are shown below:

<u>Program Name</u>	<u>Line Number for Date</u>	
	<u>Base Year</u>	<u>Last Forecast Year</u>
Appendix B-1		
BET2PR	34.01	34.02
MODS2	399.01	399.02
BUYS2	460	461
CURVES	516.001	516.002
Appendix B-3:		
DISPL2	106.012	106.013
DISPL3	4.01	4.02
DISPL4	5.01	5.02

As shown in the computer program code, the base year is always associated with the variable name "NBYR," and the last forecast year is always associated with the variable name "NEYR." Using the REVISE statement (see Introduction for further detail) for the appropriate line numbers as listed above, the values of the beginning and end dates for the output can be easily changed. The current program dimension limits allow for 31 years of output, thus the difference between the beginning and end dates plus one (i.e., $(NEYR - NBYR) + 1$) must be less than or equal to 31. When alternating these dates the user must ensure that the input data bases (e.g., Appendix B-2) are consistent with these dates.

B. Modification to Units

The typical unit fuel consumption input required for each aircraft type (see Chapter III discussion) is in lbs per seat-mile. As shown in the computer program code, Appendix B-1, lines 83, 121 and 146, this measure is converted to barrels per seat-mile via division by 281.4. The user may alter these statements, substituting appropriate conversion formula, to convert the input units (lbs per seat-mile) to such measures as gal. per seat-mile or BTUs per seat-mile. So long as seat-miles remain in the denominator, the results of changing units will be consistent with other equations used in the program.

APPENDIX B-1

BET2PR (main program)

```

1. DIMENSION TYPE(10),VINT(10),SEATS(10),SFC(10),SPEED(10),*
2. UTILZ(10),LIFTIM(10),PLOTS(10)
3. DIMENSION IF(31)
4. DIMENSION GROWTH(31),MARKET(31)
5. DIMENSION MODATA(6),MOMENTS(10,40),MORETR(10,46)
6. DIMENSION TYBER(10),MODYR(10),NSEATS(10),MSFC(10),MSPEED(10),*
7. UTIL(10),MLIFET(10)
8. DIMENSION SEATPI(10,31),FUELR(10,31),RPM(10,31),POPUL(10,31)
9. DIMENSION TOTMIS(31),TOTLUL(31),TOTRPM(31),TOTPOP(31)
10. DIMENSION SHRMIS(3,31),SHRFUL(3,31),SHRRPM(3,31),SHRPOP(3,31)
11. DIMENSION TOTMUY(31),TOTRTR(31)
12. DIMENSION RMTYP(31)
13. DIMENSION SHRMUY(3,31),SHRETR(3,31)
14. DIMENSION PLTRPM(3),PLTFUL(3)
15. DIMENSION PHPP(10)
16. REAL MOMENTS,MORETR,MOMENTS,MORTR
17. DIMENSION TOTMIS(31)
18. COMMON /STATIS/ TYPE,VINT,SEATS,SFC,SPEED,UTILZ,LF,LIFTIM,*
19. PLTS
20. COMMON /MODS/ TYPE,MODYR,NSEATS,MSFC,MSPEED,MUTILT,MLIFET
21. COMMON /VESUL/ SEATPI,FUELR,RPM
22. COMMON /POP/ MOMENTS,MORETR,POPUL
23. COMMON /INDIAS/ NOEXPL,IN,OUT
24. COMMON /SHARES/ SHRMIS,SHRFUL,SHRRPM,SHRPOP,SHRMUY,SHRETR
25. COMMON /TOTALS/ SMILES,FHMRD,RPLUS,POPMD,MOMENTS,MORTR
26. COMMON /ACCUPS/ TOTMIS,TOTLUL,TOTRPM,TOTPOP,TOTMUY,TOTRTR
27. COMMON /START/ NOCRYS,RMTYP,D1,D2,PLTRPM,PLTFUL,PERCENT
28. COMMON /PROPP/ PHPP,MKT
29. CHARACTER RMTYP*20
30. CHARACTER DAIM*10
31. CHARACTER TYPE*12
32. CHARACTER TYBER*10
33. INTEGER YEAR,YR
34. INTEGER IN,OUT
35. REAL LF,LIFTIM,MARFT,MODATA
36. REAL MOMENTS,SEATS,MSFC,MSPEED,MUTILT,MLIFET
37. MBYP=1978
38. MBYR=2005
39. MNOSE=INFYR-MBYR+1
40. 3 BASF YP,ILAST YP, OF HISTORY) PLUS 4 MINUS ONE
41. MBYRPI=MBYR+1
42. MBYRPI=MBYR-1

```

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY FURNISHED TO DDG

```

35. 1000
36. 1000000
37. 10000000
38. 100000000
39. 1000000000
40. 10000000000
41. 100000000000
42. 1000000000000
43. 10000000000000
44. 100000000000000
45. 1000000000000000
46. 10000000000000000
47. 100000000000000000
48. 1000000000000000000
49. 10000000000000000000
50. 100000000000000000000
51. 1000000000000000000000
52. 10000000000000000000000
53. 100000000000000000000000
54. 1000000000000000000000000
55. 10000000000000000000000000
56. 100000000000000000000000000
57. 1000000000000000000000000000
58. 10000000000000000000000000000
59. 100000000000000000000000000000
60. 1000000000000000000000000000000
61. 10000000000000000000000000000000
62. 100000000000000000000000000000000
63. 1000000000000000000000000000000000
64. 10000000000000000000000000000000000
65. 100000000000000000000000000000000000
66. 1000000000000000000000000000000000000
67. 10000000000000000000000000000000000000
68. 100000000000000000000000000000000000000
69. 1000000000000000000000000000000000000000
70. 10000000000000000000000000000000000000000
71. 100000000000000000000000000000000000000000
72. 1000000000000000000000000000000000000000000
73. 10000000000000000000000000000000000000000000

```

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY FURNISHED TO DDC

```

1130. TYPEM (11)=DATA100
1140. MONVR (11)=MODATA(1)
1150. ASCAT (11)=MODATA(2)
1160. ASFC (11)=MODATA(3)/ZK1.4
1170. ASWFRN (11)=MODATA(4)
1180. OUTL(11)=MODATA(5)
1190. WLEFT (11)=MODATA(7)
1200. CONTINUE
1210. CONTINUE
1220.
1230. MEAN JM STATISTICS ABOUT NEW AIRCRAFT TO BE EMERGED INTO SERVICE
1240. AT A LATER DATE.
1250.
1260.
1270.
1280.
1290.
1300.
1310.
1320.
1330.
1340.
1350.
1360.
1370.
1380.
1390.
1400.
1410.
1420.
1430.
1440.
1450.
1460.
1470.
1480.
1490.
1500.
1510.
1520.
1530.
1540.
1550.
1560.
1570.
1580.
1590.
1600.
1610.
1620.
1630.
1640.
1650.
1660.
1670.
1680.
1690.
1700.
1710.
1720.
1730.
1740.
1750.
1760.
1770.
1780.
1790.
1800.
1810.
1820.
1830.
1840.
1850.
1860.
1870.
1880.
1890.
1900.
1910.
1920.
1930.
1940.
1950.
1960.
1970.
1980.
1990.
2000.
2010.
2020.
2030.
2040.
2050.
2060.
2070.
2080.
2090.
2100.
2110.
2120.
2130.
2140.
2150.
2160.
2170.
2180.
2190.
2200.
2210.
2220.
2230.
2240.
2250.
2260.
2270.
2280.
2290.
2300.
2310.
2320.
2330.
2340.
2350.
2360.
2370.
2380.
2390.
2400.
2410.
2420.
2430.
2440.
2450.
2460.
2470.
2480.
2490.
2500.
2510.
2520.
2530.
2540.
2550.
2560.
2570.
2580.
2590.
2600.
2610.
2620.
2630.
2640.
2650.
2660.
2670.
2680.
2690.
2700.
2710.
2720.
2730.
2740.
2750.
2760.
2770.
2780.
2790.
2800.
2810.
2820.
2830.
2840.
2850.
2860.
2870.
2880.
2890.
2900.
2910.
2920.
2930.
2940.
2950.
2960.
2970.
2980.
2990.
3000.
3010.
3020.
3030.
3040.
3050.
3060.
3070.
3080.
3090.
3100.
3110.
3120.
3130.
3140.
3150.
3160.
3170.
3180.
3190.
3200.
3210.
3220.
3230.
3240.
3250.
3260.
3270.
3280.
3290.
3300.
3310.
3320.
3330.
3340.
3350.
3360.
3370.
3380.
3390.
3400.
3410.
3420.
3430.
3440.
3450.
3460.
3470.
3480.
3490.
3500.
3510.
3520.
3530.
3540.
3550.
3560.
3570.
3580.
3590.
3600.
3610.
3620.
3630.
3640.
3650.
3660.
3670.
3680.
3690.
3700.
3710.
3720.
3730.
3740.
3750.
3760.
3770.
3780.
3790.
3800.
3810.
3820.
3830.
3840.
3850.
3860.
3870.
3880.
3890.
3900.
3910.
3920.
3930.
3940.
3950.
3960.
3970.
3980.
3990.
4000.
4010.
4020.
4030.
4040.
4050.
4060.
4070.
4080.
4090.
4100.
4110.
4120.
4130.
4140.
4150.
4160.
4170.
4180.
4190.
4200.
4210.
4220.
4230.
4240.
4250.
4260.
4270.
4280.
4290.
4300.
4310.
4320.
4330.
4340.
4350.
4360.
4370.
4380.
4390.
4400.
4410.
4420.
4430.
4440.
4450.
4460.
4470.
4480.
4490.
4500.
4510.
4520.
4530.
4540.
4550.
4560.
4570.
4580.
4590.
4600.
4610.
4620.
4630.
4640.
4650.
4660.
4670.
4680.
4690.
4700.
4710.
4720.
4730.
4740.
4750.
4760.
4770.
4780.
4790.
4800.
4810.
4820.
4830.
4840.
4850.
4860.
4870.
4880.
4890.
4900.
4910.
4920.
4930.
4940.
4950.
4960.
4970.
4980.
4990.
5000.
5010.
5020.
5030.
5040.
5050.
5060.
5070.
5080.
5090.
5100.
5110.
5120.
5130.
5140.
5150.
5160.
5170.
5180.
5190.
5200.
5210.
5220.
5230.
5240.
5250.
5260.
5270.
5280.
5290.
5300.
5310.
5320.
5330.
5340.
5350.
5360.
5370.
5380.
5390.
5400.
5410.
5420.
5430.
5440.
5450.
5460.
5470.
5480.
5490.
5500.
5510.
5520.
5530.
5540.
5550.
5560.
5570.
5580.
5590.
5600.
5610.
5620.
5630.
5640.
5650.
5660.
5670.
5680.
5690.
5700.
5710.
5720.
5730.
5740.
5750.
5760.
5770.
5780.
5790.
5800.
5810.
5820.
5830.
5840.
5850.
5860.
5870.
5880.
5890.
5900.
5910.
5920.
5930.
5940.
5950.
5960.
5970.
5980.
5990.
6000.
6010.
6020.
6030.
6040.
6050.
6060.
6070.
6080.
6090.
6100.
6110.
6120.
6130.
6140.
6150.
6160.
6170.
6180.
6190.
6200.
6210.
6220.
6230.
6240.
6250.
6260.
6270.
6280.
6290.
6300.
6310.
6320.
6330.
6340.
6350.
6360.
6370.
6380.
6390.
6400.
6410.
6420.
6430.
6440.
6450.
6460.
6470.
6480.
6490.
6500.
6510.
6520.
6530.
6540.
6550.
6560.
6570.
6580.
6590.
6600.
6610.
6620.
6630.
6640.
6650.
6660.
6670.
6680.
6690.
6700.
6710.
6720.
6730.
6740.
6750.
6760.
6770.
6780.
6790.
6800.
6810.
6820.
6830.
6840.
6850.
6860.
6870.
6880.
6890.
6900.
6910.
6920.
6930.
6940.
6950.
6960.
6970.
6980.
6990.
7000.
7010.
7020.
7030.
7040.
7050.
7060.
7070.
7080.
7090.
7100.
7110.
7120.
7130.
7140.
7150.
7160.
7170.
7180.
7190.
7200.
7210.
7220.
7230.
7240.
7250.
7260.
7270.
7280.
7290.
7300.
7310.
7320.
7330.
7340.
7350.
7360.
7370.
7380.
7390.
7400.
7410.
7420.
7430.
7440.
7450.
7460.
7470.
7480.
7490.
7500.
7510.
7520.
7530.
7540.
7550.
7560.
7570.
7580.
7590.
7600.
7610.
7620.
7630.
7640.
7650.
7660.
7670.
7680.
7690.
7700.
7710.
7720.
7730.
7740.
7750.
7760.
```

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY OF ORIGINAL TO DDC

[illegible]

THIS PAGE INTENTIONALLY LEFT BLANK

2.

[illegible]

```

332. NO 401 YEAR=ANYTIME V=1
333. VR=YEAR-ANYTIME
334. NO 400 I=1,40001
335. SPILLS = SPILLS+SMHML(I,VR)
336. FARMED=FARMED+SMHFM(I,VR)
337. RPKS = RPKS + SMHPM(I,VR)
338. MUY=BUY+SMHMY(I,VR)
339. MFL=MFIL+SMHFM(I,VR)
340. CONTINUE
341. WRITE (A,52) YEAR, SPILLS, FARMED, RPKS, MUY, MFL
342. CONTINUE
343. NO 607 I=1,40001
344. WRITE (A,601) RPAIVP(I)
345. FORMAT(1M,152,'PAREI = ',A20)
346. WRITE (A,602)
347. FORMAT(//,111,'YEAR=.125,'FRACTIONAL',.125,'FRACTIONAL',.125,'FRACTIONAL',.125,'FUEL-RUNAF',.12
348. 111,'FRACTIONAL',
349. 100,'RMS',111,'CONPHATION',/
350. NO 400 VR=ANYTIME V=1
351. VR=YEAR-ANYTIME
352. FCIMP = SMHML(I,VR)/1015(VR)
353. FCIFR = SMHFM(I,VR)/1015(VR)
354. FCIPM = SMHPM(I,VR)/1015(VR)
355. FCIPR = SMHPR(I,VR)/1015(VR)
356. WRITE (6,501) VR,FCIMP,FCIFR,FCIPM,FCIPR
357. FORMAT(114,9120,4,1031)
358. CONTINUE
359. NO 700 I=1,40001
360. WRITE (6,631) RPAIVP(I)
361. WRITE (6,630)
362. WRITE (6,629)
363. WRITE (6,628)
364. NO 400 VR=ANYTIME V=1
365. VR=YEAR-ANYTIME
366. WRITE (6,631) YEAR,SMHML(I,VR),SMHFM(I,VR),SMHPM(I,VR),SMHPR(I,VR)
367. CONTINUE
368. CONTINUE
369. CONTINUE
370. WRITE (A,641)
371. FORMAT(114,152,'TOTALS FOR ALL MAGNETS',/
372. WRITE (6,642)
373. WRITE (6,643)
374. NO 601 VR=ANYTIME V=1
375. VR=YEAR-ANYTIME
376. WRITE (A,631) YEAR,TOTALS,VR,1015(VR),1015(VR),1015(VR),1015(VR),1015(VR)
377. 1015(VR),1015(VR)
378. 1015(VR),1015(VR)
379. CONTINUE
380. END

```

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED
DATE 09-14-2010 BY 60322 UCBAW/STP

CURVES (subroutine)

```

508      SUBROUTINE CURVES
509      INTEGER YRND
510      DIMENSION TOTMIS(31),TOTFLB(31),TOTTRPM(31),TOTFOP(31)
511      DIMENSION RPMS(30,31),FUELB(30,31),DUMMY(21)
512      DIMENSION TOTBUY(31),TOTSTP(31)
513      COMMON /PLOTDA/ RPMS,FUELB
514      COMMON /ACCUMS/ TOTMIS,TOTFLB,TOTTRPM,TOTFOP,TOTBUY,TOTSTP
TS
515      COMMON /STARTS/ NDCRVS,DUMMY
516      NDCRVS=NDCRVS+1
516.001  NEYR=1979
516.002  MEYR=2005
516.003  NDBS=(MEYR-NEYR)+1
516.01   % FOLLOW. WRITE FOR PLOT(DISPL4) OF AGGREG. FUEL BURN & RPM'S
FOR COMPARABLE YRS.(NOT ACCUM. ACROSS YRS.) ACROSS CRAFT TYPE & MKT'S
516.02   % NOTE: ADDIT. WRITE FOR DISPL4 IN BETPRG, AFTER 400 CONTINUE
516.03   WRITE(17,5051)NDCRVS
516.04   5051 FORMAT(15)
517      DO 10 YRND=1,NDBS
518      RPMS (NDCRVS,YRND)=TOTTRPM(YRND)
519      FUELB (NDCRVS,YRND)=TOTFLB(YRND)
519.01   % FOLLOW. WRITE FOR PLOT(DISPL4), ADDIT. WRITE IN BETPRG
519.02   WRITE(17,5050)FUELB(NDCRVS,YRND),RPMS(NDCRVS,YRND)
519.03   5050 FORMAT(2(1X,F20.2))
520      10   CONTINUE
521      RETURN
522      END

```

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY FORWARDED TO DDC

AMORTZ (subroutine)

```

354. SUBROUTINE AMORTZ (VR)
357. DIMENSION TYPE(10),VPIN(10),SEATS(10),SFC(10),SPEED(10),*
358. UTILITY(10),LIFTIM(10)
359. DIMENSION POPUL(10,3),NOMUYS(10,46),NOFTR(10,46)
360. DIMENSION PLOTS(10)
361. DIMENSION LF(31)
362. INTEGER VPINOUT,DYEAR,PASS
363. REAL LF,LIFTIM,NOMUYS,MOEXPLR
364. COMMON /STATIS/ TYPE,VRINR,SEATS,SFC,SPEED,UTILIZ,LF,LIFTIM,*
365. PLOTS
366. COMMON /POP/ NOMUYS,NOFTR,POPUL
367. COMMON /INDEX/ MOEXPLR,INOUT
368. CHARACTER TYPE*12
369. DO 4 I=1,OUT
370.   NOMUYS(I,15+VR)=0.0
371.   NOFTR(I,15+VR)=0.0
372. CONTINUE
373. DO 30 I=1,OUT
374.   DYEAR=15+VR-LIFTIM(I)
375.   IF (DYEAR.LE.0) GO TO 15
376.   AMOFTA(I,15+VR)=NOMUYS(I,DYEAR)
377. CONTINUE
378. POPUL(I,VR)=POPUL(I,VR-1)-NOFTR(I,15+VR)
379. * FOR 1. ST. CHG. LE 3.0 TO LE 4.001, # OF SIG. PLACES PROR.: UNIVAC VS CDC EQUIPMENT
380. IF ((POPUL(I,VR).LE.0.01) POPUL(I,VR)=0.0
381. IF ((POPUL(I,VR-1).EQ.0.0).AND.(POPUL(I,VR).EQ.0.0)) *
382.   NOFTR(I,15+VR)=0.0
383. CONTINUE
384. RETURN
385. END

```

THIS PAGE IS BEST QUALITY FRACPAGE
FROM COPY FURNISHED TO CDC

```

33A. SUBROUTINE PDUS2 (YR)
33B. DIMENSION TYPE(10),VPRINT(10),SEATS(10),SFC(10),SPEED(10),S
33C. UTIL(10),LIFTIM(10)
33D. DIMENSION LF(31)
33E. DIMENSION TYPE(10),MODY(10),MSEATS(10),MSFC(10),MSPEED(10),S
33F. UTIL(10),MLIFT(10)
33G. DIMENSION SEATP(10,31),FUELR(10,31),MPM(10,31)
33H. DIMENSION, PLOTS(10)
33I. DIMENSION MARH(31),POPUL(10,31)
33J. DIMENSION MORUYS(10,40),MOPETR(10,40)
33K. COMMON /POPI/ MORUYS,MOPETR,POPUL
33L. COMMON /MARHFT/ MARH
33M. REAL MARHET,MORUYS,MOPETR
33N. INTERC YR,OUT
33O. REAL LF,LIFTIM,MODYR,MSEATS,MSFC,MSPEED,MUTIL,MLIFT
33P. COMMON /STATS/ TYPE,VPRINT,SEATS,SFC,SPEED,UTIL,LIFTIP,S
33Q. PLOTS
33R. COMMON /POUL/ TYPE,MODYR,MSEATS,MSFC,MSPEED,MUTIL,MLIFT
33S. COMMON /RESULTS/ SEATP,FUELR,MPM
33T. COMMON /INHITS/ MORPL,IN,OUT
33U. CHARACTER TYPEM*10,TYPE*12
33V. MPM=178
33W. RPYR=2005
33X. MOPS=(MPYR-MPM)*1
33Y. X MASF YR,(LAST YR, HISTORY) PLUS X MINUS ONE
33Z. MPMPI=MPYR-1
33AA. MPMPI=MAYR-1
33AB. YFAR=YR-MPMPI
33AC. DO ZUG=1,1,MORPL
33AD. IF (TYPEM(1).EQ.1,MAAAAA) GO TO 200
33AE. IF (POUW(1).NE.YEAR) GO TO 100
33AF. IF (MSEATS(1).EQ.0.0) GO TO 10
33AG. SEATS(1)=(SEATS(1)+MSEATS(1))/2.
33AH. CONTINUE
33AI. IF (MSFC(1).EQ.0.0) GO TO 20
33AJ. SFC(1)=(SFC(1)+MSFC(1))/2.
33AK. CONTINUE
33AL. IF (MSPEED(1).EQ.0.0) GO TO 30
33AM. SPEED(1)=(SPEED(1)+MSPEED(1))/2.
33AN. CONTINUE
33AO. IF (MUTIL(1).EQ.0.0) GO TO 40
33AP. UTIL(1)=(UTIL(1)+MUTIL(1))/2.
33AQ. CONTINUE
33AR. IF (MPLF(1).EQ.0.0) GO TO 100
33AS. LIFTIM(1)=(LIFTIM(1)+MLIFT(1))/2.
33AT. CONTINUE
33AU. IF (MOPM(1).NE.MPM) GO TO 200
33AV. IF (MSEATS(1).EQ.0.0) GO TO 110
33AW. SEATS(1)=MSEATS(1)
33AX. CONTINUE
33AY. IF (MSFC(1).EQ.0.0) GO TO 120
33AZ. SFC(1)=SFC(1)
33BA. CONTINUE
33BB. IF (MSPEED(1).EQ.0.0) GO TO 130
33BC.

```

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY RETURNED TO EDC

```

      130  SPEC(1)=SPLEU(1)
      140  CONTINUE
      150  IF (P(111111).EQ.0.0) GO TO 140
      160  UTIL(1)=P(111111)
      170  CONTINUE
      180  IF (P(111111).EQ.0.0) GO TO 210
      190  LIFE(1)=MLIFE(1)
      200  CONTINUE
      210  FOLLOW. LOOP SETS FORECAST YRS. TO MAXF YR. TO SEE VIA COMPANISCA IN BUYS IF CAN MEET TARGET RPMS(MARKET)
      220  WITH EXISTING FLEET AT MAXE YR. RPAS PER PLANE WITHIN ONE TYPE WITHIN GR MARKET
      230  UN TCO 1=1.001
      240  SEAT(1)=SEAT(1)+UTIL(1)*SEAT(1)
      250  RPMS(1)=SEAT(1)/TOWN(1)*100
      260  FUE(1)=FUE(1)+SEAT(1)*YR
      270  CONTINUE
      280  RETURN
      290  END

```

THIS PAGE IS NOT QUANTITY PRACTICABLE
 END

UNIT04 (subroutine)

```

2078.      SUBROUTINE UNIT04
2079.      DIMENSION CARD(10)
2080.      CHARACTER CARD*10
2081.      CONTINUE
2082.      READ (5,1) CARD
2083.      IF (CARD(1:10) .EQ. 'INZAPINGO TO 99')
2084.      CONTINUE
2085.      WRITE (4,2) CARD
2086.      1  FORMAT(10A1)
2087.      GO TO 10
2088.      44  CONTINUE
2089.      20  CONTINUE
2090.      READ (5,3) CARD
2091.      IF (CARD(1:10) .EQ. 'INZAPINGO TO 199')
2092.      CONTINUE
2093.      WRITE (4,3) CARD
2094.      GO TO 10
2095.      104  CONTINUE
2096.      PRINT* 9
2097.      RETURN
2098.      END
2099.

```

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM GPO: 1964 O-340-000

```

441 SUBROUTINE BUYS2 (YR)
442 INTEGER YR, IN, OUT, YEAR
443 DIMENSION TYPE(10), YRINTR(10), SEATS(10), SFC(10), SPEED(10), Z
444 UTILIZ(10), LIFTIM(10)
445 DIMENSION LF(31)
446 DIMENSION PLOTS(10)
447 DIMENSION MARKET(31)
448 DIMENSION NOBUYS(10,46), NORETR(10,46)
449 DIMENSION SEATHI(10,31), FUELBR(10,31), RPM(10,31), POPUL(10,31)
450 DIMENSION INEW(10), PRPH(10), DIFTYP(10), PPRPH(10)
450.001 DIMENSION NOLD1(10), NOLD2(10), NOLD3(10), NOLD(10), INDIC(3), P
450.002 NEWTP(3)
450.003 Z FOLLOW. INDEX VECTORS ARE FOR MKTS. 1, 2, & 3
450.004 Z SET INDEX: =1 FOR TYPE INCR. (BY POLDTP) =0 TYPE TO RECIEVE EQUALLY
450.005 DISTRIBUTED DECREASE) =2 SPECIAL CASE. SEE BELOW
450.006 Z IF INDEX=2, THE TOTAL AMT. OF DECR. (CORRESP. TO POLDTP=0 OF PLANES
450.007 INCR.) WILL BE APPLIED TO THAT TYPE OF PLANE (EQUALLY DIVIDED IF GT 1)
450.008 Z IF NO INDEX EQ 2 (I.E., INDEX=1 OR =0) THEN DECR. IS EQUALLY DISTRI
450.009 BUTED
450.010 ZTHUS IF INDEX=2 FOR ANY TYPE WITHIN A MKT., THE TYPE WHERE INDEX=1 A
450.011 RE INCREASED., THE TYPE(S) WHERE INDEX=2 GET ALL THE CORRESP. DECR., &
450.012 S RETAINED CONSTANT)
450.013 Z NOTE: ALWAYS SET INDEX FOR NEW TYPE=1
450.014 DATA (NOLD1(1), I=1, 7) /2, 2, 2, 0, 1, 1, 1/
450.015 DATA (NOLD2(1), I=1, 7) /2, 0, 0, 1, 2, 2, 1/
450.016 DATA (NOLD3(1), I=1, 7) /2, 0, 1, 2, 2, 1, 1/
450.017 Z SET PROP. INCR. APPLIED TO EXISTING TYPES (AS DESIGNATED BY NOLD=1,
450.018 ABOVE) BY MKT.
450.019 DATA (POLDTP(1), I=1, 3) /0.4, .02, .04/
450.020 Z SET PROP. INCR. APPLIED TO NEW TYPES BY MKT.
450.021 DATA (PNEWT(1), I=1, 3) /0.3, .03, .03/
450.022 Z SET TYPE OF ANALYSIS FOR EACH MKT.: INDIC=2 IS FUEL EFFICIENCY)
450.023 Z INDIC=1 IS OWN FLEET (USES NOLD, POLDTP, PNEWT); INDIC=0 IS LAST PLAN
450.024 E READ GETS DEFICIT RPMs
450.025 DATA (INDIC(1), I=1, 3) /1, 1, 1/
450.026 REAL MARKET, LF, LIFTIM, LOADFC, NOBUYS, NORETR
450.027
450.028 COMMON /STATIS/ TYPE, YRINTR, SEATS, SFC, SPEED, UTILIZ, LF, LIFTIM, Z
450.029
450.030 PLOTS
450.031
450.032 COMMON /RESULT/ SEATHI, FUELBR, RPM
450.033
450.034 COMMON /MARKET/ MARKET
450.035
450.036 COMMON /INDIXS/ NOEXPL, IN, OUT
450.037
450.038 COMMON /POP/ NOBUYS, NORETR, POPUL
450.039
450.040 COMMON /PROGPH/ PRPH, MKT
450.041 CHARACTER TYPE#12
450.042 NEYR=1978
450.043 NEYR=2005
450.044 NOB=-(NEYR-NEYR)*1
450.045 Z BASE YR. (LAST YR. OF HISTORY) PLUS & MINUS ONE
450.046 NEYR1=NEYR+1
450.047 NEYR1=NEYR-1
450.048 TOTAL=0.0

```

THIS PAGE IS NOT QUALITY REPRODUCIBLE
FROM A MICROFILM COPY

```

466 TOTAL=0.0
467 DO 100 I=1,OUT
468 TOTAL=TOTAL+RPM(I,YR)*POPUL(I,YR)
469 100 CONTINUE
470 RPMDF=MARKET(YR)-TOTAL
471 IF (RPMDF.LT.0.0) GO TO 999
472 YEAR=YR+NBVRM1
473 % IN FOLLOW. IF INDIC=1 USER SET PARAMETERS ON CRAFT RPM PERCENTS EFF
474 ACTIVE! IF INDIC=2 GET MOST FUEL EFFICIENT RESULTS
475 IF (INDIC=1) .EQ. 1) GO TO 201
476 IF (INDIC=2) .EQ. 2) GO TO 500
477 DO 200 I=1,OUT,1
478 J=OUT-I+1
479 IF ((YRINTR(J).GT.YEAR).OR.(YRINTR(J).EQ.0.0)) GO TO 200
480 IT=J
481 DO 300 CONTINUE
482 NOBUYS(IT,15+YR)=RPMDF/RPM(IT,YR)
483 POPUL(IT,YR)=POPUL(IT,YR)+NOBUYS(IT,15+YR)
484 IF (POPUL(IT,YR).LT.0.0) POPUL(IT,YR)=0.0
485 RETURN
486 201 KCOUNT=0
487 LCOUNT=0
488 ICOUNT=0
489 MCOUNT=0
490 JK=0
491 DO 202 I=1,OUT
492 INEW(I)=0
493 IF (YRINTR(I).GT.NBVR) GO TO 301
494 GO TO 202
495 % ASSIGNMENT FOR NEW TYPES (AT TERM. OF LOOP 202 ONLY NEW, NOT RELEVAN
496 T--INTRO. BY CURRENT YR.--CRAFT HAVE INEW(I)=1
497 301 INEW(I)=1
498 IF (YRINTR(I).LE.YEAR) GO TO 302
499 GO TO 202
500 % ASSGN. FOR NEW & RELEVANT--INTRO. IN OR AFTER CURRENT YR.--TYPES 0
501 NLY
502 INEW(I)=2
503 % JK INDEX IDENTIFIES NEW TYPE
504 JK=1
505 % SET COUNTER ON NEW & RELEVANT TYPES
506 KCOUNT=KCOUNT+1
507 202 CONTINUE
508 % CHECK IF PRPM FACTORS SUM TO APPROX. 100.0 PERCENT
509 NDIV=NOEXPL+KCOUNT
510 TFACT=0.0
511 DO 401 I=1,OUT
512 IF (INEW(I).EQ. 0 .OR. INEW(I).EQ. 2) TFACT=TFACT+PRPM(I)
513 401 CONTINUE
514 IF (TFACT.GE. .99 .AND. TFACT.LE. 1.0) GO TO 403
515 403

```

THIS PAGE IS BEST QUALITY PRINTED
FROM OFFICE FILE TO 500

```

508 IF (IFACT .GE. .99 .AND. IFACT .LE. 1.01) GO TO 402
509 % SINCE SUM PRPM FORCED=100 FOR PREV. YRS., THEN WHEN NEW TYPE ENTERS
510 SUM WILL EXCEED 100, HENCE SUB. EXCESS FROM EXISTING TYPES
511 DO 403 I=1, NOEXPL
512 PRPM(I)=PRPM(I)+(1.0-IFACT)/NOEXPL
513 403 CONTINUE
514 % MAKE SURE START MAX. IS FOR RELEVANT CRAFT
515 DO 402 VMAX=0.0
516 DO 425 I=1, OUT
517 IF (VRINTR(I) .LE. YEAR)VMAX=PRPM(I)
518 IF (VMAX .GT. 0.0) GO TO 426
519 425 CONTINUE
520 % FIND TYPE HAVING THE MAX. PRPM VALUE FOR CURRENT MKRT.
521 DO 426 DO 208 I=1, OUT
522 IF (INEM(I) .EQ. 1) GO TO 208
523 % MUST USE .GE. IN FOLLOW. TO ACCT. FOR CASE WHERE INITIAL VMAX(LINE 5
524 11.4) IS MAX. & MUST GET TO 209 TO SET MCOUNT
525 IF (PRPM(I) .GE. VMAX) GO TO 209
526 VMAX=PRPM(I)
527 MCOUNT=I
528 208 CONTINUE
529 IF (MKRT .NE. 1) GO TO 6017
530 DO 6014 I=1, OUT
531 WRITE(6,6015) PRPM(I), I
532 6015 FORMAT(1X, 'CHECK START PRPM(I)=' , F5.3, 1X, 'I=' , I3)
533 6014 CONTINUE
534 WRITE(6,6018) MCOUNT, VMAX
535 6018 FORMAT(1X, 'CHECK MCOUNT=' , I3, 1X, 'VMAX=' , F5.3)
536 DO 220 I=1, OUT
537 IF (MKRT .EQ. 1) NOLD1(I)=NOLD1(I)
538 IF (MKRT .EQ. 2) NOLD2(I)=NOLD2(I)
539 IF (MKRT .EQ. 3) NOLD3(I)=NOLD3(I)
540 220 CONTINUE
541 % FOLLOW. TRANSFER MADE ONLY IF HAVE BOTH NEW & RELEVANT TYPES IN CUR
542 RENT MARKET & CURRENT YR.
543 IF (MCOUNT .GT. 0) GO TO 3
544 % MOVE INDEX DESIGNATING WHERE TYPES ARE INCR./DECR./MAX. DECR.
545 INCR=0
546 DO 306 I=1, NOEXPL
547 % SET COUNTER ON # CRAFT INCREMENTED
548 IF (NOLD1(I) .EQ. 1) INCR=INCR+1
549 % INCREASE PRPM SHARE FOR DESIGNATED TYPES
550 IF (NOLD1(I) .EQ. 1) PRPM(I)=PRPM(I)+POLDTP(MKRT)
551 306 CONTINUE
552 % SET # OF TYPES TO BE DECR.--USED IF DECR. IS DISTRIB. EQUALLY
553 ISTOP=NOEXPL-INCR
554 % CHECK CASE WHERE SOME CRAFT ARE DECR. AT MAX RATE
555 IDROP=0
556 DO 221 I=1, NOEXPL
557 IF (NOLD1(I) .EQ. 2) IDROP=IDROP+1
558 221 CONTINUE
559 DO 222 IF (IDROP .EQ. 0) GO TO 222
560 % DO CASE WHERE SOME CRAFT ARE DECR. AT MAX. RATE
561 DO 223 I=1, NOEXPL
562 IF (NOLD1(I) .EQ. 2) PRPM(I)=PRPM(I)-((POLDTP(MKRT)+INCR)/IDROP)
563 223 CONTINUE
564 GO TO 207
565 222 DO 205 I=1, NOEXPL
566 % DO CASE WHERE EQUAL DECR. APPLIED TO DESIGNATED TYPES
567 205
531

```

THIS PAGE IS NON-IDENTITY PROTECTED
 IN ACCORDANCE WITH 38 USC 562

531 X DO CASE WHERE EQUAL DECR. APPLIED TO DESIGNATED TYPES
 532 IF (NOLD(1) .EQ. 0) PRPH(1) = PRPH(1) - ((POLDTP(1) * INCR) / ISTOP)
 532.01 IF (MRKT .EQ. 1) WRITE(6, 5012) 1, NOLD, PRPH(1)
 532.02 5012 FORMAT(1X, 'CHECK 205 I=', 13, 1X, 'NOLD=', 13, 1X, 'PRPH(1) =', F5.3)
 533 205 CONTINUE
 534 GO TO 207
 534.03 X CHECK CASE WHERE SOME TYPES ARE DECR. AT MAX. RATE
 534.04 3 IDROP=0
 534.05 DO 227 I=1, OUT
 534.06 IF (NOLD(I) .EQ. 2) IDROP=IDROP+1
 534.07 227 CONTINUE
 535 X FOLLOW. OP. DONE IF HAVE NEW & REL. CRAFT IN CURRENT MRKT. IN CURRE
 NT YR.
 536.001 X CHECK IF NEW PLANES ENTERS DURING CURRENT YEAR
 536.002 DO 229 J=1, OUT
 536.003 IF (VRINTR(J) .EQ. YEAR) GO TO 230
 536.004 229 CONTINUE
 536.005 DO 204 I=1, OUT
 536.006 IF (INEM(I) .EQ. 2) PRPH(1) = PRPH(1) + PNEWTP(MRKT)
 536.007 IF (IDROP .EQ. 0) GO TO 226
 536.008 X DO CASE WHERE SOME TYPES ARE DECR. AT MAX. RATE
 536.009 IF (NOLD(1) .EQ. 2) PRPH(1) = PRPH(1) - ((PNEWTP(MRKT) * KCOUNT) / IDROP)
 536.01 GO TO 204
 536.011 X IF NONE DECR. AT MAX. RATE, DISTRIB. DECR. EQUALLY
 536.012 226 IF (INEM(1) .EQ. 0) PRPH(1) = PRPH(1) - ((PNEWTP(MRKT) * KCOUNT) / NOEXPL)
 536.013 206 CONTINUE
 536.014 GO TO 207
 536.015 X CASE OF 1ST YR. IN FOR NEW TYPE CRAFT
 536.016 230 IF (IDROP .EQ. 0) GO TO 228
 536.017 X DO CASE WHERE SOME TYPES DECR. AT MAX. RATE
 536.018 DO 243 I=1, OUT
 536.019 IF (NOLD(I) .EQ. 2) PRPH(1) = PRPH(1) - ((PRPH(JK) * KCOUNT) / IDROP)
 536.02 243 CONTINUE
 536.03 GO TO 207
 536.04 X DO CASE TO DISTRIB. DECR. EQUALLY
 536.05 228 DO 244 I=1, OUT
 536.06 IF (INEM(I) .EQ. 0) PRPH(1) = PRPH(1) - ((PRPH(JK) * KCOUNT) / NOEXPL)
 536.061 244 CONTINUE
 540 X CHECK TO SEE THAT NO FACTORS ARE NEG., IF NEG. RESET TO ZERO AND TA
 KE NEG. FROM MAX. FACTOR
 541 DO 310 I=1, OUT
 541.01 IF (MRKT .EQ. 1) WRITE(6, 5018) 1, INEM(1), PRPH(1)
 541.02 5018 FORMAT(1X, 'CHECK 206 I=', 13, 1X, 'INEM(1) =', 13, 'PRPH(1) =', F5.3)
 542 IF (PRPH(1) .LT. 0.0) GO TO 308
 543 GO TO 310
 544 308 PRPH(1) = PRPH(1) * PRPH(1)
 545 PRPH(1) = 0.0
 546 X SET COUNTER ON # OF ZERO FACTORS
 547 LCOUNT = LCOUNT + 1
 548 310 CONTINUE
 549 IF (LCOUNT .EQ. OUT) GO TO 9999
 550 TRPHY=0.0
 551 TDIFTY=0.0
 552 DO 203 I=1, OUT
 553 PRPH(1) = PRPH(1)
 554 X FACTOR FOR NEW BUT NOT RELEVANT CRAFT IS SET TO ZERO
 555 IF (INEM(1) .EQ. 1) PRPH(1) = 0.0
 555.01 IF (MRKT .EQ. 1) WRITE(6, 6021) PRPH(1), 1, YR
 555.02 6021 FORMAT(1X, 'CHECK WORKING PRPH(1) =', F5.3, 1X, 'I =', 13, 1X, 'FOR YR =',
 13)
 556 X CHECK COMPUTE
 557 TRPHY = TRPHY + PRPH(1)
 558 X DISTRIBUTE RPNDF ACCORD. TO PROP. FACTOR
 559 DIFTY(1) = RPNDF * PRPH(1)
 560 X CHECK COMPUTE
 561 TDIFTY = TDIFTY + DIFTY(1)
 562 NOBUYS(1, 15+YR) = DIFTY(1) / PRPH(1, YR)
 563 POPUL(1, YR) = POPUL(1, YR) + NOBUYS(1, 15+YR)
 564 IF (POPUL(1, YR) .LT. 0.0) POPUL(1, YR) = 0.0

THIS PAGE IS BEST QUALITY PRACTICABLE
 FROM COPY FURNISHED TO DDC

```

564 IF(POPUL(T,YR) .LT. 0.0)POPUL(T,YR)=0.0
565 203 CONTINUE
566 Z CHECK PRINT
567 IF(MRKT .EQ. 1)WRITE(6,303)YR,TRPNTY,TDIFTY,RPHDIF
568 303 FORMAT(1X,'CHECK YR=',13,1X,'TOT PERC=',F5.3,1X,'NEXT 2 MUST BE =',2(2X,E30.20))
569 GO TO 304
570 9999 WRITE(6,305)MRKT
571 305 FORMAT(1H,1X,'OPTION NOT VIABLE: MAX. PRPH FACTOR TO SMALL TO AC
CORDATE SPECIFIED PERCENT INCREASE, SEE BUYS2, MRKT= ',13)
572 STOP
573 304 CONTINUE
574 RETURN
574.001 Z FIND MOST FUEL EFFICIENT RELEVANT AIRCRAFT
574.002 500 JCOUNT=0
574.003 VMIN=0.0
574.0031 Z MAKE SURE START. MIN. IS FOR RELEVANT CRAFT
574.004 DO 504 I=1,OUT
574.005 IF(VRINTR(I) .LE. YEAR)VMIN=SFC(I)
574.006 IF(VMIN .GT. 0.0)GO TO 506
574.007 504 CONTINUE
574.008 Z FIND MOST FUEL EFFIC. RELEVANT CRAFT
574.009 506 DO 501 I=1,OUT
574.01 IF(VRINTR(I) .GT. YEAR) .OR. (VRINTR(I) .EQ. 0.0)GO TO 501
574.011 Z MUST USE .LE. TO ACCT. FOR CASE WHERE INITIAL VMIN(LINE 574.005) IS
MIN. AND MUST GET TO 502 TO SET JCOUNT
574.0111 IF(SFC(I) .LE. VMIN)GO TO 502
574.012 GO TO 501
574.013 Z SAVE MIN. VALUE & INDICATOR FOR MIN. TYPE CRAFT
574.014 502 VMIN=SFC(I)
574.015 JCOUNT=I
574.016 501 CONTINUE
574.017 NOBUYS(JCOUNT,15+YR)=RPHDIF/RPH(JCOUNT,YR)
574.018 POPUL(JCOUNT,YR)=POPUL(JCOUNT,YR)+NOBUYS(JCOUNT,15+YR)
574.019 IF(POPUL(JCOUNT,YR) .LT. 0.0)POPUL(JCOUNT,YR)=0.0
574.02 RETURN
575 999 CONTINUE

576 LOADFC=MARKET(YR)/TOTAL
577 YEAR=YR+NBVYR1
578 WRITE (6,1) LOADFC, YEAR
579 1 FORMAT(' LF = ',F5.3,' WILL SATISFIED RPM REQUIREMENT FOR YEAR
',Z
580 15)
581 RETURN
582 END

```

THIS PAGE IS UNCLASSIFIED
DATE 11-11-2010 BY 60322 PAB/STP/STP

SHARE (subroutine)

```

484. SUBROUTINE SHARE (MKT,VM)
485. (ATGCP,PRAT,VR
486. DIMENSION TOTPLS(11),TOTFL(11),TOTPAR(11),TOTPOP(11)
487. DIMENSION TOTMUY(11),TOTM(11)
488. DIMENSION SMPPLS(13),SMPFLS(13),SMPPAR(13),SMPPOP(13)
489. DIMENSION SMPMUY(13),SMPM(13)
490. K(1)=0
491. COMMON /SHARES/ SMPPLS,SMPFLS,SMPPAR,SMPPOP,SMPMUY,SMPM
492. COMMON /TOTALS/ TOTPLS,TOTFL,TOTPAR,TOTPOP,TOTMUY,TOTM
493. COMMON /ACCTS/ TOTPLS,TOTFL,TOTPAR,TOTPOP,TOTMUY,TOTM
494. SMPPLS(MKT,VR) = SMPPLS(MKT,VR)+SMILES
495. SMPFLS(MKT,VR) = SMPFLS(MKT,VR)+SMILES
496. SMPPAR(MKT,VR) = SMPPAR(MKT,VR)+RPM
497. SMPPOP(MKT,VR) = SMPPOP(MKT,VR)+RPM
498. SMPMUY(MKT,VR) = SMPMUY(MKT,VR)+RPM
499. SMPM(MKT,VR) = SMPM(MKT,VR)+RPM
500. TOTPLS(VM) = TOTPLS(VM)+SMILES
501. TOTFL(VM) = TOTFL(VM)+SMILES
502. TOTPAR(VM) = TOTPAR(VM)+RPM
503. TOTPOP(VM) = TOTPOP(VM)+RPM
504. TOTMUY(VM) = TOTMUY(VM)+RPM
505. TOTM(VM) = TOTM(VM)+RPM
506. RETURN
507. END

```

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM GOUVERNEMENT TO DDC

APPENDIX B-2

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.
- 10.
- 11.
- 12.
- 13.
- 14.
- 15.
- 16.
- 17.
- 18.
- 19.
- 20.
- 21.
- 22.
- 23.
- 24.

DM30
REDUCED ENERGY PROP-AM (767-762)

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY FURNISHED TO DDC

UN 35
22222222

PAGE

PERCENTAGE	1960.	1950.1	.1533	405.	2759.	16.	168
1.	3.	0.	0.	0.	11.	10.	6.
2.	0.	0.	0.	0.	0.	0.	0.
3.	0.	0.	0.	0.	0.	0.	0.
4.	0.	0.	0.	0.	0.	0.	0.
5.	0.	0.	0.	0.	0.	0.	0.
6.	0.	0.	0.	0.	0.	0.	0.
7.	0.	0.	0.	0.	0.	0.	0.
8.	0.	0.	0.	0.	0.	0.	0.
9.	0.	0.	0.	0.	0.	0.	0.
10.	0.	0.	0.	0.	0.	0.	0.
11.	0.	0.	0.	0.	0.	0.	0.
12.	0.	0.	0.	0.	0.	0.	0.
13.	0.	0.	0.	0.	0.	0.	0.
14.	0.	0.	0.	0.	0.	0.	0.
15.	0.	0.	0.	0.	0.	0.	0.
16.	0.	0.	0.	0.	0.	0.	0.
17.	0.	0.	0.	0.	0.	0.	0.
18.	0.	0.	0.	0.	0.	0.	0.
19.	0.	0.	0.	0.	0.	0.	0.
20.	0.	0.	0.	0.	0.	0.	0.
21.	0.	0.	0.	0.	0.	0.	0.
22.	0.	0.	0.	0.	0.	0.	0.
23.	0.	0.	0.	0.	0.	0.	0.
24.	0.	0.	0.	0.	0.	0.	0.
25.	0.	0.	0.	0.	0.	0.	0.
26.	0.	0.	0.	0.	0.	0.	0.
27.	0.	0.	0.	0.	0.	0.	0.
28.	0.	0.	0.	0.	0.	0.	0.
29.	0.	0.	0.	0.	0.	0.	0.
30.	0.	0.	0.	0.	0.	0.	0.
31.	0.	0.	0.	0.	0.	0.	0.
32.	0.	0.	0.	0.	0.	0.	0.
33.	0.	0.	0.	0.	0.	0.	0.
34.	0.	0.	0.	0.	0.	0.	0.
35.	0.	0.	0.	0.	0.	0.	0.
36.	0.	0.	0.	0.	0.	0.	0.
37.	0.	0.	0.	0.	0.	0.	0.
38.	0.	0.	0.	0.	0.	0.	0.
39.	0.	0.	0.	0.	0.	0.	0.
40.	0.	0.	0.	0.	0.	0.	0.
41.	0.	0.	0.	0.	0.	0.	0.
42.	0.	0.	0.	0.	0.	0.	0.
43.	0.	0.	0.	0.	0.	0.	0.
44.	0.	0.	0.	0.	0.	0.	0.
45.	0.	0.	0.	0.	0.	0.	0.
46.	0.	0.	0.	0.	0.	0.	0.
47.	0.	0.	0.	0.	0.	0.	0.
48.	0.	0.	0.	0.	0.	0.	0.
49.	0.	0.	0.	0.	0.	0.	0.
50.	0.	0.	0.	0.	0.	0.	0.
51.	0.	0.	0.	0.	0.	0.	0.
52.	0.	0.	0.	0.	0.	0.	0.
53.	0.	0.	0.	0.	0.	0.	0.
54.	0.	0.	0.	0.	0.	0.	0.
55.	0.	0.	0.	0.	0.	0.	0.
56.	0.	0.	0.	0.	0.	0.	0.
57.	0.	0.	0.	0.	0.	0.	0.
58.	0.	0.	0.	0.	0.	0.	0.
59.	0.	0.	0.	0.	0.	0.	0.
60.	0.	0.	0.	0.	0.	0.	0.
61.	0.	0.	0.	0.	0.	0.	0.
62.	0.	0.	0.	0.	0.	0.	0.
63.	0.	0.	0.	0			

54.	0.	3FMSUATF 1431.	0.	240.2	0.	1267	0.	419.	0.	2956.	0.	102	0.
56.	0.	3.	11.	0.	11.	0.	0.	0.	0.	0.	1.	0.	4.
58.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
59.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
60.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
61.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
62.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
63.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
64.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
65.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
66.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
67.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
68.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
69.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
70.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
71.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
72.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
73.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
74.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
75.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
76.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
77.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
78.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
79.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
80.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
81.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
82.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
83.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
84.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
85.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
86.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
87.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
88.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
89.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
90.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
91.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
92.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
93.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
94.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
95.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
96.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
97.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
98.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
99.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
100.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
101.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
102.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
103.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
104.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
105.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.
106.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY FURNISHED TO DDC

U. S. DOMESTIC FLEET RPSs: DOHRPM

1.	1768
2.	1969
3.	2069
4.	2178
5.	2274
6.	2415
7.	2542
8.	2674
9.	2811
10.	2943
11.	3065
12.	3195
13.	3325
14.	3451
15.	3633
16.	3825
17.	4027
18.	4239
19.	4463
20.	4699
21.	4947
22.	5208
23.	5483
24.	5773
25.	6077
26.	6398
27.	6734
28.	7091

THIS FLEET RPSs LIST IS PRELIMINARY
FROM OUR PRELIMINARY TO DOG

APPENDIX B-3

AD-A084 235

FEDERAL AVIATION ADMINISTRATION WASHINGTON DC OFFICE --ETC F/6 1/3
NATIONAL AVIATION FUEL SCENARIO ANALYSIS PROGRAM (NAFSAP). VOLU--ETC(U)
MAR 80 S 6 VAHOVICH
FAA/EE-80-12

UNCLASSIFIED

NL

2 2

0.6 0.6



END
DATE
FILMED
6 80
DTIC

THIS PAGE IS BEST
FROM COPY PAGE 11

95

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY PROVIDED TO DDC

[illegible]

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY FURNISHED TO DDG

[illegible]

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY PROCURED TO DDC


```

83. SMOO=1100050100010
84. CMOO=1100050100010
85. SMOO=1100050100010
86. SMOO=1100050100010
87. SMOO=1100050100010
88. SMOO=1100050100010
89. SMOO=1100050100010
90. SMOO=1100050100010
91. SMOO=1100050100010
92. SMOO=1100050100010
93. SMOO=1100050100010
94. SMOO=1100050100010
95. SMOO=1100050100010
96. SMOO=1100050100010
97. SMOO=1100050100010
98. SMOO=1100050100010
99. SMOO=1100050100010
100. SMOO=1100050100010
101. SMOO=1100050100010
102. SMOO=1100050100010
103. SMOO=1100050100010
104. SMOO=1100050100010
105. SMOO=1100050100010
106. SMOO=1100050100010
107. SMOO=1100050100010
108. SMOO=1100050100010
109. SMOO=1100050100010
110. SMOO=1100050100010
111. SMOO=1100050100010
112. SMOO=1100050100010
113. SMOO=1100050100010
114. SMOO=1100050100010
115. SMOO=1100050100010
116. SMOO=1100050100010
117. SMOO=1100050100010
118. SMOO=1100050100010
119. SMOO=1100050100010
120. SMOO=1100050100010
121. SMOO=1100050100010
122. SMOO=1100050100010
123. SMOO=1100050100010
124. SMOO=1100050100010
125. SMOO=1100050100010
126. SMOO=1100050100010
127. SMOO=1100050100010
128. SMOO=1100050100010
129. SMOO=1100050100010
130. SMOO=1100050100010
131. SMOO=1100050100010
132. SMOO=1100050100010
133. SMOO=1100050100010
134. SMOO=1100050100010
135. SMOO=1100050100010
136. SMOO=1100050100010
137. SMOO=1100050100010
138. SMOO=1100050100010
139. SMOO=1100050100010
140. SMOO=1100050100010
141. SMOO=1100050100010
142. SMOO=1100050100010
143. SMOO=1100050100010
144. SMOO=1100050100010
145. SMOO=1100050100010
146. SMOO=1100050100010
147. SMOO=1100050100010
148. SMOO=1100050100010
149. SMOO=1100050100010
150. SMOO=1100050100010
151. SMOO=1100050100010
152. SMOO=1100050100010
153. SMOO=1100050100010
154. SMOO=1100050100010
155. SMOO=1100050100010
156. SMOO=1100050100010
157. SMOO=1100050100010
158. SMOO=1100050100010
159. SMOO=1100050100010
160. SMOO=1100050100010
161. SMOO=1100050100010
162. SMOO=1100050100010
163. SMOO=1100050100010
164. SMOO=1100050100010
165. SMOO=1100050100010
166. SMOO=1100050100010
167. SMOO=1100050100010
168. SMOO=1100050100010
169. SMOO=1100050100010
170. SMOO=1100050100010
171. SMOO=1100050100010
172. SMOO=1100050100010
173. SMOO=1100050100010
174. SMOO=1100050100010
175. SMOO=1100050100010
176. SMOO=1100050100010
177. SMOO=1100050100010
178. SMOO=1100050100010
179. SMOO=1100050100010
180. SMOO=1100050100010
181. SMOO=1100050100010
182. SMOO=1100050100010
183. SMOO=1100050100010
184. SMOO=1100050100010
185. SMOO=1100050100010
186. SMOO=1100050100010
187. SMOO=1100050100010
188. SMOO=1100050100010
189. SMOO=1100050100010
190. SMOO=1100050100010
191. SMOO=1100050100010
192. SMOO=1100050100010
193. SMOO=1100050100010
194. SMOO=1100050100010
195. SMOO=1100050100010
196. SMOO=1100050100010
197. SMOO=1100050100010
198. SMOO=1100050100010
199. SMOO=1100050100010
200. SMOO=1100050100010

```

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY FURNISHED TO DDC


```

51. 2 1000 SUMM= MAX (1, MAX - SUPPLY MIN (1, MAX ACCESS MODES GROUPS
52. 50 MAX=0; MAX=1; MAX=2;
53. 50 MAX=0; MAX=1; MAX=2;
54. 50 MAX=0; MAX=1; MAX=2;
55. 50 MAX=0; MAX=1; MAX=2;
56. 50 MAX=0; MAX=1; MAX=2;
57. 50 MAX=0; MAX=1; MAX=2;
58. 50 MAX=0; MAX=1; MAX=2;
59. 50 MAX=0; MAX=1; MAX=2;
60. 50 MAX=0; MAX=1; MAX=2;
61. 50 MAX=0; MAX=1; MAX=2;
62. 50 MAX=0; MAX=1; MAX=2;
63. 50 MAX=0; MAX=1; MAX=2;
64. 50 MAX=0; MAX=1; MAX=2;
65. 50 MAX=0; MAX=1; MAX=2;
66. 50 MAX=0; MAX=1; MAX=2;
67. 50 MAX=0; MAX=1; MAX=2;
68. 50 MAX=0; MAX=1; MAX=2;
69. 50 MAX=0; MAX=1; MAX=2;
70. 50 MAX=0; MAX=1; MAX=2;
71. 50 MAX=0; MAX=1; MAX=2;
72. 50 MAX=0; MAX=1; MAX=2;
73. 50 MAX=0; MAX=1; MAX=2;
74. 50 MAX=0; MAX=1; MAX=2;
75. 50 MAX=0; MAX=1; MAX=2;
76. 50 MAX=0; MAX=1; MAX=2;
77. 50 MAX=0; MAX=1; MAX=2;
78. 50 MAX=0; MAX=1; MAX=2;
79. 50 MAX=0; MAX=1; MAX=2;
80. 50 MAX=0; MAX=1; MAX=2;
81. 50 MAX=0; MAX=1; MAX=2;
82. 50 MAX=0; MAX=1; MAX=2;
83. 50 MAX=0; MAX=1; MAX=2;
84. 50 MAX=0; MAX=1; MAX=2;
85. 50 MAX=0; MAX=1; MAX=2;
86. 50 MAX=0; MAX=1; MAX=2;
87. 50 MAX=0; MAX=1; MAX=2;
88. 50 MAX=0; MAX=1; MAX=2;
89. 50 MAX=0; MAX=1; MAX=2;
90. 50 MAX=0; MAX=1; MAX=2;
91. 50 MAX=0; MAX=1; MAX=2;
92. 50 MAX=0; MAX=1; MAX=2;
93. 50 MAX=0; MAX=1; MAX=2;
94. 50 MAX=0; MAX=1; MAX=2;
95. 50 MAX=0; MAX=1; MAX=2;
96. 50 MAX=0; MAX=1; MAX=2;
97. 50 MAX=0; MAX=1; MAX=2;
98. 50 MAX=0; MAX=1; MAX=2;
99. 50 MAX=0; MAX=1; MAX=2;
100. 50 MAX=0; MAX=1; MAX=2;

```

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY FURNISHED TO DDC

CALL LINE-RECEIVED-NOCHUS-11.111
CALL RE-111111
CALL FONEPL
STAB
FND

111.
111.
111.
111.
111.

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY FURNISHED TO DDC

APPENDIX B-4

ALTERNATIVE INPUT DATA: BETDA4
' (existing aircraft types only)

```

1. INPUT
2. EN=2.0, MACH=0.0,
3. T=4500.0,
4. MACS=294C.0, WAFR0=380C.0, WMANV=34320.0,
5. WEICAD0=2520.0, WENP=8140.0, WENACC=1280.0, WENGS=23110.0,
6. WFNVS=4000.0, WFIUT=40030.0, WGR0SS=265100.0, WPCAR=3770.0,
7. WINS=470.0, WLG=15570.0, WMAEL=11290.0, WPAACC=19370.0, WPOWER=2040.0,
8. WMING=40730.0, WPAVL=45730.0,
9. WMANOL=180C.0, WARTIC=500.0, WAWJON=2120.0, WTVNVS=4990.0,
10.
11.
12.
13.
14.
15.
16.
17.
18.
19.
20.
21.
22.
23.
24.
25.
26.
27.
28.
29.
30.

```

[illegible]

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY FURNISHED TO DDC

[illegible]

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY FORWARDED TO DDC

ALTERNATIVE INPUT DATA: METD81

```

1  INPUT1
2  EN=2.0, MACH=0.8,
3  T=45000.,
4  WACB=3750., WACRO=3870., MRODY=34320.,
5  MELC=2520., MRP=8140., MEMACO=1280., MEMOR=20110.,
6  MFUTYB=440., MFUTOT=48430., MUYCA
7  MINST=670., MLO=15370., MMCEL=11290., MPACCO=19370., MPOLER=20
8  WJIND=40730., MPAYL=45730.,
9  WAMBL=100.0, WAMTIC=500.0, WAWION=2120.0, WTRNEV=6990.0,
10 SEND
11 INPUT2
12 ADI=0.1, AGED1=0.1, AGED2=0.1, CFAC9=2.7, CFACRO=0.45, CFRODY=0
13
14 CFMYCD=0.55, CFELCD=0.80, CFENP=1.9, CFENAC=0.40,
15 CFINST=0.70, CFLO=0.70, CFPACC=3.10,
16 CFMINB=0.9, COW=10=1.0, CTJ1=1.0, ENMPAD=0.4, ENMP
17 FAC1=0.0, FEE=0.00, FTOI=0.10, FVMPAN=0.2, GTWPA=0.10, ICONP0
18
19 IBATA=1, IPQWER=2, IPQOB=1,
20 IOPB=0, NCREM=3.0, NDATA=5, NPV=5.0, ND=1.0, NOEND=150.0,
21 NOENB1=500.0, NOYB=0.75, NOYB1=1.0,
22 NY=857.0, NMB=1.0, S.O.100.0, 300.0, 400.0,
23 PPTJ1=0.10, RATE=11., RE=17.0, RT=15.0, TOULC=1.0,
24 SPASY=0.05, XEM=0.20,
25 LEARN=0.18, LEARN=81.85, LEARN=81.85,
26 CFFUZY=0.10,
27 SEND
28 REDUCED ENERGY PROP-FAN (767-762)
29
30 YEAR=1985., ME=165570., FEE=0.00, NMF=872., IAIPL=0,
31 AP1=0.00, IENG=2, PA=171., EN=2., T=42420.,
32 MEMOR=20000.,
33
34 22222222
35 2AP
36 7.
37 2AP
38 2AP
39 2AP
40 2AP
41 2AP
42 2AP
43 2AP
44 2AP
45 2AP
46 2AP
47 2AP
48 2AP
49 2AP
50 2AP
51 2AP
52 2AP
53 2AP
54 2AP
55 2AP
56 2AP
57 2AP
58 2AP
59 2AP
60 2AP
61 2AP
62 2AP
63 2AP
64 2AP
65 2AP
66 2AP
67 2AP
68 2AP
69 2AP
70 2AP
71 2AP
72 2AP
73 2AP
74 2AP
75 2AP
76 2AP
77 2AP
78 2AP
79 2AP
80 2AP
81 2AP
82 2AP
83 2AP
84 2AP
85 2AP
86 2AP
87 2AP
88 2AP
89 2AP
90 2AP
91 2AP
92 2AP
93 2AP
94 2AP
95 2AP
96 2AP
97 2AP
98 2AP
99 2AP
100 2AP
101 2AP
102 2AP
103 2AP
104 2AP
105 2AP
106 2AP
107 2AP
108 2AP
109 2AP
110 2AP
111 2AP
112 2AP
113 2AP
114 2AP
115 2AP
116 2AP
117 2AP
118 2AP
119 2AP
120 2AP
121 2AP
122 2AP
123 2AP
124 2AP
125 2AP
126 2AP
127 2AP
128 2AP
129 2AP
130 2AP
131 2AP
132 2AP
133 2AP
134 2AP
135 2AP
136 2AP
137 2AP
138 2AP
139 2AP
140 2AP
141 2AP
142 2AP
143 2AP
144 2AP
145 2AP
146 2AP
147 2AP
148 2AP
149 2AP
150 2AP
151 2AP
152 2AP
153 2AP
154 2AP
155 2AP
156 2AP
157 2AP
158 2AP
159 2AP
160 2AP
161 2AP
162 2AP
163 2AP
164 2AP
165 2AP
166 2AP
167 2AP
168 2AP
169 2AP
170 2AP
171 2AP
172 2AP
173 2AP
174 2AP
175 2AP
176 2AP
177 2AP
178 2AP
179 2AP
180 2AP
181 2AP
182 2AP
183 2AP
184 2AP
185 2AP
186 2AP
187 2AP
188 2AP
189 2AP
190 2AP
191 2AP
192 2AP
193 2AP
194 2AP
195 2AP
196 2AP
197 2AP
198 2AP
199 2AP
200 2AP
201 2AP
202 2AP
203 2AP
204 2AP
205 2AP
206 2AP
207 2AP
208 2AP
209 2AP
210 2AP
211 2AP
212 2AP
213 2AP
214 2AP
215 2AP
216 2AP
217 2AP
218 2AP
219 2AP
220 2AP
221 2AP
222 2AP
223 2AP
224 2AP
225 2AP
226 2AP
227 2AP
228 2AP
229 2AP
230 2AP
231 2AP
232 2AP
233 2AP
234 2AP
235 2AP
236 2AP
237 2AP
238 2AP
239 2AP
240 2AP
241 2AP
242 2AP
243 2AP
244 2AP
245 2AP
246 2AP
247 2AP
248 2AP
249 2AP
250 2AP
251 2AP
252 2AP
253 2AP
254 2AP
255 2AP
256 2AP
257 2AP
258 2AP
259 2AP
260 2AP
261 2AP
262 2AP
263 2AP
264 2AP
265 2AP
266 2AP
267 2AP
268 2AP
269 2AP
270 2AP
271 2AP
272 2AP
273 2AP
274 2AP
275 2AP
276 2AP
277 2AP
278 2AP
279 2AP
280 2AP
281 2AP
282 2AP
283 2AP
284 2AP
285 2AP
286 2AP
287 2AP
288 2AP
289 2AP
290 2AP
291 2AP
292 2AP
293 2AP
294 2AP
295 2AP
296 2AP
297 2AP
298 2AP
299 2AP
300 2AP
301 2AP
302 2AP
303 2AP
304 2AP
305 2AP
306 2AP
307 2AP
308 2AP
309 2AP
310 2AP
311 2AP
312 2AP
313 2AP
314 2AP
315 2AP
316 2AP
317 2AP
318 2AP
319 2AP
320 2AP
321 2AP
322 2AP
323 2AP
324 2AP
325 2AP
326 2AP
327 2AP
328 2AP
329 2AP
330 2AP
331 2AP
332 2AP
333 2AP
334 2AP
335 2AP
336 2AP
337 2AP
338 2AP
339 2AP
340 2AP
341 2AP
342 2AP
343 2AP
344 2AP
345 2AP
346 2AP
347 2AP
348 2AP
349 2AP
350 2AP
351 2AP
352 2AP
353 2AP
354 2AP
355 2AP
356 2AP
357 2AP
358 2AP
359 2AP
360 2AP
361 2AP
362 2AP
363 2AP
364 2AP
365 2AP
366 2AP
367 2AP
368 2AP
369 2AP
370 2AP
371 2AP
372 2AP
373 2AP
374 2AP
375 2AP
376 2AP
377 2AP
378 2AP
379 2AP
380 2AP
381 2AP
382 2AP
383 2AP
384 2AP
385 2AP
386 2AP
387 2AP
388 2AP
389 2AP
390 2AP
391 2AP
392 2AP
393 2AP
394 2AP
395 2AP
396 2AP
397 2AP
398 2AP
399 2AP
400 2AP
401 2AP
402 2AP
403 2AP
404 2AP
405 2AP
406 2AP
407 2AP
408 2AP
409 2AP
410 2AP
411 2AP
412 2AP
413 2AP
414 2AP
415 2AP
416 2AP
417 2AP
418 2AP
419 2AP
420 2AP
421 2AP
422 2AP
423 2AP
424 2AP
425 2AP
426 2AP
427 2AP
428 2AP
429 2AP
430 2AP
431 2AP
432 2AP
433 2AP
434 2AP
435 2AP
436 2AP
437 2AP
438 2AP
439 2AP
440 2AP
441 2AP
442 2AP
443 2AP
444 2AP
445 2AP
446 2AP
447 2AP
448 2AP
449 2AP
450 2AP
451 2AP
452 2AP
453 2AP
454 2AP
455 2AP
456 2AP
457 2AP
458 2AP
459 2AP
460 2AP
461 2AP
462 2AP
463 2AP
464 2AP
465 2AP
466 2AP
467 2AP
468 2AP
469 2AP
470 2AP
471 2AP
472 2AP
473 2AP
474 2AP
475 2AP
476 2AP
477 2AP
478 2AP
479 2AP
480 2AP
481 2AP
482 2AP
483 2AP
484 2AP
485 2AP
486 2AP
487 2AP
488 2AP
489 2AP
490 2AP
491 2AP
492 2AP
493 2AP
494 2AP
495 2AP
496 2AP
497 2AP
498 2AP
499 2AP
500 2AP
501 2AP
502 2AP
503 2AP
504 2AP
505 2AP
506 2AP
507 2AP
508 2AP
509 2AP
510 2AP
511 2AP
512 2AP
513 2AP
514 2AP
515 2AP
516 2AP
517 2AP
518 2AP
519 2AP
520 2AP
521 2AP
522 2AP
523 2AP
524 2AP
525 2AP
526 2AP
527 2AP
528 2AP
529 2AP
530 2AP
531 2AP
532 2AP
533 2AP
534 2AP
535 2AP
536 2AP
537 2AP
538 2AP
539 2AP
540 2AP
541 2AP
542 2AP
543 2AP
544 2AP
545 2AP
546 2AP
547 2AP
548 2AP
549 2AP
550 2AP
551 2AP
552 2AP
553 2AP
554 2AP
555 2AP
556 2AP
557 2AP
558 2AP
559 2AP
560 2AP
561 2AP
562 2AP
563 2AP
564 2AP
565 2AP
566 2AP
567 2AP
568 2AP
569 2AP
570 2AP
571 2AP
572 2AP
573 2AP
574 2AP
575 2AP
576 2AP
577 2AP
578 2AP
579 2AP
580 2AP
581 2AP
582 2AP
583 2AP
584 2AP
585 2AP
586 2AP
587 2AP
588 2AP
589 2AP
590 2AP
591 2AP
592 2AP
593 2AP
594 2AP
595 2AP
596 2AP
597 2AP
598 2AP
599 2AP
600 2AP
601 2AP
602 2AP
603 2AP
604 2AP
605 2AP
606 2AP
607 2AP
608 2AP
609 2AP
610 2AP
611 2AP
612 2AP
613 2AP
614 2AP
615 2AP
616 2AP
617 2AP
618 2AP
619 2AP
620 2AP
621 2AP
622 2AP
623 2AP
624 2AP
625 2AP
626 2AP
627 2AP
628 2AP
629 2AP
630 2AP
631 2AP
632 2AP
633 2AP
634 2AP
635 2AP
636 2AP
637 2AP
638 2AP
639 2AP
640 2AP
641 2AP
642 2AP
643 2AP
644 2AP
645 2AP
646 2AP
647 2AP
648 2AP
649 2AP
650 2AP
651 2AP
652 2AP
653 2AP
654 2AP
655 2AP
656 2AP
657 2AP
658 2AP
659 2AP
660 2AP
661 2AP
662 2AP
663 2AP
664 2AP
665 2AP
666 2AP
667 2AP
668 2AP
669 2AP
670 2AP
671 2AP
672 2AP
673 2AP
674 2AP
675 2AP
676 2AP
677 2AP
678 2AP
679 2AP
680 2AP
681 2AP
682 2AP
683 2AP
684 2AP
685 2AP
686 2AP
687 2AP
688 2AP
689 2AP
690 2AP
691 2AP
692 2AP
693 2AP
694 2AP
695 2AP
696 2AP
697 2AP
698 2AP
699 2AP
700 2AP
701 2AP
702 2AP
703 2AP
704 2AP
705 2AP
706 2AP
707 2AP
708 2AP
709 2AP
710 2AP
711 2AP
712 2AP
713 2AP
714 2AP
715 2AP
716 2AP
717 2AP
718 2AP
719 2AP
720 2AP
721 2AP
722 2AP
723 2AP
724 2AP
725 2AP
726 2AP
727 2AP
728 2AP
729 2AP
730 2AP
731 2AP
732 2AP
733 2AP
734 2AP
735 2AP
736 2AP
737 2AP
738 2AP
739 2AP
740 2AP
741 2AP
742 2AP
743 2AP
744 2AP
745 2AP
746 2AP
747 2AP
748 2AP
749 2AP
750 2AP
751 2AP
752 2AP
753 2AP
754 2AP
755 2AP
756 2AP
757 2AP
758 2AP
759 2AP
760 2AP
761 2AP
762 2AP
763 2AP
764 2AP
765 2AP
766 2AP
767 2AP
768 2AP
769 2AP
770 2AP
771 2AP
772 2AP
773 2AP
774 2AP
775 2AP
776 2AP
777 2AP
778 2AP
779 2AP
780 2AP
781 2AP
782 2AP
783 2AP
784 2AP
785 2AP
786 2AP
787 2AP
788 2AP
789 2AP
790 2AP
791 2AP
792 2AP
793 2AP
794 2AP
795 2AP
796 2AP
797 2AP
798 2AP
799 2AP
800 2AP
801 2AP
802 2AP
803 2AP
804 2AP
805 2AP
806 2AP
807 2AP
808 2AP
809 2AP
810 2AP
811 2AP
812 2AP
813 2AP
814 2AP
815 2AP
816 2AP
817 2AP
818 2AP
819 2AP
820 2AP
821 2AP
822 2AP
823 2AP
824 2AP
825 2AP
826 2AP
827 2AP
828 2AP
829 2AP
830 2AP
831 2AP
832 2AP
833 2AP
834 2AP
835 2AP
836 2AP
837 2AP
838 2AP
839 2AP
840 2AP
841 2AP
842 2AP
843 2AP
844 2AP
845 2AP
846 2AP
847 2AP
848 2AP
849 2AP
850 2AP
851 2AP
852 2AP
853 2AP
854 2AP
855 2AP
856 2AP
857 2AP
858 2AP
859 2AP
860 2AP
861 2AP
862 2AP
863 2AP
864 2AP
865 2AP
866 2AP
867 2AP
868 2AP
869 2AP
870 2AP
871 2AP
872 2AP
873 2AP
874 2AP
875 2AP
876 2AP
877 2AP
878 2AP
879 2AP
880 2AP
881 2AP
882 2AP
883 2AP
884 2AP
885 2AP
886 2AP
887 2AP
888 2AP
889 2AP
890 2AP
891 2AP
892 2AP
893 2AP
894 2AP
895 2AP
896 2AP
897 2AP
898 2AP
899 2AP
900 2AP
901 2AP
902 2AP
903 2AP
904 2AP
905 2AP
906 2AP
907 2AP
908 2AP
909 2AP
910 2AP
911 2AP
912 2AP
913 2AP
914 2AP
915 2AP
916 2AP
917 2AP
918 2AP
919 2AP
920 2AP
921 2AP
922 2AP
923 2AP
924 2AP
925 2AP
926 2AP
927 2AP
928 2AP
929 2AP
930 2AP
931 2AP
932 2AP
933 2AP
934 2AP
935 2AP
936 2AP
937 2AP
938 2AP
939 2AP
940 2AP
941 2AP
942 2AP
943 2AP
944 2AP
945 2AP
946 2AP
947 2AP
948 2AP
949 2AP
950 2AP
951 2AP
952 2AP
953 2AP
954 2AP
955 2AP
956 2AP
957 2AP
958 2AP
959 2AP
960 2AP
961 2AP
962 2AP
963 2AP
964 2AP
965 2AP
966 2AP
967 2AP
968 2AP
969 2AP
970 2AP
971 2AP
972 2AP
973 2AP
974 2AP
975 2AP
976 2AP
977 2AP
978 2AP
979 2AP
980 2AP
981 2AP
982 2AP
983 2AP
984 2AP
985 2AP
986 2AP
987 2AP
988 2AP
989 2AP
990 2AP
991 2AP
992 2AP
993 2AP
994 2AP
995 2AP
996 2AP
997 2AP
998 2AP
999 2AP
1000 2AP

```

NOT FOR OFFICIAL USE
DO NOT DISTRIBUTE TO DDG

46	6	4200000000	1940.	182.4	.1914	439.5	2007.8	14.0
47	100	5.9	17.7	22.1	30.4	70.9	40.5	40.
48	3.0	1.5	1.5	1.5	0.	0.	1.5	5.
49	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
53	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
56	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
57	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
58	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
59	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
62	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
70	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
71	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
72	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
76	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
82	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
83	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
84	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
85	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
86	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
87	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
88	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
90	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
91	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
92	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
93	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
94	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
96	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
97	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
98	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
99	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.
100	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY FURNISHED TO DDC

[illegible]

114	0.0	SENSITIVITY 1943.	122.8	.2437	232.7	2012.9	14.0
115	7.3	1.8	18.5	10.9	19.5	30.2	22.
116	20.9	1.0	5.0	15.5	10.4	13.7	14.
117	0.0	0.0	0.0	0.0	0.0	0.0	0.
118	0.0	0.0	0.0	0.0	0.0	0.0	0.
119	0.0	0.0	0.0	0.0	0.0	0.0	0.
120	0.0	0.0	0.0	0.0	0.0	0.0	0.
121	0.0	0.0	0.0	0.0	0.0	0.0	0.
122	0.0	SENSITIVITY 1944.	130.0	.1244	300.0	1907.0	14.0
123	0.0	1.0	10.0	1.0	1.0	1.0	1.0
124	0.0	0.0	0.0	0.0	0.0	0.0	0.0
125	0.0	0.0	0.0	0.0	0.0	0.0	0.0
126	0.0	0.0	0.0	0.0	0.0	0.0	0.0
127	0.0	0.0	0.0	0.0	0.0	0.0	0.0
128	0.0	0.0	0.0	0.0	0.0	0.0	0.0
129	0.0	0.0	0.0	0.0	0.0	0.0	0.0
130	0.0	0.0	0.0	0.0	0.0	0.0	0.0
131	0.0	0.0	0.0	0.0	0.0	0.0	0.0
132	0.0	SENSITIVITY 1940.	152.5	.2310	354.3	2009.2	14.0
133	1.0	2.0	5.9	7.4	11.9	22.8	20.3
134	1.0	.5	.5	.5	.5	.5	.5
135	0.0	0.0	0.0	0.0	0.0	0.0	0.0
136	0.0	0.0	0.0	0.0	0.0	0.0	0.0
137	0.0	0.0	0.0	0.0	0.0	0.0	0.0
138	2.1	0.0	0.0	0.0	0.0	0.0	0.0
139	.3	.0	.1	.2	.2	.2	.4
140	0.0	0.0	0.0	0.0	0.0	0.0	0.0
141	0.0	0.0	0.0	0.0	0.0	0.0	0.0
142	0.0	SENSITIVITY 1949.	374.2	.1434	339.3	3434.9	14.0
143	0.0	0.0	0.0	0.0	0.0	0.0	0.0
144	0.0	0.0	0.0	0.0	0.0	0.0	0.0
145	0.0	0.0	0.0	0.0	0.0	0.0	0.0
146	0.0	0.0	0.0	0.0	0.0	0.0	0.0
147	0.0	SENSITIVITY 1971.	249.5	.1407	331.7	2997.3	14.0
148	0.0	0.0	0.0	0.0	0.0	0.0	0.0
149	0.0	0.0	0.0	0.0	0.0	0.0	0.0
150	0.0	0.0	0.0	0.0	0.0	0.0	0.0
151	0.0	0.0	0.0	0.0	0.0	0.0	0.0
152	0.0	0.0	0.0	0.0	0.0	0.0	0.0
153	0.0	0.0	0.0	0.0	0.0	0.0	0.0
154	0.0	0.0	0.0	0.0	0.0	0.0	0.0
155	0.0	0.0	0.0	0.0	0.0	0.0	0.0
156	0.0	0.0	0.0	0.0	0.0	0.0	0.0
157	0.0	0.0	0.0	0.0	0.0	0.0	0.0
158	0.0	0.0	0.0	0.0	0.0	0.0	0.0
159	0.0	0.0	0.0	0.0	0.0	0.0	0.0
160	0.0	0.0	0.0	0.0	0.0	0.0	0.0
161	0.0	0.0	0.0	0.0	0.0	0.0	0.0
162	0.0	0.0	0.0	0.0	0.0	0.0	0.0
163	0.0	0.0	0.0	0.0	0.0	0.0	0.0
164	0.0	0.0	0.0	0.0	0.0	0.0	0.0
165	0.0	0.0	0.0	0.0	0.0	0.0	0.0
166	0.0	0.0	0.0	0.0	0.0	0.0	0.0
167	0.0	0.0	0.0	0.0	0.0	0.0	0.0
168	0.0	0.0	0.0	0.0	0.0	0.0	0.0
169	0.0	0.0	0.0	0.0	0.0	0.0	0.0
170	0.0	0.0	0.0	0.0	0.0	0.0	0.0
171	0.0	0.0	0.0	0.0	0.0	0.0	0.0
172	0.0	0.0	0.0	0.0	0.0	0.0	0.0
173	0.0	0.0	0.0	0.0	0.0	0.0	0.0
174	0.0	0.0	0.0	0.0	0.0	0.0	0.0
175	0.0	0.0	0.0	0.0	0.0	0.0	0.0
176	0.0	0.0	0.0	0.0	0.0	0.0	0.0
177	0.0	0.0	0.0	0.0	0.0	0.0	0.0
178	0.0	0.0	0.0	0.0	0.0	0.0	0.0
179	0.0	0.0	0.0	0.0	0.0	0.0	0.0
180	0.0	0.0	0.0	0.0	0.0	0.0	0.0
181	0.0	0.0	0.0	0.0	0.0	0.0	0.0
182	0.0	0.0	0.0	0.0	0.0	0.0	0.0
183	0.0	0.0	0.0	0.0	0.0	0.0	0.0
184	0.0	0.0	0.0	0.0	0.0	0.0	0.0
185	0.0	0.0	0.0	0.0	0.0	0.0	0.0
186	0.0	0.0	0.0	0.0	0.0	0.0	0.0
187	0.0	0.0	0.0	0.0	0.0	0.0	0.0
188	0.0	0.0	0.0	0.0	0.0	0.0	0.0
189	0.0	0.0	0.0	0.0	0.0	0.0	0.0
190	0.0	0.0	0.0	0.0	0.0	0.0	0.0
191	0.0	0.0	0.0	0.0	0.0	0.0	0.0
192	0.0	0.0	0.0	0.0	0.0	0.0	0.0
193	0.0	0.0	0.0	0.0	0.0	0.0	0.0
194	0.0	0.0	0.0	0.0	0.0	0.0	0.0
195	0.0	0.0	0.0	0.0	0.0	0.0	0.0
196	0.0	0.0	0.0	0.0	0.0	0.0	0.0
197	0.0	0.0	0.0	0.0	0.0	0.0	0.0
198	0.0	0.0	0.0	0.0	0.0	0.0	0.0
199	0.0	0.0	0.0	0.0	0.0	0.0	0.0
200	0.0	0.0	0.0	0.0	0.0	0.0	0.0

THIS PAGE IS BEST QUALITY PRACTICABLE
FROM COPY FURNISHED TO DDC

