


NAVAL OCEANOGRAPHIC OFFICE SPECIAL PUBLICATION 1400-NA 7

SURFACE CURRENTS

EAST CENTRAL NORTH ATLANTIC OCEAN

12 LEVEL II

AD 85439



DTIC ELECTED

ABSTRACT

THIS STUDY WAS THE RESULT OF WORK BY A GROUP OF COM-
PUTER ENGINEERS AND MATHEMATICIANS AT THE UNIVERSITY OF
THE STATE OF NEW YORK AT BINGHAMTON. THE GROUP WAS
UPDATED THROUGHOUT THE PROJECT PERIOD BY THE USE OF THE
FILE. THIS WAS AN Ongoing PROJECT AND THE RESULTS
DATA AS COMPARED TO THE PREVIOUS DATA WERE ANALYZED
IN THE NEW SYSTEM.

THE GROUP WAS COMPOSED OF THE FOLLOWING MEMBERS: DR.
JOHN J. WATSON, JR., DR. ROBERT W. WATSON, DR. ROBERT
AND THE PROJECT WAS SUPPORTED BY THE UNIVERSITY OF
THE STATE OF NEW YORK AT BINGHAMTON.

DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

6

SURFACE CURRENT

EAST CENTRAL NORTH ATLANTIC O



11

APR 1978

REPRINTED 1980

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

**NAVAL OCEANOGRAPHIC OFFICE
NSTL STATION, MISSISSIPPI 39522**

14 NOO-SP-1400-NA-7

RFACE CURRENTS.

MITRAL NORTH ATLANTIC OCEAN



9 Final rept.

11 APR ~~1978~~
REPRINTED 1980

12 25

NOT FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

**NAVY OCEANOGRAPHIC OFFICE
PACIFIC STATION, MISSISSIPPI 39522**

250450² JW

ACKNOWLEDGMENTS


**Messrs. Raymond J. Beauchesne* and William E. Boisvert
made major contributions to this atlas.**

***Mr. Beauchesne presently is employed by the Bureau of
Naval Personnel.**

FOREWORD

THIS ATLAS, ONE IN A SERIES OF 43 REGIONAL SURFACE CURRENTS, IS PRODUCED TO FULFILL A NEED OF NAVY PLANNING STAFFS AND THE SCIENTIFIC AND INDUSTRIAL COMMUNITIES FOR THE LATEST AVAILABLE OCEAN SURFACE CURRENT DATA. THESE ATLASES ADD TO THE WEALTH OF NAUTICAL INFORMATION UPON WHICH NAVAL OPERATIONAL PLANNING, NAVIGATIONAL SAFETY, AND SHIPPING ECONOMY DEPEND. THE PRODUCTION AND WIDE DISSEMINATION OF THIS ATLAS ARE MADE POSSIBLE BY THE LATEST COMPUTER TECHNIQUES.

THE CONSTANT IMPROVEMENT IN THE QUALITY OF SURFACE CURRENT DATA RECEIVED OVER THE YEARS IS MADE POSSIBLE LARGELY BY THE MORE THOROUGH OBSERVATIONS OF VOLUNTARY OBSERVERS IN RECENT YEARS. THE DEFENSE MAPPING AGENCY, THE OCEANOGRAPHIC OFFICE, AND THE USER OF THE ATLASES RELY ON THE PERSONAL OBSERVATIONS OF THE MAN WHO HAS "BEEN THERE." MARINERS, IN REPORTING THEIR OBSERVATIONS, RENDER A SERVICE NOT ONLY TO THEMSELVES BUT ALSO TO THE NAVY THAT GOES DOWN TO THE SEA IN SHIPS." WITH THE ADVENT OF NUCLEAR POWER, MISSILES, NAVIGATION AIDS, AND 300,000-TON SHIPS, UP-TO-DATE, RAPIDLY DISSEMINATED ENVIRONMENTAL AND NAVIGATIONAL INFORMATION HAS BECOME INCREASINGLY


JOHN R. McDONNELL
Captain, U.S. Navy
Commander

FOREWORD

IN A SERIES OF 43 REGIONAL SURFACE CURRENT ATLASES,
NEED OF NAVY PLANNING STAFFS AND THE SCIENTIFIC AND
FOR THE LATEST AVAILABLE OCEAN SURFACE CURRENT DATA.
WEALTH OF NAUTICAL INFORMATION UPON WHICH OPERA-
TIONAL SAFETY, AND SHIPPING ECONOMY DEPEND. RAPID
DISSEMINATION OF THIS ATLAS ARE MADE POSSIBLE BY THE
U.S. NAVY.

IMPROVEMENT IN THE QUALITY OF SURFACE CURRENT DATA
IS MADE POSSIBLE LARGELY BY THE MORE THOROUGH REPORTS
IN RECENT YEARS. THE DEFENSE MAPPING AGENCY, THE
AND THE USER OF THE ATLASES RELY ON THE PERSONAL OB-
SERVATION HAS "BEEN THERE." MARINERS, IN REPORTING THEIR
SERVICE NOT ONLY TO THEMSELVES BUT ALSO TO ALL "WHO
SHIPS." WITH THE ADVENT OF NUCLEAR POWER, ELECTRONIC
10,000-TON SHIPS, UP-TO-DATE, RAPIDLY DISSEMINATED
OPERATIONAL INFORMATION HAS BECOME INCREASINGLY IMPORTANT.

John R. McDonnell

JOHN R. McDONNELL
Captain, U.S. Navy
Commander

ACCESSION for	
NTIS	White Section <input checked="" type="checkbox"/>
DDC	Buff Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION _____	
BY _____	
DISTRIBUTION/AVAILABILITY CODES	
Dist. AVAIL and/or SPECIAL	
A	23 241-

2

SURFACE CURRENT ATLASES


THIS SERIES OF COMPUTERIZED ATLASES REPLACES THE OLD HYDROGRAPHIC OFFICE ATLASES OF SURFACE CURRENTS (HOP 566, 568, 569, 570) WHICH WERE MANUALLY COMPILED FROM DATA OBTAINED DURING THE PERIOD 1903 - 1934. THESE NEW ATLASES CONFORM TO THE STANDARD NAVY OCEAN AREA AND REGION INDEX LIMITS SHOWN BELOW: e.g., NOO SP 1402-NP 10 COVERS NORTH PACIFIC REGION 10 EAST OF THE PHILIPPINES.

AS AMOUNTS OF NEW DATA WARRANT

THESE GRAPHICS MAY NOT COVER ALL AREAS AS THE NORTH SEA, PERSIAN GULF, ETC. SURFACE CURRENTS ARE STRONGLY TIDAL IN MANY AREAS AND PREDICTABLE HOURLY CHANGES WILL OCCUR.

RECENT IMPROVEMENTS IN THE DATA FILE ASSURE THE INCLUSION OF THE LATEST, HIGH QUALITY SURFACE CURRENT DATA AVAILABLE. THE FILE NOW CONTAINS MORE THAN 4,200,000 OBSERVATIONS AND A GENERAL UPDATE OF THE FILE WILL BE MADE

INDEX




2

CURRENT ATLASES

AS AMOUNTS OF NEW DATA WARRANT, MOST LIKELY EVERY 12 - 18 MONTHS.

THESE GRAPHICS MAY NOT BE TRULY REPRESENTATIVE OF THE ACTUAL FLOW IN SUCH AREAS AS THE NORTH SEA, PERSIAN GULF, GULF OF THAILAND, AND YELLOW SEA WHERE CURRENTS ARE STRONGLY TIDAL. FOR SUCH AREAS, OTHER SOURCES DESCRIBING PREDICTABLE HOURLY CHANGES OF TIDAL CURRENTS SHOULD BE CONSULTED.

INDEX




Introduction

The Surface Current Data File, from which these atlases are derived, consists primarily of over four million ship set and drift observations. These data were collected by the Netherlands, Japan, Britain, France, and the United States. The file is supplemented by several thousand Geomagnetic Electrokinetograph (GEM) observations, mostly Japanese. The file spans the period from the early 1850's to the present. The earliest observations were collected by the Netherlands and Great Britain; those of the 1960's through the present are primarily United States data.

If there are 12 or more observations by vector resultants as to

General Quality

The quality of this data file is considered high for this type of derived value. The data have been carefully screened for duplication; observations taken under adverse conditions (i.e. high winds and waves, time between observations greater than 12 hours) have been eliminated when warranted. Consideration was given to the reliability of the observer; doubtful shipboard computations of set and drift were edited; and observations with erroneous locations (mostly observations on land) have been eliminated. The accepted data are considered most useful when used collectively as in summaries where a number of observations show trends.




General Observation Technique

The set (direction) and drift (speed) are computed by the navigator from the difference between the dead reckoning (DR) position and the position determined by any type of navigational fix. The drift can be determined along any straight line track and includes all factors which cause changes in the DR position. When a fix is obtained, the current set (direction) is FROM the DR position TO the fix; the drift (speed) is equal to the distance in nautical miles between the DR and the fix, divided by the number of hours since the last fix. For successive observations, the TO POSITION of one observation becomes the FROM POSITION of the next observation.


- (1) Persistent Current - 60 percent or more of all observations fall within a 45° sector of the 8-point compass.
- (2)

Because the influence of current may vary along a ship's track, the MEAN POSITION of the track is assigned as the geographic location of the current observation. An example of a current computation is shown in the figure below.



EXAMPLE OF A SURFACE CURRENT (SHIP'S DRIFT) OBSERVATION

AB COURSE STEERED, 073°T; SPEED, 12 KN
 AC COURSE MADE GOOD, 082°T; SPEED, 13 KNS.
 BC CURRENT SET, 138°T; SPEED, 1.8 KN
 D GEOGRAPHIC PLOT OF CURRENT OBS



Data Presentation

The following legend shows two types of surface current presentations by 1° quadrangle, type 1 with 12 or more observations and type 2 with fewer than 12 observations. Where there are 11 or fewer observations within a 1° quadrangle, the total number of observations is shown within the 90° quadrant containing the observations.


- (4) Bizonal Flow - Practically all observations are concentrated in opposite pairs of sectors, and one pair contains at least 80 percent as many observations as the other pair. This generally indicates a zone of entrainment of opposing currents (see examples in quadrangles 1, 2, and 3).

LEGEND

TYPE 1




TYPE 2

- A NUMBER OF CALMS (INCLUDED IN TOTAL OBSERVATIONS).
- B TOTAL OBSERVATIONS (999 ALSO USED FOR 1000 OR MORE OBSERVATIONS).
- C MEAN SPEED (0.8 KNOT) FOR ALL OBSERVATIONS.
- D VECTOR RESULTANT DIRECTION ("T") FOR ALL OBSERVATIONS.
- E PERCENT FREQUENCIES (57% PRIMARY DIRECTION, 23% SECONDARY DIRECTION).
- F MEAN SPEEDS (1.0 KNOT PRIMARY DIRECTION, 0.6 KNOT SECONDARY DIRECTION).
- G NUMBER OF OBSERVATIONS BY QUADRANT.





If there are 12 or more observations in a 1° quadrangle, the surface current is depicted by vector resultants as follows:


a



- (1) Persistent Current - 60 percent or more of all observations fall within a 45° sector of the 8-point compass.
- (2) Prevailing Current - 70 percent or more of all observations fall within two adjacent 45° sectors.
- (3) Primary Current with Secondary Direction
 - (a) Primary Current - 50 percent or more of all observations fall within three adjacent 45° sectors.
 - (b) Secondary Direction - 20 percent or more of all observations fall within a 45° sector, and the two resultant vector directions are separated by more than 90° of arc.



- (4) Bizonal Flow - Practically all observations are concentrated in opposite pairs of 45° sectors, and one pair contains at least 80 percent as many observations as the opposite pair. This generally indicates variability that occurs in zones of entrainment between opposing currents (see examples A and B, quadrangles 1, 2, and 3).
- (5) Variable Current - The 45° sector with most observations has less than 25 percent of all observations; direction is indeterminate.




its primarily
ected by the
pplemented
ly Japanese.
st observa-
0's through

he difference
y type of
rk and includes
d, the current
qual to the
er of hours
bservation

OSITION of
n. An example


1° quadrangle,
ions. Where
er of observa-

TOTAL OBSERVATIONS.
ED FOR 1000 OR
OBSERVATIONS.
FOR ALL OBSERVATIONS.
Y DIRECTION, 232
ECTION, 0.6 KNOT
ANT.



WINTER-JAN, FEB, MAR

2



40 N

38 N

36 N

35 N

30 N

29 N

20 W

15 W

10 W

5 W

0

20 W


15 W

10 W

5 W


0

WINTER-JAN, FEB, MAR




SPRING-APR, MAY, JUN


2




SPRING-APR, MAY, JUN




SUMMER-JUL, AUG, SEP



SUMMER-JUL, AUG, SEP



AUTUMN-OCT, NOV, DEC



40 W 35 W 30 W 25 W 20 W 15 W

49 N


45 N

40 N

35 N

30 N

29 N



ANNUAL-JAN THROUGH DEC

2

20 W

15 W

10 W

5 W

0

49 N

45 N

40 N

35 N

30 N

29 N

20 W


15 W

10 W

5 W

0

JAN-JAN THROUGH DEC



DISTRIBUTION LIST

NAVY

CINCLANTFLT (N37, N353A)
COMSECONDFLT
COMSIXTHFLT
COMNAVICE
COMSUBLANT
COMNAVAIRLANT
COMNAVSURFLANT
COMPATWINGSLANT
DIRNAVOCEANMET
FLENUMWEACEN
FLEWEACEN NORFOLK
FLEWEACEN ROTA
FLEWEAFAC
NAVWEASERVFAC JACKSONVILLE
NWSERD BERMUDA
NWSERD BRUNSWICK
NWSERD CECIL FIELD
NWSERD CHARLESTON
NWSERD GUANTANAMO BAY
NWSERD KEFLAVIK
NWSERD LONDON
NWSERD MAYPORT
NWSERD NAPLES
NWSERD PATUXENT RIVER
NWSERD ROOSEVELT ROADS
NWSERD SIGONELLA
NWSERD SOUDA BAY

PRIVATE & UNIVERSITIES

FLORIDA ST. UNIV.
LOUISIANA ST. UNIV.
MASS. INST. OF TECH.
ORE. ST. UNIV.
TEXAS A&M UNIV.
UNIV. OF MIAMI
UNIV. OF R.I.
UNIV. OF WASH.
SCRIPPS INST. OF OCEANOGRAPHY
WOODS HOLE OCEANOGRAPHIC INST.

OTHER GOVT.

NOAA/NODC
NOAA/NCC

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER NOO SP1400-NA7	2. GOVT ACCESSION NO. AD-A085439	3. RECIPIENT'S CATALOG NUMBER	
4. TITLE (and Subtitle) SURFACE CURRENTS EAST CENTRAL NORTH ATLANTIC OCEAN		5. TYPE OF REPORT & PERIOD COVERED Final	
6. AUTHOR(s) Naval Oceanographic Office NSTL Station, MS 39522		7. PERFORMING ORG. REPORT NUMBER	
8. CONTRACT OR GRANT NUMBER(s)			
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Oceanographic Office		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE April 1978	
		13. NUMBER OF PAGES 14	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report)	
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.			
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)			
18. SUPPLEMENTARY NOTES			
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Surface Currents East Central North Atlantic Ocean			
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This atlas, and the series of which it is a part, is computer generated and automatically plotted. It makes available to the user the most recent surface current data collected and will be updated whenever sufficient amounts of data are added to the data file. This and the other atlases are based on a vast quantity of data as compared to the previous manually-compiled editions printed in the mid-thirties.			

FORM 1473 1 JAN 73 EDITION OF 1 NOV 69 IS OBSOLETE S/N 0102-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

20. Cont.

The surface current information is based mainly on ship drift, which is the difference between the dead reckoning position and the position determined by any type of navigational fix. This difference describes the direction and speed of the current.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

MED
8