

AD-A085 441

NAVAL OCEANOGRAPHIC OFFICE NSTL STATION MS
SURFACE CURRENTS. GREENLAND SEA INCLUDING DENMARK STRAIT. (U)
JAN 78
N00-SP-1400-NA-1


F/G 2/3

UNCLASSIFIED

NL

1 of 1
2/2/80

END
DATE
FILMED
7-80
DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A


NAVAL OCEANOGRAPHIC OFFICE SPECIAL PUBLICATION 1400—NA 1

SURFACE CURRENTS

12 LEVEL II

GREENLAND SEA INCLUDING DENMARK STRAIT

147820



THIS DOCUMENT IS BEST QUALITY AVAILABLE
AND MAY CONTAIN ERRORS OR OMISSIONS
WHICH HAVE BEEN CORRECTED OR
REMOVED.

JANUARY 1973

DTIC
ELECTE
JUN 13 1980
B



ABSTRACT

This report was prepared in order to determine the
effect of the various factors which influence the
rate of the reaction between the various components
of the system. The results of the experiments are
presented in the following tables and figures.

The data show that the rate of the reaction is
directly proportional to the concentration of the
reactants and inversely proportional to the
concentration of the products.

DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

6 **SURFACE CURRENTS.**

GREENLAND SEA INCLUDING DENMARK ST



11 JAN ~~1978~~ 1978
REPRINTED 1980

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

NAVAL OCEANOGRAPHIC OFFICE
NSTL STATION, MISSISSIPPI 39522

14 | N00-SP-1400-NA-1

RFACE CURRENTS.

SEA INCLUDING DENMARK STRAIT .



13 | 25

11 | JAN ~~1978~~
REPRINTED 1980

9 | Final rept.

VED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

AVAL OCEANOGRAPHIC OFFICE
STL STATION, MISSISSIPPI 39522

250450² Fin

ACKNOWLEDGMENTS


Messrs. Raymond J. Beauchesne* and William E. Boisvert made major contributions to this atlas.

*Mr. Beauchesne presently is employed by the Bureau of Naval Personnel.

FOREWORD

THIS ATLAS, ONE IN A SERIES OF 43 REGIONAL SURFACE CURRENT ATLAS IS PRODUCED TO FULFILL A NEED OF NAVY PLANNING STAFFS AND THE SCIENTIFIC AND INDUSTRIAL COMMUNITIES FOR THE LATEST AVAILABLE OCEAN SURFACE CURRENT DATA. THESE ATLASES ADD TO THE WEALTH OF NAUTICAL INFORMATION UPON WHICH OPERATIONAL PLANNING, NAVIGATIONAL SAFETY, AND SHIPPING ECONOMY DEPEND. RAPID PRODUCTION AND WIDE DISSEMINATION OF THIS ATLAS ARE MADE POSSIBLE BY THE LATEST COMPUTER TECHNIQUES.

THE CONSTANT IMPROVEMENT IN THE QUALITY OF SURFACE CURRENT DATA RECEIVED OVER THE YEARS IS MADE POSSIBLE LARGELY BY THE MORE THOROUGH REPORTS OF VOLUNTARY OBSERVERS IN RECENT YEARS. THE DEFENSE MAPPING AGENCY, THE OCEANOGRAPHIC OFFICE, AND THE USER OF THE ATLASES RELY ON THE PERSONAL OBSERVATIONS OF THE MAN WHO HAS "BEEN THERE." MARINERS, IN REPORTING THEIR OBSERVATIONS, RENDER A SERVICE NOT ONLY TO THEMSELVES BUT ALSO TO ALL "WHO GO DOWN TO THE SEA IN SHIPS." WITH THE ADVENT OF NUCLEAR POWER, ELECTRONIC NAVIGATION AIDS, AND 300,000-TON SHIPS, UP-TO-DATE, RAPIDLY DISSEMINATED ENVIRONMENTAL AND NAVIGATIONAL INFORMATION HAS BECOME INCREASINGLY IMPORTANT.


JOHN R. McDOINNELL
Captain, U.S. Navy
Commander

FOREWORD

IN A SERIES OF 43 REGIONAL SURFACE CURRENT ATLASES,
ED OF NAVY PLANNING STAFFS AND THE SCIENTIFIC AND
THE LATEST AVAILABLE OCEAN SURFACE CURRENT DATA.
HEALTH OF NAUTICAL INFORMATION UPON WHICH OPERA-
NAL SAFETY, AND SHIPPING ECONOMY DEPEND. RAPID
INATION OF THIS ATLAS ARE MADE POSSIBLE BY THE

ROVEMENT IN THE QUALITY OF SURFACE CURRENT DATA
MADE POSSIBLE LARGELY BY THE MORE THOROUGH REPORTS
RECENT YEARS. THE DEFENSE MAPPING AGENCY, THE
THE USER OF THE ATLASES RELY ON THE PERSONAL OB-
HAS "BEEN THERE." MARINERS, IN REPORTING THEIR
VICE NOT ONLY TO THEMSELVES BUT ALSO TO ALL "WHO
S." WITH THE ADVENT OF NUCLEAR POWER, ELECTRONIC
000-TON SHIPS, UP-TO-DATE, RAPIDLY DISSEMINATED
ONAL INFORMATION HAS BECOME INCREASINGLY IMPORTANT.

John R. McDonnell
JOHN R. McDONNELL
Captain, U.S. Navy
Commander

ACCESSION for	
NTIS	White Section <input checked="" type="checkbox"/>
DDC	Buff Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION _____	
BY _____	
DISTRIBUTION/AVAILABILITY CODES	
Dist. AVAIL and/or SPECIAL	
A	22 30

②


SURFACE CURRENT ATLASES

THIS SERIES OF COMPUTERIZED ATLASES REPLACES THE OLD HYDROGRAPHIC OFFICE ATLASES OF SURFACE CURRENTS (HOP 566, 568, 569, 570) WHICH WERE MANUALLY COMPILED FROM DATA OBTAINED DURING THE PERIOD 1903 - 1934. THESE NEW ATLASES CONFORM TO THE STANDARD NAVY OCEAN AREA AND REGION INDEX LIMITS SHOWN BELOW: e.g., NOO SP 1402-NP 10 COVERS NORTH PACIFIC REGION 10 EAST OF THE PHILIPPINES.

AS AMOUNTS OF NEW DATA

THESE GRAPHICS MAP AREAS AS THE NORTH SEA. CURRENTS ARE STRONGLY TIDAL AND PREDICTABLE HOURLY CHANGES.

RECENT IMPROVEMENTS IN THE DATA FILE ASSURE THE INCLUSION OF THE LATEST, HIGH QUALITY SURFACE CURRENT DATA AVAILABLE. THE FILE NOW CONTAINS MORE THAN 4,200,000 OBSERVATIONS AND A GENERAL UPDATE OF THE FILE WILL BE MADE




CURRENT ATLASES

AS AMOUNTS OF NEW DATA WARRANT, MOST LIKELY EVERY 12 - 18 MONTHS.

THESE GRAPHICS MAY NOT BE TRULY REPRESENTATIVE OF THE ACTUAL FLOW IN SUCH AREAS AS THE NORTH SEA, PERSIAN GULF, GULF OF THAILAND, AND YELLOW SEA WHERE CURRENTS ARE STRONGLY TIDAL. FOR SUCH AREAS, OTHER SOURCES DESCRIBING PREDICTABLE HOURLY CHANGES OF TIDAL CURRENTS SHOULD BE CONSULTED.

INDEX



Introduction

The Surface Current Data File, from which these atlases are derived, consists primarily of over four million ship set and drift observations. These data were collected by the Netherlands, Japan, Britain, France, and the United States. The file is supplemented by several thousand Geomagnetic Electrokinetograph (GEM) observations, mostly Japanese. The file spans the period from the early 1850's to the present. The earliest observations were collected by the Netherlands and Great Britain; those of the 1960's through the present are primarily United States data.


General Quality

The quality of this data file is considered high for this type of derived value. The data have been carefully screened for duplication; observations taken under adverse conditions (i.e. high winds and waves, time between observations greater than 12 hours) have been eliminated when warranted. Consideration was given to the reliability of the observer; doubtful shipboard computations of set and drift were edited; and observations with erroneous locations (mostly observations on land) have been eliminated. The accepted data are considered most useful when used collectively as in summaries where a number of observations show trends.

General Observation Technique

The set (direction) and drift (speed) are computed by the navigator from the difference between the dead reckoning (DR) position and the position determined by any type of navigational fix. The drift can be determined along any straight line track and includes all factors which cause changes in the DR position. When a fix is obtained, the current set (direction) is FROM the DR position TO the fix; the drift (speed) is equal to the distance in nautical miles between the DR and the fix, divided by the number of hours since the last fix. For successive observations, the TO POSITION of one observation becomes the FROM POSITION of the next observation.


Because the influence of current may vary along a ship's track, the MEAN POSITION of the track is assigned as the geographic location of the current observation. An example of a current computation is shown in the figure below.




EXAMPLE OF A SURFACE CURRENT (SHIP'S DRIFT) OBSERVATION

Data Presentation


The following legend shows two types of surface current presentations by 1° quadrangle, type 1 with 12 or more observations and type 2 with fewer than 12 observations. Where there are 11 or fewer observations within a 1° quadrangle, the total number of observations is shown within the 90° quadrant containing the observations.




If there are 12 or more observations in by vector resultants as follows:






- (1) Persistent Current - 60 percent or more of all observations fall within a 45° sector of the 8-point compass.
- (2) Prevailing Current - all observations in 45° sectors.





- (4) Bizonal Flow - Practically all observations are concentrated in opposite pairs of 45° sectors, and one pair contains at least 80 percent as many observations as the opposite pair. This generally indicates variability that occurs in zones of entrainment between opposing currents (see examples A and B, quadrangles 1, 2, and 3).




If there are 12 or more observations in a 1° quadrangle, the surface current is depicted by vector resultants as follows:



- (1) **Persistent Current** - 60 percent or more of all observations fall within a 45° sector of the 8-point compass.
- (2) **Prevailing Current** - 70 percent or more of all observations fall within two adjacent 45° sectors.
- (3) **Primary Current with Secondary Direction** -
 - (a) **Primary Current** - 50 percent or more of all observations fall within three adjacent 45° sectors.
 - (b) **Secondary Direction** - 20 percent or more of all observations fall within a 45° sector, and the two resultant vector directions are separated by more than 90° of arc.



- (4) **Bizonal Flow** - Practically all observations are concentrated in opposite pairs of 45° sectors, and one pair contains at least 80 percent as many observations as the opposite pair. This generally indicates variability that occurs in zones of entrainment between opposing currents (see examples A and B, quadrangles 1, 2, and 3).
- (5) **Variable Current** - The 45° sector with most observations has less than 25 percent of all observations; direction is indeterminate.



Q

arily
by the
hted
nese.
erva-
rough


The
se
(hours)
d ob-
nated.
es

erence
of
includes
current
the
hours
tion

N of
example

triangle,
where
observa-

... (0.5) ...
... (0.6) ...
... (0.8) ...
... (1.0) ...
... (1.2) ...
... (1.4) ...
... (1.6) ...
... (1.8) ...
... (2.0) ...



20 W

15 W

10 W

5 W

0

74 N

70 N

65 N

64 N

20 W

15 W


10 W


5 W

0

WINTER-JAN, FEB, MAR

2





25 W

20 W

15 W

10 W

5 W

0

74 N

70 N

65 N

64 N

25 W

20 W

15 W


10 W

5 W

0

SPRING-APR, MAY, JUN

Q




40 W 35 W 30 W 25 W 20 W 15 W

74 N

70 N


65 N

64 N




40 W 35 W 30 W 25 W 20 W 15 W

SUMMER-JUL, AUG, SEP



Q



AUTUMN-OCT, NOV, DEC

25 W

20 W

15 W

10 W

5 W

0

74 N

70 N

65 N

64 N

25 W

20 W

15 W


10 W


5 W

0

AUTUMN-OCT, NOV, DEC

Q





20 W

15 W

10 W

5 W

0

74 N



70 N

65 N

64 N

20 W

15 W

10 W

5 W

0

UAL-JAN THROUGH DEC

2

DISTRIBUTION LIST

NAVY

CINCPACFLT (02M)
COMTHIRDFLT
COMSEVENTHFLT
COMSUBPAC
COMNAVAIRPAC
COMPATWINGSPAC
PATWINGSPAC DET ADAK
PATWING 1
COMNAVSURFPAC
DIRNAVOCEANMET
FLENUMEACEN
FLEWEACEN GUAM
FLEWEACEN PEARL
NAVWEASERVFAC SAN DIEGO
NAVWEASERVFAC YOKOSUKA
NWS D ASHEVILLE
NWS D ADAK
NWS D AGANA
NWS D ATSUGI
NWS D KADENA
NWS D MISAWA

OTHER GOVT.

NOAA/NODC
NOAA/NCC

PRIVATE & UNIVERSITIES

FLORIDA ST. UNIV.
LOUISIANA ST. UNIV.
MASS. INST. OF TECH
ORE. ST. UNIV.
TEXAS A&M UNIV.
UNIV. OF MIAMI
UNIV. OF R.I.
UNIV. OF WASH.
SCRIPPS INST OF OCEANOGRAPHY
WOODS HOLE OCEANOGRAPHIC INST.

FOREIGN

HYDROGRAPHER/R.A.N.
DEPT. TRANSPORTATION/AUSTRALIA

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER NOO SP1400 - NAI	2. GOVT ACCESSION NO. AID-A085441	3. RECIPIENT'S CATALOG NUMBER	
4. TITLE (and Subtitle) SURFACE CURRENTS GREENLAND SEA INCLUDING DENMARK STRAIT		5. TYPE OF REPORT & PERIOD COVERED Final	
6. AUTHOR(s) Naval Oceanographic Office NSTL Station Bay St. Louis, MS 39522		7. PERFORMING ORG. REPORT NUMBER	
8. CONTRACT OR GRANT NUMBER(s)		9. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
10. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Oceanographic Office		11. REPORT DATE January 1978	
12. CONTROLLING OFFICE NAME AND ADDRESS		13. NUMBER OF PAGES 14	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report)	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		17. DECLASSIFICATION/DOWNGRADING SCHEDULE	
18. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)			
19. SUPPLEMENTARY NOTES			
20. KEY WORDS (Continue on reverse side if necessary and identify by block number) Surface Currents Greenland Sea Denmark Strait			
21. ABSTRACT (Continue on reverse side if necessary and identify by block number) This atlas, and the series of which it is a part, is computer generated and automatically plotted. It makes available to user the most recent surface current data collected and will be updated whenever sufficient amounts of data are added to the data file. This and the other atlases are based on a vast quantity of data as compared to the previous manually-compiled editions printed in the mid-thirties.			

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

20. Continued

The surface current information is based mainly on ship drift, which is the difference between the dead reckoning position and the position determined by any type of navigational fix. This difference describes the direction and speed of the current.

ATE
LMED
-8