

AD-A087 453

ARMY ELECTRONICS RESEARCH AND DEVELOPMENT COMMAND WS--ETC F/G 4/2
197058 MLRS, MISSILE NUMBERS 199, 169, 168, ROUND NUMBERS B-77,--ETC(U)
JAN 80


UNCLASSIFIED

ERADCOM/ASL-DR-1121

NL

101
54

END
DATE
FILMED
9--80
DTIC



8 4 202

DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

UNCLASSIFIED

14 ERADCOM / ASL-DR-1121


SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER DR 1121	2. GOVT ACCESSION NO. AD-A087453	3. RECIPIENT'S CATALOG NUMBER
6 4. TITLE (and Subtitle) 19705B MLRS, Missile Numbers 199, 169, 168, Round Numbers B-77, B-78, B-79, 29 Jan 1980.	5. TYPE OF REPORT & PERIOD COVERED	
	6. PERFORMING ORG. REPORT NUMBER	
9 White Sands Meteorological data rept.	8. CONTRACT OR GRANT NUMBER(s) 16 DA Task 1F665702D127-02 1702	
	9. PERFORMING ORGANIZATION NAME AND ADDRESS	
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Research & Development Cmd. Atmospheric Sciences Laboratory White Sands Missile Range, NM 88002		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 11 12 15
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Electronics Research & Development Cmd Adelphi, MD 20783		12. REPORT DATE JANUARY 1980
		13. NUMBER OF PAGES 14
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
16. DISTRIBUTION STATEMENT (of this Report) DISTRIBUTION STATEMENT A Approved for public release; Distribution Unlimited		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) Approved for public release; distribution unlimited.		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Meteorological data gathered for the launching of 19705B MLRS, Missile Numbers 199, 169, 168, Round Numbers B-77, B-78, B-79 are presented in tabular form.		

410663

CONTENTS

INTRODUCTION -----	1
DISCUSSION -----	1
MAP -----	2
TABLES:	
1. Surface Observation taken at 1015 MST at Snake -----	3
2. Snake Pilot-Balloon-Measured Wind Data at 1012 MST -----	4
3. Denver Pilot-Balloon-Measured Wind Data at 1013 MST -----	5
4. Jal Significant Level Data at 0945 MST -----	6
5. Jal Upper Air Data at 0945 MST -----	7
6. Jal Mandatory Levels at 0945 MST -----	10

Accession For	
NTIS GRA&I DDC TAB Unannounced Justification	
By _____	
Distribution/	
Availability Codes	
Dist.	Avail and/or special
A	23 2

INTRODUCTION

19705B MLRS, Missile Numbers 199, 169 and 168, Round Numbers B-77, B-78 and B-79 were launched from Snake, White Sands Missile Range (WSMR), New Mexico, at 1013, 1013:04 and 1013:08 MST on 29 January 1980. The scheduled launch times were 1000, 1000:04 and 1000:08 MST.

DISCUSSION

Meteorological data were recorded and reduced by the White Sands Meteorological Team, Atmospheric Sciences Laboratory (ASL), White Sands Missile Range, New Mexico. The data were obtained by the following methods:

1. Observations

a. Surface

(1) Standard surface observations to include pressure, temperature ($^{\circ}\text{C}$), relative humidity, dew point ($^{\circ}\text{C}$), density (gm/m^3), wind direction and speed, and cloud cover were made at the Snake Met Site at T-0 minutes.

(2) Monitor of wind speed and direction from one anemometer was provided in the launch control room.

b. Upper Air

(1) Low level wind data were obtained from RAPTS T-9 pibal observation at:

SITE AND ALTITUDE

Snake	1150 meters
Denver	2 km

(2) Air structure data (rawinsonde) were collected at the following Met Sites. Data were collected from surface to 53,000 feet in 500-foot increments.

SITE AND TIME

Jallen 0945 MST




TABLE 1. Surface Observations taken at 1013 MST, 29 January 1980, at Snake, 19705B MLRS, Missile Numbers 199, 169 and 168, Round Numbers B-77, B-78 and B-79.

ELEVATION	Unknown	FT/MSL
PRESSURE	861.5	MBS
TEMPERATURE	13.0	°C
RELATIVE HUMIDITY	57.0	%
DEW POINT	4.6	°C
DENSITY	1043	GM/M ³
WIND SPEED	08	KTS
WIND DIRECTION	200	DEGREES
CLOUD COVER	2	Ac
CLOUD COVER	4	C1

STATION ALTITUDE 4051.00 FEET MSL
 29 JAN. 80 0945 HRS MST
 ASCENSION NO. 21

SIGNIFICANT LEVEL DATA
 0290030027
 JALLEN
 TABLE 4

GEODEIC COORDINATES
 33.16712 LAT DEG
 106.49511 LONG DEG

PRESSURE GEOMETRIC		TEMPERATURE		REL. HUM.
MILLIBARS	ALTITUDE MSL FEET	AIR DEGREES	DEWPOINT CENTIGRADE	PERCENT
875.0	4051.0	11.0	3.3	59.0
864.8	4371.0	8.5	.7	58.0
850.0	4840.5	9.1	1.0	57.0
736.7	8671.6	-0.1	-4.2	74.0
727.7	8096.7	2.1	-2.2	73.0
700.0	10023.1	-0.1	-4.5	72.0
658.6	11617.9	-3.6	-6.1	64.0
641.4	12305.6	-3.6	-9.6	63.0
590.2	14447.5	-8.6	-14.3	63.0
564.8	15560.2	-10.0	-19.0	45.0
530.3	17153.8	-13.5	-25.0	37.0
500.0	18614.4	-17.6	-24.1	74.0
486.2	19302.4	-18.6	-23.5	65.0
449.2	21227.4	-23.1	-24.6	66.0
411.7	23307.0	-28.3	-28.6	97.0
406.8	23589.4	-28.6	-29.0	96.0
400.0	23986.0	-29.7	-33.1	72.0
393.2	24387.8	-30.3	-30.5	54.0
358.2	26542.5	-36.5	-37.5	50.0
347.2	27252.4	-37.6	-41.1	69.0
334.8	28073.4	-40.4	-44.8	62.0
314.8	29447.6	-43.1	-49.3	50.0
300.0	30510.5	-45.4		
250.0	34428.9	-55.2		
238.4	35424.1	-56.8		
236.9	35556.2	-55.4		
223.4	36785.1	-56.7		
213.6	37724.4	-55.6		
207.5	38336.3	-52.9		
200.0	39119.0	-52.8		
189.2	40303.5	-51.3		
165.0	43199.2	-56.6		
150.0	45183.2	-58.5		
132.9	47669.9	-62.3		
111.9	51180.4	-61.4		
100.2	53414.4	-66.2		

UPPER AIR DATA
 02900300z7
 JALLEN
 TABLE 5

STATION ALTITUDE 4091.00 FEET MSL
 29 JAN. 80
 0945 HRS MST
 ASCENSION NO. 21

GEODETIC COORDINATES
 33.16712 LAT DEG
 106.49511 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARMS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
		AIR DEGREES	DEWPOINT VENTIGRADE				DIRECTION DEGREES(TN)	SPEED KNOTS	
4091.0	875.0	11.0	3.3	59.0	1069.1	657.8	180.0	9.9	1.000275
4500.0	860.7	8.7	.8	57.7	1060.9	654.9	186.8	11.5	1.000267
5000.0	845.0	8.7	.9	57.7	1041.3	655.0	196.0	13.4	1.000263
5500.0	829.5	7.5	.2	58.9	1025.4	653.6	201.3	15.6	1.000259
6000.0	814.0	6.3	-.4	62.1	1011.9	652.2	207.8	17.3	1.000254
6500.0	798.9	5.1	-1.0	64.4	997.5	650.7	210.3	18.6	1.000250
7000.0	784.1	3.9	-1.7	65.6	983.4	649.3	223.0	20.5	1.000246
7500.0	769.6	2.7	-2.4	65.8	969.5	647.9	228.1	22.7	1.000241
8000.0	755.4	1.5	-3.2	71.0	955.8	646.4	232.5	25.6	1.000237
8500.0	741.4	.9	-3.9	73.2	942.3	645.0	235.9	28.8	1.000233
9000.0	727.6	2.1	-2.2	73.0	918.4	647.2	238.5	32.0	1.000231
9500.0	714.0	1.0	-3.4	72.5	904.9	645.9	240.2	35.0	1.000226
10000.0	700.6	-.1	-4.5	72.0	891.6	644.6	241.5	37.6	1.000221
10500.0	687.4	-1.2	-5.0	75.6	872.5	643.2	242.1	38.1	1.000217
11000.0	674.3	-2.4	-5.4	79.1	865.6	641.8	243.1	38.8	1.000214
11500.0	661.6	-3.5	-6.0	83.3	852.9	640.4	240.2	40.5	1.000210
12000.0	649.0	-3.7	-7.9	72.3	837.4	640.1	248.3	42.8	1.000204
12500.0	636.6	-4.1	-10.0	63.0	822.7	639.6	249.3	45.8	1.000198
13000.0	624.3	-5.2	-11.1	63.0	818.5	638.2	249.3	46.6	1.000194
13500.0	612.3	-6.4	-12.2	63.8	796.5	636.8	249.3	46.5	1.000191
14000.0	600.5	-7.6	-13.4	63.0	780.6	635.3	250.7	46.1	1.000187
14500.0	589.0	-8.7	-14.6	62.2	774.8	634.0	252.1	45.3	1.000183
15000.0	577.5	-9.3	-16.4	54.1	761.7	633.2	253.5	43.5	1.000179
15500.0	566.3	-9.9	-19.3	46.1	748.7	632.3	253.6	41.9	1.000174
16000.0	555.2	-11.0	-21.1	42.8	737.0	631.1	252.1	40.5	1.000170
16500.0	544.2	-12.1	-22.8	40.3	725.7	629.7	251.9	40.3	1.000167
17000.0	533.5	-13.2	-24.5	37.8	714.5	628.3	252.3	40.6	1.000164
17500.0	523.0	-14.5	-23.5	45.8	703.8	626.8	250.4	41.0	1.000162
18000.0	512.5	-15.9	-22.1	58.4	693.5	625.1	250.0	41.5	1.000160
18500.0	502.3	-17.3	-21.2	71.1	683.3	623.4	251.9	42.0	1.000159
19000.0	492.2	-18.2	-22.4	69.0	671.9	622.3	253.5	42.7	1.000156
19500.0	482.3	-19.1	-23.6	67.2	660.7	621.2	254.7	43.7	1.000152
20000.0	472.5	-20.2	-23.8	72.6	650.3	619.8	255.5	44.7	1.000150
20500.0	462.8	-21.4	-24.2	78.1	640.0	618.3	255.4	45.9	1.000148
21000.0	453.4	-22.6	-24.6	83.5	629.9	616.9	253.5	47.0	1.000145
21500.0	444.1	-23.8	-25.3	87.4	620.0	615.4	254.3	47.3	1.000143
22000.0	434.9	-25.0	-26.2	90.1	610.2	613.8	253.4	47.6	1.000140
22500.0	425.9	-26.3	-27.1	92.7	600.6	612.3	252.6	48.2	1.000138
23000.0	417.0	-27.5	-28.0	95.4	591.2	610.7	251.6	48.8	1.000135
23500.0	408.3	-28.5	-28.9	96.3	581.2	609.5	250.4	49.0	1.000133

UPPER AIR DATA
 0290030027
 JALLEN
 TABLE 5 (CONT)

STATION ALTITUDE 4051.00 FEET MSL
 29 JUNE 80
 ASCENDING, NO. 27

GEODETIC COORDINATES
 33-16712 LAT DEG
 106-49511 LONG DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CELSIUS	DEWPOINT DEGREES CELSIUS	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
							DIRECTION DEGREES(TN)	SPEED KNOTS	
24000.0	399.8	-29.7	-33.2	71.4	571.9	607.9	259.0	49.1	1.000130
24500.0	391.5	-30.6	-36.5	55.9	561.9	605.6	257.9	49.3	1.000127
25000.0	382.9	-32.1	-36.5	64.2	553.2	605.0	257.0	49.5	1.000125
25500.0	374.7	-33.5	-36.7	72.6	544.6	603.2	257.0	49.3	1.000123
26000.0	366.7	-34.9	-37.0	80.9	536.1	601.4	257.2	48.9	1.000121
26500.0	358.9	-36.4	-37.5	89.3	527.9	599.5	258.1	48.6	1.000119
27000.0	351.1	-37.2	-39.8	76.5	519.2	598.5	259.3	48.5	1.000117
27500.0	343.4	-38.4	-42.3	66.9	509.6	596.9	260.5	50.0	1.000115
28000.0	335.9	-40.1	-44.5	62.6	502.1	594.7	260.7	51.8	1.000113
28500.0	328.5	-41.2	-46.2	58.3	493.3	593.3	259.3	54.0	1.000111
29000.0	321.2	-42.2	-47.8	53.9	484.5	592.0	257.1	56.3	1.000109
29500.0	314.1	-43.2	-49.3	47.5**	475.8	590.8	254.6	58.7	1.000106
30000.0	307.0	-44.3	-51.4	24.0**	467.3	589.4	253.4	59.1	1.000104
30500.0	300.1	-45.4	-53.6	.5**	459.0	588.0	252.4	58.9	1.000102
31000.0	293.2	-46.6			451.0	586.3	251.9	57.6	1.000100
31500.0	286.5	-47.9			443.0	584.7	252.2	57.0	1.000099
32000.0	279.9	-49.1			435.3	583.1	252.9	56.7	1.000097
32500.0	273.5	-50.4			427.6	581.5	253.7	57.0	1.000095
33000.0	267.2	-51.6			420.2	579.8	253.9	56.8	1.000094
33500.0	261.0	-52.9			412.8	578.2	253.6	56.4	1.000092
34000.0	255.0	-54.1			405.6	576.6	252.6	56.6	1.000090
34500.0	249.2	-55.3			398.4	575.0	251.1	57.5	1.000089
35000.0	243.5	-56.1			391.5	573.9	249.4	59.7	1.000087
35500.0	237.5	-56.8			384.1	574.1	247.5	63.4	1.000085
36000.0	231.9	-55.9			376.5	574.3	246.0	67.9	1.000083
36500.0	226.5	-56.4			369.0	573.6	244.8	74.1	1.000081
37000.0	221.1	-56.4			361.5	573.5	244.1	80.8	1.000079
37500.0	215.9	-55.9			354.1	574.3	244.3	88.8	1.000077
38000.0	210.8	-54.9			346.6	576.2	244.8	95.7	1.000075
38500.0	205.9	-52.9			339.0	576.2	246.0	100.9	1.000073
39000.0	201.1	-52.8			331.5	576.3	247.1	105.1	1.000071
39500.0	196.5	-52.3			324.0	576.3	248.2	108.0	1.000069
40000.0	191.9	-51.7			316.9	579.8	248.9	112.5	1.000067
40500.0	187.5	-51.7			294.8	579.8	249.2	118.7	1.000066
41000.0	183.1	-52.6			289.1	578.6	249.4	125.6	1.000064
41500.0	178.6	-53.5			283.6	577.4	249.5	133.7	1.000063
42000.0	174.6	-54.4			278.1	576.2	249.6	139.3	1.000062
42500.0	170.5	-55.3			272.7	575.0	249.6	137.9	1.000061
43000.0	166.5	-56.2			267.5	573.8	250.0	136.4	1.000060
43500.0	162.6	-56.9			262.0	572.9	250.1	133.3	1.000059

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

STATION ALTITUDE 4051.00 FEET MSL
 29 JAN. 60 0945 HRS MS
 ASCENSION NO. 27

UPPER AIR DATA
 0290030027
 JALLEN
 TABLE 5 (cont)

GEODETIC COORDINATES
 33.16712 LAT DEG
 106.49511 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CM ³ METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
		AIR DEGREES CENTIGRADE	DEWPOINT CENTIGRADE				DIRECTION DEGREES(TN)	SPEED KNOTS	
44000.0	158.8	-57.4		256.3	572.3	250.3	130.1	1.000057	
44500.0	155.0	-57.8		250.8	571.6	250.6	128.7	1.000056	
45000.0	151.3	-58.3		245.4	571.0	250.9	127.9	1.000055	
45500.0	147.7	-59.0		240.3	570.1	251.2	127.2	1.000054	
46000.0	144.2	-59.7		235.3	569.1	251.6	120.6	1.000052	
46500.0	140.7	-60.5		230.5	568.1	252.0	112.5	1.000051	
47000.0	137.3	-61.3		225.8	567.1	253.5	104.4	1.000050	
47500.0	134.0	-62.0		221.1	566.0	254.7	95.5	1.000049	
48000.0	130.8	-62.2		216.0	565.8	256.2	86.5	1.000048	
48500.0	127.6	-62.1		210.6	566.0	256.1	91.8	1.000047	
49000.0	124.5	-62.0		205.4	566.2	256.0	97.6	1.000046	
49500.0	121.5	-61.8		200.3	566.3	256.1	104.7	1.000045	
50000.0	118.6	-61.7		195.3	566.5	256.3	111.4	1.000043	
50500.0	115.7	-61.6		190.5	566.7	257.3	104.2	1.000042	
51000.0	112.9	-61.4		185.8	566.8	258.6	97.0	1.000041	
51500.0	110.1	-62.1		181.8	566.0	259.2	86.7	1.000040	
52000.0	107.3	-63.2		178.3	564.5	260.0	76.4	1.000040	
52500.0	104.8	-64.2		174.8	563.1			1.000039	
53000.0	102.3	-65.3		171.4	561.6			1.000038	

STATION ALTITUDE 4051.00 FEET MSL
 29 JAN. 60 0945 HRS MST
 ASCENSION NO. 2/

MANDATORY LEVELS
 0290030027
 JALLEN
 TABLE 6

GEODETIC COORDINATES
 53.16712 LAT DEG
 106.49511 LONG DEG

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUMID. PERCENT	WIND DATA	
MILLIBARS	FEET	AIR DEGREES CENTIGRADE	DEWPOINT CENTIGRADE		DIRECTION DEGREES(TN)	SPEED KNOTS
850.0	4837.	9.1	1.0	57.	193.9	12.8
800.0	6475.	5.2	-1.0	64.	216.0	18.5
750.0	8193.	1.1	-3.4	72.	233.9	26.9
700.0	10014.	-1.1	-4.5	72.	241.5	37.6
650.0	11047.	-3.7	-7.7	74.	240.2	42.6
600.0	14011.	-7.6	-13.4	63.	250.7	46.1
550.0	16218.	-11.5	-21.9	42.	251.8	40.2
500.0	18570.	-17.6	-21.1	74.	262.3	42.1
450.0	21154.	-23.0	-24.7	86.	265.0	47.1
400.0	23943.	-29.7	-33.1	72.	259.0	49.1
350.0	27023.	-37.3	-40.2	74.	259.4	48.7
300.0	30453.	-45.4			252.4	58.9
250.0	34357.	-52.2			251.4	57.3
200.0	39029.	-52.8			247.3	105.7
175.0	41850.	-54.3			249.0	139.5
150.0	45066.	-54.5			251.0	127.7
125.0	48793.	-62.0			256.1	96.4

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

9 F