


D ERA

ADA 087459



DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER DR 1129	2. GOVT ACCESSION NO. AD-A087459	3. RECIPIENT'S CATALOG NUMBER
4. TITLE & Subtitle 19703B MLRS, Missile Numbers 39, 38, 36, Round Numbers B-85, B-86, B-87, 12 February 1980.		5. TYPE OF REPORT & PERIOD COVERED
6. AUTHOR(s)		6. PERFORMING ORG. REPORT NUMBER
7. PERFORMING ORGANIZATION NAME AND ADDRESS White Sands Meteorological Team		8. CONTRACT OR GRANT NUMBER(s) DA Task 1E665702D127 02
9. PERFORMING ORGANIZATION NAME AND ADDRESS (14) ERADCOM/ASL-DR-1129		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS (12) 29
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Research & Development Cmd Atmospheric Sciences Laboratory White Sands Missile Range, NM 88002		12. REPORT DATE FEBRUARY 1980
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Electronics Research & Development Cmd Adelphi, MD 20783		13. NUMBER OF PAGES 28
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
16. DISTRIBUTION STATEMENT (of this Report) DISTRIBUTION STATEMENT A Approved for public release; Distribution Unlimited		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) Approved for public release; distribution unlimited.		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Meteorological data gathered for the launching of the 19703B MLRS. Missile Numbers 39, 38 and 36, Round Numbers B-85, B-86 and B-87 are presented in tabular form.		

410663

LB

CONTENTS

PAGE

INTRODUCTION----- 1

DISCUSSION----- 1

MAP----- 2

TABLIS

1. Surface Observation Taken at "C" Station----- 3
2. LC-39 Pilot Balloon Measured Wind Data at 1300 MST----- 4
3. SMR Pilot Balloon Measured Wind Data at 1327 MST----- 5
4. LC-39 Pilot Balloon Measured Wind Data at 1400 MST----- 6
5. SMR Pilot Balloon Measured Wind Data at 1417 MST----- 7
6. LC-39 Pilot Balloon Measured Wind Data at 1500 MST----- 8
7. SMR Pilot Balloon Measured Wind Data at 1503 MST----- 9
8. LC-37 Significant Level Data at 1321 MST----- 10
9. LC-37 Upper Air Data at 1321 MST----- 11
10. LC-37 Mandatory Levels at 1321 MST----- 14
11. WSD Significant Level Data at 1330 MST----- 15
12. WSD Upper Air Data at 1330 MST----- 16
13. WSD Mandatory Levels at 1330 MST----- 19
14. LC-37 Significant Level Data at 1500 MST----- 20
15. LC-37 Upper Air Data at 1500 MST----- 21
16. LC-37 Mandatory Levels at 1500 MST----- 24

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DDC TAB	<input type="checkbox"/>
Unannounced Justification	<input type="checkbox"/>
By _____	
Distribution/	
Availability Codes	
Dist.	Avail and/or special
A	23 Q

INTRODUCTION

197038 MLRS, Missile Numbers 39, 38, 36, Round Numbers B-85, B-86
B-87, were launched from LC-39, White Sands Missile Range (WSMR),
New Mexico, at 1322:22, 1410:01, 1457:01 MST, 12 February 1980.

DISCUSSION

Meteorological data were recorded and reduced by the White Sands Meteorological Team, Atmospheric Sciences Laboratory (ASL), White Sands Missile Range, New Mexico. The data were obtained by the following methods:

1. Observations

a. Surface

(1) Standard surface observations to include pressure, temperature ($^{\circ}$ F), relative humidity, dew point ($^{\circ}$ F), wind direction and speed, and cloud cover were made at the "C" Station Met Site.

(2) Monitor of wind speed and direction from one anemometer was provided in the launch control room.

b. Upper Air

(1) Low level wind data were obtained from RAPTS T-9 pibal observation at:


SITE AND ALTITUDE

LC-39 2km
SMR 2km

(2) Air structure data (rawinsonde) were collected at the following Met Sites.

SITE AND TIME

LC-37 1321 MST
WSD 1330 MST
LC-37 1500 MST



"C" STATION (Surface Observations)

TABLE 1.

SURFACE OBSERVATIONS OBTAINED FROM "C" STATION ON 12 February 1980

TIME MST	SKY CONDITIONS	PLIG VSBY	WEATHER OBSERVED TO VISUAL	TA IN. HG	TEMP F	TEMP C	WIND DIR	WIND SPEED
0058	CLR	20		25.975	28	23	160	02
0158	CLR	20		25.980	26	24	120	06
0258	CLR	20		25.970	26	20	300	06
0358	CLR	20		25.975	24	15	120	05
0458	CLR	20		25.975	26	18	220	03
0558	CLR	20		25.975	27	21	280	02
0658	250-SCT	30		25.990	25	18	130	02
0758	250-SCT	40		26.015	27	21	360	04
0858	250-BKN	40		26.030	34	27	360	02
0958	250-BKN	40		26.030	42	30	030	02
1058	E250-BKN	40		26.020	47	32	E270	03
1158	E250-BKN	40		25.990	53	35	180	11
1258	60SCTE250-BKN	40		25.945	58	30	200	11
1358	60SCTE250-BKN	40		25.925	54	29	220	11
1458	60SCTE250 BKN	40		25.910	58	31	210	08
1558	60SCTE250-BKN	40		25.900	58	31	310	08
1658	60SCTE250-BKN	40		25.895	56	29	230	10
1758	60SCTE250-BKN	40		25.900	51	30	220	08
1858	250SCT	10		25.915	46	29	230	05
1958	CLR	10		25.930	42	30	170	04
2058	CLR	10		25.945	40	30	150	04
2158	CLR	10		25.955	38	29	090	02
2258	CLR	10		25.950	38	31	E100	06
2358	CLR	20		25.940	35	31	200	07

STATION ALTITUDE 4047.27 FEET MSL
 12 FEB. 68 1321 HRS MST
 ASCENSION NO. 2

SIGNIFICANT LEVEL DATA
 0430180002
 LC-37
 TABLE 8

GEODETIC COORDINATES
 32.41141 LAT DEG
 106.30852 LON DEG

PRESSURE GEOMETRIC ALTITUDE MILLIBARS MSL FEET	TEMPERATURE AIR DEWPOINT DEGREES CENTIGRADE	REL. HUM. PERCENT
876.8	13.4	35.0
869.8	11.0	34.0
850.0	8.4	38.0
780.4	1.6	52.0
704.4	-6.3	77.0
700.0	-6.3	56.0
689.7	-6.3	33.0
686.0	-4.0	16.0
680.5	-3.4	16.0
605.2	-8.6	21.0
500.0	-20.1	22.0
400.0	-32.4	23.0
376.8	-36.0	24.0
300.0	-48.1	
269.4	-54.3	
250.0	-55.1	
241.6	-56.4	
231.0	-55.2	
215.4	-50.9	
200.0	-50.6	
173.2	-49.3	
150.0	-53.4	
136.4	-57.4	
125.2	-60.5	
107.8	-63.9	
100.0	-64.1	

STATION ALTITUDE 4047.27 FEET MSL
 12 FEB. 68
 ASCENSION NO. 2

UPPER AIR DATA
 0430160002
 LC-37

GEODETIC COORDINATES
 32.41141 LAT DEG
 106.30852 LON DEG

TABLE 9

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DIRECTION DEGREES (TN)	WIND SPEED KNOTS	INDEX OF REFRACTION
		AIR DEGREES	WETPOINT CENTIGRADE						
4047.3	676.8	13.4	-1.7	35.0	1063.5	660.2	210.0	4.1	1.000202
4500.0	662.4	10.0	-4.5	35.5	1058.9	656.2	212.4	4.4	1.000257
5000.0	646.7	8.1	-5.1	38.6	1046.8	653.9	214.7	4.7	1.000253
5500.0	631.0	6.6	-5.5	41.7	1032.9	652.2	216.7	5.0	1.000250
6000.0	615.7	5.1	-5.9	44.8	1019.3	650.5	222.4	5.0	1.000246
6500.0	600.6	3.6	-6.4	47.8	1005.9	648.7	229.5	5.1	1.000243
7000.0	585.6	2.2	-6.9	50.9	992.6	647.0	236.4	5.9	1.000239
7500.0	571.1	.7	-7.3	54.9	979.3	645.2	238.6	6.6	1.000236
8000.0	556.4	-.8	-7.7	59.6	965.9	643.5	239.6	7.5	1.000233
8500.0	542.1	-2.3	-8.1	64.3	952.8	641.7	240.1	8.5	1.000229
9000.0	528.0	-3.8	-8.6	69.0	939.9	639.9	242.5	9.5	1.000226
9500.0	514.2	-5.2	-9.2	73.6	927.1	638.2	245.2	10.3	1.000223
10000.0	500.6	-6.3	-13.0	58.7	913.5	636.8	249.1	10.8	1.000215
10500.0	487.1	-4.7	-23.6	21.0	891.1	630.5	252.3	10.5	1.000203
11000.0	473.9	-3.8	-25.6	16.4	871.3	639.5	255.0	9.4	1.000198
11500.0	460.9	-4.7	-25.8	17.2	857.3	638.4	254.8	8.3	1.000195
12000.0	448.2	-5.6	-26.0	18.1	843.5	637.4	250.7	7.4	1.000192
12500.0	435.7	-6.4	-26.2	18.9	830.0	636.4	244.6	6.9	1.000189
13000.0	423.5	-7.3	-26.5	19.7	816.6	635.4	237.1	6.9	1.000186
13500.0	411.5	-8.1	-26.8	20.6	803.5	634.3	232.2	6.7	1.000183
14000.0	399.6	-9.2	-27.4	21.0	790.9	633.1	232.2	6.3	1.000180
14500.0	387.7	-10.4	-28.3	21.2	778.8	631.6	244.6	6.2	1.000177
15000.0	376.0	-11.6	-29.3	21.3	766.8	630.2	201.1	6.8	1.000174
15500.0	364.5	-12.8	-30.3	21.4	755.1	628.7	272.1	9.0	1.000171
16000.0	353.3	-14.0	-31.3	21.5	743.6	627.2	278.1	11.7	1.000168
16500.0	342.3	-15.2	-32.2	21.6	732.3	625.8	275.9	14.0	1.000165
17000.0	331.6	-16.4	-33.2	21.7	721.1	624.3	273.5	16.3	1.000163
17500.0	321.0	-17.6	-34.2	21.8	710.1	622.8	270.4	17.3	1.000160
18000.0	310.7	-18.8	-35.2	21.9	699.4	621.3	267.4	18.2	1.000158
18500.0	300.5	-20.0	-36.2	22.0	688.8	619.9	265.5	19.4	1.000155
19000.0	290.2	-21.2	-37.1	22.1	677.6	618.4	263.9	20.6	1.000152
19500.0	280.0	-22.4	-38.1	22.2	666.6	617.0	262.2	22.6	1.000150
20000.0	270.0	-23.5	-39.0	22.3	655.7	615.6	260.7	24.6	1.000147
20500.0	260.2	-24.7	-40.0	22.4	645.1	614.1	261.5	25.3	1.000145
21000.0	250.6	-25.8	-41.0	22.5	634.7	612.7	262.4	25.8	1.000142
21500.0	241.3	-27.0	-41.9	22.6	624.4	611.3	264.2	25.6	1.000140
22000.0	232.1	-28.1	-42.9	22.7	614.3	609.8	266.1	25.2	1.000138
22500.0	223.1	-29.3	-43.8	22.7	604.4	608.4	267.1	25.7	1.000135
23000.0	214.3	-30.5	-44.8	22.8	594.6	606.9	267.1	26.5	1.000133
23500.0	205.7	-31.6	-45.8	22.9	585.1	605.5	268.0	27.3	1.000131

STATION ALTITUDE 4047.27 FEET MSL
 12 FEB. 80 1321 HRS MST
 ASCENSION NO. 2

UPPER AIR DATA
 0430180002
 LC-37

GEOCENTRIC COORDINATES
 32.41141 LAT DEG
 106.30852 LON DEG

TABLE 9 (CONT)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION DEGREES(TN)	SPEED KNOTS	INDEX OF REFRACTION
24000.0	397.2	-32.8	23.1	575.7	604.0	266.1	28.0	1.000129
24500.0	388.6	-34.1	23.5	566.4	602.3	265.1	28.4	1.000127
25000.0	380.3	-35.4	23.8	557.3	600.7	263.8	28.4	1.000125
25500.0	372.0	-36.7	22.6**	547.9	599.1	262.8	28.4	1.000122
26000.0	363.7	-37.9	20.3**	538.5	597.6	262.4	28.4	1.000120
26500.0	355.0	-39.1	17.9**	529.2	596.1	261.6	28.7	1.000118
27000.0	347.7	-40.3	15.5**	520.1	594.5	260.5	29.2	1.000116
27500.0	340.0	-41.5	13.2**	511.2	593.0	259.8	29.5	1.000114
28000.0	332.5	-42.6	10.8**	502.5	591.5	259.5	29.6	1.000112
28500.0	325.1	-43.8	8.5**	493.9	589.9	259.5	29.7	1.000110
29000.0	317.9	-45.0	6.1**	485.4	588.4	260.0	29.8	1.000108
29500.0	310.8	-46.2	3.7**	477.1	586.9	260.4	30.3	1.000106
30000.0	303.9	-47.4	1.4**	469.0	585.3	260.3	31.8	1.000104
30500.0	297.1	-48.7		461.0	583.7	260.1	33.6	1.000103
31000.0	290.2	-50.0		453.1	581.9	259.8	37.6	1.000101
31500.0	283.5	-51.4		445.3	580.2	259.2	41.6	1.000099
32000.0	277.0	-52.7		437.7	578.4	258.5	41.8	1.000097
32500.0	270.6	-54.1		430.2	576.7	257.5	40.7	1.000096
33000.0	264.2	-54.5		421.0	576.1	256.8	39.5	1.000094
33500.0	258.0	-54.8		411.6	575.7	255.6	38.3	1.000092
34000.0	252.0	-55.0		402.4	575.4	254.7	33.9	1.000090
34500.0	246.1	-55.7		394.2	574.5	241.1	35.9	1.000088
35000.0	240.3	-56.3		385.9	573.8	240.4	41.5	1.000086
35500.0	234.6	-56.6		375.7	574.6	244.4	45.1	1.000084
36000.0	229.1	-54.7		365.3	575.8	248.9	48.2	1.000081
36500.0	223.8	-53.2		354.5	577.7	248.9	51.2	1.000079
37000.0	218.0	-51.8		344.0	579.6	249.2	53.5	1.000077
37500.0	213.5	-50.9		334.6	580.8	249.3	55.5	1.000075
38000.0	208.6	-50.8		326.7	581.0	248.7	57.7	1.000073
38500.0	203.8	-50.7		319.1	581.1	247.6	60.0	1.000071
39000.0	199.1	-50.6		311.6	581.2	246.5	61.4	1.000069
39500.0	194.5	-50.3		304.1	581.5	244.9	62.2	1.000068
40000.0	190.1	-50.1		296.9	581.8	243.3	63.5	1.000066
40500.0	185.7	-49.9		289.8	582.1	241.8	65.1	1.000065
41000.0	181.4	-49.7		282.9	582.3	241.0	67.7	1.000063
41500.0	177.3	-49.5		276.1	582.6	240.7	70.5	1.000061
42000.0	173.2	-49.3		269.6	582.9	241.3	71.9	1.000060
42500.0	169.2	-50.0		264.1	582.9	242.1	72.9	1.000059
43000.0	165.3	-50.6		258.8	581.1	243.0	72.6	1.000058
43500.0	161.5	-51.3		253.6	580.3	245.0	71.6	1.000056

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

STATION ALTITUDE 4047.27 FEET MSL
 12 FEB. 88 1321 HRS MST
 ASCENSION NO. 2

UPPER AIR DATA
 0430180002
 LC-37

GEODETIC COORDINATES
 32.41141 LAT DEG
 106.30852 LON DEG

TABLE 9 (CONT)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES (TN)	SPEED KNOTS	
44000.0	157.0	-52.0		248.5	579.4	247.3	70.0	1.000055
44500.0	154.1	-52.6		243.5	578.5	248.5	67.8	1.000054
45000.0	150.6	-53.3		238.6	577.7	249.5	66.3	1.000053
45500.0	147.0	-54.2		234.0	576.4	249.8	65.6	1.000052
46000.0	143.6	-55.2		229.5	575.1	250.3	65.0	1.000051
46500.0	140.2	-56.2		225.2	573.8	250.7	64.5	1.000050
47000.0	136.9	-57.2		220.9	572.4	251.4	62.9	1.000049
47500.0	133.7	-58.1		216.5	571.3	252.6	59.3	1.000048
48000.0	130.5	-59.0		212.2	570.1	253.7	56.0	1.000047
48500.0	127.3	-59.9		208.0	568.9	254.0	53.4	1.000046
49000.0	124.3	-60.7		203.8	567.9	255.2	51.2	1.000045
49500.0	121.3	-61.2		199.4	567.1	253.9	51.4	1.000044
50000.0	118.3	-61.8		195.0	566.4	252.7	51.8	1.000043
50500.0	115.3	-62.3		190.8	565.6	252.0	53.8	1.000042
51000.0	112.7	-62.9		186.7	564.9	251.3	55.9	1.000042
51500.0	109.9	-63.5		182.6	564.1	251.3	57.2	1.000041
52000.0	107.3	-63.9		178.6	563.5	251.3	58.5	1.000040
52500.0	104.7	-64.0		174.3	563.4			1.000039
53000.0	102.1	-64.0		170.1	563.4			1.000038

STATION ALTITUDE 4047.27 FEET MSL
 12 FEB. 68
 ASCENSION NO. 2

MANDATORY LEVELS
 043018U002
 LC-37

GEODETIC COORDINATES
 32.41141 LAT DEG
 106.30852 LON DEG

TABLE 10

PRESSURE MILLIBARS	GEOPOTENTIAL FEET	TEMPERATURE AIR DEGREE CENTIGRADE	REL. HUM. PERCENT	WIND DATA	
				DIRECTION DEGREES (TN)	SPEED KNOTS
850.0	4892.	8.4	38.	214.2	4.6
800.0	6521.	3.6	48.	229.9	5.1
750.0	8225.	-1.5	52.	239.8	8.0
700.0	10011.	-6.3	56.	249.3	10.8
650.0	11924.	-12.4	18.	251.4	7.5
600.0	13970.	-19.1	21.	232.2	6.3
550.0	16157.	-24.4	22.	277.9	12.5
500.0	18501.	-29.1	22.	265.4	19.5
450.0	21034.	-33.9	22.	262.5	25.9
400.0	23796.	-38.4	23.	266.4	27.7
350.0	26836.	-43.9	10.0*	260.7	29.0
300.0	30231.	-48.1		260.2	32.6
250.0	34094.	-52.1		243.6	32.8
200.0	38810.	-56.6		240.9	61.2
175.0	41673.	-59.4		240.8	71.5
150.0	44961.	-62.4		249.5	60.2
125.0	48746.	-65.5		255.3	51.5
100.0	53257.	-68.1			

* * * AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

STATION ALTITUDE 9989.00 FEET MSL
 12 FEB. 80 1330 HRS MST
 ASCENSION NO. 70

SIGNIFICANT LEVEL DATA
 0430020070
 WHTL SAIUS

GEODETTIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

TABLE 11

PRESSURE GEOMETRIC ALTITUDE MILLIBARS MSL FEET	TEMPERATURE		REL. HUM. PERCENT
	AIR DEGREES CENTIGRADE	DEWPOINT CENTIGRADE	
878.5	14.2	2.5	45.0
850.0	10.0	-1.4	45.0
801.4	5.1	-3.9	52.0
752.0	.5	-4.9	67.0
700.0	-5.3	-5.4	99.0
692.6	-6.0	-8.4	93.0
686.2	-3.4	-18.1	31.0
658.4	-3.1	-17.8	31.0
652.2	-5.8	-20.2	31.0
605.8	-7.1	-19.0	36.0
500.0	-18.8	-30.1	36.0
444.4	-24.8	-35.5	36.0
400.0	-31.2	-41.3	36.0
366.4	-36.3	-44.7	41.0
333.6	-41.4	-45.5	64.0
315.0	-44.3	-49.0	59.0
300.0	-47.2		
268.0	-53.0		
250.0	-54.2		
240.8	-55.1		
225.0	-53.0		
215.0	-50.0		
200.0	-49.7		
187.0	-49.1		
182.6	-48.3		
165.4	-49.1		
157.2	-30.3		
150.0	-52.0		

STATION ALTITUDE 3989.00 FEET MSL
 12 FEB. 60 1330 HRS MST
 OBSERVATION NO. 70

UPPER AIR DATA
 043002007C
 WHITE SANDS

GEODETTIC COORDINATES
 32.40043 LAT N
 106.37053 LONG W

TABLE 12

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CM ³ METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION DEGREES (TR)	SPEED KNOTS	INDEX OF REFRACTION
		AIR DEGREES	DEWPOINT CENTIGRADE						
3500.0	878.3	14.2	2.5	45.0	1061.5	661.4	270.0	1.0	1.000270
4000.0	877.9	14.1	2.4	45.0	1061.2	661.4	269.7	1.0	1.000270
4500.0	862.1	11.8	.3	45.0	1051.1	656.3	255.7	.8	1.000263
5000.0	846.6	9.7	-1.5	45.5	1040.2	650.0	236.1	.7	1.000258
5500.0	831.1	8.1	-2.3	47.7	1026.9	654.1	213.4	.7	1.000253
6000.0	815.8	6.6	-3.1	49.9	1013.7	652.3	193.7	.8	1.000249
6500.0	800.4	5.1	-3.9	52.1	1000.7	650.3	182.5	1.4	1.000245
7000.0	785.0	3.7	-4.1	56.6	986.9	648.9	178.9	2.1	1.000242
7500.0	771.4	2.3	-4.4	61.0	973.3	647.3	163.6	2.7	1.000239
8000.0	757.0	1.0	-4.8	65.4	959.9	645.7	150.6	3.2	1.000236
8500.0	742.7	-.5	-4.8	72.5	946.9	644.0	202.5	3.8	1.000233
9000.0	728.7	-2.1	-4.9	81.1	934.3	642.2	214.7	4.5	1.000230
9500.0	714.8	-3.6	-5.1	89.6	921.8	640.3	234.0	6.5	1.000227
10000.0	701.3	-5.2	-5.4	98.2	909.6	638.5	244.6	9.2	1.000224
10500.0	687.8	-4.1	-14.4	44.4	889.5	639.4	254.3	10.1	1.000209
11000.0	674.7	-3.3	-17.9	31.0	870.3	640.3	260.8	10.6	1.000202
11500.0	661.9	-3.1	-17.8	31.0	853.2	640.4	261.6	8.6	1.000198
12000.0	649.2	-4.0	-18.6	31.0	839.7	639.4	258.3	6.9	1.000194
12500.0	636.8	-5.3	-19.7	31.0	827.7	637.8	241.0	6.0	1.000191
13000.0	624.6	-6.2	-20.0	32.4	814.4	638.8	227.3	5.9	1.000188
13500.0	612.5	-6.8	-19.7	34.7	800.4	636.1	219.6	6.1	1.000185
14000.0	600.6	-7.6	-20.1	36.0	787.4	635.1	221.9	6.0	1.000182
14500.0	588.7	-8.8	-21.2	36.0	775.4	633.6	237.3	5.4	1.000179
15000.0	577.1	-10.1	-22.2	36.0	753.7	632.1	252.1	6.1	1.000176
15500.0	565.7	-11.3	-23.3	36.0	732.1	630.6	259.7	8.1	1.000173
16000.0	554.6	-12.5	-24.4	36.0	740.7	629.2	261.3	10.7	1.000170
16500.0	543.6	-13.7	-25.5	36.0	729.5	627.7	261.1	13.5	1.000167
17000.0	532.9	-14.9	-26.6	36.0	718.5	626.2	263.7	15.3	1.000164
17500.0	522.4	-16.1	-27.7	36.0	707.7	624.7	266.3	16.9	1.000161
18000.0	512.0	-17.3	-28.8	36.0	697.0	623.2	267.5	18.1	1.000159
18500.0	501.9	-18.6	-29.9	36.0	686.6	621.7	268.5	19.3	1.000156
19000.0	491.7	-19.6	-30.9	36.0	675.5	620.4	267.4	21.0	1.000153
19500.0	481.7	-20.7	-31.8	36.0	664.5	619.1	266.4	22.7	1.000151
20000.0	471.8	-21.7	-32.7	36.0	653.6	617.8	265.3	24.0	1.000148
20500.0	462.2	-22.8	-33.7	36.0	643.0	616.5	264.6	25.4	1.000145
21000.0	452.8	-23.9	-34.6	36.0	632.5	615.2	263.7	27.0	1.000143
21500.0	443.5	-24.9	-35.6	36.0	622.3	613.9	260.7	28.1	1.000140
22000.0	434.2	-26.2	-36.8	36.0	612.4	612.3	268.2	26.5	1.000138
22500.0	425.1	-27.5	-37.9	36.0	602.7	610.7	269.2	25.2	1.000136
23000.0	416.2	-28.8	-39.1	36.0	593.2	609.1	268.7	24.9	1.000133

STATION ALTITUDE 3989.00 FEET MSL
 12 FEB. 60 1330 HRS MST
 ASCENSION NO. 70

UPPER AIR DATA
 0430020070
 WHITE SANDS

GEODETTIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

TABLE 12 (CONT)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CM ³ METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
		AIR DEGREES	DEWPOINT CENTIGRADE				DIRECTION (DEGREES TRU)	SPEED KNOTS	
23500.0	407.5	-30.1	-40.3	36.0	583.9	607.4	268.0	25.1	1.000131
24000.0	396.9	-31.4	-41.4	36.2	574.7	605.8	266.9	27.0	1.000129
24500.0	390.4	-32.6	-42.2	37.4	565.3	604.2	265.9	28.7	1.000127
25000.0	382.0	-33.9	-43.0	38.6	556.1	602.7	264.7	29.3	1.000125
25500.0	373.0	-35.1	-43.9	39.9	547.1	601.1	263.3	29.8	1.000123
26000.0	365.8	-36.4	-44.7	41.4	538.2	599.5	261.2	29.9	1.000121
26500.0	357.8	-37.6	-44.7	46.8	529.1	598.0	259.5	29.9	1.000119
27000.0	350.0	-38.8	-44.8	52.3	520.2	596.4	259.1	29.1	1.000117
27500.0	342.5	-40.0	-45.1	57.7	511.4	594.9	259.3	28.8	1.000115
28000.0	334.8	-41.2	-45.4	63.1	502.8	593.4	258.5	29.4	1.000113
28500.0	327.4	-42.4	-46.6	62.4	494.1	591.9	261.5	30.0	1.000111
29000.0	320.1	-43.5	-48.0	60.4	485.5	590.4	262.2	30.8	1.000109
29500.0	312.9	-44.7	-50.6	51.0**	477.1	588.9	262.6	31.3	1.000107
30000.0	305.9	-46.0	-58.2	23.5**	469.2	587.1	262.7	31.6	1.000105
30500.0	299.0	-47.4			461.3	585.4	262.0	31.6	1.000103
31000.0	292.1	-48.6			453.1	583.8	260.5	31.3	1.000101
31500.0	285.4	-49.8			445.1	582.3	259.7	30.5	1.000099
32000.0	278.8	-51.0			437.2	580.7	259.2	29.4	1.000097
32500.0	272.4	-52.2			429.4	579.1	259.0	29.8	1.000096
33000.0	266.1	-53.1			421.4	577.9	257.6	31.1	1.000094
33500.0	259.9	-53.5			412.3	577.3	252.3	35.7	1.000092
34000.0	253.9	-53.9			403.4	576.8	249.2	40.0	1.000090
34500.0	247.9	-54.4			394.6	576.2	247.7	43.8	1.000088
35000.0	242.1	-55.0			386.6	575.4	247.0	46.2	1.000086
35500.0	236.4	-54.5			376.8	576.0	249.3	47.3	1.000084
36000.0	230.9	-53.8			366.7	577.0	250.6	48.6	1.000082
36500.0	225.5	-53.1			357.0	577.9	251.6	50.0	1.000080
37000.0	220.3	-51.6			346.4	579.9	251.6	51.8	1.000077
37500.0	215.2	-50.1			336.1	581.9	251.4	53.6	1.000075
38000.0	210.3	-49.9			326.1	582.1	250.3	56.0	1.000073
38500.0	205.3	-49.8			320.5	582.2	249.1	58.4	1.000071
39000.0	200.7	-49.7			313.0	582.3	248.6	60.4	1.000070
39500.0	196.1	-49.5			305.6	582.0	248.2	62.3	1.000068
40000.0	191.7	-49.3			298.3	582.8	246.9	63.9	1.000066
40500.0	187.5	-49.1			291.2	583.1	245.7	66.4	1.000065
41000.0	183.0	-48.4			283.6	584.1	244.5	74.5	1.000063
41500.0	178.8	-48.5			277.3	584.0	243.6	78.7	1.000062
42000.0	174.7	-48.7			271.2	583.7	243.6	73.1	1.000060
42500.0	170.8	-48.8			265.2	583.5	244.0	68.2	1.000059
43000.0	166.9	-49.0			259.4	583.2	246.6	64.0	1.000058

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

STATION ALTITUDE 9989.00 FEET MSL
 12 FEB. 60 1330 HRS MSL
 ASCENSION NO. 70

UPPER AIR DATA
 043000070
 WHITE SANDS

GEODETTIC COORDINATES
 52.40043 LAT DEG
 106.37033 LON DEG

TABLE 12 (CONT)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CM ³ NETEX	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES(TM)	SPEED KNOTS	
43500.0	163.1	-44.0		246.0	569.7	248.0	66.3	1.000055
44000.0	159.6	-35.8		234.2	600.2	250.4	72.5	1.000052
44500.0	156.1	-33.7		227.0	602.9			1.000051
45000.0	152.6	-44.0		232.0	569.7			1.000052

STATION ALTITUDE 3989.00 FEET MSL
 12 FEB. 60
 ASCENSION NO. 70

MANDATORY LEVELS
 0430020070
 WHITE SANDS

GEODEIC COORDINATES
 32.40043 LAT DEG
 106.37033 LONG DEG

TABLE 13

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUM.		WIND DATA	
MILLIBARS	FEET	AIR DEGREES CENTIGRADE	DEWPOINT DEGREES CENTIGRADE	PERCENT	DIRECTION DEGREES(TN)	SPEED KNOTS	
850.0	4887.	10.0	-1.4	45.	240.9	.7	
800.0	6525.	5.0	-3.9	52.	182.2	1.4	
750.0	8239.	.3	-4.9	68.	194.4	3.5	
700.0	10038.	-5.3	-5.4	59.	245.5	9.2	
650.0	11958.	-4.0	-18.5	51.	259.3	7.0	
600.0	14014.	-7.7	-20.1	36.	222.6	5.9	
550.0	16213.	-13.0	-24.9	36.	261.2	12.0	
500.0	18571.	-18.8	-30.1	36.	268.5	19.6	
450.0	21120.	-24.2	-34.9	36.	260.0	27.5	
400.0	23899.	-31.2	-41.3	50.	267.1	26.8	
350.0	26955.	-38.8	-44.8	52.	259.2	29.2	
300.0	30366.	-47.2			262.2	31.6	
250.0	34251.	-54.2			248.2	42.3	
200.0	38937.	-69.7			240.5	60.6	
175.0	41864.	-68.6			243.8	73.7	
150.0	45266.	-52.0					

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

STATION ALTITUDE 4047.27 FEET MSL
 12 FEB. 80
 ASCENSION NO. 3

SIGNIFICANT LEVEL DATA
 0430180003
 LC-37

GEODETTIC COORDINATES
 32.41141 LAT DEG
 106.30852 LON DEG

TABLE 14

PRESSURE GEOMETRIC ALTITUDE MILLIBARS MSL FEET	TEMPERATURE AIR DEGREES CENTIGRADE	HLL. HUM. PERCENT
875.7	13.2	37.0
850.0	9.2	33.0
792.0	4.4	47.0
750.0	.2	58.0
710.0	-4.4	78.0
700.0	-5.0	44.0
690.8	-3.6	20.0
662.4	-3.5	17.0
608.2	-7.6	21.0
500.0	-19.4	23.0
457.8	-23.9	21.0
400.0	-32.1	22.0
377.8	-35.6	25.0
365.6	-37.4	36.0
347.6	-39.8	52.0
313.6	-45.4	59.0
300.0	-47.7	
266.8	-54.6	
250.0	-55.9	
238.2	-57.4	
231.5	-57.0	
220.2	-50.6	
200.0	-51.8	
171.0	-49.6	
150.0	-52.8	
116.6	-62.1	
103.0	-64.5	
100.0	-64.1	

UPPER AIR DATA
 0430180003
 LC-37

STATION ALTITUDE 4047.27 FEET MSL
 12 FEB. 80 1500 HRS MST
 ADPENSION NO. 3

GEODETIC COORDINATES
 32-41141 LAT DEG
 106-30852 LON DEG

TABLE 15

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARMS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CUBIC METEK	SPEED OF SOUND KNOTS	DIRECTION DEGREES (T)	WIND DATA SPEED KNOTS	INDEX OF REFRACTION
		AIR DEGREES	WETPOINT CENTIGRADE						
4047.3	875.7	13.2	-1.2	37.0	1062.8	600.0	220.0	4.1	1.000263
4500.0	861.4	11.0	-3.9	34.8	1054.0	657.3	227.8	5.0	1.000256
5000.0	845.7	8.9	-6.1	34.0	1042.9	654.8	233.4	6.1	1.000251
5500.0	830.2	7.6	-5.9	37.7	1028.3	653.3	237.3	7.3	1.000248
6000.0	814.9	6.3	-5.8	41.3	1013.9	651.9	240.0	8.3	1.000245
6500.0	800.0	5.1	-5.8	45.0	999.8	650.4	241.6	8.3	1.000242
7000.0	785.2	3.7	-6.0	48.7	986.0	648.9	242.5	8.2	1.000239
7500.0	770.5	2.3	-6.4	52.5	972.8	647.2	241.6	7.9	1.000236
8000.0	756.2	.8	-6.9	56.3	959.7	645.4	242.5	7.5	1.000232
8500.0	741.9	-7	-7.1	61.9	946.9	643.8	248.0	6.9	1.000229
9000.0	727.9	-2.3	-7.2	68.9	934.5	641.7	250.0	6.7	1.000227
9500.0	714.1	-3.9	-7.5	75.9	922.3	639.8	265.8	7.5	1.000224
10000.0	700.4	-5.0	-14.9	45.5	908.9	638.3	271.6	8.6	1.000213
10500.0	687.1	-3.6	-23.5	19.6	887.5	639.8	270.8	10.2	1.000202
11000.0	673.9	-3.5	-24.2	18.2	870.4	639.8	268.8	11.3	1.000198
11500.0	661.1	-3.6	-25.0	17.1	854.0	639.8	259.8	10.6	1.000194
12000.0	648.4	-4.5	-25.2	18.0	840.5	638.7	247.9	10.2	1.000191
12500.0	635.9	-5.5	-25.4	18.9	827.2	637.5	232.2	10.4	1.000188
13000.0	623.7	-6.4	-25.7	19.8	814.1	636.4	224.8	10.8	1.000185
13500.0	611.7	-7.3	-26.0	20.7	801.3	635.3	224.5	10.8	1.000182
14000.0	599.7	-8.4	-26.7	21.1	788.9	634.0	229.2	10.3	1.000179
14500.0	587.8	-9.7	-27.6	21.3	776.9	632.5	238.7	9.7	1.000176
15000.0	576.2	-10.9	-28.6	21.6	765.0	631.1	246.7	9.8	1.000174
15500.0	564.8	-12.1	-29.5	21.8	753.3	629.6	253.2	10.3	1.000171
16000.0	553.6	-13.3	-30.4	22.0	741.9	628.1	258.5	11.3	1.000168
16500.0	542.7	-14.5	-31.3	22.2	730.6	626.7	262.5	12.4	1.000165
17000.0	531.9	-15.7	-32.3	22.4	719.5	625.2	265.2	14.4	1.000163
17500.0	521.4	-16.9	-33.2	22.6	708.6	623.7	266.7	16.5	1.000160
18000.0	511.1	-18.1	-34.2	22.8	697.8	622.3	265.4	18.5	1.000157
18500.0	501.0	-19.3	-35.1	23.0	687.3	620.8	264.0	20.4	1.000155
19000.0	490.8	-20.4	-36.2	22.6	676.2	619.5	261.1	22.8	1.000152
19500.0	480.7	-21.4	-37.3	22.1	665.1	618.2	258.6	25.1	1.000150
20000.0	470.9	-22.5	-38.4	21.6	654.3	616.9	258.3	27.1	1.000147
20500.0	461.3	-23.5	-39.5	21.2	643.6	615.6	258.3	28.7	1.000145
21000.0	451.7	-24.7	-40.6	21.1	633.3	614.1	259.8	29.1	1.000142
21500.0	442.3	-26.0	-41.6	21.3	623.3	612.5	261.3	29.7	1.000140
22000.0	433.0	-27.3	-42.7	21.4	613.5	610.9	262.9	30.8	1.000138
22500.0	423.9	-28.6	-43.7	21.6	603.8	609.3	264.1	31.3	1.000135
23000.0	415.1	-29.9	-44.7	21.7	594.3	607.7	264.5	30.6	1.000133
23500.0	406.4	-31.1	-45.8	21.9	584.9	606.1	265.1	29.8	1.000131

STATION ALTITUDE 4047.27 FEET MSL
 12 FEB. 80 1500 HRS MST
 ASCENSION NO. 3

UPPER AIR DATA
 0430180003
 LC-37

GEOGETIC COORDINATES
 32.41141 LAT DEG
 106.30852 LON DEG

TABLE 15 (CONT)

GEOM. INIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION (DEGREES(TN))	SPEED KNOTS	
2400.0	397.8	-32.4	22.3	575.7	604.5	260.1	28.6	1.000129
2450.0	389.3	-33.8	23.4	566.5	602.8	260.0	28.1	1.000127
2500.0	380.9	-35.1	24.6	557.4	601.1	260.2	28.8	1.000125
2550.0	372.7	-36.3	29.6	548.2	599.5	264.4	29.1	1.000123
2600.0	364.6	-37.5	37.4	539.0	598.0	261.7	29.1	1.000121
2650.0	356.6	-38.6	48.8	529.6	596.7	259.8	29.1	1.000119
2700.0	348.8	-39.6	60.2	520.3	595.4	258.2	29.0	1.000117
2750.0	341.1	-40.8	61.5	511.4	593.8	257.3	29.4	1.000115
2800.0	333.5	-42.1	60.8	502.7	592.3	256.5	29.9	1.000113
2850.0	326.1	-43.3	60.1	494.1	590.7	256.0	30.7	1.000111
2900.0	318.8	-44.5	59.5	485.7	589.1	255.5	31.4	1.000109
2950.0	311.7	-45.7	51.0**	477.4	587.5	254.0	31.5	1.000107
3000.0	304.7	-46.9	20.6**	469.9	586.0	253.7	31.5	1.000105
3050.0	297.7	-48.1		461.0	584.4	253.8	31.2	1.000103
3100.0	290.9	-49.5		453.1	582.6	254.1	30.9	1.000101
3150.0	284.1	-50.9		445.4	580.8	256.7	30.8	1.000099
3200.0	277.6	-52.3		437.8	579.0	259.3	30.7	1.000098
3250.0	271.2	-53.6		430.4	577.2	260.8	31.0	1.000096
3300.0	264.9	-54.7		422.5	575.7	261.8	31.5	1.000094
3350.0	258.7	-55.2		413.5	575.1	259.5	32.9	1.000092
3400.0	252.6	-55.7		404.6	574.5	257.4	34.4	1.000090
3450.0	246.6	-56.3		396.2	573.7	255.7	36.8	1.000088
3500.0	240.8	-57.1		388.2	572.7	254.2	39.2	1.000086
3550.0	235.1	-57.2		379.2	572.5	254.0	41.2	1.000084
3600.0	229.5	-58.9		368.1	574.2	254.8	43.2	1.000082
3650.0	224.2	-52.9		354.6	578.2	253.8	46.0	1.000079
3700.0	219.0	-50.7		342.8	561.1	252.4	49.4	1.000076
3750.0	213.9	-51.0		335.4	560.7	250.2	54.2	1.000075
3800.0	209.0	-51.5		328.1	560.3	249.1	58.0	1.000073
3850.0	204.1	-51.5		320.9	579.9	249.2	60.0	1.000071
3900.0	199.4	-51.8		313.8	579.7	249.7	61.2	1.000070
3950.0	194.8	-51.4		306.1	560.1	250.7	61.3	1.000068
4000.0	190.4	-51.1		298.7	560.5	251.3	62.3	1.000067
4050.0	186.0	-50.8		291.4	580.9	251.1	64.7	1.000065
4100.0	181.7	-50.5		284.2	581.4	250.8	66.4	1.000063
4150.0	177.5	-50.1		277.3	561.8	250.1	67.0	1.000062
4200.0	173.4	-49.8		270.5	562.2	249.1	67.2	1.000060
4250.0	169.4	-49.8		264.3	562.2	247.4	66.8	1.000059
4300.0	165.5	-50.4		258.9	561.4	245.6	68.3	1.000058
4350.0	161.7	-51.0		253.5	560.7	244.5	72.3	1.000056

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

UPPER AIR DATA
 0430180003
 LC-37

STATION ALTITUDE 4047.27 FEET MSL
 12 FEB. 68 1500 HRS MST
 ASCENSION NO. 3

GEODETIC COORDINATES
 32.41141 LAT DEG
 106.30852 LON DEG

TABLE 15 (CONT)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
		AIR DEGREES	UNWIND POINT CENTIGRADE				DIRECTION DEGREES (TN)	SPEED KNOTS	
44000.0	158.0	-51.0		240.3	560.0	244.4	75.6	1.000055	
44500.0	154.3	-52.1		243.2	579.2	245.8	77.9	1.000054	
45000.0	150.8	-52.7		238.2	578.5	247.7	78.2	1.000053	
45500.0	147.2	-53.5		233.5	577.4	250.6	76.0	1.000052	
46000.0	143.7	-54.4		228.9	576.2	252.7	72.9	1.000051	
46500.0	140.3	-55.3		224.4	575.1	253.0	68.4	1.000050	
47000.0	137.0	-56.1		219.9	573.9	253.3	64.4	1.000049	
47500.0	133.7	-57.0		215.6	572.7	253.4	61.6	1.000048	
48000.0	130.6	-57.9		211.3	571.5	253.4	58.9	1.000047	
48500.0	127.5	-58.8		207.2	570.4	253.3	56.5	1.000046	
49000.0	124.5	-59.7		203.1	569.2	252.2	54.5	1.000045	
49500.0	121.5	-60.6		199.1	568.0	248.8	53.9	1.000044	
50000.0	118.6	-61.5		195.2	566.8	245.3	54.3	1.000043	
50500.0	115.8	-62.2		191.2	565.8	243.6	57.7	1.000043	
51000.0	113.0	-62.7		187.0	565.1	242.2	61.1	1.000042	
51500.0	110.5	-63.2		182.9	564.5	245.3	62.7	1.000041	
52000.0	107.5	-63.7		178.8	563.9	245.3	64.5	1.000040	
52500.0	104.9	-64.1		174.9	563.2	248.3		1.000039	
53000.0	102.4	-64.4		170.8	562.9			1.000038	

STATION ALTITUDE 4047.27 FEET MSL
 12 FEB. 60 1500 HRS MST
 ASCENSION NO. 3

MANDATORY LEVELS
 0430180003
 LC-37

GEOGETIC COORDINATES
 32.41141 LAT DEG
 106.30852 LON DEG

TABLE 16

PRESSURE MILLIBARS	GEOPOTENTIAL FEET	TEMPERATURE		REL. HUM. PERCENT	WIND DATA	
		AIR DEGREES CENTIGRADE	DEWPOINT DEGREES CENTIGRADE		DIRECTION DEGREES(TN)	SPEED KNOTS
850.0	4860.	9.2	-6.2	33.	232.1	5.8
800.0	6496.	5.1	-5.8	45.	241.0	8.3
750.0	8210.	.2	-7.1	50.	244.7	7.2
700.0	10007.	-5.0	-15.3	44.	271.6	8.7
650.0	11926.	-4.4	-25.2	16.	250.0	10.3
600.0	13979.	-8.4	-26.7	21.	229.0	10.4
550.0	16172.	-13.7	-30.7	22.	260.2	11.7
500.0	18523.	-19.4	-35.2	23.	263.9	20.6
450.0	21065.	-24.9	-40.8	21.	260.0	29.2
400.0	23834.	-32.1	-46.6	22.	265.8	28.9
350.0	26878.	-39.5	-44.5	50.	258.4	29.0
300.0	30278.	-47.7			253.8	31.3
250.0	34142.	-55.9			256.7	35.4
200.0	38848.	-51.8			249.6	61.2
175.0	41700.	-49.9			249.8	67.3
150.0	44991.	-52.8			248.2	77.8
125.0	48793.	-59.5			252.9	54.7
100.0	53307.	-64.1				

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

ATE
LMED
-8