

AD-A087 617

CALIFORNIA UNIV SAN DIEGO LA JOLLA DEPT OF CHEMISTRY
MOLECULAR DYNAMICS AND PICOSECOND VIBRATIONAL SPECTRA. (U)
JUL 80 K R WILSON, P H BERENS

F/8 7/4

N00014-78-C-0325

UNCLASSIFIED


TR-1

NL

1-1
AD-A087 617



END
DATE
FILMED
9 80
DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS 1963-A

(12) b. 5

ADA 087617

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 14 TR-1	2. GOVT ACCESSION NO. AD-A087617	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) MOLECULAR DYNAMICS AND PICOSECOND VIBRATIONAL SPECTRA		5. TYPE OF REPORT & PERIOD COVERED 9 Technical Report
6. PERFORMING ORG. REPORT NUMBER		7. CONTRACT OR GRANT NUMBER(s) ONR-N00014-78-C-0525
8. AUTHOR(s) Kent R. Wilson Peter H. Berens		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 11 Jul 80
9. PERFORMING ORGANIZATION NAME AND ADDRESS Department of Chemistry University of California, San Diego La Jolla, CA 92093		12. REPORT DATE July, 1980
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Arlington, VA 22217		13. NUMBER OF PAGES 3
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
16. DISTRIBUTION STATEMENT (of this Report) This document has been approved for public release and sale; its distribution is unlimited.		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES To be published in Picosecond Phenomena edited by R. Hochstrasser, E. Kaiser and C. V. Shank (Springer-Verlag, Berlin, 1980)		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) molecular dynamics picosecond infra-red spectra computer simulation vibrational spectra array processor linear response theory		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Molecular dynamics and linear response computations coupled to picosecond measurements of transient vibrational spectra can in principle reveal atomic trajectories during chemical reactions in solution.		

DTIC
ELECTED
AUG 4 1980

DDC FILE COPY

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-LF 014-6601

00 8

1 118

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

400410

OFFICE OF NAVAL RESEARCH

Contract N00014-78 C-0325

TECHNICAL REPORT NO. 1

MOLECULAR DYNAMICS AND
PICOSECOND VIBRATIONAL SPECTRA

by

Kent R. Wilson

and

Peter H. Berens

Prepared for Publication

in

Picosecond Phenomena

University of California, San Diego
Department of Chemistry
La Jolla, CA 92093

Reproduction in whole or in part is permitted for any purposes of the
United States Government.

This document has been approved for public release and sale; its
distribution is unlimited.

MOLECULAR DYNAMICS AND PICOSECOND VIBRATIONAL SPECTRA

Peter H. Berens and Kent R. Wilson

Department of Chemistry
University of California, San Diego
La Jolla, CA 92093 USA

The accessible time range for picosecond experimental measurements is now short enough, and that for molecular dynamics theoretical computation is now long enough, to significantly overlap. This overlap of theory and experiment can, at least in principle, be exploited to discover the trajectories of atoms during chemical processes in solution, for example rotational and vibrational relaxation [1], rotational and vibrational dephasing [2], and chemical reactions. This is significant in that our understanding of the microscopic basis of processes in liquids has fallen far behind our understanding of the gas phase. In fact, the atomic motions which form the microscopic mechanisms for solution processes are hardly understood at all, even though most processes of interest to most chemists occur in solution.

If we are efficiently to discover these microscopic atomic trajectories, i.e. the molecular dynamics of solution processes, we must be able to both theoretically compute and experimentally measure a macroscopic phenomena which depends closely upon the microscopic trajectories. We believe that transient vibrational spectra can serve this function. In this paper we will briefly discuss some of the theory for computing infrared and Raman spectra from molecular dynamics and will present an example of such a spectrum.

Two problems must be solved to compute such spectra. First, a theoretical approach must be developed which can be applied to the large number of atoms (~100-1000 including solvent molecules) involved in solution processes. This gives an incentive to develop ways to compute quantum reality largely from classical mechanics. Second, a computational approach must be developed capable of actually calculating spectra in a reasonable time. The latter problem is a significant one, as to compute 10^{-12} seconds of real time we find we may need to carry out 10^{12} floating point arithmetic operations, in order to sufficiently sample phase space.

To compute ir and Raman spectra we need three input functions. From $V(\{r_i\})$, the potential energy as a function of atomic positions, plus the initial positions $\{r_i(0)\}$ and velocities $\{\dot{r}_i(0)\}$ of the atoms, we compute, using classical mechanics, the set of atomic trajectories $\{r_i(t)\}$. From these trajectories and $\mu(\{r_i\})$, the dipole moment as a function of atomic positions, we compute $\mu(t)$, the dipole moment of the sample as a function of time. Using linear response theory [3-6], and suitable quantum corrections [6], we compute an ir spectrum. Finally, we average many such

spectra over runs with different initial $\{r_i(0)\}$ and $\{\dot{r}_i(0)\}$ chosen from the ensemble which represents the experimental conditions of interest, usually a given temperature and pressure. In a similar manner, we use $\bar{\alpha}(\{r_i\})$, the polarizability matrix as a function of atomic positions, to compute the Raman spectrum. While the computations are mathematically relatively straightforward, the number of arithmetic operations is very large and we therefore carry them out on an array processor [7,8].

We have been refining this technique by comparing the computed spectra against known ir and Raman spectra of ordinary gas and liquid samples, i.e. time independent, equilibrium spectra. The results are encouraging. Fig.1 shows an example.




Fig.1 The CO gas phase fundamental vibrational-rotational band at 298 K. The top panel shows the spectrum as computed from summing up all the applicable transitions calculated in the usual way from time dependent quantum perturbation theory. The dashed line shows the rotational transitions making up the P ($\Delta J = -1$) and R ($\Delta J = +1$) branches. The solid line shows the band contour produced by broadening out these rotational lines until they merge (which may be done experimentally by adding rare gas). The middle panel shows the quantum band contour (solid line) compared with the correspondence principle classical contour (open circles) calculated in the limit of quantum mechanics as Planck's constant $\hbar \rightarrow 0$. Two simple and relatively small quantum corrections have been applied to the correspondence principle classical band contour. The rotational correction accounts for the different population ratios in classical and quantum mechanics of the rotational states connected by the transition. The vibrational correction is a frequency shift due to the fact that the classical diatomic vibrates at $\sim kT$ ($\sim 200 \text{ cm}^{-1}$), near the bottom of the well and thus in a largely harmonic region, while the quantum diatomic is sampling the potential in the $\sim \hbar\omega_0$ ($\sim 2000 \text{ cm}^{-1}$) energy range in which the effects of anharmonicity are more pronounced. As can be seen, after these quantum corrections the correspondence principle classical and the quantum band contours agree almost exactly, demonstrating that the band contour

can be understood classically. The lower panel shows again the quantum band contour (solid line) and superimposed on it the quantum corrected Newtonian classical band contour (triangles) from classical molecular dynamics, classical linear response theory and classical statistical mechanical ensemble averaging. The filled circles show the shape of the experimental band contour for CO with added He as measured by ARMSTRONG and WELSH [9].

We see that the band contour results for all four of the following agree: i) quantum time-dependent perturbation theory, ii) quantum-corrected correspondence principle classical mechanics, iii) quantum-corrected Newtonian classical mechanics, and iv) experimental measurement. Thus, the vibrational-rotational band contour can be understood on the basis of classical trajectories of the atoms.

If we mix CO in Ar and keep increasing the Ar pressure, both by Newtonian classical mechanics [6] and by experimental measurement [10] the P and R branch peaks increasingly meld into one another until they fuse into the usual single-peaked liquid state vibrational band contour [11]. Therefore, in the liquid state as well, one can compute and understand the vibrational band contour in terms of classical atomic trajectories.

Finally, the techniques described here can be extended to treat the non-equilibrium domain, so that one can compute transient ir and Raman spectra during the course of picosecond processes, for example chemical reactions in solution. In this way, one can hope to combine the computation and the measurement of picosecond transient vibrational spectra to discover the microscopic mechanism, the atomic trajectories during chemical reactions in solution.

We wish to thank the National Science Foundation, Chemistry, the Office of Naval Research, Chemistry, and the National Institutes of Health, Division of Research Resources, for providing the support which has made this work possible.

References

1. D. W. Oxtoby, Adv. Chem. Phys., in press.
2. D. W. Oxtoby, Adv. Chem. Phys. 40, 1 (1979).
3. R. G. Gordon, Adv. Magn. Reson. 3, 1 (1968).
4. B. J. Berne in Physical Chemistry, An Advanced Treatise, Vol. VIIIB, edited by D. Henderson (Academic Press, New York, 1971).
5. D. A. McQuarrie, Statistical Mechanics (Harper and Row, New York, 1976) chapters 21 and 22.
6. P. H. Berens and K. R. Wilson, "Molecular Dynamics and Spectra: Diatomic Rotation and Vibration", submitted to J. Chem. Phys.
7. K. R. Wilson in Computer Networking and Chemistry, edited by P. Lykos (American Chemical Society, Washington, D. C., 1975).
8. K. R. Wilson in Minicomputers and Large-Scale Computation, edited by P. Lykos (American Chemical Society, Washington, D. C., 1977).
9. R. L. Armstrong and H. L. Welsh, Can. J. Phys. 43, 547 (1965).
10. R. Coulon, L. Galatry, B. Oksengorn, S. Robin and B. Vodar, J. Phys. Radium 15, 641 (1954).
11. U. Buonotempo, S. Cunsolo and G. Jacucci, J. Chem. Phys. 59, 3750 (1973).

ACQUISITION FOR	RTIS	GRAB	
DEC TAB	Unannounced	Justification	
By			
Distribution/			
Availability Codes			
Avail and/or special			
Dist			

TECHNICAL REPORT DISTRIBUTION LIST, 051C

	<u>No.</u> <u>Copies</u>		<u>No.</u> <u>Copies</u>
Dr. M. B. Denton Department of Chemistry University of Arizona Tucson, Arizona 85721	1	Dr. John Duffin United States Naval Postgraduate School Monterey, California 93940	1
Dr. R. A. Osteryoung Department of Chemistry State University of New York at Buffalo Buffalo, New York 14214	1	Dr. G. M. Hieftje Department of Chemistry Indiana University Bloomington, Indiana 47401	1
Dr. B. R. Kowalski Department of Chemistry University of Washington Seattle, Washington 98105	1	Dr. Victor L. Rehn Naval Weapons Center Code 3813 China Lake, California 93555	1
Dr. S. P. Perone Department of Chemistry Purdue University Lafayette, Indiana 47907	1	Dr. Christia G. Enke Michigan State University Department of Chemistry East Lansing, Michigan 48824	1
Dr. D. L. Venezky Naval Research Laboratory Code 6130 Washington, D.C. 20375	1	Dr. Kent Eisentraut, MBT Air Force Materials Laboratory Wright-Patterson AFB, Ohio 45433	1
Dr. H. Freiser Department of Chemistry University of Arizona Tucson, Arizona 85721		Walter G. Cox, Code 3632 Naval Underwater Systems Center Building 148 Newport, Rhode Island 02840	1
Dr. Fred Saalfeld Naval Research Laboratory Code 6110 Washington, D.C. 20375	1		
Dr. H. Chernoff Department of Mathematics Massachusetts Institute of Technology Cambridge, Massachusetts 02139	1		
Dr. K. Wilson Department of Chemistry University of California, San Diego La Jolla, California	1		
Dr. A. Zirino Naval Undersea Center San Diego, California 92132	1		

TECHNICAL REPORT DISTRIBUTION LIST, 051B

	<u>No. Copies</u>		<u>No. Copies</u>
Professor K. Wilson Department of Chemistry, B-014 University of California, San Diego La Jolla, California 92093	1	Dr. B. Vonnegut State University of New York Earth Sciences Building 1400 Washington Avenue Albany, New York 12203	1
Professor C. A. Angell Department of Chemistry Purdue University West Lafayette, Indiana 47907	1	Dr. Hank Loos Laguna Research Laboratory 21421 Stans Lane Laguna Beach, California 92651	1
Professor P. Maijer Department of Physics Catholic University of America Washington, D.C. 20064	1	Dr. John Latham University of Manchester Institute of Science & Technology P.O. Box 88 Manchester, England M601QD	1
Dr. S. Greer Chemistry Department University of Maryland College Park, Maryland 20742	1		
Professor P. Delahay New York University 100 Washington Square East New York, New York 10003	1		
Dr. T. Ashworth Department of Physics South Dakota School of Mines & Technology Rapid City, South Dakota 57701	1		
Dr. G. Gross New Mexico Institute of Mining & Technology Socorro, New Mexico 87801	1		
Dr. J. Kassner Space Science Research Center University of Missouri - Rolla Rolla, Missouri 65401	1		
Dr. J. Telford University of Nevada System Desert Research Institute Lab of Atmospheric Physics Reno, Nevada 89507	1		

TECHNICAL REPORT DISTRIBUTION LIST, GENNo.
Copies

Dr. Rudolph J. Marcus
Office of Naval Research
Scientific Liaison Group
American Embassy
APO San Francisco 96503

1

Mr. James Kelley
DTNSRDC Code 2803
Annapolis, Maryland 21402

1

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	<u>No.</u> <u>Copies</u>		<u>No.</u> <u>Copies</u>
Office of Naval Research Attn: Code 472 800 North Quincy Street Arlington, Virginia 22217	2	U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 1211 Research Triangle Park, N.C. 27709	1
ONR Branch Office Attn: Dr. George Sandoz 536 S. Clark Street Chicago, Illinois 60605	1	Naval Ocean Systems Center Attn: Mr. Joe McCartney San Diego, California 92152	1
ONR Branch Office Attn: Scientific Dept. 715 Broadway New York, New York 10003	1	Naval Weapons Center Attn: Dr. A. B. Amster, Chemistry Division China Lake, California 93555	1
ONR Branch Office 1030 East Green Street Pasadena, California 91106	1	Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko Port Hueneme, California 93401	1
ONR Branch Office Attn: Dr. L. H. Peebles Building 114, Section D 666 Summer Street Boston, Massachusetts 02210	1	Department of Physics & Chemistry Naval Postgraduate School Monterey, California 93940	1
Director, Naval Research Laboratory Attn: Code 6100 Washington, D.C. 20390	1	Dr. A. L. Slafkosky Scientific Advisor Commandant of the Marine Corps (Code RD-1) Washington, D.C. 20380	1
The Assistant Secretary of the Navy (R,E&S) Department of the Navy Room 4E736, Pentagon Washington, D.C. 20350	1	Office of Naval Research Attn: Dr. Richard S. Miller 800 N. Quincy Street Arlington, Virginia 22217	1
Commander, Naval Air Systems Command Attn: Code 310C (H. Rosenwasser) Department of the Navy Washington, D.C. 20360	1	Naval Ship Research and Development Center Attn: Dr. G. Bosmajian, Applied Chemistry Division Annapolis, Maryland 21401	1
Defense Documentation Center Building 5, Cameron Station Alexandria, Virginia 22314	12	Naval Ocean Systems Center Attn: Dr. S. Yamamoto, Marine Sciences Division San Diego, California 91232	1
Dr. Fred Saalfeld Chemistry Division Naval Research Laboratory Washington, D.C. 20375	1	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 19112	1

