

10-AUB9 813

NAVAL OCEANOGRAPHIC OFFICE NSTL STATION MS
SURFACE CURRENTS, GULF OF ALASKA. (U)

F/6 8/3

UNCLASSIFIED


JUL 77
N00-SP-1402-NP-6

ML

Fig 1
Sheet


Fig 1 Sheet																			
[Redacted]																			

END
DATE
FILMED
11-80
DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

AD A089813



80-0809(b)

Naval Oceanographic Office - Bay St Louis, Ms

Surface Currents

NOO-SP-1402-NP-6 - Aug 77

gnr
80-107

24106

NOO SP 1402—NP 6

SURFACE CURRENTS

GULF OF ALASKA



JULY 1977

DTIC
ELECTE
OCT 1 1980
S D C

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

NAVAL OCEANOGRAPHIC OFFICE
WASHINGTON, D. C. 20373

ACKNOWLEDGMENTS


Messrs. Raymond J. Beauchesne* and William E. Boisvert made major contributions to this atlas.

*Mr. Beauchesne presently is employed by the Bureau of Naval Personnel.

FOREWORD

THIS ATLAS, ONE IN A SERIES OF 43 REGIONAL SURFACE CURRENT ATLASES, IS PRODUCED TO FULFILL A NEED OF NAVY PLANNING STAFFS AND THE SCIENTIFIC AND INDUSTRIAL COMMUNITIES FOR THE LATEST AVAILABLE OCEAN SURFACE CURRENT DATA. THESE ATLASES ADD TO THE WEALTH OF NAUTICAL INFORMATION UPON WHICH OPERATIONAL PLANNING, NAVIGATIONAL SAFETY, AND SHIPPING ECONOMY DEPEND. RAPID PRODUCTION AND WIDE DISSEMINATION OF THIS ATLAS ARE MADE POSSIBLE BY THE LATEST COMPUTER TECHNIQUES.

THE CONSTANT IMPROVEMENT IN THE QUALITY OF SURFACE CURRENT DATA RECEIVED OVER THE YEARS IS MADE POSSIBLE LARGELY BY THE MORE THOROUGH REPORTS OF VOLUNTARY OBSERVERS IN RECENT YEARS. THE DEFENSE MAPPING AGENCY, THE OCEANOGRAPHIC OFFICE, AND THE USER OF THE ATLASES RELY ON THE PERSONAL OBSERVATIONS OF THE MAN WHO HAS "BEEN THERE." MARINERS, IN REPORTING THEIR OBSERVATIONS, RENDER A SERVICE NOT ONLY TO THEMSELVES BUT ALSO TO ALL "WHO GO DOWN TO THE SEA IN SHIPS." WITH THE ADVENT OF NUCLEAR POWER, ELECTRONIC NAVIGATION AIDS, AND 300,000-TON SHIPS, UP-TO-DATE, RAPIDLY DISSEMINATED ENVIRONMENTAL AND NAVIGATIONAL INFORMATION HAS BECOME INCREASINGLY IMPORTANT.


J. E. AYRES
Captain, USN
Commander


Accession For	
BTIS GR&I	<input checked="" type="checkbox"/>
DDC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	<input type="checkbox"/>
By	
Distribution/	
Availability	
Availability for	
Dist special	
Dist	A

SURFACE CURRENT ATLASES

THIS SERIES OF COMPUTERIZED ATLASES REPLACES THE OLD HYDROGRAPHIC OFFICE ATLASES OF SURFACE CURRENTS (HOP 544, 549, 549, 570) WHICH WERE MANUALLY COMPILED FROM DATA OBTAINED DURING THE PERIOD 1903 - 1934. THESE NEW ATLASES CONFORM TO THE STANDARD NAVY OCEAN AREA AND REGION INDEX LIMITS SHOWN BELOW: 0-8... HOP SP 1402-NP 10 COVERS NORTH PACIFIC REGION TO EAST OF THE PHILIPPINES.

AS AMOUNTS OF NEW DATA WARRANT, MOST LIKELY EVERY 12 - 18 MONTHS. THESE GRAPHICS MAY NOT BE TRULY REPRESENTATIVE OF THE ACTUAL FLOW IN SUCH AREAS AS THE NORTH SEA, PERSIAN GULF, GULF OF THAILAND, AND YELLOW SEA WHERE CURRENTS ARE STRONGLY TIDAL. FOR SUCH AREAS, OTHER SOURCES DESCRIBING PREDICTABLE HOURLY CHANGES OF TIDAL CURRENTS SHOULD BE CONSULTED.

RECENT IMPROVEMENTS IN THE DATA FILE ASSURE THE INCLUSION OF THE LATEST, HIGH QUALITY SURFACE CURRENT DATA AVAILABLE. THE FILE NOW CONTAINS MORE THAN 4,200,000 OBSERVATIONS AND A GENERAL UPDATE OF THE FILE WILL BE MADE



Introduction

The Surface Current Data File, from which these atlases are derived, consists primarily of over four million ship set and drift observations. These data were collected by the Netherlands, Japan, Britain, France, and the United States. The file is supplemented by several thousand Magnetic Electrocardiograph (MEC) observations, mostly Japanese. The file spans the period from the early 1950's to the present. The earliest observations were collected by the Netherlands and Great Britain; those of the 1960's through the present are primarily United States data.


General Analysis

The analysis of this data file is considered high for this type of derived value. The data have been carefully screened for duplication; observations taken under adverse conditions (i.e., high winds and waves, time between observations greater than 12 hours) have been eliminated when warranted. Consideration was given to the reliability of the observations; doubtful shipboard computations of set and drift were edited; and observations with erroneous locations (mostly observations on land) have been eliminated. The accepted data are considered most useful when used collectively as in summaries where a number of observations show trends.

General Observation Notations

The set (direction) and drift (speed) are computed by the navigator from the difference between the dead reckoning (DR) position and the position determined by any type of fix (celestial, LORAN, etc.). The drift can be determined by using any type of fix. The set and drift are computed from the DR position to the fix; the drift (speed) is equal to the distance in nautical miles between the DR and the fix, divided by the number of hours since the last fix. For consecutive observations, the 30 POSITION of one observation becomes the DR POSITION of the next observation.

Because the influence of current may vary along a ship's track, the MEAN POSITION of the track is assigned as the geographic location of the current observation. An example of a current computation is shown in the figure below.



EXAMPLE OF A SURFACE CURRENT (SHIP'S DRIFT) OBSERVATION

Data Presentation

The following legend shows two types of surface current presentations by 1° quadrangle, type 1 with 12 or more observations and type 2 with fewer than 12 observations. Where there are 11 or fewer observations within a 1° quadrangle, the total number of observations is shown within the 90° quadrant containing the observations.

LEGEND

A NUMBER OF CALMS (INCLUDED IN TOTAL OBSERVATIONS).

B TOTAL OBSERVATIONS (999 ALSO USED FOR 1000 OR MORE OBSERVATIONS).

C MEAN SPEED (0.5 KNOT) FOR ALL OBSERVATIONS.




D VECTOR RESULTANT DIRECTION (°T) FOR ALL OBSERVATIONS.

E FREQUENCY FREQUENCY (53% PRIMARY DIRECTION, 23% SECONDARY DIRECTION).

F MEAN SPEED (1.0 KNOT PRIMARY DIRECTION, 0.5 KNOT SECONDARY DIRECTION).

G NUMBER OF OBSERVATIONS BY QUADRANT.

If there are 12 or more observations in a 1° quadrangle, the surface current is depicted by vector resultants as follows:





(1) Persistent Current - 60 percent or more of all observations fall within a 45° sector of the 8-point compass.

(2) Prevailing Current - 70 percent or more of all observations fall within two adjacent 45° sectors.


(3) Primary Current with Secondary Direction - 30 percent or more of all observations fall within two adjacent 45° sectors.


(4) Secondary Direction - 20 percent or more of all observations fall within a 45° sector, and the two resultant vector directions are separated by more than 90° or arc.




(4) Bimodal Flow - Practically all observations are concentrated in opposite pairs of 45° sectors, and one pair contains at least 80 percent as many observations as the opposite pair. This generally indicates variability that occurs in zones of entrainment between opposing currents (see examples A and B, quadrangles 1, 2, and 3).

(5) Variable Current - The 45° sector with most observations has less than 25 percent of all observations; direction is indeterminate.








JANUARY




FEBRUARY









JUNE



JULY



AUGUST



120 V 64 N
125 V
130 V
135 V
140 V
145 V
150 V
155 V
160 V 49 N


60 N
60 N

55 N
55 N


50 N
50 N

49 N
120 V
125 V
130 V
135 V
140 V
145 V
150 V
155 V
160 V

SEPTEMBER



OCTOBER



NOVEMBER


64 N
120 V
125 V
130 V
135 V
140 V
145 V
150 V
155 V
160 V

60 N
60 N
60 N


55 N
55 N
55 N

50 N
50 N
50 N


49 N
120 V
125 V
130 V
135 V
140 V
145 V
150 V
155 V
160 V




DECEMBER




ANNUAL-JAN THROUGH DEC




WINTER-JAN, FEB, MAR



SPRING-APR, MAY, JUN



SUMMER-JUL, AUG, SEP



AUTUMN-OCT, NOV, DEC

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER NOO-SP-1492-NRG	2. GOVT ACCESSION NO. AD-A089823	3. RECIPIENT'S CATALOG NUMBER 89823	4. TYPE OF REPORT & PERIOD COVERED Final RPT
5. AUTHOR U.S. Naval Oceanographic Office	6. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Oceanographic Office Washington, D.C. 20373	7. PERFORMING ORG. REPORT NUMBER	8. CONTRACT OR GRANT NUMBER(s) 11 Jul 77
9. CONTROLLING OFFICE NAME AND ADDRESS 10. CONTROLLING OFFICE NAME AND ADDRESS	11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE July 1977	13. NUMBER OF PAGES 24
14. DISTRIBUTION STATEMENT (of this Report) Approved for public release, distribution unlimited.	15. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)	16. SECURITY CLASS. (of this report)	17. SECURITY CLASS. (of this report)
18. SUPPLEMENTARY NOTES	19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Surface Currents, Gulf of Alaska	20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This atlas, and the series of which it is a part, is computer generated and automatically plotted. It makes available to the user the most recent surface current data collected and will be updated whenever sufficient amounts of data are added to the data file. This and the other atlases are based on a vast quantity of data as compared to the previous manually-compiled editions printed in the mid-thirties.	

FORM 1 JAN 73 1473 EDITION OF 1 NOV 68 IS OBSOLETE GPO 510-910-0001 SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

20. The surface current information is based mainly on ship drift, which is the difference between the dead reckoning position and the position determined by any type of navigational fix. This difference describes the direction and speed of the current.

230450

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

230450 *AK*

DISTRIBUTION LIST

NAVY

CINCPACFLT (O2M)
COMTHIRDFLT
COMSEVENTHFLT
COMSUBPAC
COMNAVAIRPAC
COMPATWINGSPAC
PATWINGSPAC DET ADAK
PATWING 1
COMNAVSUREPAC
DIRNAVOCEANMET
FLENUMWEACEN
FLEWEACEN GUAM
FLEWEACEN PEARL
NAVWEASERVFAC SAN DIEGO
NAVWEASERVFAC YOKOSUKA
NWS D ASHEVILLE
NWS D ADAK
NWS D AGANA
NWS D ATSUGI
NWS D KADENA
NWS D MISAWA

OTHER GOVT.

NOAA/NODC
NOAA/NCC

PRIVATE

AMAX EXPLORATION INC.

FOREIGN

HYDROGRAPHER/R. A. N.
DEPT. TRANSPORTATION/AUSTRALIA