

AD-A089 967

NAVAL POSTGRADUATE SCHOOL MONTEREY CA
AN ACCURACY ANALYSIS OF THE ARMY MATERIEL SYSTEM ANALYSIS ACTIV--ETC(U)
JUN 80 D P AMIOTTE


F/G 14/4


UNCLASSIFIED

NL

1 of 2

AD-A089 967





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

Av A089967

LEVEL II

(Handwritten signature)

NAVAL POSTGRADUATE SCHOOL Monterey, California



001 7 1980

A

THESIS

An Accuracy Analysis of
The Army Materiel System Analysis Activity
Reliability Growth Model

by

Donald Paul Amiotte

June 1980

Thesis Advisor:

W. M. Woods

Approved for public release; distribution unlimited

THIS DOCUMENT IS BEST QUALITY PRACTICABLE.
THE COPY FURNISHED TO DDC CONTAINED A
SIGNIFICANT NUMBER OF PAGES WHICH DO NOT
REPRODUCE LEGIBLY.

DDC FILE COPY

80 10 3 09

DISCLAIMER NOTICE

THIS DOCUMENT IS BEST QUALITY PRACTICABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO. AN-A089967	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) An Accuracy Analysis of The Army Material System Analysis Activity Reliability Growth Model	5. AUTHOR(s) Donald Paul Amiotte	6. TYPE OF REPORT & PERIOD COVERED Master's Thesis June 1980
7. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940	8. CONTRACT OR GRANT NUMBER(s) 121606	9. PERFORMING ORG. REPORT NUMBER
10. CONTROLLING OFFICE NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940	11. REPORT DATE June 1980	12. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
13. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	14. NUMBER OF PAGES 159	15. SECURITY CLASS. (of this report) UNCLASSIFIED
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		16a. DECLASSIFICATION/DOWNGRADING SCHEDULE
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Reliability Growth, Statistical Model, Analysis, Failure Rate Estimates, Performance Plots, Modifications		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) In this paper, a statistical model known as the AMSAA reliability growth model, is evaluated by measuring how well it tracks various reliability growth patterns. These patterns are defined by specified sequences of failure rates. Monte Carlo simulation is used to generate test data based on a time-terminated test plan. Estimates of failure rates, computed using the AMSAA model, are compared with the specified failure rates. Results for 18 reliability growth		

Approved for public release; distribution unlimited

An Accuracy Analysis of
The Army Materiel System Analysis Activity
Reliability Growth Model

by

Donald Paul Amiotte
Captain, United States Marine Corps
B.S., University of Kansas, 1971

Submitted in partial fulfillment of the
requirements for the degree of

MASTER OF SCIENCE IN OPERATIONS RESEARCH

from the

NAVAL POSTGRADUATE SCHOOL
June 1980

Author

Donald P. Amiotte

Approved by:

W. M. Woods

Thesis Advisor

Harold J. Larson

Second Reader

H. Howard, Acting Chm.

Chairman, Department of Operations Research

A. Shady

Dean of Information and Policy Sciences

ABSTRACT

↓

In this paper, a statistical model known as the AMSAA reliability growth model, is evaluated by measuring how well it tracks various reliability growth patterns. These patterns are defined by specified sequences of failure rates. Monte Carlo simulation is used to generate test data based on a time-terminated test plan. Estimates of failure rates, computed using the AMSAA model, are compared with the specified failure rates. Results for 18 reliability growth patterns are presented in both tabular and graphical form. Four modifications in the use of the model are discussed with selected results of their application presented.

↑

TABLE OF CONTENTS

I.	INTRODUCTION-	8
II.	THE AMSAA RELIABILITY GROWTH MODEL-	9
III.	TESTING PROCEDURE -	11
A.	TEST PLAN -	12
1.	Phases-	12
2.	Failure Rates -	12
3.	Items Tested-	12
4.	Planned Test Times-	12
B.	TEST ORGANIZATION -	12
1.	Cases -	12
a.	Set of Failure Rates-	13
b.	Number of Phases-	13
2.	Data Sets -	18
3.	Tests -	18
a.	Test 1-	18
b.	Test 2-	18
IV.	ANALYSIS PROCEDURE-	19
A.	MODEL ESTIMATES -	19
1.	Shape Parameter -	19
2.	Failure Rate-	19
B.	EVALUATION CRITERIA -	20
1.	Accuracy-	20
2.	Variability -	21
V.	RESULTS -	23
A.	GENERAL DESCRIPTION -	23

1.	Tabulated Statistics- - - - -	23
a.	Input Parameters- - - - -	23
b.	Model Estimates - - - - -	25
c.	Measures of Performance - - - - -	25
d.	System Status - - - - -	26
2.	Performance Plots - - - - -	26
B.	TEST 1- - - - -	27
1.	Non-increasing Failure Rates- - - - -	27
2.	Failure Rates that Increase - - - - -	28
C.	TEST 2- - - - -	28
D.	MODIFICATIONS - - - - -	29
1.	Estimating Slope- - - - -	30
a.	2-point Estimate of Slope - - - - -	30
b.	3-point Estimate of Slope - - - - -	30
2.	Determining Increasing Slope- - - - -	30
3.	Modified Tests- - - - -	31
APPENDIX A	- Results of Test 1- - - - -	33
APPENDIX B	- Results of Test 2- - - - -	89
APPENDIX C	- Results of Test MOD1 - - - - -	102
APPENDIX D	- Results of Test MOD2 - - - - -	116
APPENDIX E	- Results of Test MOD3 - - - - -	130
APPENDIX F	- Results of Test MOD4 - - - - -	144
LIST OF REFERENCES-	- - - - -	158
INITIAL DISTRIBUTION LIST	- - - - -	159

LIST OF FIGURES

1. Test Organization - - - - -	11
2. 16-Phase Cases with Non-increasing Failure Rates-	14
3. 6-Phase Cases with Non-increasing Failure Rates -	15
4. 6-Phase Cases with Failure Rates that Increase- -	16
5. 16-Phase Cases with Failure Rates that Increase -	17
6. Format for Results of a Data Set- - - - -	24
7. Composition of the Modified Tests - - - - -	31

I. INTRODUCTION

Many methods of modeling reliability growth have been proposed and used with some success. Reference 1 contains a detailed discussion of reliability growth, reliability growth models, and describes several models that are available to the manager for use in measuring reliability growth in his program.

The purpose of this study is to evaluate the accuracy of the Army Materiel Systems Analysis Activity (AMSAA) reliability growth model [Ref. 1] for systems which provide limited test data during the development cycle.

II. THE AMSAA RELIABILITY GROWTH MODEL

The AMSAA reliability growth model is a statistical model that estimates reliability growth trends. It is applicable to systems for which usage data is measured on a continuous scale.

As with most reliability growth models, the AMSAA model uses test data to estimate unknown parameters which are then used to estimate the reliability growth trend. References 1 and 2 develop the AMSAA model in detail. This paper addresses the use of the AMSAA model for sequential, time-terminated testing.

Time-terminated testing occurs when each item is tested until failure or until that item has been tested a specified amount of time. If an item does not fail before the planned test time, then a failure has not occurred and the next item is tested.

For time-terminated testing, the AMSAA model [Ref. 1] provides the following estimate for the failure rate of a type of hardware unit (component, assembly, subsystem, system) at total accumulated test time T on that type of unit;

$$\hat{r} = \hat{\beta} \left(\frac{N}{T} \right) ,$$

where N = number of failures of that type of item to time T

and

$$\hat{\beta} = \frac{N}{N \ln T - \sum_{j=1}^N \ln X_j}$$

with X_j = total accumulated test time over all items tested when the j th failure occurs.

Using these estimators, the accuracy of the AMSAA model was evaluated for a variety of reliability growth patterns.

III. TESTING PROCEDURE

Reliability growth models are often evaluated against actual test data. The problem with evaluating a model against actual data is that the failure rate driving the system at any one time is never known, it can only be estimated.

The purpose of this chapter is to describe the test plan under which the analysis was made and define the test organization used. Figure 1 shows the relationship between the elements of the test plan and the organization of the testing.




Figure 1. Test Organization

A. TEST PLAN

The key elements of the test plan used for the evaluation of the AMSAA model are described below.

1. Phases

Tests were conducted in phases consisting of testing a specified number of items with randomly generated exponential failure times based on the failure rate specified for that phase.

2. Failure Rates

Each phase had a specified failure rate, which was assumed to be constant for the duration of the phase. The failure rates specified could be different from phase to phase. This set of failure rates defined the reliability growth pattern for a test.

3. Items Tested

A specified number of items was tested in each phase. In this analysis, the number of items tested was the same for each phase in any one test.

4. Planned Test Time

Each item in a phase was tested to failure or until the specified planned test time for that phase was reached. The planned test time was the same for all items tested during any one phase.

B. TEST ORGANIZATION

1. Cases

The AMSAA model was applied to 18 test cases where each case was defined by a set of failure rates and a

specified number of phases, The general shape of the various cases, classified by number of phases and by trend of growth, can be found in Figures 2 through 5. Test phases are plotted, equally spaced, on the horizontal axis and failure rates are plotted on the vertical axis.

a. Set of Failure Rates

Each set of failure rates defined a reliability growth curve which was then classified by its general trend of growth into one of two categories:

- (1) Non-increasing Failure Rates
(Figures 2 and 3)
- (2) Failure Rates that Increase
at least once during testing
(Figures 4 and 5)


b. Number of Phases

In addition to their growth trend, cases were grouped, for comparison, by their total number of phases. The two groups are those that have 16 phases and those that have 6 phases.


(1) 16-Phase Cases. Cases 1 through 6 (Figure 2) and cases 13 through 18 (Figure 5) were each defined by specifying 16 failure rates, one for each of the 16 test phases.

(2) 6-Phase Cases. The growth patterns for cases 7 through 12 (Figures 3 and 4) were defined by a set of six failure rates. Some of the cases reflect the same growth patterns shown for the 16-Phase cases, except that, the testing was carried out for only six test phases:


CASE 1




CASE 2




CASE 3



CASE 4



CASE 5



CASE 6






Figure 2. 16-Phase Cases with Non-increasing Failure Rates


CASE 7



CASE 8



CASE 9



CASE 10





Figure 3. 6-Phase Cases with Non-increasing Failure Rates

CASE 11



CASE 12






Figure 4. 6-Phase Cases with Failure Rates that Increase


CASE 13




CASE 14




CASE 15



CASE 16



CASE 17



CASE 18




Figure 5. 16-Phase Cases with Failure Rates that Increase

2. Data Sets

Specification of the number of items to be tested in any phase for a particular case resulted in a Data Set. The number of items tested during a phase was the same for each phase of testing. Three sets of test data were generated for each case, one set each for tests with 5, 10, and 20 items per phase.

3. Tests

The remaining element of the test plan, Planned Test Time, was used to define individual tests. Since the failure rate underlying the exponential test times was known, planned test times were chosen so that the probability of survival was such that sufficient failures would occur.

a. Test 1

The planned test times for Test 1 were generated so that the probability of survival for each item would be .85.

b. Test 2

Test 2 consisted of generating planned test times by using a probability of survival for each item of .99. This test was run to see how the model performed with very limited data.

IV. ANALYSIS PROCEDURE

A. MODEL ESTIMATES

1. Shape Parameter

Using the test data generated above, the shape parameter for the model was estimated at the end of each phase, i , using the AMSAA estimator:

$$\hat{\beta}_i = \frac{N_i}{N_i \ln T_i - \sum_{j=i} \ln X_j},$$

where

N_i = number of failures that occurred to the end of phase i ,

T_i = total accumulated test time over all items to the end of phase i ,

and X_j = total accumulated test time over all items when the j th failure occurs

with a small exception.¹

2. Failure Rate

The model estimate of the failure rate at the end of the i th phase was computed in accordance with the AMSAA model as follows:

¹ It should be noted that the estimate of β can only be computed when $N_i > 1$. If $N_i = 1$, the failure must not occur as the last item of a phase since, in that case, $T_i = X_i$, thus making β an indeterminate form.

$$\hat{r}_i = \hat{\beta}_i \left(\frac{N_i}{T_i} \right) .$$

This resulted in a set of failure rate estimates that was then compared to the set of specified failure rates used to generate the test data.

B. EVALUATION CRITERIA

The manager using a reliability growth model is interested in two things, accuracy and variability.

1. Accuracy

Accuracy measures the ability of the model to track a reliability growth trend. The measure of accuracy used in evaluating the AMSAA model was the failure rate estimate error as a percentage of the actual failure rate.

This percentage error is defined as follows:

$$e_i = \frac{|\bar{r}_i - r_i|}{r_i} \times 100 ,$$

where \bar{r}_i = mean estimate of the failure rate for the i th phase²

and r_i = specified failure rate for the i the phase.

This measure of error was calculated at the end of each phase and used to trace the accuracy of the model over

² Sample may be less than the 100 replications simulated. See footnote 1, page 17.

all phases of each test case. This estimate error, as a percentage of the actual failure rate, can be found in the tabulated statistics for each Data Set of the tests contained in the appendices.

2. Variability

A manager, considering a reliability growth model for use in a program, will not only be concerned with the model's accuracy, but will be concerned with the variability of the estimates the model provides.

The simulation used for this evaluation was replicated 100 times. The mean estimates used to evaluate the tracking and measure the accuracy of the model only have value over the long run. A manager, however, is primarily interested in the one real application of the model. He is concerned with how well a model performs for a single replication and is thus ultimately concerned about the variability of the estimates he gets from the model in addition to its tracking accuracy.

The measure of variability used for this study was the standard deviation about the mean estimate of the failure rate, \bar{r}_i ,

$$\text{S.D.}(\hat{r}_i) = \sqrt{\frac{1}{K} \sum (\hat{r}_i - \bar{r}_i)^2},$$

where K = number of replications that yielded estimates.

As with the failure rate percent error, the standard deviation of the failure rate estimate is contained in the tabulated statistics for each data set.

V. RESULTS

A. GENERAL DESCRIPTION

The results of the analysis are presented in the following manner. The output for each test is contained in a separate appendix to this paper. A data set is identified at the top of each page. This heading consists of the case number and the number of items for the data set. The output for each data set consists of two parts; the tabulated statistics and a performance plot. Figure 6 is a sample of the presentation of the results of a typical data set.

1. Tabulated Statistics

The input parameters, model estimates, measures of performance, and system status at the end of each phase of testing are tabulated for each data set. The values given are the average values over all replications for the data set. Figure 6 shows the format of the tabulated results. The following paragraphs describe each line of the format.

a. Input Parameters

(1) PHASE. This line indicates the phase of testing for the results listed below. Throughout the appendices, results for 6- and 16-phase growth patterns are presented. For 16-phase cases, the first 8 phases are tabulated above a row of asterisks. The same format is then repeated below the asterisks for phases 9 through 16.

CASE 1

10 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7020	0.4340	0.3200	0.2550	0.2130	0.1633	0.1610	0.1440
PLANNED TEST TIME	0.2315	0.3745	0.5079	0.6373	0.7630	0.8861	1.0044	1.1266
MODEL ESTIMATE	5.4898	0.6376	0.4502	0.3208	0.2581	0.2108	0.1997	0.1691
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	682.03	46.61	40.70	28.16	21.16	26.14	21.53	16.74
SAMPLE STD DEVIATION	23.0502	0.4566	0.3009	0.1996	0.1228	0.1143	0.0903	0.0685
CUMULATIVE TEST TIME	2.148	5.623	13.305	16.239	23.271	31.350	46.619	51.136
CUMULATIVE FAILURES	1.3300	2.8500	4.5300	5.6300	7.4700	9.1500	10.6200	12.7100

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.1330	0.1160	0.1090	0.1010	0.0936	0.0676	0.0623	0.0776
PLANNED TEST TIME	1.2219	1.3773	1.4913	1.6091	1.7363	1.8552	1.9747	2.0943
MODEL ESTIMATE	0.1523	0.1385	0.1246	0.1127	0.1055	0.0677	0.0612	0.0558
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	14.48	17.34	14.26	11.61	12.76	11.58	10.85	10.54
SAMPLE STD DEVIATION	0.0534	0.0447	0.0367	0.0332	0.0258	0.0265	0.0219	0.0207
CUMULATIVE TEST TIME	62.421	75.054	86.887	103.021	116.002	136.457	155.152	174.540
CUMULATIVE FAILURES	13.5200	15.0600	16.4500	17.7900	18.3500	20.6200	22.3200	23.8000




Figure 6. Format for Results of a Data Set

(2) ACTUAL FAILURE RATE. This row consists of the sequence of specified failure rates that defines the reliability growth curve for the test case given in the heading. In Figure 6, the specified failure rates for Phases 8 and 9 are 0.1440 and 0.1330 respectively.

(3) PLANNED TEST TIME. Here, the time to which each item was tested if it did not fail, is given. This number was based on the actual failure rate and the specified probability of survival for the test. This test time was the same for all items tested in a phase. For example, 10 items were tested in each of the 16 phases shown in Figure 6. Those items tested in Phase 8 were tested for 1.1286 time units or until failure.

b. Model Estimates

(1) MODEL ESTIMATE. Line 4 of Figure 6 contains the estimates of the failure rate provided by the AMSAA model (see Section IV-A) for each phase of testing. Referring to Figure 6, it can be seen that the model estimate of the failure rate at the end of the 8th Phase of testing was 0.1681 as compared to the actual failure rate of 0.1440.

c. Measures of Performance

(1) ESTIMATE ERROR. Here, the estimate error as a percentage of the actual failure rate, is given. Again, looking at the results for Phase 8, the percent error of 16.75 is found. This was computed as follows:

$$\frac{0.1681 - 0.1440}{0.1440} \times 100 = 16.74$$

The difference in the two percent errors is due to the extra accuracy carried by the computer.

(2) SAMPLE STD DEVIATION. The next line of entries is the standard deviation of the model estimate. This criteria is discussed in Section IV-B. The standard deviation of the model estimate for Phase 8 is 0.0685.

d. System Status

(1) CUMULATIVE TEST TIME. This row contains the total test time over all items as of the end of the indicated phase. At the end of the 8th Phase of testing, 51.176 time units of testing had been performed on the system.

(2) CUMULATIVE FAILURES. The final entry in the table is that of total failures on the system to the end of the phase. As illustrated by Figure 6, an average of 12.01 failures occurred over all replications. This means that, of the 80 items tested to the end of the 8th Phase, 12 failed.

2. Performance Plot

As an aid to evaluating the tracking accuracy of the model, the specified failure rate and the estimated failure rate are plotted for each phase of a test. Figure 6 contains an example of a typical plot.

All failure rates are plotted on a scale of 0 to 1.2. If an estimate is greater than 1.2, it is plotted at 1.2 and is noted as a point "out of range". More precise values of the points plotted can be obtained from the tabulated output above the plot.

The phases, for each failure rate plotted, are scaled on the horizontal axis. By referring to the CUMULATIVE TEST TIME row of the tabulated statistics above the plot, the amount of test time on the system, to the end of a phase, can be found.

For example, in Figure 6, the items tested had 51.176 time units of testing at the end of Phase 8 and 62.421 time units at the end of Phase 9. Thus test Phase 9 consisted of 11.245 time units of testing.

B. TEST 1

The results for Test 1 are given in Appendix A. Model estimates, made when cumulative test times on the system were less than 10 hours, had a high percentage error and large standard deviations. Testing more items per phase tended to provide better estimates earlier in the testing.

1. Non-increasing Failure Rates

As would be expected, the AMSAA model tracks growth patterns that approximate continuously decreasing curves (Case 1) better than those that have drastic step changes (Case 6). The model had a tendency to provide estimates which lag behind the actual value of the failure rate.

This is reflected in the increase in percentage error during the latter phases of testing. As can be seen in Case 4, several phases of constant failure rate will cause the model to lag behind even moderate changes in the failure rate.

2. Failure Rates that Increase

As can be seen in the performance plots of Cases 11 through 18, the AMSAA model has a tendency to smooth oscillations in the failure rate. This also seems to be due to the tendency of the model to provide estimates of the failure rate that lag the actual failure rate when the growth pattern makes large step changes. This characteristic can cause some large percentage errors and standard deviations in the later phases of testing when the failure rate increases for any reason.

C. TEST 2

Test 2 used planned test times generated for a probability of survival of .99. This resulted in far fewer failures during the testing which severely curtailed the model's ability to track a reliability growth pattern.

Appendix B contains the results for some representative cases. As in Test 1, a minimum number of test hours or failures is required for the model to make an accurate estimate. This requirement is not met when a high reliability system is being tested.

The results in Appendix B show a high percent error and a large standard deviation for the estimates made during the test.

D. MODIFICATIONS

As discussed above, the percentage error and the sample standard deviation of the model estimates were high during the early phases of testing and when failure rates increased. In an attempt to reduce this error, the AMSAA model was used in four modified test situations. All four tests used the point estimate of the failure rate

$$r_p = \frac{\text{number of failures during a phase}}{\text{total test time during a phase}}$$

It should be noted that the number of failures and the test time used to compute the point estimate are not accumulated over all phases but are only for the current phase of testing.

The point estimate, r_p , was used for any phase where the cumulative test time on the system was less than 10 hours. Once the 10 hour threshold was exceeded, AMSAA model estimates were used. These estimates were made using all data from the beginning of testing if the failure rate was not considered to have increased. The four modified tests differed only in their handling of increasing failure rates.

1. Estimating Slope

In order to determine whether the trend of failure rates was increasing, the slope of the trend was estimated.

Two methods were used:

a. 2-Point Estimate of Slope

The slope was estimated using the point estimate, r_p , for the current phase and the last estimate, \hat{r}_{i-1} , which may have been from the model or a point estimate.

$$\text{Thus } \text{SLOPE} = r_p - \hat{r}_{i-1} .$$

b. 3-Point Estimate of Slope

This method of estimating slope was used to reduce the change that the estimated slope would be affected by a randomly high point estimate. The slope was estimated using the point estimate, r_p , for the current phase and the last two estimates \hat{r}_{i-1} and \hat{r}_{i-2} . The slope estimated consisted of two parts:

$$\hat{r}_{i-1} - \hat{r}_{i-2} \quad \text{and} \quad r_p - \hat{r}_{i-1} .$$

For the estimate of the slope to be considered increasing, both parts had to be determined to be increasing.

2. Determining Increasing Slope

Two methods of determining when an estimate of slope could be considered increasing were used. The estimates of slope described above were tested in one of the

following ways for each of the modified tests.

$$\text{SLOPE} \geq .07$$

$$\text{SLOPE} \geq .2\hat{r}_{i-1}$$

3. Modified Tests

Figure 7 shows the composition of each of the four modified tests.

	SLOPE \geq .07	SLOPE \geq .2 r_{i-1}
2-Point Slope Estimate	<u>MOD1</u> $r_p - r_{i-1} \geq .07$	<u>MOD2</u> $r_p - r_{i-1} \geq .2r_{i-1}$
3-Point Slope Estimate	<u>MOD3</u> $r_{i-1} - r_{i-2} \geq .07$ and $r_p - r_{i-1} \geq .07$	<u>MOD4</u> $r_{i-1} - r_{i-2} \geq .2r_{i-2}$ and $r_p - r_{i-1} \geq .2r_{i-1}$

Figure 7. Composition of the Modified Tests

The results of the modified tests are presented in the appendices as follows:

<u>TEST</u>	<u>APPENDIX</u>
MOD1	C
MOD2	D
MOD3	E
MOD4	F

Cases 4, 13, 15, and 18 are presented for each test.

APPENDIX A

Results of Test 1

The results of Test 1 for Cases 1 through 18 are contained in this appendix. Each case consists of three data sets, one each for 5, 10, and 20 items. The results are presented in two parts; the tabulated statistics and a performance plot. The elements of the tabulated statistics are described below. For 16-phase cases, the first eight phases are presented above the asterisks and the last eight are shown below.

1. Input Parameters

a. PHASE

This line indicates the phase of testing for which the elements listed below apply. All statistics are as of the end of the indicated phase.

b. ACTUAL FAILURE RATE

This line contains the failure rate specified for the indicated phase. This failure rate was used to generate the exponential failure times used as data for the model.

c. PLANNED TEST TIME

This is the test time to which each item was tested if failure did not occur earlier. For Test 1, the planned test times were generated so that the probability of survival was ,85.

2. Model Estimates

a. MODEL ESTIMATE

This is the estimate of the failure rate provided by the model for the test phase indicated (See Section IV-A).

3. Measures of Performance

a. ESTIMATE ERROR AS
PERCENTAGE OF ACTUAL
FAILURE RATE

These entries were computed as a measure of accuracy to be used for evaluating the tracking accuracy of the AMSAA model (See Section VI-B).

b. SAMPLE STD DEVIATION

These values were computed as a measure of variability for the estimate error (See Section IV-B).

4. System Status

a. CUMULATIVE TEST TIME

The times listed are the total test time accumulated over all phases of testing to the end of the indicated phase.

b. CUMULATIVE FAILURES


These entries are the total failures over all items tested for all phases through the indicated phase.

CASE 1

S 1782

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7020	0.6340	0.3200	0.2590	0.2130	0.1830	0.1610	0.1440
PLANNED TEST TIME	0.2315	0.3745	0.5079	0.6373	0.7630	0.8881	1.0144	1.1286
MODEL ESTIMATE	2.3197	1.1099	1.7535	0.9154	0.3615	0.2551	0.2240	0.1935
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	230.44	155.73	447.68	122.12	65.72	39.42	34.14	34.35
SAMPLE STD DEVIATION	2.1070	1.2740	7.1630	0.9357	0.2906	0.1362	0.1102	0.1079
CUMULATIVE TEST TIME	1.061	2.622	5.140	8.033	11.913	15.614	20.248	24.447
CUMULATIVE FAILURES	0.5000	1.3100	2.0500	2.9200	3.7700	4.5000	5.2400	5.5000

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.1330	0.1180	0.1390	0.1010	0.0930	0.0870	0.0820	0.0770
PLANNED TEST TIME	1.2219	1.3773	1.4910	1.6591	1.7963	1.8552	1.9747	2.0545
MODEL ESTIMATE	0.1963	0.1390	0.1294	0.1178	0.1112	0.1052	0.0993	0.0950
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	19.78	17.75	18.74	16.59	16.83	20.09	20.63	17.04
SAMPLE STD DEVIATION	0.3778	0.0728	0.2632	0.3957	0.0521	0.0464	0.0457	0.0364
CUMULATIVE TEST TIME	31.248	37.694	44.478	51.958	59.839	68.251	77.254	86.596
CUMULATIVE FAILURES	6.5000	7.1000	8.3000	8.7000	9.5100	10.3200	11.1200	11.8000




CASE 1

10 PHASE

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7020	0.4340	0.3200	0.2950	0.2130	0.1630	0.1610	0.1440
PLANNED TEST TIME	0.2315	0.3745	0.5079	0.6373	0.7630	0.8881	1.0094	1.1266
MODEL ESTIMATE	5.4898	0.6276	0.4502	0.3268	0.2581	0.2308	0.1957	0.1691
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	682.03	46.61	40.70	28.16	21.16	26.14	21.93	16.75
SAMPLE STD DEVIATION	23.0902	0.4566	0.3609	0.1996	0.1228	0.1143	0.0903	0.0685
CUMULATIVE TEST TIME	2.148	5.623	10.309	16.239	23.271	31.330	40.675	51.176
CUMULATIVE FAILURES	1.3300	2.8500	4.5300	5.5300	7.4700	9.1900	10.6200	12.0100

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.1330	0.1160	0.1090	0.1010	0.0936	0.0876	0.0823	0.0776
PLANNED TEST TIME	1.2219	1.3773	1.4913	1.6091	1.7363	1.8552	1.9747	2.0943
MODEL ESTIMATE	0.1523	0.1385	0.1246	0.1127	0.1055	0.0977	0.0912	0.0859
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	14.48	17.34	14.29	11.61	12.76	11.58	10.85	10.54
SAMPLE STD DEVIATION	0.0934	0.0447	0.0387	0.0332	0.0298	0.0265	0.0219	0.0207
CUMULATIVE TEST TIME	62.421	75.054	88.887	103.821	119.802	136.867	155.152	174.940
CUMULATIVE FAILURES	13.9200	15.0600	16.4500	17.7900	19.3500	20.8200	22.3200	23.8000




CASE 1

20 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7020	0.4340	0.3200	0.2550	0.2130	0.1430	0.1610	0.1440
PLANNED TEST TIME	0.2215	0.3745	0.5079	0.6373	0.7650	0.8881	1.0054	1.1766
MODEL ESTIMATE	1.2651	0.5279	0.3657	0.2902	0.2438	0.2063	0.1839	0.1631
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	80.22	21.64	14.27	13.62	14.47	12.72	14.21	13.24
SAMPLE STD DEVIATION	2.0237	0.3178	0.1490	0.1098	0.0852	0.0654	0.0541	0.0451
CUMULATIVE TEST TIME	4.268	11.149	20.483	32.164	40.215	62.668	81.203	101.970
CUMULATIVE FAILURES	3.0200	6.0600	9.0400	11.9900	15.0800	18.0400	21.2300	24.3000

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.1230	0.1180	0.1090	0.1010	0.0930	0.0870	0.0873	0.0770
PLANNED TEST TIME	1.2219	1.3773	1.4910	1.6091	1.7363	1.8552	1.9747	2.0943
MODEL ESTIMATE	0.1904	0.1383	0.1228	0.1136	0.1058	0.0993	0.0922	0.0882
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	13.08	17.17	12.69	12.45	13.05	13.39	11.57	13.64
SAMPLE STD DEVIATION	0.0362	0.0309	0.0253	0.0229	0.0208	0.0186	0.0165	0.0146
CUMULATIVE TEST TIME	124.427	149.585	177.251	206.990	238.784	272.789	309.335	347.506
CUMULATIVE FAILURES	27.6100	30.8600	33.5300	34.6200	35.7000	42.8700	45.7600	49.2200




CASE 2

8 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322
MODEL ESTIMATE	2.5820	3.6035	2.0250	1.0789	0.6719	0.4913	0.3925	0.2984
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	268.86	414.78	189.25	48.41	28.84	17.33	16.93	14.77
SAMPLE STD DEVIATION	2.5461	13.3555	6.3476	0.8193	0.8982	0.5571	0.5912	0.4545
CUMULATIVE TEST TIME	1.063	2.129	3.198	4.280	5.360	6.437	7.497	8.540
CUMULATIVE FAILURES	0.7300	1.5400	2.3400	3.0300	3.7400	4.3800	5.2200	6.0700

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322
MODEL ESTIMATE	0.8658	0.8688	0.8081	0.7941	0.7598	0.7798	0.7532	0.7324
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	24.54	24.12	15.44	13.44	13.68	11.35	7.60	4.63
SAMPLE STD DEVIATION	0.5860	0.4619	0.4445	0.3572	0.3592	0.3547	0.3145	0.2540
CUMULATIVE TEST TIME	5.630	10.101	11.781	12.854	13.916	14.589	16.072	17.192
CUMULATIVE FAILURES	6.6400	7.5600	8.2100	8.9500	9.7500	10.5500	11.2100	11.8400




CASE 2

10 ITCS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322
MCCEL ESTIMATE	2.0018	1.3248	0.9434	0.6588	0.4740	0.3474	0.2313	0.1182
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	189.97	89.26	34.77	22.69	29.14	21.06	14.44	16.98
SAMPLE STD DEVIATION	2.6203	1.1457	0.7177	0.5049	0.4716	0.3947	0.3234	0.3168
CUMULATIVE TEST TIME	2.156	4.289	6.451	8.597	10.720	12.877	15.018	17.148
CUMULATIVE FAILURES	1.3600	3.0600	4.3700	5.6900	7.5800	9.0700	10.9600	12.2600

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322
MCCEL ESTIMATE	0.8184	0.7570	0.7626	0.7919	0.7857	0.7816	0.7787	0.7747
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	16.61	13.85	13.23	13.12	12.24	11.66	11.24	10.67
SAMPLE STD DEVIATION	0.3175	0.2945	0.2765	0.2596	0.2372	0.2349	0.2367	0.2370
CUMULATIVE TEST TIME	19.274	21.417	23.550	25.680	27.822	29.940	32.095	34.270
CUMULATIVE FAILURES	13.8400	15.3100	16.9100	18.3100	19.6600	21.0900	22.1300	24.2400




CASE 2

20 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322
MODEL ESTIMATE	1.3531	0.8084	0.7636	0.7644	0.7506	0.7411	0.7395	0.7265
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	93.30	15.49	9.08	5.15	7.22	5.87	5.07	3.78
SAMPLE STD DEVIATION	1.5499	0.4719	0.3593	0.2855	0.2471	0.2083	0.1807	0.1500
CUMULATIVE TEST TIME	4.234	8.548	12.802	17.075	21.394	25.638	29.979	34.233
CUMULATIVE FAILURES	3.3600	6.1400	9.1000	12.3100	15.3800	18.4400	21.5000	24.4700

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322
MODEL ESTIMATE	0.7158	0.7141	0.7165	0.7197	0.7158	0.7181	0.7396	0.7257
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	2.15	2.01	2.78	2.81	2.26	2.58	1.37	0.81
SAMPLE STD DEVIATION	0.1755	0.1812	0.1684	0.1820	0.1608	0.1567	0.1402	0.1365
CUMULATIVE TEST TIME	38.532	42.403	47.066	51.357	55.636	59.926	64.236	68.542
CUMULATIVE FAILURES	27.3100	30.2800	33.3500	36.4500	39.4700	42.6100	45.4900	48.3600




CASE 3

5 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.2322	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504
MCCEL ESTIMATE	2.6444	0.0607	0.1386	0.0548	0.0511	0.0526	0.0480	0.0497
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	277.77	81.20	177.21	9.64	2.17	5.28	4.01	0.55
SAMPLE STD DEVIATION	3.0392	0.0594	0.5117	0.0592	0.0441	0.0452	0.0429	0.0643
CUMULATIVE TEST TIME	1.065	15.995	33.968	46.032	60.571	79.855	91.011	106.100
CUMULATIVE FAILURES	0.6500	1.5200	2.3100	2.9200	3.7000	4.4500	5.1700	5.8300

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504
MCCEL ESTIMATE	0.0454	0.0422	0.0425	0.0423	0.0434	0.0453	0.0453	0.0445
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	9.28	15.58	14.54	15.48	13.25	5.38	5.48	11.04
SAMPLE STD DEVIATION	0.0317	0.0262	0.0281	0.0253	0.0232	0.0221	0.0209	0.0196
CUMULATIVE TEST TIME	121.177	136.408	151.504	166.455	181.280	196.131	211.027	226.016
CUMULATIVE FAILURES	6.5600	7.1300	7.8700	8.6500	9.5100	10.4500	11.2100	11.6700




CASE 3

10 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.0900	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.2322	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504
MCCDL ESTIMATE	1.0357	0.0818	0.0607	0.0541	0.0482	0.0448	0.0429	0.0444
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	133.48	63.55	21.37	8.20	3.50	4.31	14.12	17.17
SAMPLE STD DEVIATION	1.5047	0.0804	0.0516	0.0457	0.0263	0.0223	0.0197	0.0192
CUMULATIVE TEST TIME	2.157	31.678	61.491	91.432	121.048	150.685	181.030	212.014
CUMULATIVE FAILURES	1.3400	3.1500	4.8300	6.4000	7.9500	9.5200	10.8300	12.4000

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504
MCCDL ESTIMATE	0.0441	0.0438	0.0430	0.0432	0.0436	0.0450	0.0456	0.0451
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	11.00	12.42	14.05	13.50	12.86	10.00	8.68	9.71
SAMPLE STD DEVIATION	0.0201	0.0177	0.0177	0.0174	0.0177	0.0194	0.0193	0.0192
CUMULATIVE TEST TIME	240.918	270.784	301.220	331.226	360.931	390.671	420.553	450.738
CUMULATIVE FAILURES	13.9200	15.4400	16.7500	18.2800	19.8300	21.5200	23.1700	24.8900




CASE 3

20 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.0900	0.0500	0.0500	0.0900	0.0900	0.0900	0.0900
PLANNED TEST TIME	0.2322	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504
MODEL ESTIMATE	1.2522	0.0345	0.0395	0.0392	0.0401	0.0402	0.0400	0.0402
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	84.61	9.08	21.09	21.58	19.81	20.08	20.09	18.46
SAMPLE STD DEVIATION	1.8242	0.0438	0.0176	0.0142	0.0169	0.0741	0.0129	0.0121
CUMULATIVE TEST TIME	4.323	44.115	124.971	164.251	164.255	304.437	364.496	424.273
CUMULATIVE FAILURES	2.7500	5.8100	8.6700	11.0000	14.6400	17.9100	20.9100	24.0700

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.0900	0.0900	0.0500	0.0900	0.0900	0.0900	0.0900	0.0900
PLANNED TEST TIME	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504
MODEL ESTIMATE	0.0406	0.0405	0.0413	0.0415	0.0425	0.0429	0.0423	0.0424
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	18.84	18.90	17.39	17.06	19.04	19.04	19.67	19.06
SAMPLE STD DEVIATION	0.0110	0.0108	0.0105	0.0103	0.0111	0.0110	0.0108	0.0112
CUMULATIVE TEST TIME	434.635	545.173	604.765	685.234	724.717	784.785	844.900	905.234
CUMULATIVE FAILURES	28.9400	29.8000	32.9300	35.8900	39.1000	41.9900	44.7300	47.6600




CASE 4

5 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.3500	0.4250	0.4050	0.4000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2959	0.3824	0.4313	0.4963	0.4063	0.4063	0.4063
MCCEL ESTIMATE	3.4375	1.8021	0.7642	0.5960	0.5433	0.4542	0.4829	0.4354
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	51.00	227.66	79.81	47.15	35.83	23.56	20.73	8.26
SAMPLE STD DEVIATION	0.9794	2.3862	0.7915	0.4386	0.4800	0.4704	0.2864	0.2626
CUMULATIVE TEST TIME	1.074	2.418	4.202	6.049	7.942	9.643	11.457	13.980
CUMULATIVE FAILURES	0.4000	1.2500	2.1100	2.9100	3.6300	4.2700	5.2700	5.7700

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.3750	0.2500	0.1000	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	0.4334	0.8124	1.6252	3.2504
MCCEL ESTIMATE	0.4266	0.4239	0.4199	0.4204	0.4005	0.3394	0.2445	0.1950
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	6.63	6.44	4.67	5.11	6.75	65.81	146.89	206.99
SAMPLE STD DEVIATION	0.2152	0.2163	0.1891	0.1581	0.2027	0.1483	0.0977	0.0567
CUMULATIVE TEST TIME	15.442	17.316	19.166	21.049	23.079	26.260	34.776	44.304
CUMULATIVE FAILURES	4.5800	7.3400	8.0700	8.7800	9.3800	10.0000	10.0000	10.0000




CASE 4

10 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.5500	0.4250	0.4050	0.4000	0.4000	0.4000	0.4700
PLANNED TEST TIME	0.2322	0.2555	0.3024	0.4013	0.4063	0.4063	0.4063	0.4063
MCDL ESTIMATE	2.9592	1.1648	0.5144	0.5460	0.4436	0.4130	0.3994	0.3957
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	322.79	111.77	21.03	34.81	10.90	3.45	0.16	1.00
SAMPLE STD DEVIATION	7.4530	3.3214	0.3513	0.5357	0.7234	0.7185	0.1741	0.1626
CUMULATIVE TEST TIME	2.136	4.887	8.462	12.133	15.882	19.619	23.410	27.196
CUMULATIVE FAILURES	1.5400	2.9400	4.1400	5.8600	7.7100	8.6400	10.1000	11.9700


PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.3750	0.2500	0.1000	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	0.4334	0.4126	1.6227	7.7524
MCDL ESTIMATE	0.3949	0.3927	0.3922	0.3948	0.3931	0.3440	0.2548	0.1571
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	1.37	1.84	1.70	1.31	4.24	72.02	154.81	214.20
SAMPLE STD DEVIATION	0.1511	0.1524	0.1344	0.1547	0.1179	0.0896	0.0698	0.0353
CUMULATIVE TEST TIME	30.943	34.723	38.459	42.187	46.178	52.627	68.969	94.321
CUMULATIVE FAILURES	13.0700	14.4500	16.3100	17.5700	19.1600	20.8000	22.3600	23.6300



CASE 6
20 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.5000	0.4250	0.4050	0.4000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2522	0.2955	0.3824	0.4013	0.4063	0.4063	0.4063	0.4063
MODEL ESTIMATE	0.9732	0.6765	0.5160	0.4366	0.4171	0.4053	0.4017	0.4060
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	39.02	23.37	21.59	7.00	4.28	1.32	0.43	1.50
SAMPLE STD DEVIATION	0.7062	0.4160	0.2553	0.1704	0.1717	0.1370	0.1267	0.1190
CUMULATIVE TEST TIME	4.323	9.798	14.874	24.303	31.768	35.722	44.769	54.188
CUMULATIVE FAILURES	2.9900	5.0000	8.0700	11.7100	14.7100	17.7600	20.8100	24.8300


PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.3750	0.2000	0.1000	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	0.4334	0.8126	1.6752	3.7534
MODEL ESTIMATE	0.3959	0.4033	0.3581	0.3941	0.3861	0.2766	0.2442	0.1579
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	0.03	0.83	0.48	1.49	2.97	68.29	144.21	231.76
SAMPLE STD DEVIATION	0.1101	0.1160	0.1023	0.0970	0.0918	0.0766	0.0654	0.0272
CUMULATIVE TEST TIME	41.674	49.133	76.472	84.172	92.154	107.194	137.320	197.432
CUMULATIVE FAILURES	27.0400	30.2200	33.2300	36.1700	39.0600	42.0600	44.8000	47.8500



CASE 9
S 17901

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322
MCCB ESTIMATE	7.0034	7.7400	8.4766	9.2132	9.9498	1.0682	1.1366	1.2050
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	90.49	91.43	92.37	93.31	94.25	95.19	96.13	97.07
SAMPLE STD DEVIATION	27.8616	1.0287	1.0663	1.1039	1.1415	1.1791	1.2167	1.2543
CUMULATIVE TEST TIME	1.070	2.140	3.210	4.280	5.350	6.420	7.490	8.560
CUMULATIVE FAILURES	0.0000	1.3800	2.7600	4.1400	5.5200	6.9000	8.2800	9.6600


PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.0900	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504
MCCB ESTIMATE	0.1735	0.0438	0.0713	0.0610	0.0526	0.0442	0.0452	0.0437
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	247.04	87.68	41.95	22.09	9.11	2.45	9.01	12.07
SAMPLE STD DEVIATION	0.1209	0.0415	0.0288	0.0272	0.0225	0.0211	0.0200	0.0173
CUMULATIVE TEST TIME	28.741	30.991	33.241	35.491	37.741	40.000	42.250	44.500
CUMULATIVE FAILURES	6.5300	7.1400	7.9300	8.7100	9.5000	10.2900	11.0800	11.8700



CASE 9
20 TESTS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.7600	0.7000	0.7000	0.7030	0.7000	0.7700	0.7000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322
MODEL ESTIMATE	1.0461	0.7560	0.7445	0.7491	0.7287	0.7515	0.7497	0.7551
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	36.58	13.81	12.07	6.45	4.10	7.30	7.11	7.47
SAMPLE STD DEVIATION	0.0540	0.0455	0.3826	0.3081	0.2405	0.2503	0.2516	0.2114
CUMULATIVE TEST TIME	4.288	8.556	12.802	17.214	21.527	25.760	30.000	34.132
CUMULATIVE FAILURES	3.0400	5.8000	8.6200	11.6000	14.9700	17.8400	20.9900	24.3300


PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504
MODEL ESTIMATE	0.1818	0.0950	0.0699	0.0985	0.0911	0.0472	0.0438	0.0418
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	223.55	90.00	39.80	16.95	2.29	5.70	12.38	16.45
SAMPLE STD DEVIATION	0.0377	0.0208	0.0154	0.0137	0.0120	0.0108	0.0099	0.0087
CUMULATIVE TEST TIME	94.364	194.544	294.644	394.657	494.697	594.657	694.650	794.650
CUMULATIVE FAILURES	27.1800	30.2800	32.9600	36.0100	38.4900	41.4900	44.0700	47.0200



CASE 6
5 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.4063	0.4063	0.4063
MODEL ESTIMATE	8.1372	3.2307	1.3884	0.9594	0.8095	0.7201	0.6397	0.4000
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	1062.45	361.93	95.95	37.35	24.22	81.53	56.94	35.05
SAMPLE STD DEVIATION	41.6542	12.4530	6.8204	6.8237	6.4671	6.9166	6.4158	6.2592
CUMULATIVE TEST TIME	1.061	2.128	3.209	4.305	5.374	7.210	8.079	10.968
CUMULATIVE FAILURES	0.7000	1.4000	2.2200	2.8400	3.5900	4.4600	5.2600	6.0100

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.4063	0.4063	1.6252	1.6252	1.6252	1.6252	1.6252	1.6252
MODEL ESTIMATE	0.4852	0.4558	0.2001	0.1951	0.1608	0.1381	0.1281	0.1155
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	21.30	14.95	160.15	95.07	60.80	38.14	28.06	19.51
SAMPLE STD DEVIATION	0.2158	0.2063	0.1126	0.0776	0.0605	0.0529	0.0478	0.0429
CUMULATIVE TEST TIME	12.856	14.742	22.241	29.722	37.201	44.676	52.044	59.523
CUMULATIVE FAILURES	6.0800	7.3600	8.0900	8.9000	9.7000	10.4000	11.0000	12.1500




CASE 6

10 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.4063	0.4063	0.4063
MODEL ESTIMATE	1.7872	1.1281	0.8811	0.8621	0.7812	0.5577	0.5077	0.4506
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	155.31	61.16	25.86	23.16	11.35	45.43	76.92	17.65
SAMPLE STD DEVIATION	1.7442	0.9507	0.5558	0.4681	0.3682	0.2647	0.2068	0.1694
CUMULATIVE TEST TIME	2.158	4.277	6.441	9.553	10.725	14.496	16.287	22.093
CUMULATIVE FAILURES	1.3500	3.0100	4.3300	5.9200	7.2400	8.6600	9.4600	11.2500


PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.4063	0.4063	1.6252	1.6252	1.6252	1.6252	1.6252	1.6252
MODEL ESTIMATE	0.4356	0.4184	0.2492	0.1983	0.1554	0.1366	0.1236	0.1146
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	8.99	4.61	149.24	88.29	55.65	26.55	23.61	14.50
SAMPLE STD DEVIATION	0.1644	0.1469	0.0863	0.0576	0.0423	0.0383	0.0295	0.0264
CUMULATIVE TEST TIME	25.831	29.565	46.592	59.418	74.438	86.320	104.331	119.306
CUMULATIVE FAILURES	12.7500	14.1900	15.7600	17.4500	19.0200	20.5600	22.1800	23.7400



CASE 4
20 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.4063	0.4063	0.4063
MODEL ESTIMATE	1.2777	1.0114	0.8886	0.8252	0.7894	0.4063	0.5200	0.4959
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	82.53	44.48	26.94	19.32	12.78	92.08	31.49	23.06
SAMPLE STD DEVIATION	1.2163	0.6270	0.4078	0.3046	0.2523	0.1787	0.1497	0.1374
CUMULATIVE TEST TIME	4.294	8.581	12.862	17.130	21.419	28.905	36.410	43.831
CUMULATIVE FAILURES	2.7700	3.5500	4.2300	4.9000	5.5800	6.2600	6.9400	7.6200


PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.4063	0.4063	1.6252	1.6252	1.6252	1.6252	1.6252	1.6252
MODEL ESTIMATE	0.4951	0.4385	0.2581	0.1931	0.1571	0.1395	0.1213	0.1116
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	13.76	9.72	158.09	53.08	57.10	38.47	21.21	11.65
SAMPLE STD DEVIATION	0.1217	0.1210	0.3658	0.0431	0.0334	0.0276	0.0207	0.0209
CUMULATIVE TEST TIME	51.373	58.856	88.818	118.487	148.459	178.515	208.545	238.617
CUMULATIVE FAILURES	27.0300	30.0400	33.1700	36.4600	39.4300	42.7500	45.7600	48.2700



CASE 7

3 ITEMS


PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	0.1800	0.1060	0.0760	0.0600	0.0500
PLANNED TEST TIME	0.2322	0.6029	1.5932	2.3284	2.7056	3.7904
MODEL ESTIMATE	2.0664	0.4555	0.2102	0.1267	0.0989	0.0648
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	280.92	159.26	98.29	66.74	64.89	29.52
SAMPLE STD DEVIATION	2.2451	0.3773	0.2323	0.2691	0.1488	0.0529
CUMULATIVE TEST TIME	1.082	5.233	12.335	22.415	34.915	45.550
CUMULATIVE FAILURES	0.9000	1.4000	2.1100	2.6800	3.4500	4.2000



CASE 7


10 STEPS

PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	7.1800	0.1060	0.0760	0.0600	0.0500
PLANNED TEST TIME	0.2322	0.9029	1.5232	2.1384	2.7086	3.2704
MODEL ESTIMATE	1.4464	0.2349	0.1180	0.0939	0.0609	0.0529
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	109.49	30.48	12.05	22.99	1.91	4.61
SAMPLE STD DEVIATION	1.9720	0.1445	0.0705	0.1298	0.0258	0.0220
CUMULATIVE TEST TIME	2.131	10.442	24.658	46.542	69.742	96.645
CUMULATIVE FAILURES	1.5200	3.0500	4.8500	5.6700	7.4000	9.3400




CASE 7
20 ITEMS

PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	0.1800	0.1000	0.0700	0.0600	0.0500
PLANNED TEST TIME	0.2322	0.9629	1.5332	2.1384	2.7086	3.2504
PODEL ESTIMATE	1.2610	0.2117	0.1117	0.0803	0.0611	0.0496
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	83.00	17.60	9.34	9.03	1.77	0.73
SAMPLE STD DEVIATION	1.1594	0.1266	0.0577	0.0327	0.0204	0.0185
CUMULATIVE TEST TIME	4.285	21.018	49.447	88.959	124.356	194.721
CUMULATIVE FAILURES	3.0500	6.0200	8.0200	11.9500	14.9500	17.6000




CASE 8
8 ITEMS

PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322
MCCEL ESTIMATE	6.5483	6.2545	1.5116	1.1498	1.7859	0.9609
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	835.47	799.21	115.99	64.26	199.12	38.42
SAMPLE STD DEVIATION	16.5964	36.6878	1.5868	1.0363	7.2392	0.6603
CUMPLATIVE TEST TIME	1.075	2.194	3.221	4.309	5.385	6.442
CUMPLATIVE FAILURES	0.6000	1.4400	2.1600	2.8500	3.5700	4.2500




CASE 8
10 ITEMS

PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322
MODEL ESTIMATE	1.9109	1.1108	0.9457	0.8227	0.8611	0.8247
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	172.98	58.69	35.67	31.82	23.01	17.62
SAMPLE STD DEVIATION	2.2062	0.9809	0.6116	0.4288	0.4651	0.3530
CUMULATIVE TEST TIME	2.119	4.262	6.382	8.501	10.645	12.788
CUMULATIVE FAILURES	1.6200	3.1100	4.7700	6.4300	7.8100	9.3500




CASE 8
20 ITEMS

PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.7000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.2322
MODEL ESTIMATE	1.1574	0.8690	0.8298	0.7837	0.7802	0.7658
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	71.06	24.14	18.56	11.95	11.46	9.40
SAMPLE STD DEVIATION	1.0701	0.4682	0.3554	0.2971	0.2620	0.2302
CUMULATIVE TEST TIME	4.201	8.591	12.843	17.144	21.424	25.690
CUMULATIVE FAILURES	2.9200	6.0000	9.7100	12.1900	15.2700	18.3200



CASE 9
9 ITEMS


PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	0.0560	0.0500	0.2500	0.0500	0.0500
PLANNED TEST TIME	0.2322	3.2504	3.2504	3.2504	3.2504	3.2504
MODEL ESTIMATE	3.0001	0.1346	0.0813	0.0263	0.0490	0.0484
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	328.99	165.20	62.64	13.65	2.04	3.25
SAMPLE STD DEVIATION	3.3772	0.4560	0.0623	0.0539	0.0358	0.0257
CUMULATIVE TEST TIME	1.066	16.044	30.714	45.800	60.858	75.856
CUMULATIVE FAILURES	0.7100	1.9100	2.4700	3.1300	3.8400	4.6400



CASE 9


16 TYPE

PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	0.0500	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.2322	3.2504	3.2504	3.2504	3.2504	3.2504
MODEL ESTIMATE	1.2220	0.0512	0.0506	0.0392	0.0418	0.0429
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	76.57	2.43	1.22	21.49	16.43	15.07
SAMPLE STD DEVIATION	1.0580	0.0401	0.1258	0.0227	0.0230	0.0249
CUMULATIVE TEST TIME	2.139	32.160	62.384	92.071	121.829	151.788
CUMULATIVE FAILURES	1.4700	2.8500	4.3400	5.9000	7.4500	9.1500



CASE 9
20 ITEMS


PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	0.0500	0.0300	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.2322	3.2504	3.2504	3.2504	3.2504	3.2504
MCCEL ESTIMATE	1.1359	0.0449	0.0378	0.0392	0.0375	0.0388
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	62.27	10.11	26.46	21.63	24.94	22.44
SAMPLE STD DEVIATION	1.1273	0.0130	0.0163	0.0211	0.0144	0.0132
CUMULATIVE TEST TIME	4.308	64.787	124.386	184.293	244.683	304.580
CUMULATIVE FAILURES	2.8000	5.5400	8.5600	11.6400	14.6200	17.6500



CASE 10


8-ITEMS

PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.0500	0.0500	0.2500
PLANNED TEST TIME	0.2322	0.2322	0.2322	3.2504	3.2504	3.2504
MODEL ESTIMATE	3.1001	1.9107	1.4548	0.1021	0.0805	0.0577
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	351.44	172.96	107.82	104.23	60.92	15.47
SAMPLE STD DEVIATION	4.1493	1.8739	1.6556	0.0706	0.0783	0.0370
CUMULATIVE TEST TIME	1.078	2.144	3.226	18.175	22.837	47.833
CUMULATIVE FAILURES	0.000	1.4500	2.0800	2.9500	3.8900	4.6400




CASE 10
10 ITERPS

PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.2322	0.2322	0.2322	3.2504	3.2504	3.2504
MODEL ESTIMATE	17.0544	1.1687	0.9306	0.0661	0.0537	0.0555
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	2422.05	69.81	32.94	72.14	7.63	8.90
SAMPLE STD DEVIATION	*****	1.0294	0.6296	0.0461	0.0234	0.0186
CUMULATIVE TEST TIME	2.134	4.277	6.418	10.130	66.232	96.210
CUMULATIVE FAILURES	1.5200	3.0300	4.5200	6.1400	7.5800	9.1300



CASE 10
20 ITEMS


PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.0500	0.2500	0.0500
PLANNED TEST TIME	0.2322	0.2327	0.2327	3.2504	3.7504	3.7504
MODEL ESTIMATE	1.2948	0.9132	0.8192	0.0769	0.0503	0.0423
LETTERING BEARING AS PERCENTAGE OF ACTUAL FAILURE RATE	17.9%	12.9%	17.0%	93.7%	0.0%	15.4%
SAMPLE STD DEVIATION	1.1801	0.5346	0.4100	0.0267	0.0174	0.0125
CUMULATIVE TEST TIME	4.250	8.535	12.825	72.919	133.073	163.287
CUMULATIVE FAILURES	3.1500	6.3100	9.2700	12.0800	15.0500	18.0600



CASE 11

S. JEP:


PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	0.2250	0.3000	0.5500	0.6100	0.2500
PLANNED TEST TIME	0.2322	0.7223	0.5417	0.2955	0.2664	3.2504
MODEL ESTIMATE	2.1895	0.6307	0.4601	0.7153	0.7336	0.1368
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	212.79	180.33	53.38	30.06	20.26	173.17
SAMPLE STD DEVIATION	2.3593	0.7266	0.3505	0.8522	0.6498	0.0861
CUMULATIVE TEST TIME	1.061	4.334	6.850	8.174	9.398	24.311
CUMULATIVE FAILURES	0.6400	1.6000	2.3200	3.2300	4.0400	4.8200



CASE 11

LO 178ms


PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	0.2250	0.3000	0.5500	0.6100	0.2000
PLANNED TEST TIME	0.2322	0.7223	0.9417	0.2555	0.2664	3.2504
MODEL ESTIMATE	1.5355	0.3774	0.4103	0.4614	0.5680	0.1250
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	119.36	67.73	36.78	16.11	6.88	121.23
SAMPLE STD DEVIATION	1.8078	0.3559	0.5967	0.3514	0.3702	0.0536
CUMULATIVE TEST TIME	2.152	8.799	13.780	16.489	18.896	48.642
CUMULATIVE FAILURES	1.3800	2.9400	4.5200	6.1000	7.5500	9.4500



CASE 11

20 STEPS


PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	0.2250	0.3000	0.5500	0.6100	0.0500
PLANNED TEST TIME	0.2322	0.7223	0.5417	0.2955	0.2684	3.2504
MODEL ESTIMATE	1.2623	0.2759	0.2641	0.3507	0.4363	0.1140
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	80.33	22.61	11.96	36.24	28.47	127.98
SAMPLE STD DEVIATION	1.1929	0.1555	0.1286	0.1534	0.1742	0.0371
CUMULATIVE TEST TIME	4.305	17.622	27.723	33.145	36.013	97.892
CUMULATIVE FAILURES	2.9500	5.9500	8.8200	11.9700	15.3400	18.3400



CASE 12

5 17815


PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	0.0500	0.6000	0.1000	0.5000	0.2000
PLANNED TEST TIME	0.2322	3.2204	0.2709	1.6252	0.3250	0.8126
MODEL ESTIMATE	2.6735	0.1042	0.6812	0.1809	0.3008	0.2121
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	281.93	108.45	13.54	80.87	35.85	6.04
SAMPLE STD DEVIATION	4.1245	0.1813	1.5503	0.1921	0.5044	0.1526
CUMULATIVE TEST TIME	1.071	15.454	17.191	24.740	26.225	30.031
CUMULATIVE FAILURES	0.6300	1.4600	2.3600	3.1000	3.8700	4.4700



CASE 12

10 STEPS


PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	0.0900	0.6000	0.1000	0.5000	0.2000
PLANNED TEST TIME	0.2322	3.2904	0.2709	1.6252	0.3250	0.8126
ACCEL ESTIMATE	4.7415	0.0632	0.1653	0.1080	0.1536	0.1602
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	577.36	26.50	72.46	8.01	69.28	15.92
SAMPLE STD DEVIATION	24.3199	0.0610	0.2669	0.0750	0.1179	0.1070
CUMULATIVE TEST TIME	2.130	32.160	36.663	49.818	52.822	60.420
CUMULATIVE FAILURES	1.4300	2.9300	4.4600	5.8600	7.3600	8.7000



CASE 12

20 1784

PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	0.0500	0.6000	0.1000	0.5000	0.2000
PLANNED TEST TIME	0.2322	3.2504	0.2709	1.6252	0.3250	0.8126
MODEL ESTIMATE	1.3244	0.0467	0.0941	0.0913	0.1258	0.1419
ESTIMATE BRACK AS PERCENTAGE OF ACTUAL FAILURE RATE	93.49	6.63	84.31	8.74	74.83	29.03
SAMPLE STD DEVIATION	1.5888	0.0296	0.0513	0.0424	0.0535	0.0610
CUMULATIVE TEST TIME	4.248	64.626	69.629	99.672	105.672	120.636
CUMULATIVE FAILURES	3.2700	6.1100	9.0400	12.1300	15.0400	18.0700




CASE 13

8 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.4500	0.3000	0.2250	0.2300	0.2250	0.3000	0.4000
PLANNED TEST TIME	0.2322	0.3612	0.5417	0.7223	0.8126	0.7223	0.9417	0.4000
MODEL ESTIMATE	2.1655	1.2519	0.9266	0.4029	0.3071	0.2629	0.2761	0.2789
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	209.36	187.10	238.88	78.89	53.95	16.63	7.98	30.76
SAMPLE STD DEVIATION	1.7129	1.2179	2.3761	0.3381	0.7777	0.1625	0.1523	0.1655
CUMULATIVE TEST TIME	1.094	2.74	9.213	8.921	19.284	15.637	16.136	20.056
CUMULATIVE FAILURES	0.9500	1.4300	2.2100	1.0500	3.7900	4.2000	5.2600	9.6700

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4750	0.5500	0.6100	0.6250	0.6100	0.5500	0.3000	0.3000
PLANNED TEST TIME	0.3421	0.2555	0.2664	0.2600	0.2664	0.2529	0.5417	0.7223
MODEL ESTIMATE	0.2963	0.3387	0.3831	0.4242	0.4534	0.4686	0.4767	0.2776
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	37.62	38.42	37.20	32.12	24.85	14.75	45.57	345.21
SAMPLE STD DEVIATION	0.1803	0.2024	0.2230	0.2458	0.3160	0.2342	0.2118	0.0939
CUMULATIVE TEST TIME	21.665	23.016	24.223	25.423	26.634	27.956	30.917	45.029
CUMULATIVE FAILURES	6.4700	7.3000	8.1400	8.9600	9.7600	10.6100	11.3100	12.1000




CASE 13

10 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.4500	0.3000	0.2250	0.2000	0.2250	0.3700	0.4000
PLANNED TEST TIME	0.2322	0.3612	0.5417	0.7223	0.9126	0.7223	0.5417	0.4069
MODEL ESTIMATE	2.0712	0.3055	0.4461	0.3011	0.2448	0.2280	0.2335	0.2442
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	192.45	79.00	48.71	33.84	24.39	0.45	22.15	18.95
SAMPLE STD DEVIATION	2.4201	0.9641	0.3452	0.1534	0.1046	0.0566	0.1015	0.0543
CUMULATIVE TEST TIME	2.114	5.466	10.457	17.116	24.621	31.244	34.371	40.172
CUMULATIVE FAILURES	1.5600	3.7500	4.6000	6.1800	7.7500	9.1100	10.4900	11.7500

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4750	0.5500	0.6100	0.6250	0.6100	0.5500	0.3700	0.0500
PLANNED TEST TIME	0.3421	0.2555	0.2064	0.2600	0.2664	0.2555	0.5417	3.7574
MODEL ESTIMATE	0.2631	0.2833	0.3187	0.3502	0.3770	0.3565	0.3986	0.1999
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	44.61	48.45	47.75	43.97	38.20	27.95	29.52	258.61
SAMPLE STD DEVIATION	0.1144	0.1052	0.1199	0.1297	0.1384	0.1458	0.1444	0.0566
CUMULATIVE TEST TIME	43.361	46.123	48.581	50.967	53.426	56.146	61.066	61.349
CUMULATIVE FAILURES	13.0500	14.3800	16.0100	17.6000	19.1400	20.6300	22.2300	23.9800




CASE 13

20 STEPS

PHASE	1	2	3	4	5	6	7	9
ACTUAL FAILURE RATE	0.7600	0.4900	0.3000	0.2250	0.2000	0.2250	0.3300	0.4300
PLANNED TEST TIME	0.2322	0.3612	0.5417	0.7223	0.8124	0.7223	0.5417	0.4069
MOSER ESTIMATE	1.0814	0.5749	0.3574	0.2743	0.2243	0.2144	0.2286	0.2794
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	36.48	27.75	19.15	21.93	12.13	4.70	23.19	37.26
SAMPLE STD DEVIATION	0.8251	0.3507	0.1342	0.1061	0.0731	0.0767	0.0803	0.0810
CUMULATIVE TEST TIME	4.285	10.555	21.010	34.271	45.266	62.070	72.571	87.007
CUMULATIVE FAILURES	3.0100	5.4500	8.8700	12.0200	15.0100	18.0000	21.1700	24.2300

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4750	0.5500	0.6100	0.6750	0.6100	0.5500	0.7000	0.6500
PLANNED TEST TIME	0.3421	0.2555	0.2664	0.2600	0.2664	0.2555	0.3417	0.2504
MOSER ESTIMATE	0.2736	0.2985	0.3251	0.3494	0.3697	0.3853	0.3794	0.2014
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	42.41	45.72	46.71	44.10	35.39	29.23	26.48	302.73
SAMPLE STD DEVIATION	0.0907	0.0859	0.0677	0.0921	0.0906	0.0874	0.0813	0.0387
CUMULATIVE TEST TIME	86.320	91.794	96.751	101.574	106.504	111.551	121.855	182.120
CUMULATIVE FAILURES	27.1300	30.0800	33.0600	35.9700	36.8100	41.5000	45.1200	47.6500




CASE 14

8 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.4000	0.5000	0.6000	0.7000	0.8000	0.9000	0.4000	0.5000
PLANNED TEST TIME	0.4063	0.3250	0.2709	0.2322	0.2709	0.3250	0.4063	0.5417
MODEL ESTIMATE	1.2017	1.0294	0.9462	0.9638	0.8370	0.7277	0.6429	0.5972
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	200.44	109.88	97.71	94.83	95.50	95.54	96.72	95.09
SAMPLE STD DEVIATION	0.0653	0.0544	0.0424	0.0415	0.0407	0.0419	0.0390	0.0377
CUMULATIVE TEST TIME	1.501	3.419	4.675	5.754	7.014	8.522	10.372	12.078
CUMULATIVE FAILURES	0.6300	1.2500	2.0700	2.8100	3.5400	4.3100	5.1100	5.6000

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000
PLANNED TEST TIME	0.5417	0.5417	0.5417	0.5417	0.5417	0.5417	0.5417	0.5417
MODEL ESTIMATE	0.4457	0.4034	0.3946	0.3751	0.3512	0.3369	0.3312	0.3197
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	48.56	34.47	31.52	25.02	17.00	12.30	10.40	6.57
SAMPLE STD DEVIATION	0.2358	0.2051	0.1958	0.1731	0.1414	0.1304	0.1289	0.1180
CUMULATIVE TEST TIME	15.416	17.619	20.376	22.657	25.381	27.685	30.354	32.611
CUMULATIVE FAILURES	6.4400	7.1700	8.0500	8.8100	9.4600	10.1400	10.9100	11.5700




CASE 14

10 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.4000	0.5000	0.6000	0.7000	0.8000	0.9000	0.4000	0.7000
PLANNED TEST TIME	0.4063	0.3250	0.2709	0.2322	0.2709	0.3250	0.4063	0.5417
POCEL ESTIMATE	1.0249	0.9329	0.7954	0.6310	0.5100	0.4545	0.5741	0.4604
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	156.23	86.57	32.57	18.71	14.33	30.91	43.43	60.18
SAMPLE STD DEVIATION	1.1811	0.8713	0.4951	0.4529	0.3486	0.3173	0.2776	0.2097
CUMULATIVE TEST TIME	3.748	6.722	9.225	11.362	13.907	16.516	20.662	25.665
CUMULATIVE FAILURES	1.5000	2.2000	4.2000	6.3500	7.5400	8.9000	10.4000	11.6200

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000
PLANNED TEST TIME	0.5417	0.5417	0.5417	0.5417	0.5417	0.5417	0.5417	0.5417
POCEL ESTIMATE	0.4192	0.3746	0.3629	0.3511	0.3335	0.3275	0.3234	0.3172
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	39.74	24.87	20.96	17.03	11.17	5.16	7.85	5.93
SAMPLE STD DEVIATION	0.1591	0.1346	0.1224	0.1043	0.0947	0.0857	0.0848	0.0819
CUMULATIVE TEST TIME	30.701	35.758	40.712	45.666	50.700	55.666	60.678	65.682
CUMULATIVE FAILURES	13.3500	16.6700	16.3000	17.9000	14.7100	20.9100	22.4500	23.9800




CASE 14

20 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.4000	0.5000	0.6000	0.7000	0.8000	0.5000	0.4000	0.3000
PLANNED TEST TIME	0.4063	0.3250	0.2709	0.2372	0.1706	0.1250	0.4063	0.5417
MODEL ESTIMATE	0.6868	0.6447	0.6330	0.6731	0.6484	0.6114	0.5566	0.4782
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	71.65	28.93	5.49	4.13	8.06	22.25	36.23	56.35
SAMPLE STD DEVIATION	0.5158	0.4113	0.2714	0.2612	0.2510	0.1863	0.1641	0.1256
CUMULATIVE TEST TIME	7.471	13.447	18.470	22.792	27.821	32.814	41.254	51.174
CUMULATIVE FAILURES	3.1300	6.2100	9.0700	11.8200	14.5800	17.4400	20.8200	24.1000

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.2000
PLANNED TEST TIME	0.5417	0.5417	0.5417	0.5417	0.5417	0.5417	0.5417	0.5417
MODEL ESTIMATE	0.4262	0.3918	0.3705	0.3522	0.3414	0.3312	0.3224	0.3140
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	42.08	30.61	23.50	17.41	13.61	10.35	7.48	5.39
SAMPLE STD DEVIATION	0.1045	0.0925	0.0645	0.0719	0.0686	0.0643	0.0677	0.0657
CUMULATIVE TEST TIME	41.120	71.108	81.071	91.080	101.031	110.972	120.975	130.956
CUMULATIVE FAILURES	27.1500	30.1500	33.2400	36.1800	39.2700	42.2000	45.1900	48.0500




CASE 15

S 178:5

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.3000	0.0500	0.5000	0.2000	0.1000	0.4000	0.3000
PLANNED TEST TIME	0.2322	0.5417	3.2504	0.3250	0.5124	1.6252	0.4063	0.5417
MODEL ESTIMATE	43.2422	0.6972	0.1078	0.3765	0.2858	0.1635	0.1510	0.2181
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	6077.45	132.40	115.52	24.71	42.89	63.54	22.26	27.31
SAMPLE STD DEVIATION	*****	0.6149	0.1108	0.7281	0.3788	0.1745	0.1773	0.2238
CUMULATIVE TEST TIME	1.074	3.573	10.481	15.990	23.722	31.225	33.112	35.575
CUMULATIVE FAILURES	0.7500	1.9200	2.2500	2.9500	3.7600	4.5200	5.1400	5.6300

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.2000	0.1500	0.3000	0.3000	0.2000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.8126	1.0235	0.5417	0.5417	0.8126	1.6252	1.6252	1.6252
MODEL ESTIMATE	0.2127	0.2011	0.2208	0.2304	0.2295	0.1959	0.1686	0.1518
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	6.35	34.08	26.39	23.19	14.74	55.88	48.79	51.81
SAMPLE STD DEVIATION	0.1944	0.1587	0.1710	0.1586	0.1455	0.1124	0.0865	0.0777
CUMULATIVE TEST TIME	39.351	44.288	46.786	49.254	53.005	60.484	66.257	75.729
CUMULATIVE FAILURES	6.6500	7.5000	8.3100	9.1700	9.5000	10.7100	11.3500	11.9500




CASE 15

20 LIFE

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.3000	0.0500	0.5000	0.2000	0.1000	0.4000	0.3000
PLANNED TEST TIME	0.2322	0.5417	3.2504	0.3250	0.8126	1.6252	0.4063	0.5417
MODEL ESTIMATE	1.1828	0.3503	0.0600	0.0928	0.1123	0.1035	0.1308	0.1530
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	68.98	16.77	19.92	81.45	43.65	7.48	67.20	50.00
SAMPLE STD DEVIATION	1.3276	0.1947	0.0259	0.0401	0.0442	0.0357	0.0493	0.0519
CUMULATIVE TEST TIME	4.272	14.288	74.066	80.098	55.034	124.911	132.346	142.278
CUMULATIVE FAILURES	2.9900	5.8500	9.0000	11.7600	14.8800	18.0500	21.3200	24.4500


PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.2000	0.1500	0.3000	0.3000	0.2000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.8126	1.0835	0.5417	0.5417	0.8126	1.6252	1.6252	1.6252
MODEL ESTIMATE	0.1560	0.1932	0.1658	0.1800	0.1817	0.1631	0.1479	0.1378
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	22.01	2.10	44.73	40.01	5.15	63.13	47.89	37.75
SAMPLE STD DEVIATION	0.0518	0.0465	0.0488	0.0403	0.0456	0.0410	0.0332	0.0301
CUMULATIVE TEST TIME	157.243	177.242	187.247	157.196	212.194	242.173	272.258	302.306
CUMULATIVE FAILURES	27.4000	30.4300	33.4100	36.6600	35.6100	42.6600	45.4900	48.4300



CASE 16
9 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.4000	0.3500	0.3000	0.2500	0.2500	0.2500	0.0500	0.0000
PLANNED TEST TIME	0.4063	0.4663	0.5417	0.6501	3.2504	3.2504	3.2504	0.2709
MODEL ESTIMATE	2.2716	2.3319	0.5924	0.4192	0.1090	0.0749	0.0596	0.0749
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	467.91	566.25	97.46	67.66	118.06	49.76	19.25	87.52
SAMPLE STD DEVIATION	4.7638	12.3516	0.5611	0.2692	0.0689	0.0498	0.0371	0.0400
CUMULATIVE TEST TIME	1.878	3.569	6.457	9.450	24.581	39.828	54.650	55.895
CUMULATIVE FAILURES	0.6000	1.6700	2.3800	3.1900	3.9200	4.4500	5.4300	6.1700

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.0000	0.0000	0.5000	0.4000	0.2500	0.1000	0.0500	0.0000
PLANNED TEST TIME	0.2709	0.2709	0.2955	0.4063	0.6501	1.4252	3.2504	3.2504
MODEL ESTIMATE	0.0907	0.1168	0.1339	0.1486	0.1601	0.1440	0.1057	0.0910
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	84.89	80.23	75.65	62.86	35.97	42.95	115.36	81.99
SAMPLE STD DEVIATION	0.0534	0.0828	0.0829	0.0892	0.0994	0.0793	0.0512	0.0403
CUMULATIVE TEST TIME	57.150	58.270	59.730	61.603	64.563	72.116	87.265	102.556
CUMULATIVE FAILURES	6.8500	7.7700	8.5000	9.2300	10.0100	10.6900	11.3100	11.5300




CASE 14

10 ITOPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.4000	0.3500	0.3000	0.2500	0.0500	0.0500	0.0500	0.0000
PLANNED TEST TIME	0.4063	0.4643	0.5417	0.6501	3.2504	3.2204	3.2504	0.2709
MODEL ESTIMATE	1.3927	0.6009	0.4657	0.3459	0.1024	0.0667	0.0523	0.0645
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	248.18	71.69	55.24	38.35	104.88	33.44	4.66	85.24
SAMPLE STD DEVIATION	2.2082	0.4355	0.2504	0.1796	0.0450	0.0263	0.0164	0.0246
CUMULATIVE TEST TIME	3.724	7.987	12.941	18.954	48.688	78.729	108.938	111.449
CUMULATIVE FAILURES	1.6400	3.2700	4.9400	6.4400	8.0500	9.4600	10.7700	12.1100

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.6000	0.6000	0.5500	0.4000	0.2500	0.1000	0.0500	0.0500
PLANNED TEST TIME	0.2709	0.2709	0.2955	0.4063	0.6501	1.6252	3.2504	3.2504
MODEL ESTIMATE	0.0791	0.0560	0.1133	0.1204	0.1347	0.1240	0.1011	0.0870
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	86.81	84.00	79.40	68.41	46.12	24.04	102.18	73.69
SAMPLE STD DEVIATION	0.0286	0.0357	0.0409	0.0431	0.0438	0.0366	0.0263	0.0220
CUMULATIVE TEST TIME	113.966	116.459	119.164	122.893	128.903	144.121	173.911	203.609
CUMULATIVE FAILURES	13.6900	15.2400	16.8700	18.3700	19.8300	21.1000	22.6700	24.1600




CASE 16

20 178:3

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.4000	0.3500	0.3000	0.2500	0.0500	0.0500	0.0500	0.4000
PLANNED TEST TIME	0.4063	0.4643	0.5417	0.6501	3.2504	3.2504	3.2504	0.2704
MODEL ESTIMATE	0.5997	0.4492	0.3736	0.3396	0.0908	0.0618	0.0506	0.0637
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	49.92	27.19	24.54	23.92	81.91	23.42	1.18	85.38
SAMPLE STD DEVIATION	0.4130	0.2385	0.1584	0.1179	0.0316	0.0183	0.0146	0.0178
CUMULATIVE TEST TIME	7.498	16.057	26.036	38.054	58.276	158.310	218.639	223.682
CUMULATIVE FAILURES	3.0000	6.1600	9.3600	12.3800	15.1900	18.1500	20.9600	23.9300

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.6000	0.6000	0.5500	0.4000	0.2500	0.1000	0.0500	0.0500
PLANNED TEST TIME	0.2709	0.2709	0.2955	0.4063	0.6501	1.6252	3.2504	3.2504
MODEL ESTIMATE	0.3767	0.0905	0.1064	0.1189	0.1266	0.1150	0.0968	0.0840
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	87.21	84.92	80.66	70.26	49.36	18.58	53.57	67.92
SAMPLE STD DEVIATION	0.0193	0.0218	0.0258	0.0276	0.0297	0.0268	0.0209	0.0168
CUMULATIVE TEST TIME	226.696	233.716	239.165	246.732	258.833	286.011	346.552	408.775
CUMULATIVE FAILURES	26.7100	29.5100	32.6700	35.5200	38.2800	41.0500	43.9100	46.9500




CASE 17

S LTR'S

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.0900	0.0500	0.0500	0.0300	0.6000	0.6000	0.2000
PLANNED TEST TIME	0.2322	3.2504	3.2504	3.2504	3.2504	0.2709	0.2709	0.2709
MODEL ESTIMATE	3.1219	0.1044	0.0767	0.0553	0.0340	0.1088	0.1457	0.2002
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	345.68	109.20	53.34	10.56	7.96	81.87	72.29	66.64
SAMPLE STD DEVIATION	4.3345	0.1278	0.1014	0.0368	0.0371	0.1726	0.2576	0.4368
CUMULATIVE TEST TIME	1.074	16.100	31.132	46.144	61.089	62.342	63.584	64.847
CUMULATIVE FAILURES	0.7300	1.6500	2.4000	3.1800	3.9800	4.7500	5.5600	6.2300

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.6000	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.2709	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504
MODEL ESTIMATE	0.2253	0.1140	0.0939	0.0803	0.0722	0.0650	0.0672	0.0632
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	62.44	128.08	87.77	60.56	44.43	37.51	34.27	26.31
SAMPLE STD DEVIATION	0.4564	0.0799	0.0561	0.0404	0.0328	0.0311	0.0297	0.0258
CUMULATIVE TEST TIME	66.090	81.203	95.926	110.912	125.809	140.723	155.588	170.701
CUMULATIVE FAILURES	7.0100	7.7100	8.5400	9.2800	10.0300	10.8300	11.7400	12.4900




CASE 17

10 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.0500	0.0500	0.0500	0.0500	0.0000	0.6000	0.6000
PLANNED TEST TIME	0.2322	3.2504	3.2504	3.2504	3.2504	0.2709	0.2709	0.2709
POCEL ESTIMATE	1.8160	0.0566	0.0405	0.0444	0.0445	0.0707	0.0857	0.1162
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	159.43	13.12	19.01	11.24	11.08	88.21	85.04	80.64
SAMPLE STD DEVIATION	3.5101	0.0580	0.0292	0.0368	0.0333	0.0540	0.1254	0.1491
CUMULATIVE TEST TIME	2.147	32.677	62.841	92.878	122.973	125.490	128.010	130.533
CUMULATIVE FAILURES	1.4200	2.4500	4.1200	5.6300	7.1400	8.5500	9.8700	11.1500

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.6000	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.2709	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504
POCEL ESTIMATE	0.1420	0.0533	0.0783	0.0692	0.0651	0.0609	0.0575	0.0553
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	76.34	86.68	56.50	38.39	20.16	21.75	15.73	10.08
SAMPLE STD DEVIATION	0.2162	0.0514	0.0361	0.0275	0.0237	0.0220	0.0199	0.0168
CUMULATIVE TEST TIME	133.023	163.148	193.266	223.606	253.301	283.464	313.431	343.632
CUMULATIVE FAILURES	12.7400	14.2100	15.5500	17.0100	18.4400	19.9500	21.4200	22.8200




CASE 17

20 1763

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.2322	3.2504	3.2504	3.2504	3.2504	0.2709	0.2709	0.2709
MODEL ESTIMATE	1.0539	0.0495	0.0398	0.0379	0.0373	0.0533	0.0709	0.0896
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	56.27	0.58	20.45	24.12	25.47	91.12	68.19	85.23
SAMPLE STD DEVIATION	1.0963	0.0273	0.0214	0.0182	0.0144	0.0231	0.0304	0.0372
CUMULATIVE TEST TIME	4.301	64.276	124.450	184.981	245.142	250.164	250.160	260.155
CUMULATIVE FAILURES	2.9200	6.0200	8.8500	11.8100	14.7000	17.7500	20.7900	23.6700

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.6000	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.2709	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504	3.2504
MODEL ESTIMATE	0.1058	0.0868	0.0755	0.0682	0.0637	0.0591	0.0571	0.0550
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	82.36	73.63	50.98	36.43	27.31	18.26	14.11	10.07
SAMPLE STD DEVIATION	0.0413	0.0298	0.0232	0.0194	0.0164	0.0146	0.0134	0.0123
CUMULATIVE TEST TIME	265.205	329.017	389.302	449.457	505.314	565.518	625.528	685.722
CUMULATIVE FAILURES	26.3500	29.4800	32.5000	35.4700	38.5600	41.2500	44.3800	47.3300




CASE 18

5 LIFE'S

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.7000	0.7000	0.7000	0.7000
PLANNED TEST TIME	0.5417	0.5417	0.5417	0.5417	0.2322	0.2322	0.2322	0.2322
POCEL ESTIMATE	1.8200	0.9681	0.6453	0.5246	0.8058	0.7648	0.7908	0.8393
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	906.67	222.69	121.78	74.86	13.45	9.26	12.67	19.04
SAMPLE STD DEVIATION	4.7804	2.3516	0.7594	0.5059	0.6397	0.6660	0.5736	0.4093
CUMULATIVE TEST TIME	2.906	5.042	7.507	10.020	11.116	12.198	13.223	14.268
CUMULATIVE FAILURES	0.7100	1.4200	2.2400	2.9400	3.5000	4.4700	5.3700	6.1200

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	3.2504	3.2504	3.2504	3.2504
POCEL ESTIMATE	0.7238	0.6428	0.5941	0.5712	0.2266	0.1403	0.1027	0.0861
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	80.94	60.69	48.51	42.79	193.20	186.61	105.42	66.26
SAMPLE STD DEVIATION	0.5225	0.3726	0.3149	0.2982	0.0908	0.0485	0.0350	0.0230
CUMULATIVE TEST TIME	16.166	18.057	19.541	21.804	36.765	51.970	67.164	82.335
CUMULATIVE FAILURES	6.8200	7.9300	8.2700	9.0700	9.9200	10.6000	11.2000	11.9100




CASE 10

10 TESTS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.7000	0.7000	0.7000	0.7000
PLANNED TEST TIME	0.5417	0.5417	0.5417	0.5417	0.7322	0.7322	0.7322	0.7322
MCGEL ESTIMATE	0.9924	0.4354	0.4509	0.4141	0.4922	0.5417	0.6050	0.6507
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	230.81	45.14	50.31	38.03	29.69	22.61	13.57	7.65
SAMPLE STD DEVIATION	1.8064	0.3275	0.3510	0.2213	0.2894	0.3006	0.3497	0.3093
CUMULATIVE TEST TIME	4.927	9.632	14.858	19.747	21.909	24.061	26.213	28.341
CUMULATIVE FAILURES	1.5000	3.0000	4.7000	6.5000	7.5700	9.3200	10.8400	12.4700

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	3.2504	3.2504	3.2504	3.2504
MCGEL ESTIMATE	0.5856	0.5325	0.5184	0.5015	0.2063	0.1326	0.1004	0.0829
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	46.41	33.12	29.61	25.38	312.54	165.13	100.70	65.73
SAMPLE STD DEVIATION	0.2372	0.1869	0.1868	0.1604	0.0580	0.0421	0.0282	0.0230
CUMULATIVE TEST TIME	32.125	35.450	39.705	43.459	73.610	103.736	133.759	163.586
CUMULATIVE FAILURES	13.8200	15.0400	16.5300	18.0700	15.4800	20.8400	22.3300	23.2700




CASE 18

20 TESTS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.1000	0.1000	0.7000	0.7000
PLANNED TEST TIME	0.5417	0.5417	0.5417	0.5417	0.2322	0.2322	0.2322	0.2322
MDBL ESTIMATE	0.4793	0.3668	0.3657	0.3373	0.4107	0.4909	0.5454	0.5880
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	59.77	22.28	21.89	12.43	41.32	25.88	22.08	16.01
SAMPLE STD DEVIATION	0.4000	0.2244	0.1727	0.1377	0.1405	0.1751	0.1989	0.1504
CUMULATIVE TEST TIME	4.594	19.586	29.890	35.508	44.204	46.475	52.744	57.236
CUMULATIVE FAILURES	3.0300	5.5000	9.1800	12.0600	14.4400	18.1200	21.0300	23.4500

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	3.2504	3.2504	3.2504	3.2504
MDBL ESTIMATE	0.5520	0.5296	0.5202	0.5038	0.2070	0.1310	0.1005	0.0825
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	38.01	32.40	30.04	25.95	314.05	161.50	100.99	65.08
SAMPLE STD DEVIATION	0.1544	0.1516	0.1315	0.1207	0.0419	0.0237	0.0184	0.0139
CUMULATIVE TEST TIME	64.565	72.051	79.547	87.097	147.563	208.226	267.736	327.823
CUMULATIVE FAILURES	26.9100	29.8400	33.1100	36.0300	38.8700	41.5400	44.6200	47.5000



APPENDIX B

Results of Test 2

This appendix contains the results for Cases 1, 3, 7, and 18. The planned test times were generated for a probability of survival of .99.


A detailed description of the format of the results can be found in Appendix A.

CASE 1

5 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.4340	0.3200	0.2550	0.2120	0.1830	0.1610	0.1440
PLANNED TEST TIME	0.0143	0.0232	0.0314	0.0394	0.0472	0.0549	0.0624	0.0698
MCCB ESTIMATE	31.0203	16.3024	9.3554	5.7270	3.6502	2.4186	1.7357	1.2602
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	4433.54	3656.53	1506.12	1361.57	1612.71	1221.66	667.57	844.63
SAMPLE STD DEVIATION	26.7755	18.6836	9.3205	5.5890	3.9768	2.8512	1.2041	1.4657
CUMULATIVE TEST TIME	0.071	0.167	0.243	0.535	0.774	1.045	1.755	1.707
CUMULATIVE FAILURES	0.0200	0.0600	0.0900	0.1300	0.1800	0.2100	0.2500	0.2800

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.1330	0.1180	0.1050	0.1010	0.0936	0.0876	0.0823	0.0776
PLANNED TEST TIME	0.0756	0.0852	0.0922	0.0995	0.1074	0.1147	0.1221	0.1295
MCCB ESTIMATE	0.6253	0.8411	0.7862	0.5501	0.9903	0.6564	0.5116	0.2547
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	373.15	612.81	621.20	444.63	577.56	645.32	521.62	614.80
SAMPLE STD DEVIATION	0.5297	1.0848	1.2175	0.7225	2.5628	1.4664	1.3351	0.5517
CUMULATIVE TEST TIME	2.085	2.510	2.965	3.466	4.001	4.572	5.112	5.626
CUMULATIVE FAILURES	0.2500	0.3300	0.3600	0.3800	0.4200	0.4700	0.4800	0.5200




CASE 1

10 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7020	0.4240	0.3209	0.2550	0.2130	0.1820	0.1610	0.1440
FLAPPEC TEST TIME	0.0143	0.0232	0.0314	0.0394	0.0472	0.0549	0.0624	0.0698
MCCEL ESTIMATE	16.3219	3.8230	2.7172	1.4535	1.3889	1.3854	1.1818	0.7745
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	2226.45	780.68	749.14	470.15	552.06	657.06	626.03	410.07
SAMPLE STD DEVIATION	17.4622	3.8113	3.3190	1.7987	2.3278	2.5653	2.5258	1.9261
CUMULATIVE TEST TIME	0.142	0.373	0.689	1.078	1.548	2.054	2.716	3.411
CUMULATIVE FAILURES	0.1100	0.2100	0.3200	0.3700	0.4700	0.6000	0.6800	0.7700

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.1330	0.1180	0.1050	0.1010	0.0930	0.0870	0.0823	0.0776
FLAPPEC TEST TIME	0.0756	0.0897	0.0922	0.0995	0.1074	0.1147	0.1221	0.1295
MCCEL ESTIMATE	0.7105	0.4429	0.3654	0.2846	0.3154	0.2536	0.3424	0.2376
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	434.22	275.37	253.99	181.83	241.22	189.54	315.55	155.77
SAMPLE STD DEVIATION	1.2661	0.4564	0.6555	0.2998	0.5723	0.2935	0.8563	0.2851
CUMULATIVE TEST TIME	4.160	5.007	5.926	6.915	7.978	9.119	10.332	11.620
CUMULATIVE FAILURES	0.9400	1.0500	1.1200	1.2200	1.3000	1.5100	1.6300	1.7500




CASE 1

20 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7020	0.4340	0.3200	0.2550	0.2120	0.1830	0.1610	0.1440
PLANNED TEST TIME	0.0143	0.0232	0.0314	0.0394	0.0472	0.0546	0.0624	0.0698
MODEL ESTIMATE	7.3817	4.5436	1.9522	3.0595	1.0386	0.6049	0.4370	0.3706
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	951.52	1025.05	510.00	1655.82	387.60	220.25	171.47	157.76
SAMPLE STD DEVIATION	11.2572	9.8559	2.8568	10.5748	2.5168	0.7523	0.4325	0.7662
CUMULATIVE TEST TIME	0.289	0.744	1.368	2.149	3.087	4.376	5.497	6.608
CUMULATIVE FAILURES	0.2500	0.4700	0.7300	1.0900	1.3200	1.5900	1.8300	1.9500

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.1230	0.1140	0.1090	0.1010	0.0926	0.0876	0.0823	0.0776
PLANNED TEST TIME	0.0756	0.0832	0.0922	0.0995	0.1074	0.1147	0.1221	0.1295
MODEL ESTIMATE	0.2642	0.2324	0.2024	0.1782	0.1707	0.1772	0.1241	0.1315
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	113.71	97.61	87.07	76.48	82.36	102.35	50.75	65.44
SAMPLE STD DEVIATION	0.4354	0.2417	0.2388	0.2140	0.2420	0.4562	0.0571	0.1771
CUMULATIVE TEST TIME	8.312	10.006	11.844	13.824	15.960	18.246	20.675	23.250
CUMULATIVE FAILURES	2.1600	2.4300	2.5800	2.7700	3.0100	3.1800	3.3500	3.6200




CASE 3

5 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.0144	0.2010	0.2010	0.2010	0.2010	0.2010	0.2010	0.2010
MODEL ESTIMATE	32.0850	0.5175	1.9666	0.9339	0.7085	0.7113	0.7705	0.3552
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	4483.65	527.78	3833.15	1767.81	1317.82	1322.65	1241.74	610.50
SAMPLE STD DEVIATION	27.0078	0.3128	4.9185	1.4566	1.0875	1.0373	1.1814	0.5205
CUMULATIVE TEST TIME	0.072	1.075	2.070	3.067	4.068	5.062	6.061	7.062
CUMULATIVE FAILURES	0.0500	0.0500	0.1000	0.2000	0.2700	0.3600	0.4300	0.4800

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.2010	0.2010	0.2010	0.2010	0.2010	0.2010	0.2010	0.2010
MODEL ESTIMATE	0.2201	0.2776	0.3250	0.3424	0.4301	0.2221	0.2413	0.3836
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	340.23	455.10	545.55	564.87	760.12	344.18	382.57	627.22
SAMPLE STD DEVIATION	0.1745	0.4193	0.8021	0.4751	0.8258	0.2087	0.3835	0.7554
CUMULATIVE TEST TIME	8.063	9.068	10.070	11.065	12.066	13.065	14.067	15.070
CUMULATIVE FAILURES	0.4700	0.5200	0.5600	0.6400	0.7100	0.7900	0.7900	0.8300





CASE 3

10 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.0500	0.3500	0.0500	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.0144	0.2010	0.2010	0.2010	0.2010	0.2010	0.2010	0.2010
MODEL ESTIMATE	21.3252	0.5626	0.3642	6.3768	0.3535	0.3425	0.2294	0.3177
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	2947.03	1025.50	628.43	653.64	666.93	586.59	350.88	534.42
SAMPLE STD DEVIATION	15.1402	1.0362	0.5002	0.5325	0.5064	0.4652	0.2710	0.4074
CUMULATIVE TEST TIME	0.143	2.142	4.140	6.135	8.134	10.126	12.128	14.128
CUMULATIVE FAILURES	0.1300	0.2200	0.3400	0.4000	0.4100	0.7800	0.8600	0.9100

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.2010	0.2010	0.2010	0.2010	0.2010	0.2010	0.2010	0.2010
MODEL ESTIMATE	0.1458	0.2130	0.2102	0.1847	0.1244	0.1321	0.1400	0.0594
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	151.58	325.54	320.48	269.46	148.86	164.19	176.55	58.72
SAMPLE STD DEVIATION	0.1736	0.9055	0.4478	0.5876	0.1471	0.2141	0.2516	0.0595
CUMULATIVE TEST TIME	16.135	18.122	20.130	22.131	24.125	26.126	28.126	30.127
CUMULATIVE FAILURES	1.0100	1.0500	1.2200	1.3000	1.4400	1.5700	1.6800	1.7600





MICROCOPY RESOLUTION TEST CHART


NATIONAL BUREAU OF STANDARDS-1963-A

CASE 3

20 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.0700	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.0144	0.2010	0.2010	0.2010	0.2010	0.2010	0.2010	0.2010
MEAN ESTIMATE	9.4470	0.3441	0.3305	0.2375	0.2337	0.1096	0.1454	0.1124
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	1222.51	988.17	960.95	314.97	347.46	111.45	160.80	124.82
SAMPLE STD DEVIATION	10.0711	0.3765	0.5107	0.3100	0.7025	0.1281	0.2652	0.1771
CUMULATIVE TEST TIME	0.200	4.204	8.265	12.200	16.209	20.252	24.288	28.292
CUMULATIVE FAILURES	0.1700	0.4100	0.6100	0.8500	0.9400	1.1000	1.2800	1.4500


PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.2010	0.2010	0.2010	0.2010	0.2010	0.2010	0.2010	0.2010
MEAN ESTIMATE	0.0545	0.0551	0.1201	0.0886	0.1682	0.0540	0.1048	0.0556
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	89.75	50.24	141.01	77.27	336.47	85.51	105.40	95.29
SAMPLE STD DEVIATION	0.1190	0.1267	0.1555	0.0974	0.5484	0.1225	0.2708	0.2005
CUMULATIVE TEST TIME	32.256	36.256	40.280	44.255	46.276	52.268	56.250	60.257
CUMULATIVE FAILURES	1.0000	1.0000	2.1100	2.2400	2.6000	2.7300	2.9000	3.1400



CASE 7


8 17891

PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	0.1000	0.1000	0.0700	0.0600	0.0500
PLANNED TEST TIME	0.0144	0.0156	0.0540	0.1322	0.1875	0.2000
MEAN ESTIMATE	15.8422	4.7837	1.3617	0.6275	0.3615	0.2000
ESTIMATED MEAN % DIFFERENCE OF ACTUAL FAILURE RATE	2734.55	2557.43	1146.58	735.66	1249.16	901.74
SAMPLE STD DEVIATION	10.4313	6.5765	1.5440	0.4792	0.5550	0.4631
CUMULATIVE TEST TIME	0.072	0.250	0.622	1.482	2.316	2.316
CUMULATIVE FAILURES	0.0100	0.0500	0.0700	0.1000	0.1600	0.2000




LAIF 7
10 ITEMS

PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	0.1000	0.1000	0.0760	0.0000	0.0500
PLANNED TEST TIME	0.0104	0.0220	0.0540	0.1322	0.1475	0.2010
MEAN ESTIMATE	4.0000	1.0203	0.9321	0.7050	0.3577	0.2596
ESTIMATE BASED AS PERCENTAGE OF ACTUAL FAILURE RATE	76.63	749.06	719.30	933.91	456.22	414.20
SAMPLE STD DEVIATION	2.0424	1.9045	1.0602	1.7200	0.5474	0.4262
CUMULATIVE TEST TIME	0.103	0.255	1.662	2.959	4.625	6.625
CUMULATIVE FAILURES	0.0100	0.1700	0.3100	0.3800	0.4600	0.5600



Cell 7
20 17701

PHASE	1	2	3	4	5	6
ACTUAL FAILURE RATE	0.7000	0.1800	0.1040	0.0760	0.0400	0.0500
REARRANGE TEST TIME	0.0164	0.0298	0.0940	0.1322	0.1079	0.2010
MCCBIL ESTIMATE	12.0824	1.2154	0.7800	0.2064	0.2281	0.1574
ESTIMATE ERROR AS PERCENTAGES OF ACTUAL FAILURE RATE	1622.63	610.75	435.87	171.90	366.50	214.84
SAMPLE STD DEVIATION	17.3610	3.0865	1.6882	0.1780	0.1673	0.2551
CUMULATIVE TEST TIME	0.286	1.299	3.262	5.918	6.259	12.257
CUMULATIVE FAILURES	0.1700	0.3200	0.3700	0.7200	0.8500	1.0100




CASE 10

9 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000
PLANNED TEST TIME	0.0339	0.0339	0.0339	0.0339	0.0339	0.0339	0.0339	0.0339
MEAN ESTIMATE	19.2334	6.9075	10.1634	4.9046	6.5225	5.4932	3.7074	4.8147
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	4577.61	2201.17	3288.93	1261.95	821.78	685.22	422.34	281.81
SAMPLE STD DEVIATION	12.0522	0.4245	16.3442	6.4009	14.3181	12.5001	4.3179	8.4702
CUMULATIVE TEST TIME	0.166	0.333	0.499	0.666	0.833	1.000	1.167	1.334
CUMULATIVE FAILURES	0.0400	0.0800	0.1200	0.1600	0.2000	0.2400	0.2800	0.3200


PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.0291	0.0291	0.0291	0.0291	0.0291	0.0291	0.0291	0.0291
MEAN ESTIMATE	4.5254	3.1459	3.3009	4.1636	0.9057	0.2562	0.2674	0.2716
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	1030.90	491.23	729.22	940.91	911.36	461.52	429.72	442.25
SAMPLE STD DEVIATION	8.4262	6.2500	4.6141	8.9908	0.3006	0.2215	0.3546	0.6621
CUMULATIVE TEST TIME	1.077	1.202	1.327	1.452	1.577	1.702	1.827	1.952
CUMULATIVE FAILURES	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000



CASE 10
10 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000
PLANNED TEST TIME	0.0333	0.0333	0.0333	0.0333	0.0333	0.0333	0.0333	0.0333
MEAN ESTIMATE	7.6190	6.3199	4.7999	3.2234	2.4197	2.0907	2.7736	2.4090
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	2439.63	2076.63	1478.91	641.14	459.98	307.18	287.70	252.14
SAMPLE STD DEVIATION	9.4519	9.0990	7.3996	5.0223	4.4445	3.2814	3.0178	2.7790
CUMULATIVE TEST TIME	0.333	0.666	0.999	1.331	1.674	1.917	1.740	1.903
CUMULATIVE FAILURES	0.3000	0.6000	0.9000	0.9000	0.6000	0.3000	0.8100	0.9000

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251	0.0251
MEAN ESTIMATE	2.4418	2.3891	2.2941	1.9479	0.9427	0.2422	0.2099	0.1789
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	910.39	497.02	443.52	286.95	250.20	344.75	319.88	176.94
SAMPLE STD DEVIATION	9.9008	9.2101	9.0000	7.9019	6.7008	6.2170	6.2099	6.7447
CUMULATIVE TEST TIME	2.193	2.403	2.493	2.903	4.904	4.903	6.909	10.904
CUMULATIVE FAILURES	1.6000	1.6000	1.6000	1.6000	1.6000	1.6000	1.6000	1.6000




CAT 10

20 TESTS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.7000	0.5000	0.7000	0.7000
PLANNED TEST TIME	0.0333	0.0333	0.0333	0.0333	0.0144	0.0144	0.0144	0.0144
MCCB ESTIMATE	2.5621	1.9051	1.8987	1.3944	2.2216	2.7221	1.5564	1.7045
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	1087.90	539.02	519.92	384.88	241.05	285.30	128.06	143.51
SAMPLE STD DEVIATION	0.7221	2.1145	2.3948	1.8112	3.3355	7.2045	2.0276	2.4603
CUMULATIVE TEST TIME	0.066	1.234	2.000	2.066	2.982	3.237	3.523	3.809
CUMULATIVE FAILURES	0.1500	0.3000	0.6000	0.6200	1.0200	1.2500	1.4400	1.6200

.....

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.3000	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.0251	0.0251	0.0251	0.0251	0.2010	0.2010	0.2010	0.2010
MCCB ESTIMATE	1.1464	0.9557	0.9717	1.0478	0.2340	0.1723	0.1006	0.0028
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	186.60	145.52	142.94	161.55	288.07	244.25	117.19	67.56
SAMPLE STD DEVIATION	1.3000	0.9304	1.2532	2.2705	0.1409	0.2556	0.0770	0.0511
CUMULATIVE TEST TIME	4.305	4.805	9.305	9.809	9.816	12.612	17.875	21.479
CUMULATIVE FAILURES	1.0000	2.0000	2.2400	2.4000	1.9300	2.1900	2.8400	2.9600



APPENDIX C

Results of Test MOD1

1. Test MOD1

Test MOD1 used the AMSAA model to estimate the failure rate of the items tested except as described below. A more detailed discussion of the modification can be found in Section V-D.

Use of the AMSAA model was modified as follows:

- a. The point estimate of the failure rate,

$$r_p = \frac{\text{number of failures during a phase}}{\text{total test time during a phase}},$$

was used whenever cumulative test time over all items was less than 10 hours.

- b. The slope of the reliability growth pattern was estimated using the current point estimator, r_p , and the previous estimate, \hat{r}_{i-1} , of the failure rate as follows:

$$\text{SLOPE} = r_p - \hat{r}_{i-1}.$$

Increasing slope was then determined from the following relationship:

$$r_p - \hat{r}_{i-1} \geq .07.$$

If the slope was increasing, the point estimate, r_p , was used as the current estimate of the failure rate. Then, the AMSAA model was reinitialized, that is, time and failures prior to an increasing slope were not considered in future estimates made by the model.

2. The Results


Results for Cases 4, 6, 15, and 18 are presented here as representative of the effect the modifications had on the performance of the model. A detailed description of the format of the results can be found in Appendix A.

CASE 4

9 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.9200	0.4250	0.4050	0.4000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2459	0.3024	0.4013	0.4003	0.4003	0.4003	0.4003
MEAN ESTIMATE	1.3430	1.2600	0.9880	0.8159	0.8067	0.4764	0.7687	0.7757
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	92.15	134.54	132.65	101.47	101.66	65.84	92.17	93.93
SAMPLE STD DEVIATION	0.6795	0.7356	0.6517	0.4587	0.4695	0.5281	0.4922	0.5605
CUMULATIVE TEST TIME	1.074	2.418	4.202	6.049	7.942	9.842	11.657	13.580
CUMULATIVE FAILURES	0.6400	1.5100	2.0700	2.8900	3.5900	4.1700	4.9900	5.6900


PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.3750	0.2000	0.2000	0.2000
PLANNED TEST TIME	0.4003	0.4003	0.4003	0.4003	0.4334	0.8126	1.2257	3.7904
MEAN ESTIMATE	0.8014	0.8147	0.7922	0.8142	0.7981	0.4575	0.4816	0.2930
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	100.41	103.67	98.05	103.55	112.82	141.76	360.57	485.52
SAMPLE STD DEVIATION	0.5055	0.4576	0.4452	0.7469	0.7561	0.4259	1.5370	1.0418
CUMULATIVE TEST TIME	15.442	17.315	19.166	21.049	23.079	26.860	34.326	45.304
CUMULATIVE FAILURES	6.4400	7.1500	7.7800	8.2700	9.0800	10.2800	10.9400	11.6400



CASE 4
10 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.5500	0.4250	0.4050	0.4000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2959	0.3824	0.4013	0.4063	0.4063	0.4063	0.4063
MCCEL ESTIMATE	0.0736	0.1741	0.5674	0.5329	0.5258	0.5026	0.5283	0.4779
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	39.13	41.11	33.50	31.56	31.45	25.65	32.00	19.78
SAMPLE STD DEVIATION	0.6089	0.5434	0.3215	0.3378	0.2654	0.3714	0.3459	0.2967
CUMULATIVE TEST TIME	2.136	4.087	6.462	12.133	15.003	19.623	23.410	27.196
CUMULATIVE FAILURES	1.5400	2.9400	4.1400	5.8000	7.1600	8.4500	10.0000	11.4000

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.3750	0.2000	0.1000	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	0.4334	0.8126	1.6252	3.2504
MCCEL ESTIMATE	0.5674	0.4526	0.5256	0.5553	0.5457	0.3559	0.1863	0.0858
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	41.84	29.15	31.40	38.83	45.52	77.54	26.25	71.55
SAMPLE STD DEVIATION	0.3480	0.3131	0.3157	0.2990	0.3678	0.2904	0.1443	0.0555
CUMULATIVE TEST TIME	30.543	34.723	38.455	42.187	46.178	53.627	68.585	98.201
CUMULATIVE FAILURES	12.9700	14.4500	16.0100	17.2200	18.6900	20.5800	22.1500	23.9500




CASE 4

30 17893

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.5500	0.4250	0.4050	0.4000	0.4000	0.4000	0.4000
FLAPNEC TEST TIME	0.2222	0.2955	0.3824	0.4013	0.4063	0.4063	0.4063	0.4063
MCCEL ESTIMATE	0.7376	0.6155	0.4855	0.4428	0.4775	0.4449	0.4455	0.4676
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	6.23	12.63	14.22	9.33	19.39	11.22	11.38	16.98
SAMPLE STD DEVIATION	0.4180	0.3404	0.2597	0.2565	0.3132	0.2414	0.2009	0.2144
CUMULATIVE TEST TIME	4.213	9.758	16.874	24.303	31.798	39.227	46.749	54.168
CUMULATIVE FAILURES	2.9500	5.8000	8.8100	11.7100	14.7100	17.8100	20.8300	23.8400

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.3750	0.2600	0.1000	0.0500
FLAPNEC TEST TIME	0.4063	0.4063	0.4063	0.4063	0.4334	0.8126	1.6252	3.2504
MCCEL ESTIMATE	0.4416	0.4674	0.4527	0.4400	0.4221	0.2574	0.1408	0.0685
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	10.40	16.85	13.17	10.00	12.55	36.71	40.83	36.92
SAMPLE STD DEVIATION	0.2000	0.2363	0.2373	0.2154	0.2216	0.1574	0.0957	0.0787
CUMULATIVE TEST TIME	61.674	69.133	76.672	84.172	92.154	107.194	137.320	197.432
CUMULATIVE FAILURES	27.0400	30.2200	32.8500	36.1700	39.0600	42.0600	44.8000	47.8000




CASE 6

S TYPE

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.4063	0.4063	0.4063
MODEL ESTIMATE	1.3692	1.4414	1.3780	1.4248	1.3628	1.0920	0.9158	0.7451
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	95.03	105.91	96.85	103.54	94.68	172.99	129.64	96.27
SAMPLE STD DEVIATION	0.6434	0.6539	0.7429	0.7812	0.6653	0.3158	0.6974	0.5086
CUMULATIVE TEST TIME	1.061	2.128	3.205	4.305	5.374	7.210	9.075	10.968
CUMULATIVE FAILURES	0.7400	1.4600	2.2000	2.8400	3.4700	4.3200	4.9700	5.6900

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.4063	0.4063	1.6252	1.6252	1.6252	1.6252	1.6252	1.6252
MODEL ESTIMATE	0.7355	0.7320	0.3303	0.2486	0.2230	0.2192	0.2373	0.2224
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	83.89	83.03	230.34	148.63	122.04	115.16	137.33	172.42
SAMPLE STD DEVIATION	0.9162	0.5231	0.4434	0.2994	0.2061	0.1708	0.3124	0.1400
CUMULATIVE TEST TIME	12.836	14.742	22.241	29.722	37.201	44.676	52.044	59.523
CUMULATIVE FAILURES	4.8000	6.9200	7.7400	8.7300	9.6300	10.1900	10.8900	11.5900




CASE 6

10 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.4063	0.4063	0.4063
MCCEL ESTIMATE	0.9152	0.9150	0.8404	0.8337	0.8456	0.3467	0.5226	0.4668
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	31.32	37.60	20.05	33.38	21.37	36.67	31.41	16.69
SAMPLE STD DEVIATION	0.5076	0.5522	0.4064	0.4841	0.5002	0.4415	0.4015	0.3793
CUMULATIVE TEST TIME	2.158	4.217	6.441	8.553	10.729	14.459	18.287	22.053
CUMULATIVE FAILURES	1.3500	3.0100	4.3100	5.9200	7.0600	8.6600	9.9800	11.1700


PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.4063	0.4063	1.6252	1.6252	1.6252	1.6252	1.6252	1.6252
MCCEL ESTIMATE	0.5485	0.3073	0.2168	0.1753	0.1545	0.2546	0.1553	0.1678
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	37.22	26.82	116.86	75.27	54.54	154.56	55.32	67.82
SAMPLE STD DEVIATION	0.3280	0.3044	0.2033	0.1891	0.1187	0.0254	0.0939	0.1495
CUMULATIVE TEST TIME	23.831	29.265	44.552	56.418	74.438	85.320	104.331	115.306
CUMULATIVE FAILURES	12.7500	14.0200	15.3900	17.4500	19.0200	20.5600	22.1800	23.2600



CASE 6
20 TESTS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.4063	0.4063	0.4063
MEAN ESTIMATE	0.7251	0.6111	0.7970	0.7949	0.7398	0.4506	0.4466	0.4528
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	3.58	15.86	13.86	13.96	5.11	12.64	12.24	22.21
SAMPLE STD DEVIATION	0.4087	0.4101	0.3894	0.3794	0.4263	0.2427	0.1866	0.2416
CUMULATIVE TEST TIME	4.294	8.561	12.842	17.130	21.415	26.401	36.410	43.831
CUMULATIVE FAILURES	2.7700	6.0500	9.2000	12.3000	15.2100	18.0700	21.0200	24.3900

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.4063	0.4063	1.6252	1.6252	1.6252	1.6252	1.6252	1.6252
MEAN ESTIMATE	0.4087	0.4423	0.1478	0.1266	0.1191	0.1188	0.1273	0.1224
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	2.17	10.58	47.83	26.62	15.84	16.76	27.28	22.40
SAMPLE STD DEVIATION	0.2004	0.2269	0.1802	0.0588	0.0479	0.0375	0.0594	0.0608
CUMULATIVE TEST TIME	51.373	58.856	88.418	118.487	148.495	178.519	208.545	238.617
CUMULATIVE FAILURES	27.0300	30.0400	33.1700	36.4600	35.4700	41.9700	45.2800	48.2900




CASE 15

9 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.2000	0.0500	0.3000	0.2000	0.1000	0.4000	0.2000
PLANNED TEST TIME	0.2322	0.5417	3.2504	0.3250	0.8126	1.6252	0.4063	0.5417
POCEL ESTIMATE	1.5230	0.4839	0.1409	0.4078	0.5467	0.3337	0.3992	0.4176
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	117.97	217.97	181.70	21.95	170.34	233.72	49.79	199.86
SAMPLE STD DEVIATION	1.0093	0.8239	0.2124	0.5533	0.4577	0.3185	0.4937	0.4560
CUMULATIVE TEST TIME	1.074	3.573	16.461	19.990	23.722	31.229	33.112	35.979
CUMULATIVE FAILURES	0.7500	1.9200	2.1400	2.6500	3.9300	4.3700	4.9600	5.6400

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.2000	0.1500	0.3000	0.3000	0.2000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.8126	1.6252	0.5417	0.9417	0.8126	1.6252	1.6252	1.6252
POCEL ESTIMATE	2.4787	0.3158	0.4945	0.6131	0.3051	0.3279	0.3391	0.1680
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	1139.34	119.20	64.82	104.37	182.52	227.68	234.14	66.07
SAMPLE STD DEVIATION	15.8375	0.2424	0.3734	0.3696	0.3243	0.3730	1.3141	0.1567
CUMULATIVE TEST TIME	35.351	44.288	46.786	49.254	52.005	60.464	68.057	75.795
CUMULATIVE FAILURES	6.3500	7.3600	8.3100	8.7000	9.2700	10.2600	11.0700	11.7900




CASE 19

10 ITEMS

PPAGE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.3000	0.0000	0.5000	0.2000	0.1000	0.4000	0.1000
PLANNED TEST TIME	0.2222	0.5417	3.2500	0.3250	0.6125	1.4250	0.4000	0.5417
MEAN ESTIMATE	1.0362	0.5081	0.0731	0.5402	0.3202	0.2040	0.5040	0.4673
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	48.44	69.36	46.26	8.09	60.09	102.94	25.99	55.73
SAMPLE STD DEVIATION	0.5388	0.3429	0.0726	0.4624	0.2794	0.2226	0.3729	0.2764
CUMULATIVE TEST TIME	2.184	7.083	37.101	40.109	47.606	62.376	66.364	71.262
CUMULATIVE FAILURES	1.7700	3.3500	4.0500	6.3000	7.8200	9.2700	10.9800	12.4700


PPAGE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.2000	0.1500	0.3000	0.3000	0.2000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.6125	1.0619	0.5417	0.5417	0.6125	1.4250	1.4250	1.4250
MEAN ESTIMATE	0.3563	0.2534	0.3880	0.3811	0.2654	0.1643	0.1456	0.1472
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	75.16	68.94	29.34	27.04	34.71	64.39	46.62	44.22
SAMPLE STD DEVIATION	0.3430	0.2258	0.2436	0.2299	0.1952	0.1192	0.1032	0.1029
CUMULATIVE TEST TIME	74.788	88.729	93.707	98.702	106.248	121.309	136.297	151.192
CUMULATIVE FAILURES	13.6500	15.9700	16.8500	16.6000	19.4200	21.4100	23.2900	24.6700



CASE 15
20 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.3000	0.0900	0.5000	0.2000	0.1000	0.4000	0.7000
PLANNED TEST TIME	0.2322	0.9417	3.2104	0.3250	0.8126	1.6252	0.4063	0.5417
MCCB ESTIMATE	0.7622	0.3412	0.0021	0.4766	0.2400	0.1303	0.4023	0.3510
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	0.89	11.75	24.25	4.60	73.90	30.35	13.37	30.54
SAMPLE STD DEVIATION	0.4206	0.1842	0.0376	0.3003	0.3174	0.0046	0.2674	0.7677
CUMULATIVE TEST TIME	4.272	14.200	74.000	10.000	55.034	124.933	132.740	142.270
CUMULATIVE FAILURES	2.9000	9.0000	9.0000	11.7000	14.7000	16.0000	21.0000	74.4000

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.2000	0.1500	0.3000	0.3000	0.2000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.8126	1.0035	0.9417	0.5417	0.8126	1.6252	1.4252	1.4252
MCCB ESTIMATE	0.2965	0.1941	0.3250	0.3924	0.2750	0.1346	0.1146	0.1242
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	30.23	29.40	0.34	30.00	37.66	34.54	34.58	24.24
SAMPLE STD DEVIATION	0.1410	0.1076	0.1696	0.2550	0.1036	0.0792	0.0506	0.1780
CUMULATIVE TEST TIME	157.243	177.242	187.247	197.196	212.194	242.133	272.290	302.300
CUMULATIVE FAILURES	27.4000	30.4000	33.4000	34.6000	36.6000	42.6000	45.4000	48.4000




CASE 10

8 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.7000	0.7000	0.7000	0.7000
PLANNED TEST TIME	0.5417	0.5417	0.5417	0.5417	0.2322	0.2322	0.2322	0.2322
MEAN ESTIMATE	0.6856	0.5667	0.6490	0.5917	0.6700	1.2716	1.4143	1.4726
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	128.55	88.50	116.60	97.23	24.28	81.66	102.04	110.37
SAMPLE STD DEVIATION	0.3624	0.3011	0.3400	0.4396	0.7136	0.6571	0.8568	0.8229
CUMULATIVE TEST TIME	2.309	5.642	7.507	10.020	11.119	12.190	13.223	14.288
CUMULATIVE FAILURES	0.7100	1.4200	2.1300	2.7800	3.3400	4.2700	4.8100	5.4700

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.8500	0.8500	0.8500	0.8500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	1.2504	3.2504	3.2504	3.2504
MEAN ESTIMATE	1.0469	0.9890	0.8992	0.9081	0.2748	0.1447	0.0824	0.0719
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	161.72	147.24	124.81	127.02	44.95	18.54	6.67	4.28
SAMPLE STD DEVIATION	0.7404	0.6987	0.5733	0.6434	0.2971	0.2837	0.1450	0.0665
CUMULATIVE TEST TIME	14.166	18.657	19.541	21.804	30.765	31.570	37.164	42.335
CUMULATIVE FAILURES	6.3400	7.4500	7.6500	8.6900	9.7800	10.4000	11.0600	11.9100




CASE 10

10 STEPS

PASS	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.7000	0.7000	0.7000	0.7000
PLANNED TEST TIME	0.9417	0.9417	0.9417	0.9417	0.3322	0.3322	0.3322	0.3322
MCEL ESTIMATE	0.4091	0.3625	0.4506	0.4797	0.7045	0.8061	0.8770	0.9473
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	36.34	20.97	50.21	59.89	13.08	15.72	25.24	35.23
SAMPLE STD DEVIATION	0.2150	0.2511	0.2874	0.2759	0.4851	0.6265	0.8265	0.9064
CUMULATIVE TEST TIME	4.927	9.852	14.778	19.707	21.906	24.061	26.212	28.341
CUMULATIVE FAILURES	1.5000	3.0000	4.5000	6.0000	7.9400	9.0600	10.3100	12.4700


PASS	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	3.2504	3.2504	3.2504	3.2504
MCEL ESTIMATE	0.6137	0.4820	0.4971	0.5100	0.1312	0.0745	0.0607	0.0559
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	53.42	20.54	24.28	27.50	162.42	48.94	21.40	14.03
SAMPLE STD DEVIATION	0.4341	0.3364	0.3320	0.3241	0.1779	0.1076	0.0658	0.0497
CUMULATIVE TEST TIME	32.125	35.950	39.705	43.459	72.610	103.730	133.759	163.966
CUMULATIVE FAILURES	13.6700	15.0600	16.4200	17.6700	15.1700	20.8400	22.0400	23.6200



CASE 10
20 ITEMS

PPAGE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.7000	0.7000	0.7000	0.7000
PLANNED TEST TIME	0.5417	0.5417	0.5417	0.5417	0.2322	0.2322	0.2322	0.2322
MODEL ESTIMATE	0.4185	0.3310	0.4093	0.3401	0.7206	0.7065	0.7496	0.7502
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	39.45	17.25	36.50	22.70	2.94	12.10	7.00	7.17
SAMPLE STD DEVIATION	0.2903	0.1470	0.2564	0.1911	0.3467	0.4426	0.4265	0.2909
CUMULATIVE TEST TIME	5.596	10.964	16.490	21.958	44.206	46.471	52.744	57.079
CUMULATIVE FAILURES	3.0300	9.9000	9.1600	12.0600	14.8100	17.9500	21.0700	23.4500

PPAGE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	3.2504	3.2504	3.2504	3.2504
MODEL ESTIMATE	0.5057	0.4649	0.4642	0.4427	0.0837	0.0521	0.0526	0.0482
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	27.42	16.24	21.05	10.66	67.30	4.15	4.65	3.66
SAMPLE STD DEVIATION	0.3713	0.2430	0.2403	0.2202	0.0963	0.0221	0.0209	0.0216
CUMULATIVE TEST TIME	64.565	72.051	79.547	87.097	147.563	208.226	267.736	327.823
CUMULATIVE FAILURES	26.9100	29.8400	39.1100	36.0300	28.5000	41.5400	46.6200	47.9000



APPENDIX D

Results of Test MOD2

1. Test MOD2

Test MOD2 used the AMSAA model to estimate the failure rate of the items tested except as described below. A more detailed discussion of the modification can be found in Section V-D.

Use of the AMSAA model was modified as follows:

- a. The point estimate of the failure rate,

$$r_p = \frac{\text{number of failures during a phase}}{\text{total test time during a phase}},$$

was used whenever cumulative test time over all items was less than 10 hours.

- b. The slope of the reliability growth pattern was estimated using the current point estimate, r_p , and the previous estimate, \hat{r}_{i-1} , of the failure rate as follows:

$$\text{SLOPE} = r_p - \hat{r}_{i-1}.$$

Increasing slope was then determined from the following relationship:

$$r_p - \hat{r}_{i-1} \geq .2\hat{r}_{i-1}.$$

If the slope was increasing, the point estimate, r_p , was used as the current estimate of the failure rate. Then, the AMSAA model was reinitialized, that is, time and failures prior to an increasing slope were not considered in future estimates made by the model.


2. The Results

Results for Cases 4, 6, 15, and 18 are presented here as representative of the effect the modifications had on the performance of the model. A detailed description of the format of the results can be found in Appendix A.

CASE 4
S STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.5500	0.4250	0.4050	0.4000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2929	0.3824	0.4013	0.4063	0.4063	0.4063	0.4063
MCCEL ESTIMATE	1.3244	1.3166	0.9075	0.8075	0.8067	0.7442	0.7167	0.7841
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	89.49	136.74	127.64	99.37	101.68	86.56	94.68	96.03
SAMPLE STD DEVIATION	0.6578	0.7415	0.6545	0.6593	0.4695	0.4834	0.4941	0.5520
CUMULATIVE TEST TIME	1.074	2.418	4.202	6.069	7.942	9.641	11.497	13.590
CUMULATIVE FAILURES	0.4000	1.4500	2.0500	2.8900	3.2500	4.1500	4.9000	5.7000

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.3750	0.2000	0.1000	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	0.4334	0.8126	1.6252	3.2504
MCCEL ESTIMATE	0.8182	0.8239	0.7928	0.8124	0.7898	0.4846	0.2906	0.2521
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	104.55	105.98	98.21	103.11	110.42	141.26	140.57	464.73
SAMPLE STD DEVIATION	0.4992	0.4621	0.4372	0.7451	0.7971	0.4203	0.3418	1.0460
CUMULATIVE TEST TIME	15.442	17.319	19.186	21.049	23.076	26.860	34.326	45.204
CUMULATIVE FAILURES	6.4000	7.1100	7.7800	8.3800	9.1700	10.0000	10.4500	11.5000




CASE 4

10 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.5500	0.4250	0.4050	0.4000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2555	0.3624	0.4013	0.4063	0.4063	0.4063	0.4063
POCEL ESTIMATE	0.9735	0.7646	0.5631	0.4275	0.5517	0.5162	0.5320	0.4920
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	39.13	44.48	32.50	54.94	27.92	26.06	33.24	21.25
SAMPLE STD DEVIATION	0.6085	0.5476	0.3305	0.6033	0.2743	0.3771	0.3627	0.3044
CUMULATIVE TEST TIME	2.136	4.687	8.462	12.133	19.883	15.633	23.410	27.195
CUMULATIVE FAILURES	1.5400	2.8200	4.1100	5.7400	7.1600	8.4100	10.1000	11.4100

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.3750	0.2000	0.1000	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	0.4334	0.8126	1.6252	3.2504
POCEL ESTIMATE	0.5740	0.6325	0.5374	0.5670	0.5484	0.3601	0.1960	0.0894
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	43.51	63.11	34.35	41.75	46.23	80.06	53.98	76.71
SAMPLE STD DEVIATION	0.3474	1.6956	0.3229	0.3362	0.3933	0.2631	0.1523	0.0982
CUMULATIVE TEST TIME	30.642	34.723	38.459	42.187	46.178	52.627	66.589	68.201
CUMULATIVE FAILURES	12.9700	14.4500	16.0100	17.2200	18.6200	20.5800	22.1500	23.9300




CASE 4

20 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.5500	0.4250	0.4050	0.4000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2555	0.3824	0.4013	0.4063	0.4063	0.4063	0.4063
MCCEL ESTIMATE	0.7274	0.6134	0.5010	0.4458	0.4752	0.4507	0.4448	0.4703
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	8.23	11.53	17.88	10.07	15.81	12.67	11.19	17.26
SAMPLE STD DEVIATION	0.4180	0.3452	0.2728	0.2614	0.3128	0.2457	0.2144	0.2141
CUMULATIVE TEST TIME	4.313	9.758	16.874	24.303	31.798	35.327	46.755	54.188
CUMULATIVE FAILURES	2.9500	5.8400	8.8700	11.7100	14.7100	17.6100	20.8300	23.5500

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.3750	0.2000	0.1000	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	0.4334	0.8126	1.6252	3.2504
MCCEL ESTIMATE	0.4444	0.4709	0.4536	0.4404	0.4203	0.2571	0.1403	0.0696
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	11.11	17.72	13.40	10.10	12.07	26.53	40.30	39.72
SAMPLE STD DEVIATION	0.2009	0.2357	0.2362	0.2134	0.2216	0.1356	0.0543	0.0302
CUMULATIVE TEST TIME	61.676	69.132	76.672	84.172	92.154	107.154	137.320	197.437
CUMULATIVE FAILURES	27.0400	30.2200	32.8500	36.1700	39.0600	42.0600	44.8000	47.8000




CASE 6

9 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.4063	0.4063	0.4063
POCEL ESTIMATE	1.3652	1.4585	1.3739	1.4043	1.3421	1.0711	0.9757	0.7634
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	95.03	102.30	96.28	100.61	91.72	161.17	128.52	50.10
SAMPLE STD DEVIATION	0.6434	0.8640	0.7531	0.7801	0.6943	0.7167	0.6786	0.4694
CUMULATIVE TEST TIME	1.061	2.128	3.209	4.305	5.374	7.210	9.079	10.968
CUMULATIVE FAILURES	0.7000	1.4000	2.1000	2.8000	3.4700	4.4200	4.9600	5.6500


PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.4063	0.4063	1.6252	1.6252	1.6252	1.6252	1.6252	1.6252
POCEL ESTIMATE	0.7354	0.7056	0.3340	0.2607	0.2375	0.2262	0.2507	0.2365
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	83.65	77.35	233.65	160.72	127.47	126.17	150.67	136.90
SAMPLE STD DEVIATION	0.5135	0.5252	0.4373	0.2927	0.2092	0.1717	0.3109	0.1637
CUMULATIVE TEST TIME	12.656	14.742	22.241	29.722	37.201	44.676	52.044	59.523
CUMULATIVE FAILURES	6.4000	7.0200	7.8500	8.9300	9.6300	10.1900	10.8900	11.5100



CASE 6
10 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.4063	0.4063	0.4063
MODEL ESTIMATE	0.9192	0.9703	0.8404	0.9337	0.8568	0.5468	0.5277	0.4544
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	31.32	38.62	20.05	33.38	22.40	36.71	31.93	12.54
SAMPLE STD DEVIATION	0.5079	0.5532	0.4066	0.4861	0.4544	0.4443	0.4024	0.2753
CUMULATIVE TEST TIME	2.158	4.277	6.441	8.553	10.725	14.495	18.267	27.097
CUMULATIVE FAILURES	1.3500	2.9500	4.3100	5.9200	7.0600	8.6600	9.9800	11.1700

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.4063	0.4063	1.6252	1.6252	1.6252	1.6252	1.6252	1.6252
MODEL ESTIMATE	0.5524	0.5131	0.2114	0.1731	0.1586	0.2832	0.1665	0.1746
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	38.10	28.27	111.36	73.07	58.60	185.23	66.46	74.65
SAMPLE STD DEVIATION	0.3345	0.2549	0.2015	0.1854	0.1254	1.0424	0.1050	0.1205
CUMULATIVE TEST TIME	25.831	29.565	44.552	59.418	74.438	85.320	104.331	119.306
CUMULATIVE FAILURES	12.7500	13.9400	15.3500	17.4500	19.0200	20.4700	22.1600	22.7700




CASE 6

20 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.4063	0.4063	0.4063
MCCBL ESTIMATE	0.7251	0.8171	0.7419	0.7920	0.7287	0.4545	0.4450	0.4541
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	3.58	16.72	5.84	12.14	4.10	13.64	11.46	11.57
SAMPLE STD DEVIATION	0.4087	0.4078	0.4044	0.3825	0.4318	0.2423	0.1882	0.2411
CUMULATIVE TEST TIME	4.254	8.561	12.842	17.130	21.419	28.905	36.410	43.831
CUMULATIVE FAILURES	2.7700	6.0000	9.2000	12.3000	15.2100	18.0700	21.0200	24.3000

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.4063	0.4063	1.6252	1.6252	1.6252	1.6252	1.6252	1.6252
MCCBL ESTIMATE	0.4030	0.4359	0.1445	0.1306	0.1220	0.1265	0.1382	0.1305
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	0.74	9.52	44.48	30.57	21.98	26.92	28.16	30.87
SAMPLE STD DEVIATION	0.2055	0.2249	0.1760	0.0585	0.0487	0.1138	0.1131	0.0485
CUMULATIVE TEST TIME	51.373	58.656	88.818	118.487	148.456	178.516	208.546	238.637
CUMULATIVE FAILURES	27.0300	30.0600	33.1700	34.4600	35.4300	41.9700	45.2600	49.2200




CASE 19

5 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.3000	0.0500	0.5000	0.2000	0.1000	0.4000	0.3000
PLANNED TEST TIME	0.2322	0.5417	3.2504	0.3250	0.8126	1.6252	0.4063	0.5417
MCCB ESTIMATE	1.5230	0.4658	0.4058	0.7188	0.5982	0.5474	0.4154	0.6282
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	117.57	223.26	711.51	43.77	159.10	247.40	93.84	172.72
SAMPLE STD DEVIATION	1.0053	0.8302	0.8308	0.6278	0.5043	0.3731	0.5081	0.4725
CUMULATIVE TEST TIME	1.074	3.573	10.481	19.990	23.722	31.225	33.112	35.575
CUMULATIVE FAILURES	0.7000	1.4000	2.1000	2.9300	3.5100	4.3200	4.9600	5.7000


PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.2000	0.1500	0.3000	0.3000	0.2000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.8126	1.0625	0.5417	0.5417	0.8126	1.6252	1.6252	1.6252
MCCB ESTIMATE	2.5016	0.3201	0.4580	0.6164	0.4992	0.3215	0.3403	0.1783
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	1150.80	113.35	66.01	105.46	149.55	221.54	240.53	78.34
SAMPLE STD DEVIATION	15.8157	0.2558	0.3740	0.3707	0.3224	0.5710	1.3138	0.1617
CUMULATIVE TEST TIME	39.351	44.288	46.766	49.254	53.009	60.484	68.097	79.729
CUMULATIVE FAILURES	6.3000	7.3600	8.3100	8.7000	9.5700	10.2600	11.0700	11.7200



CASE 15
10 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.3000	0.0900	0.5000	0.2000	0.1000	0.4000	0.3000
PLANNED TEST TIME	0.2322	0.5417	3.2904	0.3290	0.8126	1.6252	0.4063	0.5417
MODEL ESTIMATE	1.0352	0.5102	0.0987	0.5584	0.3260	0.1532	0.4422	0.4603
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	48.44	72.74	97.43	11.69	63.41	52.24	23.04	52.63
SAMPLE STD DEVIATION	0.9388	0.3643	0.1595	0.4639	0.2906	0.1759	0.3322	0.2694
CUMULATIVE TEST TIME	2.104	7.083	37.101	40.105	47.606	62.576	66.304	71.262
CUMULATIVE FAILURES	1.7000	3.2400	4.8500	6.3000	7.8200	9.2700	10.9600	12.4700

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.2000	0.1500	0.3000	0.3000	0.2000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.8126	1.0835	0.5417	0.5417	0.8126	1.6252	1.6252	1.6252
MODEL ESTIMATE	0.3500	0.2513	0.3059	0.3844	0.2765	0.1708	0.1700	0.1679
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	75.00	67.51	28.64	28.13	38.43	70.84	70.01	62.54
SAMPLE STD DEVIATION	0.3297	0.2239	0.2644	0.2298	0.2123	0.1212	0.1789	0.1242
CUMULATIVE TEST TIME	78.788	86.725	93.707	98.702	106.248	121.365	136.257	151.192
CUMULATIVE FAILURES	13.4000	15.5700	16.8500	18.6800	19.6200	21.4100	22.2900	24.2600




CASE 18

30 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.3000	0.0900	0.5000	0.2000	0.0000	0.4000	0.1000
PLANNED TEST TIME	0.2322	0.5417	3.2904	0.3250	0.8126	1.6252	0.4063	0.9417
MCCEL ESTIMATE	0.7622	0.4363	0.0415	0.4776	0.3369	0.7364	0.4943	0.1922
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	8.85	46.43	22.42	4.48	48.42	36.94	19.56	30.79
SAMPLE STD DEVIATION	0.4209	0.3100	0.0390	0.3073	0.3103	0.0000	0.2614	0.2672
CUMULATIVE TEST TIME	4.272	14.200	74.066	10.098	69.034	124.911	132.344	142.278
CUMULATIVE FAILURES	2.9500	9.0100	9.0000	11.7600	14.7300	18.0300	21.3200	24.4500


PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.2000	0.1500	0.3000	0.3000	0.2000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.8126	1.0035	0.5417	0.5417	0.8126	1.6252	1.6252	1.6252
MCCEL ESTIMATE	0.2976	0.1585	0.3350	0.3983	0.2812	0.1403	0.1272	0.1776
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	20.93	32.33	12.95	32.77	40.60	40.34	22.18	37.67
SAMPLE STD DEVIATION	0.1616	0.1060	0.1568	0.2533	0.1820	0.0844	0.0929	0.1243
CUMULATIVE TEST TIME	157.243	177.242	187.247	197.196	212.194	242.173	272.298	302.306
CUMULATIVE FAILURES	27.4000	30.4300	33.4100	36.6800	39.6100	42.8600	45.4900	47.5700



CASE 10
S TYPE

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.7000	0.7000	0.7000	0.7000
PLANNED TEST TIME	0.5417	0.5417	0.5417	0.5417	0.2322	0.2322	0.2322	0.2322
MEAN ESTIMATE	0.6854	0.9759	0.6470	0.6409	0.9320	1.2910	1.4142	1.5044
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	126.59	91.96	115.99	113.66	33.14	84.52	102.02	114.51
SAMPLE STD DEVIATION	0.3824	0.3068	0.3914	0.3941	0.6945	0.8306	0.8361	0.8525
CUMULATIVE TEST TIME	2.309	5.042	7.907	10.020	11.119	12.150	13.223	14.206
CUMULATIVE FAILURES	0.7100	1.3300	2.1000	2.7800	3.3600	4.2700	4.9600	5.6700

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	3.2504	3.2504	3.2504	3.2504
MEAN ESTIMATE	1.0843	0.9800	0.8954	0.9058	0.2407	0.1281	0.0883	0.0511
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	171.06	145.01	123.85	126.46	181.37	156.22	72.23	82.17
SAMPLE STD DEVIATION	0.8803	0.6514	0.6219	0.6619	0.3637	0.2458	0.1288	0.0750
CUMULATIVE TEST TIME	16.166	18.057	19.941	21.804	26.765	31.970	37.164	42.315
CUMULATIVE FAILURES	6.3900	7.4500	7.7700	8.6900	9.7800	10.3500	11.0500	11.7500




CASE 10

10 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.7000	0.1000	0.7000	0.7000
PLANNED TEST TIME	0.5417	0.5417	0.5417	0.5417	0.2322	0.2322	0.2322	0.2322
POCEL ESTIMATE	0.4051	0.3441	0.4504	0.4895	0.7903	0.8802	0.8770	0.4473
ESTIMATE BASED AS PERCENTAGE OF ACTUAL FAILURE RATE	36.38	31.37	50.13	67.18	12.90	29.74	19.79	35.93
SAMPLE STC DEVIATION	0.2150	0.2343	0.2807	0.2789	0.4813	0.6384	0.5289	0.5064
CUMULATIVE TEST TIME	4.527	9.052	14.058	19.747	21.905	24.061	26.213	28.341
CUMULATIVE FAILURES	1.5000	2.9700	4.7300	6.5600	7.6700	9.0400	10.9100	12.4700

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.0500	0.0900	0.0500	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	1.2504	3.2204	2.7504	3.2504
POCEL ESTIMATE	0.6132	0.4787	0.4553	0.5173	0.1325	0.0797	0.0700	0.0577
ESTIMATE BASED AS PERCENTAGE OF ACTUAL FAILURE RATE	53.31	19.67	23.82	29.33	14.45	5.48	40.10	54.28
SAMPLE STC DEVIATION	0.4347	0.3289	0.3314	0.3239	0.1755	0.1069	0.0671	0.2064
CUMULATIVE TEST TIME	32.125	35.590	39.705	43.459	71.610	103.736	131.755	163.986
CUMULATIVE FAILURES	13.6700	15.0600	16.4200	17.6700	19.1700	20.8400	22.0400	23.4700




CASE 10

20 TESTS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000
PLANNED TEST TIME	0.5417	0.5417	0.5417	0.5417	0.7322	0.7322	0.7322	0.7322
MEAN ESTIMATE	0.3219	0.3610	0.4009	0.3709	0.7200	0.7890	0.7926	0.7499
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	7.18	20.34	36.29	23.62	2.86	12.72	7.91	7.13
SAMPLE STD DEVIATION	0.1815	0.2142	0.3177	0.2027	0.3910	0.4414	0.4237	0.3904
CUMULATIVE TEST TIME	0.544	1.088	1.632	2.176	2.908	3.640	4.372	5.104
CUMULATIVE FAILURES	0.0300	0.6000	0.9000	1.2000	1.8000	2.7000	3.6000	4.5000

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	2.2504	2.2504	2.2504	2.2504
MEAN ESTIMATE	0.5077	0.4640	0.4644	0.4614	0.0807	0.0547	0.0691	0.0619
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	26.92	16.01	21.11	16.35	41.50	9.36	10.25	29.80
SAMPLE STD DEVIATION	0.3717	0.2447	0.2372	0.2201	0.0873	0.0290	0.0366	0.0290
CUMULATIVE TEST TIME	0.4063	0.8126	1.2189	1.6252	3.8756	6.1260	8.3764	10.6268
CUMULATIVE FAILURES	0.4000	0.8000	1.2000	1.6000	2.0000	2.4000	2.8000	3.2000



APPENDIX E
Results of Test MOD3

1. Test MOD3

Test MOD3 used the AMSAA model to estimate the failure rate of the items tested except as described below. A more detailed discussion of the modification can be found in Section V-D.

Use of the AMSAA model was modified as follows:

- a. The point estimate of the failure rate,

$$r_p = \frac{\text{number of failures during a phase}}{\text{total test time during a phase}},$$

was used whenever cumulative test time over all items was less than 10 hours.

b. The slope of the reliability growth pattern was estimated using the current point estimate, r_p , and the two previous estimates of the failure rate, \hat{r}_{i-1} and \hat{r}_{i-2} . The slope estimated was in two parts,

$$\hat{r}_{i-1} - \hat{r}_{i-2} \quad \text{and} \quad r_p - \hat{r}_{i-1}.$$

The estimate of the slope was considered increasing if both parts of the estimate were determined to be increasing as follows:

$$\hat{r}_{i-1} - \hat{r}_{i-2} \geq .07$$

and

$$r_p - \hat{r}_{i-1} \geq .07 .$$

If the slope was increasing, the point estimate, r_p , was used as the current estimate of the failure rate. Then, the AMSAA model was reinitialized, that is, time and failures prior to an increasing slope were not considered in future estimates made by the model.

2. The Results


Results for Cases 4, 6, 15, and 18 are presented here as representative of the effect the modifications had on the performance of the model. A detailed description of the format of the results can be found in Appendix A.

CASE 4

8 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.5500	0.4250	0.4050	0.4000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2555	0.3824	0.4013	0.4063	0.4063	0.4063	0.4063
MCCB ESTIMATE	1.3264	1.2500	0.9488	0.8127	0.8044	0.8062	0.8062	0.8185
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	89.49	134.54	132.45	100.68	101.09	51.25	21.04	15.63
SAMPLE STD DEVIATION	0.6578	0.7358	0.6517	0.4575	0.4637	0.5258	0.3180	0.2967
CUMULATIVE TEST TIME	1.074	2.418	4.202	6.069	7.942	9.842	11.647	13.080
CUMULATIVE FAILURES	0.6400	1.5100	2.0700	2.9100	3.5500	4.3700	5.0700	5.7700


PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.3750	0.2000	0.1000	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	0.4334	0.8126	1.6252	3.2504
MCCB ESTIMATE	0.5034	0.3153	0.5353	0.5432	0.4831	0.2456	0.2457	0.1275
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	25.09	20.83	33.81	35.79	28.82	72.82	145.66	154.57
SAMPLE STD DEVIATION	0.3057	0.3214	0.3348	0.3906	0.3209	0.2252	0.2152	0.0814
CUMULATIVE TEST TIME	15.442	17.319	19.186	21.049	23.079	26.880	34.326	45.204
CUMULATIVE FAILURES	6.3800	7.3000	8.0700	8.3700	9.3200	10.0800	10.8500	11.5000



CASE 4
10 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.5300	0.4250	0.4050	0.4000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2555	0.3824	0.4013	0.4063	0.4063	0.4063	0.4063
MODEL ESTIMATE	0.9735	0.7761	0.5674	0.5432	0.4428	0.4551	0.4351	0.4716
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	39.13	41.11	33.50	34.13	10.71	12.77	6.77	2.40
SAMPLE STD DEVIATION	0.6085	0.5434	0.3215	0.5243	0.2595	0.2514	0.2879	0.2205
CUMULATIVE TEST TIME	2.136	4.687	8.462	12.133	15.883	19.623	23.410	27.196
CUMULATIVE FAILURES	1.5400	2.9400	4.1400	5.8800	7.3100	8.6400	10.1000	11.3000

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.3750	0.2000	0.1000	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	0.4234	0.6126	1.6252	3.2504
MODEL ESTIMATE	0.6855	0.4354	0.4195	0.4398	0.4265	0.3421	0.2276	0.1265
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	21.47	9.66	4.87	9.94	13.83	71.06	127.63	150.54
SAMPLE STD DEVIATION	0.3573	0.2538	0.2260	0.2441	0.1972	0.1564	0.0538	0.0404
CUMULATIVE TEST TIME	30.543	34.723	38.459	42.187	46.178	52.627	68.565	98.301
CUMULATIVE FAILURES	13.0700	14.3100	16.0100	17.5700	19.1600	20.8000	22.3600	23.9300




CASE 4

20 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.1000	0.5500	0.4250	0.4050	0.4000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2555	0.3824	0.4013	0.4063	0.4063	0.4063	0.4063
MCCEL ESTIMATE	0.7576	0.6289	0.4737	0.4292	0.4348	0.4264	0.4121	0.4370
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	8.23	14.35	11.47	5.98	8.71	7.25	3.63	6.25
SAMPLE STD DEVIATION	0.4180	0.3568	0.2465	0.2077	0.2363	0.2092	0.1562	0.1784
CUMULATIVE TEST TIME	4.313	9.798	16.874	24.303	31.798	39.327	46.799	54.188
CUMULATIVE FAILURES	2.9200	5.6600	8.8100	11.7100	14.7100	17.7600	20.8300	24.0300

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.3750	0.2000	0.1000	0.0400
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	0.4334	0.8126	1.4252	3.2504
MCCEL ESTIMATE	0.4096	0.4167	0.3936	0.3958	0.3913	0.3106	0.2133	0.1266
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	2.39	4.17	1.59	1.04	4.34	35.31	115.25	153.63
SAMPLE STD DEVIATION	0.1433	0.1600	0.1282	0.1137	0.1154	0.0959	0.0667	0.0406
CUMULATIVE TEST TIME	61.676	69.133	76.672	84.172	92.194	107.194	137.320	197.432
CUMULATIVE FAILURES	27.0400	30.2200	33.2300	36.1700	39.6600	42.0600	44.8600	47.8600




CASE 6

9 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.4063	0.4063	0.4063
MODEL ESTIMATE	1.3652	1.4414	1.3728	1.4248	1.3555	1.0810	0.9029	0.9731
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	95.03	105.61	96.11	103.54	93.64	170.24	125.72	43.27
SAMPLE STD DEVIATION	0.6434	0.8239	0.7410	0.7812	0.6901	0.7164	0.6255	0.2985
CUMULATIVE TEST TIME	1.061	2.128	3.209	4.303	5.374	7.210	9.075	10.968
CUMULATIVE FAILURES	0.7400	1.4500	2.2200	2.8400	3.5500	4.4300	5.2900	6.0900


PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1070
PLANNED TEST TIME	0.4063	0.4063	1.6252	1.6252	1.6252	1.6252	1.6252	1.6252
MODEL ESTIMATE	0.5058	0.4751	0.2701	0.4424	0.1733	0.1458	0.1340	0.1231
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	27.46	18.77	170.15	362.37	73.25	45.78	33.96	23.08
SAMPLE STD DEVIATION	0.2716	0.2446	0.1674	2.5930	0.1390	0.1051	0.0751	0.0549
CUMULATIVE TEST TIME	12.856	14.742	22.241	28.722	37.201	44.676	52.044	59.523
CUMULATIVE FAILURES	6.6800	7.3800	7.9800	8.9000	9.7000	10.4000	11.3000	12.1500



CASE 6
10 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.4062	0.4062	0.4062
PCCBL ESTIMATE	0.9192	0.9590	0.8363	0.9337	0.8286	0.6061	0.5078	0.4483
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	31.32	37.00	19.48	33.38	18.37	31.53	26.95	12.08
SAMPLE STD DEVIATION	0.5076	0.5522	0.4067	0.4861	0.4364	0.3861	0.3367	0.2194
CUMULATIVE TEST TIME	2.198	4.277	6.441	8.553	10.725	14.499	18.287	22.053
CUMULATIVE FAILURES	1.3900	3.0100	4.3200	5.9200	7.1800	8.4600	9.4800	11.2800

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.4062	0.4062	1.6252	1.6252	1.6252	1.6252	1.6252	1.6252
PCCBL ESTIMATE	0.4693	0.4462	0.2259	0.1702	0.1426	0.1266	0.1167	0.1107
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	17.32	11.54	125.55	70.15	42.83	24.58	16.68	10.70
SAMPLE STD DEVIATION	0.2712	0.2156	0.0606	0.0426	0.0317	0.0258	0.0237	0.0226
CUMULATIVE TEST TIME	25.831	29.565	44.552	55.418	74.438	85.320	104.311	115.306
CUMULATIVE FAILURES	12.7500	14.1500	15.7600	17.4500	18.0200	18.5600	22.1600	23.7400




CASE 6

20 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.4063	0.4063	0.4063
POCEL ESTIMATE	0.7251	0.8111	0.7828	0.7842	0.7198	0.5260	0.4614	0.4524
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	3.98	15.86	11.83	12.02	2.82	31.49	19.25	13.40
SAMPLE STD DEVIATION	0.4087	0.4101	0.3469	0.3558	0.3222	0.2221	0.1817	0.1800
CUMULATIVE TEST TIME	4.254	8.561	12.642	17.130	21.615	26.505	36.410	43.831
CUMULATIVE FAILURES	2.7000	4.0000	4.2000	12.3000	15.2100	17.6100	21.0200	24.3000

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.4063	0.4063	1.6252	1.6252	1.6252	1.6252	1.6252	1.6252
POCEL ESTIMATE	0.4173	0.4176	0.2115	0.1607	0.1338	0.1181	0.1081	0.1005
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	4.33	4.39	111.53	60.74	33.84	18.06	6.05	0.54
SAMPLE STD DEVIATION	0.1407	0.1426	0.0741	0.0457	0.0335	0.0273	0.0225	0.0204
CUMULATIVE TEST TIME	51.373	58.854	88.418	116.457	148.405	176.215	208.245	238.637
CUMULATIVE FAILURES	27.0300	30.0400	33.1700	36.4600	39.4300	42.3100	43.2600	48.2700




CASE 15

9 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.3000	0.0500	0.5000	0.2000	0.1000	0.4000	0.2000
PLANNED TEST TIME	0.2322	0.5417	3.2504	0.3750	0.8126	1.6252	0.4063	0.5417
PCCEL ESTIMATE	1.5230	0.5539	0.1074	0.4027	0.2542	0.1574	0.1524	0.2619
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	117.37	217.67	114.79	19.47	47.10	57.40	51.09	12.70
SAMPLE STC DEVIATION	1.0053	0.8239	0.1107	0.7404	0.2842	0.1725	0.1060	0.3440
CUMULATIVE TEST TIME	1.074	3.573	18.461	19.990	23.722	31.225	33.112	35.575
CUMULATIVE FAILURES	0.7000	1.9200	2.2500	2.9500	3.7300	4.4300	5.0700	5.9300


PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.2000	0.1500	0.5000	0.3000	0.2000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.8126	1.6252	0.5417	0.5417	0.8126	1.6252	1.6252	1.6252
PCCEL ESTIMATE	0.2333	0.1528	0.2454	0.2727	0.2405	0.1834	0.1518	0.1314
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	16.63	28.51	18.13	9.09	20.47	83.40	51.79	31.43
SAMPLE STC DEVIATION	0.2264	0.1416	0.2281	0.2768	0.2452	0.1255	0.0957	0.0811
CUMULATIVE TEST TIME	39.351	44.288	46.786	49.254	53.005	60.484	68.097	75.725
CUMULATIVE FAILURES	0.3100	7.2200	8.3100	9.1000	9.8100	10.7100	11.3500	11.9500



CASE 15
10 STOPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.3000	0.0900	0.5000	0.2000	0.1000	0.4000	0.3000
PLANNED TEST TIME	0.2322	0.5417	3.2504	0.3250	0.8126	1.4252	0.4063	0.2417
MODEL ESTIMATE	1.0392	0.5001	0.0843	0.1076	0.1503	0.1072	0.1500	0.1721
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	48.44	65.36	68.63	82.49	24.85	7.18	62.49	42.64
SAMPLE STD DEVIATION	0.5388	0.3429	0.1227	0.3933	0.1469	0.0610	0.1129	0.1127
CUMULATIVE TEST TIME	2.104	7.083	37.101	40.103	47.606	62.574	66.304	71.262
CUMULATIVE FAILURES	1.7700	3.3500	4.0500	6.3500	1.4200	6.3800	10.9800	12.5500

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.2000	0.1500	0.3000	0.3000	0.2000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.8126	1.0835	0.5417	0.5417	0.8126	1.4252	1.4252	1.4252
MODEL ESTIMATE	0.1801	0.1444	0.1989	0.1981	0.1801	0.1584	0.1447	0.1338
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	9.02	10.63	33.89	33.96	6.99	58.38	44.71	32.81
SAMPLE STD DEVIATION	0.1424	0.1105	0.1573	0.1279	0.0857	0.0406	0.0531	0.0473
CUMULATIVE TEST TIME	78.788	88.725	93.707	98.702	106.248	121.209	126.257	151.192
CUMULATIVE FAILURES	13.9900	15.5100	17.1000	18.4800	20.1100	21.6400	23.2900	24.8700




CASE 15

20 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.1000	0.3000	0.0900	0.9000	0.2000	0.1000	0.4000	0.7000
PLANNED TEST TIME	0.2322	0.5417	3.2504	0.3250	0.8124	1.6252	0.4003	0.5417
MODEL ESTIMATE	0.7622	0.3512	0.0627	0.1195	0.1367	0.1045	0.1434	0.1673
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	8.89	17.03	29.32	76.02	11.66	6.56	64.19	44.22
SAMPLE STD DEVIATION	0.4209	0.1582	0.0377	0.2004	0.1081	0.0469	0.0840	0.0504
CUMULATIVE TEST TIME	4.272	14.288	74.066	80.098	95.034	124.911	132.346	142.278
CUMULATIVE FAILURES	2.9500	9.8500	9.0000	11.7600	14.8000	18.0500	21.3200	24.8500

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.2000	0.1500	0.3000	0.3000	0.2000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.8124	1.0835	0.5417	0.5417	0.8124	1.6252	1.6252	1.6252
MODEL ESTIMATE	0.1692	0.1573	0.1769	0.1884	0.1865	0.1642	0.1415	0.1370
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	15.41	4.45	41.03	37.19	4.59	64.17	67.63	31.04
SAMPLE STD DEVIATION	0.0510	0.0606	0.0896	0.0683	0.0618	0.0454	0.0363	0.0320
CUMULATIVE TEST TIME	157.243	177.242	187.247	197.196	212.194	242.173	272.258	302.300
CUMULATIVE FAILURES	27.4000	30.4500	33.4100	36.6600	39.6100	42.6600	45.6900	48.6700




CASE 10

8 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000
PLANNED TEST TIME	0.5417	0.5417	0.5417	0.5417	0.2322	0.2322	0.2322	0.2322
MCCB ESTIMATE	0.4856	0.5667	0.6452	0.5939	0.4399	0.4478	1.0287	1.1492
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	128.55	88.40	115.04	97.97	8.59	25.40	46.56	65.64
SAMPLE STD DEVIATION	0.3824	0.3011	0.3477	0.4844	0.7494	0.8715	0.7523	0.8692
CUMULATIVE TEST TIME	2.505	5.042	7.507	10.020	11.119	12.158	12.223	14.288
CUMULATIVE FAILURES	0.7100	1.4200	2.2000	2.9000	3.4200	4.4700	5.0300	5.9100

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	3.2504	3.2504	3.2504	3.2504
MCCB ESTIMATE	0.8375	0.8294	0.7919	0.7233	0.1743	0.1003	0.0784	0.0604
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	109.37	107.36	87.50	80.82	248.60	101.05	56.88	20.87
SAMPLE STD DEVIATION	0.6796	0.6606	0.6110	0.5380	0.1542	0.0699	0.0513	0.0282
CUMULATIVE TEST TIME	14.166	18.057	19.941	21.804	26.765	31.970	37.164	42.335
CUMULATIVE FAILURES	6.8000	7.5200	8.2700	8.9800	9.5200	10.4800	11.2000	11.9100




CASE 10

10 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000
PLANNED TEST TIME	0.5417	0.5417	0.5417	0.5417	0.5417	0.5417	0.5417	0.5417
MODEL ESTIMATE	0.4091	0.3816	0.4440	0.4523	0.4223	0.4765	0.4650	0.4337
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	36.28	27.19	48.00	50.77	40.74	58.87	55.00	44.43
SAMPLE STD DEVIATION	0.2150	0.2124	0.3171	0.2569	0.4405	0.4153	0.5224	0.4772
CUMULATIVE TEST TIME	4.527	9.532	14.858	19.747	24.905	30.281	35.213	40.341
CUMULATIVE FAILURES	1.5000	3.0000	4.5000	6.0000	7.5000	9.0000	10.5000	12.0000


PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	0.4063	0.4063	0.4063	0.4063
MODEL ESTIMATE	0.5821	0.4701	0.4579	0.4509	0.4327	0.4062	0.4067	0.4068
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	45.54	17.53	14.46	12.74	10.57	7.65	7.67	7.67
SAMPLE STD DEVIATION	0.3305	0.1858	0.2051	0.2147	0.2028	0.1953	0.1953	0.1953
CUMULATIVE TEST TIME	32.125	35.950	39.705	43.455	47.110	50.716	54.279	57.885
CUMULATIVE FAILURES	13.6000	15.0000	16.5000	18.0000	19.4000	20.8000	22.2000	23.6000



CASE 10
20 TESTS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000
PLANNED TEST TIME	0.5417	0.5417	0.5417	0.5417	0.2322	0.2322	0.2322	0.2322
MCDL ESTIMATE	0.4185	0.3443	0.3517	0.3462	0.4536	0.4321	0.4994	0.4882
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	39.49	21.43	30.58	13.35	25.45	5.70	6.08	1.48
SAMPLE STD DEVIATION	0.2503	0.2188	0.3011	0.1619	0.2950	0.3163	0.3562	0.3792
CUMULATIVE TEST TIME	9.584	19.584	29.890	35.602	44.204	48.475	52.744	57.095
CUMULATIVE FAILURES	3.0000	5.9000	9.1800	12.0600	14.5400	18.1200	21.0200	23.9500

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	3.2504	3.2504	3.2504	3.2504
MCDL ESTIMATE	0.5218	0.4624	0.4861	0.4394	0.1297	0.0794	0.0642	0.0553
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	30.44	19.60	21.53	9.62	159.23	58.65	28.74	10.91
SAMPLE STD DEVIATION	0.2717	0.2251	0.2259	0.1740	0.0792	0.0341	0.0242	0.0182
CUMULATIVE TEST TIME	44.549	72.051	79.547	87.097	147.563	204.226	267.226	327.622
CUMULATIVE FAILURES	26.0100	29.8400	33.1100	36.0300	36.5000	41.5400	44.6200	47.1000



APPENDIX F

Results of Test MOD4

1. Test MOD4

Test MOD4 used the AMSAA model to estimate the failure rate of the items tested except as described below. A more detailed discussion of the modification can be found in Section V-D.

Use of the AMSAA model was modified as follows:

- a. The point estimate of the failure rate,

$$r_p = \frac{\text{number of failures during a phase}}{\text{total test time during a phase}},$$

was used whenever cumulative test time over all items was less than 10 hours.

- b. The slope of the reliability growth pattern was estimated using the current point estimate, r_p , and the previous estimates of the failure rate, \hat{r}_{i-1} and \hat{r}_{i-2} . The slope estimated was in two parts,

$$\hat{r}_{i-1} - \hat{r}_{i-2} \quad \text{and} \quad r_p - \hat{r}_{i-1}.$$

The estimate of the slope was considered increasing if both parts of the estimate were determined to be increasing as follows:

$$\hat{r}_{i-1} - \hat{r}_{i-2} \geq .2\hat{r}_{i-2}$$

and

$$r_p - \hat{r}_{i-1} \geq .2\hat{r}_{i-1} .$$

If the slope was increasing, the point estimate, r_p , was used as the current estimate of the failure rate. Then, the AMSAA model was reinitialized, that is, time and failures prior to an increasing slope were not considered in future estimates made by the model.


2. The Results

Results for Cases 4, 6, 15, and 18 are presented here as representative of the effect the modifications had on the performance of the model. A detailed description of the format of the results can be found in Appendix A.

CASE 4
9 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.5000	0.4250	0.4050	0.4000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2559	0.3824	0.4017	0.4069	0.4062	0.4263	0.4563
MCCB ESTIMATE	1.3264	1.3160	0.9675	0.8075	0.8067	0.7440	0.7150	0.6508
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	86.46	136.74	127.64	59.37	101.68	86.01	76.66	62.66
SAMPLE STD DEVIATION	0.6578	0.7415	0.6949	0.4593	0.4655	0.4834	0.5557	0.4663
CUMULATIVE TEST TIME	1.074	2.418	4.202	6.045	7.942	9.642	11.697	13.980
CUMULATIVE FAILURES	0.4000	1.4000	2.0500	2.8900	3.5500	4.2000	5.0400	5.7000

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.3750	0.2000	0.1000	0.0900
PLANNED TEST TIME	0.4062	0.4063	0.4063	0.4063	0.4334	0.8126	1.6252	3.2504
MCCB ESTIMATE	0.8016	0.8019	0.8177	0.9977	0.5446	0.4120	0.2700	0.1922
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	50.41	50.37	54.43	49.43	45.24	100.01	170.01	206.46
SAMPLE STD DEVIATION	0.3664	0.2563	0.3834	0.3770	0.3406	0.2573	0.2077	0.1427
CUMULATIVE TEST TIME	15.442	17.215	19.188	21.045	23.076	26.880	34.336	49.704
CUMULATIVE FAILURES	6.5800	7.3800	8.0000	8.6900	9.2300	10.0100	10.9500	11.8400




CASE 4

10 ITEMS

PPASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.5000	0.4250	0.4050	0.4000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2959	0.3624	0.4013	0.4063	0.4063	0.4063	0.4063
MODEL ESTIMATE	0.9739	0.7546	0.5631	0.6317	0.5624	0.5103	0.4937	0.4734
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	39.13	44.48	32.50	55.51	40.65	27.55	23.47	18.75
SAMPLE STD DEVIATION	0.6085	0.5474	0.3305	0.6257	0.4215	0.3324	0.3259	0.2304
CUMULATIVE TEST TIME	2.136	4.867	8.462	12.133	15.883	19.623	23.410	27.195
CUMULATIVE FAILURES	1.5400	2.8500	4.1100	5.9000	7.3100	8.6400	10.0000	11.2700

PPASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.3750	0.2000	0.1000	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	0.4234	0.8126	1.6252	3.2504
MODEL ESTIMATE	0.4554	0.4719	0.4693	0.4749	0.4861	0.3763	0.2360	0.1286
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	23.65	17.57	17.32	18.74	15.64	66.13	135.58	151.25
SAMPLE STD DEVIATION	0.2732	0.2845	0.2628	0.2450	0.2440	0.2173	0.1032	0.0447
CUMULATIVE TEST TIME	30.643	34.723	38.459	42.187	46.178	53.627	61.585	58.201
CUMULATIVE FAILURES	13.0700	14.4500	16.0100	17.5700	19.1600	20.6000	22.3000	23.4300




CASE 4

20 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7630	0.8100	0.4250	0.4050	0.4000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2558	0.3624	0.4013	0.4063	0.4063	0.4063	0.4062
MEAN ESTIMATE	0.7576	0.6134	0.5322	0.4618	0.4705	0.4524	0.4506	0.4697
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	0.23	11.52	25.22	14.02	17.63	13.05	12.64	17.19
SAMPLE STD DEVIATION	0.4180	0.3452	0.3053	0.2545	0.2521	0.2205	0.1825	0.1866
CUMULATIVE TEST TIME	4.513	9.758	16.674	24.303	31.758	35.527	42.745	54.389
CUMULATIVE FAILURES	2.0500	5.8600	8.8700	11.7100	14.7100	17.7100	20.8300	24.0700

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.3750	0.2000	0.1000	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	0.4334	0.8124	1.6252	3.2504
MEAN ESTIMATE	0.4176	0.4004	0.4331	0.4219	0.4088	0.3298	0.2162	0.1282
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	5.40	12.59	8.28	5.47	9.02	44.51	119.21	156.45
SAMPLE STD DEVIATION	0.1475	0.1589	0.1384	0.1205	0.1193	0.0667	0.0646	0.0387
CUMULATIVE TEST TIME	61.676	69.133	76.672	84.172	92.154	107.154	137.320	157.432
CUMULATIVE FAILURES	27.0400	30.2200	33.2300	36.1700	39.0600	42.0600	44.6000	47.6000




CASE 6

8 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.3000	0.7000	0.7000	0.3000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2327	0.2327	0.2322	0.2322	0.2322	0.4063	0.4063	0.4063
MCCB ESTIMATE	1.2652	1.4509	1.3739	1.4043	1.2332	1.0640	0.9046	0.7039
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	99.03	108.26	96.28	100.61	90.74	166.31	126.16	79.64
SAMPLE STD DEVIATION	0.6434	0.8648	0.7531	0.7801	0.6851	0.7149	0.6319	0.4647
CUMULATIVE TEST TIME	1.061	2.128	3.209	4.309	5.374	7.210	9.075	10.968
CUMULATIVE FAILURES	0.7400	1.4100	2.1100	2.8400	3.5900	4.4600	5.1800	6.0100

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.4063	0.4063	1.6252	1.6252	1.6252	1.6252	1.6252	1.6252
MCCB ESTIMATE	0.5670	0.5612	0.2547	0.1974	0.1613	0.1387	0.1356	0.1407
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	46.75	40.30	154.31	97.37	61.23	38.75	35.15	40.72
SAMPLE STD DEVIATION	0.3553	0.4226	0.1452	0.1285	0.0885	0.0777	0.0827	0.1032
CUMULATIVE TEST TIME	12.856	14.742	22.241	25.722	27.201	44.676	52.044	55.523
CUMULATIVE FAILURES	6.6800	7.3800	7.9800	8.5000	9.7000	10.4000	11.3000	12.1500




CASE 6

10 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.4063	0.4063	0.4063
MCCEL ESTIMATE	0.9162	0.9703	0.8404	0.9337	0.8485	0.9553	0.9030	0.4403
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	31.22	38.62	20.05	32.28	21.21	46.82	28.74	10.07
SAMPLE STD DEVIATION	0.9079	0.9922	0.4066	0.4941	0.4528	0.2527	0.2424	0.2100
CUMULATIVE TEST TIME	2.158	4.277	6.441	8.593	10.725	14.495	18.267	22.092
CUMULATIVE FAILURES	1.3500	2.9500	4.3100	5.9200	7.1800	8.4800	9.5800	11.2500

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.4063	0.4063	1.6252	1.6252	1.6252	1.6252	1.6252	1.6252
MCCEL ESTIMATE	0.4457	0.4308	0.2285	0.1844	0.1401	0.1240	0.1105	0.1098
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	12.42	7.71	128.46	64.97	40.12	24.01	19.51	9.77
SAMPLE STD DEVIATION	0.2474	0.1931	0.1026	0.0577	0.0493	0.0446	0.0360	0.0391
CUMULATIVE TEST TIME	25.821	29.565	44.552	55.418	74.438	89.320	104.331	119.206
CUMULATIVE FAILURES	12.7500	14.1500	15.7400	17.4500	19.2200	20.9800	22.1800	23.7400




CASE 6

20 ITEMS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.7000	0.7000	0.7000	0.7000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.2322	0.2322	0.2322	0.2322	0.2322	0.4063	0.4063	0.4063
MCCEL ESTIMATE	0.7051	0.8171	0.7619	0.8144	0.7603	0.5247	0.4575	0.4986
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	3.58	16.72	8.84	16.37	9.74	31.34	14.48	14.64
SAMPLE STD DEVIATION	0.4007	0.4070	0.4044	0.4103	0.3747	0.2256	0.1944	0.1675
CUMULATIVE TEST TIME	4.254	8.561	12.842	17.130	21.415	26.405	36.410	43.831
CUMULATIVE FAILURES	2.7000	6.0000	9.2000	12.9000	15.2100	18.0700	21.0200	24.0000

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.4063	0.4063	1.6252	1.6252	1.6252	1.6252	1.6252	1.6252
MCCEL ESTIMATE	0.4145	0.4227	0.2133	0.1594	0.1348	0.1174	0.1075	0.1005
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	3.73	5.65	113.29	56.63	34.83	17.50	7.66	0.90
SAMPLE STD DEVIATION	0.1444	0.1427	0.0866	0.0491	0.0374	0.0222	0.0267	0.0215
CUMULATIVE TEST TIME	51.372	58.654	86.618	118.407	148.455	178.515	206.545	238.637
CUMULATIVE FAILURES	27.0000	30.0000	33.1700	34.6000	35.4000	42.2000	45.2600	48.2000




CASF 15

9 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.3000	0.0900	0.5900	0.2000	0.1000	0.4000	0.3000
PLANNED TEST TIME	0.2322	0.5417	3.2504	0.3250	0.8126	1.6252	0.4069	0.5417
MCCB ESTIMATE	1.5230	0.9658	0.4066	0.9736	0.4183	0.7461	0.3870	0.4272
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	117.57	223.26	713.18	14.72	105.13	146.35	3.29	90.41
SAMPLE STD DEVIATION	1.0053	0.8302	0.8305	0.6133	0.4054	0.2845	0.4862	0.3511
CUMULATIVE TEST TIME	1.074	3.973	10.481	16.990	23.722	31.229	32.112	32.579
CUMULATIVE FAILURES	0.7000	1.4000	2.1400	2.9300	3.6500	4.4200	5.0500	5.6700

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.2000	0.1500	0.3000	0.3000	0.2000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.8126	1.6252	0.5417	0.5417	0.8126	1.6252	1.6252	1.6252
MCCB ESTIMATE	2.3376	0.2758	0.4455	0.4453	0.4311	0.2684	0.2146	0.1606
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	1068.78	83.72	48.63	47.76	115.55	168.26	114.63	60.60
SAMPLE STD DEVIATION	15.7454	0.2310	0.6855	0.2964	0.3810	0.2275	0.2007	0.1181
CUMULATIVE TEST TIME	39.351	44.288	46.786	49.254	53.003	60.484	62.057	75.729
CUMULATIVE FAILURES	0.3900	7.4200	8.3100	5.1000	5.8100	10.5100	11.3500	11.4500




C/CI 18

10 TESTS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.7000	0.3000	0.0500	0.5000	0.2000	0.1000	0.4000	0.3000
PLANNED TEST TIME	0.2322	0.5417	1.2904	0.3250	0.8126	1.6252	0.4063	0.5917
MEAN ESTIMATE	1.0292	0.5102	0.0997	0.2490	0.2391	0.1600	0.3264	0.4017
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	48.44	72.74	95.36	50.70	71.55	90.02	37.65	33.90
SAMPLE STD DEVIATION	0.5388	0.2643	0.1558	0.3090	0.2030	0.1756	0.2943	0.2972
CUMULATIVE TEST TIME	2.104	7.083	37.101	40.105	47.606	67.978	66.304	71.762
CUMULATIVE FAILURES	1.7000	3.2400	4.0900	4.3000	7.9200	9.3800	10.5800	12.5800

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.2000	0.1500	0.3000	0.3000	0.2000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.8126	1.0633	0.5417	0.5417	0.8126	1.6252	1.6252	1.6252
MEAN ESTIMATE	0.2430	0.2760	0.3541	0.3716	0.2920	0.1863	0.1548	0.1416
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	71.52	84.03	18.03	29.99	46.01	86.28	54.77	41.52
SAMPLE STD DEVIATION	0.3047	0.2157	0.3028	0.2882	0.2416	0.0980	0.0762	0.0691
CUMULATIVE TEST TIME	78.788	88.725	93.707	98.702	106.248	121.305	134.257	151.152
CUMULATIVE FAILURES	13.0300	15.4000	17.1800	18.6800	20.1100	21.4200	23.2500	24.6700




CASE 15

Z0 TEST:

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.1000	0.3000	0.0500	0.5000	0.2000	0.1000	0.4000	0.3700
PLANNED TEST TIME	0.2322	0.5417	3.2204	0.3250	0.8126	1.6252	0.4063	0.5417
MEAN ESTIMATE	0.1622	0.4386	0.3605	0.1631	0.2373	0.1674	0.3774	0.3649
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	6.85	46.15	20.58	67.35	18.66	61.76	36.85	21.44
SAMPLE STD DEVIATION	0.4205	0.3152	0.0396	0.2237	0.1373	0.1054	0.3656	0.1631
CUMULATIVE TEST TIME	4.272	14.268	74.066	80.098	95.034	124.511	152.246	142.276
CUMULATIVE FAILURES	2.0000	9.0000	9.0000	11.7600	14.8800	18.0500	21.3200	24.4500

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.2000	0.1500	0.3000	0.3000	0.2000	0.1000	0.1000	0.1000
PLANNED TEST TIME	0.8126	1.6252	0.5417	0.5417	0.8126	1.6252	1.6252	1.6252
MEAN ESTIMATE	0.2551	0.2206	0.2749	0.3298	0.2730	0.1323	0.1494	0.1323
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	27.55	47.05	8.37	9.93	36.52	25.31	49.38	32.26
SAMPLE STD DEVIATION	0.1676	0.1087	0.1947	0.2071	0.1617	0.0763	0.0588	0.0471
CUMULATIVE TEST TIME	157.242	177.242	187.247	197.196	212.154	242.173	272.258	302.306
CUMULATIVE FAILURES	27.4000	39.4000	33.4100	36.6400	39.6100	42.6400	49.4500	48.4500




CASE 10

5 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.7000	0.7000	0.7000	0.7000
PLANNED TEST TIME	0.9417	0.9417	0.9417	0.9417	0.2322	0.2322	0.2322	0.2322
MEAN ESTIMATE	0.6456	0.5759	0.6470	0.6389	0.5379	1.2271	1.2028	1.2379
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	118.59	91.66	119.49	112.83	73.63	76.79	71.62	76.76
SAMPLE STD DEVIATION	0.3624	0.3068	0.3614	0.3528	0.6932	0.6600	0.6665	0.6507
CUMULATIVE TEST TIME	2.709	5.642	7.907	10.020	11.119	12.150	13.223	14.788
CUMULATIVE FAILURES	0.7100	1.3300	2.1800	2.8300	3.4000	4.2500	5.1000	6.0000

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.0500	0.0500	0.0500	0.0500
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	3.2504	3.2504	3.2504	3.2504
MEAN ESTIMATE	0.9224	0.8152	0.7253	0.6333	0.1759	0.1123	0.0782	0.0679
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	130.59	103.80	81.33	58.33	23.98	12.46	9.61	9.40
SAMPLE STD DEVIATION	0.8110	0.5278	0.5256	0.3740	0.0898	0.0451	0.0374	0.0359
CUMULATIVE TEST TIME	16.166	18.057	19.541	21.004	24.765	31.570	41.164	48.939
CUMULATIVE FAILURES	6.7800	7.9200	8.2700	8.9700	9.6100	10.4000	11.2000	11.9500




CASE 16

16 STEPS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000
PLANNED TEST TIME	0.5417	0.5417	0.5417	0.5417	0.2322	0.2322	0.2322	0.2322
MCEM ESTIMATE	0.4052	3.3441	0.4899	0.4991	0.7465	0.3703	0.2273	0.4147
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	36.38	31.27	63.17	65.02	4.70	10.04	17.47	30.47
SAMPLE STD DEVIATION	0.2100	0.2343	0.3704	0.2633	0.2528	0.4665	0.4535	0.5060
CUMULATIVE TEST TIME	4.927	9.432	14.858	19.747	21.909	24.061	26.213	28.341
CUMULATIVE FAILURES	1.3500	2.6700	4.7300	6.5600	7.6700	8.1400	10.8900	12.4700

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.4000	0.4000	0.4000	0.4000	3.2504	3.2504	3.2504	3.2504
MCEM ESTIMATE	0.6327	0.4483	0.4021	0.4600	0.1470	0.0949	0.0755	0.0616
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	56.67	24.63	20.53	16.55	154.00	85.05	91.62	23.15
SAMPLE STD DEVIATION	0.3417	0.2028	0.2104	0.1534	0.0787	0.0023	0.0065	0.0276
CUMULATIVE TEST TIME	32.128	35.450	39.705	43.459	77.610	102.736	121.755	129.586
CUMULATIVE FAILURES	13.6000	19.0000	16.8000	16.0700	15.4000	20.6400	22.3300	29.8700




CASE 18

20 TESTS

PHASE	1	2	3	4	5	6	7	8
ACTUAL FAILURE RATE	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000	0.3000
PLANNED TEST TIME	0.5417	0.5417	0.5417	0.5417	0.2322	0.2322	0.2322	0.2322
MCCBL ESTIMATE	0.3215	0.3610	0.4102	0.3591	0.5376	0.6789	0.7301	0.7270
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	7.16	20.74	36.75	19.71	22.21	3.02	4.30	3.86
SAMPLE STD DEVIATION	0.1819	0.2141	0.3270	0.1976	0.2894	0.2245	0.4010	0.2486
CUMULATIVE TEST TIME	9.596	19.586	29.890	39.508	44.206	46.432	52.144	57.035
CUMULATIVE FAILURES	3.0000	5.9000	9.1800	12.0600	14.8100	18.1200	21.0300	23.9500

PHASE	9	10	11	12	13	14	15	16
ACTUAL FAILURE RATE	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000	0.4000
PLANNED TEST TIME	0.4063	0.4063	0.4063	0.4063	3.2504	3.2504	3.2504	3.2504
MCCBL ESTIMATE	0.9736	0.3011	0.3129	0.4748	0.1274	0.0074	0.0649	0.0587
ESTIMATE ERROR AS PERCENTAGE OF ACTUAL FAILURE RATE	43.44	25.28	20.22	18.70	134.84	14.82	38.44	17.62
SAMPLE STD DEVIATION	0.2710	0.2215	0.2384	0.1613	0.0597	0.0360	0.0251	0.0166
CUMULATIVE TEST TIME	64.565	72.051	79.547	87.097	147.563	208.236	267.128	327.822
CUMULATIVE FAILURES	26.5100	29.8600	33.1100	36.0300	38.5000	41.5400	44.6200	47.9500



LIST OF REFERENCES

1. Military Handbook for Reliability Growth Management, Proposed MIL-HDBK-XXX, 7 July 1978.
2. Crow, L. H., 1975, "On Tracking Reliability Growth", Proceedings 1975 Annual Reliability and Maintainability Symposium.

INITIAL DISTRIBUTION LIST

	No. Copies
1. Defense Technical Information Center Cameron Station Alexandria, Virginia 22314	2
2. Library, Code 0142 Naval Postgraduate School Monterey, California 93940	2
3. Department Chairman, Code 55 Department of Operations Research Naval Postgraduate School Monterey, California 93940	1
4. Dean W. M. Woods, Code 500 Department of Continuing Education Naval Postgraduate School Monterey, California 93940	3
5. Captain Donald Paul Amiotte, USMC Marine Corps Tactical Systems Support Activity Marine Corps Base Camp Pendleton, California 92055	1