

AD-A090 104

ARMY INVENTORY RESEARCH OFFICE PHILADELPHIA PA
EVALUATION OF SEVERAL FORECASTING TECHNIQUES FOR RETAIL LEVEL 5--ETC(U)
SEP 80 A HUTCHISON
IRO-TR-80-4

F/6 15/5

NL

UNCLASSIFIED

1 of 1
ADA
090104

END
DATE
FILMED
11-80
DTIC

LEVEL

AD-
TECHNICAL REPORT
TR 80-4

10
B.S.

AD A090104

**EVALUATION OF SEVERAL
FORCASTING TECHNIQUES FOR
RETAIL LEVEL STOCKAGE**



DTIC
SELECTED
OCT 9 1980

U.S. ARMY
INVENTORY
RESEARCH
OFFICE

SEPTEMBER 1980

ROOM 800
U.S. CUSTOM HOUSE
2nd and Chestnut Streets
Philadelphia Pa. 19106

DDC FILE COPY

Approved for Public Release; Distribution Unlimited


80 10 8 917

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER	
	AD A090104		
4. TITLE (and Subtitle)	5. TYPE OF REPORT & PERIOD COVERED		
EVALUATION OF SEVERAL FORECASTING TECHNIQUES FOR RETAIL LEVEL STOCKAGE	9 Technical Report. Dec 79 - Nov 79		
7. AUTHOR(s)	8. CONTRACT OR GRANT NUMBER(s)		
10 ARTHUR HUTCHISON	12 16		
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS		
US Army Inventory Research Office, ALMC Room 800, US Custom House 2nd & Chestnut Streets, Philadelphia, PA 19106			
11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE		
US Army Materiel Development & Readiness Command 5001 Eisenhower Avenue Alexandria, VA 22333	11 September 1980		
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	13. NUMBER OF PAGES		
14 IRO-TR-80-4	14		
	15. SECURITY CLASS. (of this report)		
	UNCLASSIFIED		
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE		
16. DISTRIBUTION STATEMENT (of this Report)			
Approved for Public Release; Distribution Unlimited			
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)			
18. SUPPLEMENTARY NOTES			
Information and data contained in this document are based on input available at the time of preparation. Because the results may be subject to change this document should not be construed to represent the official position of the US Army Materiel Development & Readiness Command unless so stated.			
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)			
Demand Forecasting Modelling Retail Stocks			
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)			
Various models for forecasting demand rates for retail level stockage are evaluated. A 12-month moving average using individual unit history outperformed those models evaluated.			

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)



SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

SUMMARY

Background

Army retail units now maintain a Prescribed Load List (PLL) of parts experiencing at least three demand per six months to add and one demand per six month period to retain the item as stocked. If stocked, the average monthly demand is computed using a six month moving average base. This AMD is used to compute the retail stockage levels.

Objective and Purpose

Much of the work in forecasting suggests that longer base periods result in more accurate demand forecasts. To determine if this holds true for forecasting the highly erratic demand at retail units, this work compared various base periods using cost and demand satisfaction to evaluate the performance.

The second part of the work concentrated on evaluating a method to compute the AMD by consolidating demands from all retail units within a division structure for a particular NSN. The rationale was similar to that for expanding the length of the base, — the more demand experience available, the more accurate should be the forecast. This model, however, is only applicable if the equipment densities are the same at each unit as is the case at the 82nd ABN Division. If this is not the case, an adjustment to the forecasted quantities to be stocked must be made to compensate for end item density at different units.

Scope

This work is limited to forecasting PLL demands for secondary items, excluding QSS (Quick Supply Store) and reparable items.

Findings and Conclusions

Twelve month base periods outperformed the six month base currently used in forecasting PLL demand. The difference between consolidating like unit demands and using individual unit histories was minimal. Based on implementation considerations and the difficulty of adjusting for end item density, we feel forecast should continue to be made using individual unit demand histories but with a twelve month base. Verifying these results using statistical significance tests were inclusive. Further verification of the models/bases will be made at a future date using the RIMSTOP simulator.

TABLE OF CONTENTS

	<u>Page</u>
SUMMARY	
Background.....	1
Objective and Purpose.....	1
Scope.....	1
Findings and Conclusions.....	1
TABLE OF CONTENTS.....	2
CHAPTER I EVALUATION PROCEDURE	
1.1 Data Base.....	3
1.2 Models.....	3
1.3 Performance Statistics.....	3
CHAPTER II RESULTS.....	5
CHAPTER III SIGNIFICANCE TESTING FOR DIFFERENCE IN COST CURVE.....	6
DISTRIBUTION.....	13

Accession for	
NTIS GRI&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	

CHAPTER I

EVALUATION PROCEDURE

1.1 Data Base

Individual unit demand histories were used for the nine maneuver battalions at the 82nd ABN Divisions. These data represented demand submitted from December 1977 through November 1979. Items with demand frequency less than three in the base period are excluded because these are typically non-stocked items.

1.2 Models

a. Individual/Moving Average: $F_i = \sum_{j=1}^L d_j / L$

where

F_i = forecast for the i^{th} item

d_j = demand in the base period L

L = length of base period: $L = 6, 12, 18$

b. Rolled $\div F_i = \sum_{k=1}^n \sum_{j=1}^L d_{jk} / Ln$

where

n = number of units having non-zero demands for the i^{th} item

1.3 Performance Statistics

Evaluation was made by comparing the demand satisfaction and cost of stockage for the various models and bases. The best model is the one which will provide a given performance level for the least cost. The most accurate means of obtaining these performance statistics is by simulation. However, such simulation is very costly and time consuming.

An alternative method was developed whereby each forecast (F_i') for the bases and models was adjusted by a percentage of the forecasted demand after which the demand satisfaction was computed. The adjustment is:

$$F_i = F_i' + u_k F_i'$$

where $u_k = [-.9, -.8, \dots, 0, \dots, .8, .9]$

Demand satisfaction is computed using:

$$\sum_{i=1}^n \min(F_i, A_i) / \sum_{i=1}^n A_i$$

where A_i = actual demand for the i^{th} item

F_i = forecasted demand for the i^{th} item using a base period n .

Therefore, for each policy tested, we were able to use the 10 data points to draw a curve of demand satisfaction versus dollar value of forecast. By plotting these curves for all models/bases on the same graph, we are able to pick the model with the desired performance at the least cost. This procedure of using cost/performance curves as an evaluation tool is fully described in Inventory Research Office report.*

This methodology of evaluating the models assumes the inventory policy in effect is one in which overall investment cost is adjusted by a lambda control knob. Therefore, these results are applicable only when RIMSTOP is fully implemented at the retail level.

*"Evaluation of Several VSL/EOQ Models," May 1974, Deemer & Kruse.

CHAPTER II

RESULTS

The first comparison is made between individual forecast using 6-month and 12-month bases. As seen in Figure 1, the 12-month base outperforms the 6-month. At a cost of \$53500 of forecasted dollars, the 6-month base had a demand satisfaction of .41, the 12-month .445 or a 9.2% difference. One should not equate these demand satisfaction figures with actual field experience since a full RO is not included and no on-hand stock is considered.

Next we compare the rolled with the individual model. For a 6-month base (Figure 2), the rolled clearly outperforms individual; for the 12-month base (Figure 3), there is little difference.

These results are consistent with the findings on base period where more data is better. By rolling the demands when using a 6-month base, more history is available to make an accurate forecast. The differences between rolled and individual forecast diminish as the base period increases.

The last chart (Figure 4) shows all the curves together. From best to worst the rankings are: 12-month rolled, 12-month individual, 6-month rolled, 6-month individual. The difference between the top 2 is slight, however, and recommendation of the best model must consider the implementation at the retail level.

As the current system is designed at the retail level, increasing the length of the data base would be relatively simple. However, to collect demand from each unit, compute a forecast and distribute the demand over the units would require additional programming of existing ADP systems. Also, if differences exist in density of equipment at each unit, this factor would have to be applied in the distribution of stock.

Since the gain in demand satisfaction/cost is so small between 12-month individual and 12-month rolled, we feel the 12-month individual forecast is best when implementation problems as well as cost/performance relationships are considered.

CHAPTER III

SIGNIFICANCE TESTING FOR DIFFERENCE IN COST CURVE

The conclusions presented so far were based on a visual inspection of the cost/performance curves and a calculation of the percent improvement. However, a more rigorous evaluation of the difference in performance was desired.

Significance testing is desirable because the observed differences in the cost/performance can be caused by the large variability of item demand satisfaction for each model/base. The statistical approach chosen was the T-test for difference in means between two populations.

The first problem surfaced when computing the variance of item demand satisfaction. The equation for demand satisfaction:

$$\text{Dem Sat} = \frac{\sum_{i=1}^n \min(F_i, A_i)}{\sum_{i=1}^n A_i}$$

Can be written:

$$\text{Dem satisfaction} = \frac{\min(F_i, A_i)}{A_i} * \frac{A_i}{\sum A_i}$$

When the variance is computed, we see the result is the variance of the demand forecast or the actual demand. Since demand fluctuates wildly, the variance is extremely high, and would always result in a T-test conclusion that the model/base differences were insignificant.

An alternative approach is to compute the variance base on the difference between item demand satisfaction. However, this presents another problem: Should the individual observations be weighted according to the quantity of demand? First we will discuss the weighted approach in reference to comparing the rolled and individual model.

Let

S_{iF} = demand satisfaction

i = item $i = 1, n$

F = forecast method $1 = \text{rolled}$

$2 = \text{individual}$

The weight applied to each S_{iF} is

$$w_i = \frac{A_i}{\sum_{i=1}^n A_i}$$

where A_i is the demand for the item in the forecast target month.

Define $d_i = (S_{i2} - S_{i1})$, the difference between the two models' resulting demand satisfaction for the i^{th} item.

Therefore $\bar{d}_w = \sum_{i=1}^n (S_{i2} - S_{i1}) w_i$

The variance of \bar{d}_w is

$$\text{Var } \bar{d}_w = \sum_{i=1}^n w_i^2 \text{ var } \bar{d}$$

where $\text{Var } \bar{d} = \frac{\sum_{i=1}^n d_i^2}{N} - \bar{d}^2$

Using the T-test to determine if the differences are significant the hypotheses are:

$$H_0: \bar{d}_w = 0$$

$$H_1: \bar{d}_w \neq 0$$

with the T statistic equal to

$$T = \bar{d}_w / \sqrt{\text{var } \bar{d}_w}$$

Using this approach to test the differences between the 6-month base individual vs rolled results (Figure 1) we find

$$\bar{d}_w = -.02959$$

$$\text{Var } \bar{d}_w = .00117747$$

and $T = .86$

This T value gives only a 60% confidence in rejecting the H_0 in favor of concluding that the difference in the means is due to the forecast model.


The second approach would be to compute the differences in demand satisfaction unweighted. Using the same approach as described before, except dropping the w_1 term we arrive at a T of 3.22 or a 99% confidence for rejecting the null hypothesis in favor of concluding there is a significance in the forecast models.

This work was performed comparing other pairs of models/bases with the results the same. The weighted version of the T-test did not prove significant enough to conclude a true difference existed; the unweighted version consistently found significant differences in the models/base comparisons. We have no rationale for explaining these outcomes.

Since the statistical significance results are not conclusive, we intend to do further evaluation of the models/bases by means of simulation at a future date.

Individual forecasts - 6 months vs 12 months


Figure 1



FRICT (000)

6 month base - individual vs rolled forecast

Figure 2




\$ FNCT (000)

DEMAND

Figure 3

12 month base - individual vs rolled

rolled
individual



0 10 20 30 40 50 60 70 80 90

\$ FRCT (000)

D
E
S
M
S
A
T

1.5

1.0

0.5

0.0

DISTRIBUTION

COPIES

<u>1</u>	Deputy Under Sec'y of the Army, ATTN: Office of Op Resch Headquarters, US Army Materiel Development & Readiness Command
<u>1</u>	DRCPA-S
<u>1</u>	DRCDRM
<u>1</u>	DRCDMR
<u>1</u>	DRCPS-P, ATTN: Ms. Lamb
<u>1</u>	DRCMM
<u>1</u>	DRCMM-R
<u>1</u>	DRCMM-S
<u>1</u>	DRCMM-RS
<u>1</u>	DRCMM-M
<u>1</u>	DRCMM-E
<u>1</u>	DRCIS
<u>1</u>	DRCMM-L
<u>1</u>	Dep Chf of Staff for Logistics, ATTN: DALO-SMS, Pentagon, Wash., DC 20310
<u>1</u>	Commandant, US Army Logistics Mgt Center, Ft. Lee, VA 23801
<u>1</u>	Office, Asst Sec'y of Defense, ATTN: MRA&L-SR, Pentagon, Wash., DC 20310
<u>2</u>	Defense Logistics Studies Info Exchange, DRXMC-D
<u>10</u>	Defense Technical Information Center, Cameron Station, Alexandria, VA 22314
<u>1</u>	Commander, USA Armament Materiel Readiness Cmd, Rock Island, IL 61201
<u>1</u>	ATTN: DRSAR-MM
<u>1</u>	ATTN: DRSAR-SA
<u>1</u>	Commander, USA Communications & Electronics Materiel Readiness Cmd, Ft. Monmouth, NJ 07703
<u>1</u>	ATTN: DRSEL-MM
<u>1</u>	ATTN: DRSEL-SA
<u>1</u>	Commander, USA Missile Command, Redstone Arsenal, AL 35809
<u>1</u>	ATTN: DRSMI-S
<u>1</u>	ATTN: DRSMI-D
<u>1</u>	Commander, USA Troop Support & Aviation Materiel Readiness Command, St. Louis, MO
<u>1</u>	ATTN: DRSTS-SP
<u>1</u>	ATTN: DRSTS-SPSS <u>1</u> DRSTS-BA(1)
<u>1</u>	Commander, US Army Tank-Automotive Materiel Readiness Command, Warren, MI 48090
<u>1</u>	ATTN: DRSTA-F
<u>1</u>	ATTN: DRSTA-S
<u>1</u>	Commander, US Army Logistics Center, Ft. Lee, VA 23801
<u>1</u>	Commander, US Army Logistics Evaluation Agency, New Cumberland Army Depot, New Cumberland, PA 17070
<u>1</u>	Commander, US Army Depot Systems Command, Chambersburg, PA 17201
<u>1</u>	Commander, US Air Force Logistics Cmd, WPAFB, ATTN: AFLC/XRS, Dayton, Ohio 45433
<u>1</u>	US Navy Fleet Materiel Support Office, Naval Support Depot, Mechanicsburg, PA 17055
<u>1</u>	Mr. James Prichard, Navy SEA Systems Cmd, ATTN: PMS 3061, Dept of US Navy, Wash., DC 20362

COPIES

1 Naval Postgraduate School, ATTN: Dept of Opns Anal, Monterey,
CA 93940

1 Air Force Institute of Technology, ATTN: SLGQ, Head Quantitative
Studies Dept., Dayton, OH 43433

1 US Army Military Academy, West Point, NY 10996

1 Librarian, Logistics Mgt Inst., 4701 Sangamore Rd., Wash., DC 20016

1 RAND Corp., ATTN: S. M. Drezner, 1700 Main St., Santa Monica,
CA 90406

1 US Army Materiel Systems Analysis Activity, ATTN: DRXSY-CL,
Aberdeen Proving Ground, MD 21005

1 Commander, US Army Logistics Center, ATTN: Concepts & Doctrine
Directorate, Ft. Lee, VA 23801

1 ALOG Magazine, ATTN: Tom Johnson, USALMC, Ft. Lee, VA 23801

1 Commander, USDRC Automated Logistics Mgt Systems Activity,
P.O. Box 1578, St. Louis, MO 63188

1 Director, DARCOM Logistics Systems Support Agency, Letterkenny
Army Depot, Chambersburg, PA 17201

1 Commander, Materiel Readiness Support Activity, Lexington, KY 40507

1 Director, Army Management Engineering Training Agency, Rock Island
Arsenal, Rock Island, IL 61202

1 Defense Logistics Agcy, ATTN: DLA-LO, Cameron Sta, Alexandria, VA 22314

1 Dep Chf of Staff (I&L), HQ USMC-LMP-2, ATTN: MAJ Sonneborn, Jr.,
Wash., DC 20380

1 Commander, US Army Depot Systems Command, Letterkenny Army Depot,
ATTN: DRSDS-LL, Chambersburg, PA 17201

1 HQ, Dept of the Army, (DASG-HCL-P), Wash., DC 20314

1 Scientific Advisor, ATCL-SCA, Army Logistics Center, Ft. Lee, VA
23801

1 Logistics Studies Office, DRXMC-LSO, ALMC, Ft. Lee, VA 23801

1 Procurement Research Office, DRXMC-PRO, ALMC, Ft. Lee, VA 23801

1 Commander, US Army Communications Command, ATTN: Dr. Forry,
CC-LOG-LEO, Ft. Huachuca, AZ 85613

1 Commander, US Army Test & Evaluation Cmd, ATTN: DRSTE-SY,
Aberdeen Proving Ground, MD 21005

1 DARCOM Intern Training Center, Red River Army Depot, Texarkana,
Tx 75501

1 US Army Training & Doctrine Command, Ft. Monroe, VA 23651

1 Operations & Inventory Analysis Office, NAVSUP (Code 04A) Dept
of Navy, Wash., DC 20376

1 US Army Research Office, ATTN: Robert Launer, Math. Div.,
P.O. Box 12211, Research Triangle Park, NC 27709

1 US Army Materiel Systems Analysis Activity, ATTN: DRXSY-MP,
Aberdeen Proving Ground, MD 21005

1 Air Force Logistics Management Center, Gunter Air Force Station, AL 36144
ATTN: AFLMC/LGY

1 ATTN: AFLMC/XRP, Bldg. 205

1 Engineer Studies Center, 6500 Brooks Lane, Wash., DC 20315

1 US Army Materiel Systems Analysis Activity, ATTN: Mr. Herbert Cohen,
DRXSY-MP, Aberdeen Proving Ground, MD 21105

1 Commandant, ALMC, ATTN: Jon T. Miller, DAS, DRXMC-A, Ft. Lee, VA 23801

1 Commander, US Army Missile Cmd, ATTN: Ray Dotson, DRSMI-DS, Redstone
Arsenal, AL 35809