

AD-A094 723

NAVAL RESEARCH LAB WASHINGTON DC F/G 4/1
NONLINEAR THEORY AND EXPERIMENTAL OBSERVATIONS OF THE LOCAL COL--ETC(U)
JAN 81 M J KESKINEN, E P SZUSZCZEWICZ
NRL-MR-4300

UNCLASSIFIED

AM

AD
A094 723

END

DATE

FILED

3-81

DTIC

LEVEL II

(12)

NRL Memorandum Report 4399

**Nonlinear Theory and Experimental Observations
of the Local Collisional Rayleigh-Taylor Instability
in a Descending Equatorial Spread-F Ionosphere**

M. J. KESKINEN AND S. L. OSSAKOW

*Geophysical and Plasma Dynamics Branch
Plasma Physics Division*

E. P. SZUSZCZEWICZ AND J. C. HOLMES

*E.O. Hulburt Center for Space Research
Space Science Division*

62704H

**DTIC
ELECTE
FEB 09 1981
S D E**

January 8, 1981

This research was sponsored in part by the Defense Nuclear Agency under Subtask S99QAXHC041, work unit 21, and work unit title "Plasma Structure Evolution;" and under subtask 125AAXHX640, work unit 12, and work unit title "Plasma Probe Data;" and the Office of Naval Research.



**NAVAL RESEARCH LABORATORY
Washington, D.C.**

Approved for public release; distribution unlimited.

DOC FILE COPY

81 2 09 002

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

14 NAL-MN-4311

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NRL Memorandum Report 4399	2. GOVT ACCESSION NO. AD-A094723	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) NONLINEAR THEORY AND EXPERIMENTAL OBSERVATIONS OF THE LOCAL COLLISIONAL RAYLEIGH-TAYLOR INSTABILITY IN A DESCENDING EQUATORIAL SPREAD-F IONOSPHERE.		5. TYPE OF REPORT & PERIOD COVERED Interim report on a continuing basis.
6. AUTHOR(s) M. J. Keskinen, E. P. Szuszcwicz, S. L. Ossakow and J. C. Holmes		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Research Laboratory Washington, DC 20375		8. CONTRACT OR GRANT NUMBER(s) S99QAXHC041 I25AAXHX640
10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 67-0889-0-0 71-0950-0-0		11. CONTROLLING OFFICE NAME AND ADDRESS Defense Nuclear Agency Washington, DC 20305
12. REPORT DATE January 1981		13. NUMBER OF PAGES 38
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES This research was sponsored in part by the Defense Nuclear Agency under subtask S99QAXHC041, work unit 21, and work unit title "Plasma Structure Evolution;" and under subtask I25AAXHX640, work unit 12, and work unit title "Plasma Probe Data;" and the Office of Naval Research.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Nonlinear theory Kwajalein 1979 campaign Experimental observations Collisional Rayleigh-Taylor instability Computer simulations Plasma probe data Equatorial spread F Descending F layer		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The nonlinear evolution of the local collisional Rayleigh-Taylor instability in downward-moving equatorial F layers has been studied in a coordinated theoretical and experimental program dealing with actual conditions of bottomside spread F. For ambient bottomside electron density gradient scale lengths $L = 8$ and 25 km, we find large percentage depletions and inverse power law spatial power spectra over the intermediate wavelength range $\lambda = 25$ m - 1 km. In addition we outline a nonlinear theory of the collisional Rayleigh-Taylor instability applicable to an upward or downward moving equatorial F region ionosphere. These results represent the first definitive comparison between experiment and theory with their agreement lending further support to the belief that the collisional Rayleigh-Taylor instability is responsible for large scale size irregularities that occur under conditions of equatorial spread F.		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-LF-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

25145

CONTENTS

INTRODUCTION	1
EXPERIMENTAL RESULTS	2
MODEL EQUATIONS	6
NUMERICAL SIMULATIONS	8
NONLINEAR THEORY	11
SUMMARY	17
ACKNOWLEDGMENTS	18
REFERENCES	19

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Avail. Codes	
and/or	
Dist	Special
A	

NONLINEAR THEORY AND EXPERIMENTAL OBSERVATIONS OF THE LOCAL COLLISIONAL RAYLEIGH-TAYLOR INSTABILITY IN A DESCENDING EQUATORIAL SPREAD-F IONOSPHERE

INTRODUCTION

Recently, coincident rocket and radar observations of equatorial spread-F were made near Kwajalein in the Marshall Islands [Szuszcwicz et al., 1980; Tsunoda, 1980a]. The in situ rocket data showed major plasma depletions distributed throughout a downward moving F-layer with regions of smaller scale in situ irregularities tending to be collocated with positive gradients of electron density. The VHF radar measurements showed that the backscatter "plumes", in addition to having large vertical extent from the bottomside to the topside [see also Kelley et al., 1976; McClure et al., 1977; Woodman and LaHoz, 1976], were identifiable with the plasma depletions [Tsunoda and Towle, 1979; Tsunoda, 1980b] and could be characterized by a growth and decay phase [Tsunoda, 1980a]. The recent rocket/radar comparison [Szuszcwicz et al., 1980] specifically showed that the most intense radar returns in the topside F-region were collocated with the upper region of a decay-phase depletion.

Several features of the small scale irregularity ($\lambda \leq 3m$) signatures seen by the radar backscatter can be explained by various plasma kinetic instabilities [for a review, see Ossakow, 1979] which are presumably driven by steep gradients within developing plasma bubbles. On the other hand, much evidence now exists that the large scale irregularities result from a Rayleigh-Taylor instability [Balsley et al., 1972; Haerendel, 1974] driven by the ambient bottomside plasma density gradient. Global [Scannapieco and Ossakow, 1976; Ossakow et al., 1979; Zalesak and Ossakow, 1980] and local [Keskinen et al., 1980] numerical simulations of the collisional Rayleigh-Taylor instability have successfully reproduced the large plasma density depletions (bubbles) and associated spatial power spectra that have been experimentally observed.

Manuscript submitted September 30, 1980.

The most recent in situ rocket observations [Szuszczezewicz et al., 1980] were made in an F-layer that was moving downward, implying the existence of a large scale westward electric field. The importance of this electric field in describing the development of plasma bubbles has been discussed by several authors [Ossakow and Chaturvedi, 1978; Ossakow et al., 1979; Ott, 1978; Anderson and Haerendel, 1979]. However, all previous analytical and numerical studies of the nonlinear collisional Rayleigh-Taylor instability have not included the effects of an upward or downward moving F-layer in realistic geometries, nor have they had the opportunity for an almost ideal comparison with experimental results.

In this paper we study the nonlinear evolution of the collisional Rayleigh-Taylor instability in a vertically convecting F layer using both analytical and numerical techniques. In addition we compare the simulations with the recent in situ rocket data which provided direct measurements of gradient scale lengths and density fluctuation power spectra.

EXPERIMENTAL RESULTS

By 2100 (LT) on 17 July 1979 the bottomside of the F-region at Kwajalein had risen to an approximate altitude of 400 km. The F-layer then began a downward drift with an approximate velocity $V_D \approx 10$ m/sec [Szuszczezewicz et al., 1980; R. Tsunoda, private communication, 1980] and a simultaneous onset of spread-F. With the F-layer drifting downward and spread-F conditions continuing, a rocket (designated PLUMEX I) was launched (00:31:30, July 17, 1979 LT) when the bottomside F-layer had descended to an altitude below 300 km.

A pair of pulsed probes [Szuszciewicz and Holmes, 1977; and associated references] were diametrically extended from the forward end of the rocket payload. The sensing elements, constructed from tungsten wire, were isolated from their extension booms by coaxial guard electrodes driven at the same potential as the probes themselves. One of the probes, defined as the I-probe, operated with a baseline voltage $V_B \approx -1v$, yielding net ion baseline current I_B^i . The other probe, defined as the E-probe, operated with $V_B \approx +2v$, yielding net electron baseline current I_B^e . Both probes generated complete current-voltage characteristics in $\tau_s \approx 400$ msec, yielding absolute values of N_e and T_e at an approximate 2.5 Hz rate. Maximum I_B sampling occurred at 2048 Hz, resulting in 0.5 meter spatial resolution for relative electron density fluctuations at a vehicle velocity of 1 km/sec. (See Szuszciewicz and Holmes, 1980 for instrument details and complete payload configuration.)

Figure 1 displays the upleg measurements of relative and absolute electron density as extracted from the pulsed-plasma-probe data. Absolute values of electron density were determined by conventional analyses of Langmuir probe characteristics [Chen, 1965] with appropriate care to eliminate perturbing effects of surface contamination [Szuszciewicz and Holmes, 1975], density fluctuations [Holmes and Szuszciewicz, 1975; Szuszciewicz and Holmes, 1977] and magnetic field effects [Szuszciewicz and Takacs, 1979]. Analysis of approximately 25 characteristics were executed over the F-layer from 340-560 km. In each case a conversion coefficient $a \equiv N_e [cm^{-3}]/I_e(V^+)$ was determined so that the $I_e(V^+)$ profile in Figure 1 could be directly scaled to absolute electron densities. This procedure yielded $a = (5.5 \pm 0.5) 10^{10}$ electrons $cm^{-3} A^{-1}$. The results in Figure 1 show the F-peak at 375 km with a maximum density of $1.3 (10^6) cm^{-3} (\pm 10\%)$. The probe measurements also revealed a number of major depletions ($\delta N_e/N_e^0 \leq 90\%$) distributed throughout

the F-region. Each of the depletions has been shown to have its own set of smaller scale irregularities [Szuszcwicz et al., 1980; Szuszcwicz and Holmes, 1980] with the most intense percent fluctuations occurring on the bottomside gradient near 270 km (Region "C" in Szuszcwicz et al., 1980).

The pulsed probe data provided an excellent opportunity for comparison with the numerical simulations of the collisional Rayleigh-Taylor (R-T) instability at intermediate wavelengths (e.g., Keskinen et al., 1980). Attention is focused on the depleted structure on the bottomside F-layer gradient near 270 km which is believed representative of the mid-phase development of the R-T process. (We will follow Szuszcwicz et al., 1980 and refer to this domain as region "C".) An expanded view of this domain (Fig. 2) shows that it is not a single macroscale depletion but a region of contiguous large scale structures extending over a total altitude domain of about 12 km. (Vehicle velocity in region "C" was 2.4 km/sec.)

Typically, computer simulations employ several values for the zero-order gradient scale length

$$L = \left(\frac{1}{N_e^0} \frac{dN_e^0}{dy} \right)^{-1}$$

and initialize the simulation with a two-dimensional perturbation. In the work of Keskinen et al. [1980] L was selected to be 5, 10 and 15 km and the perturbation took the form([Chaturvedi and Ossakow, 1977]).

$$\frac{\delta N_e(x,y,t=0)}{N_e^0} = (10^{-4}) \sin(k_y y) \cos(k_x x) + 2(10^{-6}) \sin(2k_y y)$$

with k_x and k_y being the horizontal and vertical wavenumbers, respectively. Both k_x and k_y were set equal to $2\pi/960$ m in the simulation. In addition, the computation assumed that L was centered at 300 km. Under actual conditions encountered in PLUMEX I, the bottomside F-layer gradient extended from 240 to 290 km.

The question of gradient scale length can be studied in Figure 3 where it is shown that the bottomside gradient (encompassed in the 105-125 sec time frame) is not characterized by a single value of L. Experimentally, L was computed according to $\langle I_B \rangle (dI_B/dy)^{-1}$ with $\langle I_B \rangle$ and the altitude derivative determined from sliding linear fits to the I_B data set. In region "C" ($114s \leq t \leq 122s$) L is seen to vary between 2 and 10 km, whereas adjacent domains ($110s \leq t \leq 113s$ and $122s \leq t \leq 126s$) can be characterized by $L = 25$ km.

Previous computer simulations [Keskinen et al., 1980], conducted with $L = 5, 10$ and 15 km, gave evidence that linearly unstable modes saturate by nonlinear generation of linearly damped vertical modes. The results yielded one-dimensional power laws (horizontal and vertical) that vary with a spectral index ($\equiv n$ in $P_{N_e} \propto k^{-n}$) between 2.0 and 2.5. To explore this result within the context of region "C", and to provide important comparisons with simulations in the next sections, power spectral analyses were conducted over sliding intervals of 2.4 km. The results, presented in Figure 4, show that the dominant behavior is $k^{-2.5}$ over the range $k = 2\pi/1\text{km}$ to $k = 2\pi/25$ m. The $k^{-1.85}$ behavior at $t = 116.001$ sec is a result of the very sharp density gradient (see region "C" Fig. 2) encompassed by the domain of the spectral analysis. (We note that the spectral analysis is executed on a time (frequency)-domain function I_B and the conversion to k-space is made under the assumption $\lambda = v f^{-1}$, where v is the vehicle velocity.)

In general we would conclude that our observed large depletions and spatial power spectra support the numerical simulations of Keskinen et al. (1980). Further testing of this support is achieved in the next sections which present simulations with $L = 8$ and 25 km with a downward drifting F-layer model that is more in keeping with the actual experimental conditions. The F-layer time-history can be important since unstable modes require times in excess of $4,000$ seconds to saturate...a time during which the F-layer encountered in PLUMEX I drifted downward in excess of 40 km.

MODEL EQUATIONS

The two fluid equations describing the Rayleigh-Taylor instability in the presence of a zeroth-order horizontal westward electric field $\underline{E}_0$ can be written, after invoking quasineutrality ($n_e \approx n_i \approx n$),

$$\frac{\partial n_\alpha}{\partial t} + \nabla \cdot (n_\alpha \underline{V}_\alpha) = -\nu_R (n_\alpha - n_{\alpha 0}) \quad (1)$$

$$0 = -T_e \nabla n_e - en_e \left(-\nabla \varphi + \frac{\underline{V}_e \times \underline{B}_0}{c} + \underline{E}_0 \right) \quad (2)$$

$$m_i n_i \left(\frac{\partial}{\partial t} + \underline{V}_i \cdot \nabla \right) \underline{V}_i = -T_i \nabla n_i + en_i \left(-\nabla \varphi + \frac{\underline{V}_i \times \underline{B}_0}{c} + \underline{E}_0 \right) \quad (3)$$

$$+ m_i n_i \underline{g} - m_i n_i \underline{v}_{in} \underline{V}_i$$

$$\nabla \cdot \underline{J} = 0 \quad (4)$$

$$\underline{J} = n_e (\underline{V}_i - \underline{V}_e) \quad (5)$$

where α denotes electrons (e) or ions (i) and n , φ , $\underline{V}$, ν_R , ν_{in} , $\underline{B}_0$, and $\underline{g}$

are the density, electrostatic potential, velocity, recombination coefficient, ion-neutral collision frequency, magnetic field, and gravity respectively. In addition, we have written the total electric field $\underline{E} = -\nabla\varphi + \underline{E}_0$. All other symbols retain their conventional meaning. Since we will be interested in studying intermediate wavelengths ($\lambda \sim 100\text{m} - 1\text{ km}$) we ignore inertial and pressure effects in (1) - (5). Setting $\nabla\varphi = \nabla\varphi_1 + m_1 g/e$ [Ossakow et al., 1979], solving algebraically (2) and (3) for the velocities $\underline{v}_e$, $\underline{v}_i$, using (4) and the ion continuity equation (1), we find

$$\frac{\partial n}{\partial t} - \frac{c}{B} (\nabla_{\perp} \varphi_1 \cdot \hat{xz}) \cdot \nabla_{\perp} n = -\nu_R (n - n_0) \quad (6)$$

$$\nabla_{\perp} \cdot (\nu_{in} n \nabla_{\perp} \varphi_1) = \frac{B}{c} (\underline{g} \cdot \hat{xz}) \cdot \nabla_{\perp} n + \underline{E}_0 \cdot \nabla_{\perp} (\nu_{in} n) \quad (7)$$

We have written eq. (6) and (7) in a downward moving frame whose velocity is $\underline{v}_D = c \underline{E}_0 \times \underline{B}/B^2 \approx 10\text{ m/sec}$ and have adopted the following coordinate system: the magnetic field $\underline{B}$ is in the z-direction (north), the y-direction (vertical) denotes altitude with $\underline{g} = -g\hat{y}$ and the x-axis points westward. By linearizing (6) and (7) and writing $\delta n \equiv n - n_0$, $\varphi_1 \propto \exp [i(k_x x + k_y y) + \gamma_k t]$, $\underline{k} \cdot \underline{B} = 0$, and $|\underline{k}|L \gg 1$ we find

$$\gamma_k = \left(\frac{g}{\nu_{in}} + \frac{cE_0}{B} \right) \left(\frac{k_x}{k} \right)^2 \frac{1}{L} - \nu_R \quad (8)$$

where $\underline{E}_0 = +E_0 \hat{x}$, $L = \left(\frac{1}{n_0} \frac{\partial n_0}{\partial y} \right)^{-1}$, $k^2 = k_x^2 + k_y^2$.

From (8) we note that we recover the usual collisional Rayleigh-Taylor instability if $E_0 \rightarrow 0$. The growth rate γ_k is enhanced (reduced) by an

eastward (westward) electric field E_0 . We will be concerned only with a westward electric field ($\underline{E}_c = \underline{E}_0 \hat{x}$) which leads to a downward moving F layer.

NUMERICAL SIMULATIONS

By defining $n'(x,y) = n(x,y)/n_0(y)$, $\phi'_1(x,y) = \phi_1(x,y)/BL$, $x' = x/L$, $y' = y/L$, $t' = ct/L$ where $n_0(y) = N_0(1 + y/L)$ ($N_0 = \text{const.}$) is an equilibrium solution of (6) and (7) we can write (6) and (7) in dimensionless form as follows (after dropping primes for clarity):

$$\frac{\partial n}{\partial t} - \frac{\partial \phi_1}{\partial y} \frac{\partial n}{\partial x} + \frac{\partial \phi_1}{\partial x} \frac{\partial n}{\partial y} = \frac{n}{n_0} \frac{\partial n_0}{\partial y} \frac{\partial \phi_1}{\partial x} - \beta_1 (n - 1) \quad (9)$$

$$\frac{\partial^2 \phi_1}{\partial x^2} + \frac{\partial^2 \phi_1}{\partial y^2} + \left(\frac{1}{n} \frac{\partial n}{\partial y} + \frac{1}{n_0} \frac{\partial n_0}{\partial y} \right) \frac{\partial \phi_1}{\partial y} + \frac{1}{n} \frac{\partial n}{\partial x} \frac{\partial \phi_1}{\partial x} = -\beta_2 \frac{1}{n} \frac{\partial n}{\partial x} \quad (10)$$

where $\beta_1 = Lv_R/c$ and $\beta_2 = g/cv_{in} - E_0/B$ are dimensionless constants. Equation (9) was integrated forward in time using a flux-corrected [Boris and Book, 1973] leapfrog-trapezoidal scheme [Zalesak, 1979] while eq. (10) was solved for the self-consistent potential ϕ_1 using a Chebychev semi-iterative multigrid technique [McDonald, 1980]. The computational grid described a small vertical slice oriented in the east-west direction of the bottomside equatorial F layer and is defined by 64 x 64 points with a constant mesh spacing of $\Delta x = \Delta y = 15\text{m}$ giving an altitude and east-west extent of 960 meters. Periodic boundary conditions were imposed on n/n_0 and ϕ_1 in both the x (east-west) and y (vertical) directions.

The in situ rocket data of Szuszcwicz and Holmes [1980] do not reveal the initial conditions from which the observed irregularities developed.

Many sets of initial conditions are possible. In the context of the experimental observations of an initially upward and then downward moving F layer [Tsunoda, 1980a; Szuszczewicz et al., 1980], we make the reasonable assumption that the irregularities, whose spatial power spectra are sampled in Region "C" [Szuszczewicz and Holmes, 1980] of the bottomside, originate at a higher altitude(s) y_0 at earlier time(s) and are convected downward by the ambient F layer. This is in agreement with the conclusions of Narcisi and Szuszczewicz (1980) in their analysis of ion composition measurements conducted on the same rocket. From previous numerical simulations [Keskinen et al., 1980] of the intermediate wavelength collisional Rayleigh-Taylor instability for bottomside gradient scale lengths $L = 5 - 15$ km at an altitude of 300 km, we found that a well-developed nonlinear regime could be achieved after a time $\Delta t \approx 10-15 \gamma_m^{-1}$ where γ_m is the maximum linear growth rate. We define the altitude of instability onset y_0 to be the position of the bottomside gradient at $\Delta t \approx 10-15 \gamma^{-1}$ sec prior to the time of rocket penetration. (The rocket penetrated region "C" on the bottomside at an altitude of 270 km.) This, of course, neglects the fact that $\gamma(y)$ will be decreasing since v_{in} and v_R will be increasing [see eq. (8)] for a downward moving F layer. In other words we wish to determine an altitude $y_0 - 15\gamma^{-1}(y)v_D = 270$ km where $v_D = 10$ m/sec. For $L = 8$ km (25 km) we find $y_0 \approx 335$ km (365 km). From the Jacchia [1965] model neutral atmosphere [Ossakow et al., 1979], $v_{in}(335 \text{ km}) \approx 0.3 \text{ sec}^{-1}$, $v_{in}(365 \text{ km}) \approx 0.18 \text{ sec}^{-1}$, $v_R(335 \text{ km}) \approx 1 \times 10^{-4} \text{ sec}^{-1}$, $v_R(365 \text{ km}) \approx 4.5 \times 10^{-5} \text{ sec}^{-1}$ and $\Omega_i = 300 \text{ sec}^{-1}$. Coupling these considerations with the probe measurements of gradient scale lengths, two different numerical simulations were made using $L = 8$ and 25 km. Both simulations were initialized with the following density profile: $n(x, y, t = 0) / N_0 = 1 + y/L + \epsilon(x, y)$ where $\epsilon(x, y)$ is a random function

of position in the xy-plane with a white noise-like spatial power spectrum (no preferred wavelength) and a root-mean-square amplitude of 0.03.

Since the real space dimensions of the computational grid are 960 m by 960 m, the altitude dependent quantities $v_{in}(y)$ and $v_R(y)$ do not, at any fixed time, vary appreciably over the grid since their scale heights are much greater than the grid dimensions. In fact, these quantities can be fit very well with exponential variation in y , i.e., $v_{in}(y) \propto \exp(-y/L_{in})$ and $v_R(y) \propto \exp(-y/L_R)$ with $L_{in} \approx 55$ km and $L_R \approx 33$ km between the altitudes of 250 and 550 km using a Jacchia [1965] model neutral atmosphere [Ossakow et al., 1979]. However, over several thousands of seconds, v_{in} and v_R will change (increase) in a frame moving downward with velocity $v_D = 10$ m/sec. In order to compensate for this effect, we convert the spatial (altitude) dependence of v_{in} and v_R into functions of time by making the substitution $y \rightarrow -v_D t$. In other words, during the course of the simulations, $v_{in}(t) = v_{in}(t_0) \exp(v_D \Delta t / L_{in})$ and $v_R(t) = v_R(t_0) \exp(v_D \Delta t / L_R)$ where Δt is elapsed time and $v_{in}(t_0)$, $v_R(t_0)$ are the initial values depending upon initial altitude. In this simple model we ignore any variation of the bottomside density gradient scale length with altitude. We now present the important nonlinear aspects of these simulations.

Figure 5 gives an isodensity contour plot of $\tilde{\delta n}(x,y) \equiv \delta n/n_0(y)$, $\delta n = n(x,y) - n_0(y)$, at $t = 800$ sec for $L = 8$ km and shows that the random nature of the initial perturbations still prevails. The contours of the random initial perturbations in $\tilde{\delta n}(x,y)$ at $t = 0$ sec are very similar to Figure 5 but with more smaller scale structure. Figure 6 displays the evolution of $\tilde{\delta n}(x,y)$ at $t = 2000$ sec where some vertical elongation and steepening can be seen together with small scale irregularities. Figure 7 illustrates the

perturbation density contours at $t = 4500$ sec where further steepening and vertical elongation have occurred. This late time density configuration is similar to recent numerical simulations of the intermediate wavelength collisional Rayleigh-Taylor instability [Keskinen et al., 1980] under almost monochromatic initial conditions, i.e., with only two waves initially excited. The maximum percentage depletion ($\tilde{n} < 0$) in Fig. 7 was 56%. Similar density contour development and late time percentage depletion were found using $L = 25$ km and again starting from random initial conditions. These large depletions were also noted in the in situ rocket data of Szuszcwicz and Holmes [1980].

In Figures 8a and 8b we have plotted sample one-dimensional horizontal $P(k_x)$ and vertical $P(k_y)$ spatial power spectra for $2\pi/k_x$, $2\pi/k_y$ between approximately 100m and 960m in the nonlinear regime for $L = 8$ km at $t = 4000$ sec. These power spectra are obtained by integrating $|\tilde{n}(k_x, k_y)|^2$ over k_y and k_x , respectively. The spectral indices obtained from these power spectra are in agreement with those derived from bottomside irregularity power spectra as determined from rocket observations [Region "C" of Szuszcwicz and Holmes, 1980] in the wavelength domain λ : 25m - 1km (see Fig. 4) and recent simulations [Keskinen et al., 1980]. Similar power laws and spectral indices were found for the $L = 25$ km case but on a longer time scale.

NONLINEAR THEORY

We wish to interpret the evolution of long wavelength plasma irregularities in an upward or downward moving equatorial F region ionosphere in terms of coherent two-dimensional mode-coupling among collisional Rayleigh-Taylor modes. This type of analysis was also used to study large scale wavelengths excited by the gradient drift instability in the equatorial electrojet [Rognlien and Weinstock, 1974] and the saturation of the long wavelength local collisional [Chaturvedi and Ossakow, 1977] and collisionless

[Hudson, 1978] Rayleigh-Taylor instability in equatorial spread F. However, these latter papers did not include the effects of a convecting (rising or falling) background ionosphere which usually accompanies equatorial spread F. The linear growth rate γ_k (eq. 8) which contains the altitude dependent parameters v_R and v_{in} , and, by inference, the nonlinear growth rate will change in space and time in a vertically convecting ionosphere. Since with vertical drift velocities of the order of 10 m/sec the F region ionosphere can convect over a distance on the order of the scale height of v_{in} and v_R on time scales comparable to the nonlinear saturation times of the collisional Rayleigh-Taylor instability, this effect will be important.

We begin our nonlinear analysis with eq. (6) and (7) which can be written

$$\frac{\partial \delta n}{\partial t} - \frac{c}{B} \nabla_{\perp} \phi_1 \times \hat{z} \cdot \nabla n_0 + v_R \delta n = \frac{c}{B} \nabla_{\perp} \phi_1 \times \hat{z} \cdot \nabla \delta n \quad (11)$$

$$(c/B\Omega_i) \nabla_{\perp} \cdot v_{in} n \nabla \phi_1 = (\underline{g} \times \hat{z}/\Omega_i + c v_{in} E_0/B) \cdot \nabla \delta n \quad (12)$$

where we have made the separation $\delta n = n - n_0$. We note that the addition of a large scale electric field E_0 in (12) adds only a linear term. The convective nonlinear term on the righthand side of (11) is the dominant nonlinearity since the ratio of the nonlinear terms in (11) and (12) is

$$(c/B\Omega_i) (\nabla_{\perp} \cdot v_{in} n \nabla \phi_1) / (c/B) \nabla_{\perp} \phi_1 \times \hat{z} \cdot \nabla \delta n \sim v_{in}/\Omega_i \ll 1$$

for two dimensional perturbations ϕ_1 and δn . This allows one to find the potential perturbation ϕ_1 for arbitrary density perturbation δn using a linearized version of (12), i.e.,

$$\frac{e\phi_1}{T} = -i\beta \frac{\delta n}{n_0} \quad (13)$$

where, keeping the same notation as Chaturvedi and Ossakow [1977] ,

$\beta = (g/v_{in})(k_x \Omega_i / k^2 c_s^2)$ with $c_s^2 = T/m_i$. Equation (11) can then be rewritten

$$\frac{\partial \delta n}{\partial t} = \gamma_k \delta n + \frac{c}{B} \nabla \phi_1 \times \hat{z} \cdot \nabla \delta n \quad (14)$$

with γ_k given by (8). If we take an arbitrary two-dimensional perturbation of the form

$$\frac{\delta n}{n_0} = A_{1,1} \sin(k_x x - \omega t) \cos k_y y \quad (15)$$

where the first subscript on A denotes the vertical mode number and the second subscript signifies the horizontal mode number, we find using (13) the associated potential perturbation

$$\frac{e\phi_1}{T} = \beta A_{1,1} \cos(k_x x - \omega t) \cos k_y y \quad (16)$$

Then the nonlinear self-interaction $\frac{c}{B} \nabla \phi_1 \times \hat{z} \cdot \nabla \delta n$ generates a term of the form $n_0 \alpha/2 A_{1,1}^2 \sin 2k_y y \equiv A_{2,0} \sin 2k_y y$ with $\alpha \equiv k_x^2 k_y g / k^2 v_{in}$ which is linearly damped by recombination using (14). This linearly damped mode

$A_{2,0}$ will interact through the nonlinearity in (14) with $A_{1,1}$ to give a nonlinear damping for the linearly unstable mode $A_{1,1}$ since

$$\frac{c}{B} \nabla \phi_{1,1} \times \hat{z} \cdot \nabla \delta n_{2,0} = -2\alpha n_0 A_{1,1} A_{2,0} \sin(k_x x - \omega t) \cos k_y y$$

$$\cos 2k_y y.$$

In other words, a two dimensional linearly unstable perturbation with amplitude $A_{1,1}$ can generate a linearly damped vertical mode $A_{2,0}$ which, in turn, can react back to stabilize the $A_{1,1}$ mode.

In the frame of reference of a small localized region in the bottomside of a downward convecting F layer we assume $v_{in} = v_{in}(t)$ and $v_R = v_R(t)$ are monotonically smooth functions of time as in the previous simulations. Then for a general perturbation of the form

$$\frac{\delta n}{n_0} = A_{1,1} \sin(k_x x - \omega t) \cos k_y y + A_{2,0} \sin 2k_y y \quad (17)$$

we can write

$$\frac{\partial A_{1,1}}{\partial t} = \gamma_{1,1}(t) A_{1,1} - 2\alpha(t) A_{1,1} A_{2,0} \quad (18)$$

$$\frac{\partial A_{2,0}}{\partial t} = -|\gamma_{2,0}(t)| A_{2,0} + \frac{\alpha(t)}{2} A_{1,1}^2 \quad (19)$$

where now the growth rate $\gamma(t)$ and nonlinear coupling coefficient $\alpha(t)$ are functions of time since they contain altitude dependent quantities

ν_{in} and ν_R . In deriving (18) and (19) we have assumed that $\gamma(t)$ and $\alpha(t)$ are weakly time dependent. For $E_0 \rightarrow 0$ (stationary F region), we recover the results of Chaturvedi and Ossakow [1977] who treated γ and α as space and time independent. Since $\alpha \sim 1/\nu_{in}$, one observes that the nonlinear coupling decreases (increases) for a downward (upward) drifting F layer since ν_{in} increases (decreases). Assuming that a quasi-steady state is achieved at $t = t_s$ with $\partial A_{1,1}/\partial t \approx \partial A_{2,0}/\partial t \approx 0$, we obtain from (18) and (19)

$$A_{2,0}(t_s) = \gamma_{1,1}(t_s)/2\alpha(t_s) \approx 1/2 k_y L \quad (20)$$

$$\begin{aligned} A_{1,1}(t_s) &= (2 |\gamma_{2,0}(t_s)| A_{2,0}/\alpha(t_s))^{1/2} \\ &\approx ((k^2/k_x^2)(\nu_R(t_s)\nu_{in}(t_s)/gLk_y^2))^{1/2} \end{aligned} \quad (21)$$

Since $A_{2,0}(t_s)$ is independent of ν_{in} and ν_R we note from (20) and (21) that the two dimensional spatial power spectra of the density fluctuations in a rising or falling F region ionosphere will have the oblique linearly unstable modes, e.g., $A_{1,1}$ being favored at low altitudes (increasing ν_R and ν_{in}) with the linearly damped waves, e.g., $A_{2,0}$ dominating at higher altitudes (decreasing ν_R and ν_{in}) with spatial power spectra $\propto k_y^{-2}$. Indeed for $k_y \approx k_x$ we can write

$$A_{2,0}(t_s)/A_{1,1}(t_s) \approx (1/2/2) (g/\nu_{in}(t_s)\nu_R(t_s)L)^{1/2}$$

so that at 300 km with $L = 25$ using a Jacchia [1965] model neutral atmosphere [Ossakow et al., 1979] we find $A_{2,0} \sim A_{1,1} \sim 1\%$ for $k_x L = 2\pi L/\lambda_x \simeq 50$ while at 425 km $A_{2,0}/A_{1,1} \sim 10$. A more detailed examination of the static and dynamic solutions of (18) and (19) will be reserved for a future report.

SUMMARY

We have performed analytical and numerical simulations studies of the collisional Rayleigh-Taylor instability in local unstable regions of downward-moving equatorial F layers. For ambient bottomside plasma density gradient scale lengths $L = 8$ and 25 km, we have demonstrated that large percentage relative depletions can develop on time scales of several thousands of seconds from purely random initial conditions. In addition we have shown that the one-dimensional spatial power spectra of these irregularities in the vertical and east-west directions conform to power laws $\propto k^{-n}$, $n = 2-2.5$ for $2\pi/k$ between 100m and 1 km. These results are in good agreement with our recent in situ rocket observations of intermediate wavelength ($\lambda: 25\text{m} - 1$ km) irregularities equatorial spread-F, presented here in this paper, complement previous local numerical simulations [Keskinen et al., 1980], and lend further support to the belief that the collisional Rayleigh-Taylor instability is responsible for large scale size irregularities in equatorial spread-F.

Future work will include global simulations of upward and downward moving equatorial F layers together with the inclusion of neutral wind effects.

ACKNOWLEDGMENTS

We wish to thank R. Tsunoda, B. E. McDonald, and S. T. Zalesak for useful discussions. This work was supported by the Defense Nuclear Agency and the Office of Naval Research.

REFERENCES

- Anderson, D. N., and G. Haerendel, The motion of depleted plasma regions in the equatorial ionosphere, J. Geophys. Res., 84, 4251, 1979.
- Balsley, B. B., G. Haerendel and R. A. Greenwald, Equatorial spread F: Recent observations and a new interpretation, J. Geophys. Res., 77, 5625, 1972.
- Boris, J. P., and D. L. Book, Flux-corrected transport, I, Shasta, a transport algorithm that works, J. Comput. Phys., 11, 38, 1973
- Chaturvedi, P.K., and S. L. Ossakow, Nonlinear theory of the collisional Rayleigh-Taylor instability in equatorial spread F, Geophys. Res. Lett., 4, 558, 1977.
- Chen, F. F., Electrical probes, in Plasma Diagnostic Techniques, edited by R. H. Huddleston and S. L. Leonard, Academic, New York, 1965, p. 113.
- Haerendel, G. Theory of equatorial spread F, report, Max-Planck Inst. fur Phys. und Astrophys., Garching, West Germany, 1974.
- Holmes, J. C. and E. P. Szuszcwicz, A versatile plasma probe, Rev. Sci. Instr. 46, 592, 1975.
- Hudson, M. K., Spread F bubbles: Nonlinear Rayleigh-Taylor mode in two dimensions, J. Geophys. Res., 83, 3189, 1978.
- Jacchia, L. G., Static diffusion models of the upper atmosphere with empirical temperature profiles, Smithson. Contrib. Astrophys., 8, 215, 1965.
- Kelley, M. C., G. Haerendel, H. Kappler, A. Valenzuela, B. B. Balsley, D. A. Carter, W. L. Ecklund, C. W. Carlson, B. Hausler, and R. Torbert, Evidence for a Rayleigh-Taylor type instability and upwelling of depleted density regions during equatorial spread F, Geophys. Res. Lett., 3, 448, 1976.

- Keskinen, M. J., S. L. Ossakow, and P. K. Chaturvedi, Preliminary report of numerical simulations of intermediate wavelength collisional Rayleigh-Taylor instability in equatorial spread F, J. Geophys. Res., 85, 1775, 1980.
- McClure, J. P., W. B. Hanson, and J. H. Hoffman, Plasma bubbles and irregularities in the equatorial ionosphere, J. Geophys. Res., 82, 2650, 1977.
- McDonald, B. E., Explicit Chebychev-iterative solution of nonself-adjoint elliptic equations on a vector computer, J. Comput. Phys., (in press), 1980.
- Narcisi, R. S., and E. P. Szuszczewicz, Direct measurements of electron density, temperature and ion composition in an equatorial spread F ionosphere, Sixth International Symposium on Equatorial Aeronomy (Aguadilla, P. R., July, 1980); J. Atm. Terr. Phys. (to be published, 1980).
- Ossakow, S. L., and P. K. Chaturvedi, Morphological studies of rising equatorial spread F bubbles, J. Geophys. Res., 83, 2085, 1978.
- Ossakow, S. L., S. T. Zalesak, B. E. McDonald, and P. K. Chaturvedi, Nonlinear equatorial spread F: Dependence on altitude of F peak and bottomside background electron density gradient scale length, J. Geophys. Res., 84, 17, 1979.
- Ossakow, S. L., Ionospheric irregularities, Rev. Geophys. and Space Phys., 17, 521, 1979.
- Ott, E., Theory of Rayleigh-Taylor bubbles in the equatorial ionosphere, J. Geophys. Res., 83, 2055, 1978.
- Rognlien, T. D. and J. Weinstock, Theory of the nonlinear spectrum of the gradient drift instability in the equatorial electrojet, J. Geophys. Res., 79, 4733, 1974.

- Scannapieco, A. J. and S. L. Ossakow, Nonlinear equatorial spread F, Geophys. Res. Lett., 3, 451, 1976.
- Szuszcwicz, E. P., R. T. Tsunoda, R. Narcisi and J. C. Holmes, Coincident radar and rocket observations of equatorial spread F, Geophys. Res. Lett., 7, 537, 1980.
- Szuszcwicz, E. P. and J. C. Holmes, Equatorial spread F: "in situ" measurements of electron density, temperature, and density fluctuation power spectra, NRL Memo Report #4289, August 25, 1980.
- Szuszcwicz, E. P., and J. C. Holmes, Observations of electron temperature gradients in mid-latitude E_g layers, J. Geophys. Res., 82, 5073, 1977.
- Szuszcwicz, E. P., and J. C. Holmes, Surface contamination of active electrodes in plasmas: Distortion of conventional Langmuir probe measurements, J. Appl. Phys., 46, 5134, 1975.
- Szuszcwicz, E. P. and P. Z. Takacs, Magnetosheath effects on cylindrical Langmuir probes, Phys. Fluids, 22, 2424, 1979.
- Tsunoda, R. T., and D. M. Towle, On the spatial relationship of 1-meter equatorial spread-F irregularities and depletions in total electron content, Geophys. Res. Letts., 6, 873, 1979.
- Tsunoda, R. T., Time evolution and dynamics of equatorial backscatter plumes-
1. Growth phase, submitted to J. Geophys. Res., 1980a.
- Tsunoda, R. T., On the spatial relationship of 1-meter equatorial spread-F irregularities and plasma bubbles, J. Geophys. Res., 85, 185, 1980b.
- Woodman, R. F., and C. LaHoz, Radar observations of F-region equatorial irregularities, J. Geophys. Res., 81, 5447, 1976.
- Zalesak, S. T., Fully multi-dimensional flux-corrected transport, J. Comput. Phys., 31, 355, 1979.

Zalesak, S. T., and S. L. Ossakow, Nonlinear equatorial spread F: spatially large bubbles resulting from large horizontal scale initial perturbations, J. Geophys. Res., 85, 2131, 1980.




Fig. 1 — Relative and absolute ionospheric electron density profile determined in situ during the occurrence of equatorial spread F.




Fig. 2 — Expanded view of density fluctuation observed in the bottomside irregularity (Fig. 1) centered near 270 km. This is region "C" of Szuszczewicz et al. [1980].




Fig. 3 — Gradient scale lengths on the bottomsides ledge of the F-region layer shown in Figure 1.







Fig. 4 — Power spectral analyses of density fluctuations in region "C" (Figure 2).

800 SEC




Fig. 5 — Isodensity contours of $\delta n(x,y)/n_0(y)$ for $L = 8$ km at $t = 800$ sec. Solid contours denote $\delta n/n_0 > 0$; dashed contours denote $\delta n/n_0 < 0$. Contours are evenly spaced with y axis vertical and x axis horizontal. Tick marks and numbers denote grid point locations and size of grid in meters, respectively. Maximum enhancement ($\delta n/n_0 > 0$) and depletion ($\delta n/n_0 < 0$) are + 4.8% and - 3.8%.

2000 SEC




Fig. 6 — Same as Figure 5 but at $t = 2000$ sec. Maximum enhancement and depletion are + 15% and - 11%.

4500 SEC




Fig. 7 — Same as Figure 5 but at $t = 4500$ sec. Maximum enhancement and depletion are $+66\%$ and -56% .





Fig. 8 — One-dimensional (a) horizontal $P(k_x)$ and (b) vertical $P(k_y)$ spatial power spectra versus k_x and k_y , respectively, for $L = 8$ km at $t = 4000$ sec. The solid lines are least squares fits to the numerical simulations (dots) and $k_0 = 2\pi/960$ m.

DISTRIBUTION LIST

DEPARTMENT OF DEFENSE

ASSISTANT SECRETARY OF DEFENSE
COMM, CMD, CONT & INTELL
WASHINGTON, D.C. 20301
OICY ATTN J. BABCOCK
OICY ATTN M. EPSTEIN

ASSISTANT TO THE SECRETARY OF DEFENSE
ATOMIC ENERGY
WASHINGTON, D.C. 20301
OICY ATTN EXECUTIVE ASSISTANT

DIRECTOR
COMMAND CONTROL TECHNICAL CENTER
PENTAGON RM BE 585
WASHINGTON, D.C. 20301
OICY ATTN C-650
OICY ATTN C-312 R. MASON

DIRECTOR
DEFENSE ADVANCED RSCH PROJ AGENCY
ARCHITECT BUILDING
1400 WILSON BLVD.
ARLINGTON, VA. 22209
OICY ATTN NUCLEAR MONITORING RESEARCH
OICY ATTN STRATEGIC TECH OFFICE

DEFENSE COMMUNICATION ENGINEER CENTER
1860 WIEHLE AVENUE
RESTON, VA. 22090
OICY ATTN CODE R820
OICY ATTN CODE R410 JAMES W. MCLEAN
OICY ATTN CODE R720 J. WORTHINGTON

DIRECTOR
DEFENSE COMMUNICATIONS AGENCY
WASHINGTON, D.C. 20305
(ADR CNWDI: ATTN CODE 240 FOR)
OICY ATTN CODE 1018

DEFENSE TECHNICAL INFORMATION CENTER
CAMERON STATION
ALEXANDRIA, VA. 22314
(12 COPIES IF OPEN PUBLICATION, OTHERWISE 2 COPIES)
OICY ATTN TC

DIRECTOR
DEFENSE INTELLIGENCE AGENCY
WASHINGTON, D.C. 20301
OICY ATTN DT-18
OICY ATTN DB-4C E. O'FARRELL
OICY ATTN DIAAP A. WISE
OICY ATTN DIAST-5
OICY ATTN DT-1B2 R. MORTON
OICY ATTN HQ-TR J. STEWART
OICY ATTN W. WITTIG DC-7D

DIRECTOR
DEFENSE NUCLEAR AGENCY
WASHINGTON, D.C. 20305
OICY ATTN STVL
OICY ATTN TITL
OICY ATTN DOST
OICY ATTN RAAE

COMMANDER
FIELD COMMAND
DEFENSE NUCLEAR AGENCY
KIRTLAND AFB, NM 87115
OICY ATTN FCPR

DIRECTOR
INTERSERVICE NUCLEAR WEAPONS SCHOOL
KIRTLAND AFB, NM 87115
OICY ATTN DOCUMENT CONTROL

JOINT CHIEFS OF STAFF
WASHINGTON, D.C. 20301
OICY ATTN J-3 WMMCCS EVALUATION OFFICE

DIRECTOR
JOINT STRAT TGT PLANNING STAFF
OFFUTT AFB
OMAHA, NB 68113
OICY ATTN JLTW-2
OICY ATTN JPST G. GOETZ

CHIEF
LIVERMORE DIVISION FLD COMMAND DNA
DEPARTMENT OF DEFENSE
LAWRENCE LIVERMORE LABORATORY
P. O. BOX 808
LIVERMORE, CA 94550
OICY ATTN FCPRL

DIRECTOR
NATIONAL SECURITY AGENCY
DEPARTMENT OF DEFENSE
FT. GEORGE G. MEADE, MD 20755
OICY ATTN JOHN SKILLMAN R52
OICY ATTN FRANK LEONARD
OICY ATTN W14 PAT CLARK
OICY ATTN OLIVER H. BARTLETT W32
OICY ATTN R5

COMMANDANT
NATO SCHOOL (SHAPE)
APO NEW YORK 09172
OICY ATTN U.S. DOCUMENTS OFFICER

UNDER SECY OF DEF FOR RSCH & ENGRG
DEPARTMENT OF DEFENSE
WASHINGTON, D.C. 20301
OICY ATTN STRATEGIC & SPACE SYSTEMS (OS)

WMMCCS SYSTEM ENGINEERING ORG
WASHINGTON, D.C. 20305
OICY ATTN R. CRAWFORD

COMMANDER/DIRECTOR
ATMOSPHERIC SCIENCES LABORATORY
U.S. ARMY ELECTRONICS COMMAND
WHITE SANDS MISSILE RANGE, NM 88002
OICY ATTN DELAS-EO F. NILES

DIRECTOR
BMD ADVANCED TECH CTR
HUNTSVILLE OFFICE
P. O. BOX 1500
HUNTSVILLE, AL 35807
OICY ATTN ATC-T MELVIN T. CAPPS
OICY ATTN ATC-O W. DAVIES
OICY ATTN ATC-R DON RUSS

PROGRAM MANAGER
BMD PROGRAM OFFICE
5001 EISENHOWER AVENUE
ALEXANDRIA, VA 22333
OICY ATTN DACS-BMT J. SHEA

CHIEF C-E SERVICES DIVISION
U.S. ARMY COMMUNICATIONS CMD
PENTAGON RM 1B269
WASHINGTON, D.C. 20310
OICY ATTN C-E-SERVICES DIVISION

COMMANDER
FRADCOM TECHNICAL SUPPORT ACTIVITY
DEPARTMENT OF THE ARMY
FORT MONMOUTH, N.J. 07703
OICY ATTN DRSEL-NL-RD H. BENNET
OICY ATTN DRSEL-PL-ENV H. BOMKE
OICY ATTN J. E. QUIGLEY

COMMANDER
HARRY DIAMOND LABORATORIES
DEPARTMENT OF THE ARMY
2800 POWDER MILL ROAD
ADELPHI, MD 20783

(CNMDI-INNER ENVELOPE: ATTN: DELHD-RBH)
01CY ATTN DELHD-TI M. WEINER
01CY ATTN DELHD-RB R. WILLIAMS
01CY ATTN DELHD-NP F. WIMENITZ
01CY ATTN DELHD-NP C. MOAZED

COMMANDER
U.S. ARMY COMM-ELEC ENGRG INSTAL AGY
FT. HUACHUCA, AZ 85613

01CY ATTN CCC-EMEO GEORGE LANE

COMMANDER
U.S. ARMY FOREIGN SCIENCE & TECH CTR
220 7TH STREET, NE
CHARLOTTESVILLE, VA 22901
01CY ATTN DRXST-SD
01CY ATTN R. JONES

COMMANDER
U.S. ARMY MATERIEL DEV & READINESS CMD
5001 EISENHOWER AVENUE
ALEXANDRIA, VA 22333
01CY ATTN DRCLDC J. A. BENDER

COMMANDER
U.S. ARMY NUCLEAR AND CHEMICAL AGENCY
7500 BACKLICK ROAD
BLDG 2073
SPRINGFIELD, VA 22150
01CY ATTN LIBRARY

DIRECTOR
U.S. ARMY BALLISTIC RESEARCH LABS
ABERDEEN PROVING GROUND, MD 21005
01CY ATTN TECH LIB EDWARD BAICY

COMMANDER
U.S. ARMY SATCOM AGENCY
FT. MONMOUTH, NJ 07703
01CY ATTN DOCUMENT CONTROL

COMMANDER
U.S. ARMY MISSILE INTELLIGENCE AGENCY
REDSTONE ARSENAL, AL 35809
01CY ATTN JIM GAMBLE

DIRECTOR
U.S. ARMY TRADOC SYSTEMS ANALYSIS ACTIVITY
WHITE SANDS MISSILE RANGE, NM 88002
01CY ATTN ATAA-SA
01CY ATTN TCG/F. PAYAN JR.
01CY ATTN ATAA-TAC LTC J. HESSE

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
WASHINGTON, D.C. 20360
01CY ATTN NAVELEX 034 T. HUGHES
01CY ATTN PME 117
01CY ATTN PME 117-T
01CY ATTN CODE 5011

COMMANDING OFFICER
NAVAL INTELLIGENCE SUPPORT CTR
4301 SUITLAND ROAD, BLDG. 5
WASHINGTON, D.C. 20390
01CY ATTN MR. DUBBIN STIC 12
01CY ATTN NISC-50
01CY ATTN CODE 5404 J. GALET

COMMANDER
NAVAL OCEAN SYSTEMS CENTER
SAN DIEGO, CA 92152
01CY ATTN CODE 532 W. MOLER
01CY ATTN CODE 0230 C. BAGGETT
01CY ATTN CODE 81 R. EASTMAN

DIRECTOR
NAVAL RESEARCH LABORATORY
WASHINGTON, D.C. 20375
01CY ATTN CODE 4700 T. P. COFFEY (25 CYS IF UN, 1 CY IF CLASS)
01CY ATTN CODE 4701 JACK D. BROWN
01CY ATTN CODE 4780 BRANCH HEAD (150 CYS IF UN, 1 CY IF CLASS)
01CY ATTN CODE 7500 HQ COMM DIR BRUCE WALD
01CY ATTN CODE 7550 J. DAVIS
01CY ATTN CODE 7580
01CY ATTN CODE 7551
01CY ATTN CODE 7555
01CY ATTN CODE 4730 E. MCLEAN
01CY ATTN CODE 4127 C. JOHNSON

COMMANDER
NAVAL SEA SYSTEMS COMMAND
WASHINGTON, D.C. 20362
01CY ATTN CAPT R. PITKIN

COMMANDER
NAVAL SPACE SURVEILLANCE SYSTEM
DAHLGREN, VA 22448
01CY ATTN CAPT J. H. BURTON

OFFICER-IN-CHARGE
NAVAL SURFACE WEAPONS CENTER
WHITE OAK, SILVER SPRING, MD 20910
01CY ATTN CODE F31

DIRECTOR
STRATEGIC SYSTEMS PROJECT OFFICE
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20376
01CY ATTN NSP-2141
01CY ATTN NSSP-2722 FRED WIMBERLY

NAVAL SPACE SYSTEM ACTIVITY
P. O. BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CALIF. 90009
01CY ATTN A. B. HAZZARD

COMMANDER
NAVAL SURFACE WEAPONS CENTER
DAHLGREN LABORATORY
DAHLGREN, VA 22448
01CY ATTN CODE DF-14 R. BUTLER

COMMANDING OFFICER
NAVY SPACE SYSTEMS ACTIVITY
P.O. BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CA. 90009
01CY ATTN CODE 52

OFFICE OF NAVAL RESEARCH
ARLINGTON, VA 22217
01CY ATTN CODE 465
01CY ATTN CODE 461
01CY ATTN CODE 402
01CY ATTN CODE 420
01CY ATTN CODE 421

COMMANDER
AEROSPACE DEFENSE COMMAND/DC
DEPARTMENT OF THE AIR FORCE
ENT AFB, CO 80912
01CY ATTN DC MR. LONG

COMMANDER
AEROSPACE DEFENSE COMMAND/XPD
DEPARTMENT OF THE AIR FORCE
ENT AFB, CO 80912
01CY ATTN XPDQQ
01CY ATTN XP

AIR FORCE GEOPHYSICS LABORATORY
HANSCOM AFB, MA 01731
01CY ATTN OPR HAROLD GARDNER
01CY ATTN OPR-1 JAMES C. ULWICK
01CY ATTN LKB KENNETH S. W. CHAMPION
01CY ATTN OPR ALVA T. STAIR
01CY ATTN PHP JULES AARONS
01CY ATTN PHD JURGEN BUCHAU
01CY ATTN PHD JOHN P. MULLEN

AF WEAPONS LABORATORY
KIRTLAND AFB, NM 87117

01CY ATTN SUL
01CY ATTN CA ARTHUR H. GUENTHER
01CY ATTN DYC CAPT J. BARRY
01CY ATTN DYC JOHN M. KAMM
01CY ATTN DYT CAPT MARK A. FRY
01CY ATTN DES MAJ GARY GANONG
01CY ATTN DYC J. JANNI

AFYAC

PATRICK AFB, FL 32925
01CY ATTN TF/MAJ WILEY
01CY ATTN TN

AIR FORCE AVIONICS LABORATORY
WRIGHT-PATTERSON AFB, OH 45433
01CY ATTN AAD WADE HUNT
01CY ATTN AAD ALLEN JOHNSON

DEPUTY CHIEF OF STAFF
RESEARCH, DEVELOPMENT, & ACQ
DEPARTMENT OF THE AIR FORCE
WASHINGTON, D.C. 20330
01CY ATTN AFRDQ

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION/XR
DEPARTMENT OF THE AIR FORCE
HANSCOM AFB, MA 01731
01CY ATTN XR J. DEAS

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION/YSEA
DEPARTMENT OF THE AIR FORCE
HANSCOM AFB, MA 01731
01CY ATTN YSEA

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION/DC
DEPARTMENT OF THE AIR FORCE
HANSCOM AFB, MA 01731
01CY ATTN DCKC MAJ J.C. CLARK

COMMANDER
FOREIGN TECHNOLOGY DIVISION, AFSC
WRIGHT-PATTERSON AFB, OH 45433
01CY ATTN NICD LIBRARY
01CY ATTN ETD B. BALLARD

COMMANDER
ROME AIR DEVELOPMENT CENTER, AFSC
GRIFFISS AFB, NY 13441
01CY ATTN DOC LIBRARY/TSLO
01CY ATTN OCSE V. COYNE

SAMSO/SZ
POST OFFICE BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CA 90009
(SPACE DEFENSE SYSTEMS)
01CY ATTN SZJ

STRATEGIC AIR COMMAND/XPFS
OFFUTT AFB, NE 68113
01CY ATTN XPFS MAJ B. STEPHAN
01CY ATTN ADWATE MAJ BRUCE BAUER
01CY ATTN NRT
01CY ATTN DOK CHIEF SCIENTIST

SAMSO/SK
P. O. BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CA 90009
01CY ATTN SKA (SPACE COMM SYSTEMS) M. CLAVIN

SAMSO/MN
NORTON AFB, CA 92409
(MINUTEMAN)
01CY ATTN MNML LTC KENNEDY

COMMANDER
ROME AIR DEVELOPMENT CENTER, AFSC
HANSCOM AFB, MA 01731
01CY ATTN EEP A. LORENTZEN

DEPARTMENT OF ENERGY
ALBUQUERQUE OPERATIONS OFFICE
P. O. BOX 5400
ALBUQUERQUE, NM 87115
01CY ATTN DOC CON FOR D. SHERWOOD

DEPARTMENT OF ENERGY
LIBRARY ROOM G-042
WASHINGTON, D.C. 20545
01CY ATTN DOC CON FOR A. LABOWITZ

EG&G, INC.
LOS ALAMOS DIVISION
P. O. BOX 809
LOS ALAMOS, NM 85544
01CY ATTN DOC CON FOR J. BREEDLOVE

UNIVERSITY OF CALIFORNIA
LAWRENCE LIVERMORE LABORATORY
P. O. BOX 808
LIVERMORE, CA 94550
01CY ATTN DOC CON FOR TECH INFO DEPT
01CY ATTN DOC CON FOR L-389 R. OTT
01CY ATTN DOC CON FOR L-31 R. HAGER
01CY ATTN DOC CON FOR L-46 F. SEWARD

LOS ALAMOS SCIENTIFIC LABORATORY
P. O. BOX 1663
LOS ALAMOS, NM 87545
01CY ATTN DOC CON FOR J. WOLCOTT
01CY ATTN DOC CON FOR R. F. TASCHKE
01CY ATTN DOC CON FOR E. JONES
01CY ATTN DOC CON FOR J. MALIK
01CY ATTN DOC CON FOR R. JEFFRIES
01CY ATTN DOC CON FOR J. ZINN
01CY ATTN DOC CON FOR P. KEATON
01CY ATTN DOC CON FOR D. WESTERVELT

SANDIA LABORATORIES
P. O. BOX 5800
ALBUQUERQUE, NM 87115
01CY ATTN DOC CON FOR J. MARTIN
01CY ATTN DOC CON FOR W. BROWN
01CY ATTN DOC CON FOR A. THORNBROUGH
01CY ATTN DOC CON FOR T. WRIGHT
01CY ATTN DOC CON FOR D. DAHLGREN
01CY ATTN DOC CON FOR 3141
01CY ATTN DOC CON FOR SPACE PROJECT DIV

SANDIA LABORATORIES
LIVERMORE LABORATORY
P. O. BOX 969
LIVERMORE, CA 94550
01CY ATTN DOC CON FOR B. MURPHEY
01CY ATTN DOC CON FOR T. COOK

OFFICE OF MILITARY APPLICATION
DEPARTMENT OF ENERGY
WASHINGTON, D.C. 20545
01CY ATTN DOC CON FOR D. GALE

OTHER GOVERNMENT

CENTRAL INTELLIGENCE AGENCY
ATTN RD/51, RM 5G48, HQ BLDG
WASHINGTON, D.C. 20505
01CY ATTN OSI/PSID RM 5F 19

DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
WASHINGTON, D.C. 20234
(CALL CORRES: ATTN SEC OFFICER FOR)
01CY ATTN R. MOORE

INSTITUTE FOR TELECOM SCIENCES
NATIONAL TELECOMMUNICATIONS & INFO ADMIN
BOULDER, CO 80303

OICY ATTN A. JEAN (UNCLASS ONLY)
OICY ATTN W. UTLAUT
OICY ATTN D. CROMBIE
OICY ATTN L. BERRY

NATIONAL OCEANIC & ATMOSPHERIC ADMIN
ENVIRONMENTAL RESEARCH LABORATORIES
DEPARTMENT OF COMMERCE
BOULDER, CO 80302

OICY ATTN R. GRUBB
OICY ATTN AERONOMY LAB G. REID

DEPARTMENT OF DEFENSE CONTRACTORS

AEROSPACE CORPORATION

P. O. BOX 92957

LOS ANGELES, CA 90009

OICY ATTN I. GARFUNKEL
OICY ATTN T. SALMI
OICY ATTN V. JOSEPHSON
OICY ATTN S. BOWER
OICY ATTN N. STOCKWELL
OICY ATTN D. OLSEN

OICY ATTN SMFA FOR PMW

ANALYTICAL SYSTEMS ENGINEERING CORP

5 OLD CONCORD ROAD

BURLINGTON, MA 01803

OICY ATTN RADIO SCIENCES

BERKELEY RESEARCH ASSOCIATES, INC.

P. O. BOX 983

BERKELEY, CA 94701

OICY ATTN J. WORKMAN

BOEING COMPANY, THE

P. O. BOX 3707

SEATTLE, WA 98124

OICY ATTN G. KEISTER
OICY ATTN D. MURRAY
OICY ATTN G. HALL
OICY ATTN J. KENNEY

CALIFORNIA AT SAN DIEGO, UNIV OF

P.O. Box 6049

San Diego, CA 92106

BROWN ENGINEERING COMPANY, INC.

CUMMINGS RESEARCH PARK

HUNTSVILLE, AL 35807

OICY ATTN ROMEO A. DELIBERIS

CHARLES STARK DRAPER LABORATORY, INC.

555 TECHNOLOGY SQUARE

CAMBRIDGE, MA 02139

OICY ATTN D. B. COX
OICY ATTN J. P. GILMORE

COMPUTER SCIENCES CORPORATION

6565 ARLINGTON BLVD

FALLS CHURCH, VA 22046

OICY ATTN M. BLANK
OICY ATTN JOHN SPOOR
OICY ATTN C. MAIL

COMSAT LABORATORIES

LINTHICUM ROAD

CLARKSBURG, MD 20734

OICY ATTN G. HYDE

CORNELL UNIVERSITY

DEPARTMENT OF ELECTRICAL ENGINEERING

ITHACA, NY 14850

OICY ATTN D. T. FARLEY JR

ELECTROSPACE SYSTEMS, INC.

BOX 1359

RICHARDSON, TX 75080

OICY ATTN H. LOGSTON

OICY ATTN SECURITY (PAUL PHILLIPS)

ESL INC.

495 JAVA DRIVE

SUNNYVALE, CA 94086

OICY ATTN J. ROBERTS

OICY ATTN JAMES MARSHALL

OICY ATTN C. W. PRETTIE

FORD AEROSPACE & COMMUNICATIONS CORP

3939 FABIAN WAY

PALO ALTO, CA 94303

OICY ATTN J. T. MATTINGLEY

GENERAL ELECTRIC COMPANY

SPACE DIVISION

VALLEY FORGE SPACE CENTER

GODDARD BLVD KING OF PRUSSIA

P. O. BOX 8555

PHILADELPHIA, PA 19101

OICY ATTN M. H. BORTNER SPACE SCI LAB

GENERAL ELECTRIC COMPANY

P. O. BOX 1122

SYRACUSE, NY 13201

OICY ATTN F. REIBERT

GENERAL ELECTRIC COMPANY

TEMPO-CENTER FOR ADVANCED STUDIES

816 STATE STREET (P.O. DRAWER QQ)

SANTA BARBARA, CA 93102

OICY ATTN DASIAC

OICY ATTN DON CHANDLER

OICY ATTN TOM BARRETT

OICY ATTN TIM STEPHANS

OICY ATTN WARREN S. KNAPP

OICY ATTN WILLIAM MCNAMARA

OICY ATTN B. GAMBILL

OICY ATTN MACK STANTON

GENERAL ELECTRIC TECH SERVICES CO., INC.

HMES

COURT STREET

SYRACUSE, NY 13201

OICY ATTN G. MILLMAN

GENERAL RESEARCH CORPORATION

SANTA BARBARA DIVISION

P. O. BOX 5770

SANTA BARBARA, CA 93111

OICY ATTN JOHN ISE JR

OICY ATTN JOEL GARBARINO

GEOPHYSICAL INSTITUTE

UNIVERSITY OF ALASKA

FAIRBANKS, AK 99701

(ALL CLASS ATTN: SECURITY OFFICER)

OICY ATTN T. N. DAVIS (UNCL ONLY)

OICY ATTN NEAL BROWN (UNCL ONLY)

OICY ATTN TECHNICAL LIBRARY

GTE SYLVANIA, INC.

ELECTRONICS SYSTEMS GRP-EASTERN DIV

77 A STREET

NEEDHAM, MA 02194

OICY ATTN MARSHAL CROSS

ILLINOIS, UNIVERSITY OF

DEPARTMENT OF ELECTRICAL ENGINEERING

URBANA, IL 61803

OICY ATTN K. YEH

ILLINOIS, UNIVERSITY OF

107 COBLE MALL

801 S. WRIGHT STREET

URBANA, IL 60680

(ALL CORRES ATTN SECURITY SUPERVISOR FOR)

OICY ATTN K. YEH

INSTITUTE FOR DEFENSE ANALYSES
400 ARMY-NAVY DRIVE
ARLINGTON, VA 22202
O1CY ATTN J. M. AEIN
O1CY ATTN ERNEST BAUER
O1CY ATTN HANS WOLFHARD
O1CY ATTN JOEL BENGSTON

HSS, INC.
2 ALFRED CIRCLE
BEDFORD, MA 01730
O1CY ATTN DONALD HANSEN

INTL TEL & TELEGRAPH CORPORATION
500 WASHINGTON AVENUE
NUTLEY, NJ 07110
O1CY ATTN TECHNICAL LIBRARY

JAYCOR
1401 CAMINO DEL MAR
DEL MAR, CA 92014
O1CY ATTN S. R. GOLDMAN

JOHNS HOPKINS UNIVERSITY
APPLIED PHYSICS LABORATORY
JOHNS HOPKINS ROAD
LAUREL, MD 20810
O1CY ATTN DOCUMENT LIBRARIAN
O1CY ATTN THOMAS POTEMRA
O1CY ATTN JOHN DASSOULAS

LOCKHEED MISSILES & SPACE CO INC
P. O. BOX 504
SUNNYVALE, CA 94088
O1CY ATTN DEPT 60-12
O1CY ATTN D. R. CHURCHILL

LOCKHEED MISSILES AND SPACE CO INC
3251 HANOVER STREET
PALO ALTO, CA 94304
O1CY ATTN MARTIN WALT DEPT 52-10
O1CY ATTN RICHARD G. JOHNSON DEPT 52-12
O1CY ATTN W. L. IMHOFF DEPT 52-12

KAMAN SCIENCES CORP
P. O. BOX 7463
COLORADO SPRINGS, CO 80933
O1CY ATTN T. MEAGHER

LINKABIT CORP
10453 ROSELLE
SAN DIEGO, CA 92121
O1CY ATTN IRWIN JACOBS

M.I.T. LINCOLN LABORATORY
P. O. BOX 73
LEXINGTON, MA 02173
O1CY ATTN DAVID M. TOWLE
O1CY ATTN P. WALDRON
O1CY ATTN L. LOUGHLIN
O1CY ATTN D. CLARK

MARTIN MARIETTA CORP
ORLANDO DIVISION
P. O. BOX 5837
ORLANDO, FL 32805
O1CY ATTN R. HEFFNER

MCDONNELL DOUGLAS CORPORATION
5301 BOLSA AVENUE
HUNTINGTON BEACH, CA 92647
O1CY ATTN N. HARRIS
O1CY ATTN J. MOULE
O1CY ATTN GEORGE MROZ
O1CY ATTN W. OLSON
O1CY ATTN R. W. MALPRIN
O1CY ATTN TECHNICAL LIBRARY SERVICES

MISSION RESEARCH CORPORATION
735 STATE STREET
SANTA BARBARA, CA 93101
O1CY ATTN P. FISCHER
O1CY ATTN W. F. CREVIER
O1CY ATTN STEVEN L. GUTSCHE
O1CY ATTN D. SAPPENFIELD
O1CY ATTN R. BOGUSCH
O1CY ATTN R. HENDRICK
O1CY ATTN RALPH KILB
O1CY ATTN DAVE SOWLE
O1CY ATTN F. FAJEN
O1CY ATTN M. SCHEIBE
O1CY ATTN CONRAD L. LONGMIRE
O1CY ATTN WARREN A. SCHLUETER

MITRE CORPORATION, THE
P. O. BOX 208
BEDFORD, MA 01730
O1CY ATTN JOHN MORGANSTERN
O1CY ATTN G. HARDING
O1CY ATTN C. E. CALLAHAN

MITRE CORP
WESTGATE RESEARCH PARK
1820 DOLLY MADISON BLVD
MCLEAN, VA 22101
O1CY ATTN W. HALL
O1CY ATTN W. FOSTER

PACIFIC-SIERRA RESEARCH CORP
1456 CLOVERFIELD BLVD.
SANTA MONICA, CA 90404
O1CY ATTN E. C. FIELD JR

PENNSYLVANIA STATE UNIVERSITY
IONOSPHERE RESEARCH LAB
318 ELECTRICAL ENGINEERING EAST
UNIVERSITY PARK, PA 16802
(NO CLASSIFIED TO THIS ADDRESS)
O1CY ATTN IONOSPHERIC RESEARCH LAB

PHOTOMETRICS, INC.
442 MARRETT ROAD
LEXINGTON, MA 02173
O1CY ATTN IRVING L. KOFSKY

PHYSICAL DYNAMICS INC.
P. O. BOX 3027
BELLEVUE, WA 98009
O1CY ATTN E. J. FREMOW

PHYSICAL DYNAMICS INC.
P. O. BOX 10367
OAKLAND, CA. 94610
ATTN: A. THOMSON

R & D ASSOCIATES
P. O. BOX 9695
MARINA DEL REY, CA 90291
O1CY ATTN FORREST GILMORE
O1CY ATTN BRYAN GABBARD
O1CY ATTN WILLIAM B. WRIGHT JR
O1CY ATTN ROBERT F. LELEVIER
O1CY ATTN WILLIAM J. KARZAS
O1CY ATTN H. ORY
O1CY ATTN C. MACDONALD
O1CY ATTN R. TURCO

RAND CORPORATION, THE
1700 MAIN STREET
SANTA MONICA, CA 90406
O1CY ATTN CULLEN CRAIN
O1CY ATTN ED BEDROZIAN

RIVERSIDE RESEARCH INSTITUTE
80 WEST END AVENUE
NEW YORK, NY 10023
O1CY ATTN VINCE TRAPANI

SCIENCE APPLICATIONS, INC.
P. O. BOX 2351
LA JOLLA, CA 92038

01CY ATTN LEWIS M. LINSON
01CY ATTN DANIEL A. HAMLIN
01CY ATTN J. SACHS
01CY ATTN E. A. STRAKER
01CY ATTN CURTIS A. SMITH
01CY ATTN JACK MCDUGALL

RAYTHEON CO.
528 BOSTON POST ROAD
SUDBURY, MA 01776
01CY ATTN BARBARA ADAMS

SCIENCE APPLICATIONS, INCORPORATED
1710 Goodridge Dr.
McLean, VA 22102
Attn: J. Cockayne

Lockheed Missile & Space Co., Inc.
Huntsville Research & Engr. Ctr.
4800 Bradford Drive
Huntsville, Alabama 35807
Attn: Dale H. Davis

SRI INTERNATIONAL
333 RAVENSWOOD AVENUE
MENLO PARK, CA 94025

01CY ATTN DONALD NEILSON
01CY ATTN ALAN BURNS
01CY ATTN C. SMITH
01CY ATTN L. L. COGB
01CY ATTN DAVID A. JOHNSON
01CY ATTN WALTER G. CHESNUT
01CY ATTN CHARLES L. RINO
01CY ATTN WALTER JAYE
01CY ATTN M. BARON
01CY ATTN RAY L. LEADABRAND
01CY ATTN G. CARPENTER
01CY ATTN G. PRICE
01CY ATTN J. PETERSON
01CY ATTN R. HAKE, JR.
01CY ATTN V. GONZALES
01CY ATTN D. MCDANIEL

TECHNOLOGY INTERNATIONAL CORP
75 WIGGINS AVENUE
BEDFORD, MA 01730
01CY ATTN W. P. BOQUIST

TRW DEFENSE & SPACE SYS GROUP
ONE SPACE PARK
REDONDO BEACH, CA 90278
01CY ATTN R. K. PLEBUCH
01CY ATTN S. ALTSCHULER
01CY ATTN D. DEE

VISIDYNE, INC.
19 THIRD AVENUE
NORTH WEST INDUSTRIAL PARK
BURLINGTON, MA 01803
01CY ATTN CHARLES HUMPHREY
01CY ATTN J. W. CARPENTER

