

AD-AD95 026

TEXAS UNIV AT AUSTIN CENTER FOR CYBERNETIC STUDIES F/G 12/2  
EFFECTIVE SOLUTION OF NON-CONVEX MULTI-OBJECTIVE RATIO GOALS PR--ETC(U)  
DEC 80 R ARMSTRONG, A CHARNE, W W COOPER N00014-80-C-0242  
CCS-390 NL

UNCLASSIFIED

1 of 1  
AD-  
AD95026



END  
DATE  
FILED  
3-81  
DTIC

AD A095026

LEVEL

12

Research Report CCS-390

EFFECTIVE SOLUTION OF NON-CONVEX  
MULTI-OBJECTIVE RATIO GOALS  
PROBLEMS

by

R. Armstrong  
A. Charnes  
W.W. Cooper  
C. Haksever

CENTER FOR  
CYBERNETIC  
STUDIES


DTIC

FEB 17 1981

C

DISTRIBUTION STATEMENT A

Approved for public release;  
Distribution Unlimited



81 2 17 052

12

Research Report

EFFECTIVE SOLUTION OF NON CONVEX  
MULTI OBJECTIVE RATIO GOALS  
PROBLEMS

by

R. Armstrong  
A. Charnes  
W.W. Cooper  
C. Haksever

December 1980

DTIC  
UNCLASSIFIED

This research was partly supported by ONR Contracts N00014-80-C-0042  
and N00014-75-C-0569 with the Center for Cybernetic Studies, The  
University of Texas at Austin. Reproduction in whole or in part is  
permitted for any purpose of the United States Government.

CENTER FOR CYBERNETIC STUDIES

A. Charnes, Director  
Business-Economics Building, 7031  
The University of Texas at Austin  
Austin, TX 78712  
(512) 471-1821

DISTRIBUTION STATEMENT A  
Approved for public release  
Distribution unlimited

ABSTRACT

Multiple ratio goals often occur in equity considerations and imply non-linear non-convex programming problems. Charnes and Cooper's solution of such a class by a sequence of linear programs is herein implemented by an effective computational method applicable to a larger class of non-linear non-convex problems. An analytical prescription of the recursion to preserve feasibility of the last basic solution is derived. A new usage of the fast re-inversion routine of current LP codes to obtain the modified basis inverse is developed together with the further subroutines of the Opposite Sign Algorithm of Charnes and Kortanek (1963) or a negative image scheme whenever the old basic solution is not basic feasible for the modified problem. An illustration in terms of funding of State colleges in Texas is provided.

KEY WORDS

Non-convex programming  
Ratio goals programming  
Multi-objective programming  
Equitable funds allocation

|                    |                                     |
|--------------------|-------------------------------------|
| Accession No.      |                                     |
| NTIS GRA&I         | <input checked="" type="checkbox"/> |
| DTIC TAB           | <input type="checkbox"/>            |
| Unannounced        | <input type="checkbox"/>            |
| Justification      |                                     |
| By                 |                                     |
| Distribution/      |                                     |
| Availability Codes |                                     |
| Dist               |                                     |
| <b>A</b>           |                                     |

## 1. INTRODUCTION

Charnes and Cooper in [1] consider the non-linear non-convex ratio goals problem:

$$(1) \quad \min \lambda$$

$$\text{with } \lambda \geq \left| \frac{c_i^T x + \alpha_i}{d_i^T x + \beta_i} - \rho_i \right|, \quad i = 1, \dots, r$$

$$\text{and } Ax = b, \quad x \geq 0$$

where  $c_i, d_i, b$  are column vectors,  $T$  denotes transpose,  $\alpha_i, \beta_i, \rho_i$  are scalars with  $\rho_i$  the ratio goals,  $A$  an  $m \times n$  matrix,  $x$  an  $n \times 1$  column vector and  $d_i^T x + \beta_i > 0$  for all  $i$  and admissible  $x$ .

They set up the LP problem equivalent to:

$$(2) \quad \max v$$

$$\text{with } v \leq \bar{\lambda} (d_i^T x + \beta_i) - |c_i^T x + \alpha_i - \rho_i (d_i^T x + \beta_i)|$$

$$\text{and } Ax = b, \quad x \geq 0$$

where  $\bar{\lambda}$  is a posited upper limit for the ratio goal deviations.

Then, associating feasible solutions  $\bar{x}$  with (2) and  $\lambda, x$  with (1), and using asterisks to denote optimal values, the following possibilities are at hand.

- (i)  $v^* < 0$ ;  $\bar{\lambda}, \bar{x}^*$  is not feasible for (1).
- (ii)  $v^* = 0$ ;  $\bar{\lambda} = \lambda^*$  and  $\bar{x}^*$  is optional for (1).
- (iii)  $v^* > 0$ ;  $\bar{\lambda}, \bar{x}^*$  is feasible for (1) with
 
$$\lambda^* \leq \lambda^*(\bar{x}^*) < \bar{\lambda}, \text{ an improvement over } \bar{\lambda},$$

where

$$\lambda^*(\bar{x}^*) = \max_i \left\{ \left| \frac{c_i^T \bar{x}^* + \alpha_i}{d_i^T \bar{x}^* + \beta_i} - \rho_i \right| \right\}$$

and  $\lambda^*$  is optimal for (1).

In case (i),  $\bar{\lambda}$  is too small to be attained. The predetermined value must be recast higher and the new linear program solved.

In case (ii), we are done.

In case (iii), we replace  $\bar{\lambda}$  by  $\lambda^*(\bar{x}^*)$  and proceed as before. Continuing in this manner we set up a simple sequence of linear programming problems which

converges to a solution of the nonconvex programming problem (1).

For effective solution, however, we must have an efficient automatic way to continue from LP problem to LP problem without starting from scratch and to choose the next value  $\bar{\lambda}$  to replace  $\bar{\lambda}$ . We show how to maintain feasibility from LP problem to LP problem by choice of  $\bar{\lambda}$ . Employing the fast reinversion capability of current LP software (a first such usage) and either the Opposite Sign Algorithm of Charnes and Kortanek [3] or an automatic negative image method, we achieve our objective. It is illustrated with a problem of Charnes, Cox and Lane [2] for allocating State funds to colleges in Texas.

## 2. FEASIBILITY PRESERVATION

We need treat only case (iii). We determine the minimum  $\bar{\lambda}$  so that  $\bar{x}^*$  is feasible. The only constraints to be considered are those involving  $v$ . Writing these as linear inequalities in  $\bar{\lambda}$ ,  $\bar{x}^*$ ,  $\bar{\lambda}$  and setting  $v \equiv \bar{v}^* + \delta$ , we obtain:

$$(3) \quad \delta + \bar{v}^* - [\bar{\lambda}d_i^T - (c_i^T - \rho_i d_i^T)]\bar{x}^* + (\bar{\lambda} - \bar{\lambda})d_i^T\bar{x}^* \leq \bar{\lambda}\beta_i - (\alpha_i - \rho_i\beta_i) - (\bar{\lambda} - \bar{\lambda})\beta_i$$

$$\delta + \bar{v}^* - [\bar{\lambda}d_i^T + (c_i^T - \rho_i d_i^T)]\bar{x}^* + (\bar{\lambda} - \bar{\lambda})d_i^T\bar{x}^* \leq \bar{\lambda}\beta_i + (\alpha_i - \rho_i\beta_i) - (\bar{\lambda} - \bar{\lambda})\beta_i$$

for  $i = 1, \dots, r$

Feasibility requires both

$$(4) \quad \delta \geq -\bar{v}^* \quad \text{and} \quad \delta + (\bar{\lambda} - \bar{\lambda})d_i^T\bar{x}^* \leq -(\bar{\lambda} - \bar{\lambda})\beta_i, \quad i = 1, \dots, r$$

or,

$$(4.1) \quad (\bar{\lambda} - \bar{\lambda})[d_i^T\bar{x}^* + \beta_i] \leq -\delta \leq \bar{v}^*, \quad i = 1, \dots, r$$

or,

$$(4.2) \quad (\bar{\lambda} - \bar{\lambda}) \leq \frac{\bar{v}^*}{\Delta(\bar{\lambda})} \quad \text{where} \quad \Delta(\bar{\lambda}) = \max_i [d_i^T\bar{x}^* + \beta_i]$$

Thus,

$$(5) \quad \bar{\lambda} = \bar{\lambda} - \frac{\bar{v}^*}{\Delta(\bar{\lambda})}$$

provides the minimum  $\bar{\lambda}$ , i.e., the maximum feasible change from  $\bar{\lambda}$  preserving feasibility of  $\bar{x}^*$ .

## 3. BASIC FEASIBILITY VIOLATION

Although  $\bar{x}^*$  is feasible for  $\bar{\lambda}$  and is a basic solution for  $\bar{\lambda}$ , it may fail to

be a basic feasible solution for  $\bar{\lambda}$ , i.e., positive slack variables may occur in (the equation form of) the "v" constraints. Generally, we expect few of these slacks to occur. Since the  $\bar{x}^*$  coefficient vectors form a basis for the  $\bar{\lambda}$  constraint vectors and we have a feasible solution, we can employ the (1963) Opposite Sign Algorithm of Charnes and Kortanek [3] coded in ALGOL by Kortanek and Raike [4].

The change from  $\bar{\lambda}$  to  $\bar{\lambda}$  involves a change (generally small) in the coefficient vectors (in the "v" conditions part). We, therefore, treat our basic inverse for  $\bar{\lambda}$  as an approximate inverse for  $\bar{\lambda}$  and call the fast re-inversion routine to give us an accurate basis inverse for  $\bar{\lambda}$ . Such a procedure, heretofore not utilized by anyone, can be employed in many other non-linear problems treated parametrically.

An alternate to the Opposite Sign Algorithm is simply to immediately introduce the negatives of the coefficient vectors of  $\bar{x}^*$  for which  $\bar{x}_i^* < 0$  as artificials with high penalties and to continue onwards. We are currently experimenting with both stratagems.

#### 4. MODELS FOR EQUITABLE ALLOCATION OF STATE FUNDS

The State of Texas has  $n$  institutions of higher education, and a total of  $m$  subjects (e.g., engineering, economics, business, etc.) are taught in these institutions (not necessarily all in each). The existing system of allocation is to multiply a set rate for each subject area ( $R_j$ ,  $j=1, \dots, m$ ) by the number of Semester Credit Hours (SCH) produced in institution  $i$  in subject  $j$ ,  $N_{ij}$ , and sum. Thus, institution  $i$  receives  $\sum_{j=1}^m R_j N_{ij} = T_i$  and the total funds awarded

to these institutions is  $\sum_{i=1}^r \sum_{j=1}^m R_j N_{ij} = \sum_{i=1}^r T_i = T$ .

The introduction of two new institutions which will only have upper division courses into the system also increased the need for a new system of rates. It was desired that:

1. The rates should more accurately reflect actual costs.
2. No institution should receive less under the new system than under the old.
3. The same rate should apply at all institutions for each subject area.
4. The extra amount ("institutional excess") that any institution receives under the new system should be minimized.

Charnes et al. set up the following LP model to minimize the maximum institutional excess subject to constraints which approximately represented in linear inequality fashion the desired ratio goals:

$$(6.1) \quad \text{Min } \lambda$$

Subject to

$$(6.2) \quad y_i \leq \lambda, \quad i = 1, \dots, r$$

$$(6.3) \quad \sum_{j=1}^m R_j^{(L)} N_{ij}^{(L)} + \sum_{j=1}^m R_j^{(U)} N_{ij}^{(U)} - y_i = T_i, \quad i = 1, \dots, r$$

$$(6.4) \quad (1-\bar{\alpha}) \frac{C_j^{(L)}}{C_1^{(L)}} \leq \frac{R_j^{(L)}}{R_1^{(L)}} \leq (1+\bar{\alpha}) \frac{C_j^{(L)}}{C_1^{(L)}}, \quad j = 2, \dots, m$$

$$(6.5) \quad (1-\bar{\alpha}) \frac{C_j^{(U)}}{C_1^{(U)}} \leq \frac{R_j^{(U)}}{R_1^{(U)}} \leq (1+\bar{\alpha}) \frac{C_j^{(U)}}{C_1^{(U)}}, \quad j = 2, \dots, m$$

$$(6.6) \quad (1-\bar{\beta}) \frac{C_j^{(U)}}{C_j^{(L)}} \leq \frac{R_j^{(U)}}{R_j^{(L)}} \leq (1+\bar{\beta}) \frac{C_j^{(U)}}{C_j^{(L)}}, \quad j = 1, \dots, m$$

$$y_i, \lambda, R_j^{(U)}, R_j^{(L)} \geq 0 \quad \begin{array}{l} j = 1, \dots, m \\ i = 1, \dots, r \end{array}$$

where  $R_j^{(L)}, R_j^{(U)}$  = the rate for lower (upper) division SCH's in subject j.

$N_{ij}^{(L)}, N_{ij}^{(U)}$  = the number of SCH's produced by institution i in subject area j, at lower (upper) division levels.

$C_j^{(L)}, C_j^{(U)}$  = the estimated cost of subject area j at lower (upper) division levels.

$y_i$  = the institutional excess for institution i.

$\bar{\alpha}, \bar{\beta}$  = the allowable deviation of ratios from lower (upper) division goals.

In ratio goals form, our model is:

Min  $\lambda$

$$(7) \quad \lambda \geq \left| \frac{\sum_{j=1}^m R_j^{(L)} N_{ij}^{(L)} + \sum_{j=1}^m R_j^{(U)} N_{ij}^{(U)}}{\sum_{j=1}^m R_j^{(L)} N_{ij}^{(L)} + \sum_{j=1}^m R_j^{(U)} N_{ij}^{(U)}} - \frac{T_i}{T_1} \right|, \quad i = 2, \dots, r$$

$$\lambda \geq \left| \frac{R_j^{(L)}}{R_1^{(L)}} - \frac{C_j^{(L)}}{C_1^{(L)}} \right|, \left| \frac{R_j^{(U)}}{R_1^{(U)}} - \frac{C_j^{(U)}}{C_1^{(U)}} \right| \quad j = 2, \dots, m$$

$$\lambda \geq \left| \frac{R_j^{(U)}}{R_j^{(L)}} - \frac{C_j^{(U)}}{C_j^{(L)}} \right| \quad j = 1, \dots, m$$

$$\sum_{j=1}^m R_j^{(L)} N_{ij}^{(L)} + \sum_{j=1}^m R_j^{(U)} N_{ij}^{(U)} \geq T_i \quad i = 1, 2, \dots, r$$

$$\text{with } R_j^{(L)}, R_j^{(U)} \geq 0.$$

### 5. NUMERICAL EXAMPLE

For the purpose of illustration, four institutions and three subject areas are selected. With the exception of SCH's and resulting current allocation, all data are from [2].

#### C O S T S

| Subject Area (j) | Existing Rate ( $R_j$ ) | Lower Division ( $C_j^{(L)}$ ) | Upper Division ( $C_j^{(U)}$ ) |
|------------------|-------------------------|--------------------------------|--------------------------------|
| 1                | 15.12                   | 9.49                           | 16.91                          |
| 2                | 16.49                   | 8.44                           | 22.87                          |
| 3                | 27.57                   | 18.78                          | 33.57                          |

#### S C H ' S

| Inst. \ Subj. | 1    |      | 2    |      | 3    |     | 4    |   |
|---------------|------|------|------|------|------|-----|------|---|
|               | L    | U    | L    | U    | L    | U   | L    | U |
| 1             | 1345 | 860  | 980  | 860  | 2150 | 170 | 750  | - |
| 2             | 210  | 190  | 800  | 340  | 650  | -   | 500  | - |
| 3             | 1145 | 950  | -    | -    | 2000 | 380 | 1250 | - |
| TOTAL         | 3000 | 2000 | 1780 | 1200 | 4800 | 550 | 2500 | - |

CURRENT ALLOCATION OF STATE FUNDS

| Inst.<br>Subj. | 1          | 2        | 3         | 4        |
|----------------|------------|----------|-----------|----------|
| 1              | 33,339.6   | 27,820.8 | 35,078.4  | 11,340   |
| 2              | 6,596.0    | 18,798.6 | 10,718.5  | 8,245    |
| 3              | 66,030.15  | -        | 65,616.6  | 34,462.5 |
| TOTAL          | 105,965.75 | 46,619.4 | 111,413.5 | 54,047.5 |

RESULTS:

When the problem is formulated as in (6) and solved, the following results are obtained.

| Subject Area (j) | Existing Rate (R <sub>j</sub> ) | Goals Ratio of Costs (C <sub>j</sub> <sup>(U)</sup> /C <sub>j</sub> <sup>(L)</sup> ) | New Rates                                       |   | Goal Achievements Ratio of Rates (R <sub>j</sub> <sup>(U)</sup> /R <sub>j</sub> <sup>(L)</sup> ) |
|------------------|---------------------------------|--|---|---|--|
|                  |                                 |  | Lower Division (R <sub>j</sub> <sup>(L)</sup> ) | Upper Division (R <sub>j</sub> <sup>(U)</sup> ) |  |
| 1                | 15.12                           | 1.78   | 12.73   | 18.07   | 1.42   |
| 2                | 16.49                           | 2.71   | 13.49   | 29.28   | 2.17   |
| 3                | 27.57                           | 1.73   | 30.21   | 43.19   | 1.43   |

Goals

Achievement

$$\frac{C_2^{(L)}}{C_1^{(L)}} = 0.89$$

$$\frac{R_2^{(L)}}{R_1^{(L)}} = 1.05$$

$$\frac{C_3^{(L)}}{C_1^{(L)}} = 1.98$$

$$\frac{R_3^{(L)}}{R_1^{(L)}} = 2.37$$

$$\frac{C_2^{(U)}}{C_1^{(U)}} = 1.35$$

$$\frac{R_2^{(U)}}{R_1^{(U)}} = 1.62$$

$$\frac{C_3^{(U)}}{C_1^{(U)}} = 1.98$$

$$\frac{R_3^{(U)}}{R_1^{(U)}} = 2.39$$

INSTITUTIONAL EXCESS:

Institution

Excess

|   |             |
|---|-------------|
| 1 | \$19,770.20 |
| 2 | 2,143.25    |
| 3 | 4,615.16    |
| 4 | 0           |
|   | <hr/>       |
|   | \$26,528.61 |

When the formulation of (7) is used and a total excess of \$25,954 is allowed (about \$1,000 less than the excess resulted from the LP solution), the following results are obtained.

| Subject Area (j) | Existing Rate (R <sub>j</sub> ) | Goals  | New Rates                                       |   | Goal  |
|------------------|---------------------------------|--|---|---|---|
|                  |                                 | Ratio of Costs (C <sub>j</sub> <sup>(U)</sup> /C <sub>j</sub> <sup>(L)</sup> ) | Lower Division (R <sub>j</sub> <sup>(L)</sup> ) | Upper Division (R <sub>j</sub> <sup>(U)</sup> ) | Achievements Ratio of Rates (R <sub>j</sub> <sup>(U)</sup> /R <sub>j</sub> <sup>(L)</sup> ) |
| 1                | 15.12                           | 1.78   | 13.94   | 21.97   | 1.58  |
| 2                | 16.49                           | 2.71   | 11.09   | 30.04   | 2.71  |
| 3                | 25.57                           | 1.73   | 30.44   | 35.23   | 1.16  |

| <u>Goals</u>                         |  | <u>Achievement</u>                   |  |
|--------------------------------------|--|--------------------------------------|--|
| $\frac{C_2^{(L)}}{C_1^{(L)}} = 0.89$ |  | $\frac{R_2^{(L)}}{R_1^{(L)}} = 0.80$ |  |
| $\frac{C_3^{(L)}}{C_1^{(L)}} = 1.98$ |  | $\frac{R_3^{(L)}}{R_1^{(L)}} = 2.18$ |  |
| $\frac{C_2^{(U)}}{C_1^{(U)}} = 1.35$ |  | $\frac{R_2^{(U)}}{R_1^{(U)}} = 1.37$ |  |
| $\frac{C_3^{(U)}}{C_1^{(U)}} = 1.98$ |  | $\frac{R_3^{(U)}}{R_1^{(U)}} = 1.60$ |  |

| INSTITUTIONAL EXCESS: | <u>Institution</u> | <u>Excess</u> |
|-----------------------|--------------------|---------------|
|                       | 1                  | \$17,167.86   |
|                       | 2                  | 5,021.93      |
|                       | 3                  | 3,764.06      |
|                       | 4                  | 0             |
|                       |                    | <hr/>         |
|                       |                    | \$25,953.85   |

REFERENCES

- [1] Charnes, A. and Cooper, W.W., Goal programming and multiple objective optimizations, *European Jrnl. of Operational Research* 1 (1977) 39-54.
- [2] Charnes, A., Cox, L. and Lane, M., A note on the redesigning of a rate structure for allocation of state funds to educational insitutions, Working Paper 70-49 of Project GUM, The University of Texas (May 1970).

- [3] Charnes, A. and Kortanek, K., An opposite sign algorithm for "purification" to an extreme point solution, O.N.R. Research Memorandum No. 84, Northwestern University (June 1963).
- [4] Charnes, A., Kortanek, K. and Raike, W., An implementation of the opposite sign purification algorithm, Systems Research Memorandum No. 104, Northwestern University (1963).

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

| REPORT DOCUMENTATION PAGE  |                                    | READ INSTRUCTIONS<br>BEFORE COMPLETING FORM                           |  |
|--|------------------------------------|---|--|
| 1 REPORT NUMBER<br>CCS 390   | 2 GOVT ACCESSION NO.<br>AD-A095026 | 3 RECIPIENT'S CATALOG NUMBER  |  |
| 4 TITLE (and Subtitle)<br>Effective Solution of Non-Convex Multi-Objective<br>Ratio Goals Problems   |                                    | 5 TYPE OF REPORT & PERIOD COVERED                                     |  |
|  |                                    | 6 PERFORMING ORG REPORT NUMBER  |  |
| 7 AUTHOR(s)<br>R. Armstrong, W. W. Cooper, C. Haksever,<br>A. Charnes  |                                    | 8 CONTRACT OR GRANT NUMBER(s)<br>N00014-80-C-0242<br>N00014-75-C-0569 |  |
| 9 PERFORMING ORGANIZATION NAME AND ADDRESS<br>Center for Cybernetic Studies, UT Austin<br>Austin, Texas 78712  |                                    | 10 PROGRAM ELEMENT, PROJECT, TASK<br>AREA & WORK UNIT NUMBERS         |  |
| 11 CONTROLLING OFFICE NAME AND ADDRESS<br>Office of Naval Research (Code 434)<br>Washington, DC  |                                    | 12. REPORT DATE<br>December 1980                                      |  |
|  |                                    | 13. NUMBER OF PAGES<br>10   |  |
| 14 MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)   |                                    | 15. SECURITY CLASS. (of this report)<br>Unclassified                  |  |
|  |                                    | 15a. DECLASSIFICATION/DOWNGRADING<br>SCHEDULE                         |  |
| 16 DISTRIBUTION STATEMENT (of this Report)<br>This document has been approved for public release and sale; its<br>distribution is unlimited.   |                                    |   |  |
| 17 DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)  |                                    |   |  |
| 18 SUPPLEMENTARY NOTES   |                                    |   |  |
| 19. KEY WORDS (Continue on reverse side if necessary and identify by block number)<br>Non-convex programming, ratio goals programming, multi-objective programming,<br>equitable funds allocation  |                                    |   |  |
| 20 ABSTRACT (Continue on reverse side if necessary and identify by block number)<br>Multiple ratio goals often occur in equity considerations and imply non-<br>linear non-convex programming problems. Charnes and Cooper's solution of<br>such a class by a sequence of linear programs is herein implemented by an<br>effective computational method applicable to a larger class of non-linear<br>non-convex problems. An analytical prescription of the recursion to preserve<br>feasibility of the last basic solution is derived. A new usage of the fast<br>re-inversion routine of current LP codes to obtain the modified basis inverse<br>is developed together with the further subroutines of the Opposite Sign |                                    |   |  |

DD FORM 1473  
1 JAN 73

EDITION OF 1 NOV 65 IS OBSOLETE  
S/N 0102-014-6601

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

Algorithm of Charnes and Kortanek (1963) or a negative image scheme whenever the old basic solution is not basic feasible for the modified problem. An illustration in terms of funding of State colleges in Texas is provided.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

IED  
8