


AD-A096 688

BOEING AEROSPACE CO SEATTLE WA PRODUCT SUPPORT/EXPER--ETC F/G 5/1
DEVELOPMENT OF MAINTENANCE METRICS TO FORECAST RESOURCE DEMANDS--ETC(U)
FEB 80 D K MINDES, G A WALKER, D H WILSON F33615-77-C-0075
0194-10089-1 NL

UNCLASSIFIED

1 OF 2
50 A
OVERHUNG



THE **BOEING** COMPANY

①

AD A 096688

LEVEL II

DEVELOPMENT OF MAINTENANCE METRICS TO FORECAST
RESOURCE DEMANDS OF WEAPON SYSTEMS
(ANALYSIS AND EVALUATION)

BY

Donald K. Hindes

Gary A. Walker

David H. Wilson

Boeing Aerospace Company
Integrated Logistics and Systems Maintenance/
Experience Analysis Center
Seattle, Washington 98124

DTIC
ELECTE
MAR 23 1981
S D E

Mr. Frank Maher

LOGISTICS RESEARCH DIVISION
AIR FORCE HUMAN RESOURCES LABORATORY
Wright-Patterson Air Force Base, Ohio 45433

INTERIM REPORT

June 1979

Revision A

February 1980

D194-10089-1

A

DBS FILE COPY

DO 2020 2145 ORIG. 4/71
3-7-81

81 3 20 007

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER (14) D194-10089-1	2. GOVT ACCESSION NO. AD-A096 688	3. RECIPIENT'S CATALOG NUMBER (1) In Unlimited	
4. TITLE (and Subtitle) (6) Development of Maintenance METRICS To Forecast Resource Demands of Weapon Systems (Analysis and Evaluation). <i>See 11.</i>		5. TYPE OF REPORT & PERIOD COVERED 1 March 1978-15 Oct. 1979.	
6. PERFORMING ORG. REPORT NUMBER D194-10089-1		7. CONTRACT OR GRANT NUMBER(s) (15) F33615-77-C-0075	
8. AUTHOR(s) (10) Donald K. Hinds David H. Wilson Gary A. Walker Frank Maher		9. PERFORMING ORGANIZATION NAME AND ADDRESS Boeing Aerospace Company Product Support/ Experience Analysis Center P.O. Box 3999 Seattle, Washington 98124	
10. CONTROLLING OFFICE NAME AND ADDRESS HQ Air Force Human Resources Laboratory (AFSC) Brooks Air Force Base, Texas 78235		11. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS (11) Feb 89	
12. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Logistics Research and Technical Training Division Air Force Human Resource Laboratory Wright-Patterson Air Force Base, Ohio 45433		13. REPORT DATE (12) 1571	
14. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		15. SECURITY CLASS. (of this report) Unclassified	
16. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
17. SUPPLEMENTARY NOTES			
18. KEY WORDS (Continue on reverse side if necessary and identify by block number) A-10A C-141A Operations Parameters Maintenance Requirements B-52G T-38A Environmental Parameters Avionics Equipment FB-111A LCOM Maintenance Parameters F-15A METRICS Hardware Parameters KC-135A Engines Aircraft Parameters			
19. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report describes the method and results of the first four of eight tasks to "Develop Maintenance METRICS To Forecast Resource Demands of Weapon Systems". The purpose of these first tasks was to develop a quantitative data foundation for use in the remaining analysis tasks in developing maintenance metrics for the LCOM model. The significant results of the first four tasks were:			

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

412637

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

- a) development of a historical bibliography from over twelve hundred (1200) reviewed abstracts.
- b) selection of seven (7) aircraft and four hundred sixty-three (463) equipments within thirty (30) functionally similar sub-system/equipments for detail analysis.
- c) identification of one hundred ninety-three (193) different parameters to be studied as to their impact on aircraft maintenance. These parameters covered five (5) primary areas: 1) operations, 2) environmental, 3) maintenance, 4) hardware and 5) aircraft general.
- d) identification and acquisition of over seven (7) million computer processable transactions and four hundred (400) supplemental data parameters. The latter data was obtained directly from the maintenance technicians at nine (9) operational units.

This document is the first of a series of five Boeing Technical Reports generating from this study, namely:

- D194-10089-1 Development of Maintenance METRICS To Forecast Resource Demands of Weapon Systems (Analysis and Evaluation)
- D194-10089-2 Development of Maintenance METRICS To Forecast Resource Demands of Weapon Systems (Parameter Prioritization)
- D194-10089-3 Development of Maintenance METRICS To Forecast Resource Demands of Weapon Systems (Maintenance Metrics and Weightings)
- D194-10089-4 Development of Maintenance METRICS To Forecast Resource Demands of Weapon Systems (Analysis and Results of Metrics and Weightings)
- D194-10089-5 Development of Maintenance METRICS To Forecast Resource Demands of Weapon Systems (METRICS Final Report)

Accession For	
DTIC GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	☐
By _____	
Distribution/	
Availability Codes	
Avail and/or	
Dist	Special
A	

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

SUMMARY

→ This report describes the results of the first four tasks of an eight task study. The total effort is intended to develop more accurate metrics and weightings to be incorporated into the Air Force method (Logistics Composite Model (LCOM)) for determining manpower and other resource requirements for operational and developing weapon systems.

PROBLEM

The increased concern with the manpower required to support weapon systems currently in operation, as well as those in development has created the need for more accurate methods of projecting maintenance requirements. Meeting this need requires the development of realistic measures of maintenance rates for all of the diverse hardware that makes up a weapon system. In addition, the impact of operations and environmental conditions needs to be identified to insure the sensitivity of the maintenance metrics that are developed.

To date, the manpower and other resource requirements essential to the Operations and Support of a weapon system have been determined using the traditional "flying hours" and "sortie rate" measures. The deficiencies of these traditional measures are well known and such measures frequently are found to be totally irrelevant; for example, many avionics items operate or are cycled greatly in excess of the related flying hours. These traditional measures are also insensitive to variations in operations and environmental conditions. The present difficulties then lie in the fact that the currently used metrics do not consider the inherent differences between the individual subsystems of a weapon system and are relatively insensitive to operational and environmental conditions.

APPROACH

→ The approach taken for this portion of the study effort was to identify, obtain, review and catalog related research and/or descriptive studies; select a representative cross section of aircraft and subsystems/equipments; identify


→



and select applicable study parameters/variables; and acquire field experience data from various maintenance management information systems and on-site visits to operational units.

The data base thus accumulated was computer processed via LCOM criteria in preparation for follow-on analysis.

RESULTS



Selected literature was screened (1200 abstracts) and applicable descriptive documents cataloged as shown in the bibliography. A matrix was developed of the seven selected aircraft versus their common subsystems/equipments. These were further screened to the 463 equipment items within the 30 subsystems that were functionally similar across the seven selected aircraft. Potential maintenance impact parameters (193) were selected from the literature and other experience data and were divided into five major categories; i.e., Operations, Environmental, Maintenance, Hardware, and Aircraft General. Computer generated data (seven million records) were carefully screened and reduced to 1.4 million records which were processed via LCOM criteria for follow-on analysis. All the above then served as the quantitative data foundation upon which the remaining tasks of the study could be conducted.

PREFACE

This report was prepared by the Boeing Aerospace Company Product Support/Experience Analysis Center, Seattle, Washington, under USAF Contract F33615-77-C-0075. This contract was initiated under Exploratory Development Area PSM 77-43 (1124). Work was accomplished under the direction of the Logistics Research Division of the Air Force Human Resources Laboratory, Air Force Systems Command with Mr. Frank Maher as the project engineer.

Data emanating from this contract, "Development of Maintenance METRICS To Forecast Resource Demands of Weapon Systems," are reported in a series of five Technical Reports. The study provided the identification of aircraft subsystems/equipments maintenance resource demand which were used to develop more accurate metrics and weightings for incorporation into the Air Force Logistics Composite Model (LCOM).

Experience Analysis Center program technical leader was George R. Herrold. Principal program analysts were Donald K. Hindes, Gary A. Walker, and David H. Wilson. Boeing's contract report number is D194-10089-1. This approved technical report (TR) includes work performed from 1 March 1978 through 15 October 1979.

The Boeing Aerospace Company wishes to express their appreciation for the technical assistance and data provided by: a) AFLC Headquarters, Aeronautical Systems Division, and Air Force Maintenance and Supply Management Engineering Team, Wright-Patterson AFB, Ohio, b) Air Weather Service (MAC) Environmental Technical Applications Center and Military Airlift Command Headquarters, Scott AFB, Illinois, c) Air Force Europe Headquarters, Ramstein AB, Germany, d) Air Training Command Headquarters, Randolph AFB, Texas, e) Strategic Air Command Headquarters, Offutt AFB, Nebraska, f) Tactical Air Command Headquarters, Langley AFB, Virginia, g) 12th FTW, Randolph AFB, Texas, h) 36th TFW, Bitburg AB, Germany, i) 58th TFW, Luke AFB, Arizona, j) 60th MAW, Travis AFB, California, k) 92nd BMW, Fairchild AFB, Washington, l) 35th TFW, Myrtle Beach AFB, South Carolina, m) 355th TFW, Davis-Monthan AFB, Arizona, and n) 380th BMW, Plattsburgh AFB, New York.

TABLE OF CONTENTS

<u>SECTION</u>	<u>PAGE</u>
I Introduction	7
1. Purpose	7
2. Project PSM 77-43 (1124) - Background	10
3. Scope	10
4. Description of Tasks	11
5. Summary	13
II Identify, Obtain, and Review Related Publications - Task I	14
1. Introduction	14
2. STINFO Search	14
3. Screen Indexes	14
4. Review Literature	16
5. Cataloging	16
6. Bibliography	16
7. Summary	16
III Subsystem Equipment Selection - Task II	18
1. Introduction	18
2. Identify Study Aircraft	18
3. Identify Subsystem/Equipment Selection Criteria	20
4. Identify Subsystem/Equipment Application By Type Aircraft	22
5. Select Subsystem Equipments	22
6. Summary	38
IV Parameter Identification - Task III	39
1. Introduction	39
2. Parameter Identification	39
3. Summary	39

TABLE OF CONTENTS

(Continued)

<u>SECTION</u>	<u>PAGE</u>
V Identification & Integration of Data Sources - Task IV	41
1. Introduction	41
2. Identification	41
3. Acquisition	41
4. Computer Generated Data	44
5. On-Site Survey	45
6. Authorization Letter	45
7. Data Acquisition Form	46
8. Base Visits	46
9. Integration	46
10. Summary	48
VI Conclusion	50
1. Synopsis	50
2. Problems	50
3. Recommendations	51
REFERENCES	52
BIBLIOGRAPHY	54
APPENDIX A - Metrics Catalog Data Entry Form	69
B - Parameters Identified and Defined	74
C - Base Visit Authorization Letter	93
D - Base Visit Data Acquisition Forms	95
GLOSSARY OF ABBREVIATIONS	151

LIST OF ILLUSTRATIONS

<u>FIGURE</u>		<u>PAGE</u>
1.	C-130E Cumulative Operations and Support Cost Elements by Year	8
2.	System Funds Committed by Initial Planning Decisions	9
3.	Study Tasks Flow Diagram	12
4.	Identify, Obtain and Review Related Publications Flow - Task I	15
5.	Summary of Task I	17
6.	Task II - Subsystem Equipment Selection Activity Flow	19
7.	Task III - Parameter Identification Activity Flow	40
8.	Task IV - Identification & Integration of Data Sources - Flow Diagram	42
9.	Bases Visited	47
A-1	Metrics Catalog Data Entry Form	71

LIST OF TABLES

<u>TABLE</u>		<u>PAGE</u>
1.	Study Aircraft/Air Force Bases	21
2.	System/Subsystem Counts by Type Aircraft - Phase I (Avionics and Engines)	23
3.	System/Subsystem Counts by Type Aircraft - Phase II (Other Subsystems)	24
4.	Aircraft Selected Equipment Arrayed by F-15A LCOM Network Subsystems - Phase I (Avionics and Engines)	26
5.	Aircraft Selected Equipments Arrayed by F-15A LCOM Network Subsystems - Phase II (Other Systems)	30
6.	Equipment/Items by Aircraft/Systems - Phase I (Avionics and Engines)	36
7.	Equipment/Items by Aircraft/System - Phase II (Other Aircraft Systems)	37
8.	Data Sources and Agencies	43
9.	LCOMized AFM 66-1 Data Formats	49
B-1	Maintenance Parameters	75
B-2	Avionics Parameters	78
B-3	Engine Parameters	80
B-4	Other Equipment (MRD)	82
B-5	Other Equipment Parameters	83
B-6	Operational Parameters	85
B-7	Environmental Parameters	88
B-8	Aircraft General Parameters	91

I - INTRODUCTION

1. PURPOSE

The Air Force must be able to meet its specified mission requirements. To meet these requirements a spectrum of weapon systems must be designed, produced, maintained and operated. As the cost of sophisticated technology spirals upward, the Air Force planner must be able to maximize performance while minimizing cost. The crucial limiting parameter placed upon the weapon system spectrum is cost. Currently, it is popular to advocate different methods which provide the basis for controlling cost; such as cost of ownership and life cycle cost. All costing technologies have three aspects in common: the value of a weapon system is measured in dollars; the computation of the value is at a fixed point in time; and the function of costing the system is dependent upon the definition of variables to be included in the cost.

There are two variables and their definitions that are generally understood by all. These are the manpower and material or resources to maintain the weapon system. In a recent study conducted on the life cycle cost of the C-130E aircraft (Reference ) it was determined that labor accounted for 70% of the 15 year cumulative operational and support cost, resources (material) approximately 18%, with the remaining being attributed to fuel and base support. The detail distribution of these costs are shown in Figure 1.

This ever increasing bite of the total Operating and Support cost has developed considerable concern for the manpower required to support weapon systems currently in operation, as well as those in development. A study on maintenance and reliability impact on system support costs (Reference ) showed that some 70% of the life cycle cost funds of a new weapon system are essentially committed in the concept phase by initial planning decisions (Figure 2).

 "Life Cycle Cost of C-130E Weapon System" AFHRL-TR-77-46, July 1977.

 Maintainability/Reliability Impact on System Support Costs, AFFDL-TR-73-152, December 1973.




FIGURE 1 C-130E CUMULATIVE OPERATIONAL & SUPPORT COST ELEMENTS BY YEAR




Figure 2 SYSTEMS FUNDS COMMITTED BY INITIAL PLANNING DECISIONS

This semi "locked in concrete" expenditure has created the need for more accurate methods of projecting maintenance and manpower requirements early in the design process so that trades can be made to reduce long term resource demands. Meeting this need requires the development of realistic measures of maintenance rates for all of the diverse hardware that makes up a weapon system. In addition, the impact of operations and environmental conditions need to be identified to insure the sensitivity of the maintenance metrics that are developed.

To date, the manpower and other resource requirements essential to the Operations and Support (O&S) of a weapon system have been determined using the traditional "flying hours" and "sortie rate" measures. The deficiencies of these traditional measures are well known and such measures frequently are found to be totally irrelevant (e.g., maintenance on a gun subsystem is generated by factors like the number of rounds fired, and is not affected by the number of flying hours or sorties). These traditional measures are also insensitive to variations in operations and environmental conditions (for example, many avionics equipments may operate or are cycled on the ground greatly in excess of related flying hours or number of sorties).

The present difficulties then lie in the fact that the currently used metrics do not consider the inherent differences between the individual subsystems of a weapon system and are relatively insensitive to operational and environmental conditions.

The objective of this research is to determine the maintenance, hardware, operations, environmental and aircraft general parameters which are necessary and sufficient to identify the drivers of maintenance demands for a weapon system, and to develop more accurate metrics and weightings to be incorporated into the Air Force Method (Logistics Composite Model (LCOM)) for determining manpower and other resource requirements for operational and developing weapon systems.

2. PROJECT PSM 77-43 (1124) - BACKGROUND

Beginning in 1971, an Exploratory development effort under Project PSM 77-43 (1124), "Human Resources in Aerospace System Development and Operations" concentrated on the development of a technology to predict the manpower and related resource needs required to support the operations and maintenance of a developing weapon system. Utilizing the Logistics Composite Model (LCOM), a Maintenance Manpower Model (MMM) was developed to predict the manpower requirements necessary to support a developing weapon system. This simulation technology has been documented in a series of technical reports (References  through ), and the technology has been transitioned to the Aeronautical Systems Division (ASD/ENCC) and is being utilized by other Air Force commands and agencies including Air Force Management Engineering Agency (AFMEA) and Air Force Test and Evaluation Center (AFTEC). Currently an effort under Project 1124 is directed at an expansion of the Maintenance Manpower Model (MMM) to predict the Aerospace Ground Equipment (AGE) and spares resources along with the manpower needs.

3. SCOPE

This study has been structured into two interdependent sequential phases. The first phase concentrates on aircraft avionics and engines subsystems and Phase II the remaining aircraft subsystems.

 through  See Reference List (Page 44)

4. DESCRIPTION OF TASKS

The following is a brief overview of the eight tasks developed for this study as shown in Figure 3. The first four tasks are documented in detail in this report with the remaining tasks covered in the other study reports.

PHASE I - AVIONICS AND ENGINES SUBSYSTEMS

- TASK I Identify, Obtain, and Review Related Publications
 - review related studies and research dealing with maintenance rates and causes.
- TASK II Select Equipment
 - develop matrices of equipment by aircraft type in order to select specific hardware for common aircraft subsystems.
- TASK III Identify Parameters
 - identify maintenance, hardware, operational environmental, and aircraft general parameters which would have an impact on maintenance for the subject subsystems.
- TASK IV Identify and Integrate Data Sources
 - identify, assemble, correlate, and integrate the data base on the equipment selected in Task II for the related parameters being considered in Task III.
- TASK V Analyzing and Prioritizing Parameters
 - prioritize the collected data to define and test relationships between the study parameters and maintenance demand rates.
- TASK VI Maintenance Metrics Development
 - develop metrics quantifying maintenance demand rates which are computable with LCOM models.




FIGURE 3 STUDY TASKS FLOW DIAGRAM

TASK VII Maintenance Weightings Development
- develop weightings, quantifying identified impacts upon maintenance demand rates.

TASK VIII Analysis and Modification
- analyze LCOM model outputs with current and the newly developed metrics and weightings.

5. SUMMARY

This report is the first of five reports completed under this total study. It describes the work accomplished during Phase I and Phase II of the study for the first four tasks as displayed in Figure 3 and enumerated in the preceding paragraphs. The other tasks are reported on in the other study reports.

The significant results obtained in these first four tasks set the stage for the remaining tasks. Task I developed a historical METRICS file of pertinent documents/reports and a bibliography from over 1200 reviewed abstracts. Task II selected seven study aircraft and produced a matrix of aircraft versus functionally common subsystems/equipments. This was further screened to 463 equipments with 30 functionally similar subsystems for detail analysis within the study. Task III established 193 parameters which could have an impact on maintenance resource demands. These distributed in the following:

a) Operations -----	35
b) Environmental-----	31
c) Maintenance-----	30
d) Hardware -----	81
Avionics -	27
Engines -	24
Other -	30
e) Aircraft General ----	<u>16</u>
TOTAL	193

Task IV saw the identification of various data sources and systems, and the acquisition of over seven million transactions. Of these, 1.4 million AFM 66-1 maintenance data records were processed per LCOM criteria. Nine operational bases were also visited to obtain over 400 supplemental data parameter inputs.

The results from these first four tasks then served as the quantitative foundation upon which the remaining analysis tasks were conducted.

II - IDENTIFY, OBTAIN, AND REVIEW RELATED PUBLICATIONS - TASK I

1. INTRODUCTION

The initial step undertaken in this study was to establish a method by which to identify, obtain, and review applicable literature. The related research and/or descriptive studies covering aircraft weapon system maintenance causes and measures/rate of occurrences was constrained to those published within the last ten years. This task was accomplished along typical steps and/or analytical sequences normally performed when conducting a data review. The five major steps, as depicted in Figure 4, were:

- a) STINFO Search
- b) Screen Indexes
- c) Review Literature
- d) Cataloged Selected Items
- e) Develop Bibliography

2. STINFO SEARCH

The STINFO Search was conducted through the Boeing Aerospace Technical Library which has the capability of searching, effectively and efficiently, other technical libraries, data banks, and information repositories. The search was keyed via descriptive words that most aptly conveyed the objectives of this study. Any and all media, i.e., technical reports, manuals, etc. were considered for review.

3. SCREEN INDEXES

The products of the STINFO Search were in the form of computer listings and other types of indexes. These emanated from such repositories as DDC, DLSIE, etc. which then had to be screened, via the report title and abstract, and acquired if they appeared to have direct application to the study. Over 1200 such abstracts were reviewed which resulted in approximately 300 documents being selected as likely contributing candidates.




FIGURE 4 IDENTIFY, OBTAIN, AND REVIEW RELATED PUBLICATION FLOW - TASK I

4. REVIEW LITERATURE

The information was then divided into five major categories; i.e., maintenance, hardware (equipment), operational, environmental, and aircraft general. Only documents that were aircraft weapon system maintenance cause and measure/rate oriented were included in each of these categories. Also if data on LCOM/MMM was contained in the report, it was retained. Although the primary equipment areas for this phase of the study were engines and avionics, information on the remaining aircraft systems was identified and cataloged in preparation for Phase II. Over 100 reports passed this screen. For simplicity all historical information, regardless of form will be henceforth referred to as a document.

An interesting fact emerged from this literature search in that no published documents were similar or duplicated the work being done in this study.

5. CATALOGING

To aid in the retention and subsequent retrieval of the documents for analysis in future tasks, a summarized log form was developed. This form, Figure A-1, located in Appendix "A", not only provided a systematic method of building the METRICS Data File but it allowed the investigators to more efficiently screen and identify the useful content of a given document that may be required in an analysis task.

A total of seventeen fields are available on the entry form for coding/indexing the pertinent factors of a document to describe its characteristics and are also included in Appendix "A".

6. BIBLIOGRAPHY

The contents from the METRICS file was then utilized to develop the bibliography contained in this report.

7. SUMMARY

This section, pictorially represented in Figure 5, describes the five major steps in this first task; a) STINFO search, b) index screening, c) review of documents, d) cataloging, and e) the development of a bibliography.

The STINFO search produced over 1200 abstracts that were screened to 300 documents for acquisition and further study. These then resulted in a METRICS Historical File and a Bibliography of over 100 pertinent contributors to the study.




FIGURE 5 SUMMARY OF TASK 1

III - SUBSYSTEM EQUIPMENT SELECTION - TASK II

1. INTRODUCTION

In order to scope the study aircraft and subsystem equipment selection to the resources and time available for the study, an examination of the subsystem equipment configurations was made across a representative population of current Air Force aircraft. This examination was limited to Air Force aircraft currently in the inventory for which current operational data was available or could be obtained from on-site visits. The subsystem equipment selection task was divided into a set of sub-tasks sequentially organized as presented in Figure 6. The following discussion details the approach and subsystem equipment selection process.

2. IDENTIFY STUDY AIRCRAFT

A preliminary list of candidate aircraft was compiled considering the following criteria:

a) Representative aircraft of various types currently in the Air Force inventory, i.e., bomber, cargo/transport, fighter, trainer, and attack.

b) Wide range of operational commands (usage) and different environments represented by selected aircraft, i.e., different missions and operating locations across various types of aircraft.

c) Wide range of subsystem applications with different complexity, packaging, and maturity represented within the selected aircraft.

d) Sufficient data sample size available for credible analysis.




FIGURE 6 TASK 11 - SUBSYSTEM EQUIPMENT SELECTION ACTIVITY FLOW

The list of candidate aircraft originally compiled consisted of 14 different types of aircraft at over 30 locations, and after applying the above mentioned aircraft selection criteria the list was narrowed down to seven different types of aircraft at nine locations. Table 1 presents the selected aircraft in terms of aircraft type, model, series, and the selection criteria discussed above.

3. IDENTIFY SUBSYSTEM/EQUIPMENT SELECTION CRITERIA

The initial subsystem equipment selection criteria was developed early in the study and was expanded during the accomplishment of Task I Literature Review. The selection criteria that was utilized during the actual subsystem equipment selection process was as follows:

- a) Equipment selected should be functionally representative of a wide cross-section of aircraft applications and use environments.
- b) Equipment selected should represent a wide variation in type, i.e., design technology (new-old), electrical/mechanical, parts count/complexity, maturity states, testability, and usage.
- c) Packaging and design technology must be projectable into the future to prevent obsolete technology from unduly biasing statistical relationships which will be used for future predictions.
- d) Equipment must be mature enough for data samples to be taken beyond the learning curve period, yet include relatively new and old equipment.
- e) Equipment must have a statistically valid population of operational units in use.
- f) The equipment must have sufficient historical data available for valid analysis.
- g) Equipment selected should represent a significant percentage of the total maintenance resources expenditure demands, i.e., maintenance manhours, failures, removals, costs, etc.

TABLE 1 STUDY AIRCRAFT/AIR FORCE BASES

AIRCRAFT			COMMAND	BASE	GEOGRAPHIC LOCATION					PRIMARY WX ENVIRON.				TYPE ENGINE
TYPE	MDS	QTY			NORTH	SOUTH	EAST	WEST	EUROPE	HOT	COLD	HUMID	DRY	
BOMBER	B-52G	16	SAC	FAIRCHILD WA	X			X			X		X	J57
BOMBER	FB-111A	31	SAC	PLATTSBURGH NY	X		X				X			TF30
CARGO	C-141A	35	MAC	TRAVIS CAL				X		X		X		TF33
TANKER	KC-135A	27	SAC	FAIRCHILD WA	X			X			X		X	J57
FIGHTER	F-15A	43	TAC	LUKE ARIZ		X		X		X			X	F100
FIGHTER	F-15A	70	AFE	BITBURG GERMANY					X		X	X		F100
ATTACK	A-10A	31	TAC	MYRTLE BEACH SC		X	X			X		X		TF34
ATTACK	A-10A	19	TAC	DAVIS-MONTHAN ARZ		X		X		X			X	TF34
TRAINER	T-38	75	ATC	RANDOLPH TEX		X				X		X		J85

h) Equipments should be of a nature for which factors other than just flying hours may contribute to their reliability/maintainability characteristics.

i) Equipment selected should fit within the functional grouping of the LCOM network to be utilized during follow-on tasks.

4. IDENTIFY SUBSYSTEM/EQUIPMENT APPLICATIONS BY TYPE AIRCRAFT

The next logical process was to develop an aircraft versus subsystem application matrix identifying all common subsystems. This was accomplished by detail review of each system in the applicable aircraft work unit code (-06) technical orders. Table 2 reflects the 476 avionics and engines subsystems identified across the seven study aircraft in Phase I and Table 3 reflects 468 other common subsystems identified on the same seven study aircraft in Phase II.

5. SELECT SUBSYSTEM EQUIPMENTS

Prior to selection of the study subsystem equipments, it was necessary to review the LCOM networks available on the seven study aircraft and determine which aircraft/LCOM network would be utilized to perform the follow-on study tasks. This was necessary to insure that selected equipments would fit functionally within the subsystem structure of the LCOM network to be utilized. This review and coordination with the AFHRL contract monitor resulted in selection of the Tactical Air Command (TAC) F-15A LCOM network.

Utilizing the 944 subsystems reflected in Tables 2 and 3, the following sequential step by step subsystem equipment selection process was accomplished:

a) First, in order to reduce the large amount (944) of subsystems down to a manageable number for the study, those systems/subsystems that showed up on less than five of the seven study aircraft were eliminated.

b) Identified all subsystems contained in the TAC F-15A LCOM network.

c) Identified the functionally equivalent subsystems or similar equipment groupings within the other six study aircraft.

TABLE 2 - SYSTEM/SUBSYSTEM COUNTS BY TYPE AIRCRAFT - PHASE I - (AVIONICS & ENGINES)

SYSTEM NUMBER	SYSTEM NAME	F-15A	B-52G	FB-111A	C-141A	KC-135	T-38	A-10	TOTAL
23	Power Plant	12	13	23	16	15	15	7	101
24	APU	5			7	4		4	20
51	Instruments	4	5	7	5	13	3	4	41
52	Autopilot	2	4	2	5	8	1	1	23
55	Malfunction Recording	3	3	1	1		2	3	13
56	Flight Reference				4				4
57	Integrated Guidance/Flt Control	1							1
61	IIF Communications System		2	2	1	4			9
62	VHF Communications System				2	2	2	2	8
63	UHF Communications System	3	2	1	2	9	2	1	20
64	Interphone		1	1	3	1	2	1	9
65	IFF	2	2	1	1	1	3	1	11
66	Emergency Communications				2	8			10
69	Misc Communications			1		15		2	18
71	Radio Navigation	5	2	3	8	5	4	3	30
72	Radar Navigation		2	1	7	17		1	28
73	Bombing Navigation		7	9	2				18
74	Fire/Weapon Controls	4	5	1			2	4	16
75	Weapons Delivery	10	4	6			4	8	32
76	ECM	6	13	8		19		2	48
77	Photo Recon		9			6	1		16
	TOTALS	57	74	67	66	127	41	44	476

TABLE 3 - SYSTEM/SUBSYSTEM COUNTS BY TYPE AIRCRAFT - PHASE II - (OTHER SUBSYSTEMS)

SYSTEM NUMBER	SYSTEM NAME	F-15A	B-52G	FB-111A	C-141A	KC-135A	T-38A	A-10A	TOTAL
11	Airframe	6	14	2	9	10	8	6	55
12	Fuselage Compartment and Cockpit	4	8		6	9	2	5	34
13	Landing Gear	6	5	11	7	9	8	8	54
14	Flight Controls	6	6	8	9	5	5	8	47
16	Escape System			4					4
41	Air Conditioning, Anti Ice	2	8	4	9	11	4	7	45
42	Electrical Power Supply	6	5	3	8	2	3	7	34
44	Lighting System	3	3	6	3	3	4	3	25
45	Hyd. and Pneu. Power Supply	3	3	1	7	2	1	3	20
46	Fuel System	4	6	9	7	5	5	7	43
47	Oxygen System	1	2	1	3	1	2	1	11
49	Miscellaneous Utilities	3	6	3	7	3	1	2	25
91	Emergency Equipment	1	1		3	2	1	1	9
92	Tow Target Equipment								
93	Drag Chute Equipment		1						1
94	Meteorological Equipment					4			4
95	Smoke Gen Scoring & Target Area Equip		22	8			1		31
96	Personnel Equipment			1		1	1	1	4
97	Explosive Devices and Components	1	3	4	1	1	1	5	16
98	Atmospheric Research Equipment					6			6
	TOTALS	46	93	65	79	74	47	64	468

d) Identified and listed all work unit codes (at the four or five digit level as appropriate) for each of the subsystem/equipment functional groupings identified in b and c above.

e) Determined the number of failures reported against each of the work unit codes within each of the subsystem functional groupings from b and c above.

f) Totaled the number of failures within each subsystem functional grouping and computed what percentage of the subsystem functional grouping total, the failures for each work unit code represented.

g) Selected the work unit code(s) within each subsystem functional grouping on each aircraft that represented the top failure percentage (50% or greater) of the total failures within the subsystem.

h) Compared common functions of the subsystem equipments selected on each aircraft and made minor adjustments as necessary to insure that functional equivalent or similar subsystem equipments were selected across each study aircraft.

Table 4 shows 165 individual equipment items elected in Phase I for avionics and engines and Table 5 shows the 187 equipment items selected in Phase II for the other aircraft subsystems. Tables 4 and 5 also reflect the subsystem/equipment functionally groupings across the seven study aircraft. As reflected in Table 4, all of the engine subsystems were rolled up to the two digit level of the work unit code structure and the complete propulsion system is considered as one equipment item on each aircraft. This was necessary as the F-15A LCOM network is structured utilizing the same process. All other subsystem equipments on all seven aircraft are structured at the work unit code three digit level or lower (four or five digit level). Tables 6 and 7 have been inserted to show those same 352 equipment item counts by aircraft and at the major system level. As can be seen in Tables 6 and 7, the 352 total equipments are reasonably distributed across the seven study aircraft.

TABLE 4 **AIRCRAFT SELECTED EQUIPMENTS ARRANGED BY F-15A LCOM NETWORK SUBSYSTEMS**
AVIONICS AND ENGINES
METRICS STUDY PHASE I

• J-150 IN THE MIDDLE OF THE ROAD •

TABLE 4 AIRCRAFT SELECTED EQUIPMENTS ARRANGED BY F-15A LCOM NETWORK SUBSYSTEMS AVIONICS AND ENGINE METRICS STUDY PHASE I																											
F-15A				B-52B				FB-111A				C-141A				KC-135A				T-38A				A-10A			
SUB SYSTEM MAC	NOMENCLATURE			SUB SYSTEM MAC	NOMENCLATURE			SUB SYSTEM MAC	NOMENCLATURE			SUB SYSTEM MAC	NOMENCLATURE			SUB SYSTEM MAC	NOMENCLATURE			SUB SYSTEM MAC	NOMENCLATURE			SUB SYSTEM MAC	NOMENCLATURE		
52A	AUTO PILOT				Selector, Command				Computer, Flight Control - Roll				Auto Flight Controls				Amplifier, MC-1				Airspeed Compensator				Computer, Stability Augmentation		
52AA	Computer, Flight Control CP-1104			52AAD	Amplifier, Main			52AAH	Computer, Flight Control - Pitch			52AAC	Auto Flight Controls			5211A	Coupler, Dual Channel			5211B	Yaw Axis Actuator			52AA	Control Panel		
52AB	Computer, Flight Control CP-1105			52ABH	Servo, Follow-up			52ABH	Computer, Flight Control - Yaw			52ABH	Roller, Gyro Single			5211C	Gyro, Roll and Pitch Displacement			5211D	Yaw Servo, Yaw Axis Actuator			52AC	Control Panel		
				52ABH	Servo, Control			52ABH	Fuel Trim Assy.			52ABH	Auto Flight Controls			5211E	Servo, Aileron			5211F	Calibration Module				Aut. Flight		
																5211G	Servo, Rudder										
																5211H	Servo, Elevator										
63AA	UNF 109H SET																										
63AB	Receiver-Transmitter R/T-1067/ABC-109			63AAH	Receiver-Transmitter AM/ABC-34			63AAH	Receiver-Transmitter R/T-749/ABC-109			63AAH	Control C-3894/A			63AAH	Receiver-Transmitter ABC-133/ABC-34			63AAH	Receiver-Transmitter R/T-463, 760, 263			63AA	Receiver-Transmitter ABC-164		
				63ABH	Control C-1067			63ABH	Control ABC-109			63ABH	Receiver-Transmitter R/T-641/ABC-90			63ABH	Control C-1057										
65AA	TRANSPONDER SET																										
65AB	Receiver-Transmitter R/T 1063B/APX-101			65AAH	Receiver-Transmitter R/T-726/APX-64			65AAH	Receiver-Transmitter R/T-726/APX-64			65AAH	Receiver-Transmitter R/T-721			65AAH	Receiver-Transmitter R/T-726/APX-64			65AAH	Receiver-Transmitter R/T-727			65A	Transponder Set APX-101		
				65ABH	Computer, Transponder			65ABH				65ABH	Test Set - Transponder			65ABH				65ABH	Control - 6200						

* F-15A LCOM NETWORK SUBSYSTEMS

TABLE 4 AIRCRAFT SELECTED EQUIPMENTS ADAPTED BY F-15A LCOM NETWORK SUBSYSTEMS AVIONICS AND ENGINES METRICS STUDY PHASE I																				
F-15A			B-52G			F9-111A			C-141A			KC-135A			T-38A			A-10A		
SUB SYSTEM MAC	NAME/CLATURE		SUB SYSTEM MAC	NAME/CLATURE		SUB SYSTEM MAC	NAME/CLATURE		SUB SYSTEM MAC	NAME/CLATURE		SUB SYSTEM MAC	NAME/CLATURE		SUB SYSTEM MAC	NAME/CLATURE		SUB SYSTEM MAC	NAME/CLATURE	
71A	INERTIAL NAVIGATION SET																			
71A	Inertial Measure- ment Unit		73BA	Stabilizer, Plat- form, Inertial		73BA	Inertial Navigation Unit		71BA	Receiver 400B		71BA	Receiver		71BA	Receiver B-043				
71A	Control, Indicator		73C	Nav Set Computer, Navigational		73C	Display Control		71BA	Receiver 51V-4		71BA	Receiver 51V-4		71BA	Receiver B-044				
71C	INS/IR/NAV SET																			
71C	Receiver B-1755/ANM		71CA	Receiver B-043A/ ANM-5B		71CA	Receiver 400B		71CA	Receiver 51V-4		71CA	Receiver 51V-4		71CA	Receiver B-043				
71C	Receiver B-1755/ANM		71CB	Receiver B-044A/ ANM-5B		71CB	Receiver 51V-4		71CB	Receiver 51V-4		71CB	Receiver 51V-4		71CB	Receiver B-044				
71D	INAC/NAV SET																			
71D	Receiver-Trans- mitter N/T-1045/ANM		71DA	Receiver-Trans- mitter ANM-21		71DA	Receiver-Trans- mitter N/T-1127/ ANM-84		71CA	Receiver-Trans- mitter N/T-220C		71CA	Receiver-Trans- mitter ANM-21/72		71CA	Receiver-Trans- mitter N/T-471				
71E	ATTITUDE HEADING REFERENCE SET																			
71E	Amplifier, Electrical Control		51CA	Gyroscope, Displacement		52FA	Gyroscope, Displacement		511A2	Gyroscope, Displacement		511A2	Gyroscope, Displacement		511A	Amplifier Servo				
71E	Gyroscope, Displacement		51CB	Attitude Indicator		52FB	Amplifier Electrical Control		511A2	Amplifier Electrical Control		511A2	Amplifier Electrical Control		511A	Platform Gyro				

* F-15A LCOM NETWORK SUBSYSTEMS

TABLE 4
CONT'D

THE UNIVERSITY OF MICHIGAN LIBRARY

TABLE 5

AIRCRAFT SELECTED EQUIPMENTS ARRANGED BY F-15A LCOM NETWORK SUBSYSTEMS
AIRCRAFT SYSTEMS OTHER THAN AVIONICS AND ENGINE
METRICS STUDY PHASE II

I - 15A		B - 526		FB-111A		C-141A		KC-135A		T-38A		A-10A	
SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE
11A	11000000 TPSTH And												
11AB	Radar Assy.	1100000	Radar Assy.	11EFM	Radar Assy.			1111JF	Radar Assy.				
11AM	Windshield	1100L	Windshield	11GA	Windshield			1111QD	Windshield	111	Windshield	11AJ	Windshield
11B	WINGS												
11BK	Wings	11A	Wing, Outboard	11B	Wings	11G	Wings (Excluding ICE Pylons)	11A	Wing and Strut Ridapar	11G	Wings	11O	Wings
		11B	Wing, Inboard	11EFA	Wing, L.H. Upper Skin			11G	Wing Assy. L.H.				
		11C	Wing, Center	11EFB	Wing, L.H. Lower Skin			11J	Wing Assy. R.H.				
				11EEFC	Wing, R.H. Upper Skin			11J	Wing Skin R.H.				
				11EFD	Wing, R.H. Lower Skin			11K	Wing Skin L.H.				
								11L	Center Wing Pressure Webbing				

TABLE 5 AIRCRAFT SELECTED EQUIPMENTS ARRIVED BY F-15A LCOM NETWORK SUBSYSTEMS AIRCRAFT SYSTEMS OTHER THAN AVIONICS AND ENGINE CONT'D METRICS STUDY PHASE II																				
F-15A			B-52G			F8-151A			C-141A			KC-135A			T-38A			A-10A		
SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	
120	CONCEPT FURNISHINGS																			
1200	Seat, Aircraft Ejection, Crew	1200A	Seat Assy. Upward Ejection, Crew	1600A	Seat, Crew	1200A	Seat, Pilot and CoPilot	1200	Seat, Crew	12121	Seat Assy. Ejection Front Cockpit	12221	Seat Assy. Ejection Rear Cockpit	1200	Seat Assy. Ejection, Crew					
130	MAIN LANDING GEAR																			
1300	Tire, Main	1300B	Tire, Main	1300B	Tire, Main	1300C	Tire, Main	1300	Tire, Main	1300	Tire, Main	13011	Tire, Main	1300A	Tire, Main					
1300	Wheel, Main	1300A	Wheel, Main	1300A	Wheel, Main	1300A	Wheel, Main	1300	Wheel, Main	1300G	Wheel, Main	13011	Wheel, Main	1300G	Wheel, Main					
140	WHEEL SUBSYSTEM																			
1400	Brake, Assy.	1400	Brake, Assy.	1300G	Brake, Assy.	1300A	Brake, Assy.	130A	Brake, Assy.	13611	Brake, Assy.			130A	Brake, Assy.					

TABLE 5 AIRCRAFT SELECTED EQUIPMENTS ARRANGED BY F-15A LCOM NETWORK SUBSYSTEMS
AIRCRAFT SYSTEMS OTHER THAN AVIONICS AND ENGINE
METRICS STUDY PHASE II

F-15A		B-426		F8-111A		C-141A		KC-135A		T-38A		A-10A	
SUB SYSTEM NAME	MOVEMENT DESCRIPTION	SUB SYSTEM NAME	MOVEMENT DESCRIPTION	SUB SYSTEM NAME	MOVEMENT DESCRIPTION	SUB SYSTEM NAME	MOVEMENT DESCRIPTION	SUB SYSTEM NAME	MOVEMENT DESCRIPTION	SUB SYSTEM NAME	MOVEMENT DESCRIPTION	SUB SYSTEM NAME	MOVEMENT DESCRIPTION
14C	STABILIZATION SUBSYSTEM												
14A	Horiz. Stabilizer	1404A	Horiz. Stabilizer	140C	Horiz. Stabilizer	110C	Horiz. Stabilizer	1151	Horiz. Stab. Assy.	1021	Horiz. Tail	110A	Horiz. Stabilizer
		1400	Horiz. Stab., Upper Skin			110D	Horiz. Stab., Skin	110	Horiz. Stab. Skin				
		1401	Horiz. Stab., Lower Skin										
		1402	Horiz. Stab., Rib & Spar										
14D	WING SUBSYSTEM												
140A	Rudder Assy.	1404A	Rudder Assy.	140D	Rudder Assy.	140A	Rudder Assy.	140F	Rudder Assy.	1431	Rudder Assy.	140A	Rudder Assy.
14H	FLAP SUBSYSTEM												
140A	Flap Assy	140E	Flap, Inboard Wing	140C	Flap Assy.	140A	Flap Assy.	140F	Main Flap Assy. Inboard	1451	Flap Assy.	140A	Flap Assy. Inboard
		140H	Flap, Outboard Wing					140G	Main Flap Assy. Outboard			140B	Flap Assy. Outboard

TABLE 5 AIRCRAFT SELECTED EQUIPMENTS ARRANGED BY F-15A LCOM NETWORK SUBSYSTEMS
CONT'D
AIRCRAFT SYSTEMS OTHER THAN AVIONICS AND ENGINE
METRICS STUDY PHASE II

F-15A		B-52G		F4U-111A		C-141A		KC-135A		T-38A		A-10A	
SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE
41A	CABIN AND AVIONICS ENVIRONMENTAL CONTROLS SUBSYSTEM												
41AAM	Water Separator	41ADA	Water Separator	41ABE	Water Separator	41AEC	Water Separator	41214	Water Separator	41133	Water Separator	418A	Water Separator
41A	AIRBORNE POWER GENERATING SUBSYSTEM												
41A	Generator Assy.	42BAA	Generator Assy.	42BAC	Generator Assy.	42BAC	Generator Assy.	4215L	Generator Assy.	4211A 4212A	Generator Assy Lt. Generator Assy Rt.	42NC	Generator Assy.
44A	INTERIOR LIGHTING												
44AA	Tail Anti Coll.	44AA	Anti Coll Lights	44AA	Anti Coll Lights Upper	44AA	Anti Coll Lights	4426	Anti Coll Lights	44113	Anti Coll Lights Upper	44BA	Wing Position & Stroke Lights RA
44AAZ	Light Nav Anti Coll Right Wing	44AAZ	Anti Coll Lights Lower	44AAZ	Anti Coll Lights Lower	44AAZ	Anti Coll Lights Lower	4426	Anti Coll Lights Lower	44116	Anti Coll Lights Lower	44BAZ	Tail Position A Stroke Lights
44AAZ	Light Nav Anti Coll Left Wing	44AAZ	Light Landing	44AAZ	Light Landing	44AAZ	Light Landing	44211	Light Landing	44116	Light Landing	44BAZ	Tail Position A Stroke Lights
44AAZ	Light Landing	44AAZ	Light Taxi	44AAZ	Light Taxi	44AAZ	Light Taxi	44212	Light Taxi	44116	Light Taxi	44BAZ	Landing and Taxi Light

TABLE 5 AIRCRAFT SELECTED EQUIPMENTS ARRIVED BY F-15A LCOM NETWORK SUBSYSTEMS AIRCRAFT SYSTEMS OTHER THAN AVIONICS AND ENGINE METRICS STUDY PHASE II																										
F-15A				B-52G				F-111A				C-141A				KC-135A				T-30A				A-10A		
SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE	SUB SYSTEM MAC	NOMENCLATURE					
45A 45B	HYDRAULIC POWER CONTINUED SUBSYSTEM																									
45A11	Pump Hydraulic PC21	45A04	Pump Hydraulic	45A04	Pump Hydraulic	45A04	Pump Hydraulic	45A04	Pump Hydraulic	4511E	Pump Hydraulic	4511E	Pump Hydraulic	45121	Pump Hydraulic	45A0A	Pump Hydraulic									
45A12	Pump Hydraulic PC22	45C03	Pump Hydraulic	45C03	Pump Hydraulic	45B04	Pump Hydraulic	45B04	Pump Hydraulic	4511B	Pump Hydraulic	4511B	Pump Hydraulic	45122	Pump Hydraulic	45B0A	Pump Hydraulic									
46A	INITIATION FUEL SUBSYSTEM																									
1136A	Fuel Tank L. H. Wing	46A0A	Tank Main Wing			46A06	Saddle Tank R.H.		46A03	Tank Main #1 or 4	46120	Tank Main #1		46123	Cell Fwd Fuselage	46A0C	Main Tank L. Wing									
1137A	Fuel Tank R. H. Wing					46A0H	Saddle Tank L.H.		46A0K	Tank Main #2 or 3	46170	Tank Main #2		46124	Cell Cent Fuselage	46A0D	Main Tank R. Wing									
46A1	Fuselage Fuel Cells	461BA	Tank Outboard Wing			46A0E	Tank Integral Bay A-1		46A0F	Tank Integral Bay A-2	46210	Tank Main #3		46125	Cell Aft Fuselage											
		461CA	Tank Center Wing								46240	Tank Main #4														
											46310	Tank Center Wing Left Hand														
											46340	Tank Center Wing Right Hand														

CONT'D

[illegible]

TABLE 6 - EQUIPMENT/ITEMS BY AIRCRAFT/SYSTEM PHASE I AVIONICS AND ENGINES

SYSTEM	AIRCRAFT						
	F-15A	B-52G	FB-111A	C-141A	KC-135A	T-38A	A-10A
23 Propulsion	1	1	1	1	1	1	1
51 Instruments	7	4	8	7	9	9	9
52 Autopilot	2	4	6	5	6	4	2
63 UIF Communications	2	2	2	2	2	1	2
65 IFF	1	2	1	2	2	2	1
71 Radio Navigation	6	5	3	3	3	4	2
72 Radar Navigation	--	--	--	4	2	--	2
73 Bomb Navigation	--	6	5	2	--	--	--
74 Fire Control	5	--	--	--	--	--	--
TOTAL	24	24	26	26	25	21	19
							165

6. SUMMARY

The subsystem/equipment selection process as depicted in Figure 6 resulted in the selection of seven study aircraft and 352 specific subsystem equipments to be studied during the study. These equipments were used as the subjects of the parametric maintenance resource demand follow-on analysis. They were selected to represent a wide variation in equipment types, design technology, parts size, complexity, maturity states, usage in different aircraft/mission types and operational and environmental conditions.

IV - PARAMETER IDENTIFICATION - TASK III

1. INTRODUCTION

The identification and screening process for potential maintenance demand/impact parameters associated with the applicable subsystem equipments selected during Task II is reflected in Figure 7. The identification and selection of appropriate parameters for use in Task V - Data Analysis/Parameter Prioritization and Task VI - Maintenance Metrics Development required detail review of the parameters identified in other related studies to determine various parameters used, types of input variables required and availability/location of the actual required input data.

2. PARAMETER IDENTIFICATION

The investigation and identification of appropriate parameters relied heavily upon the previous work conducted during Task I - Review of Related Publications and Task II - Subsystem Equipment Selections. These related study documents were reviewed and all potential study parameters identified for each of the following five major categories: (1) Maintenance, (2) Hardware, (3) Operational, (4) Environmental, and (5) Aircraft General.

The actual parameters identified and selected for each of the five major categories are listed and defined in Tables B-1 through B-8 located in Appendix B of this document.

3. SUMMARY

The parameter identification task resulted in 193 significant, collectable parameters being selected for this Phase I (Avionics and Engines) analysis effort. The type of parameters and number for each type is as follows:

<u>TYPE OF PARAMETERS</u>	<u>NUMBER SELECTED</u>
Maintenance	30
Hardware	
Avionics	27
Engines	24
Other Systems	30
Operational	35
Environmental	31
Aircraft General	<u>16</u>
TOTAL	193




FIGURE 7 - TASK III PARAMETER IDENTIFICATION ACTIVITY FLOW

V - IDENTIFICATION AND INTEGRATION OF DATA SOURCES - TASK IV

1. INTRODUCTION

This task was by far the most critical and significant for this phase of the study. Without adequate and correct data, the remaining tasks would be less meaningful as would any analysis effort that employed a computer model. Therefore, additional emphasis was placed on this task to insure the accomplishment of the objectives.

The total task was logically divided into three distinct sub-tasks; a) Identification, b) Acquisition, and c) Integration. Figure 8 depicts the step-by-step functional flow developed and the sub-indentures of each step.

2. IDENTIFICATION

The identification of data sources and the types of data each was responsible for, or was the historical repository of, covered three primary areas; a) Air Force Agencies b) Operating Wings, and c) EAC Historical Data Files. Table 5, "Data Sources and Agencies" lists the major command, center or base; geographical location; specific office or wing data was obtained from; and the general type of available data. The various categories of information and detail data elements were established in the preceding task.

3. ACQUISITION

Once the various sources and their respective types of data had been established the next logical step was to obtain data that was not currently in the EAC Historical Data Bank or to obtain an update of more current information. Since this study was initiated in early 1978, the most recent data that would be available from the various repositories was 1977. Therefore, it is significant to note this time period as many of the parameters used in the study fluctuate with time. This is dramatically portrayed in Reference  on the C-130E aircraft since many of the same data elements are common.




FIGURE 8 IDENTIFICATION AND INTEGRATION OF DATA SOURCES - TASK IV - FLOW DIAGRAM

TABLE 8 DATA SOURCES AND AGENCIES

AGENCY BASE	LOCATION	OFFICE SYMBOL/FUNCTION OR WING	TYPE OF DATA
Air Force Logistics Command	Wright-Patterson AFB Ohio	ACVMP - Inventory, Status and Performance Branch	D056E G033B C-4, B-4 D097 D041
Air Force Maintenance and Supply Management Engineering Team	Wright-Patterson AFB Ohio	LORRA - Analysis Branch DCS/Logistics Operations ACfCS - Comptroller	I1036B
Air Weather Service (MAC) Environmental Technical Applications Center (ETAC)	Scott AFB, Ill.	AFMSMET/(MENT) - Management Engineering Team ETAC/DO - Director Operations	LCOM Users Guide LCOM Data Extraction Program Users Document Weather Parameters Climatic Briefs Monthly Summaries Base Tab "A's"
Myrtle Beach AFB Fairchild AFB	Myrtle Beach, S.C. Spokane, Wash.	354th TFW 92nd BW	A-10A Statistics B-52G/KC-135A Statistics
Plattsburgh AFB Luke AFB	Plattsburgh, N.Y. Glendale, Ariz.	380th BW 58th TFW	FB-111A Statistics F-15A Statistics
Davis-Monthan AFB Bitburg AB	Tucson, Ariz. Bitburg, Germany	355th TFW 36th TFW	A-10A Statistics F-15A Statistics
Travis AFB Boeing Aerospace Company	Fairfield, Calif. Seattle, Wash.	60th MAW Experience Analysis Center (EAC)	C-141A Statistics Aircraft Historical Data Processed AFM 66-1 Maintenance Data Operational Data Technical Descriptive Information
Air Force Inspection and Safety Center (AFISC)	Norton AFB, Calif.	AFISC/SER	Aircraft Mishap Data (Accident/Incident)

In obtaining the specific data types, the task logically divided into computer generated type information and data that must be obtained from an on-site survey.

4. COMPUTER GENERATED DATA

Although all the data obtained in this study was eventually computer manipulated, in one form or another, at this point it was considered as data received on magnetic tape.

AFM 66-1 (D056E) - Maintenance Management Data

For the seven study aircraft all AFM 66-1 data had been previously processed for 1977 except the T-38A. This had to be ordered through the Air Force Systems Command (AFSC) via AFLCR/AFSCR 178-6 and processed. A total of over five million records or maintenance transactions were either previously available or obtained on the subject aircraft.

The specific parameters obtained from these data were discussed in Task II and are shown in the hardware parameter identification tables contained in Appendix B.

G033B - Standard Aerospace Vehicle Inventory, Status and Utilization Reporting System.

This system provided the operational parameters necessary for various rates, such as maintenance manhours per flight hour, utilization, etc. as well as the operational ready and not operational ready rates per specific categories. These and other operational parameters are shown in the operational parameter identification table contained in Appendix B.

D041 - Recoverable Consumption Item Requirements System

D097 - Interchangeability and Substitution Data Maintenance System

H036B - DMIF Cost Accounting/Production Report

These three data systems comprised the depot data used in various trades made during equipment selection and verification. The two million plus records contained such significant parameters as equipment cost, maintenance flow time through base and depot, and maintenance manhour expenditures.

B-4/C-4 - Reference Data Tape

These tapes, although not supplying any investigative parameters per se, are critical in tracking a given aircraft component from AFM 66-1 to depot data. Since they contain cross references to part number, work unit code, and national stock number.

Environmental

This information, obtained from ETAC, represents the computerized weather information for each of the eight bases visited. These included such parameters as snow fall, rain days, humidity, etc. Table B-5 in Appendix B lists all of the environmental parameters utilized in the study.

5. ON-SITE SURVEY

As in any data acquisition task of this magnitude, all the necessary parameters have not been computerized. This necessitates on-site visits to obtain the data. Not only does it fill in the missing parameters but it serves to validate the processed data. An equally important function is the establishment of data parameter specialists or points of contact that can be consulted with during the detail analysis of the data.

6. AUTHORIZATION LETTER

To visit any operational unit, authorization was required from the respective command. Appendix C shows a typical letter used that included the following pertinent items:

- a) Contract Number and Name
- b) Introduction
- c) Objective
- d) Assistance required and point of contact
- e) Authorizing signatures

It is imperative that these be forwarded well in advance of the intended time of visit to allow for any contingencies that may occur at the base. Not only did this procedure work satisfactorily throughout the entire study but the points of contact were contacted immediately, once known, and again a week prior to the visit. This personal contact eliminated any last minute problems and established an excellent rapport with the base personnel.

7. DATA ACQUISITION FORM

Prior to traveling to any base a series of forms, Appendix D, were developed listing the specific data parameters desired by function, i.e., avionics, engines, etc. These forms proved to be invaluable in that they provided a consistent, systematic approach at each base. These were distributed to the respective technicians, where practical, and proved to be the most economical and expeditious method to gather all the data.

8. BASE VISITS

At each base as depicted in Figure 9, it was necessary to visit seven major areas. The first and most significant was the DCM Office. Here a short introductory presentation was given to all functional OIC's/NCOIC's from which data was required. This one time meeting set the stage for a smooth transition of data flow with all concerned namely:

- a) Operations - The DCO or standardization pilot covered the aircraft characteristics.
- b) Weather - Base weather provided obstructions to vision by month.
- c) Analysis - Monthly maintenance summaries and support general data via a BLIS printout.
- d) Engines - FMS and Propulsion covered this area.
- e) Avionics - AMS provided the data for all equipments.
- f) Other Systems -
- g) Maintenance - QC answered general type questions on aircraft maintenance.

9. INTEGRATION

This third and final major step of Task IV was primarily a continuation of data preparation for analysis in the ensuing tasks. The AFM 66-1 maintenance expenditure records (D056E) had to be screened and integrated into an LCOM acceptable format.

To accomplish this screening, computer programs were written to manipulate the data per the Common Data Extraction Program (CDEP) User Documentation (Reference ) specification. This criteria was followed, without deviation, since it would provide the same data base as is currently being used by LCOM analysts.

 "Common Data Extraction Program (CDEP)" AFMSMET, March 1978




FIGURE 9 BASES VISITED

Although these Boeing developed LCOM data programs used CDEP criteria the output format was unique to the requirements of this study. Each 'LCOM Action Code' (Reference ) was displayed by study aircraft with the following data elements.

- a) WUC at all indentures, (2, 3, 4, 5)
- b) Units produced count
- c) JCN count (summation of different JCN's)
- d) Manhours
- e) Clockhours

Table 6 is a graphical display of these indentured LCOM type actions for the F-15A at Luke AFB.

The complete procedures developed consisting of 12 subsystems and seven sort modules are described in detail along with flow charts in Boeing Document BCS-G1109, "CDEP Production System" (Reference ).

This processing of AFM 66-1 data for the seven different aircraft types commenced with approximately seven million records. Selecting only the data for the study aircraft at the bases visited, reduced the count to approximately 1.4 million records. Also, the flight time and number of aircraft in the data sample was reduced from 826,823 flight hours and 1,695 aircraft to 135,835 and 362 respectively.

Completion of this data processing for each aircraft at each base and the supplemental data obtained from the acquisition phase (letters and on-site visits) provided a substantial data base of varied parameters for the follow-on task analyses.

10. SUMMARY

This section describes: a) identification of data sources, location, and type data available, b) acquisition of computer generated and base survey data, and c) processing AFM 66-1 data into an LCOM usable format. Over seven million maintenance transactions (records) were obtained from nine different data systems and over 400 supplemental data parameters acquired directly from on-site visits to eight operational bases. AFM 66-1 (D056E) data for seven aircraft was processed per LCOM criteria into easily readable multi-WUC-digit formats in preparation for follow-on detail analysis.

 Boeing Document BCS "CDEP Production System", February 1979

TABLE 9 - LCOMized AFM 66-1 DATA FORMATS

LCOM PRIORITY				
AIRCRAFT P-104	BASE LUMP	NO. AIRCRAFT	29	
FLIGHT TIME	6405	TIME PERIOD	JAN 77 - DEC 77	
LCOM CODE C				
MUP	UNIT POINTS	JCM POINTS	HANMOURS	CLOCK HOURS
91	3.0	0	21.4	10.7
92	3.0	0	10.4	5.0
95	3.0	0	9.0	4.5
93	2.0	0	6.0	3.0
	4.0	0	33.4	17.7
	10.0	0	70.1	35.2

MUP	UNIT POINTS	JCM POINTS	HANMOURS	CLOCK HOURS
SIF	3.0	2	21.4	10.7
SPA	3.0	1	10.4	5.0
SEC	2.0	2	6.0	3.0
	1.0	1	3.0	1.5

MUP	UNIT POINTS	JCM POINTS	HANMOURS	CLOCK HOURS
4KAA	1.0	1	2.3	1.2
4KAB	1.0	1	1.5	.8
5TEA	3.0	2	21.4	10.7
	2.0	2	6.0	3.0
	1.0	1	1.5	.8

MUP	UNIT POINTS	JCM POINTS	HANMOURS	CLOCK HOURS
78PA0	4.0	3	37.1	18.5
78PD0	3.0	1	8.0	4.0
78PF0	3.0	2	26.9	13.4
78PG0	2.0	1	27.0	13.5
78PK0	2.0	2	6.0	3.0
78P0	2.0	2	15.0	7.5
78	2.0	2	10.0	5.0
	1.0	1	1.5	.8
		2	12.9	6.4
			1.0	.5
			8.0	4.0

VI - CONCLUSION

1. SYNOPSIS

This report describes the work accomplished under Tasks I through IV of an eight task study to: "Develop Maintenance METRICS To Forecast Resource Demands of Weapon Systems." The underlying purpose of these first four tasks was to develop a quantitative foundation which the remaining tasks used in the analysis of maintenance metrics.

The objectives were: 1) identify, acquire, and review related publications to develop a historical METRICS data file and bibliography; 2) develop a matrix of selected aircraft versus common subsystems and selected functionally similar equipments for detail analysis; 3) establish the subset of likely parameters that may have an impact on maintenance resource demands of selected subsystem equipments; and 4) develop a data base for input to the analyses tasks.

Results of work accomplished during these four tasks and included in this report are: 1) development of an extensive METRICS Data File and bibliography of selective documents pertinent to this study; 2) identification of 352 individual equipments within 30 functionally similar subsystems on seven different aircraft; 3) established 193 maintenance impact parameters; and 4) the acquisition and processing of seven million transactions along with 400 supplemental data parameters obtained from on-site visits at nine operational Air Force bases.

2. PROBLEMS

During the data acquisition phase the inevitable problem that plagues all studies of this type is the long lead time for the contractor to actually receive the data. Although all known remedies were taken to avoid this problem a unique situation arose that is worthy of mention. Specific forms must be used to order various types of data. The form used by an Air Force agency in-house is not necessarily the form that the contractor is required to use for his need-to-know to obtain the same data from the Air Force. It behooves the requestor to ascertain from the point of contact, even though a specific order form is stipulated, if it will in fact release the required data to the contractor.

3. RECOMMENDATIONS

Other than the recommendation discussed in the problem area above, establishing a need-to-know through the appropriate command is essential for a smooth transition of data from an operational command to the study team. The key to this step is the assigned point of contact. He should be contacted prior to any visit and provided with the details on the types of data desired and the functional areas to be visited.

REFERENCES

1. AFHRL-TR-77-46, Life Cycle Cost of C-130E Weapon System, Air Force Human Resources Laboratory (ASD) Wright-Patterson AFB, Ohio, July 1977.
2. AFFDL-TR-73-152, Maintainability/Reliability Impact on System Support Costs, Air Force Flight Dynamics Laboratory, Wright-Patterson AFB, Ohio, December 1973.
3. Logistics Composite Model Users Reference Guide, Air Force Logistics Command Report 70-1, AD703 328, Headquarters Air Force Logistics Command, January 1970.
4. The Logistics Composite Model Users Reference Guide, AFLC Report 74-1, Research Division (MCCTR), HQ Air Force Logistics Command, Wright-Patterson AFB, Ohio, January 1970.
5. LCOM II Simulation Software Users Reference Guide, AFMSMET 78-1, AFMSMET Wright-Patterson AFB, Ohio, May 1, 1978.
6. Simulating Maintenance Manning for New Weapon Systems; Maintenance Manpower Management During Weapon System Development, AFHRL-TR-74-97(I), Wright-Patterson AFB, Ohio; Advanced Systems Division, Air Force Human Resources Laboratory, ADA 011986, December 1974.
7. Simulating Maintenance Manning for New Weapon Systems: Building and Operating A Simulation Model (Volume II), AFHRL-TR-74-97(II), Air Force Systems Command, Brooks AFB, Texas, December 1974.
8. Simulating Maintenance Manning for New Weapons Systems: Maintenance Data Analysis Programs, AFHRL-TR-74-97(III), Wright-Patterson AFB, Ohio, Advanced Systems Division, Air Force Human Resources Laboratory, ADA 025342, 1975.
9. Simulating Maintenance Manning for New Weapon Systems: Data Base Management Programs, AFHRL-TR-74-97(IV), Wright-Patterson AFB, Ohio, Advanced Systems Division, Air Force Human Resources Laboratory, ADA 011989, December 1974.

10. Simulating Maintenance Manning for New Weapon Systems: Manpower Program, AFHRL-TR-74-97(V), Wright-Patterson AFB, Ohio, Advanced Systems Division, Air Force Human Resources Laboratory, ADA 011990, 1975.
11. Simulating Maintenance Manning for New Weapon Systems: Volume VI, Maintenance Manpower Matrix Program, AFHRL-TR-74-97(VI), Air Force Systems Command, Brooks AFB, Texas, May 1976.
12. Command Data Extraction Programs (CDEP), Standard System Version 1.0, User Documentation, Air Force Maintenance and Supply Management Engineering Team, Wright-Patterson AFB, Ohio, March 8, 1978.
13. BCS-G1109 "CDEP Production System", Boeing Computer Services, Seattle, Washington, February 1979.

BIBLIOGRAPHY

- Abe, Katsuji, SRAM RELIABILITY PROGRAM STATUS REPORT. D220-10137-15, The Boeing Company, June 1975.
- Anderson, J. E., CORRELATION OF RELIABILITY PERFORMANCE MEASUREMENTS. Proceedings: 1970 Annual Reliability and Maintainability Symposium, 1970.
- Anderson, R. T., RELIABILITY DESIGN HANDBOOK. IIT Research Institute, Chicago, Illinois, under contract to Rome Air Developmental Center, Griffiss AFB, New York, Catalog No. RDH-376, March 1976.
- Armstrong, B. E., AVIONICS DATA FOR COST ESTIMATING. P-5745-1, Rand Corporation, March 1977.
- Ashley, Paul E., ASSESSING COMPONENT LIFE FROM FIELD SERVICE TESTS. Proceedings: 1970 Annual Symposium on Reliability and Maintainability. IEEE, Inc., 1970.
- Baker, Richard L., and George A. Kern, OPERATIONAL INFLUENCES ON AVIONICS RELIABILITY. The Journal of Environmental Sciences, September/October 1976.
- Balabin, H. S., et al, AVIONICS RELIABILITY AND MAINTAINABILITY PREDICTION BY FUNCTION. RADC-TR-66-509, by the Arinc Research Corporation for the Rome Air Development Center Research and Technology Division, Griffiss AFB, New York, October 1966.
- Barber, David F., SYSTEM RELIABILITY PREDICTION BY FUNCTION. RADC-TDR-63-146, by Equipment and Systems Branch, Federal Electric Corporation, Paramus, New Jersey, for Rome Air Development Center Research and Technology Division, Griffiss AFB, New York, May 1963.

Bauer, J. A., et al, DORMANCY AND POWER ON-OFF CYCLING EFFECTS ON ELECTRONIC EQUIPMENT AND PART RELIABILITY. RADC-TR-73-248, Rome Air Development Center, Air Force Systems Command, Griffiss AFB, New York, August 1973.

Bellinger, Dwight Q., et al, RELIABILITY PREDICTION AND DEMONSTRATION FOR GROUND ELECTRONIC EQUIPMENT. RADC-TR-68-280, TRW Systems, Redondo Beach, California, for Rome Air Development Center, Griffiss AFB, New York, November 1968.

Bezant, A., et al, GROWTH MODELING IMPROVES RELIABILITY PREDICTIONS. Proceedings: 1975 Annual Reliability and Maintainability Symposium, 1975.

Bizup, J. A., TECHNIQUES FOR SELECTING AND ANALYZING RELIABILITY IMPROVEMENT WARRANTIES. ADA 014575, Naval Weapons Engineering Support Activity, June 1975.

Blasingame, B. P., et al, PROGRAM STATUS AND RELIABILITY SUMMARY. Delco Electronics, Milwaukee, Wisconsin for The Boeing Company, March 1971.

Boyd, James A., Jr., Major, USAF, and Gary J. Toy, Major, USAF, AN EVALUATION OF THE USE OF THE LOGISTICS COMPOSITE MODEL TO MEASURE THE EFFECTIVENESS OF AIRCRAFT FLYING SCHEDULES. SLSR#8-75B, Department of Research and Communicative Studies (SLGR), Air Force Institute of Technology, Wright-Patterson AFB, Ohio, August 1975.

Boyd, M. L., Major, USAF, A STATISTICAL STUDY TO DETERMINE IF A DEPENDENCY EXISTS BETWEEN VEHICLE MAINTENANCE LABOR HOURS AND BASE CLIMATE, Air Command and Staff College, Maxwell AFB, Alabama, April 1978.

Brady, J. H., and R. B. Waina, SUPPORT COST IMPACTS OF RELIABILITY PREDICTIONS. Paper presented at American Institute of Aeronautics and Astronautics, Inc. Aircraft Systems and Technology Meeting, Seattle, Washington, August 22-24, 1977.

Brown, Frank D., et al, C-130E HERCULES AIRCRAFT: REVIEW OF PUBLISHED LITERATURE AND STRUCTURED INTERVIEWS. AFHRL-TR-77-40, Boeing Aerospace Company, Seattle, Washington, for HQ Air Force Human Resources Laboratory, Wright-Patterson AFB, Ohio, July 1977.

Brown, Frank D., et al, LIFE CYCLE COST OF C-130E WEAPON SYSTEMS. AFHRL-TR-77-46, Boeing Aerospace Company, Seattle, Washington, for HQ Air Force Human Resources Laboratory, Wright-Patterson AFB, Ohio, July 1977.

Brown, Frank D., et al, HISTORICAL WEAPON SYSTEM RESOURCE UTILIZATION METHODOLOGY. AFHRL-TR-77-64(I), Boeing Aerospace Company, Seattle, Washington, for HQ Air Force Human Resources Laboratory, Wright-Patterson AFB, Ohio, September 1977.

Brown, Frank D., et al, HISTORICAL TASK ANALYSIS OF C-130E MAINTENANCE JOBS. AFHRL-TR-77-64(II), Boeing Aerospace Company, Seattle, Washington, for HQ Air Force Human Resources Laboratory, Wright-Patterson AFB, Ohio, September 1977.

Brussell, Eugene R., Kenneth R. Pope, and Kinji M. Tasugi, COST OF OWNERSHIP-INDUSTRY VIEWPOINT PARAMETRIC ANALYSIS OF OPERATING AND SUPPORT COSTS. Proceedings: 1975 Annual Reliability and Maintainability Symposium, 1975.

Cary, Henry B., BUILD HARDWARE THAT KEEPS ON WORKING. Electronic Design, May 10, 1978.

Clarke, James M., and William P. Cougan, RPM - A RECENT REAL LIFE CASE HISTORY. Proceedings: 1978 Annual Reliability and Maintainability Symposium, published by the Institute of Electrical and Electronics Engineers, Inc., 1978.

Cole, W. P., RELIABILITY TESTING DURING DEVELOPMENT. G.E.C.-A.E.I. (Electronics) Limited, Applied Electronics Laboratories, Stanmore, Middlesex, Great Britain, Pergamon Press, 1969.

Coppola, Anthony, and John E. Daveau, COMPARISON OF PREDICTED AND DEMONSTRATED RELIABILITY AND MAINTAINABILITY FIGURES. 1968 Product Assurance Conference and Technical Exhibit (Book #658.56206 C76P 1968), System Effectiveness and Support Section, Rome Air Development Center, Griffiss AFB, New York, 1968.

Cundari, L. A., A COMPARISON BETWEEN THE AN/ARN-84(V) AND THE AN/ARN-118(V) TACANS, BASED ON LIFE CYCLE COSTS. AD-A035066, Naval Systems Engineering Support Activity, Weapons Systems Analysis Department (ESA-19), Washington Navy Yard, Washington, D. C., November 1976.

Dantowitz, Allan, and George Hirschberger, EVALUATION OF ENVIRONMENTAL PROFILES FOR RELIABILITY DEMONSTRATION. The Journal of Environmental Sciences, January/February 1976.

Davis, Charles G., USAF, and Clifford T. Smith, Captain, USAF., AN EVALUATION OF THE CAPABILITY OF THE LOGISTICS COMPOSITE MODEL TO PROJECT THE MONTHLY AIRCRAFT SORTIE EFFECTIVENESS OF AN F-15 WING. AD-047227, LSSR-2-77B, Department of Research and Administrative Management, Wright-Patterson AFB, Ohio, September 1977.

Deem, R. N., and G. N. Faucheux, PREDICTING POWERED SUPPORT EQUIPMENT AND ASSOCIATED MAINTENANCE MANPOWER REQUIREMENTS. AFHRL-TR-77-43 (AD-A048876), Air Force Human Resources Laboratory, Brooks AFB, Texas, August 1977.

Drake, W. F. III, LCOM II SIMULATION SOFTWARE USERS REFERENCE GUIDE. AFMSMET 78-1, May 1, 1978.

Drake, William F., et al, THE LOGISTICS COMPOSITE MODEL: USERS' REFERENCE GUIDE. AFLC Report 74-1, Research Division (MCCTR) HQ, Air Force Logistics Command, Wright-Patterson AFB, Ohio, January 1970.

Duckworth, Johnny D., and Richard P. Quintana, COMPUTER SUPPORT IN AIR FORCE MAINTENANCE. Proceedings: 1978 Annual Reliability and Maintainability Symposium, 1978.

Dworkin, Eli J., and Raj P. Misra, Ph.D., A NEW METHOD FOR PREDICTING RELIABILITY. Electronic Industries, June 1966.

Ekins, J. Douglas, PROFIT AND CUSTOMER SATISFACTION EQUALS THE SPECIFICATION FOR COMMERCIAL RELIABILITY PROGRAM. Proceedings: 1976 Annual Reliability and Maintainability Symposium, 1976.

Fisher, R. R., et al, THE LOGISTICS COMPOSITE MODEL: AN OVERALL VIEW. Memorandum RM-5544-PR, United States Air Force Project Rand, May 1968.

Florence, Roger N., et al, RELIABILITY AND MAINTAINABILITY ALLOCATIONS, ASSESSMENTS, AND ANALYSIS REPORT FOR B-1 AVIONICS. D229-10096-1, Boeing Aerospace Company, January 1973.

Forbes, James A., Captain, USAF, and Phillip P. Wyatt, Captain, USAF,
OPTIMAL REPLACEMENT POLICY FOR THE F-15 AIRCRAFT ENGINE MODULES.
SLSR7-75B, Department of Research and Communicative Studies (SLGR),
Air Force Institute of Technology, Wright-Patterson AFB, Ohio,
August 1975.

Freudenthal, A. M., THE EXPECTED TIME TO FIRST FAILURE. AD 482571
(AFML-TR-66-37), Air Force Materials Laboratory, Wright-Patterson
AFB, Ohio, February 1966.

Gaertner, W. W., AUTOMATIC ELECTRONIC COMPONENT FAILURE RATE PREDICTION
WITH MIL-HDBK-217B. IEEE Transactions on Reliability, Vol. R-26,
No. 3, August 1977.

Geisler, Murray A., et al, VOLUMES I AND II: A MACRO ANALYSIS OF DoD
LOGISTICS SYSTEMS. Logistics Management Institute, Washington,
D. C., for Department of Defense Logistics Systems, December 1976.

George, Laurence L., RE-EVALUATION OF THE AIR FORCE ACTUARIAL SYSTEM.
Proceedings: 1978 Annual Reliability and Maintainability Symposium,
1978.

Gorton, H. Clay, A RELIABILITY EVALUATION OF PLASTIC PACKAGED SEMI-
CONDUCTOR COMPONENTS. IEEE Transactions on Reliability, Vol.
R-24, No. 3, August 1975.

Grange, J. M., and J. Dorleans, PRECISION OF RELIABILITY ESTIMATIONS.
Pergamon Press 1970, Vol. 9, printed in Great Britain, 1970.

Green, J. E., RELIABILITY GROWTH MODELING FOR AVIONICS. North Atlantic
Treaty Organization Advisory Group for Aerospace Research and
Development document, AGARD Lecture Series No. 81, lecture
number two, 1976.

Gregor, D. D., et al, TACTICAL FIGHTER ON-AIRCRAFT MAINTENANCE CHARACTERISTICS STUDY. WSDS 74-17, Vol. 3 (AD-A018791), Northrop Corporation, Aircraft Division Maintainability and System Support Group, June 1974.

Gregor, D. D., et al, TACTICAL FIGHTER OFF-AIRCRAFT MAINTENANCE CHARACTERISTICS STUDY. WSDS 74-17, Vol. IV (AD-A018792), Northrop Corporation, Aircraft Division Maintainability and System Support Group, June 1974.

Gregor, D. D., et al, TACTICAL FIGHTER AIRCRAFT MAINTENANCE CHARACTERISTICS STUDY. WSDS 74-17, Vol. 2 (AD-A018790), Northrop Corporation, Aircraft Division Maintainability and System Support Group, June 1974.

Hall, Eldon C., RELIABILITY HISTORY OF THE APOLLO COMPUTER. NASA-CR-140340 (N75-12345), Charles Stark Draper Laboratory, Massachusetts Institute of Technology, Cambridge, Massachusetts, January 1972.

Harrison, N. C., and D. E. Nickle, THE PRECISION OF RELIABILITY ESTIMATES BASED ON SMALL SAMPLE SIZES. PWA FR-799, Pratt and Whitney Aircraft, December 1963.

Hicks, Verlesta B., and Donald C. Tetmeyer, Major, USAF, SIMULATING MAINTENANCE MANNING FOR NEW WEAPON SYSTEMS: VOLUME IV, DATA BASE MANAGEMENT PROGRAMS. AFHRL-TR-74-97(IV), Air Force Systems Command, Brooks AFB, Texas, December 1974.

Hovis, James B., EFFECTIVENESS OF RELIABILITY SYSTEM TESTING ON QUALITY AND RELIABILITY. Proceedings: 1977 Annual Reliability and Maintainability Symposium, 1977.

Howell, Lawrence D., Captain, USAF, A METHOD FOR ADJUSTING MAINTENANCE FORECASTS TO ACCOUNT FOR PLANNED AIRCRAFT SORTIE LENGTHS. ASD/TR-78-26, Aeronautical Systems Division, Air Force Systems Command, Wright-Patterson AFB, Ohio, August 1978.

Hubbard, Clarke D., Captain, USAF, and Charles R. Lindke, Captain, USAF, THE IDENTIFICATION OF A PRECEDENCE NETWORK ASSOCIATED WITH BASE LEVEL AIRCRAFT MAINTENANCE. SLSR 12-75B, Department of Research and Communicative Studies (SLGR), Air Force Institute of Technology/SLGR, Wright-Patterson AFB, Ohio, August 1975.

Hunt, William R., and Robert W. Fink, RELIABILITY CONTRACTING FOR REDUCED SUPPORT COSTS. Proceedings: 1976 Annual Reliability and Maintainability Symposium, 1976.

Jacobson, A. J., and M. R. Nusbaum, DIFAR RELIABILITY: 781 AND FIELD. Proceedings: 1976 Annual Reliability and Maintainability Symposium, 1976.

Johnson, J. D., and L. T. Stewart, FAILURE PREDICTION FROM INTERVAL DATA. Proceedings: 1971 Annual Symposium on Reliability and Maintainability, 1971.

Johnson, W. L., and R. E. Reel, MAINTAINABILITY/RELIABILITY IMPACT ON SYSTEM SUPPORT COSTS. Technical Report AFFDL-TR-73-157 (D180-17822-1), Boeing Aerospace Company, Seattle, Washington, December 1973.

Keller, Kenneth R., Major, USAF, LOGISTICS COMPOSITE MODEL SUPERVISOR'S GUIDE FOR STUDENT TRAINING TEXT. Tactical Air Command, Langley AFB, Virginia, July 1977.

Kennedy, Peter J., APPLICATION OF RAM (RELIABILITY, AVAILABILITY, AND MAINTAINABILITY) TO COMMUNICATIONS SYSTEMS. IEEE Transactions on Reliability, Vol. R-25, No. 5, December 1976.

Kern, G. A., and T. M. Drnas, OPERATIONAL INFLUENCES ON RELIABILITY. RADC-TR-76-366, Hughes Aircraft Company, Culver City, California, for Rome Air Development Center, Griffiss AFB, New York, 1976.

Klass, Philip J., AVIONICS FAILURE RATES BETTER PROJECTIONS. Aviation Week and Space Technology, November 13, 1972.

Kujawski, George F., and Edward A. Rypka, EFFECTS OF 'ON-OFF' CYCLING ON EQUIPMENT RELIABILITY. Proceedings: 1978 Annual Reliability and Maintainability Symposium, 1978.

Kunznick, Gene A., F-15 RELIABILITY PROGRAM MANAGEMENT. Final Report of the Joint Logistics Commanders Electronic Systems Reliability Workshop, August 1975.

Large, Joseph P., and Harry G. Campbell, PARAMETRIC EQUATIONS FOR ESTIMATING AIRCRAFT AIRFRAME COSTS. R-1693-PA+E, Rand Corporation, May 1975.

Lauffenberger, H. A., and John L. Fuchs, A SYSTEM FOR EFFECTIVE TRANSFERRAL OF MICROELECTRONIC RELIABILITY EXPERIENCE. Annals of Assurance Sciences - Reliability and Maintainability, 1969.

Livers, Paul J., PREDICTION AND OPTIMIZATION OF FAILURE RATES (PROF 200) PROGRAMMING MANUAL. NAFI-TR-1915 (AD-A013208), Naval Electronics Command, Naval Avionics Facility, Indianapolis, Indiana, June 17, 1975.

Lyman, K. A., A UNIFYING RELIABILITY ANALYSIS PHILOSOPHY. Proceedings: 1970 Annual Symposium on Reliability, 1970.

Maher, Frank A., and Michael L. York, SIMULATING MAINTENANCE MANNING FOR NEW WEAPON SYSTEMS: VOLUME ONE, MAINTENANCE MANPOWER MANAGEMENT DURING WEAPON SYSTEM DEVELOPMENT. AFHRL-TR-74-97(I), Advanced Systems Division, Wright-Patterson AFB, Ohio, December 1974.

Mercurio, S. P., and J. M. Black, RELIABILITY LIFE CYCLE OF A COMPLEX ELECTRONIC AIRBORNE EQUIPMENT. IEEE Transactions on Reliability, Vol. R-24, No. 1, April 1975.

Miller, S. G., RESEARCH STUDY OF RADAR RELIABILITY AND ITS IMPACT ON LIFE CYCLE COST. AD-912120L, General Electric, April 1973.

Moody, Sidney E., Colonel, USAF, T-37/T-38 COST PER FLYING HOUR STUDY., LD-38783A, Study for AFLMC Project 770404C5 by HQ ATC/LGXA, 1977.

Moody, William D., SMSgt, USAF, Donald C. Tetmeyer, Major, USAF, and Sharon R. Nichols, SIMULATING MAINTENANCE MANNING FOR NEW WEAPON SYSTEMS: VOLUME V, MANPOWER PROGRAMS. AFHRL-TR-74-97(V), Air Force Systems Command, Brooks AFB, Texas, December 1975.

Moore, Thomas K., Major, USAF, ENVIRONMENTAL EFFECTS ON MAINTENANCE COSTS FOR AIRCRAFT EQUIPMENT. AFML-TR-76-31, Air Force Materials Laboratory, Air Force Systems Command, Wright-Patterson AFB, Ohio, May 1976.

Muglia, V. O., et al, MTBF PREDICTION TECHNIQUES - A COMPARATIVE ANALYSIS. Proceedings: 1972 Annual Reliability and Maintainability Symposium, 1972.

Murata, Tadashi, RELIABILITY CASE HISTORY OF AN AIRBORNE AIR DATA COMPUTER. IEEE Transactions on Reliability, Vol. R-24, No. 2, June 1975.

Myers, R. H., C. M. DeWitt III, and A. J. Feduccia, AIRBORNE ELECTRONIC EQUIPMENT GUARANTEES. Annals of Reliability and Maintainability, 1970.

Nelson, J. R., LIFE CYCLE ANALYSIS OF AIRCRAFT TURBINE ENGINES. Document No. R-2103-AF, Rand Corporation, Santa Monica, California, for the USAF, November 1977.

No Author Credited, COMMON DATA EXTRACTION PROGRAMS (CDEP), AFMSMET, Air Force Management Engineering Agency, March 1978.

No Author Credited, AVIONICS PROBLEMS MARRYING DEBUT OF F-15 WITH TAC. Aviation Week and Space Technology, Vol. 103, No. 24, December 15, 1975.

No Author Credited, NAVY PUSHES AIRCRAFT FLEET READINESS. Aviation Week and Space Technology, Vol. 106, No. 5, January 31, 1977.

No Author Credited, AVIONICS DESIGN FOR RELIABILITY. Advisory Group for Aerospace Research and Development (AGARD), Document AGARD-LS-81, 1976.

No Author Credited, CLIMATIC BRIEFS. AWS Pamphlet 105-4, Vol. I through IX, April 3, 1978.

No Author Credited, OPERATING AND SUPPORT COSTS OF NEW WEAPON SYSTEMS COMPARED WITH THEIR PREDECESSORS. LCD-77-429, Department of Defense, Air Force and Navy, October 17, 1977.

No Author Credited, E-3A PROGRAM RELIABILITY AND MAINTAINABILITY STATUS REPORT. Document 2-6621-R&M-23, The Boeing Company, Seattle, Washington, November 1977.

No Author Credited, LOGISTIC SUPPORT ANALYSIS. MIL-STD-1388-1,
October 1973.

No Author Credited, RELIABILITY PREDICTION OF ELECTRONIC EQUIPMENT.
MIL-HDBK-217B, Sept. 1974.

No Author Credited, RELIABILITY/MAINTAINABILITY ALLOCATIONS, ASSESS-
MENTS AND ANALYSIS REPORT FOR THE AN/GPS-6 AIR TRAFFIC CONTROL
KIT, PART I. Westinghouse Defense and Space Center, June 1970.

Owens, P. R., Major, USAF, et al, AVIONICS MAINTENANCE STUDY. AFAL-TR-
77-90, Air Force Avionics Laboratory, Wright-Patterson AFB,
Ohio, June 1976.

Pace, F. D., OPERATIONAL FACTORS IN SYSTEM RELIABILITY PREDICTIONS.
Annals of Reliability and Maintainability Volume 5, ACHIEVING SYSTEM
EFFECTIVENESS, American Institute of Aeronautics and Astronautics,
New York, 1966.

Phaller, L., et al, OPERATIONAL INFLUENCES ON MAINTAINABILITY. RAD-
TR-77-193, Defense and Electronic Systems Center, Westinghouse
Electric Corporation, Baltimore, Maryland, for the Rome Air
Development Center, Griffiss AFB, New York, July 1977.

Phaller, Lawrence J., OPERATIONAL INFLUENCES ON MAINTAINABILITY. 1978
Annual Reliability and Maintainability Symposium, 1978.

Plouff, William E., AVIONIC RELIABILITY EXPERIENCE. AR-104 AND 781B.
Proceedings 1977 Annual Reliability and Maintainability Symposium,
1977.

Porter, D. C., RELIABILITY CHARACTERIZATION AND PREDICTION OF INTEGRATED CIRCUITS. RADC-TR-70-232 (AD-878235), Boeing Aerospace Company for Rome Air Development Center, Griffiss AFB, New York, November 1970.

Reed, Lawrence E., et al, DEVELOPMENT OF A PROTOTYPE HUMAN RESOURCES HANDBOOK FOR SYSTEMS ENGINEERING: AN APPLICATION TO FIRE CONTROL SYSTEMS. AFHRL-TR-75-64, Advanced Systems Division, Air Force Human Resources Laboratory, Wright-Patterson AFB, Ohio, December 1975.

Reich, Bernard, WORK GROUP 2: OPERATIONAL RELIABILITY MANAGEMENT. Final Report of the Joint Logistics Commanders Electronic Systems Reliability Workshop, October 1975.

Richmond, James A., Major, USAF, AN ANALYSIS OF THE USE OF ELAPSED TIME INDICATORS IN F/FB-111A AVIONICS SUBSYSTEMS. GSM/SM/75D-20, Air Force Institute of Technology (AFIT-EN), Wright-Patterson AFB, Ohio, December 1975.

Sauve, S. P., STUDY OF FAILED PARTS ON NAVAL AVIONICS SYSTEMS. D180-19529-1, Final Technical Report, Boeing Aerospace Company, Kent, Washington, May 1976.

Schaeffer, R. E., et al, RELIABILITY ACQUISITION COST STUDY (II). RADC-TR-75-270 (AD-A020457), Hughes Aircraft Corporation for the Rome Air Development Center, November 1975.

Shelley, Bennie F., and Frank A. Stovall, FIELD-LABORATORY RELIABILITY RELATIONSHIP. Proceedings: 1976 Annual Reliability and Maintainability Symposium, 1976.

- Shumaker, M. J., and J. C. DuBuisson, TRADEOFF OF THERMAL CYCLING VS. LIFE CYCLE COSTS. Proceedings: 1976 Annual Reliability and Maintainability Symposium, 1976.
- Shurman, Maurice B., TIME-DEPENDENT FAILURE RATES FOR JET AIRCRAFT. Proceedings: 1978 Annual Reliability and Maintainability Symposium, 1978.
- Smith, P. W., AVIONIC COOLING AND POWER SUPPLIERS FOR ADVANCED AIRCRAFT. AGARD Avionics Specialists Meeting, 1976, Hague, Netherlands, (Advanced Group Aerospace Research and Development), June 10-11, 1976.
- Sohn, Hunter M., PROVEN TECHNIQUES FOR MAINTAINABILITY PREDICTIONS AND DEMONSTRATIONS. Lockheed, June 1971.
- Spence, D. B., FINAL REPORT: ELECTRONIC INDUSTRIES ASSOCIATION RELATIONSHIP BETWEEN ESTIMATED, DEMONSTRATED, AND ACTUAL FIELD RELIABILITY. G-41 Reliability Committee, October 1966.
- Stander, C. R., COMPUTER MODEL TO DERIVE DIRECT MAINTENANCE COST (DMC) PARAMETRICALLY. D6-22972TN-12, Boeing Commercial Airplane Company, Seattle, Washington, January 1978.
- Swett, Ben H., Lieutenant-Colonel, USAF, THE AVIONICS RELIABILITY STUDY. Final Report of the Joint Logistics Commanders Electronic Systems Reliability Workshop, October 1975.
- Tetmeyer, Donald C., Major, USAF, and William D. Moody, SMSgt, USAF, SIMULATING MAINTENANCE MANNING FOR NEW WEAPON SYSTEMS: BUILDING AND OPERATING A SIMULATION MODEL (VOLUME II). AFHRL-TR-74-97(II), Air Force Systems Command, Brooks AFB, Texas, December 1974.

Tetmeyer, Donald C., Major, USAF, et al, SIMULATING MAINTENANCE MANNING FOR NEW WEAPON SYSTEMS: VOLUME VI, MAINTENANCE MANPOWER MATRIX PROGRAM. AFHRL-TR-74-97(VI), Air Force Systems Command, Brooks AFB, Texas, May 1976.

Walters, Gene F., and James A. McCall, THE DEVELOPMENT OF METRICS FOR SOFTWARE R&M. Proceedings: Annual Reliability and Maintainability Symposium, 1978.

Walters, M., and B. Chapman, CDEP PRODUCTION SYSTEM. BCS-G1109, Boeing Computer Services, Seattle, Washington, February 1979.

APPENDIX A

METRICS CATALOG DATA ENTRY FORM

METRICS CATALOG DATA ENTRY FORM

The following enumerates the title, contents, and purpose of the field as shown in Figure A-1. Since the alpha character preceeding each field is only used by the computer for identification of that field, it will not be included with the title.

DOC - This is the sequential accession number assigned by EAC investigators for tracking and retrieval purposes.

TITLE - Document title.

PERSONAL AUTHOR - Originator of the document.

DOC NO. - Document number.

FORM - The actual physical form of the document, i.e., hard copy, magazine, microfiche, etc.

SOURCE - The name of the company or government agency from whom the document was obtained or ordered from.

*DOC SHIST _____	Maintenance Data Organizational Level Intermediate Level Depot Level Vendor Manhours Task Analysis Modifications/TCTO Reliability Data Failure Rates Failure Distribution Failure Modes Cost Safety Data Accidents/Incidents Cost Cost Data Human Resources Material Resources Actuals Estimates	*SQ QUALITY OF DATA Source Listing Screened Documents Useable Not Used
*ST (Title)		SX Address
SPA (Personal Author)		SD Published
SDN (Doc. No.)		
*SF FORM Forms Tech. Reports Documents/Guide Briefs/Papers News Release Magazine Computer Tape List/Index Card Deck Microfiche Brochure Tech. Data Book Logs Summary		
*SL (Source)		
SS TYPE OF DATA Human Resources Manpower Skill Level Experience Training Costs Task Analysis Material Resources Spares Consumable Materials AGE Training Equipment Test Equipment POL Modifications/TCTO Kits Costs Operations Data Utilization Sorties Landings Inventory/(No. Acft.) Turn Around Aborts Availability Dependability	SP PHASE Conceptual Validation Development Production Operation	
	SNR (Number Reports) _____	
	SBD (Order Date) _____	
	SCD (Received Date Pseudo) _____	
	SB FILED EAC MECCA BAC Kent Library BCAC Renton Library BAC Military Publications METRICS Master File	SA

FIGURE A-1 METRICS CATALOG DATA ENTRY FORM

TYPE OF DATA - Seven major areas, each with several sub-areas, are identified to categorize the contents of each document.

PHASE - That particular phase of life the contents of the document covers.

NUMBER REPORTS - Applicable to listings/indexes as to the number of documents contained therein.

ORDER DATE - The date a document was ordered from the source.

RECEIVED DATE PSEUDO - A fictitious date utilized by the computer to indicate all documents ordered but not received.

FILED - An internal study requirement to specify the location of a document.

QUALITY OF DATA - An internal study requirement to distinguish between listings/indexes/ bibliographies, reviewed documents, and whether the information was of use to this study.

ADDRESS - Source address.

PUBLISHED - Document publish date.

ABSTRACT - If the contents of a document reviewed did not contribute to any area within the study, an abstract was written for informational purposes.

APPENDIX B

PARAMETERS IDENTIFIED AND DEFINED

	<u>TABLES</u>
1. MAINTENANCE PARAMETERS	B-1
2. HARDWARE - AVIONICS PARAMETERS	B-2
3. HARDWARE - ENGINES PARAMETERS	B-3
4. HARDWARE - OTHER EQUIPMENT PARAMETERS (MRD)	B-4
5. HARDWARE - OTHER EQUIPMENT PARAMETERS	B-5
6. OPERATIONAL PARAMETERS	B-6
7. ENVIRONMENTAL PARAMETERS	B-7
8. AIRCRAFT GENERAL PARAMETERS	B-8

TABLE B-1 MAINTENANCE PARAMETERS

VARIABLE I.D. NUMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
M01	Maint. Action Demand Per Acft.	Real	No./Acft.
M02	Avg. OR RATE	Real	Percent (Hrs. OR/Hours Possessed)
M03	Avg. NORM RATE	Real	Percent (Hrs. NORM/Hours Possessed)
M04	Avg. NORS RATE	Real	Percent (Hrs. NORS/Hours Possessed)
M05	Total Maint. Personnel Authorized	Real	No./Acft.
M06	Total Maint. Personnel Assigned	Real	No./Acft.
M07	Total 3 Level Maint. Personnel Assigned	Real	No./Acft.
M08	Total 5 Level Maint. Personnel Assigned	Real	No./Acft.
M09	Total 7 Level Maint. Personnel Assigned	Real	No./Acft.
M10	Total 9 Level Maint. Personnel Assigned	Real	No./Acft.
M11	Total Maint. Personnel Authorized (AMS)	Real	No./Acft.
M12	Total Maint. Personnel Assigned (AMS)	Real	No./Acft.
M13	Total 3 Level Maint. Personnel Assigned (AMS)	Real	No./Acft.
M14	Total 5 Level Maint. Personnel Assigned (AMS)	Real	No./Acft.

TABLE B-1 MAINTENANCE PARAMETERS
CONT'D

VARIABLE I.D. NUMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
M15	Total 7 Level Maint. Personnel Assigned (AMS)	Real	No./Acft.
M16	Total 9 Level Maint. Personnel Assigned (AMS)	Real	No./Acft.
M17	Total Maint. Manhours Expended Per Acft.	Real	Hours/Acft.
M18	AMS Maint. Manhours Expended Per Acft.	Real	Hours/Acft.
M19	Maint. Concept	Scaled	Weighted Number
M20	Avg. Turn-Around Time - Maint.	Real	Clock Hours
M21	Acft. FOD (All Causes)	Real	No./Acft.
M22	Total General Support (01-09) Manhours Per Acft.	Real	Hours/Acft.
M23	Total General Support - 01 Manhours Per Acft. Ground Handling and Servicing	Real	Hours/Acft.
M24	Total General Support - 02 Manhours Per Acft. Aircraft Cleaning	Real	Hours/Acft.
M25	Total General Support - 03 Manhours Per Acft. Look Phase of Scheduled Inspections	Real	Hours/Acft.
M26	Total General Support - 04 Manhours Per Acft. Special Inspections	Real	Hours/Acft.
M27	Total General Support - 05 Manhours Per Acft. Preservation and Storage	Real	Hours/Acft.
M28	Total General Support - 06 Manhours Per Acft. Arming and Disarming	Real	Hours/Acft.

CONT'D

[illegible]

TABLE B-2 AVIONICS PARAMETERS

VARIABLE I.D. NUMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
A01	Maint. Action Demand Per Acft.	Real	No./Acft.
A02	Equipment Location on Acft.	Scaled	Weighted Number
A03	Equipment Weight	Real	LB's
A04	Equipment Volume	Real	Cu. In.
A05	SRU Count	Real	Number of SRU's
A06	Operating Temperature	Scaled	Weighted Number
A07	Cooling Method	Scaled	Weighted Number
A08	Protection Devices	Scaled	Weighted Number
A09	Number of Test Points (Org. Level)	Real	Number
A10	Required Age	Scaled	Weighted Number
A11	Age Availability	Real	Percent
A12	Age Unreliability	Real	Percent
A13	Avg. Operating Time Per Sortie	Real	Hours
A14	Failure/Malfunction Causes	Scaled	Weighted Number

TABLE B-2 AVIONICS PARAMETERS
CONT'D

VARIABLE I.D. NUMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
A15	Retest OK Rate	Real	Percent
A16	On-Off Cycles Per Flying Hour	Real	Number/10 Fly Hr.
A17	On-Off Cycles Per Sortie	Real	Number/Sortie
A18	Ground/Flight Operating Ratio	Real	Percent
A19	Failure/Abort Ratio	Real	Percent
A20	Equipment Density	Real	Cu. In. (Transform A03, A04)
A21	Equipment Total Maint. Man Hr. Per Acft.	Real	No./Acft.
A22	Equipment Total Removals Per Acft.	Real	No./Acft.
A23	Equipment Unscheduled Removals Per Acft.	Real	No./Acft.
A24	Equipment Scheduled Removals Per Acft.	Real	No./Acft.
A25	Equipment Ground Aborts Per Acft.	Real	No./Acft.
A26	Equipment Air Aborts Per Acft.	Real	No./Acft.
A27	Equipment Cannibalizations Per Acft.	Real	No./Acft.

TABLE B-3 ENGINE PARAMETERS

VARIABLE I.D. NUMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
P01	Maint. Action Demand Per Acft.	Real	No./Acft.
P02	Total No. of Installed Engines	Real	Total Number
P03	Take-Off Thrust Per Engine	Real	LB's/10
P04	Weight Per Engine	Real	LB's/10
P05	Volume Per Engine	Real	Cu. Ft./10
P06	Density Per Engine	Real	Cu. Ft./10 (Transform P04,P05)
P07	No. Compressor Sections Per Engine	Real	Number
P08	No. Compressor Blades Per Engine	Real	Number
P09	Turbine Section Size	Real	Feet
P10	Max. Engine Combustion Temp.	Real	Degrees "C"
P11	Max. Engine Fuel Flow	Real	LB's/Hr.
P12	Min. Engine Fuel Flow	Real	LB's/Hr.
P13	Engine Prime Depot	Scaled	Number (Scaled Value)
P14	Engine Age Availability	Real	Percent

TABLE B-3 ENGINE PARAMETERS
CONT'D

VARIABLE I.D. NUMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
P15	Engine Age Unreliability	Real	Percent
P16	Engine Vibration Factors	Scaled	Weighted Value
P17	Total Maint. Manhours Per Installed Engine	Real	Manhours
P18	Total Engine Maint. Manhours Per Acft.	Real	No./Acft.
P19	Total Engine Removals Per Acft.	Real	No./Acft.
P20	Unscheduled Engine Removals Per Acft.	Real	No./Acft.
P21	Scheduled Engine Removals Per Acft.	Real	No./Acft.
P22	Engine Ground Aborts Per Acft.	Real	No./Acft.
P23	Engine Air Aborts Per Acft.	Real	No./Acft.
P24	Engine Parts Cannibalization Per Acft.	Real	No./Acft.

TABLE B-4 OTHER EQUIPMENT PARAMETERS - MAINT. RESOURCE DEMAND (MRD)

VARIABLE I.D. NUMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
R01	Maintenance Action Demand Per Acft.	Real	No/Acft.
R02	Equipment Total Maint. Man Hr. Per Acft.	Real	No/Acft.
R03	Equipment Total Unscheduled Removals Per Acft.	Real	No/Acft.
R04	Equipment Ground Aborts Per Acft.	Real	No/Acft.
R05	Equipment Air Aborts Per Acft.	Real	No/Acft.
R06	Equipment Cannibizations Per Acft.	Real	No/Acft.

TABLE B-5 OTHER EQUIPMENT PARAMETERS

VARIABLE I.D. NUMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
F01	Location of Equipment on the Aircraft	Scaled	Scaled Value (See Note 1)
F02	Primary Material - Composition Technology Level	Scaled	Scaled Value (See Note 2)
F03	Equipment Weight	Real	Pounds
F04	Equipment Volume	Real	Cu. In.
F05	Operating Temperature	Real	Degrees F
F06	Support Equipment Complexity	Scaled	Scaled Value (See Note 3)
F07	Support Equipment Reliability	Real	Percent
F08	Type of Failure Problems	Scaled	Scaled Value (See Note 4)
F09	Inflight Squawk Verification Rate	Real	Percent
F10	On/Off Cycles Per Sortie	Real	Cycles/Sortie
F11	Ground to Flight Operating Ratio	Real	Percent
F12	Relative Reliability of Equip. Driving Force	Scaled	Scaled Value (See Note 5)
F13	Removals to Access Other Equipment	Real	No/Acft.
F14	Severity of F0D	Scaled	Scaled Value (See Note 6)

TABLE B-5 OTHER EQUIPMENT PARAMETERS
CONT'D

VARIABLE I.D. NUMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
F15	Principle Failure Cause	Scaled	Scaled Value (See Note 7)
F16	Equipment Protection Methodology	Scaled	Scaled
F17	Equipment Pressurization Level	Real	PSI
F18	Rain Removal Technology (Windshield)	Scaled	Scaled Value
F19	Mounting Position	Scaled	Scaled Value
F20	Power Rating (Generators)	Real	KVA Rating
F21	No. of Tire Ply's (Tires)	Real	Ply's Per Tire
F22	Landings Per Tire (Tires)	Real	Landings Per Tire
F23	Avg. Tire Cost (Tires)	Real	Cost Per Tire
F24	Securing Method Technology	Scaled	Scaled Value

TABLE B-6 OPERATIONAL PARAMETERS

VARIABLE I.D. NUMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
001	Maint. Action Demand Per Acft.	Real	No./Acft.
002	Years Acft. Have Been on Base	Real	No. Years
003	Avg. Mission Mix	Scaled	Weighted Number
004	Aircraft Grounded Time	Real	Percent of Days
005	Avg. Take-off Speed	Real	Knots
006	Median Take-off Distance	Real	Feet
007	Percent of Max. Take-off Wt.	Real	Percent
008	Avg. Climb Rate	Real	Feet/Min.
009	Avg. Cruise Speed	Real	Knots
010	Avg. Cruise Altitude	Real	Feet/10
011	Avg. Descent Rate	Real	Feet/Min.
012	Avg. Landing Speed	Real	Knots
013	Minimum Landing Distance	Real	Feet
014	Avg. Landing Wt.	Real	LB's/1000

TABLE B-6 OPERATIONAL PARAMETERS
CONT'D

VARIABLE I.D. NUMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
015	Total Flying Hours Per Acft.	Real	Hours/Acft.
016	Training Flying Hours Per Acft.	Real	Hours/Acft.
017	Operations Flying Hours Per Acft.	Real	Hours/Acft.
018	Misc. Flying Hours Per Acft.	Real	Hours/Acft.
019	Total Landings Per Acft.	Real	Landings/Acft.
020	Training Landings Per Acft.	Real	Landings/Acft.
021	Operations Landings Per Acft.	Real	Landings/Acft.
022	Misc. Landings Per Acft.	Real	Landings/Acft.
023	Avg. No. of Acft. on Alert	Real	Acft./Mo.
024	Avg. No. of Deployed Acft.	Real	Acft./Mo.
025	Total Sorties Per Acft.	Real	Sorties/Acft.
026	Training Sorties Per Acft.	Real	Sorties/Acft.
027	Operations Sorties Per Acft.	Real	Sorties/Acft.
028	Misc. Sorties Per Acft.	Real	Sorties/Acft.

TABLE B-6 OPERATIONAL PARAMETERS
CONT'D

VARIABLE I.D. NUMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
029	Avg. Possessed Acft.	Real	Acft./Mo.
030	Maximum Acft. Speed	Real	Knots
031	Maximum Acft. Ceiling	Real	Feet/10
032	Acft. Crew Size	Real	Number/Acft.
033	Avg. Sortie Length	Real	Hours/Sortie
034	Accidents (Major/Minor) Per Acft.	Real	No./Acft.
035	Incidents Per Acft.	Real	No./Acft.

TABLE B-7 ENVIRONMENTAL PARAMETERS

VARIABLE I.D. NUMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
E01	Maint. Action Demand Per Acft.	Real	No./Acft.
E02	Base Altitude	Real	Feet
E03	Runway Direction	Real	Degrees
E04	Distance to Mountains	Real	Miles
E05	Direction of Mountains	Real	Number
E06	No. of Snow Days	Real	Days
E07	Total Snow Fall	Real	Inches
E08	Mean Snow Depth	Real	Inches
E09	No. of Rain Days	Real	Days
E10	Total Rain Fall	Real	Inches
E11	No. of Hail Days	Real	Days
E12	Relative Humidity (Avg.)	Real	Percent
E13	No. of Thunder Days	Real	Days
E14	No. of Sleet Days	Real	Days

TABLE B-7 ENVIRONMENTAL PARAMETERS
CONT'D

VARIABLE I.D. NUMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
E15	No. of Fog Days	Real	Days
E16	Predominate Wind Direction	Real	Degrees
E17	Maximum Crosswind's Less Than 10 MPH	Real	Days
E18	Maximum Crosswind's 10-19 MPH	Real	Days
E19	Maximum Crosswind's 20-29 MPH	Real	Days
E20	Maximum Crosswind's 30-39 MPH	Real	Days
E21	Maximum Crosswind's 40-49 MPH	Real	Days
E22	Maximum Crosswind's Greater Than 50 MPH	Real	Days
E23	Mean Temperature	Real	Degrees "F"
E24	Mean Minimum Temperature	Real	Degrees "F"
E25	Mean Maximum Temperature	Real	Degrees "F"
E26	Days Maximum Temp. Was Above 80° "F"	Real	Days
E27	Days Minimum Temp. Was Below 32° "F"	Real	Days
E28	Total Number of Obstructions To Vision	Real	Number of Events

CONT'D

[illegible]

TABLE B-8' AIRCRAFT GENERAL PARAMETERS

VARIABLE I.D. NUMBER	LABEL NAME	KIND OF DATA REAL/SCALED	UNIT OF MEASURE
G01	Maint. Action Demand Per Acft.	Real	No./Acft.
G02	Years Since Aircraft Was Produced	Real	Years
G03	Aircraft Empty Wt.	Real	LB's/10
G04	Max. Gross Wt. - Take-off	Real	LB's/10
G05	Aircraft Wing Area	Real	Sq/Ft.
G06	Aircraft Aspect Ratio	Real	Percent
G07	Total Fuel Capacity	Real	Gallon's
G08	Avg. Aircraft Wing Load	Real	LB's/Sq. Ft.
G09	Years Since Engine Production	Real	Years
G10	No. of Installed Engines Per Acft.	Real	Number
G11	Engine Wt. Per Acft. (All Engines)	Real	LB's.
G12	Total Thrust Per Acft.	Real	LB's/10
G13	Designated Climb Rate	Real	Feet/Min.
G14	No. of Generator's Per Acft.	Real	No./Acft.

TABLE B-8 AIRCRAFT GENERAL PARAMETERS
CONT'D

[illegible]

APPENDIX C


BASE VISIT - AUTHORIZATION LETTER

To: Headquarters Strategic Air Command
Attn: LGM
Offutt Air Force Base, Nebraska 68113

25 April 1978
In Reply Refer To
2-3552-0078-032

Subject: Air Force Contract F33615-77-C-0075, "Development of Maintenance Metrics to Forecast Resource Demands on Weapon Systems" (METRICS)

Contract Monitor:
Mr. Frank Maher
AFHRL/ASR
WPAFB, Ohio 45433
PH (513)255-3771



Contract Manager:
Mr. George R. Herrold
Boeing Aerospace Co.
M/S 4A-45, P.O. Box 3999
Seattle, Washington 98124
PH (206)655-1941

INTRODUCTION: The Boeing Aerospace Company is performing a study for the Air Force to develop maintenance metrics to forecast resource demands of operational and new development aircraft.

OBJECTIVE: This research is designed to determine how hardware, operational, and environmental parameters impact maintenance demands on aircraft. More accurate METRICS (hardware [measures] and operational and environmental [weightings]) will be developed for incorporation into the Air Force method (Logistics Composite Model [LCOM]) of determining maintenance resource demands.

ASSISTANCE REQUIRED: In compliance with the subject contract, authorization is requested to visit the maintenance organization of the following bases to obtain applicable aircraft operational and maintenance type data. Specific data categories and elements will be coordinated with the various points of contact prior to visit.

<u>BASE</u>
Fairchild AFB (B-52/KC-135 Wing)
Plattsburgh AFB (FB-111 Wing)

<u>DESIRED DATE</u> <u>(LENGTH OF VISIT)</u>
June 26, 1978 (2 days)
June 29, 1978 (2 days)

Gordon A. Eckstrand

Dr. Gordon A. Eckstrand
Director: Advanced System Division (AFHRL/AS)
Air Force Human Resources Laboratory
Wright-Patterson AFB, Ohio

George R. Herrold

George R. Herrold
Contract Manager
Boeing Aerospace
Seattle, Washington

BOEING AEROSPACE CO SEATTLE WA PRODUCT SUPPORT/EXPER--ETC F/G 5/1
DEVELOPMENT OF MAINTENANCE METRICS TO FORECAST RESOURCE DEMANDS--ETC(U)
FEB 80 D K HINDES, G A WALKER, D H WILSON F33615-77-C-0075
D194-10089-1 NM

NL

AD A
096628

DATE _____

64 MED

4-8

DTIC

APPENDIX D

BASE VISIT - DATA ACQUISITION FORMS

<u>TITLE</u>	<u>PAGE</u>
1. MAINTENANCE	96
2. AVIONICS EQUIPMENTS	105
3. ENGINE EQUIPMENTS	112
4. OTHER EQUIPMENTS	118
5. OPERATIONS	131
6. ENVIRONMENTAL	138
7. GENERAL T. O.	146

METRICS I

MAINTENANCE -

(BASE - BY MONTH)

1. NUMBER OF AIRCRAFT PROCESSED (1977)?

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC

2. TOTAL SORTIES FLOWN (1977)?

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC

3. AVERAGE SORTIES PER AIRCRAFT (1977)?

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC

4. TOTAL FLYING HOURS (1977)?

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC

METRICS I

MAINTENANCE -

(BASE - BY MONTH)

5. AVERAGE FLYING HOURS PER AIRCRAFT (1977)?

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC

6. AVERAGE LANDINGS PER AIRCRAFT (1977)?

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC

7. AVERAGE "OR" RATE (1977)?

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC

8. AVERAGE "NORM" RATE (1977)?

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC

METRICS I

MAINTENANCE -

(BASE - BY MONTH)

9. AVERAGE "NORS" RATE (1977)?

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC

10. TOTAL MAINTENANCE PERSONNEL AUTHORIZED BY SQUADRON?

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC

11. TOTAL MAINTENANCE PERSONNEL ASSIGNED BY SQUADRON?

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC

12. TOTAL 3 LEVELS ASSIGNED BY SQUADRON?

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC

METRICS I

MAINTENANCE -

(BASE - BY MONTH)

13. TOTAL 5 LEVELS ASSIGNED BY SQUADRON?

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC

14. TOTAL 7 LEVELS ASSIGNED BY SQUADRON?

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC

15. TOTAL 9 LEVELS ASSIGNED BY SQUADRON?

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC

16. NUMBER OF RESERVE MAINTENANCE MAN MONTHS UTILIZED BY SQUADRON FOR THIS WEAPON SYSTEM?

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC

METRICS I

MAINTENANCE -

(BASE - BY MONTH)

17. NUMBER OF TOTAL MAINTENANCE MANHOURS UTILIZED BY SQUADRON FOR THIS WEAPON SYSTEM?

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC

METRICS I

MAINTENANCE -

(AIRCRAFT)

18. DO YOU HAVE ANY WORK THAT IS CONTRACTED WHICH WOULD INFLUENCE OR IMPACT REPORTED "MDC" DATA? (EXAMPLE - SOME OF THE MAINTENANCE OR SERVICING WORK IS CONTRACTED)

19. HAVE THERE BEEN SUBSYSTEMS OR "LRU'S" WHICH HAVE BEEN IDENTIFIED AS THE CAUSE FOR REPEATED ACCIDENTS, INCIDENTS OR HAZARDS?

20. ARE THERE PARTICULAR SUBSYSTEMS/LRU'S ON WHICH CANNIBALIZATION FREQUENTLY OCCUR? IF YES WHAT ARE THEY?

21. ARE THERE TROUBLESOME "LRU'S" OR SUBSYSTEMS WHICH ARE EITHER NOT IDENTIFIED WITH A WUC OR NOT ADEQUATELY DESCRIBED BY A WUC?

(FOR EXAMPLE - ARE THERE SUBSYSTEMS/LRU'S FOR WHICH WORK ACCOMPLISHED COULD BE REPORTED UNDER SEVERAL WUC'S)?

METRICS I

MAINTENANCE -

(AIRCRAFT)

22. ESTIMATE OF APU OPERATING TIME PER FLIGHT HOURS? WHAT PERCENT IS GROUND AND FLIGHT?
23. IS POMO (PRODUCTION ORIENTED MAINTENANCE ORGANIZATION) CONCEPT UTILIZED AND HOW LONG HAS IT BEEN IN EFFECT?
24. IS QUEEN BEE CONCEPT UTILIZED?
25. AT WHAT PHASE OF FLIGHT DO MOST ABORTS OCCUR (PERCENTAGE)? (PRIOR TO ENGINE START, TAXI, TAKE-OFF, CRUISE, ETC.)

METRICS I

MAINTENANCE -

(AIRCRAFT)

26. WHAT IS THE AVERAGE MAINTENANCE TURNAROUND TIME?

27. HAVE YOU PERCEIVED ANY RELATIONSHIP BETWEEN THE TYPE OF MISSIONS THE AIRCRAFT FLIES AND ITS MAINTENANCE DEMAND RATES?

28. WHAT MAJOR MODIFICATIONS WERE ACCOMPLISHED DURING 1977?

29. IS AIRCRAFT FOD A PROBLEM?

IF YES, WHAT ARE THE MAJOR CAUSES?

CAUSE

PERCENT OF TOTAL

A)

B)

C)

D)

E)

METRICS I

MAINTENANCE -

(AIRCRAFT)

30. DO RESERVES WORK ON AIRCRAFT?

31. DO YOU HAVE ANY STUDIES, INVESTIGATIONS, HISTORIES, PRESENTATIONS, OR REPORTS THAT MAY BE RELATED TO THIS PROJECT?

32. WHAT ARE THE SUPPORT GENERAL (01-09 BY WUC) UNITS PRODUCED, MANHOURS, CLOCKHOURS, TOTAL BY MONTH (1977)? (SEE PREPARED WORKSHEET)

METRICS I

AVIONICS -

WUC'S

1. NATIONAL STOCK NUMBER AND/OR PART NUMBER? (QUICK REFERENCE LIST? YES OR NO)

2. LOCATION OF EQUIPMENT ON AIRCRAFT?

3. NUMBER OF EQUIPMENT (QPA) IN AIRCRAFT?

4. EQUIPMENT WEIGHT?

METRICS I

AVIONICS -

5. EQUIPMENT VOLUME.

6. DENSITY OF EQUIPMENT (LBS. PER CUBIC FOOT) (COMPUTE FROM 4 AND 5 ABOVE)

7. WHAT IS THE SRU COUNT (COMPLEXITY) OF THIS EQUIPMENT?

8. WHAT IS THE OPERATING TEMPERATURE RANGE?

9. WHAT IF ANY IS THE METHOD OF COOLING THIS EQUIPMENT?

AMBIENT AIR _____

FORCED AIR _____

LIQUID _____

OTHER (SPECIFY) _____

METRICS |

AVIONICS -

10. WHAT TYPE OF PROTECTIVE DEVICES ARE USED WITH THIS EQUIPMENT?

11. NUMBER OF TEST POINTS FOR IN-CIRCUIT TESTING?

12. WHAT AGE OR TEST EQUIPMENT IS REQUIRED FOR MAINTENANCE ON THIS SUBSYSTEM?

13. WHAT PERCENT OF THE TIME IS THE REQUIRED AGE OR TEST EQUIPMENT AVAILABLE WHEN NEEDED?

14. WHEN USING THIS AGE OR TEST EQUIPMENT WHAT PERCENT OF THE TIME IS IT NOT RELIABLE?

METRICS I

AVIONICS -

15. AVERAGE OPERATING TIME BY TYPE MISSION?

- A)
- B)
- C)
- D)
- E)
- F)
- G)

16. WHAT GENERATES MOST OF THE MAJOR PROBLEMS?

- A) ENVIRONMENT
- B) EQUIPMENT USAGE (OPS/MISSION)
- C) HARDWARE DESIGN
- D) RELATIVE VIBRATION LEVEL

HIGH MEDIUM LOW

DISCUSSION:

METRICS I

AVIONICS -

17. WHAT PERCENT OF THE INFLIGHT SQUAWKS CAN BE VERIFIED ON THE GROUND?
18. DO FLYING HOURS DETERMINE THE FAILURE RATE OF THE SUBSYSTEM OR IS IT SOME OTHER FACTOR?
19. WHAT IS THE NUMBER OF ON-OFF CYCLES?
- A) PER FLYING HOUR _____
 - B) PER SORTIE _____
20. WHAT IS THE RATIO OF EQUIPMENT GROUND OPERATING TIME TO FLYING HOURS?

METRICS I

AVIONICS -

21. CAN MOST ABORTS AGAINST THE SPECIFIC SUBSYSTEM BE TRACED TO AN ACTUAL EQUIPMENT FAILURE? WHAT PERCENT?

22. WHAT IS THE AVERAGE CREW SIZE FOR A GIVEN MAINTENANCE ACTION?

23. WHAT FACTORS DETERMINE THE CREW SIZE FOR A GIVEN MAINTENANCE ACTION?

24. WHAT DEPOT IS PRIME ON THIS EQUIPMENT?

METRICS I

AVIONICS -

25. DO ANY BASE SAFETY REGULATIONS HINDER MAINTENANCE? IF SO HOW?

IF AFTER THE DISCUSSION A PORTION OF THE EQUIPMENT WHICH BOEING SELECTED TO STUDY WERE NOT MENTIONED, REPEAT SOME OF THE ABOVE QUESTIONS SPECIFICALLY ADDRESSING THE IGNORED EQUIPMENTS/SUBSYSTEMS.

METRICS I

ENGINE -

1. ENGINE THRUST?

A) TAKE-OFF _____

B) CRUISE _____

2. NATIONAL STOCK NUMBER AND/OR PART NUMBER, PARTS LISTS OR APPLICABLE T.O.?

3. ENGINE WEIGHT?

4. ENGINE VOLUME? (LENGTH AND DIAMETER) (CU. FT.)

5. DENSITY OF EQUIPMENT (LBS. PER CUBIC FOOT)? (COMPUTED FROM 4 ABOVE)

METRICS I

ENGINE -

6. WHAT IS THE SRU COUNT? (DETAIL PARTS LIST OR TIME CHANGE LIST)

7. WHAT IS THE PRIMARY METAL ALLOY/MATERIAL OF ENGINE?

8. HOW MANY COMPRESSION SECTIONS IN THE ENGINE?

9. HOW MANY COMPRESSION BLADES, TOTAL OR PER SECTION?

10. WHAT IS THE SIZE OF TURBINE SECTION, FEET, INCHES?

METRICS I

ENGINE -

11. WHAT IS THE ENGINE COMBUSTION EXIT TEMPERATURE: MAXIMUM, MINIMUM?

12. WHAT IS THE FUEL FLOW RANGE (MINIMUM, MAXIMUM)?

13. WHAT DEPOT IS PRIME ON THIS ENGINE?

14. ARE ENGINES REPAIRED THRU USE OF A QUEEN BEE CONCEPT?

15. WHAT AGE OR TEST EQUIPMENT IS REQUIRED FOR MAINTENANCE ON THIS ENGINE?
(TA-)

METRICS I

ENGINE -

16. WHAT PERCENT OF THE TIME IS THE REQUIRED AGE OR TEST EQUIPMENT AVAILABLE WHEN NEEDED?

17. WHEN USING THIS AGE OR TEST EQUIPMENT WHAT PERCENT OF THE TIME IS IT NOT RELIABLE?

18. IS ENGINE FOD A PROBLEM? IF YES WHAT ARE THE MAJOR CAUSES?

	<u>CAUSE</u>	<u>PERCENT OF TOTAL</u>
A)		
B)		
C)		
D)		
E)		

METRICS |

ENGINE -

19. WHAT IS THE VIBRATION FACTOR ON THE ENGINE?

- A) HIGH
- B) MEDIUM
- C) LOW

20. IS THERE A WAY TO OBTAIN DATA CONCERNING THE POWER/THRUST CYCLES AN
ENGINE EXPERIENCES DURING A TYPICAL FLIGHT?

METRICS I

ENGINE -

21. GENERAL SUPPORT DATA (09 DATA SPECIAL BREAKOUT)

TYPE OF MAINTENANCE	CREW SIZE	TYPE OF PEOPLE AFSC	CLOCK HOURS	NO. ACTIONS PER MONTH	MMH'S PER ACTION	PERCENT OF MMH'S CHARGED TO WUC	
						09	SYSTEM
A. ENGINE SHOP MAINTENANCE							
B. ENGINE BUILD UP							
C. ENGINE TEARDOWN							
D. ENGINE CONDITIONING							
E. TEST CELL							
F. LINE MAINTENANCE							
G. R&R ENGINE							
H. REMOVE ONLY							
I. REPLACE ONLY							
J. TEARDOWN							
K. ENGINE OVERHAUL (BASE LEVEL IF APPLICABLE)							

METRICS |

OTHER EQUIPMENTS -

WUC'S

NOTE: Questions 1 thru 27 (pages 1 thru 7) are General Questions that pertain to all Equipments.

Attachment 1 (pages A1 thru A6) have Specific Questions for Specific Equipments. Complete only those questions pertaining to the equipment identified by the WUC on the top of this page.

1. NATIONAL STOCK NUMBER AND/OR PART NUMBER? (QUICK REFERENCE LIST? YES OR NO)

2. MANUFACTURED BY? (COMPANY)

3. LOCATION OF EQUIPMENT ON AIRCRAFT?

☐ FOREWARD SPACES

☐ BOMB BAY

☐ EXTERNAL MOUNTS

☐ MIDSHIP SPACES

☐ WHEEL WELLS

☐ PROXIMITY OF ENGINES

☐ AFT SPACES

☐ COCKPIT

☐ OTHER (SPECIFY)

4. NUMBER OF EQUIPMENT (QPA) IN AIRCRAFT?

I.E. NO. OF COMPONENTS ON BOARD?

METRICS |

OTHER EQUIPMENTS -

5. EQUIPMENT WEIGHT?

6. EQUIPMENT VOLUME.

HEIGHT -

LENGTH -

WIDTH -

OR

DIAMETER -

7. WHAT IS THE PRIMARY MATERIAL?

8. PRESSURIZED?

YES

LIMIT OR RANGE?

NO

9. WHAT IS THE OPERATING TEMPERATURE RANGE?

METRICS I

OTHER EQUIPMENTS -

10. WHAT IF ANY IS THE METHOD OF COOLING THIS EQUIPMENT?

AMBIENT AIR _____

FORCED AIR _____

LIQUID _____

OTHER (SPECIFY) _____

11. WHAT TYPE OF PROTECTIVE DEVICES ARE USED WITH THIS EQUIPMENT?

_____ BIT FAULT IND.

_____ RADIATION SHIELDS

_____ FUSES

_____ CIRCUIT BREAKER

_____ COVERS, REMOVABLE

_____ RELAYS

_____ PHY DAMAGE GUARDS

_____ SHOCK MOUNTS

_____ OTHER (SPECIFY)

12. WHAT ARE THE OPERATING RESTRICTIONS? (TEMP, TIME, ETC.)

ON THE GROUND

IN THE AIR

13. PERCENT OF FAILURES CAUSED BY EXCEEDING RESTRICTIONS?

14. WHAT AGE OR TEST EQUIPMENT IS REQUIRED FOR MAINTENANCE ON THIS EQUIPMENT?

_____ SIMPLE HAND TOOLS/METERS

_____ BASIC ELECTRICAL TEST EQUIPMENT

_____ COMMERCIAL TEST SETS/SUPPORT EQUIPMENT

_____ GENERAL PURPOSE MILITARY TEST SETS/SUPPORT EQUIPMENT

_____ DEDICATED TEST SETS/SUPPORT EQUIPMENT

_____ COMPUTERIZED/AUTOMATIC TEST STATIONS

METRICS I

OTHER EQUIPMENTS -

15. WHEN USING THIS AGE OR TEST EQUIPMENT WHAT PERCENT OF THE TIME IS IT NOT RELIABLE?

16. WHAT GENERATES MOST OF THE MAJOR PROBLEMS?

A) ENVIRONMENT

B) EQUIPMENT USAGE (MAINT., OPS., TYPE MISSION)

C) HARDWARE DESIGN

D) RELATIVE VIBRATION LEVEL

HIGH MEDIUM LOW

E) OTHER

DISCUSSION:

17. WHAT PERCENT OF THE INFLIGHT SQUAWKS CAN BE VERIFIED ON THE GROUND?

18. DO FLYING HOURS DETERMINE THE FAILURE RATE OF THE SUBSYSTEM OR IS IT SOME OTHER FACTOR.

METRICS I

OTHER EQUIPMENTS -

19. WHAT IS THE NUMBER OF ON-OFF CYCLES?

A) PER FLYING HOUR _____

B) PER SORTIE _____

20. WHAT IS THE RATIO OF EQUIPMENT GROUND OPERATING TIME TO FLYING HOURS?

21. WHAT DEPOT IS PRIME ON THIS EQUIPMENT?

22. HOW IS EQUIPMENT OPERATED?

A) ELECTRICAL

B) MECHANICAL

C) HYDRAULIC

D) PNEUMATIC

E) OTHER - WHAT?

23. IS THIS EQUIPMENT REMOVED TO FACILITATE OTHER MAINTENANCE? IF YES, HOW OFTEN AND FOR WHAT?

METRICS I

OTHER EQUIPMENTS -

24. TYPE OF MAINTENANCE AUTHORIZED?

ORGANIZATIONAL (LINE) - %

INTERMEDIATE (SHOP) - %

DEPOT - %

DISCUSSION: NRTS/CONDEMNED/ETC.

25. IS FOD A PROBLEM? IF YES, WHAT AND HOW?

26. HAVE THERE BEEN ANY MAJOR MODIFICATIONS? (MAJOR IMPROVEMENTS OR
DEGRADATIONS) IF YES - WHEN AND WHAT?

METRICS I

OTHER EQUIPMENTS -

27. DO ANY OF THE FOLLOWING CONTRIBUTE TO HIGH FAILURES?

AIRCRAFT HIGH SPEED

LOW LEVEL FLIGHT

TURBULANCE

AIR REFUELING

LANDINGS

GUN FIRINGS

ROCKET FIRINGS

BOMBING

OTHER - SPECIFY

IF YES, HOW AND WHAT FAILS?

METRICS I

OTHER EQUIPMENT ORIENTED QUESTIONS BY SYSTEM

11 AIRFRAME

RADOME

HOW IS IT SECURED TO THE AIRCRAFT?

WINDSHIELD

METHOD OF RAIN REMOVAL?

CURING TIME?

NESA OR HEATED TYPE?

WINGS

TYPE OF SCREWS/FASTNERS FOR SKIN, ACCESS PANELS, DOORS, ETC.?

ANGLE OF SWEEP?

POSITION RELATIVE TO FUSELAGE?

UPPER

MID

LOWER

STRESSED SKIN?

YES

NO

WET WING?

YES

NO

METRICS I

OTHER EQUIPMENT ORIENTED QUESTIONS BY SYSTEM

12 COCKPIT FURNISHING

SEAT ASSY

EJECTION

YES

UPWARD

NO

DOWNWARD

13 LANDING GEAR

TIRES

MAIN TIRE

NOSE TIRE

OUTRIGGER TIRE 8-52G

SIZE

PRESSURE-PSI

WEIGHT

PLY'S

COSTS

NEW

RECAP

LANDINGS/PER TIRE

PROBLEMS

FOD

RUNWAY

TAXIWAY

ETC.

NO. NRTS/%

NO. CONDEMNED/%

METRICS I

OTHER EQUIPMENT ORIENTED QUESTIONS BY SYSTEM

13. LANDING GEAR (CONT)

	<u>CREW SIZE</u>	<u>CLOCK HOURS</u>	<u>MANHOURS</u>
R & R			
INSPECT ON ACFT			
BENCH CHECK			
TEARDOWN			
BUILD UP			
DISCUSSION:			

WHEELS

MAIN

NOSE

NO. ON ACFT
SPLIT RIM
SINGLE OR DOUBLE AXLE
TYPE OF BEARINGS

BRAKES

TYPE OF BRAKE
NUMBER OF PUCKS
ANTI-SKID (YES OR NO)
HYDRAULIC
PNEUMATIC
BRAKE PRESS RANGE
EMERGENCY BRAKE TYPE
STEERING - YES, NO

METRICS I

OTHER EQUIPMENT ORIENTED QUESTIONS BY SYSTEM

14 FLIGHT CONTROLS

HORIZONTAL STABILIZER?

RUDDER?

FLAPS?

- TYPE OF SKIN SCREWS, FASTNERS, ACCESS PANELS/DOORS
- PROBLEM AREAS

41 ENVIRONMENTAL CONTROL

WATER SEPERATOR

42 ELECTRICAL POWER GENERATING

GENERATORS

KVA RATING?

OVERLOAD RATING/TIME LIMIT?

44 EXTERIOR LIGHTING

METRICS I

OTHER EQUIPMENT ORIENTED QUESTIONS BY SYSTEM

45 HYDRAULICS

PUMPS

VARIABLE DISPLACEMENT

PISTON

GALLONS PER MIN (GPM) RATING

PSI RATING

46 FUEL

TANKS

BLADDER

INTEGRAL

CAPACITY: LB'S -

GALLONS -

SEALING/FIRE SURPRESSION

SELF

FOAM

OTHER

PRESSURIZED:

YES

NO

METRICS

OTHER EQUIPMENT ORIENTED
QUESTIONS BY SYSTEM

47 LIQUID OXYGEN

REGULATOR

CONVERTER

49 MISC. EQUIPMENT

FIRE DETECTION SYSTEM

METRICS I

OPERATIONS -

(AIRCRAFT)

1. BASE TENANT STATUS? TENANT _____ HOW LONG _____

2. HOW LONG HAVE AIRCRAFT BEEN AT THIS BASE? YEARS _____ MONTHS _____

3. WHAT IS THE MISSION MIX OF THE AIRCRAFT FOR AN AVERAGE MONTH?

	<u>TYPE OF MISSION</u>	<u>PERCENT OF TOTAL</u>
A)		
B)		
C)		
D)		
E)		
F)		
G)		

METRICS I

OPERATIONS -

(AIRCRAFT)

4. WERE ANY AIRCRAFT GROUNDED FOR ANY LENGTH OF TIME DURING 1977? IF SO, HOW MANY, HOW LONG, AND REASON.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC

5. AVERAGE TAKE-OFF SPEED?

6. AVERAGE TAKE-OFF DISTANCE BY TYPE MISSION?

7. AVERAGE TAKE-OFF WEIGHT BY TYPE OF MISSION AS A PERCENTAGE OF MAXIMUM TAKE-OFF WEIGHT?

METRICS I

OPERATIONS -

(AIRCRAFT)

8. AVERAGE CLIMB RATE BY TYPE MISSION?

9. AVERAGE CRUISE SPEED BY TYPE MISSION?

10. AVERAGE CRUISE ALTITUDE BY TYPE MISSION?

11. AVERAGE DESCENT RATE BY TYPE MISSION?

12. LANDING SPEED?

METRICS I

OPERATIONS -

(AIRCRAFT)

13. MINIMUM LANDING DISTANCE?

14. AVERAGE LANDING WEIGHT?

15. AVERAGE CREW SIZE (AIRCRAFT) BY TYPE MISSION?

16. DURING 1977 DID THIS WING PARTICIPATE IN ANY SPECIAL EXERCISES (I.E., WITH THE NAVY OR MARINES, ETC.)? IF SO HOW LONG, NUMBER OF AIRCRAFT AND LOCATION.

METRICS I

OPERATIONS -

(BASE - BY MONTH)

17. AVERAGE SORTIE LENGTH BY TYPE OF MISSION (1977)?

	JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
A)												
B)												
C)												
D)												
E)												
F)												
G)												

18. FLYING HOURS BY TYPE OF MISSION (1977)?

	JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
A)												
B)												
C)												
D)												
E)												
F)												
G)												

METRICS I

OPERATIONS -

(BASE - BY MONTH)

19. TOTAL NUMBER OF LANDINGS BY TYPE OF MISSION (1977)?

	JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
A)												
B)												
C)												
D)												
E)												
F)												
G)												

20. AVERAGE NUMBER OF BASE AIRCRAFT ON ALERT (1977)?

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC

METRICS I

OPERATIONS -

(BASE - BY MONTH)

21. AVERAGE NUMBER OF AIRCRAFT DEPLOYED (1977)?

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC

22. NUMBER OF SORTIES FLOWN BY TYPE OF MISSION (1977)?

	JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
A)												
B)												
C)												
D)												
E)												
F)												
G)												

METRICS I

ENVIROMENTAL

(PARAMETERS BY BASE)

ALTITUDE OF BASE?

GEOGRAPHY OF AREA.

- A) HILLY
- B) FLAT
- C) DESERT
- D) ETC.

DIRECTION OF MAIN RUNWAYS.

DISTANCE OF NEAREST MOUNTAINS?

TOTAL DAYLIGHT HOURS PER MONTH.

DISTANCE OF BASE FROM NEAREST BODY OF FRESH WATER?

DISTANCE OF BASE FROM NEAREST BODY OF SALT WATER?

METRICS I

ENVIRONMENTAL

(PARAMETERS BY BASE BY MONTH)

NUMBER OF SNOW EVENTS IN MONTH.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

NUMBER OF DAYS OF SNOW IN MONTH.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

INCHES OF SNOW BY MONTH.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

NUMBER OF RAIN EVENTS IN MONTH.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

NUMBER OF DAYS OF RAIN IN MONTH.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

INCHES OF RAIN BY MONTH.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

METRICS I

ENVIRONMENTAL

(PARAMETERS BY BASE BY MONTH)

NUMBER OF HAIL EVENTS IN MONTH.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

NUMBER OF DAYS WITH HIGH PRESSURE.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

NUMBER OF DAYS WITH LOW PRESSURE.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

PERCENT RELATIVE HUMIDITY BELOW 50%.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

PERCENT RELATIVE HUMIDITY OVER 50%.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

PERCENT RELATIVE HUMIDITY OVER 70%.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

METRICS I

ENVIRONMENTAL

(PARAMETERS BY BASE BY MONTH)

PERCENT RELATIVE HUMIDITY OVER 80%.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

PERCENT RELATIVE HUMIDITY OVER 90%.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

PREDOMINATE DIRECTION FROM WHICH WIND BLOWS EACH MONTH.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

PERCENT TIME WIND BLOWS FROM SALT WATER.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

NUMBER OF DAYS WITH MAXIMUM WIND BELOW 10 MPH.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

NUMBER OF DAYS WITH MAXIMUM WIND BETWEEN 10-20 MPH.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

METRICS I

ENVIRONMENTAL

(PARAMETERS BY BASE BY MONTH)

NUMBER OF DAYS WITH MAXIMUM WIND BETWEEN 20-30 MPH.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

NUMBER OF DAYS WITH MAXIMUM WIND BETWEEN 30-40 MPH.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

NUMBER OF DAYS WITH MAXIMUM WIND BETWEEN 40-50 MPH.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

NUMBER OF DAYS WITH MAXIMUM WIND OVER 50 MPH.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

MEAN MONTHLY TEMPERATURE.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

LOWEST TEMPERATURE FOR MONTH.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

METRICS I

ENVIRONMENTAL

(PARAMETERS BY BASE BY MONTH)

HIGHEST TEMPERATURE FOR MONTH.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

AVERAGE MAXIMUM DAILY TEMPERATURE.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

AVERAGE MINIMUM DAILY TEMPERATURE.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

NUMBER OF FREEZING PRECIPITATION EVENTS.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

NUMBER OF DAYS WITH FOG CONDITIONS.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

PERCENT TIME SAND OR DUST OBSCURATION PRESENT.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

METRICS I

ENVIRONMENTAL

(PARAMETERS BY BASE BY MONTH)

AVERAGE OZONE CONCENTRATION PER MONTH.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

NUMBER OF AIR INVERTIONS PER MONTH.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

NUMBER OF POLLUTION ALERTS PER MONTH.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

AVERAGE MONTHLY POLLUTION LEVEL.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

PERCENT TIME SALT HAZE/SPRAY CONDITIONS PRESENT.

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

WHAT WERE THE NUMBER OF BIRD STRIKES ON OR NEAR THE BASE DURING 1977?

JAN	FEB	MARCH	APRIL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
-----	-----	-------	-------	-----	------	------	-----	------	-----	-----	-----

METRICS I

ENVIRONMENTAL

(PARAMETERS BY BASE BY MONTH)

DID THIS BASE HAVE ANY ABNORMAL ENVIRONMENTAL EVENTS SUCH AS HURRICANE, TORNADO, ETC., DURING 1977? IF SO PROVIDE PRIMARY STATISTICS SUCH AS NUMBER OF DAYS, TIME OF YEAR, WINDS, AIRCRAFT EVACUATION, ETC.

THROUGH YOUR EXPERIENCE, HAVE YOU PERCEIVED POSSIBLE RELATIONSHIPS BETWEEN ANY ENVIRONMENTAL FACTORS AND THE AIRCRAFTS MAINTENANCE DEMAND RATES?

METRICS I

HARDWARE - GENERAL T.O. INFORMATION

(AIRCRAFT)

YEARS SINCE AIRCRAFT WAS PRODUCED.

AIRCRAFT WEIGHT.

MAXIMUM GROSS WEIGHT AT TAKE-OFF.

AIRCRAFT DENSITY (LBS PER CUBIC FEET).

AIRCRAFT VOLUMN (CUBIC FEET).

WING AREA.

ASPECT RATIO.

TOTAL FUEL CAPACITY IN LBS. OR GALLONS.

METRICS I

HARDWARE - GENERAL T.O. INFORMATION

(AIRCRAFT)

WET AREA.

AVERAGE WING LOAD.

TYPE OF WINDSHIELD (FLAT VS CURVED)

NUMBER OF YEARS SINCE PRODUCTION OF ENGINE.

LOCATION OF ENGINES ON AIRCRAFT.

NUMBER OF ENGINES ON AIRCRAFT.

NUMBER OF PODDED NACELLES.

WEIGHT OF EACH ENGINE.

METRICS I

HARDWARE - GENERAL T.O. INFORMATION

(AIRCRAFT)

VOLUMN OF ENGINE.

DENSITY OF ENGINE (LBS. PER CUBIC FOOT).

THRUST PER ENGINE IN LBS.

OUTLET TEMPERATURE.

INLET TEMPERATURE.

FUEL TEMPERATURES.

FUEL PRESSURES.

METRICS I

HARDWARE - GENERAL T.O. INFORMATION

(AIRCRAFT)

RPM OF ENGINE AT

A) IDLE

B) TAXI

C) DURING FLIGHT

ENGINE FIRE DETECTION (SINGLE OR DUAL CIRCUIT).

THRUST REVERSORS (YES OR NO).

FUEL GRADE.

DESIGNED CLIMB RATE.

NUMBER OF INFLIGHT OPERATED ELECTRIC GENERATORS.

MAXIMUM SPEED.

METRICS I

HARDWARE - GENERAL T.O. INFORMATION

(AIRCRAFT)

MAXIMUM CEILING.

YEARS SINCE INITIAL PRODUCTION.

WHAT ARE THE HIGH COST LRU'S IN TERMS OF DOLLARS?

COST OF HARDWARE.

GLOSSARY OF ABBREVIATIONS

ACFT	Aircraft
AFB	Air Force Base
AFHRL	Air Force Human Resources Laboratory
AFLC	Air Force Logistics Command
AFM	Air Force Manual
AFMEA	Air Force Management Engineering Agency
AFMSMET	Air Force Maintenance and Supply Management Engineering Team
AFSC	Air Force Systems Command
AGE	Aerospace Ground Equipment
AMS	Avionics Maintenance Squadron
ATC	Air Training Command
AVG	Average
BCS	Boeing Computer Services
BLIS	Base Level Information System
BMW	Bomb Wing
CDEP	Common Data Extraction Program
DCM	Deputy Commander for Maintenance
DCO	Deputy Commander for Operations
DDC	Defense Documentation Center
DLSIE	Defense Logistics Studies Information Exchange
DOC	Document
EAC	Experience Analysis Center

FMS	Field Maintenance Squadron
FOD	Foreign Objects Damage
FTW	Fighter Training Wing
GIDEP	Government-Industry Data Exchange Program
HF	High Frequency
HR	Hour
HRS	Hours
IFF	Identify Friend or Foe
JCN	Job Control Number
LB's	Pounds
LCOM	Logistic Composite Model
LRU	Line Replaceable Unit
MAC	Military Airlift Command
MAINT	Maintenance
MAW	Military Airlift Wing
MMH	Maintenance Manhour
MMM	Maintenance Manpower Model
NCOIC	Non Commissioned Officer in Charge
NO	Number
NORM	Not Operational Ready Maintenance
NORS	Not Operational Ready Supply
OIC	Officer in Charge
OR	Operational Ready
O&S	Operations and Support
QC	Quality Control

R&R	Remove and Replace
R/T	Receiver/Transmitter
SAC	Strategic Air Command
SRU	Shop Removable Unit
STINFO	Scientific and Technical Information
TAC	Tactical Air Command
TACAN	Tactical Air Navigation
TFW	Tactical Fighter Wing
TO	Technical Order
TR	Technical Report
TTW	Tactical Training Wing
UHF	Ultra High Frequency
USAFE	United States Air Forces Europe
WUC	Work Unit Code
WT	Weight

THE **BOEING** COMPANY

3-9-81

DATE
FILMED
-8