

4074 01

AD A098420

TECHNICAL REPORT
NATICK/TR-81/012

**SELECTED BIVARIATE FREQUENCY TABLES:
U.S. ARMY MEN AND WOMEN**

by

Thomas Churchill
Kathleen M. Robinette
and
Glen Potter

Anthropology Research Project
Yellow Springs, Ohio

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.

January 1981

UNITED STATES ARMY
NATICK RESEARCH and DEVELOPMENT LABORATORIES
NATICK, MASSACHUSETTS 01760



20030110131

Clothing, Equipment & Materials Engineering Laboratory
CEMEL-226

Approved for public release; distribution unlimited.

Citation of trade names in this report does not constitute an official indorsement or approval of the use of such items.

Destroy this report when no longer needed. Do not return it to the originator.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NATICK/TR-81/012	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) SELECTED BIVARIATE FREQUENCY TABLES: U.S. ARMY MEN AND WOMEN		5. TYPE OF REPORT & PERIOD COVERED Technical Report
7. AUTHOR(s) Thomas Churchill Glen Potter* Kathleen M. Robinette		6. PERFORMING ORG. REPORT NUMBER CEMEL-226
9. PERFORMING ORGANIZATION NAME AND ADDRESS Anthropology Research Project, Inc. 503 Xenia Avenue Yellow Springs, Ohio 45387		8. CONTRACT OR GRANT NUMBER(s) DAAK60-79-C-0097
11. CONTROLLING OFFICE NAME AND ADDRESS U.S. Army Natick R & D Laboratories ATTN: DRDNA-VCA Natick, Massachusetts 01760		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 62723A 1L162723AH98-AC-008
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE January 1981
		13. NUMBER OF PAGES 209
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES *University of Dayton Research Institute 300 College Park Avenue Dayton, Ohio 45469		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
Anthropometry Measurement(s) Body size Sizes (Dimensions)	Survey(s) U.S. Army Military personnel Men	Women Bivariate tables Correlation coefficients Regression equations
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)		
Bivariate tables graphically portray the relationship between two dimensions and have traditionally played an important role in the use of anthropometric data by clothing and workspace designers. Published in this report, for the first time, is a set of bivariate tables in which men's and women's data are presented in comparable form, with the same units, the same interval widths, and the same interval endpoints. This presentation of the data will facilitate the use of the bivariate tables for design problems which involve		

UNCLASSIFIED

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

20. ABSTRACT (continued)

both men and women. This particular set of bivariates has been selected for the benefit of clothing designers in particular; however, many of them may be applicable to other types of design problems.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

PREFACE

This report was developed in response to the requirements of contract DAAK60-79-C-0097 with the U.S. Army Natick Research and Development Laboratories. Mr. Robert M. White served as contract monitor and played an active role in the selection of the bivariate.

The authors are grateful to Ms. Ilse Tebbetts for carefully organizing the report, to Ms. Jane Reese for utilizing her expertise in preparing the manuscript for publication and to Dr. John T. McConville for his guidance.

TABLE OF CONTENTS

	<u>Page</u>
LIST OF TABLES	4
INTRODUCTION	13
SECTION I Paired Male and Female Bivariates: Dimensions Comparable	19
SECTION II Paired Male and Female Bivariates: Dimensions Not Comparable	103
SECTION III Unique Male and Female Bivariates	143
SECTION IV Double Male/Female Bivariates	155
APPENDIX Measurement Descriptions.	197
INDEX OF BIVARIATE TABLES.	205

LIST OF TABLES

<u>Table</u>		<u>Page</u>
1	A Bivariate Table for Crotch Height and Hip Circumference	15
2	Distribution of Samples by Age, Rank and Race	17
SECTION I: Paired Male and Female Bivariates: Dimensions Comparable		
Bust/Chest Circumference and Biceps Circumference:		
3	 Men	20
4	 Women	21
Bust/Chest Circumference and Hip Circumference:		
5	 Men	22
6	 Women	23
Bust/Chest Circumference and Scye Circumference:		
7	 Men	24
8	 Women	25
Bust/Chest Circumference and Shoulder Circumference:		
9	 Men	26
10	 Women	27
Bust/Chest Circumference and Shoulder Length:		
11	 Men	28
12	 Women	29
Bust/Chest Circumference and Sleeve Inseam:		
13	 Men	30
14	 Women	31
Bust/Chest Circumference and Weight:		
15	 Men	32
16	 Women	33
Bust/Chest Circumference and Wrist Circumference:		
17	 Men	34
18	 Women	35
Crotch Height and Ankle Circumference:		
19	 Men	36
20	 Women	37
Crotch Height and Hip Circumference:		
21	 Men	38
22	 Women	39

LIST OF TABLES (cont'd)

<u>Table</u>		<u>Page</u>
	Crotch Height and Stature:	
23	 Men	40
24	 Women	41
	Crotch Height and Upper Thigh Circumference:	
25	 Men	42
26	 Women	43
	Foot Breadth and Foot Circumference:	
27	 Men	44
28	 Women	45
	Foot Breadth and Heel Breadth:	
29	 Men	46
30	 Women	47
	Foot Length and Foot Breadth:	
31	 Men	48
32	 Women	49
	Foot Length and Foot Circumference:	
33	 Men	50
34	 Women	51
	Foot Length and Instep Length:	
35	 Men	52
36	 Women	53
	Hand Breadth and Hand Length:	
37	 Men	54
38	 Women	55
	Hand Breadth and Palm Length:	
39	 Men	56
40	 Women	57
	Hand Circumference and Hand Breadth:	
41	 Men	58
42	 Women	59
	Hand Circumference and Hand Length:	
43	 Men	60
44	 Women	61
	Hand Circumference and Palm Length:	
45	 Men	62
46	 Women	63

LIST OF TABLES (cont'd)

<u>Table</u>		<u>Page</u>
	Head Breadth and Head Circumference:	
47	 Men	64
48	 Women	65
	Head Length and Head Breadth:	
49	 Men	66
50	 Women	67
	Head Length and Head Circumference:	
51	 Men	68
52	 Women	69
	Hip Breadth and Hip Circumference:	
53	 Men	70
54	 Women	71
	Hip Breadth and Weight:	
55	 Men	72
56	 Women	73
	Hip Circumference and Upper Thigh Circumference:	
57	 Men	74
58	 Women	75
	Hip Circumference and Weight:	
59	 Men	76
60	 Women	77
	Instep Circumference and Foot Circumference:	
61	 Men	78
62	 Women	79
	Instep Circumference and Heel-Ankle Circumference:	
63	 Men	80
64	 Women	81
	Palm Length and Hand Length:	
65	 Men	82
66	 Women	83
	Shoulder Circumference and Weight:	
67	 Men	84
68	 Women	85
	Stature and Bust/Chest Circumference:	
69	 Men	86
70	 Women	87

LIST OF TABLES (cont'd)

<u>Table</u>		<u>Page</u>
	Stature and Hip Breadth:	
71	 Men	88
72	 Women	89
	Stature and Hip Circumference:	
73	 Men	90
74	 Women	91
	Stature and Shoulder Circumference:	
75	 Men	92
76	 Women	93
	Stature and Sleeve Inseam:	
77	 Men	94
78	 Women	95
	Stature and Upper Thigh Circumference:	
79	 Men	96
80	 Women	97
	Stature and Weight:	
81	 Men	98
82	 Women	99
	Upper Thigh Circumference and Weight:	
83	 Men	100
84	 Women	101
	SECTION II: Paired Male and Female Bivariates: Dimensions Not Comparable	
	Ankle Circumference and Waist Circumference:	
85	 Men	104
86	 Women	105
	Bust/Chest Circumference and Interscye Back:	
87	 Men	106
88	 Women	107
	Bust/Chest Circumference and Neck Circumference:	
89	 Men	108
90	 Women	109
	Bust/Chest Circumference and Vertical Trunk Circumference:	
91	 Men	110
92	 Women	111

LIST OF TABLES (cont'd)

<u>Table</u>		<u>Page</u>
	Bust/Chest Circumference and Waist Back:	
93	 Men	112
94	 Women	113
	Bust/Chest Circumference and Waist Circumference:	
95	 Men	114
96	 Women	115
	Crotch Height and Vertical Trunk Circumference:	
97	 Men	116
98	 Women	117
	Crotch Height and Waist Circumference:	
99	 Men	118
100	 Women	119
	Crotch Height and Waist Height:	
101	 Men	120
102	 Women	121
	Hip Circumference and Waist Circumference:	
103	 Men	122
104	 Women	123
	Stature and Interscye Back:	
105	 Men	124
106	 Women	125
	Stature and Neck Circumference:	
107	 Men	126
108	 Women	127
	Stature and Vertical Trunk Circumference:	
109	 Men	128
110	 Women	129
	Stature and Waist Back:	
111	 Men	130
112	 Women	131
	Stature and Waist Circumference:	
113	 Men	132
114	 Women	133
	Stature and Waist Height:	
115	 Men	134
116	 Women	135

LIST OF TABLES (cont'd)

<u>Table</u>		<u>Page</u>
	Upper Thigh Circumference and Waist Circumference:	
117	 Men	136
118	 Women	137
	Vertical Trunk Circumference and Waist Circumference:	
119	 Men	138
120	 Women	139
	Waist Circumference and Weight	
121	 Men	140
122	 Women	141
	SECTION III: Unique Male and Female Bivariates	
123	Ankle Height and Foot Length: Women	144
124	Ankle Height and Sphyrion Height: Women	145
125	Bust/Chest Circumference and Sleeve Length: Men	146
126	Bust/Chest Circumference and Sleeve Outseam: Women.	147
127	Bust/Chest Circumference and Waist Front: Women	148
128	Crotch Length and Waist Circumference: Women.	149
129	Neck Circumference and Sleeve Length: Men	150
130	Sphyrion Height and Foot Length: Women.	151
131	Stature and Sleeve Length: Men.	152
132	Stature and Sleeve Outseam: Women	153
133	Stature and Waist Front: Women.	154
	SECTION IV: Double Male/Female Bivariates	
134	Bust/Chest Circumference and Biceps Circumference	156
135	Bust/Chest Circumference and Hip Circumference.	157
136	Bust/Chest Circumference and Scye Circumference	158

LIST OF TABLES (cont'd)

<u>Table</u>		<u>Page</u>
137	Bust/Chest Circumference and Shoulder Circumference. . . .	159
138	Bust/Chest Circumference and Shoulder Length	160
139	Bust/Chest Circumference and Sleeve Inseam	161
140	Bust/Chest Circumference and Weight.	162
141	Bust/Chest Circumference and Wrist Circumference	163
142	Crotch Height and Ankle Circumference.	164
143	Crotch Height and Hip Circumference.	165
144	Crotch Height and Stature.	166
145	Crotch Height and Upper Thigh Circumference.	167
146	Foot Breadth and Foot Circumference.	168
147	Foot Breadth and Heel Breadth.	169
148	Foot Length and Foot Breadth	170
149	Foot Length and Foot Circumference	171
150	Foot Length and Instep Length.	172
151	Hand Breadth and Hand Length	173
152	Hand Breadth and Palm Length	174
153	Hand Circumference and Hand Breadth.	175
154	Hand Circumference and Hand Length	176
155	Hand Circumference and Palm Length	177
156	Head Breadth and Head Circumference.	178
157	Head Length and Head Breadth	179
158	Head Length and Head Circumference	180
159	Hip Breadth and Hip Circumference.	181
160	Hip Breadth and Weight	182
161	Hip Circumference and Upper Thigh Circumference.	183

LIST OF TABLES (cont'd)

<u>Table</u>		<u>Page</u>
162	Hip Circumference and Weight.	184
163	Instep Circumference and Foot Circumference	185
164	Instep Circumference and Heel-Ankle Circumference	186
165	Palm Length and Hand Length	187
166	Shoulder Circumference and Weight	188
167	Stature and Bust/Chest Circumference.	189
168	Stature and Hip Breadth	190
169	Stature and Hip Circumference	191
170	Stature and Shoulder Circumference.	192
171	Stature and Sleeve Inseam	193
172	Stature and Upper Thigh Circumference	194
173	Stature and Weight.	195
174	Upper Thigh Circumference and Weight.	196

SELECTED BIVARIATE FREQUENCY TABLES:
U.S. ARMY MEN AND WOMEN

INTRODUCTION

Fundamental to the successful design of Army clothing is a working knowledge of the relationships of human body dimensions to one another. While a staggering number of measurement statistics are available, their very abundance may well prove somewhat defeating to the clothing designer faced with the task of designing a variety of clothing for men and women, determining how many sizes will be necessary to accommodate the target population and, finally, determining how many of each garment will be required.

Among the most practical and useful ways of displaying information dealing with the multiplicity of relationships between clothing-related dimensions, and demonstrating at the same time the degree to which they relate to one another through the whole range of the population, are bivariate frequency tables. These tables show the range of any two given dimensions and present a graphic overview of how the subject population distributes itself across that range. They provide a means for deciding how many sizes will be needed depending on the size intervals selected and, once graphically divided into size categories, they show how many garments of each size will have to be provided.

While some bivariate tables for Army men do exist, they are unpublished and not easily accessible to designers. A number of bivariate tables based on Army women's data were published (Churchill, T. et al., 1977)* but they are not comparable or compatible with the few existing men's bivariate tables. Published in this volume for the first time is a set of comparable men's and women's bivariate tables in which identical pairs of variables are used and presented in comparable units. The units used are inches, as opposed to the more traditional metric units for anthropometric data, and the intervals have been selected to be appropriate to designers of clothing and personal-protective individual equipment.**

*Churchill, Thomas, Edmund Churchill, John T. McConville and Robert M. White. 1977. Anthropometry of Women of the U.S. Army--1977, Report No. 3 - Bivariate Frequency Tables, Technical Report NATICK/TR-77/028, U.S. Army Natick Research and Development Command, Natick, Massachusetts. (AD A046 692)

**The problems inherent in the translation of anthropometric data measured in metric units to inch and fractional inch bivariate tables and the resolution of these problems have been described in Churchill, T. et al., 1977.

Use of Bivariate Tables

The anthropometric bivariate table is a tabular method of displaying simultaneously two normally distributed variables on a single table. In Table 1 a typical anthropometric bivariate is shown for the dimensional variables of crotch height and hip circumference. The table is divided vertically and horizontally by lines to create a matrix of cells. On the vertical or Y axis the cells represent hip circumference values, and the numbers on the extreme left of the table designate the beginning and end value of hip circumference for each of the intervals or rows. The numbers on the extreme right of the table designate the number of individuals in each row.

Given on the X or horizontal axis is a similar tabulation for crotch height with the beginning and end points for each column given in intervals of one inch. The figures at the bottom of the table are the column summations for the number of subjects in each of the intervals of crotch height. At the extreme lower right is the summation of the rows and columns which is the total sample size.

The number in each bivariate cell represents the number of subjects who fall within a particular one inch of hip circumference and a particular one inch of crotch height. Thus, it will be seen that 241 individuals out of the 1,330 subjects in the total sample have a hip circumference which falls between 37.0 and 38.0 inches. Some 308 individuals of the total sample have crotch heights which fall within the inch interval 29.0 to 30.0 inches.* Of these individuals, 69 have a hip circumference between 37.0 and 38.0 inches and a crotch height between 29.0 and 30.0 inches.

Below the bivariate tables are two lines of data which give the total sample mean and standard deviation for each variable, as well as the correlation coefficient (R) which expresses the relationship between the variables. Also appearing below the bivariates are regression equations for predicting one variable from a specific value of the other plus their associated standard errors of the estimate. The R value indicates the degree to which the tabulated dimensions correlate with each other; that is, the extent to which changes in one dimension predictably reflect similar changes in the other. On a scale of 0 to 1.0, where 1.0 is a perfect correlation, the .861 correlation between crotch height and stature (Table 24, page 41) is considered high; variables with an R of .5 are thought of as moderately correlated; and $R=.260$, as in Table 1, shows a poor correlation. A quick glance at the pattern of numbers on a bivariate can give an immediate visual clue as to how well the two variables are correlated. Poorly correlated variables show up in a roughly oval pattern (as in Table 1). Well-correlated variables appear in a neat band which usually rises diagonally from left to right

*It would appear from the interval designations that an individual who is exactly 37.0 or 38.0 inches in hip circumference could fall in either of the adjacent columns. In the actual preparation of these tables, the interval is designated as 37.0 through 37.99 inches so that no overlap of interval beginning and end points occur and each individual occupies one and only one position in the table.

TABLE 1

A BIVARIATE FREQUENCY TABLE FOR
CROTCH HEIGHT AND HIP CIRC
1977 ARMY WOMEN

	24.0	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	TOTAL
53.0										1					1
52.0															
51.0															
50.0															
49.0									1						1
48.0						1									1
47.0							2								2
46.0							2		1						3
45.0								1	2	2					5
44.0							4	4	4	1					14
43.0							4	5	6	5	2	1			28
42.0							4	10	9	6	3	1	1		48
41.0							1	2	1	26	4	3			101
40.0							1	2	4	37	18	6	3	1	157
39.0							2	14	30	42	32	21	8	2	193
38.0							1	3	22	48	36	15	9	3	241
37.0							1	2	7	34	59	21	13	4	195
36.0							1	5	25	27	32	39	24	14	170
35.0							1	4	8	21	19	9	3	1	84
34.0							2	12	11	15	5	7	3		55
33.0							5	2	9	3	4	1	1		25
32.0								3	3	2					6
31.0									1						2
30.0															
TOTAL	1	7	34	104	218	308	279	190	128	39	18	3	1		1330

HIP CIRC(IN)

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
CROTCH HEIGHT	30.07	1.72	0.260	$= (0.181) * \text{HIP CIRC(IN)} + (23.26)$	1.66
HIP CIRC	37.59	2.48	0.260	$= (0.374) * \text{CROTCH HEIGHT(IN)} + (26.35)$	2.39

(see Table 24) reflecting the fact that as one dimension gets bigger the other gets correspondingly bigger at approximately the same rate.

The regression equations which appear under the bivariates enable the reader to make a point estimate for one variable from any given value of the other. The accompanying standard error of estimate is used to construct the range of possible variance of the point estimate. We might, for example, wish to estimate crotch height for a small group of U.S. Army women knowing only that their statures are 67.25 inches. These two dimensions are depicted on Table 24 and the regression equation for predicting crotch height from stature appears below the table as follows:

$$\text{CROTCH HEIGHT} = (.579 \times \text{STATURE}) - 7.08$$

$$\text{STD. ERROR} = .88$$

Plugging in the stature value of 67.25 yields:

$$\text{CROTCH HEIGHT} = (.579 \times 67.25) - 7.08$$

$$\text{CROTCH HEIGHT} = 31.86$$

The best estimate for crotch height for these women is thus 31.86 inches but, as with all statistics, this becomes a probability statement with the use of the standard error of the estimate as follows: for approximately two thirds of the subject women, crotch height values are likely to fall between 31.86 inches minus .88 inches and 31.86 inches plus .88 inches (one standard error of the estimate).

The Survey Samples

Men's bivariate data were obtained from an anthropometric survey conducted in 1965-66 in which a total of 6,682 men were measured at 12 Army posts throughout the U.S. (White and Churchill, 1971).^{*} Some 1,330 subjects were measured at four locations in the women's survey in 1976-77 (Churchill, E. et al., 1977).^{**} Age, rank, and race of both samples are summarized in Table 2 below. The marked difference in sample size between the two surveys (6,682 vs. 1,330) may actually be fortuitous, as the number of women in the U.S. Army is scheduled to be approximately 15 percent of the total -- a ratio which closely approximates the mix found in these tables.

^{*}White, Robert M. and Edmund Churchill. 1971. The Body Size of Soldiers: U.S. Army Anthropometry-1966. Technical Report 72-51-CE, U.S. Army Natick Laboratories, Natick, Massachusetts. (AD 743 465)

^{**}Churchill, Edmund, Thomas Churchill, John T. McConville and Robert M. White. 1977. Anthropometry of Women of the U.S. Army--1977, Report No. 2 - The Basic Univariate Statistics, Technical Report NATICK/TR-77/024, U.S. Army Natick Research and Development Command, Natick, Massachusetts. (AD A044 806)

TABLE 2

DISTRIBUTION OF SAMPLES BY
AGE, RANK AND RACE

<u>Age</u>	<u>No. of Women</u>	<u>No. of Men</u>	<u>% of Women</u>	<u>% of Men</u>
50 and up	3	16	0.2	0.2
40-50	25	78	1.9	1.2
30-40	99	339	7.5	5.1
20-30	810	4,158	60.9	62.2
Under 20	393	2,091	29.5	31.3
TOTAL	1,330	6,682	100.0	100.0

<u>Rank</u>	<u>No. of Women</u>	<u>No. of Men</u>	<u>% of Women</u>	<u>% of Men</u>
Officers	343	85	25.8	1.3
Enlisted	987	6,596	74.2	98.7
NA	---	1	--	--
TOTAL	1,330	6,682	100.0	100.0

<u>Race</u>	<u>No. of Women</u>	<u>No. of Men</u>	<u>% of Women</u>	<u>% of Men</u>
White	988	5,509	74.3	82.4
Black	302	973	22.7	14.6
Oriental	25	46	1.9	0.7
Other	--	125	--	1.9
NA	15	29	1.1	0.4
TOTAL	1,330	6,682	100.0	100.0

The Bivariate Tables

Section I contains, on facing pages, a series of 41 comparable male and female bivariate tables displaying identical pairs of clothing-related variables. Data were generated from the Army men's and women's surveys described above and measurement techniques were studied to assure that paired tables do, in fact, represent comparable dimensions.

Some half-dozen dimensions considered important in clothing design were found to have been defined or measured differently in the two surveys. They include interscye back, neck circumference, vertical trunk circumference, waist back, waist circumference and waist height. Bivariate tables in which any of these variables appear are given in Section II for men and for women; they are usable individually but not comparable for combining purposes.

Section III contains a few bivariate tables which include dimensions measured only in one of the two surveys but not in the other, thus providing only men's data or only women's data for that particular measurement. These variables

include ankle height, crotch length, sleeve length, sleeve outseam, sphyrion height, and waist front. They are included because they are considered sufficiently useful for specific purposes even if limited to one sex.

Section IV contains a series of double bivariates combining the data which appear as separate men's and women's tabulations in Section I. This has the effect of closely pairing men's and women's measurements into one set of data for a more graphically visible presentation of the possibilities and problems involved in devising a combined sizing program for both men and women.

These combined bivariate tables differ from the single bivariates in that we find two entries separated by a diagonal line in each of the bivariate cells. Referring to Table 143 (page 165) for example (crotch height and hip circumference), we see the entry for the cell 39.0-40.0 inches for hip circumference and 30.0-31.0 inches for crotch height given as 47/37. The number of Army males who fall within this interval is 47 and the number of females is 37. The male entry is always on the left of the diagonal and the female entry is on the right. This placement is true for the row, column, and total summations as well.

Abbreviated descriptions of the measuring techniques used in obtaining these data are given in the Appendix. Also appearing at the conclusion of the report is an index locating all the variables used in these bivariate tables.

SECTION I

Paired Male and Female Bivariates;
Dimensions Comparable

TABLE 4

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND BICEPS CIRC
1977 ARMY WOMEN

BICEPS CIRC(IN)	BUST/CHEST CIRC(IN)																				TOTAL
	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0
16.0																	1				1
14.5																					
14.0													1						1		3
13.5													2						2		8
13.0													1								14
12.5													3								53
12.0													11								98
11.5													14								233
11.0													22								310
10.5													21								254
10.0													18								216
9.5													4								96
9.0													2								39
8.5																					8
8.0																					
TOTAL	1	3	9	56	105	179	192	193	217	154	93	95	32	11	11	5		2	1	1	1330

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

BUST/CHEST CIRC 34.72 2.49 0.718 = (2.004)*BICEPS CIRC(IN)+(13.52) 1.74

BICEPS CIRC 10.58 0.89 0.718 = (0.257)*BUST/CHEST CIRC(IN)+(1.65) 0.62

TABLE 5

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND HIP CIRC
1966 ARMY MEN

	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	TOTAL
53.0																						1	1
52.0																							
51.0																							
50.0																			1		1		2
49.0																							
48.0																							
47.0																				1	1		1
46.0																					2		5
45.0															2								7
44.0																1	2					1	14
43.0																3	5	11	5	4	1	3	40
42.0																	4	4	5	4	1		70
41.0																	21	22	8	5	3	2	122
40.0																	31	14	5				188
39.0																	45	31	4	4	1		339
38.0																	56	27	9	3			671
37.0																	30	23	2	1			785
36.0																	18	4	3	1			1036
35.0																	8						1113
34.0																	4						1113
33.0																							720
32.0																							360
31.0																							137
30.0																							34
TOTAL	1	1	15	63	217	478	795	1111	1052	911	712	518	339	186	130	70	33	22	11	13	4		6882

HIP CIRC(IN)

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

BUST/CHEST CIRC 36.92 2.63 0.797 = (0.853)*HIP CIRC(IN)+(5.28) 1.59

HIP CIRC 37.09 2.46 0.797 = (0.745)*BUST/CHEST CIRC(IN)+(9.59) 1.48

TABLE 6

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND HIP CIRC
1977 ARMY WOMEN

	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	TOTAL
HIP CIRC(IN)	53.0																1					1
	52.0																					
	51.0																					
	50.0																					
	49.0																					
	48.0																			1		1
	47.0																		1			1
	46.0												1									2
	45.0											2	1	1								3
	44.0											1	4	1								5
	43.0									1	3	1	10	1	2	1						14
	42.0									1	4	7	10	7	1	2			1			28
	41.0			1						1	10	18	12	7	4	3						46
	40.0									1	19	18	12	7	4	1	3					101
	39.0					1	11	18	22	36	36	17	9	4	2	1						157
	38.0					2	6	21	40	55	29	21	9	9	1							193
	37.0				1	9	39	35	43	57	37	10	6	3	1							241
	36.0			1	6	18	36	48	38	23	15	5	6									195
	35.0			4	8	28	36	45	31	15	1	2	1									170
	34.0			1	12	23	25	13	4	3	1	2										84
	33.0		1	1	16	19	16	2														55
	32.0		2	10	4	7	1		1													25
	31.0		1	2	1	1																6
	30.0			1																		2
TOTAL	1	3	9	56	105	179	192	193	217	154	93	65	32	11	11	5			2	1	1	1330

HIP CIRC(IN)

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

BUST/CHEST CIRC 34.72 2.49 0.707 = (0.711)*HIP CIRC(IN)+(7.99) 1.76

HIP CIRC 37.59 2.48 0.707 = (0.703)*BUST/CHEST CIRC(IN)+(13.19) 1.75

TABLE 7

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND SCYE CIRC
1966 ARMY MEN

BUST/CHEST CIRC(IN)																							
28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	TOTAL	
23.6														1					1			2	
23.0										1												2	
22.6										1												17	
22.0										2	1		6	3	1	1		1	1	3		20	
21.6										5	1	2	6	4	6	6	4	2	2	2	1	49	
21.0																							
20.6																							
20.0																							
19.6																							
19.0																							
18.6																							
18.0																							
17.6																							
17.0																							
16.6																							
16.0																							
15.6																							
15.0																							
14.6																							
14.0																							
13.6																							
13.0																							
12.6																							
TOTAL	1	1	15	63	217	478	795	1111	1052	911	712	618	339	186	130	70	33	22	11	13	4	6882	

SCYE CIRC(IN)

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

BUST/CHEST CIRC 36.92 2.63 0.665 = (1.364) + SCYE CIRC(IN) + (12.99) 1.97

SCYE CIRC 17.54 1.28 0.665 = (0.325) + BUST/CHEST CIRC(IN) + (5.55) 0.96

TABLE 8

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND SCYE CIRC
1977 ARMY WOMEN

SCYE CIRC(IN)	BUST/CHEST CIRC(IN)																				TOTAL
	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0
19.0																1			1		1
18.5													1			2	1				4
18.0												1	4	2	4	1	1			1	6
17.5											1	1	3	7	1	3	1		1		15
17.0										1	3	3	3	9	3	3					24
16.5										1	13	17	11	16	9	3					73
16.0						1	2	7	19	36	27	27	17	8	2	1					147
15.5						2	13	21	36	67	55	29	16	6							244
15.0						11	15	39	44	60	56	31	13	6	1						266
14.5						7	21	59	66	82	40	16	7	3							272
14.0						1	7	42	44	45	23	3	4	1	1						184
13.5						2	3	16	21	15	8	1									70
13.0						1	23	21	15	6											21
12.5						1	3	8	3												3
12.0						1	1														1
11.5																					
TOTAL	1	3	9	56	105	179	192	193	217	164	93	65	32	11	11	6			2	1	1330

STD ERROR

1.63

0.62

REGRESSION EQUATIONS

R = (2.005)*SCYE CIRC(IN)+(5.11)

= 0.758

ST DEV

2.49

0.94

MEAN

34.72

14.77

1977 ARMY WOMEN

BUST/CHEST CIRC

SCYE CIRC

TABLE 9

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND SHOULDER CIRC
1966 ARMY MEN

	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	TOTAL
57.0																							3
56.0																				1			1
55.0																1				2	4		7
54.0																	3		3	2	1		9
53.0															1		4	4	1	1	5	1	17
52.0															8		15	6	7	1			49
51.0													6	9	16	22	12	8	5		2		80
50.0											2		17	39	31	30	12	5	2	2			140
49.0													80	88	51	32	15	5	2	2			290
48.0									1	3			88	67	51	24	6	4	2				464
47.0													154	67	20	7							686
46.0													94	39	3	3		1					935
45.0													38	10	4	2	3						1132
44.0													16	3	1	1							1036
43.0													35	16									829
42.0													10	2	1								670
41.0													3	1									280
40.0													1										108
39.0																							38
38.0																							6
37.0																							3
36.0																							
TOTAL	1	1	15	63	217	478	795	1111	1052	911	712	519	339	186	130	70	33	22	11	13	4		6882

SHOULDER CIRC(IN)

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
BUST/CHEST CIRC	36.92	2.63	0.855	$= (0.895) * \text{SHOULDER CIRC}(\text{IN}) + (-2.96)$	1.37
SHOULDER CIRC	44.55	2.51	0.855	$= (0.816) * \text{BUST/CHEST CIRC}(\text{IN}) + (14.43)$	1.31

TABLE 10

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND SHOULDER CIRC
1977 ARMY WOMEN

	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	TOTAL
SHOULDER CIRC(IN)	49.0																1			1		2
48.0																				1		2
47.0													1			1						2
46.0												1			2							3
45.0											1	1	2			2						7
44.0											1	6	13	7	5	7	1					8
43.0									1	3	6	24	15	10	2				1			50
42.0							1	7	14	36	42	24	20	7	1							92
41.0						1	9	18	41	69	42	22	11	6								152
40.0					1	2	24	50	61	65	29	13	2		1							209
39.0					4	22	48	58	40	34	11	2										246
38.0					10	42	66	44	31	5												219
37.0			2	4	14	29	23	14	2	1												200
36.0			2	2	22	9	6															89
35.0		1	1	1	4	2																39
34.0					1																	9
33.0																						1
TOTAL	1	3	9	56	105	179	192	193	217	154	93	65	32	11	11	5			2	1	1	1330

BUST/CHEST CIRC(IN)

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
BUST/CHEST CIRC	34.72	2.49	0.823	$= (0.973) * \text{SHOULDER CIRC}(\text{IN}) + (-3.73)$	1.42
SHOULDER CIRC	39.51	2.11	0.823	$= (0.695) * \text{BUST/CHEST CIRC}(\text{IN}) + (15.38)$	1.20

TABLE 11

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND SHOULDER LTH
1966 ARMY MEN

	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	TOTAL
10.0															1								1
9.5											2	2				1						1	6
9.0								1	1	2	2	2		1					1				11
8.5											4	4											37
8.0							1		1	6	9	7	3	5	1								451
7.5						8	16	39	52	76	57	71	47	29	22	14	14	1	2	2	1		37
7.0					4	14	35	89	123	165	134	106	84	54	28	18	10	7	7	2	2		882
6.5				2	10	39	102	151	260	250	248	163	122	72	50	35	14	9	4	2	5	1	1539
6.0				3	19	67	143	247	364	281	256	196	146	92	36	23	16	6	6	1	3		1905
5.5				5	13	61	101	141	160	141	104	74	54	41	21	15	7	6	1	3	1		940
5.0				1	10	20	41	67	91	81	65	60	31	30	14	12	8	3	1	1			537
4.5				3	5	5	30	41	51	37	27	27	24	10	8		1				1		280
4.0				1	2	3	8	15	18	12	9	7	3	5		2							85
3.5								4		1			2										7
3.0																							1
TOTAL	1	1	15	63	217	478	795	1111	1052	911	712	518	339	196	130	70	33	22	11	13	4		6082

SHOULDER LTH(IN)

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

BUST/CHEST CIRC 36.92 2.63 0.153 = (0.516)*BUST/CHEST CIRC(IN)+(33.62) 2.60

SHOULDER LTH 6.38 0.78 0.153 = (0.045)*BUST/CHEST CIRC(IN)+(4.72) 0.77

TABLE 12.

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND SHOULDER LTH
1977 ARMY WOMEN

		BUST/CHEST CIRC(IN)																				TOTAL
		27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	
7.6					1	1	1	2		1	5	1	1		1							13
7.0					1	7	7	7	17	18	13	6	5				3				1	85
6.5					1				60	69	60	39	22		9		1					425
6.0	1	1	1	11	25	49	68	68	80	95	105	61	39	29	15	5	4		1			604
5.5	2	5	27	48	80	80	67	95	105	61	39	29	15	5	4		1		1			184
5.0			3	14	22	35	26	19	22	15	8	8	7	2	1							19
4.5				2	3	7	2	2	2	2												
TOTAL	1	3	9	56	105	179	192	193	217	164	93	65	32	11	11	6			2	1	1	1330

TABLE 13

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND SLEEVE INSEAM
1966 ARMY MEN

	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	TOTAL
24.0											1						1						1
23.5						1				2	1	1				2							2
23.0							1			3	5	4	3	1	2	2							8
22.5						3	1	2	11	10	6	8	6	5	4	2	2						25
22.0							1	2	20	22	25	30	19	16	10	6	3	2	1				60
21.5						1	6	32	60	60	57	48	39	20	19	10	7	4	1	1	2		168
21.0					1	10	11	41	68	111	90	61	51	46	25	20	13	3	5	3	5	1	382
20.5				1	5	23	41	68	111	120	163	100	98	64	30	22	11	8	4	1	1	1	692
20.0					6	28	60	132	172	174	175	151	101	66	34	24	9	8	3	2	4	1	1064
19.5				2	8	27	85	153	168	205	176	131	88	56	27	22	11	3	5	3	2	4	1226
19.0				2	14	50	103	164	244	203	170	131	88	56	27	22	11	3	5	3	2	4	1299
18.5	1			3	10	26	77	94	154	122	106	86	54	30	17	9	7	2	1	1			799
18.0				1	2	8	20	51	71	107	76	51	38	25	12	7	5	2	1				555
17.5				3	5	21	23	29	57	36	35	22	16	7	4	2	1	1					262
17.0				1	3	4	15	22	12	14	8	10	4	2	1	2							98
16.5				1	2		1	5	5	1	1	7	1						1				26
16.0					1						2												15
15.5						1	3	2	1	2	2	2											
TOTAL	1	1	15	63	217	478	795	1111	1052	911	712	518	339	186	130	70	33	22	11	13	4		6682

SLEEVE INSEAM(IN)

BUST/CHEST CIRC(IN)

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
BUST/CHEST CIRC	36.92	2.63	0.164	= (0.409)*SLEEVE INSEAM(IN)+(29.09)	2.60
SLEEVE INSEAM	19.13	1.05	0.164	= (0.066)*BUST/CHEST CIRC(IN)+(16.69)	1.04

TABLE 14

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND SLEEVE INSEAM
1977 ARMY WOMEN

	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	TOTAL
21.5							1	1														2
21.0							2		2			2	1									7
20.5					1	1	1		1	3	3	3	2			2						17
20.0						6	3	4	5	7	5	3	1									34
19.5					3	3	7	16	12	23	15	6	7								1	97
19.0						11	14	18	29	32	16	15	10			1						156
18.5					3	16	17	37	33	23	28	9	12		3	1						190
18.0					7	19	44	35	35	41	34	20	12		5	3	1	2				263
17.5					18	22	29	43	35	42	21	14	7		5	3	4					247
17.0					2	12	14	28	25	22	23	10	4		4	1						166
16.5					1	7	9	23	10	13	15	8	5		3							103
16.0					1	1	4	10	3	6	4	3	2		1							38
15.5										2		2	1									5
15.0										1	1	1	1									4
14.5																						1
14.0																						
TOTAL	1	3	9	56	105	179	192	193	217	154	93	65	32	11	11	5		2	1	1		1330

SLEEVE INSEAM(IN)

BUST/CHEST CIRC(IN)

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

BUST/CHEST CIRC 34.72 2.49 0.120 = (0.291)*SLEEVE INSEAM(IN)+(29.56) 2.48

SLEEVE INSEAM 17.74 1.03 0.120 = (0.050)*BUST/CHEST CIRC(IN)+(16.00) 1.02

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND WEIGHT
1966 ARMY MEN

BUST/CHEST CIRC(IN)																						
28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	TOTAL
280.0																					1	1
276.0																						
270.0																			1	1	1	3
266.0																				1		1
260.0																			1	2	1	4
256.0																		1				1
250.0														1	1	1	2		1			7
246.0													1		2	3	2	3		2	1	9
240.0														2	4	5	3	1				11
236.0														2	2	3			3	1		19
230.0												1	1	2	2	3	2		2			13
226.0												1	2	2	3	6	2	2	2	1		21
220.0												4	7	7	9	7	6	1	2			43
216.0											3	2	8	11	16	8	5	4				57
210.0											1	2	9	15	17	7	3	2				71
206.0											2	4	19	27	22	11	4					98
200.0									2	6	14	24	27	21	16	5	1	4	1			121
196.0											9	24	36	44	25	16	4	3	1			181
190.0							2				15	48	57	39	21	11	6					200
186.0											13	28	62	66	39	24	10	1				245
180.0											8	30	68	70	73	46	10	1				313
176.0											10	56	101	95	70	28	12					378
170.0											36	100	106	92	58	24	6	1				434
166.0											8	81	126	154	102	41	18	2	1			552
160.0											3	5	117	171	134	81	32	6	1			584
156.0											1	5	21	78	183	185	127	68	3	1		680
150.0											3	6	34	117	196	141	86	32	9	3		630
146.0											11	36	117	189	114	42						531
140.0											2	1	49	118	147	72	23	8	1			518
136.0											3	23	63	157	147	6						363
130.0											5	35	117	79	27	4	1					267
126.0											10	43	84	79	42	6	3					186
120.0											3	10	42	66	42	18	3	1				95
116.0											5	12	33	23	16	3	3					26
110.0											8	7	8	2	1							22
106.0											2	8	5	5	2							10
100.0											1	4	3	1								3
96.0											1	1	1									
TOTAL	1	1	15	63	217	478	794	1110	1051	909	712	518	339	186	130	70	33	22	11	13	4	6677

	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
1966 ARMY MEN					
BUST/CHEST CIRC	36.92	2.63	0.849	$= (0.096) * \text{WEIGHT}(\text{LB}) + (21.64)$	1.39
WEIGHT	159.10	23.35	0.849	$= (7.531) * \text{BUST/CHEST CIRC}(\text{IN}) + (-118.92)$	12.33

TABLE 16

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND WEIGHT
1977 ARMY WOMEN

BUST/CHEST CIRC(IN)																						
27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	TOTAL	
220.0															1						1	
215.0																			1		1	
210.0																		1			1	
205.0																		1			1	
200.0															1						2	
195.0														2	2						1	
190.0																	1				5	
185.0											2	3	1		2						8	
180.0											2	2	3	1		2					10	
175.0										1	2	4			1						9	
170.0								2		2	4	3	1	2	2						16	
165.0									4	8	5	8	3	1	1						30	
160.0								2	12	12	11	10	7	2	2						58	
155.0									13	13	14	9	5	2							62	
150.0						3	5	9	22	33	15	7	4	1							97	
145.0						1	10	23	26	23	13	8	4								114	
140.0					2	2	19	25	51	23	8	4	4								136	
135.0			1		3	14	18	36	36	23	7	4									142	
130.0				1	6	24	34	30	24	10	7	2									138	
125.0				1	12	37	43	39	17	6	1	1									157	
120.0				4	16	26	23	15	8		2										94	
115.0																					95	
110.0			2	11	21	27	25	8	1												63	
105.0			1	9	19	21	11		2												45	
100.0			1	13	17	13		1													30	
95.0			2	2	9	6	1	1													11	
90.0		1	2	5		3															4	
85.0				3																		
TOTAL	1	3	9	56	105	179	192	193	217	154	93	65	32	11	11	5		2	1	1	1330	

(WEIGHT(LB))

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

BUST/CHEST CIRC 34.72 2.49 0.808 = (0.107)*WEIGHT(LB)+(20.58) 1.47

WEIGHT 132.11 18.76 0.808 = (6.081)*BUST/CHEST CIRC(IN)+(-79.01) 11.04

TABLE 17

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND WRIST CIRC
1966 ARMY MEN

	28.00	29.00	30.00	31.00	32.00	33.00	34.00	35.00	36.00	37.00	38.00	39.00	40.00	41.00	42.00	43.00	44.00	45.00	46.00	47.00	48.00	49.00	TOTAL
8.75																							1
8.50																							1
8.25																							3
8.00										1		1							1				1
7.75										2	2	3	5	2	1	1		2		1			20
7.50								3	4	6	8	9	11	16	16	7	7	4		2	3	1	99
7.25										9	29	41	33	39	34	21	17	16	9	2	2		266
7.00										136	137	180	135	88	55	45	27	10	6	8	5	2	985
6.75										271	276	230	172	108	47	38	9	8	3		2	1	1657
6.50										318	272	162	97	68	32	15	7	3	3				1721
6.25										298	235	142	95	26	12	7	4				1		1439
6.00										84	50	29	19	7	2	2							406
5.75										9	5	4		2									97
5.50																							5
5.25																							3
TOTAL	1	1	15	63	217	476	795	1111	1052	911	712	518	339	186	130	70	33	22	11	13	4		6682

WRIST CIRC(IN)

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR
 BUST/CHEST CIRC 36.92 2.63 0.497 = (3.794)WRIST CIRC(IN)+(11.44) 2.28
 WRIST CIRC 6.72 0.34 0.497 = (0.065)BUST/CHEST CIRC(IN)+(4.32) 0.30

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND WRIST CIRC
1977 ARMY WOMEN

		BUST/CHEST CIRC.(IN)																								TOTAL	
		27.00	28.00	29.00	30.00	31.00	32.00	33.00	34.00	35.00	36.00	37.00	38.00	39.00	40.00	41.00	42.00	43.00	44.00	45.00	46.00	47.00	48.00	49.00	50.00		
WRIST CIRC.(IN)	6.75																									9	
	6.50																									60	
	6.25																									60	
	6.00																									206	
	5.75																									422	
	5.50																									452	
	5.25																									157	
	5.00																									25	
	4.75																									1330	
	TOTAL	1	3	9	56	106	179	192	193	217	164	93	65	32	11	11	5	2	1	1							

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
BUST/CHEST CIRC	34.72	2.49	0.479	$= (4.452) * \text{WRIST CIRC}(\text{IN}) + (8.95)$	2.19
WRIST CIRC	5.79	0.27	0.479	$= (0.051) * \text{BUST/CHEST CIRC}(\text{IN}) + (4.02)$	0.24

TABLE 19

A BIVARIATE FREQUENCY TABLE FOR
CROTCH HEIGHT AND ANKLE CIRC
1966 ARMY MEN

		CROTCH HEIGHT(IN)																TOTAL
		25.00	26.00	27.00	28.00	29.00	30.00	31.00	32.00	33.00	34.00	35.00	36.00	37.00	38.00	39.00	40.00	
12.00					1								1					2
11.75																		
11.50																		
11.25																		
11.00								1	5			1	3	1				11
10.75								2	6			5	4	2	1			30
10.50								3	4	15	18	12	12	5	2			72
10.25							1	21	27	40	26	15	17	7				177
10.00						2	1	35	66	41	47	30	14	7	1			260
9.75			2		1	3	6	32	59	86	88	62	24	16	2			463
9.50								60	111	188	195	148	97	42	2	2		888
9.25				2	2	6	21	60	145	204	206	147	105	46	21	6	1	984
9.00		1		3	11	7	25	92	167	235	266	195	95	40	14	2		1137
8.75				1	3	3	30	111	192	277	249	180	92	33	8	2	1	1201
8.50							42	126	172	141	85	54	20	2				695
8.25					6	12	26	51	81	121	97	61	25	8	2			497
8.00					3	13	21	33	33	41	41	24	13	3	2			210
7.75					1	6	13	8	9	6	11	4	1	1				42
7.50							2	2	2	3	2							10
7.25						1	2		1									3
7.00						1												
TOTAL		1	5	22	77	198	545	990	1451	1391	1020	609	256	94	17	6		6682

ANKLE CIRC(IN)

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

CROTCH HEIGHT 33.05 1.84 0.162 = (0.527)*ANKLE CIRC(IN)+(28.34) 1.82

ANKLE CIRC 8.93 0.57 0.162 = (0.050)*CROTCH HEIGHT(IN)+(7.28) 0.56

TABLE 20
A BIVARIATE FREQUENCY TABLE FOR
CROTCH HEIGHT AND ANKLE CIRC
1977 ARMY WOMEN

	24.00	25.00	26.00	27.00	28.00	29.00	30.00	31.00	32.00	33.00	34.00	35.00	36.00	37.00	TOTAL
ANKLE CIRC(IN)	CROTCH HEIGHT(IN)														
10.00						1	1	2	1						1
9.75						2	3	6	4	2					4
9.50					1	6	5	10	7	3		1			19
9.25				1	1	8	23	20	17	21	2	2			37
9.00				3	1	19	47	34	23	26	8	1		1	103
8.75				2	2	35	49	52	31	26	5		1		166
8.50	1		2	3	8	16	41	49	47	21	13	6			232
8.25			1	3	21	19	56	74	59	33	4	4	2		242
8.00			1	6	17	27	38	26	15	19	6	2			273
7.75			1	5	13	15	10	18	6	3		2			134
7.50				3	6	6	10	4	6	1	1				72
7.25			1	4	5	3	1								37
7.00					2	3									6
6.75															2
6.50															
TOTAL	1	7	34	104	218	308	279	190	126	39	18	3	1		1330

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR
CROTCH HEIGHT 30.07 1.72 0.231 = (0.812)*ANKLE CIRC(IN)+(23.44) 1.68
ANKLE CIRC 8.16 0.49 0.231 = (0.066)*CROTCH HEIGHT(IN)+(6.18) 0.48

TABLE 21

A BIVARIATE FREQUENCY TABLE FOR
CROTCH HEIGHT AND HIP CIRC
1966 ARMY MEN

	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	TOTAL
53.0				1													1
52.0																	
51.0																	
50.0						1						1					2
49.0				1													1
48.0						1			2	1		1	1				5
47.0	1									4	1	1	1				7
46.0							1	2	6	3	1	1		1			14
45.0							3	4	8	8	5	5	4	2			40
44.0								6	17	14	12	12	3	2			70
43.0			1	4	5	13	16	30	22	16	8	6	5	3	1		122
42.0				1	9	14	21	37	31	39	20	12	4				188
41.0					4	8	28	41	70	60	57	34	25	8	2	1	339
40.0					10	13	47	83	116	113	91	58	30	9	1		671
39.0																	
38.0		3	3	6	22	45	114	172	160	131	80	35	11	2	1		785
37.0			6	5	39	89	155	225	209	154	99	35	15	4	1		1036
36.0			2	12	19	78	160	242	244	184	110	40	17	3	2		1113
35.0		1	4	7	29	76	185	233	250	170	100	38	15	4	1		1113
34.0		1	3	10	23	66	110	168	169	99	45	20	6				720
33.0			1	10	15	40	67	89	80	44	27	7					380
32.0			1	6	6	31	22	30	20	13	8						137
31.0					8	9	5	7	3	1							34
30.0								1	3								4
TOTAL	1	5	22	77	198	545	990	1451	1391	1020	609	256	94	17	6		6682

HIP CIRC(IN)

CROTCH HEIGHT(IN)

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
CROTCH HEIGHT	33.05	1.84	0.097	$= (0.072) \times \text{HIP CIRC(IN)} + (30.38)$	1.83
HIP CIRC	37.09	2.46	0.097	$= (0.129) \times \text{CROTCH HEIGHT(IN)} + (32.83)$	2.45

A BIVARIATE FREQUENCY TABLE FOR
CROTCH HEIGHT AND HIP CIRC.
1977 ARMY WOMEN

CROUCH HEIGHT (IN)																	TOTAL
24.0	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	
63.0									1								1
62.0																	
61.0																	
60.0																	
59.0																	
58.0								1									1
57.0						1		2									1
56.0								2									2
55.0									1								3
54.0																	5
53.0																	14
52.0																	26
51.0																	46
50.0																	101
49.0																	157
48.0																	193
47.0																	241
46.0																	196
45.0																	170
44.0																	84
43.0																	56
42.0																	25
41.0																	6
40.0																	2
39.0																	
38.0																	
37.0																	
36.0																	
35.0																	
34.0																	
33.0																	
32.0																	
31.0																	
30.0																	
TOTAL	1	7	34	104	216	308	279	190	126	39	18	3	1				1330

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
CROTCH HEIGHT	30.07	1.72	0.260	= (0.181)*HIP CIRC(IN)+(23.26)	1.66
HIP CIRC	37.59	2.48	0.260	= (0.374)*CROTCH HEIGHT(IN)+(26.35)	2.39

TABLE 23

A BIVARIATE FREQUENCY TABLE FOR
CROTCH HEIGHT AND STATURE
1966 ARMY MEN

		CROTCH HEIGHT(IN)																		
	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	TOTAL			
79.0													1				1			
78.0												2	1	4	1	1	9			
77.0												1	2	4	3	1	11			
76.0																				
76.0											2	4	13	15	4	1	39			
75.0											6	12	38	22	3	2	87			
74.0									2	2	10	68	56	31	2		199			
73.0									3	10	29									
72.0							1	10	37	92	158	58	13	2	1		372			
71.0							1	31	102	214	144	47	4	1			544			
70.0						2	19	79	215	278	145	28	1	1			773			
69.0						1	12	58	237	371	208	41	9				937			
68.0					3	5	34	135	360	350	131	23	2				1043			
67.0					2	10	72	241	377	212	45	10	1				970			
66.0					7	33	109	285	231	74	11	1					751			
65.0		1			9	43	158	158	93	10	4						476			
64.0		1	3	13	37	85	70	19	7								235			
63.0		1	6	16	36	50	18	7	1								135			
62.0		1	4	13	20	16	2	2									58			
61.0		1	7	9	9	4	2										32			
60.0			2	5	2												9			
59.0	1																1			
TOTAL	1	5	22	77	198	545	990	1451	1391	1020	609	256	94	17	6		6882			

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

CROTCH HEIGHT 33.05 1.84 0.819 = (0.579)*STATURE(IN)+(-6.73) 1.06

STATURE 68.71 2.60 0.819 = (1.158)*CROTCH HEIGHT(IN)+(30.44) 1.49

TABLE 24

A BIVARIATE FREQUENCY TABLE FOR
CROTCH HEIGHT AND STATURE
1977 ARMY WOMEN

CROTCH HEIGHT(IN)																		
73.0	72.0	71.0	70.0	69.0	68.0	67.0	66.0	65.0	64.0	63.0	62.0	61.0	60.0	59.0	58.0	57.0	56.0	TOTAL

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

CROTCH HEIGHT 30.07 1.72 0.861 $= (0.579) \times \text{STATURE(IN)} + (-7.08)$ 0.88

STATURE 64.15 2.57 0.861 $= (1.282) \times \text{CROTCH HEIGHT(IN)} + (25.61)$ 1.30

TABLE 25

A BIVARIATE FREQUENCY TABLE FOR
CROTCH HEIGHT AND UPPER THIGH CIRC
1966 ARMY MEN

	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	TOTAL
31.0										1							1
30.0										1		1	1				4
29.0				1	1		1	1		1	2		1	2			10
28.0					1		2	2	4	5	5	3	3	1			26
27.0							7	13	26	17	10	14	3	4	1		100
26.0				1	1	4	9	29	55	37	38	24	16	4			233
25.0	1			1	2	9	17	76	109	101	74	41	24	7	1		495
24.0			1	10	11	40	73	115	178	161	122	80	22	15		2	816
23.0			1	3	10	34	73	115	178	161	122	80	22	15		2	816
22.0			2	4	10	46	99	185	301	245	192	101	55	16	5	1	1262
21.0				8	18	32	104	222	280	284	219	130	58	16	6	1	1378
20.0				3	8	24	93	194	261	290	202	113	45	18	2	1	1254
19.0				2	7	24	73	109	159	166	102	72	22	9	2	1	748
18.0			1		9	10	29	35	61	61	43	27	5	2			283
17.0						4	6	7	10	19	9	3	1				59
16.0							1	2	7	2							12
15.0												1					1
TOTAL	1	5	22	77	198	545	990	1451	1391	1020	609	256	94	17	6		6682

UPPER THIGH CIRC(IN)

CROTCH HEIGHT(IN)

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
CROTCH HEIGHT	33.05	1.84	0.013	$= (0.012) * \text{UPPER THIGH CIRC(IN)} + (32.79)$	1.84
UPPER THIGH CIRC	21.82	1.89	0.013	$= (0.013) * \text{CROTCH HEIGHT(IN)} + (21.39)$	1.89

TABLE 26

A BIVARIATE FREQUENCY TABLE FOR
CROTCH HEIGHT AND UPPER THIGH CIRC
1977 ARMY WOMEN

CROTCH HEIGHT(IN)																
24.0	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	TOTAL		
29.0					1		1	1						4		
28.0						2	2	2	4					10		
27.0						3	5	9	3		1			26		
26.0																
25.0				2	9	5	10	9	9	4		1		49		
24.0		1	4	4	20	27	28	26	18	5	2	1		136		
23.0		1	5	18	38	51	66	37	26	7	5	1		253		
22.0		3	6	24	53	92	57	35	29	7	5	1		313		
21.0		1	4	22	37	69	46	37	23	11	3			253		
20.0			5	17	32	29	38	28	9	3	2			163		
19.0		1	8	15	14	22	14	8	4	2				88		
18.0			2	1	10	6	5	2	2					27		
17.0				1	3	1	2							7		
16.0							1							1		
TOTAL	1	7	34	104	218	308	279	190	128	39	18	3	1	1330		

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
CROTCH HEIGHT	30.07	1.72	0.184	$= (0.177) * \text{UPPER THIGH CIRC}(\text{IN}) + (26.10)$	1.69
UPPER THIGH CIRC	22.40	1.79	0.184	$= (0.191) * \text{CROTCH HEIGHT}(\text{IN}) + (16.66)$	1.76

TABLE 27

A BIVARIATE FREQUENCY TABLE FOR
FOOT BREADTH AND FOOT CIRC
1966 ARMY MEN

		FOOT BREADTH(IN)											TOTAL
		3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	
FOOT CIRC(IN)	12.50									1			1
	12.25												
	12.00												
	11.75										5		5
	11.50						1	5	2				6
	11.25					1	13	23	2				39
	11.00					3	32	46	8				89
	10.75				1	17	108	71	7				204
	10.50				10	137	290	83	2				522
	10.25				22	307	361	40	1				731
	10.00				109	681	374	26					1190
	9.75			2	300	668	175	6					1149
	9.50	1	6	421	497	68	6						999
	9.25		22	469	258	50	6						806
	9.00	2	48	272	98	24	2						447
	8.75	2	44	120	50	9							225
	8.50	2	31	71	65	8							177
	8.25		16	20	12								48
	8.00	1	7	16									24
	7.75	1	4	12									17
	7.50			1									1
	7.25			1									1
TOTAL		9	182	1843	2793	1513	319	22	1				6882

1966 ARMY MEN
FOOT BREADTH
FOOT CIRC

MEAN ST DEV R REGRESSION EQUATIONS
3.87 0.22 0.710 = (0.262) + FOOT CIRC(IN) + (1.29)
9.85 0.58 0.710 = (1.924) + FOOT BREADTH(IN) + (2.40)

STD ERROR
0.15
0.41

TABLE 28

A BIVARIATE FREQUENCY TABLE FOR
FOOT BREADTH AND FOOT CIRC
1977 ARMY WOMEN

	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	TOTAL
10.75							1		1
10.50							4	1	5
10.25						7	6		13
10.00					13	11	3		27
9.75					38	32			70
9.50						34	1		201
9.25			1	9	156	10			213
9.00				52	151	4			283
8.75			4	143	132				273
8.50			24	196	53				166
8.25			44	105	7				65
8.00		4	42	18	1				22
7.75		6	13	3					1
7.50			1						
TOTAL	10	129	528	551	98	15	1		1330

FOOT CIRC(IN)

1977 ARMY WOMEN
FOOT BREADTH
FOOT CIRC

MEAN 3.49
8.90

ST DEV 0.20
0.45

R 0.847
0.847

REGRESSION EQUATIONS
= (0.382)*FOOT CIRC(IN)+(0.09)
= (1.880)*FOOT BREADTH(IN)+(2.34)

STD ERROR
0.11
0.24

TABLE 29

A BIVARIATE FREQUENCY TABLE FOR
FOOT BREADTH AND HEEL BREADTH
1966 ARMY MEN

	FOOT BREADTH(IN)												
	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	5.00	TOTAL			
HEEL BREADTH(IN)	3.60					1	2						3
	3.50					1	1						2
	3.40			1	1	5	8	1					16
	3.30				4	16	9	1					29
	3.20												
	3.10			2	28	54	27	4	1				116
	3.00			2	6	55	92	36	5				198
	2.90			2	60	249	264	66	2				643
	2.80			4	97	292	227	56	3				679
	2.70			9	323	719	386	63	4				1504
	2.60		1	27	339	594	251	27	1				1240
	2.50	3	57	503	593	170	18	1					1406
	2.40	2	50	353	214	41	5						665
	2.30	2	14	67	34	4							121
	2.20		16	27	9	1							53
	2.10	1	1	3	1								6
	2.00												2
TOTAL	9	162	1843	2793	1513	319	22	1					6682

1966 ARMY MEN

FOOT BREADTH

HEEL BREADTH

MEAN

3.87

2.70

ST DEV

0.22

0.18

R

0.499

0.499

REGRESSION EQUATIONS

= (0.582)*HEEL BREADTH(IN)+(2.30)

= (0.429)*FOOT BREADTH(IN)+(1.04)

STD ERROR

0.19

0.16

TABLE 30
A BIVARIATE FREQUENCY TABLE FOR
FOOT BREADTH AND HEEL BREADTH
1977 ARMY WOMEN

HEEL BREADTH (IN)	FOOT BREADTH (IN)										TOTAL
	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	5.00	
3.00						1	2				3
2.90			1	3	4	3	1	1			13
2.80				2	25	11	6				44
2.70				15	38	13	3				67
2.60			9	40	108	32	1				190
2.50			16	142	173	24	2				357
2.40	1	28	134	114	11						288
2.30		49	137	70	2						258
2.20	5	16	37	17	1						76
2.10	2	10	16	4							32
2.00		2									2
1.90											
TOTAL	10	129	526	551	98	15	1				1330

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
FOOT BREADTH	3.49	0.20	0.503	$= (0.630) * \text{HEEL BREADTH (IN)} + (1.98)$	0.18
HEEL BREADTH	2.40	0.16	0.503	$= (0.402) * \text{FOOT BREADTH (IN)} + (0.99)$	0.14

TABLE 31

FOOT BREATH(IN)

	1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS
FOOT LENGTH	10.54	0.51	0.541	$= (1.286) \times \text{FOOT BREADTH (IN)} + (5.56)$	
FOOT BREADTH	3.87	0.22	0.541	$= (0.227) \times \text{FOOT LENGTH (IN)} + (1.48)$	

TABLE 32
A BIVARIATE FREQUENCY TABLE FOR
FOOT LENGTH AND FOOT BREADTH
1977 ARMY WOMEN

		FOOT LENGTH(IN)																			
		8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.50	10.75	11.00	11.25	11.50	11.75	TOTAL			
FOOT BREADTH(IN)	4.50									1								1			
	4.25					1				3	3	3	2	2				15			
	4.00					4	10	8	19	28	15	10	2	2			1	98			
	3.75		1			46	114	110	107	83	43	15	8	1				551			
	3.50			7	17	42	101	134	111	61	39	7	3					626			
	3.25	1	5	22	42	32	31	33	11	5	1	1						129			
	3.00		3	12	32	2		2										10			
	2.75		2	2	4																
TOTAL		1	11	43	95	183	293	240	193	155	69	31	12	3		1		1330			

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
FOOT LENGTH	9.57	0.49	0.531	$= (1.290)*\text{FOOT BREADTH(IN)} + (5.07)$	0.42
FOOT BREADTH	3.49	0.20	0.531	$= (0.219)*\text{FOOT LENGTH(IN)} + (1.39)$	0.17

TABLE 33

A BIVARIATE FREQUENCY TABLE FOR
FOOT LENGTH AND FOOT CIRC
1966 ARMY MEN

FOOT LENGTH(IN)																					
8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.50	10.75	11.00	11.25	11.50	11.75	12.00	12.25	12.50	12.75	TOTAL		
12.50														1					1		
12.25																					
12.00																					
11.75																					
11.50																					
11.25												1	2				1		5		
11.00																			8		
10.75																			39		
10.50																			89		
10.25																			204		
10.00																			522		
9.75																			731		
9.50																			1190		
9.25																			1149		
9.00																			999		
8.75																			805		
8.50																			447		
8.25																			225		
7.75																			177		
7.50																			48		
7.25																			24		
TOTAL	1	1	1	21	103	257	502	1007	1239	1439	915	597	381	124	57	30	6	1	6682		

FOOT CIRC(IN)

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

FOOT LENGTH 10.54 0.51 0.493 = (0.433)*FOOT CIRC(IN)+(6.28) 0.45

FOOT CIRC 9.85 0.58 0.493 = (0.562)*FOOT LENGTH(IN)+(3.93) 0.51

TABLE 34

A BIVARIATE FREQUENCY TABLE FOR
FOOT LENGTH AND FOOT CIRC
1977 ARMY WOMEN

		FOOT LENGTH(IN)																	
		8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.50	10.75	11.00	11.25	11.50	11.75		
FOOT CIRC(IN)	10.75													1				1	
	10.50										3			1				5	
	10.25								1	4	4	3		1				13	
	10.00							2	2	7	5	1	1					27	
	9.75							5	12	14	19	9	6	5				70	
	9.50					1	9	30	35	42	40	27	12	3	1		1	201	
	9.25			1	2	3	18	44	55	47	30	9	3	1				213	
	9.00			5	6	14	41	73	63	44	30	11	2					283	
	8.75			6	10	30	56	84	40	24	17	3	4					273	
	8.50	1	1	11	23	43	34	26	14	3								156	
	8.25		1	8	20	12	17	6				1						65	
	8.00		3	7	3	4	4	1										22	
	7.75																	1	
	7.50					1													
TOTAL		1	11	43	95	183	293	240	193	155	69	31	12	3			1	1330	

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
FOOT LENGTH	9.57	0.49	0.592	= (0.648)*FOOT CIRC(IN)+(3.81)	0.40
FOOT CIRC	8.90	0.45	0.592	= (0.540)*FOOT LENGTH(IN)+(3.73)	0.36

TABLE 35

INSTEP LENGTH (IN)

	MEAN	ST DEV	R	REGRESSION EQUATIONS
1966 ARMY MEN				
FOOT LENGTH	10.54	0.51	0.898	$= (1.118) * \text{INSTP LENGTH}(\text{IN}) + (1.90)$
INSTP LENGTH	7.73	0.41	0.898	$= (0.722) * \text{FOOT LENGTH}(\text{IN}) + (0.12)$

TABLE 36

A BIVARIATE FREQUENCY TABLE FOR
FOOT LENGTH AND INSTEP LENGTH
1977 ARMY WOMEN

FOOT LENGTH(IN)																		
8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.50	10.75	11.00	11.25	11.50	11.75	TOTAL		
8.50														1		2		
8.25														1		10		
8.00									7	10	18	6	1			42		
7.75										45	9					112		
7.50							1	14	43	83	11	1				180		
7.25					4	21		60	83							351		
7.00					70	141		105	22	3						300		
6.75					156	73		14								218		
6.50					61	4										97		
6.25					18	2										17		
6.00																1		
5.75	1																	
TOTAL	1	11	43	95	183	293	240	193	155	69	31	12	3	1		1330		

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
FOOT LENGTH	9.57	0.49	0.926	$= (1.176) * \text{INSTEP LENGTH(IN)} + (1.31)$	0.19
INSTEP LENGTH	7.03	0.39	0.926	$= (0.729) * \text{FOOT LENGTH(IN)} + (0.05)$	0.15

TABLE 37

A BIVARIATE FREQUENCY TABLE FOR
HAND BREADTH AND HAND LENGTH
1966 ARMY MEN

HAND BREADTH(IN)											
	2.75	3.00	3.25	3.50	3.75	4.00	4.25	TOTAL			
9.50						1				1	
9.25					1	5					6
9.00					4	3	1				8
8.75											
				1	14	18	8				41
8.50				5	68	37	10				121
8.25											
			2	57	249	94	13				415
8.00											
		1	16	245	644	165	21				1092
7.75											
		1	60	534	779	126	9				1509
7.50											
		2	93	725	689	86	1				1595
7.25											
		7	184	763	357	30	2				1343
7.00											
		8	125	225	69	3					430
6.75											
		1	41	44	5						91
6.50											
		5	17	6							28
6.25											
		1									1
6.00											
TOTAL	26	539	2605	2879	567	66					6601

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HAND BREADTH	3.50	0.19	0.522	$= (0.266) \times \text{HAND LENGTH(IN)} + (1.51)$	0.16
HAND LENGTH	7.49	0.38	0.522	$= (1.024) \times \text{HAND BREADTH(IN)} + (3.90)$	0.32

TABLE 38

A BIVARIATE FREQUENCY TABLE FOR
HAND BREADTH AND HAND LENGTH
1977 ARMY WOMEN

HAND LENGTH(IN)	HAND BREADTH(IN)							
	2.50	2.75	3.00	3.25	3.50	3.75	TOTAL	
8.25					1		1	
8.00				2	7	1	10	
7.75				1	25	1	56	
7.50			1	7	63	44	116	
7.25			32	192	55	2	281	
7.00			110	196	33		339	
6.75		5	136	160	14		315	
6.50		4	119	53			176	
6.25		3	23	5			31	
6.00		1	4				5	
5.75								
TOTAL	13	432	896	183	6		1330	

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HAND BREADTH	3.08	0.15	0.602	$= (0.259) \times \text{HAND LENGTH (IN)} + (1.30)$	0.12
HAND LENGTH	6.87	0.36	0.602	$= (1.398) \times \text{HAND BREADTH (IN)} + (2.56)$	0.28

TABLE 39

A BIVARIATE FREQUENCY TABLE FOR
HAND BREADTH AND PALM LENGTH
1966 ARMY MEN

PALM LENGTH(IN)	HAND BREADTH(IN)										TOTAL
	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	5.00	
5.25					5	6	1				12
5.00				8	39	28	6				82
4.75			1	79	293	95	16				487
4.50			4	593	1112	206	22				1995
4.25		1	61	1199	996	179	17				2588
4.00		5	192	595	366	45	3				1228
3.75		12	207	120	68	8					273
3.50		6	71	10							15
3.25		2	3								1
3.00				1							
TOTAL	26	539	2605	2879	567	65					6681

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HAND BREADTH	3.50	0.19	0.398	$= (0.311) * \text{PALM LENGTH(IN)} + (2.21)$	0.18
PALM LENGTH	4.17	0.25	0.398	$= (0.510) * \text{HAND BREADTH(IN)} + (2.38)$	0.23

TABLE 40

A BIVARIATE FREQUENCY TABLE FOR
HAND BREADTH AND PALM LENGTH
1977 ARMY WOMEN

PALM LENGTH (IN)	HAND BREADTH (IN)									
	2.50	2.75	3.00	3.25	3.50	3.75	TOTAL			
4.75				1	2		3			
4.50			4	34	30	2	70			
4.25			38	186	78	2	304			
4.00		5	202	322	62	2	593			
3.75		8	169	147	11		335			
3.50			18	6			24			
3.25			1				1			
3.00										
TOTAL	13	432	696	183	6		1330			

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HAND BREADTH	3.08	0.15	0.483	$= (0.359) * \text{PALM LENGTH (IN)} + (1.68)$	0.13
PALM LENGTH	3.89	0.21	0.483	$= (0.650) * \text{HAND BREADTH (IN)} + (1.89)$	0.18

TABLE 41
A BIVARIATE FREQUENCY TABLE FOR
HAND CIRC AND HAND BREADTH
1966 ARMY MEN

HAND CIRC(IN)																	
7.00	7.25	7.50	7.75	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.50	TOTAL		
4.25							4	8	17	15	13	4	3	1	65		
4.00					4	35	75	131	126	143	30	17	6		567		
3.75							1011	676	308	127	25	6	5		2879		
3.50			5	43	157	516	438	91	33	13	1				2605		
3.25	1	6	44	400	762	816	14	4							539		
3.00	2	35	115	223	105	41									26		
2.75	7	8	5	1	2	3											
TOTAL	10	49	169	667	1030	1411	1542	910	484	298	69	27	14	1	6681		

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

HAND CIRC 8.51 0.45 0.753 = (1.744)*HAND BREADTH(IN)+(2.40) 0.29

HAND BREADTH 3.50 0.19 0.753 = (0.325)*HAND CIRC(IN)+(0.74) 0.13

TABLE 42

A BIVARIATE FREQUENCY TABLE FOR
HAND CIRC AND HAND BREADTH
1977 ARMY WOMEN

HAND BREADTH (IN)	HAND CIRC (IN)												TOTAL
	6.00	6.25	6.50	6.75	7.00	7.25	7.50	7.75	8.00	8.25	8.50	TOTAL	
3.75										2	4		6
3.50							8	81	96	7	1		183
3.25					17	203	343	120	13				696
3.00			5	67	180	173	7						432
2.75			6	8									13
2.50	1												
TOTAL	1	11	73	197	376	358	201	99	9	5			1330

STD ERROR
0.12
0.06

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS
HAND CIRC 7.26 0.34 0.933 = (2.058)*HAND BREADTH(IN)+(0.93)
HAND BREADTH 3.08 0.15 0.933 = (0.423)*HAND CIRC(IN)+(0.01)

TABLE 43

A BIVARIATE FREQUENCY TABLE FOR
HAND CIRC AND HAND LENGTH
1966 ARMY MEN

HAND CIRC(IN)																	
7.00	7.25	7.50	7.75	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.50	TOTAL		
9.50									1						1		
9.25							1		3	2					6		
9.00								1	3	4					8		
8.75						2	4	4	10	6	2	1	1		41		
8.50				2	1	13	18	29	17	7	6	2			121		
8.25				5	21	42	103	104	61	10	5	3			415		
8.00				34	86	166	304	240	131	97	7	4			1092		
7.75		1	5	94	196	343	419	238	127	17	2	3			1509		
7.50		2	20	94	198	343	419	238	127	16	4				1596		
7.25	1	6	33	171	262	394	411	193	82	9	1				1343		
7.00	4	16	53	228	312	356	225	63	48	2	1				430		
6.75	1	17	43	89	122	82	56	15	4						91		
6.50	1	3	11	37	22	12	1	3	1						28		
6.25	2	5	4	7	6	2									1		
6.00	1																
TOTAL	10	48	169	667	1030	1412	1542	910	484	298	69	27	14	1	6882		

HAND LENGTH(IN)

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HAND CIRC	8.51	0.45	0.496	$= (0.586) \times \text{HAND LENGTH(IN)} + (4.12)$	0.39
HAND LENGTH	7.49	0.38	0.496	$= (0.420) \times \text{HAND CIRC(IN)} + (3.92)$	0.33

TABLE 44
A BIVARIATE FREQUENCY TABLE FOR
HAND CIRC AND HAND LENGTH
1977 ARMY WOMEN

HAND CIRC(IN)													
6.00	6.25	6.50	6.75	7.00	7.25	7.50	7.75	8.00	8.25	8.50	TOTAL		
6.25								1			1		1
6.00					2		2	3	2	1		1	10
7.75					5	7	17	22	3	1		1	56
7.50				1	14	34	37	24	1	1		1	116
7.25			1	6	66	103	69	26	2	2		2	291
7.00			13	47	110	101	53	15					339
6.75			15	67	114	87	19	8	1				315
6.50	1	3	34	52	56	25	3						176
6.25		1	8	11	9	1	1						31
6.00		1	2	2									5
5.75													
TOTAL	1	11	73	197	376	358	201	99	9	5			1330

HAND LENGTH(IN)													
6.00	6.25	6.50	6.75	7.00	7.25	7.50	7.75	8.00	8.25	8.50	TOTAL		
6.25								1			1		1
6.00					2		2	3	2	1		1	10
7.75					5	7	17	22	3	1		1	56
7.50				1	14	34	37	24	1	1		1	116
7.25			1	6	66	103	69	26	2	2		2	291
7.00			13	47	110	101	53	15					339
6.75			15	67	114	87	19	8	1				315
6.50		6	34	52	56	25	3						176
6.25		1	8	11	9	1	1						31
6.00		1	2	2									5
5.75													
TOTAL	1	11	73	197	376	358	201	99	9	5			1330

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HAND CIRC	7.26	0.34	0.592	= (0.563) * HAND LENGTH(IN) + (3.40)	0.27
HAND LENGTH	6.87	0.36	0.592	= (0.623) * HAND CIRC(IN) + (2.34)	0.29

TABLE 45

A BIVARIATE FREQUENCY TABLE FOR
HAND CIRC AND PALM LENGTH
1966 ARMY MEN

PALM LENGTH (IN)	HAND CIRC (IN)																TOTAL
	7.00	7.25	7.50	7.75	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.50		
6.25							1	2		2	5	2					12
6.00					2	3	3	16	19	14	15	4	4	2			82
4.75					11	27	59	105	112	67	78	16	8	3	1		487
4.50			4	22	103	213	375	543	389	197	127	27	8	7			1995
4.25			17	58	282	436	624	607	308	166	63	18	7	1			2589
4.00			4	19	59	205	276	235	91	32	10	2		1			1228
3.75			2	8	29	58	71	34	11	6							273
3.50			1	1	1	6	4										16
3.25																	1
3.00																	
TOTAL	10	49	169	667	1030	1412	1542	910	484	298	69	27	14	1			6692

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HAND CIRC	8.51	0.45	0.419	= (0.758)*PALM LENGTH(IN)+(5.34)	0.41
PALM LENGTH	4.17	0.25	0.419	= (0.232)*HAND CIRC(IN)+(2.20)	0.22

TABLE 46

A BIVARIATE FREQUENCY TABLE FOR
HAND CIRC AND PALM LENGTH
1977 ARMY WOMEN

		HAND CIRC(IN)												TOTAL
		6.00	6.25	6.50	6.75	7.00	7.25	7.50	7.75	8.00	8.25	8.50	8.75	
PALM LENGTH(IN)	4.75						1		1	1				3
	4.50				1	3	8	16	19	18	4	1		70
	4.25				4	16	56	97	78	48	2	3		304
	4.00	1	3	29	83	193	170	82	28	3	1			593
	3.75		7	34	86	113	72	20	4					335
	3.50		1	4	10	5	3	1						24
	3.25				1									1
	3.00													
TOTAL		1	11	73	197	376	368	201	99	9	5			1330

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HAND CIRC	7.26	0.34	0.473	$= (0.775) \times \text{PALM LENGTH(IN)} + (4.25)$	0.30
PALM LENGTH	3.89	0.21	0.473	$= (0.288) \times \text{HAND CIRC(IN)} + (1.80)$	0.18

TABLE 47

A BIVARIATE FREQUENCY TABLE FOR
HEAD BREADTH AND HEAD CIRC
1966 ARMY MEN

	5.00	5.25	5.50	5.75	6.00	6.25	6.50	6.75	7.00	TOTAL
HEAD CIRC(IN)	HEAD BREADTH(IN)									
26.25									1	1
25.00										
24.75										
24.50								1		1
24.25							3	2		5
24.00					1	4	2	1		8
23.75					2	4	13	2	1	22
23.50				1	4	28	28	7	1	69
23.25					11	54	61	11	2	139
23.00			1	5	28	129	83	18	2	266
22.75			1	4	101	252	137	28		523
22.50			2	18	181	327	149	24		701
22.25			2	43	262	364	117	7		815
22.00	1	5	105	445	441	142	10			1149
21.75			6	140	412	364	83	3		1008
21.50	1	9	155	365	220	39	3			792
21.25			14	161	274	160	18			627
21.00			10	107	115	53	4	1		290
20.75			8	57	72	22	2			161
20.50			10	34	23	3	1			71
20.25	1	4	12	7	1					25
20.00			1	8						9
TOTAL	3	73	850	2303	2446	882	118	7		6682

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HEAD BREADTH	6.01	0.23	0.525	$= (0.191) \text{ HEAD CIRC(IN)} + (1.79)$	0.20
HEAD CIRC	22.09	0.63	0.525	$= (1.442) \text{ HEAD BREADTH(IN)} + (13.43)$	0.54

TABLE 46

A BIVARIATE FREQUENCY TABLE FOR
HEAD BREADTH AND HEAD CIRC
1977 ARMY WOMEN

	HEAD BREADTH(IN)										TOTAL
	5.00	5.25	5.50	5.75	6.00	6.25	6.50	6.75	7.00	7.25	
24.25						1					1
24.00							1				1
23.75				1	2						4
23.50				1	5	5	2				13
23.25				1	2	4	3				10
23.00				6	12	11	7				36
22.75				9	30	11	2				62
22.50			1	27	43	16	4				91
22.25			6	46	66	24	5				147
22.00			3	77	71	19	4				174
21.75			10	112	74	9					205
21.50		1	16	126	73	13					229
21.25		1	17	94	91	4	1				148
21.00			22	69	13	2					106
20.75		2	25	38	6						71
20.50		1	9	15	1						26
20.25		2	6	5	1						14
20.00				1							1
19.75					1						1
19.50											
TOTAL	7	115	628	431	119	30					1330

HEAD CIRC(IN)

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HEAD BREADTH	5.75	0.21	0.548	$= (0.180) * \text{HEAD CIRC}(IN) + (1.86)$	0.18
HEAD CIRC	21.62	0.64	0.548	$= (1.667) * \text{HEAD BREADTH}(IN) + (12.03)$	0.54

TABLE 49

A BIVARIATE FREQUENCY TABLE FOR
HEAD LENGTH AND HEAD BREADTH
1966 ARMY MEN

HEAD LENGTH(IN)													
	6.50	6.75	7.00	7.25	7.50	7.75	8.00	8.25	8.50	8.75	9.00	TOTAL	
7.00						2	4			1		7	
6.75						35	34	15	4	1		118	
6.50			1	7	21	167	262	107	23	6		882	
6.25			6	60	167	734	724	285	53	8		2446	
6.00			24	173	445	762	718	165	27	2	1	2303	
5.75		1	24	161	442	303	234	35	5			850	
5.50		1	7	83	182	28	14	4		2		73	
5.25			1	8	16		1					3	
5.00					1		1						
TOTAL	2	63	492	1274	2116	1990	612	112	20	1		6682	

STD ERROR
0.29
0.23

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS
HEAD LENGTH 7.66 0.29 0.109 = (0.137)*HEAD BREADTH(IN)+(6.84)
HEAD BREADTH 6.01 0.23 0.109 = (0.087)*HEAD LENGTH(IN)+(5.34)

TABLE 50

A BIVARIATE FREQUENCY TABLE FOR
HEAD LENGTH AND HEAD BREADTH
1977 ARMY WOMEN

HEAD LENGTH(IN)												
6.25	6.50	6.75	7.00	7.25	7.50	7.75	8.00	8.25	TOTAL			
6.50			1	5	13	5	6					30
6.25		2	9	27	38	26	16	2				119
6.00		4	25	99	141	121	39	2				431
6.75		7	42	169	240	133	30	5				628
6.50	2		12	43	45	15						115
6.25			1	3	2		1					7
6.00												
TOTAL	2	13	90	346	479	300	91	9				1330

STD ERROR
0.26
0.21

1977 ARMY WOMEN
HEAD LENGTH
HEAD BREADTH

MEAN
7.37
5.75

ST DEV
0.26
0.21

R
0.161
0.161

REGRESSION EQUATIONS
= (0.201)*HEAD BREADTH(IN)+(6.21)
= (0.129)*HEAD LENGTH(IN)+(4.80)

TABLE 51

A BIVARIATE FREQUENCY TABLE FOR
HEAD LENGTH AND HEAD CIRC
1966 ARMY MEN

HEAD LENGTH(IN)														
6.50	6.75	7.00	7.25	7.50	7.75	8.00	8.25	8.50	8.75	9.00	TOTAL			
25.25									1		1			
25.00														
24.75									1		1			
24.50									1		5			
24.25							1	3	1		8			
24.00							2	2	3	1	22			
23.75						1	7	9	5		69			
23.50						7	34	24	4		139			
23.25					2	38	67	32			268			
23.00					12	109	124	19	2		523			
22.75			1	8	53	271	173	14	3		701			
22.50			2	14	160	412	106	7			815			
22.25			1	44	268	445	57				1149			
22.00		1	10	159	529	422	28				1008			
21.75			38	271	495	190	12	2			792			
21.50		2	71	291	352	75	1				627			
21.25		6	135	284	187	15					290			
21.00		17	95	134	41	3					161			
20.75		17	86	44	13	1					71			
20.50		11	36	19	4	1					25			
20.25	1	7	14	3							9			
20.00	1	2	3	3							6682			
TOTAL	2	63	492	1274	2116	1990	612	112	20	1				

HEAD CIRC(IN)

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

HEAD LENGTH 7.66 0.29 0.788 = (0.360)*HEAD CIRC(IN)+(-0.29) 0.18

HEAD CIRC 22.09 0.63 0.788 = (1.729)*HEAD LENGTH(IN)+(8.84) 0.39

TABLE 52

A BIVARIATE FREQUENCY TABLE FOR
HEAD LENGTH AND HEAD CIRC
1977 ARMY WOMEN

HEAD LENGTH(IN)													TOTAL
6.25	6.50	6.75	7.00	7.25	7.50	7.75	8.00	8.25					
24.25								1				1	
24.00								1				1	
23.75								2	1			4	
23.50					1			5	5	3		13	
23.25								3	6	1		10	
23.00									16	3		36	
22.75					1	7	9	23				52	
22.50					3	17	54	17				91	
22.25					11	48	76	12				147	
22.00					18	77	71	8				174	
21.75					44	118	42					205	
21.50				1	12	75	15	1				229	
21.25				14	72	59	3					148	
21.00			3	18	72	13						108	
20.75			2	22	41	6						71	
20.50			3	15	8							26	
20.25	1	4	8	1								14	
20.00	1											1	
19.75		1										1	
19.50													
TOTAL	2	13	90	348	479	300	91	9				1330	

1977 ARMY WOMEN
HEAD LENGTH
HEAD CIRC

MEAN 7.37
21.62

ST DEV 0.26
0.64

R 0.796
0.796

REGRESSION EQUATIONS
= (0.326)*HEAD CIRC(IN)+(0.32)
= (1.943)*HEAD LENGTH(IN)+(7.31)

STD ERROR
0.16
0.39

TABLE 53

A BIVARIATE FREQUENCY TABLE FOR
HIP BREADTH AND HIP CIRC
1966 ARMY MEN

HIP BREADTH(IN)																	
10.5	11.0	11.5	12.0	12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	TOTAL	
53.0														1		1	
52.0																	
51.0																	
50.0										1				1		2	
49.0														1		1	
48.0										1	1	3				5	
47.0									2		2	2	1			7	
46.0									6	1	5	2				14	
45.0								3	11	15	8	3				40	
44.0								3	14	28	22	3				70	
43.0							3	17	40	48	11	5				122	
42.0						1	40	90	46	5						188	
41.0						7	141	125	37	6						339	
40.0						3	27	141	125	37	6					571	
39.0						4	30	160	243	116	2					785	
38.0						2	15	77	318	280	85	7	1			1036	
37.0						3	45	326	444	190	26	2				1113	
36.0						16	142	531	338	78	6					1113	
35.0						2	35	353	547	153	22	1				720	
34.0						6	111	348	219	33	3					380	
33.0						2	25	144	162	42	5					137	
32.0						5	24	66	30	9	3					34	
31.0						2	14	12	6	1						4	
30.0						1	3										
TOTAL	10	74	389	1104	1784	1491	1018	506	203	64	25	10	1	2	1	6682	

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HIP BREADTH	13.07	0.79	0.859	$= (0.276) * \text{HIP CIRC(IN)} + (2.83)$	0.40
HIP CIRC	37.09	2.46	0.859	$= (2.673) * \text{HIP BREADTH(IN)} + (2.15)$	1.26

TABLE 54

A BIVARIATE FREQUENCY TABLE FOR
HIP BREADTH AND HIP CIRC
1977 ARMY WOMEN

HIP BREADTH(IN)																			
11.0	11.5	12.0	12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	TOTAL	
53.0																	1	1	
52.0																			
51.0																			
50.0																			
49.0												1							
48.0											1								
47.0												1		1					
46.0											1	2							
45.0										4	1								
44.0									2	2	3	6							
43.0								1	2	11	2	1							
42.0								8	18	16	4								
41.0						1	14	38	34	11	2								
40.0		1				9	54	63	26	3									
39.0		1																	
38.0					10	58	79	40	6										
37.0				5	32	113	75	13	3										
36.0			1	11	72	85	24	2											
35.0			6	47	67	27	3												
34.0		1	11	52	17	3													
33.0	1	3	22	25	4														
32.0	2	6	15	2															
31.0		5	1																
30.0	1	1																	
TOTAL	4	16	58		142	223	286	249	166	102	47	14	10	1	1		1	1330	

(IN) CIRC HIP

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HIP BREADTH	13.92	0.96	0.906	$= (0.352) * \text{HIP CIRC(IN)} + (0.69)$	0.41
HIP CIRC	37.59	2.48	0.906	$= (2.333) * \text{HIP BREADTH(IN)} + (5.12)$	1.05

A BIVARIATE FREQUENCY TABLE FOR
HIP BREADTH AND WEIGHT
1966 ARMY MEN

HIP BREATH(IN)																
10.5	11.0	11.5	12.0	12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	TOTAL
280.0																1
275.0																
270.0																
265.0								1			1					3
260.0											1					1
255.0						1		1	1					1		4
250.0																1
245.0																7
240.0						1		2	3	3	1	1	1			9
235.0								3	1	3	4					11
230.0						1	3	8	4	2	1					19
225.0						1	5	3	3		1					13
220.0						2	5	8	4	2						21
215.0					1	3	15	15	7	2						43
210.0					3	11	31	16	6	4						71
205.0					3	18	36	30	9	2						98
200.0					8	36	55	19	3							121
195.0					1	17	62	53	27	1						161
190.0					7	37	90	52	12	1	1					200
185.0					2	17	56	103	51	16						245
180.0					1	20	104	117	60	9	2					313
175.0					1	11	48	141	120	51	4	2				378
170.0					1	9	100	167	120	32	5					434
165.0					2	37	163	213	116	19	2					552
160.0					5	60	213	219	74	12	1					584
155.0					2	8	95	286	212	69	8					680
150.0					25	134	283	149	33	6						630
145.0					3	37	154	233	72	22						531
140.0					2	48	186	223	50	9						518
135.0					8	66	162	99	26	2						363
130.0					1	11	73	124	52	6						267
125.0					1	12	60	77	29	6						195
120.0					4	18	38	26	8							85
115.0					8	8	9	1								26
110.0					2	7	7	6								22
105.0					2	2	6									10
100.0																
95.0					1	2										3
TOTAL	10	74	388	1103	1793	1490	1017	506	203	64	25	10	1	2	1	6677

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HIP BREADTH	13.07	0.79	0.816	$= (0.028) \times \text{WEIGHT} + (8.62)$	0.46
WEIGHT	159.10	23.35	0.816	$= (24.094) \times \text{HIP BREADTH} + (-155.82)$	13.51

TABLE 56

A BIVARIATE FREQUENCY TABLE FOR
HIP BREADTH AND WEIGHT
1977 ARMY WOMEN

WEIGHT(LB)	HIP BREADTH(IN)																			TOTAL
	11.0	11.5	12.0	12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5		
220.0																		1	1	
215.0														1					1	
210.0												1							1	
205.0									1										2	
200.0																			1	
195.0										1									5	
190.0										2									3	
185.0									2	2	3				1				8	
180.0								1	1	4	1	2							10	
175.0								3	3	1	2	2	1						9	
170.0								4	4	8	2		1						16	
165.0							1	3	5	10	7		2						30	
160.0							3	7	14	19	11	2	2						58	
155.0							4	16	21	10	7	1	1						62	
150.0							3	30	30	15	4	3							97	
145.0							11	22	38	22	16	3	1						114	
140.0							2	46	42	27	11	1							136	
135.0							1	2	21	50	41	22	5						142	
130.0							1	11	28	57	26	11	3						138	
125.0							1	21	53	54	23	4							157	
120.0							1	1	20	33	25	14							94	
115.0							1	4	26	43	15	5	1						96	
110.0							1	17	31	11	1	2							69	
105.0							2	4	11	18	6	2	1						45	
100.0							2	4	13	7	3	1							30	
95.0																			11	
90.0																			4	
85.0																				
TOTAL	4	16	58	142	223	296	249	166	102	47	14	10	1	1			1		1330	

STD ERROR

0.58

11.24

REGRESSION EQUATIONS

R = 0.801

ST DEV = (0.041)*WEIGHT(LB)+(8.50)

1977 ARMY WOMEN

HIP BREADTH

WEIGHT

MEAN

13.92

132.11

ST DEV

0.96

18.76

R

0.801

0.801

STD ERROR

0.58

11.24

A BIVARIATE FREQUENCY TABLE FOR
HIP CIRC AND UPPER THIGH CIRC
1966 ARMY MEN

		HIP CIRC(IN)																									
		30.0	31.0	32.0	33.0	34.0	36.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	50.0	51.0	52.0	53.0	TOTAL	
31.0																				1						1	
30.0																			1	2		1				4	
29.0																		2	2					1		10	
28.0													1	2	3	4	7	5	1	1	1					26	
27.0										1	1	2	12	23	20	16	6	5	1	1						100	
26.0										2	7	36	66	43	24	8	2	1				1				233	
25.0																										486	
24.0										8	29	63	154	128	64	31	13	5								816	
23.0											11	42	166	241	213	100	34	13	3	1						1262	
22.0																										1370	
21.0																										1264	
20.0																										748	
19.0																										263	
18.0																										69	
17.0																										12	
16.0																										1	
TOTAL	4	34	137	380	720	1113	1113	1036	785	671	339	199	122	70	40	14	7	6	1	2					1	6492	

	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
1966 ARMY MEN	37.09	2.46	0.852	$= (1.110) * \text{UPPER THIGH CIRC}(IN) + (12.87)$	1.29
HIP CIRC	21.82	1.89	0.852	$= (0.655) * \text{HIP CIRC}(IN) + (-2.47)$	0.99
UPPER THIGH CIRC					

TABLE 58

A BIVARIATE FREQUENCY TABLE FOR
HIP CIRC AND UPPER THIGH CIRC
1977 ARMY WOMEN

	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	50.0	51.0	52.0	53.0	TOTAL
29.0												1						1						1	4
28.0													2		5	1	1								10
27.0												2	3	11	6	2	2		1						26
26.0													15	6	4	2									49
25.0											1	8	45	20	8										136
24.0											2	16	88	72	34	8									253
23.0											9	42	88	70	27	5									313
22.0											15	68	127	62	19										253
21.0											2	11	59	95	62	19									169
20.0											12	43	79	21	8										86
19.0											10	32	26	16	2										27
18.0											5	11	8	2	1										7
17.0											2	4	1												1
16.0																									
TOTAL	2	6	25	55	84	170	195	241	193	157	101	46	29	14	5	3	2	1	1					1	1330

STD ERROR

1.05

0.76

REGRESSION EQUATIONS

 $\text{HIP CIRC} = (1.255) * \text{UPPER THIGH CIRC} + (9.48)$ $\text{UPPER THIGH CIRC} = (0.655) * \text{HIP CIRC} + (-2.22)$

MEAN ST DEV

37.59 2.48

22.40 1.79

1977 ARMY WOMEN

HIP CIRC

UPPER THIGH CIRC

TABLE 59

A BIVARIATE FREQUENCY TABLE FOR
HIP CIRC AND WEIGHT
1966 ARMY MEN

	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	50.0	51.0	52.0	53.0	TOTAL
WEIGHT(LB)	HIP CIRC(IN)																								
280.0																								1	1
275.0																									
270.0																									
265.0																									
260.0																									
255.0																									
250.0																									
245.0																									
240.0																									
235.0																									
230.0																									
225.0																									
220.0																									
215.0																									
210.0																									
205.0																									
200.0																									
195.0																									
190.0																									
185.0																									
180.0																									
175.0																									
170.0																									
165.0																									
160.0																									
155.0																									
150.0																									
145.0																									
140.0																									
135.0																									
130.0																									
125.0																									
120.0																									
115.0																									
110.0																									
105.0																									
100.0																									
95.0																									
TOTAL	4	34	137	379	719	1113	1112	1036	785	568	339	189	122	70	40	14	5	7	1	2			1		6877

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

HIP CIRC 37.09 2.46 0.919 = (0.097)*WEIGHT(LB)+(21.66) 0.97

WEIGHT 159.10 23.35 0.919 = (8.722)*HIP CIRC(IN)+(-164.41) 9.22

TABLE 60

A BIVARIATE FREQUENCY TABLE FOR
HIP CIRC AND WEIGHT
1977 ARMY WOMEN

	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	50.0	51.0	52.0	53.0	TOTAL
WEIGHT(LB)	HIP CIRC(IN)																								
220.0																									1
215.0																				1					1
210.0																				1					1
205.0																									2
200.0																									1
195.0																									6
190.0																									1
185.0																									1
180.0																									8
175.0																									10
170.0																									9
165.0																									18
160.0																									30
155.0																									58
150.0																									82
145.0																									97
140.0																									114
135.0																									130
130.0																									142
125.0																									138
120.0																									167
115.0																									94
110.0																									96
105.0																									63
100.0																									46
95.0																									30
90.0																									11
85.0																									4
TOTAL	2	6	25	55	84	170	195	241	193	157	101	46	28	14	5	3	2	1	1					1	1330

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR
 HIP CIRC 37.59 2.48 0.903 = (0.119)*WEIGHT(LB)+(21.87) 1.06
 WEIGHT 132.11 18.76 0.903 = (6.832)*HIP CIRC(IN)+(-124.73) 8.05

TABLE 61

A BIVARIATE FREQUENCY TABLE FOR
INSTEP CIRC AND FOOT CIRC
1966 ARMY MEN

	8.00	8.50	9.00	9.50	10.00	10.50	11.00	11.50	12.00	12.50	13.00	13.50	14.00	14.50	TOTAL
12.50									1						1
12.25															
12.00									1	1	2	1			5
11.75							1	2		2	1				6
11.50							4	13	15	5	2				39
11.25							13	31	26	13	2				89
11.00					1	1	49	79	63	6			1		204
10.75						56	185	184	74	17	2				522
10.50						12	176	286	180	58	6				731
10.25						8	407	449	209	44	6				1190
10.00	1	6	17	192	438	357	125	10	3						1149
9.75							252	70	12						999
9.50							126	32	1	2					805
9.25							36	6	3						447
9.00							13	3							225
8.75							58	13							177
8.50	3	16	62	56	34	5	1								48
8.25	1	6	16	20	2	1									24
8.00		6	8	7	2	1									17
7.75	1	7	6	3											1
7.50	1														1
7.25	1														1
TOTAL	8	66	368	1122	2019	1768	937	301	64	9	1		1		6682

FOOT CIRC(IN)

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR
 INSTEP CIRC 10.46 0.65 0.669 = (0.744)*FOOT CIRC(IN)+(3.13) 0.48
 FOOT CIRC 9.85 0.58 0.669 = (0.601)*INSTEP CIRC(IN)+(3.57) 0.43

TABLE 62

A BIVARIATE FREQUENCY TABLE FOR
INSTEP CIRC AND FOOT CIRC
1977 ARMY WOMEN

INSTEP CIRC(IN)											
7.50	8.00	8.50	9.00	9.50	10.00	10.50	11.00	TOTAL			
10.75									1		1
10.50						5					5
10.25				1	7			5			13
10.00			6	6	12			3			27
9.75			8	41	18			3			70
9.50			2	89	31			2			201
9.25			18	125	61	8		1			213
9.00			2	50	168	62	1				283
8.75			11	132	116	14					273
8.50			22	101	32	1					156
8.25			1	15	43	6					65
8.00			3	12	7						22
7.75				1							1
7.50											
TOTAL	4	63	353	538	275	82		15			1330

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
INSTEP CIRC	9.24	0.50	0.780	= (0.862)*INSTEP CIRC(IN)+(1.57)	0.31
FOOT CIRC	8.90	0.45	0.780	= (0.705)*INSTEP CIRC(IN)+(2.38)	0.28

TABLE 63

A BIVARIATE FREQUENCY TABLE FOR
INSTEP CIRC AND HEEL-ANKLE CIRC
1966 ARMY MEN

INSTEP CIRC(IN)																
8.00	8.50	9.00	9.50	10.00	10.50	11.00	11.50	12.00	12.50	13.00	13.50	14.00	14.50	TOTAL		
16.00								1	2	1				4		
15.75						1	3	1	1	1				8		
15.50						1	4	4	3	2				14		
15.25																
15.00				1	4	17	19	8	2	2		1		52		
14.75				3	23	35	23	9	3					96		
14.50				10	60	69	34	11						174		
14.25				4	141	117	66	11						384		
14.00			4	26	103	189	158	60	9					549		
13.75		1	11	36	206	232	172	53	4					713		
13.50		4	11	107	359	337	181	28	3					1030		
13.25		2	19	142	381	309	104	7						964		
13.00	1	5	49	242	385	250	45	4	2					983		
12.75		9	83	240	252	161	13							758		
12.50	2	8	75	153	155	70	14							477		
12.25		7	51	93	75	14	5	1	1					247		
12.00	3	10	38	60	33	6								150		
11.75		12	16	18	10									56		
11.50	1	4	8		1									14		
11.25		4		2	1									7		
11.00	1		1											2		
TOTAL	8	66	366	1122	2019	1788	937	301	64	9	1	1		6682		

HEEL-ANKLE CIRC(IN)

1966 ARMY MEN

MEAN

ST DEV

R

REGRESSION EQUATIONS

STD ERROR

INSTEP CIRC

10.46

0.65

0.635

=

(0.631)*HEEL-ANKLE CIRC(IN)+(1.98)

0.50

HEEL-ANKLE CIRC

13.43

0.65

0.635

=

(0.639)*INSTEP CIRC(IN)+(6.75)

0.50

TABLE 64

A BIVARIATE FREQUENCY TABLE FOR
INSTEP CIRC AND HEEL-ANKLE CIRC
1977 ARMY WOMEN

INSTEP CIRC(IN)											
7.50	8.00	8.50	9.00	9.50	10.00	10.50	11.00	TOTAL			
14.25								1			1
14.00							1	2			3
13.75					2		6	3			11
13.50				1	6		11	4			22
13.25				4	25		17	2			48
13.00			1	30	39		35	3			108
12.75			1	55	82		8				146
12.50		1	18	89	54		4				166
12.25		1	44	160	53						258
12.00		4	87	103	10						204
11.75		8	89	72	3						172
11.50		25	74	19	1						119
11.25		12	31	5							49
11.00	1	9	4								15
10.75	2	3									8
10.50	1										
TOTAL	4	63	353	538	275	82	15				1330

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

INSTEP CIRC 9.24 0.50 0.804 = (0.698)*HEEL-ANKLE CIRC(IN)+(0.78) 0.30

HEEL-ANKLE CIRC 12.12 0.57 0.804 = (0.926)*INSTEP CIRC(IN)+(3.56) 0.34

TABLE 65

A BIVARIATE FREQUENCY TABLE FOR
PALM LENGTH AND HAND LENGTH
1966 ARMY MEN

		PALM LENGTH(IN)											TOTAL
		3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	
HAND LENGTH(IN)	9.50											1	1
	9.25									3		3	6
	9.00								1	4		3	8
	8.75							3	15	20		3	41
	8.50							27	70	23		1	121
	8.25						18	190	180	26		1	416
	8.00					9	214	888	180	3			1092
	7.75					4	56	704	34	3			1509
	7.50					12	288	960	332	6			1696
	7.25					73	587	634	48	1			1343
	7.00					5	119	248	57	1			430
	6.75					6	49	35					91
	6.50	1				3	17	7					29
	6.25					1							1
	6.00												
TOTAL		1	15	273	1228	2589	1985	487	82	12			6882

STD ERROR
0.14
0.22

1966 ARMY MEN
PALM LENGTH
HAND LENGTH

MEAN
4.17
7.49

ST DEV
0.25
0.38

R
0.822
0.822

REGRESSION EQUATIONS
= (0.537)*HAND LENGTH(IN)+(0.15)
= (1.260)*PALM LENGTH(IN)+(2.24)

TABLE 65

A BIVARIATE FREQUENCY TABLE FOR
PALM LENGTH AND HAND LENGTH
1977 ARMY WOMEN

HAND LENGTH (IN)	PALM LENGTH (IN)											TOTAL
	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	
8.25								1				1
8.00							9	1				10
7.75						27	28	1				56
7.50					4	82	30					116
7.25				1	128	149	3					281
7.00				20	274	45						339
6.75				145	169	1						315
6.50			11	147	18							176
6.25			10	21								31
6.00	1	3	1									5
5.75												
TOTAL	1	24	335	593	304	70	3					1330

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
PALM LENGTH	3.89	0.21	0.908	$= (0.526) * \text{HAND LENGTH (IN)} + (0.28)$	0.09
HAND LENGTH	6.87	0.36	0.908	$= (1.567) * \text{PALM LENGTH (IN)} + (0.77)$	0.15

TABLE 67

A BIVARIATE FREQUENCY TABLE FOR
SHOULDER CIRC AND WEIGHT
1966 ARMY MEN

SHOULDER CIRC(IN)																							
36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	50.0	51.0	52.0	53.0	54.0	55.0	56.0	57.0	TOTAL	
280.0																					1	1	
275.0																							
270.0																				1	1	3	
265.0																1	1					1	
260.0																3	3	1				4	
255.0																		1				1	
250.0																	1					7	
245.0															2	3		2	1			9	
240.0												2		1	2	3	2	1		1		11	
235.0												2		4	2	1	4	4	2	2		19	
230.0													1	1	1	7	2	1				13	
225.0														5	4	3	3	1	1	2		21	
220.0										1		1		10	13	4	8	2				43	
215.0										1	3	4	16	14	9	8						57	
210.0										2	1	18	15	17	12	5						71	
205.0							1		8	17	19	26	11	9	2	1		1				98	
200.0							1	11	16	22	36	17	12	3	2							121	
195.0							2	5	14	31	40	38	23	6	4							161	
190.0														9	5	2						200	
185.0						1	4	8	32	33	70	36	9	2	2							245	
180.0							8	10	43	72	62	37	9	2	2							313	
175.0						2	5	20	54	91	111	70	21	3	1	1						378	
170.0						1	4	9	100	122	102	41	8	4	1							434	
165.0								43	170	169	71	22	8									552	
160.0						2	1	4	186	148	51	19	2									584	
155.0						3	4	44	118	148	51	19	2									680	
150.0						6	30	78	190	209	119	38	7	2								630	
145.0						12	50	133	182	156	75	18	1									531	
140.0			2	2		22	58	135	177	107	19	6	2									518	
135.0						11	114	165	129	54	15	5										363	
130.0						1	11	89	131	47	17	2	1									267	
125.0						1	16	49	110	66	17	4	2	2								185	
120.0			2	6	24	54	60	25	8	4	1	1										95	
115.0			14	23	31	20	5	1														26	
110.0			1	4	5	8	7	1														22	
105.0			5	9	6	1																10	
100.0		2	1	4	2	1																3	
95.0		1																					
TOTAL	3	6	38	108	280	570	828	1034	1131	934	685	454	290	140	80	49	17	9	7	1	3	6677	

WEIGHT(LB)

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

SHOULDER CIRC 44.55 2.51 0.844 = (0.091)*WEIGHT(LB)+(30.08) 1.35

WEIGHT 159.10 23.35 0.844 = (7.838)*SHOULDER CIRC(IN)+(-190.11) 12.52

TABLE 68

A BIVARIATE FREQUENCY TABLE FOR
SHOULDER CIRC AND WEIGHT
1977 ARMY WOMEN

WEIGHT(LBS)	SHOULDER CIRC(IN)																			TOTAL
	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0			
220.0														1				1		
215.0																1		1		
210.0												1						1		
205.0																1	1	2		
200.0																		1		
195.0													1					1		
190.0												3		1		1		5		
185.0																				
180.0									2	1	2	2	1	1	1			8		
175.0									2	2	1	1	1	2	2			10		
170.0									2	3	3	3		1				9		
165.0									1	1	5	6	3					16		
160.0								4	4	8	7	7						30		
155.0								4	8	19	16	10	1					58		
150.0							3	6	13	14	18	6	1	1				62		
145.0						1	7	15	27	23	18	6						97		
140.0						1	12	26	30	29	14	2						114		
135.0					1	4	16	38	50	19	5	3						136		
130.0						13	27	46	31	22	3							142		
125.0					1	18	33	48	29	8	1							138		
120.0				2	3	42	51	45	11	3								157		
115.0	1		1	13	31	32	12	4										94		
110.0			4	25	42	20	4											95		
105.0			5	16	28	14												63		
100.0			1	11	17	13	3											45		
95.0			4	11	9	5	1											30		
90.0			3	3	3	2												11		
85.0			1	2	1													4		
TOTAL	1	9	38	89	200	219	248	209	152	92	50	8	7	3	2	2		1330		

WEIGHT(LB)

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

SHOULDER CIRC 39.51 2.11 0.833 = (0.094)*WEIGHT(LB)+(27.09) 1.17

WEIGHT 132.11 18.76 0.833 = (7.414)*SHOULDER CIRC(IN)+(-160.82) 10.38

TABLE 69

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND BUST/CHEST CIRC
1966 ARMY MEN

	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	TOTAL
49.0											1			1	1		1					4
48.0									1		2	2	3	3	2							13
47.0										2	2	2	2	1	1				1			11
46.0	1										1	4	2	1	6	1						22
45.0								1	5		1	6	7	1	2	2	2	1				33
44.0						1	1	3	4	10	10	11	12	3	6	4	1	3	1			70
43.0						1	1	6	10	7	22	19	16	20	14	7	1	3	2			130
42.0						1	2	6	10	23	26	30	26	21	12	14	8	1	1			188
41.0		1				4	3	8	9	23	26	30	26	21	12	14	8	1	1			339
40.0						6	4	23	25	40	33	47	55	34	43	17	8	3	1			518
39.0						7	10	25	48	66	69	92	68	52	36	23	12	7	2			712
38.0						4	7	11	38	71	97	119	95	92	64	41	23	8	1	1		911
37.0						2	4	17	27	58	99	106	141	158	112	89	53	29	7	4	5	1082
36.0						1	3	8	13	32	71	101	159	163	149	123	100	62	28	1	1	1111
35.0						4	3	7	12	16	42	81	151	206	175	145	123	75	41	27	2	795
34.0						6	12	19	27	58	82	91	116	118	134	109	74	51	33	12	2	478
33.0						2	6	12	19	27	58	82	91	116	118	134	109	74	51	33	2	217
32.0						3	5	8	16	27	32	32	36	24	16	6	8	2				63
31.0						1	1	3	8	9	11	9	8	7	1	2						16
30.0						3	2	2	1	3	3	1										1
29.0																						1
28.0																						1
TOTAL	1	9	32	58	135	235	476	751	970	1043	937	773	544	372	199	87	39	11	9	1		6882

BUST/CHEST CIRC(IN)

STATURE(IN)

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

STATURE 68.71 2.60 0.245 = (0.242)*BUST/CHEST CIRC(IN)+(59.77) 2.52

BUST/CHEST CIRC 36.92 2.63 0.245 = (0.248)*STATURE(IN)+(19.88) 2.55

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND BUST/CHEST CIRC
1977 ARMY WOMEN

BUST/CHEST CIRCUM

STD ERROR	2.49	2.42
-----------	------	------

TABLE 71

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND HIP BREADTH
1966 ARMY MEN

STATURE (IN)																						TOTAL
59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0		
18.0															1						1	
17.6										1											2	
17.0														1							1	
16.6															4	1		1			10	
16.0										1	5	6	3	3	2	1	2		2		26	
15.6											4	10	7	9	14	6	3	5	1		64	
15.0							1	1	1	11	22	22	35	27	20	28	14	4			203	
14.6	1				1	2	2	17	22	44	61	75	86	79	61	39	15	8	3	1	506	
14.0					1	3	18	38	67	119	136	182	159	104	100	52	22	8	3		1018	
13.6						22	31	93	151	197	248	222	211	153	92	36	19	8	1	2	1491	
13.0					2	4	12	31	61	145	227	284	264	184	122	67	29	10			1784	
12.6		2	4	12	31	61	145	227	284	264	184	122	67	29	10	5	2				1104	
12.0	1	13	16	44	62	112	198	198	217	190	125	70	40	16	8						389	
11.6	2	8	17	19	39	58	73	76	48	26	13	6	4								74	
11.0	3	2	8	11	15	10	8	8	1	3	4			1							10	
10.6	1	2	2			4																
TOTAL	1	9	32	58	135	235	476	751	970	1043	937	773	544	372	199	97	39	11	9	1	6682	

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

STATURE 68.71 2.60 0.437 = (1.440)*HIP BREADTH(IN)+(49.89) 2.34

HIP BREADTH 13.07 0.79 0.437 = (0.133)*STATURE(IN)+(3.93) 0.71

TABLE 72

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND HIP BREADTH
1977 ARMY WOMEN

STATURE(IN)																				TOTAL
55.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	TOTAL	
19.5														1					1	
19.0																				
18.5																				
18.0																			1	
17.5									1										1	
17.0									3	1	4	2							10	
16.5									2	1	2	3	1						14	
16.0								3	2	3	6	5	6	3			1		47	
15.5						2	2	8	3	9	10	18	10	6	2				102	
15.0		1			2	3	6	16	11	17	10	18	10	6	2				166	
14.5					1	9	18	23	27	31	17	14	9	6	2	4			249	
14.0					4	8	17	32	36	38	43	25	24	13	2	4	2		296	
13.5	1	1	2	2	20	23	53	51	46	47	23	13	8	3	3				223	
13.0		1	4	8	13	33	41	34	34	23	18	5	2	6					142	
12.5		2	4	8	15	21	22	18	18	17	10	6	1						58	
12.0		1	6	7	9	12	12	2	8	1									16	
11.5			1	2	4	3	1	3		2									4	
11.0						1	2													
TOTAL	1	7	18	35	80	122	189	194	191	193	115	90	50	27	11	6	1		1330	

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
STATURE	64.15	2.57	0.398	$= (1.059) * \text{HIP BREADTH}(\text{IN}) + (49.41)$	2.35
HIP BREADTH	13.92	0.96	0.398	$= (0.149) * \text{STATURE}(\text{IN}) + (4.36)$	0.88

TABLE 73

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND HIP CIRC
1966 ARMY MEN

	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	TOTAL
53.0											1											1
52.0																						
51.0																						
50.0										1					1							2
49.0								1														1
48.0										1		1			1		1					5
47.0	1													2	2		2					7
46.0											1	4	3	2	2				1	1		14
45.0						1	1			1	3	10	1	3	8	3	2	6				40
44.0								3	6	6	6	9	12	14	10	7	4					70
43.0					1	2	2	4	11	4	18	20	24	15	7	5	5	2	2			122
42.0				1	2	2	1	9	6	20	25	20	29	30	18	18	7	2				188
41.0						3	3	13	25	39	48	51	49	39	28	20	10	5	4	2		339
40.0					1	7	19	25	47	70	75	93	74	56	57	28	13	2	1	3		571
39.0						16	10	41	62	86	122	134	124	78	54	39	12	7		1		785
38.0						12	26	77	115	149	161	149	135	101	60	22	13	6	1			1036
37.0	1	4	3	7	13	33	68	121	176	197	197	181	123	96	68	30	11	5	1	1		1113
36.0						21	41	85	158	183	192	164	120	63	38	20	6	3	1	1		1113
35.0			1	5	11	25	40	80	111	129	124	90	58	33	14	7	1	1				720
34.0			3	5	11	19	27	62	67	73	57	35	19	11	2							380
33.0			1	7	9	13	24	18	19	24	11	6	1	2	2							137
32.0			2	1	4	4	5	3	4	9	2											34
31.0							3			1												4
30.0																						
TOTAL	1	9	32	58	135	235	476	751	970	1043	937	773	544	372	199	87	39	11	9	1		6882

HIP CIRC(IN)

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

STATURE 68.71 2.60 0.350 = (0.370)*HIP CIRC(IN)+(54.98) 2.44

HIP CIRC 37.09 2.46 0.350 = (0.330)*STATURE(IN)+(14.42) 2.30

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND HIP CIRC
1977 ARMY WOMEN

HIP CIRC(IN)

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
STATURE	64.15	2.57	0.414	= (0.429)*HIP CIRC(IN)+(48.03)	2.34
HIP CIRC	37.59	2.48	0.414	= (0.400)*STATURE(IN)+(11.93)	2.26

TABLE 75

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND SHOULDER CIRC
1966 ARMY MEN

	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	TOTAL
SHOULDER CIRC(IN)	57.0									2			1									3
56.0										1		2		1						1		1
55.0											1											7
54.0												1	3	1	1	2						9
53.0									1				7	2			2	1				17
52.0								1	1	2			6	1	9	6	3					49
51.0								1	2	3	3	6	9	8	8	4	2	3	3			80
50.0	1					1		1	2	5	6	8	14	16	8	4	2					140
49.0						2	2	6	8	12	14	20	22	19	15	11	5	3	2	1		290
48.0						4	3	13	17	34	36	43	44	43	29	13	9	2	1			484
47.0						1	1	5	6	18	38	52	66	71	65	37	24	14	2			685
46.0						1	1	3	9	14	36	66	86	98	83	49	33	18	8	1		995
45.0						1	5	15	32	64	85	130	127	156	116	63	32	13	11	3	1	1132
44.0						6	6	24	24	76	136	172	199	152	142	89	56	38	7	4		1036
43.0						5	7	13	39	66	140	166	182	145	111	94	48	18	6	4		829
42.0						2	4	6	14	35	83	110	128	108	79	49	33	13	4	1		570
41.0						6	16	23	43	61	79	104	83	69	54	26	16	3	1	1		280
40.0						3	5	6	13	21	27	41	47	48	35	18	8	8	1	1		108
39.0						2	4	6	8	9	16	17	17	13	6	5	2					38
38.0						2	1	6	3	4	10	9	9	2	1							6
37.0									1													3
36.0																						8682
TOTAL	1	9	32	58	135	235	476	751	970	1043	937	773	544	372	199	87	39	11	9	1		

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

STATURE 68.71 2.60 0.297 = (0.308)*SHOULDER CIRC(IN)+(54.98) 2.48

SHOULDER CIRC 44.55 2.51 0.297 = (0.287)*STATURE(IN)+(24.83) 2.40

TABLE 76

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND SHOULDER CIRC
1977 ARMY WOMEN

	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	TOTAL
49.0										1				1					2
48.0									1			1							2
47.0									2							1			3
46.0								1	1		1	1	1	1	1				7
45.0										2		2	2	1		1			8
44.0												5	5	3	2	1	1		50
43.0					1	1	2	5	4	11	9	12	9	6	2	4	2		92
42.0						2	6	11	9	8	19	12	14	11	6	1			162
41.0					1	6	8	17	21	23	30	12	22	9	6	1			209
40.0					2	3	1	5	14	38	24	23	16	6	4	2	1		248
39.0					1	2	4	11	18	34	49	17	11	5	2				219
38.0					2	3	7	17	23	29	32	20	11	3	3				200
37.0					2	10	19	27	34	31	15	14	9	3	1				69
36.0					6	6	11	17	11	12	6	7							39
35.0					1	1	4	6	6	5		1	1						9
34.0						1	2	1	3	1									1
33.0																			
TOTAL	1	7	18	35	60	122	189	194	191	193	115	90	50	27	11	6	1		1330

SHOULDER CIRC(IN)

STATURE(IN)

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
STATURE	64.15	2.57	0.331	$= (0.404) \times \text{SHOULDER CIRC(IN)} + (48.19)$	2.42
SHOULDER CIRC	39.51	2.11	0.331	$= (0.272) \times \text{STATURE(IN)} + (22.06)$	1.99

TABLE 77

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND SLEEVE INSEAM
1966 ARMY MEN

	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	TOTAL
24.0													1									1
23.5																2						2
23.0															1	1	1	3	1	1		8
22.5															2	5	7	4	2	1		25
22.0										1	1	2			11	16	11	2	1	1	1	60
21.5										2	9	6	8	26	39	57	23	17	4	4		169
21.0										1	3	8	22	40	73	104	133	7	2	1		382
20.5										1	3	8	22	40	73	104	133	10	10	1		692
20.0										1	3	8	22	40	73	104	133	10	10	1		1084
19.5										1	3	8	22	40	73	104	133	10	10	1		1226
19.0										1	3	8	22	40	73	104	133	10	10	1		1299
18.5										1	3	8	22	40	73	104	133	10	10	1		799
18.0										1	3	8	22	40	73	104	133	10	10	1		655
17.5										1	3	8	22	40	73	104	133	10	10	1		282
17.0										1	3	8	22	40	73	104	133	10	10	1		98
16.5										1	3	8	22	40	73	104	133	10	10	1		26
16.0										1	3	8	22	40	73	104	133	10	10	1		15
15.5										1	3	8	22	40	73	104	133	10	10	1		
TOTAL	1	9	32	58	135	235	476	761	970	1043	937	779	544	372	199	87	39	11	9	1		6092

SLEEVE INSEAM (IN)

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

STATURE 68.71 2.60 0.732 = (1.806)*SLEEVE INSEAM(IN)+(34.16) 1.77

SLEEVE INSEAM 19.13 1.05 0.732 = (0.296)*STATURE(IN)+(-1.21) 0.72

TABLE 78

SLEEVE (INSEAM) (IN)

STD ERROR

TABLE 79

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND UPPER THIGH CIRC
1966 ARMY MEN

STATURE(IN)																					
59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	TOTAL
31.0										1											1
30.0												1	2			1					4
29.0										3	1		1	3				1			10
28.0					1																26
27.0							2	2	7	6	22	20	14	7	1	4	3	1	1		100
26.0						2	3	8	12	21	35	34	33	33	21	18	8	2	1		233
26.0	1				4	4	6	12	21	35	34	33	33	21	18	8	2	1			485
25.0				1	7	8	29	42	57	77	71	71	46	37	24	16	8	1			816
24.0																					1262
23.0																					1378
23.0																					1264
22.0																					748
21.0																					283
20.0																					59
19.0																					12
18.0																					1
17.0																					
16.0																					
15.0																					
TOTAL	1	9	32	58	135	235	476	761	970	1043	937	773	544	372	199	87	39	11	9	1	6682

UPPER THIGH CIRC(IN)

STATURE(IN)

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

STATURE 68.71 2.60 0.219 = (0.302)*UPPER THIGH CIRC(IN)+(62.12) 2.54

UPPER THIGH CIRC 21.82 1.89 0.219 = (0.159)*STATURE(IN)+(10.90) 1.84

TABLE 80
A BIVARIATE FREQUENCY TABLE FOR
STATURE AND UPPER THIGH CIRC
1977 ARMY WOMEN

	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	TOTAL
UPPER THIGH CIRC(IN)	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0
1																			4
2																			10
3																			26
4																			49
5																			136
6																			253
7																			313
8																			253
9																			163
10																			88
11																			27
12																			7
13																			1
14																			
15																			
16																			
17																			
18																			
19																			
20																			
21																			
22																			
23																			
24																			
25																			
26																			
27																			
28																			
29																			
30																			
31																			
32																			
33																			
34																			
35																			
36																			
37																			
38																			
39																			
40																			
41																			
TOTAL	1	7	18	35	80	122	189	194	191	193	115	90	50	27	11	6	1	1	1330

1977 ARMY WOMEN MEAN ST DEV .R REGRESSION EQUATIONS STD ERROR
 STATURE 64.15 2.57 0.287 = (0.411)*UPPER THIGH CIRC(IN)+(54.95) 2.46
 UPPER THIGH CIRC 22.40 1.79 0.287 = (0.200)*STATURE(IN)+(9.57) 1.72

A BIVARIATE FREQUENCY TABLE FOR STATURE AND WEIGHT 1966 ARMY MEN

STATURE(IN)																						TOTAL
59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	TOTAL	
280.0									1												1	
275.0																						
270.0										1			1						1		3	
265.0												1									1	
260.0																					4	
255.0							1			1							1				1	
250.0																					7	
245.0										2			2		2		2	1			9	
240.0										1			1		2		1				11	
235.0												4			2		3				19	
230.0						1			1		4	3	2	1	2		2				13	
225.0								1	1	1	1	3	2	1	1		1	2			21	
220.0								1	2	2	5	1		5	2	2	1				43	
215.0						1		1	1	3	7	6	5	7	8	4					57	
210.0								2	1	3	10	11	8	9	7	2	2				71	
205.0						1				9	14	13	14	8	3	2	1	1			98	
200.0							1			12	12	21	17	14	9	2	3	1			121	
195.0	1						2	5	5	15	19	22	18	13	10	10	1				161	
190.0							7	12	10	22	21	24	24	14	15	3	2		4		200	
185.0							5	12	21	23	24	32	26	26	15	9	3	1			245	
180.0							2	1	6	9	27	36	48	34	27	28	12	2			313	
175.0							3	3	13	24	29	32	54	52	43	34	4		1		378	
170.0							4	4	13	24	42	63	73	65	44	34	17	2			434	
165.0									30	50	68	66	83	67	26	15	6	4	2		552	
160.0							8	9	36	47	59	101	88	80	61	34	17	6	1		584	
155.0							5	12	33	61	107	90	104	68	45	36	11	3			680	
150.0							2	2	19	61	83	115	131	93	73	45	26	15	1		630	
145.0							10	24	41	87	120	104	94	78	36	20	11	3			531	
140.0							2	1	11	20	51	83	100	91	78	42	32	13			518	
135.0							13	22	63	86	82	110	56	43	23	7	1				363	
130.0							4	3	6	29	41	72	75	60	38	21	7	5			267	
125.0							16	30	46	50	57	35	18	6	1						185	
120.0							19	20	28	33	34	25	7	1	2						95	
115.0							11	19	15	16	15										26	
110.0							3	9	11	19											22	
105.0							2	3	4	4											10	
100.0							4	3	4	2	2										3	
95.0							3	2														
							1															
							1															
TOTAL	1	9	32	58	135	235	474	750	970	1042	937	773	544	371	199	87	39	11	9	1	6677	

	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
1966 ARMY MEN					
STATURE	68.71	2.60	0.489	= (0.054)*WEIGHT(LB)+(60.12)	2.27
WEIGHT	159.10	23.35	0.489	= (4.388)*STATURE(IN)+(-142.39)	20.37

TABLE 82

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND WEIGHT
1977 ARMY WOMEN

	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	TOTAL
220.0															1				1
215.0											1								1
210.0								1											1
205.0												1							2
200.0											1								1
195.0								2			2								5
190.0																			8
185.0								1		1		1	1	4					10
180.0								1				5	3			1			9
175.0								1		2		1	2	1					16
170.0								1		1	1	1	4	5		1			30
165.0								1		4	7	8	8	4	4	1			58
160.0					1			3	3	6	11	8	9	7	3	2			62
155.0						1		4	5	8	18	7	9	3	1	2			97
150.0						1	1	7	10	18	20	12	13	7	5				114
145.0						3	6	13	18	19	19	15	7	6	4	3	2		136
140.0						2	7	21	24	22	28	12	12	5	2				142
135.0					1	2	13	24	27	23	21	15	7	3	1				138
130.0					1	1	6	14	25	15	18	10	5	3	3				157
125.0					2	2	9	27	32	29	25	10	5	1					94
120.0					1	3	10	15	12	11	13	4	3						95
115.0					1	2	20	16	13	15	5	10	2						63
110.0					3	6	10	13	9	9	2	1							45
105.0					2	6	7	7	8	7	1								30
100.0					1	4	6	6	1	2									11
95.0					2	2	4	2	1										4
90.0					1	1	1				1								
85.0																			
TOTAL	1	7	18	35	80	122	189	194	191	193	115	90	60	27	11	6	1		1330

(LB) HEIGHT

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

STATURE 64.15 2.57 0.536 = (0.073)*WEIGHT(LB)+(54.51) 2.17

WEIGHT 132.11 18.76 0.536 = (3.916)*STATURE(IN)+(-119.12) 15.84

TABLE 83

A BIVARIATE FREQUENCY TABLE FOR
UPPER THIGH CIRC AND WEIGHT
1966 ARMY MEN

UPPER THIGH CIRC(IN)																			
15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0	31.0	TOTAL		
280.0														1			1		
276.0																			
270.0											1	1			1		3		
266.0													1				1		
260.0												2	1		1		4		
256.0																			
250.0															1		1		
246.0												1	4	2		7			
240.0										1	2	2	2		1	1	9		
236.0								1			2	3	3	2			11		
230.0								1		3	4	6	4	1			19		
226.0										2	6	4	1				13		
220.0								1		3	11	3	1	1			21		
216.0								2	2	7	20	10	1	1			43		
210.0					1	1	4	2	14	16	17	2	2	1			57		
206.0							3	9	25	19	12	2	2	1			71		
200.0						2	2	16	31	33	13	1					98		
196.0						1	7	32	42	28	8		3				121		
190.0					2	2	19	46	53	27	12						161		
186.0					3	6	35	59	73	23		1					200		
180.0					1	2	7	61	100	66	16	3					245		
176.0						4	23	68	114	70	13	1					313		
170.0				1		9	42	134	133	50	9						378		
166.0					1	21	100	179	102	30							434		
160.0					6	47	164	214	102	17	3						552		
156.0				2	2	89	226	194	51	7		1					584		
150.0				2	2	29	171	258	191	28							680		
146.0				6	58	242	220	87	14	1							630		
140.0				4	10	89	218	176	32	2							531		
136.0				2	25	154	218	104	14	1							518		
130.0		1	4	50	125	30	3										363		
126.0		1	4	57	136	69	10										267		
120.0																	185		
116.0	1	2	13	41	27	11											96		
110.0				5													26		
106.0		2	6	11	3												22		
100.0		5	2	3													10		
96.0		1	1		1											3			
TOTAL	1	12	59	282	747	1253	1377	1262	816	495	232	100	26	10	4	1	6677		

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

UPPER THIGH CIRC 21.82 1.89 0.857 = (0.069)*WEIGHT(LB)+(10.84) 0.97

WEIGHT 159.10 23.35 0.857 = (10.598)*UPPER THIGH CIRC(IN)+(-72.16) 12.03

TABLE 84

A BIVARIATE FREQUENCY TABLE FOR
UPPER THIGH CIRC AND WEIGHT
1977 ARMY WOMEN

	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	TOTAL
220.0														1	1
215.0														1	1
210.0															
205.0												1			1
200.0										1					2
195.0												1			1
190.0												1	3	1	5
185.0															
180.0										1	1	1	4	1	8
175.0								1	1		2	6			10
170.0								1	1	1	2	4	1		9
165.0								1	1	6	3	4	1		16
160.0						1	1	4	11	9	4				30
155.0						2	3	9	25	17					58
150.0						1	7	24	22	7	1				62
145.0								19	49	24	4	1			97
140.0								5	26	56	26	3			114
135.0								17	51	58	10				136
130.0						2	32	74	26	9					142
125.0						9	49	62	17	1					138
120.0					1	30	74	45	6	1					157
115.0					6	30	39	16	3						94
110.0					11	54	24	6							95
105.0				3	23	27	9	1							63
100.0				9	27	9									45
95.0			4	7	18	1									30
90.0			2	6	2	1									11
85.0	1	1	2												4
TOTAL	1	7	27	88	163	253	313	253	136	49	26	10	4		1330

WEIGHT(LB)

UPPER THIGH CIRC(IN)

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

UPPER THIGH CIRC 22.40 1.79 0.883 = (0.084)*WEIGHT(LB)+(11.30) 0.84

WEIGHT 132.11 18.76 0.883 = (9.243)*UPPER THIGH CIRC(IN)+(-74.95) 8.82

SECTION II

Paired Male and Female Bivariates:
Dimensions Not Comparable

TABLE 85

A BIVARIATE FREQUENCY TABLE FOR
ANKLE CIRC AND WAIST CIRC
1966 ARMY MEN

	7.00	7.25	7.50	7.75	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.50	10.75	11.00	11.25	11.50	11.75	12.00	TOTAL
ANKLE CIRC(IN)																						
61.00																						1
60.00																						
59.00																						
48.00																					1	2
47.00																						3
46.00																						2
45.00																						8
44.00																						15
43.00																						20
42.00																						34
41.00																						64
40.00																						71
39.00																						92
38.00																						160
37.00																						192
36.00																						294
35.00																						386
34.00																						456
33.00																						679
32.00																						908
31.00																						988
30.00																						946
29.00																						696
28.00																						448
27.00																						141
26.00																						43
25.00																						7
24.00																						2
23.00																						
TOTAL	3	10	42	210	497	695	1201	1137	984	888	463	260	177	72	29	11					2	6681

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR
 ANKLE CIRC 8.93 0.57 0.508 = (0.089)*ANKLE CIRC(IN)+(6.12) 0.49
 WAIST CIRC 31.61 3.22 0.508 = (2.889)*ANKLE CIRC(IN)+(5.80) 2.77

TABLE 86

A BIVARIATE FREQUENCY TABLE FOR
ANKLE CIRC AND WAIST CIRC
1977 ARMY WOMEN

	6.50	6.75	7.00	7.25	7.50	7.75	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	TOTAL
42.00									1	2						3
41.00											1	1				2
40.00																
39.00																
38.00																
37.00					1			1								3
36.00								1	1	2	2	1				7
35.00								3	3	3						9
34.00			1				2	5	3	6	1	2		1		20
33.00						3	3	2	2	4	3	1	2			20
32.00				1		3	3	6	8	4	2	2	1			30
31.00			1			6	7	8	10	9	7	4	2	1		66
30.00					3	5	18	24	18	20	9	3	5			105
29.00					4	10	13	18	26	30	25	4	5			135
28.00					5	19	36	40	37	26	20	4	3	1		191
27.00				6	6	11	62	42	44	30	15	7		1		213
26.00	1	1	8	8	13	23	62	42	40	20	12	6	1	1		220
25.00			8	8	22	24	55	28	24	13	4	1				179
24.00	1	4	8	8	9	20	30	14	10							98
23.00		1	3	3	8	7	1	7	5		2					32
22.00			2	2	2	2	1	1								8
TOTAL	2	6	37	72	134	273	242	232	168	103	37	19	4	1		1330

(IN) CIRC ANKLE

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
ANKLE CIRC	8.16	0.49	0.369	$= (0.068) * \text{WAIST CIRC(IN)} + (6.26)$	0.46
WAIST CIRC	27.94	2.67	0.369	$= (2.008) * \text{ANKLE CIRC(IN)} + (11.56)$	2.48

TABLE 87

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND INTERSCYE(BACK)
1966 ARMY MEN

	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	TOTAL
20.6										2						1	2		1	1		1	3
19.6										1			3		1	1	2		1	1	3	1	9
19.0										2			4		3	6	3		4	1	1		14
18.6										2	3	1	8		9	9	7		1	1	1		34
18.0								2	2	2	4	8	10		9	9	7	5	1	1	2		69
17.6					1		1	2	3	10	20	16	27	24	19	19	10	4	5	2	1	2	166
17.0							2	6	16	41	61	66	49	64	36	24	9	6	6	4	1		369
16.6								18	46	99	80	82	60	67	37	28	20	3	3	2			548
16.0					1	3	12	61	99	137	140	138	99	67	33	17	8	7	2		1		806
15.6					2	18	34	94	177	202	178	153	97	59	24	13	6	2	2	1	1		1063
15.0					2	21	77	164	228	198	199	127	79	43	18	5	2	2					1163
14.6					7	27	95	140	199	169	108	63	43	15	5	3	1		1				876
14.0				4	16	37	98	131	169	123	68	38	14	6	2	4							698
13.6					9	44	67	101	102	68	23	16	9	2	1								432
13.0	1		4	14	33	62	63	47	34	14	4	4											260
12.6		1	1	6	7	22	27	21	23	6	2	2		1									117
12.0			2	6	8	2	6	5	7														34
11.6					2	3	3	5	2	3													15
11.0						1	1	3															6
10.6									1	1													2
TOTAL	1	1	15	63	217	478	795	1111	1052	911	712	618	339	186	130	70	33	22	11	13	4		6882

INTERSCYE(BACK)(IN)

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

BUST/CHEST CIRC 36.92 2.63 0.587 $= (1.244) \times \text{INTERSCYE(BACK)}(IN) + (17.77)$ 2.13

INTERSCYE(BACK) 15.39 1.24 0.587 $= (0.277) \times \text{BUST/CHEST CIRC}(IN) + (5.17)$ 1.01

TABLE 88

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND INTERSCYE(BACK)
1977 ARMY WOMEN

BUST/CHEST CIRC(IN)																										
27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	TOTAL					
18.0									1	1		1				2				1	6					
17.6			1				3	2	2			1			2	1		1			13					
17.0					1		2	4	2	6		3	1	1	1	1		1			30					
16.6								7	23	20	20	11	6	2	3						103					
16.0					7		5	7	20	20	20	20	8	1	2						190					
15.6				4	6	14	21	24	49	21	20	20	8	1	2						270					
15.0								39	48	45	26	10	8	4							264					
14.6				5	16	25	44	39	48	29	13	10	5	1		1					264					
14.0			1	6	22	39	47	51	39	29	13	10	5	1							245					
13.6		3	3	12	28	38	46	47	31	19	6	7	2	1	2						128					
13.0	1	3	16	18	28	18	19	9	10	1	1	2	2	1							60					
12.6		2	5	10	17	6	4	2	1	1			1	1							24					
12.0			3	5	8	3	4	1													7					
TOTAL	1	3	9	56	105	178	192	193	217	154	93	65	32	11	11						1330					

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND NECK CIRC.
1966 ARMY MEN

[illegible]

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
BUST/CHEST CIRC	36.91	2.63	0.666	$= (2.154) \times \text{NECK CIRC}(\text{IN}) + (5.21)$	1.96
NECK CIRC	14.72	0.81	0.666	$= (0.206) \times \text{BUST/CHEST CIRC}(\text{IN}) + (7.12)$	0.61

TABLE 90

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND NECK CIRC
1977 ARMY WOMEN

BUST/CHEST CIRC(IN)																									
27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	50.0	TOTAL	
15.0									2	1	7	1	2	3	3	1		1						7	
14.5								5	2	1	12	16	6	3	3	2		1						27	
14.0								9	34	22	30	23	19	6	3	2		1						119	
13.5				1	5			27	53	38	30	23	19	3	5	1								261	
13.0				4	5			24	53	38	30	23	19	3	5	1								462	
12.5				10	32	61	75	80	83	60	32	22	4	3										317	
12.0	1	1	5	19	38	54	62	55	37	31	10	2		1										125	
11.5		2	4	14	22	32	25	17	7	2														21	
11.0				8	6	5	1		1															1	
10.5				1																					
TOTAL	1	3	9	56	105	179	192	193	217	154	93	65	32	11	11	5		2	1	1				1330	

STD ERROR

REGRESSION EQUATIONS

1977 ARMY WOMEN MEAN ST DEV R

2.06

BUST/CHEST CIRC 34.72 2.49 0.563 = (2.275)*NECK CIRC(IN)+(5.74)

0.51

NECK CIRC 12.74 0.62 0.563 = (0.139)*BUST/CHEST CIRC(IN)+(7.91)

TABLE 91

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND VTC
1966 ARMY MEN

	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	TOTAL
79.0																						1	1
78.0																	1	1	1	2	1		1
77.0															1	1	3	1	1				7
76.0															1	6	1	2	1	1	4	2	11
75.0																	2	3	2				20
74.0																	3	4	3	2	1		31
73.0																	6	4	2	2			62
72.0																	13	3	2	1	2		87
71.0																	9	8	5	2	1		186
70.0																	24	19	2	3	2		244
69.0																	39	24	2	1			368
68.0																	42	26	3	1	1		610
67.0																	46	17	4				628
66.0																	50	21	1	1			794
65.0																	59	16	1				794
64.0																	74	13	1				777
63.0																	84	17					681
62.0																	93	22	2	1			580
61.0																	102	13					413
60.0																	111	6					227
59.0																	120	4					134
58.0																	130	3					76
57.0																	140	2					34
56.0																	150	1					6
55.0																	160						7
54.0																	170						2
53.0																	180						
TOTAL	1	1	16	63	217	478	796	1111	1062	911	712	618	339	186	130	70	33	22	11	13	4		6682

VTC(IN)

BUST/CHEST CIRC(IN)

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
BUST/CHEST CIRC	36.92	2.63	0.604	$= (0.476) \cdot \text{VTC}(\text{IN}) + (6.16)$	2.10
VTC	64.61	3.34	0.604	$= (0.767) \cdot \text{BUST/CHEST CIRC}(\text{IN}) + (36.29)$	2.66

TABLE 92

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND VTC
1977 ARMY WOMEN

	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	TOTAL
72.0																	1					1
71.0																						
70.0												1							1			2
69.0														2	2							5
68.0							1			1	1		2	3	1				1	1		16
67.0												4	4	2	1	2						16
66.0								2	2	7	8	6	4	2	1			1				38
65.0						1	1	3	5	7	17	15	6	6	2	1						67
64.0						2	2	10	14	28	22	12	9	4	3							107
63.0						3	10	16	20	40	30	17	9	3	2	1						151
62.0					3	3	14	25	37	33	26	11	15	4		1	1					173
61.0					5	11	26	28	29	30	16	10	9	4	1							169
60.0					2	6	16	28	38	33	15	11	5	1								194
59.0					1	10	17	33	35	26	19	8	4	1	1							155
58.0					1	8	25	23	13	10	8		1									112
57.0	1	1	1	1	5	8	22	5	4	3		1										51
56.0					7	12	9	4	2	4	1	1										41
55.0					1	6	2	2	1													14
54.0			1	2	3	2	3															11
53.0					1	2	1															5
52.0					2																	2
51.0																						
TOTAL	1	3	9	56	105	178	192	193	217	154	93	65	32	11	11	5		2	1	1		1330

VTC(IN)

BUST/CHEST CIRC(IN)

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
BUST/CHEST CIRC	34.72	2.49	0.616	$= (0.541) * VTC(IN) + (1.96)$	1.96
VTC	60.56	2.84	0.616	$= (0.702) * BUST/CHEST CIRC(IN) + (36.19)$	2.24

TABLE 93

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND WAIST BACK
1966 ARMY MEN

	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	TOTAL
23.0								1	1	4				1	1	1				1		1
22.5								1	1	3				1	2	1					1	10
22.0							1	1	4	1	3			1	5	1						11
21.5								1	1	1	1	3		1	3	2	1			1		32
21.0						1	1	4	5	11	15	15	9	13	8	4	3	2		1		96
20.5							1	6	22	19	35	22	27	16	7	8	2	2				182
20.0				1		7	6	26	31	66	41	44	30	28	9	14	10	4	2	1	2	307
19.5				1		9	26	31	66	41	44	30	28	9	14	10	4	2	1			546
19.0				3	8	34	47	82	89	83	61	50	34	14	19	8	6	1	3	1		839
18.5				1	3	19	39	77	144	139	124	106	76	45	40	8	7	2	1	1		761
18.0				2	4	21	42	86	130	122	115	76	57	45	22	13	7	5	2	1		874
17.5				1	4	24	56	126	134	140	126	97	72	45	21	16	6	4	2	1		944
17.0				4	8	31	78	130	167	144	101	108	71	42	25	21	8	1	3	2		904
16.5				1	13	32	71	95	163	132	124	65	50	26	18	13	5	3	2	1		634
16.0				1	1	31	59	96	119	93	72	68	36	28	11	6	2	1	1			373
15.5				8	22	36	66	66	52	43	31	26	9	5	6	3	1	1				181
15.0	1			4	6	16	22	23	43	25	22	10	4	3	2							62
14.5				3	7	13	8	6	12	1	6	4	1		1							32
14.0				1	1	4	7	5	4	1	1	2	1	1								4
13.5																						
TOTAL	1	1	15	63	217	478	796	1111	1062	911	712	618	399	186	130	70	33	22	11	13	4	6882

BUST/CHEST CIRC(IN)
WAIST BACK (IN)

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR
 BUST/CHEST CIRC 36.92 2.63 0.245 = (0.475)*BUST/CHEST CIRC (IN)+(28.49) 2.55
 WAIST BACK 17.73 1.35 0.245 = (0.126)*BUST/CHEST CIRC (IN)+(13.08) 1.31

TABLE 94

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND WAIST BACK
1977 ARMY WOMEN

	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	46.0	47.0	TOTAL
20.5										1											1
20.0										2	1										3
19.5																	2				4
19.0							1		1								1				14
18.5						2	5	2	4	4	1	1									31
18.0				1	1	8	11	9	7	8	1	8	2								71
17.5				4	4	6	11	18	15	15	17	7	6	4					1		108
17.0	1				3	16	29	26	38	40	28	11	9	4	3	3	1				213
16.5				1	10	17	32	44	36	38	25	16	13	9	2	2					245
16.0					12	20	24	38	36	46	26	20	11	1	3	2					239
15.5					1	10	16	35	29	23	27	25	18	10	5	1	1				201
15.0			2	3	8	8	19	16	20	22	14	7	6	1	1						127
14.5			1	2	5	6	10	8	4	7	3	4	4	1							55
14.0					1	4	1	2	4	2	1										16
13.5																					3
13.0																					
TOTAL	1	3	9	56	105	179	192	193	217	154	93	65	32	11	11	5		2	1	1	1330

(IN)
WAIST BACK

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR
 BUST/CHEST CIRC 34.72 2.49 0.153 = (0.367)*WAIST BACK (IN)+(28.82) 2.46
 WAIST BACK 16.08 1.04 0.153 = (0.064)*BUST/CHEST CIRC(IN)+(13.86) 1.03

TABLE 95

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND WAIST CIRC
1966 ARMY MEN

	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	TOTAL
61.0																						1	1
60.0																							
59.0																							
49.0																							
48.0																							
47.0																							
46.0																							
45.0																							
44.0																							
43.0																							
42.0																							
41.0																							
40.0																							
39.0																							
38.0																							
37.0																							
36.0																							
35.0																							
34.0																							
33.0																							
32.0																							
31.0																							
30.0																							
29.0																							
28.0																							
27.0																							
26.0																							
25.0																							
24.0																							
23.0																							
TOTAL	1	1	15	63	217	478	796	1111	1062	911	712	518	339	195	130	70	33	22	11	13	4		6681

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

BUST/CHEST CIRC 36.91 2.63 0.814 = (0.665)*BUST CIRC(IN)+(15.89) 1.53

WAIST CIRC 31.61 3.22 0.814 = (0.996)*BUST/CHEST CIRC(IN)+(-5.16) 1.87

TABLE 96

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND WAIST CIRC
1977 ARMY WOMEN

BUST/CHEST CIRC(IN)																							
27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	TOTAL		
42.0																1			1	1	3		
41.0																		2			2		
40.0																							
39.0																							
38.0												1			2						3		
37.0											2			2	2	1					7		
36.0										2		1	1	2	2	2					9		
36.0								1			3	6	6	3	3	1					20		
34.0								2			2	8	3	2	3						20		
33.0								4		4	6	8	6	1							30		
32.0								1		13	14	12	7	2							56		
31.0					1	1	2	3		25	18	11	3	1							105		
30.0					3	7	10	27		36	18	14	3	1							136		
29.0					2	1	10	36		40	16	3	2								191		
28.0		1	2	3	14	18	36	55		21	9	1	1								213		
27.0			1	13	29	36	55	47		8	2										220		
26.0				4	18	52	66	49		5	1										179		
26.0		1	15	34	39	53	20	11													98		
26.0		2	1	16	27	35	10	7													32		
24.0			6	13	7	5	1														8		
23.0		1	1	6	1																		
22.0																							
TOTAL	1	3	9	56	105	179	192	193	217	154	93	65	32	11	11	5		2	1	1	1330		

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

BUST/CHEST CIRC 34.72 2.49 0.793 = (0.740)*WAIST CIRC(IN)+(14.04) 1.52

WAIST CIRC 27.94 2.67 0.793 = (0.849)*BUST/CHEST CIRC(IN)+(-1.53) 1.63

TABLE 97

A BIVARIATE FREQUENCY TABLE FOR
CROTCH HEIGHT AND VTC
1966 ARMY MEN

	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	TOTAL
79.0													1				1
78.0														1			1
77.0								1			2	4					7
76.0				1			1			4	1	2	2				11
75.0									7	5	3	4		1			20
74.0										5	2	5	3	5	2		31
73.0								2	5	9	14	9	7	2	1		62
72.0							1	8	11	9	15	11	10	3			87
71.0							8	6	15	19	16	29	18	6	1		186
70.0				1	4	1	9	18	37	33	29	29	18	6			244
69.0						3	13	21	45	55	54	29	16	5	1	2	368
68.0					3	4	20	41	72	73	69	44	26	14		1	510
67.0						10	28	64	89	85	110	74	33	13	3		628
66.0						1	15	44	78	138	135	104	71	29	11		794
65.0							20	52	106	160	186	125	93	30	12	3	777
64.0							21	72	123	179	157	125	70	27	7	1	681
63.0							56	124	184	166	121	49	24	9	2		580
62.0							62	112	153	163	90	43	13				413
61.0							58	101	158	132	61	28	7	3	1		227
60.0							42	83	102	81	49	22	5				134
59.0							39	43	49	42	24	10	4	1			75
58.0							19	39	24	23	10	5	1				34
57.0							6	11	15	13	9	5					8
56.0							3	9	6	4	3	1					7
55.0							2		1	4	1						2
54.0																	
53.0																	
TOTAL	1	5	22	77	198	545	990	1451	1391	1020	609	256	94	17	6		6682

VTC(IN)

CROTCH HEIGHT(IN)

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
CROTCH HEIGHT	33.05	1.84	0.258	$= (0.142) \times \text{VTC(IN)} + (23.87)$	1.78
VTC	64.61	3.34	0.258	$= (0.468) \times \text{CROTCH HEIGHT(IN)} + (49.14)$	3.23

TABLE 98

A BIVARIATE FREQUENCY TABLE FOR
CROTCH HEIGHT AND VTC
1977 ARMY WOMEN

	24.0	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	TOTAL
72.0										1					1
71.0															
70.0							1	1							2
69.0								4		1					5
68.0						3	1	4	5	2	1				16
67.0						1	2	4	4	3	1		1		16
66.0						1	6	7	10	10	3	1			38
65.0								18	16	10	6	3			67
64.0				2	1	8	4	4	19	18	4	2			107
63.0				2	4	15	21	24	19	18	4				161
62.0			2	2	6	16	40	31	23	18	8	5	1	1	173
61.0				3	9	32	45	35	26	11	3	4	1		169
60.0				1	4	17	37	45	45	22	18	5			194
59.0			1	5	18	38	40	28	14	9	1				155
58.0			2	6	12	16	38	19	13	6					112
57.0	1		3	12	11	7	10	3	4						51
56.0			1	1	10	10	10	4	6						41
55.0				2	1	6	3	2	1						14
54.0				4	2	4		1							11
53.0					2		2	1							5
52.0						1		1							2
51.0															
TOTAL	1	7	34	104	218	308	279	190	128	39	18	3	1		1330

VTC(IN)

1977 ARMY WOMEN
CROTCH HEIGHT
VTC

MEAN 30.07
60.56

ST DEV 1.72
2.84

R

0.356
0.356

REGRESSION EQUATIONS

$= (0.216) \times \text{VTC}(\text{IN}) + (16.98)$
 $= (0.587) \times \text{CROTCH HEIGHT}(\text{IN}) + (42.91)$

STD ERROR

1.61
2.65

TABLE 99

A BIVARIATE FREQUENCY TABLE FOR
CROTCH HEIGHT AND WAIST CIRC
1966 ARMY MEN

	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	TOTAL
51.0				1													1
50.0																	
49.0																	
48.0				1													2
47.0						1							1				3
46.0								1									2
45.0								1	2	1	2	2					8
44.0	1						1	3	1	5	3	1					15
43.0								4	4	4	1	1	1				20
42.0				2	1	1	4	5	7	4	3	5		2			34
41.0						3	9	6	12	10	6	4	4	1			54
40.0						1	3	8	16	14	10	6	4	2	1		71
39.0						1	5	11	17	19	11	7	2	2			92
38.0		1			4	5	16	16	32	35	25	16	8	2	1		160
37.0					6	8	20	19	50	36	33	8	7	5			192
36.0		1	1	8	7	16	45	73	52	49	21	13	6	1	1		294
35.0			2	1	15	39	54	77	65	69	42	18	3	1			388
34.0		1	3	6	12	34	77	108	101	71	53	23	4	2			495
33.0				8	25	49	105	147	142	110	58	22	10	2	1		679
32.0			1	4	27	60	137	192	180	147	98	38	14	3	2		908
31.0				3	6	12	73	163	193	234	153	90	44	13	1	1	986
30.0				2	4	24	69	132	224	188	149	94	38	18	4		945
29.0		1	3	6	14	62	102	155	168	94	59	22	8	1			895
28.0			1	7	20	50	70	92	101	62	32	6	4		1		446
27.0				3	11	13	20	37	22	21	9	4					141
26.0				8	4	5	9	6	6	3	1	1					43
25.0							2	2	2	3							7
24.0								2									2
23.0																	
TOTAL	1	5	22	77	198	545	980	1451	1391	1020	608	256	94	17	6		6691

(IN) CIRC WAIST

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
CROTCH HEIGHT	33.05	1.84	0.003	$= (0.002) * \text{WAIST CIRC}(\text{IN}) + (32.98)$	1.84
WAIST CIRC	31.61	3.22	0.003	$= (0.005) * \text{CROTCH HEIGHT}(\text{IN}) + (31.45)$	3.22

TABLE 100

A BIVARIATE FREQUENCY TABLE FOR
CROTCH HEIGHT AND WAIST CIRC
1977 ARMY WOMEN

		CROTCH HEIGHT(IN)																TOTAL
		24.0	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	
WAIST CIRC(IN)	42.0								1	1	1							3
	41.0							1	1									2
	40.0																	
	39.0																	
	38.0																	
	37.0								3									3
	36.0						1		4	1	1							7
	35.0				1		1		3		2							9
	34.0		1	1	1	1		2	9	4	2							20
	33.0			1	1	1	6	4	2	3	2		1					20
	32.0				1	1	5	6	8	2	6	2						30
	31.0				3	3	6	17	9	7	7	2	1					55
	30.0		2		5	5	19	28	20	15	11	3		1	1			105
	29.0				3	8	17	29	26	24	19	6	3					135
	28.0				2	10	27	41	38	38	22	7	4					181
	27.0			1	5	23	34	51	48	19	18	10	2	2				213
	26.0	1	1	4	14	33	60	60	44	33	24	3	3					220
	25.0				9	22	37	32	37	27	10	4	1					179
	24.0				4	10	19	26	20	14	2	2	1					98
	23.0				1	6	9	8	5	2	1							32
	22.0						4	3	1									8
TOTAL		1	7	34	104	218	308	279	190	128	39	18	3	1				1330

1977 ARMY WOMEN

CROTCH HEIGHT

WAIST CIRC

MEAN

30.07

27.94

ST DEV

1.72

2.67

R

0.144

0.144

REGRESSION EQUATIONS

CROTCH HEIGHT = (0.093)*WAIST CIRC(IN)+(27.47)

WAIST CIRC = (0.224)*CROTCH HEIGHT(IN)+(21.21)

STD ERROR

1.71

2.64

A BIVARIATE FREQUENCY TABLE FOR
CROTCH HEIGHT AND WAIST HT
1966 ARMY MEN

(N) 11H 1814M

	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
1966 ARMY MEN					
CROTCH HEIGHT	33.05	1.84	0.832	= (0.724)*WAIST HT(IN)+(2.74)	1.02
WAIST HT	41.86	2.11	0.832	= (0.956)*CROTCH HEIGHT(IN)+(10.27)	1.17

TABLE 102

A BIVARIATE FREQUENCY TABLE FOR
CROTCH HEIGHT AND WAIST HT
1977 ARMY WOMEN

	24.0	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	TOTAL
48.0												1	1		2
47.0															
46.0										1	3	5	1	1	11
45.0										10	10	6	1		27
44.0									11	27	18	4			60
43.0								8	37	43	7	1			97
42.0								53	75	29		1			166
41.0								114	52	14	1				263
40.0					3	47	123	75	13	4					265
39.0						1	12	92	21	2					204
38.0						6	50	56	23	7					140
37.0							18	30	8						65
36.0							2	7	4						20
35.0							1	3	2	2					8
34.0								1							2
33.0															
TOTAL	1	7	34	104	218	308	279	190	128	39	18	3	1		1330

(IN) HT WAIST

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
CROTCH HEIGHT	30.07	1.72	0.882	$= (0.742) * \text{WAIST HT}(\text{IN}) + (0.45)$	0.81
WAIST HT	39.92	2.05	0.882	$= (1.048) * \text{CROTCH HEIGHT}(\text{IN}) + (8.41)$	0.97

A BIVARIATE FREQUENCY TABLE FOR
HIP CIRC AND WAIST CIRC
1966 ARMY MEN

		HIP CIRC(IN)																									
		30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	50.0	51.0	52.0	53.0	TOTAL	
51.0																									1	1	
50.0																											
49.0																											
48.0																					1	1					
47.0																											
46.0														1		1		1									
45.0													1	1		3	3	3		1						2	
44.0													2	2	1	4	3	3	1		1					2	
43.0													3	3	5	6	1	1								15	
42.0										1			2	4	7	8	2	1	1							20	
41.0											1	1	3	4	7	7	2	1	1							34	
40.0												4	4	10	11	12	9	2	2							54	
39.0									1	1		3	11	14	24	12	3	1	1							92	
38.0					1	1	2	5	8	20	30	15	7	2	1											71	
37.0						2	3	9	36	41	32	26	11	1												160	
36.0						2	1	7	22	46	59	36	12	5	2											132	
35.0						2	4	23	62	85	70	24	15	8			1									234	
34.0					1	5	7	20	63	98	107	56	24	4	1											360	
33.0					1	1	4	35	122	167	116	39	8	1		1										435	
32.0		1			2	6	34	128	210	181	93	22	1		1											673	
31.0		1	2	2	28	136	254	288	147	43	7	1														508	
30.0		1	5	19	93	263	319	196	84	22	4															360	
29.0		1	6	65	187	335	238	85	20	7																345	
28.0		4	27	100	225	213	89	29	6	1																635	
27.0		2	5	57	125	132	95	21	7	2																446	
26.0		1	8	27	52	30	19	4																		141	
25.0		1	8	13	10	10	1																			43	
24.0			4		2	1																				7	
23.0			1		1																					2	
TOTAL	4	34	137	380	720	1113	1113	1036	785	571	339	187	122	70	40	14	7	5	1	2					1	6681	

	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
1966 ARMY MEN					
HIP CIRC	37.09	2.46	0.856	= (0.654)*WAIST CIRC(IN)+(16.42)	1.27
WAIST CIRC	31.61	3.22	0.856	= (1.120)*HIP CIRC(IN)+(-9.93)	1.67

TABLE 104

A BIVARIATE FREQUENCY TABLE FOR
HIP CIRC AND WAIST CIRC
1977 ARMY WOMEN

	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	50.0	51.0	52.0	53.0	TOTAL
42.0																									3
41.0																									2
40.0																									
39.0																									
38.0																									
37.0																									3
36.0																									7
35.0																									9
34.0																									20
33.0																									20
32.0																									30
31.0																									55
30.0																									105
29.0																									135
28.0																									191
27.0																									213
26.0																									220
25.0																									179
24.0																									98
23.0																									32
22.0																									8
TOTAL	2	6	25	55	84	170	195	241	193	157	101	46	28	14	5	3	2	1	1					1	1330

WAIST CIRC(IN)

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HIP CIRC	37.59	2.48	0.700	$= (0.650) \times \text{WAIST CIRC(IN)} + (19.43)$	1.77
WAIST CIRC	27.94	2.67	0.700	$= (0.754) \times \text{HIP CIRC(IN)} + (-0.40)$	1.91

TABLE 105

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND INTERSCYE(BACK)
1966 ARMY MEN

	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	TOTAL
20.5											1	1	1	1	1							3
20.0									1		1	2	1	2	1	1						9
19.5											2	2	3	1	2	1						14
19.0											2	4	4	2	2	3				1		34
18.5											1	1	2	5	14	9						69
18.0											2	5	8	12	25	19						166
17.5											3	2	8	14	23	61						369
17.0					2	4	9	14	23	61	49	60	61	45	39	18	9	4	1			648
16.5																						806
16.0																						1063
15.5																						1163
15.0																						876
14.5																						698
14.0																						432
13.5																						260
13.0																						117
12.5																						34
12.0																						15
11.5																						5
11.0																						2
10.5																						
TOTAL	1	9	32	58	135	235	476	761	970	1043	937	773	644	372	199	87	39	11	9	1		6682

INTERSCYE(BACK)(IN)

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

STATURE 68.71 2.60 0.198 = (0.415)*INTERSCYE(BACK)(IN)+(62.32) 2.55

INTERSCYE(BACK) 15.39 1.24 0.198 = (0.095)*STATURE(IN)+(8.86) 1.22

TABLE 106

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND INTERSCYE(BACK)
1977 ARMY WOMEN

	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	TOTAL
18.0										1	1		2	2					6
17.6							1	1	1	2	4		2		1	1			13
17.0							3	1	3	1	3	7	1	5	2	2			30
16.6						2	10	12	16	18	10	12	9	5	6	3	2		103
16.0					2	11	5	35	21	34	29	14	17	13	5	4			190
15.6				1	4	8	22	35	49	45	48	27	18	8	4	1			270
16.0				3	6	11	26	39	45	32	43	20	24	8	4				264
14.6		4	1	8	12	26	25	32	29	33	36	20	14	4	4		1		245
14.0	1	1	5	6	14	19	18	18	19	17	11	10	2	3	1		1		128
13.6					3	4	9	12	6	3	6	4		1	1				50
13.0					1	4	3	3	4	4	1	1	1	1				1	24
12.6				1	1					1	1								7
12.0																			
TOTAL	1	7	18	35	80	122	189	194	194	191	193	115	90	50	27	11	6	1	1330

INTERSCYE(BACK)(IN)

STATURE(IN)

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
STATURE	64.15	2.57	0.276	$= (0.770) * INTERSCYE(BACK)(IN) + (52.68)$	2.47
INTERSCYE(BACK)	14.90	0.92	0.276	$= (0.099) * STATURE(IN) + (8.55)$	0.88

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND NECK CIRC
1966 ARMY MEN

NECK CIRCUIT (N)

	1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS
STATURE		68.71	2.60	0.238	= (0.760)*NECK CIRC(IN)+(57.52)
NECK CIRC		14.72	0.81	0.238	= (0.074)*STATURE(IN)+(9.64)

TABLE 108

NECK CIRCUIT (N)

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
STATURE	64.15	2.57	0.359	= (1.494)*NECK CIRC(IN)+(45.12)	2.40
NECK CIRC	12.74	0.62	0.359	= (0.086)*STATURE(IN)+(7.22)	0.58

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND VTC
1966 ARMY MEN

STATURE(IN)																							
59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	TOTAL		
79.0																1					1		
78.0																		1			1		
77.0									1			1		2	1	1			1		7		
76.0										2		2	1	4	1	3					11		
75.0							1			1	3	2	4	4	3	1	1	1			20		
74.0											4	2	1	7	1	6	2	2	1		31		
73.0								1	1	1	6	12	7	9	14	4	4	1			62		
72.0										6	8	11	16	17	10	9	4	6	1		87		
71.0					1	1					18	22	33	26	24	23	10	3	2		186		
70.0						3	7	13	13	28	44	40	46	36	16	4	5	1	2	1	244		
69.0					1	11	17	23	46	52	70	57	41	31	14	2	2	1	2		368		
68.0			1		3	4	20	26	42	67	86	86	73	68	27	12	6				510		
67.0																					628		
66.0	1			1	6	7	28	42	75	106	126	80	74	49	29	6	1	2			784		
65.0						8	21	51	98	133	156	111	107	64	21	11	6				784		
64.0						3	16	21	66	107	138	143	126	83	53	19	7	4			777		
63.0						1	2	35	106	130	132	96	54	23	16	1	2				681		
62.0						4	10	18	32	76	94	123	100	58	37	16	5	1			580		
61.0						5	12	16	39	68	78	82	60	40	19	8	6				413		
60.0						2	2	7	14	26	36	49	38	34	8	5	1				227		
59.0						7	15	19	20	31	18	11	6	2	2	1					134		
58.0						1	3	7	5	11	17	8	14	3	3						76		
57.0						2	5	2	10	3	4	2	4	2							34		
56.0						2	4														8		
55.0						2																	
54.0						1	1				1										7		
53.0	1	9	32	58	135	235	476	751	970	1043	937	773	544	372	199						2		
TOTAL	1	9	32	58	135	235	476	751	970	1043	937	773	544	372	199	87	39	11	9	1	6682		

	1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
STATURE		68.71	2.60	0.544	$= (0.424) * VTC(IN) + (41.31)$	2.18
VTC		64.61	3.34	0.544	$= (0.699) * STATURE(IN) + (16.58)$	2.80

TABLE 110

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND VTC
1977 ARMY WOMEN

	STATURE(IN)																		TOTAL	
	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0		
72.0															1				1	
71.0																				
70.0									1										2	
69.0									1					1					5	
68.0									1	2	1	1	2	2	2		1		16	
67.0										3	2	2	3	3		1	2		16	
66.0									1	5	7	4	6	7	7			1	38	
65.0										13	7	16	9	4		5			67	
64.0									7	17	26	16	18	10	2		1		107	
63.0									28	18	38	18	16	7	6	2	2		151	
62.0									29	33	32	21	18	4	3	2			173	
61.0									34	30	33	17	5	3	1				169	
60.0									40	39	20	17	4	1	1				184	
59.0									26	19	10	5	1						166	
58.0									15	11	7	2							112	
57.0									9	4	3								51	
56.0									2	2									41	
55.0									1										14	
54.0																			11	
53.0																			5	
52.0																			2	
51.0																				
TOTAL	1	7	18	35	80	122	189	194	191	193	116	90	50	27	11	6	1		1330	

VTC(IN)

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
STATURE	64.15	2.57	0.658	$= (0.594) \times \text{VTC(IN)} + (28.18)$	1.93
VTC	60.56	2.84	0.658	$= (0.728) \times \text{STATURE(IN)} + (13.85)$	2.14

TABLE 111

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND WAIST BACK
1966 ARMY MEN

	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	TOTAL
23.0										1		1		1	1			2	1			1
22.5							2			2		1		2	2		1			1		10
22.0								1		2		1	1	6	5	3	3	1	2			11
21.5									1	2	2	3	3	15	10	8	8	2		1		32
21.0							1		1	5	7	15	23	28	27	23	4	4	2	1		96
20.5									8	14	9	26	34	41	47	23	12	7	2	2		182
20.0									7	21	44	46	49	41	47	23	7	5	2	1		307
19.5						1		5	7	21	63	80	97	77	72	55	24	7	5	2	1	546
19.0						2	7	25	29	63	80	97	77	72	55	24	7	5	2	1		838
18.5						1	7	13	28	70	114	137	138	111	90	77	29	17	5	1		751
18.0						1	6	12	52	75	113	127	112	110	69	40	23	7	3			874
17.5						1	8	22	46	125	130	140	138	96	71	40	26	13	5	1	1	944
17.0						6	9	21	71	106	167	185	129	104	72	38	19	8	3	1		804
16.5	1					1	10	25	41	71	126	137	111	81	43	20	12	2	1			634
16.0						10	7	22	40	64	98	121	109	68	52	21	11	6	3	1	1	373
15.5						2	10	16	28	68	57	58	37	27	11	2	2	1				181
15.0						4	7	15	28	36	27	24	12	5								62
14.5						2	3	2	7	13	9	6	7	2								32
14.0						3	2	4	4	9	1	4	2	1								4
13.5						1	1															
TOTAL	1	9	32	58	135	235	476	751	970	1043	937	773	544	372	199	87	39	11	9	1		6682

(IN) WAIST BACK

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

STATURE 68.71 2.60 0.427 = (0.821)*WAIST BACK (IN)+(54.15) 2.35

WAIST BACK 17.73 1.35 0.427 = (0.222)*STATURE(IN)+(2.48) 1.22

TABLE 112

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND WAIST BACK
1977 ARMY WOMEN

	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	TOTAL
STATURE (IN)													1						1
20.6													2						3
19.5										1									4
19.0										1			2	1		1			14
18.5								1	2	1		2	2	1	2	1			31
18.0								2	3	4	5	3	7	6					71
17.6				1				4	2	12	10	12	9	9	5	2	2	1	108
17.0								1	12	22	18	14	20	7	6	4			213
16.5					1	6	7	21	34	31	48	19	18	16	6	3	3		245
16.0				2	2	12	21	35	47	33	48	26	9	6	4				239
15.5					5	12	26	49	39	40	32	19	14	2					201
15.0				3	11	21	27	32	36	29	21	15	3	2	1				127
14.5				7	7	16	24	34	15	9	3	3	3		2				56
14.0				2	6	11	9	6	5	8	5	2			1				16
13.5				4	1	2	1	3		1	1								3
13.0																			
TOTAL	1	7	18	35	80	122	189	194	191	193	115	90	50	27	11	6	1		1330

(IN) STATURE
(IN) WAIST BACK

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
STATURE	64.15	2.57	0.520	$= (1.280) \times \text{WAIST BACK (IN)} + (43.57)$	2.19
WAIST BACK	16.08	1.04	0.520	$= (0.211) \times \text{STATURE (IN)} + (2.55)$	0.89

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND WAIST CIRC
1966 ARMY MEN

STATURE(IN)																					
59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	TOTAL
51.0										1											1
50.0																					
49.0																					
48.0							1			1											2
47.0							1														3
46.0																1					3
45.0										1											2
44.0	1										1	3		2	1				1		8
43.0						1		1	2	1			3	5		1					15
42.0						1	2	2	3	6	2			2			2				20
41.0					2	1	2	6	6	2	1	6	3	3	2	2	1				34
40.0						6	6	2	7	9	8	4	4	4	4	4	1				64
39.0						1	5	5	2	9	10	12	11	6	8	1		1			71
38.0							3	6	9	20	14	12	11	8	4	2		1			92
37.0	1				3	4	10	10	12	22	35	18	11	17	9	3	4	1			160
36.0						2	6	16	16	33	31	28	19	16	3	5	2				192
36.0				2	6	5	17	21	41	42	36	48	31	17	17	5	2	4			294
35.0					12	8	18	40	49	46	68	54	27	32	16	8	4		1	1	386
34.0				2	3	5	19	53	71	61	63	78	52	35	23	9	1	1			495
33.0				1	1	4	11	13	46	63	86	105	107	96	67	42	17	10	6	1	679
32.0					3	7	16	26	84	156	137	139	99	87	58	23	11	8	1	3	908
31.0					3	6	10	32	57	121	148	191	135	112	81	50	23	11	3	1	986
30.0				3	7	22	36	87	114	137	165	136	98	63	44	30	7	3	1		946
29.0				5	7	15	37	68	98	122	115	86	68	37	20	12	3	2			695
28.0																					
27.0				4	15	20	28	47	79	69	71	43	28	25	6	3					446
26.0				1	4	5	8	10	16	23	30	11	12	7	8	1					141
25.0				2	5	2	10	5	7	6	3	1	1	1							43
24.0							1			3	2										7
23.0									2												2
TOTAL	1	9	32	58	135	235	476	751	970	1043	937	773	544	372	198	87	39	11	9	1	6681

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
STATURE	68.71	2.60	0.228	= (0.184)*WAIST CIRC(IN)+(62.89)	2.53
WAIST CIRC	31.61	3.22	0.228	= (0.282)*STATURE(IN)+(12.24)	3.14

TABLE 114

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND WAIST CIRC
1977 ARMY WOMEN

	55.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	TOTAL
STATURE(IN)																			
42.0											1	1		1					3
41.0									2										2
40.0																			
39.0																			
38.0																			
37.0										1	2	1	2	1					3
36.0									2	1	1	1	1		1	2			7
35.0									4	5	3	4	3	2					8
34.0									3	2	2	4	7	1					20
33.0									2	3	3	3	3	2					20
32.0									1	3	8	7	10	5	4	2			30
31.0									2	16	16	6	8	5	2	2	1		55
30.0									1	15	21	11	16	6	7	2	1		105
29.0									4	25	21	11	16	6	7	2	1		135
28.0									5	24	31	34	20	15	9	4	1		191
27.0									6	17	29	37	30	18	9	1	4	2	213
26.0									3	12	32	38	32	16	5	6		1	220
25.0									5	9	26	28	25	14	4	2	1		179
24.0									7	7	12	19	18	8	1	2	1		98
23.0									2	1	4	6	6	1	2				32
22.0									1	1	1	1	1						8
TOTAL	1	7	18	35	60	122	189	194	191	193	115	90	50	27	11	6	1		1330

WAIST CIRC(IN)

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
STATURE	64.15	2.57	0.208	= (0.200)*WAIST CIRC(IN)+(58.57)	2.51
WAIST CIRC	27.94	2.67	0.208	= (0.216)*STATURE(IN)+(14.09)	2.61

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND WAIST HT
1966 ARMY MEN

STATURE (IN)																						
59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	TOTAL	
50.0																1		1	2		4	
49.0															1		4	3	2		11	
48.0															13	15	8	5	3		50	
47.0													6	19	39	23	12				104	
46.0										1	7	37	48	83	55	25	10	2	1	1	272	
45.0									1	2	48	154	168	131	54	15	4				595	
44.0									6	14	217	249	183	80	27	5	1				901	
43.0									31	99	340	212	100	42	8	2					1263	
42.0						4	11	55	161	328	340	212	100	42	8	2					1200	
41.0					1	4	43	171	331	332	197	85	27	7	2						1094	
40.0				2	10	46	143	246	300	202	102	30	9	4							625	
39.0					3	23	77	150	190	100	55	22	4								329	
38.0		1	5	11	49	57	83	72	37	10	3	1									147	
37.0		3	10	20	29	37	36	8	3	1											58	
36.0		1	3	8	13	16	9	7	1												24	
35.0				8	6	7	1	2													6	
34.0		2			3																	
TOTAL	1	9	32	58	135	235	476	751	970	1043	937	773	544	372	199	87	39	11	9	1	8682	

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
STATURE	68.71	2.60	0.841	= (1.035)*WAIST HT(IN)+(25.38)	1.41
WAIST HT	41.86	2.11	0.841	= (0.683)*STATURE(IN)+(-5.07)	1.14

TABLE 116

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND WAIST HT
1977 ARMY WOMEN

	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	TOTAL
48.0																	1	1	2
47.0																			
46.0														2	2	3	4		11
45.0													3	5	13	5	1		27
44.0														17	21	10	2		60
43.0											1	9	30	31	14	1			97
42.0										5	16	47	26	5	1	1			166
41.0									6	21	58	24	10	3					263
40.0									42	81	85	5	3						265
39.0						2	17	63	84	61	30								204
38.0					1	8	51	75	49	17	2								140
37.0				1	9	43	41	29	12	5									65
36.0				7	20	23	6	7	1	1									20
35.0			3	6	4	3	4												8
34.0	1	3	2	1	1														2
33.0		1	1																
TOTAL	1	7	18	36	60	122	189	194	191	193	115	90	50	27	11	6	1		1330

(N) 116 18189

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
STATURE	64.15	2.57	0.897	$= (1.123) * \text{WAIST HT}(\text{IN}) + (19.33)$	1.14
WAIST HT	39.92	2.05	0.897	$= (0.715) * \text{STATURE}(\text{IN}) + (-5.95)$	0.91

TABLE 117

A BIVARIATE FREQUENCY TABLE FOR
UPPER THIGH CIRC AND WAIST CIRC
1966 ARMY MEN

	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0	31.0	TOTAL
51.0															1			1
50.0																		
49.0																		
48.0																		
47.0															1			2
46.0																		3
45.0																		2
44.0																		8
43.0																		15
42.0																		20
41.0																		34
40.0																		54
39.0																		71
38.0																		92
37.0																		160
36.0																		192
35.0																		294
34.0																		360
33.0																		495
32.0																		679
31.0																		908
30.0																		986
29.0																		945
28.0																		695
27.0																		446
26.0																		141
25.0																		43
24.0																		7
23.0																		2
TOTAL	1	12	59	283	746	1254	1378	1262	816	495	232	100	26	10	4	1		6681

(CIRC IN)
CIRC IN

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

UPPER THIGH CIRC 21.82 1.89 0.769 = (0.451)*WAIST CIRC(IN)+(7.56) 1.21

WAIST CIRC 31.61 3.22 0.769 = (1.310)*UPPER THIGH CIRC(IN)+(3.03) 2.06

TABLE 118

A BIVARIATE FREQUENCY TABLE FOR
UPPER THIGH CIRC AND WAIST CIRC
1977 ARMY WOMEN

	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	TOTAL
42.0											1		1	1	3
41.0												2			2
40.0															
39.0															
38.0															
37.0							1					1	1		3
36.0									1	1	2		3		7
35.0								1	1	4				3	9
34.0								1	2	4	4	5			20
33.0								1	4	7	3	4			20
32.0							3	3	11	6	3	4			30
31.0						1	6	10	20	8	8	2			55
30.0						1	7	20	36	27	10	2	2		105
29.0						2	14	43	41	23	9	3			135
28.0					1	5	37	76	48	17	6	1			191
27.0				1	7	21	46	62	47	24	3	2			213
26.0				5	12	41	52	62	35	13					220
25.0			1	4	28	56	58	24	6	2					179
24.0			3	10	24	28	24	8	1						98
23.0		1	3	6	12	7	3	1							32
22.0			1	1	4	1	1								8
TOTAL	1	7	27	88	163	253	313	253	136	49	26	10	4		1330

WAIST CIRC(IN)

UPPER THIGH CIRC(IN)

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
UPPER THIGH CIRC	22.40	1.79	0.692	= (0.464)*WAIST CIRC(IN)+(9.44)	1.29
WAIST CIRC	27.94	2.67	0.692	= (1.031)*UPPER THIGH CIRC(IN)+(4.85)	1.93

TABLE 119

A BIVARIATE FREQUENCY TABLE FOR
VTC AND WAIST CIRC
1966 ARMY MEN

VTC(IN)																											
53.0	54.0	55.0	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	TOTAL
51.0																							1				1
50.0																											
49.0																											
48.0																											
47.0																											
46.0																											
45.0																											
44.0																											
43.0												1	1														
42.0											1	1															
41.0												4															
40.0												1	2	9	2	11	9	6	8	1	4						
39.0												1	2	2	6	5	7	13	11	7	11	3	2				
38.0											3	1	9	8	8	16	14	9	15	5	2	2					
37.0										5	3	9	15	15	23	26	16	17	8	10	5	5	2				
36.0										5	12	10	25	21	36	24	23	19	8	5	2	2					
35.0																											
34.0																											
33.0																											
32.0																											
31.0																											
30.0																											
29.0																											
28.0																											
27.0																											
26.0																											
25.0																											
24.0																											
23.0																											
TOTAL	2	7	9	34	75	134	227	413	590	991	777	734	734	629	510	369	244	186	87	61	31	20	11	7	1	1	6981

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR
 VTC 64.61 3.34 0.647 = (0.672)*WAIST CIRC(IN)+(43.36) 2.55
 WAIST CIRC 31.61 3.22 0.647 = (0.623)*VTC(IN)+(-8.64) 2.46

TABLE 120

A BIVARIATE FREQUENCY TABLE FOR
VTC AND WAIST CIRC
1977 ARMY WOMEN

	51.0	52.0	53.0	54.0	55.0	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	TOTAL
42.0																		2	1				3
41.0																1				1			2
40.0																							
39.0																							
38.0																							
37.0												1						1					3
36.0												1						2	2	1			7
35.0											1	4				3	1	1					9
34.0										1	1	2	2	2	4	1	3	2	1		1		20
33.0									1	1	1	2	4	4	3	1	4						20
32.0									1	2	5	9	3	2	3	2	1	1					30
31.0							1	1	1	6	6	10	5	9	7	4	1		2				55
30.0						2	2	5	7	14	6	16	21	15	10	6	1						105
29.0					1	1	6	6	8	20	14	15	30	17	14	5	3	1					135
28.0						2	6	12	18	25	24	33	25	29	8	7	1	1					191
27.0					2	4	4	14	24	41	45	24	24	17	9	3	2						213
26.0			1	2	3	9	7	29	34	34	30	34	21	8	4	4							220
25.0			2	2	4	12	13	23	35	32	23	15	12	4	1		1						179
24.0		1	2	4	1	7	13	17	18	11	10	8	4			1	1						98
23.0		1		3	2	4	3	3	7	6	2	1											32
22.0				1	1		2	2	2		1												8
TOTAL	2	5	11	14	41	51	112	155	194	194	169	173	151	107	67	38	16	16	5	2		1	1330

VTC (IN)

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

VTC 60.56 2.84 0.558 = (0.594) + WAIST CIRC(IN) + (43.96) 2.36

WAIST CIRC 27.94 2.67 0.558 = (0.525) + VTC(IN) + (-3.85) 2.22

TABLE 121

A BIVARIATE FREQUENCY TABLE FOR
 WAIST CIRC AND WEIGHT
 1966 ARMY MEN

WAIST CIRC(IN)																															
23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	50.0	51.0	TOTAL		
260.0																													1	1	
275.0																														3	
270.0																														1	
265.0																														1	
260.0																														4	
255.0																														1	
250.0																														7	
245.0																														9	
240.0																														11	
235.0																														19	
230.0																														13	
225.0																														20	
220.0																														43	
215.0																														57	
210.0																														71	
206.0																														98	
200.0																														121	
195.0																														161	
190.0																														200	
185.0																														245	
180.0																														313	
175.0																														376	
170.0																														434	
165.0																														562	
160.0																														584	
155.0																														680	
150.0																														630	
145.0																														531	
140.0																														519	
135.0																														363	
130.0																														267	
125.0																														185	
120.0																														95	
115.0																														26	
110.0																														22	
105.0																														10	
100.0																														3	
95.0																															
TOTAL	2	7	43	141	444	695	945	986	908	679	495	386	293	192	160	92	71	54	34	20	15	8	2	3	2			1	6876		

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR
 WAIST CIRC 31.61 3.22 0.856 = (0.118)*WEIGHT(LB)+(12.84) 1.67
 WEIGHT 159.09 23.34 0.856 = (6.202)*WAIST CIRC(IN)+(-36.98) 12.08

TABLE 122

A BIVARIATE FREQUENCY TABLE FOR
 WAIST CIRC AND WEIGHT
 1977 ARMY WOMEN

	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	TOTAL
WEIGHT(LB)	WAIST CIRC(IN)																					
220.0																						
215.0																						
210.0																						
205.0																						
200.0																						
195.0																						
190.0																						
185.0																						
180.0																						
175.0																						
170.0																						
165.0																						
160.0																						
155.0																						
150.0																						
145.0																						
140.0																						
135.0																						
130.0																						
125.0																						
120.0																						
115.0																						
110.0																						
105.0																						
100.0																						
95.0																						
90.0																						
85.0																						
TOTAL	8	32	98	179	220	213	191	135	105	55	30	20	20	9	7	3			2	3		1330

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
WAIST CIRC	27.94	2.67	0.787	$= (0.112) * \text{WEIGHT}(\text{LB}) + (13.15)$	1.65
WEIGHT	132.11	18.76	0.787	$= (5.531) * \text{WAIST CIRC}(\text{IN}) + (-22.45)$	11.56

SECTION III

Unique Male and Female Bivariates

TABLE 123

A BIVARIATE FREQUENCY TABLE FOR
ANKLE HT AND FOOT LENGTH
1977 ARMY WOMEN

FOOT LENGTH (IN)	ANKLE HT (IN)																TOTAL
	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	6.00	6.25	6.50	6.75	TOTAL
11.75																	1
11.50																	
11.25																	3
11.00																	12
10.75																	31
10.50																	69
10.25																	155
10.00																	193
9.75																	240
9.50																	293
9.25																	183
9.00																	96
8.75																	43
8.50																	11
8.25																	1
8.00																	
TOTAL	1	23	98	214	284	360	216	87	43	4	10	1					1390

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
ANKLE HT	4.27	0.40	0.449	$= (0.365) * \text{FOOT LENGTH (IN)} + (0.78)$	0.36
FOOT LENGTH	9.57	0.49	0.449	$= (0.552) * \text{ANKLE HT (IN)} + (7.21)$	0.44

TABLE 124

A BIVARIATE FREQUENCY TABLE FOR
ANKLE HT AND SPHYRION HT
1977 ARMY WOMEN

ANKLE HT(IN)															
	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25	5.50	5.75	6.00	TOTAL	
SPHYRION HT(IN)	3.50						1	1						2	
	3.25					1	6	6	2		1	1		17	
	3.00					40	74	62	25	11		2		237	
	2.75			7	26										
	2.50		6	33	75	118	139	89	28	19	2	6	1	516	
	2.25	1	11	45	86	96	108	60	27	10	1	2		437	
	2.00		6	12	25	28	21	16	6	3				116	
	1.75			1	2	1	1	1						6	
TOTAL	1	23	98	214	284	350	215	87	43	4	10	1		1330	

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
ANKLE HT	4.27	0.40	0.225	$= (0.422) * \text{SPHYRION HT (IN)} + (3.20)$	0.39
SPHYRION HT	2.54	0.21	0.225	$= (0.120) * \text{ANKLE HT (IN)} + (2.03)$	0.21

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND SLEEVE LENGTH
1966 ARMY MEN

BUST/CHEST CIRC(IN)																						
20.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	TOTAL
39.5										1				1	1	1	1					6
39.0									1		2	3		2	3	1						13
38.5										1	2	4	2		1	1	1					13
38.0											3	2	4	9	5	1	2	2				36
37.5								1	3	3	3	2	4	17	6	2	2	1		2	1	97
37.0								1	5	13	23	11	17	6	6	2	2					
36.5						2	4	10	17	14	13	14	22	12	8	8	4	4	2	2		134
36.0						4	9	13	23	32	17	35	24	17	16	7	3	1	3	3		207
35.5																						392
35.0				1	4	7	21	41	53	69	56	47	40	23	13	9	5	2	1			
34.5				1	4	19	45	66	91	106	66	70	42	17	14	11	8	5	3	3		670
34.0				2	9	18	55	88	113	95	95	57	36	21	16	7	3	2	1	2		621
33.5				6	21	39	98	133	142	116	106	77	42	27	18	7	4					837
33.0				1	4	24	44	105	189	184	139	111	71	38	16	13	8	2	3	1		953
32.5				1	4	26	80	102	135	140	130	74	37	31	16	8	3	2	1			790
32.0				2	7	25	75	103	148	112	76	54	38	13	10	6	3					672
31.5				8	27	61	98	143	78	58	46	30	16	5	2	1						573
31.0				2	11	20	41	63	51	41	21	12	2	2								298
30.5				3	5	28	35	41	44	27	19	15	5	6	1			1				230
30.0		1		1	4	14	30	27	27	16	6	1	1	1	1							135
29.5				1	5	5	16	11	8	2		3	2									55
29.0				2	3	5	5	4	3	2		1										25
28.5				2	1	1	1	4	2													10
28.0				1	1	1	1	2	1													10
27.5																						3
TOTAL	1	1	15	63	217	478	795	1111	1052	911	712	518	339	186	130	70	33	22	11	13	4	6682

1966 ARMY MEN

SLEEVE LENGTH	33.80	1.56	0.429	=	(0.254)*BUST/CHEST	CIRC(N)+(24.42)
---------------	-------	------	-------	---	--------------------	-----------------

1.41

TABLE 126

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND SLEEVE OUTSEAM
1977 ARMY WOMEN

	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	TOTAL
25.5							1	1														2
25.0							1				2		1				1					1
24.5										1	2	2										7
24.0										6	2	4	3	1			1					28
23.5				1	4	3			3	6	2	4	2	2	1	1						60
23.0				1	2	3	8	11	11	6	10	2	3	2	2						1	97
22.5				1	4	5	11	12	12	22	15	13	8	3	2							146
22.0					10	19	18	22	22	33	18	7	10	5	1	1	2					168
21.5					7	9	11	22	35	28	16	10	13	4		1	1		1			234
21.0	1	1	2	8	21	27	39	32	32	31	36	13	7	6	6	3		1				204
20.5			2	12	17	30	32	26	26	35	19	20	5	3		2						206
20.0		2	1	16	21	30	38	24	33	19	11	7	4	3	1	2						112
19.5			2	9	11	28	15	20	9	7	4	4	2	2		1						53
19.0			1	2	2	14	6	6	6	9	6	2	2	3								20
18.5				1		3	4	2	2	1	4	3										9
18.0						1	3			2	1	2										2
17.5										1			1									1
17.0																						
TOTAL	1	3	9	56	106	179	192	193	217	154	93	65	32	11	11	5		2	1	1		1330

SLEEVE OUTSEAM (IN)

BUST/CHEST CIRC (IN)

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
BUST/CHEST CIRC	34.72	2.49	0.200	$= (0.427) * \text{SLEEVE OUTSEAM (IN)} + (25.67)$	2.44
SLEEVE OUTSEAM	21.18	1.17	0.200	$= (0.093) * \text{BUST/CHEST CIRC (IN)} + (17.95)$	1.14

TABLE 127

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND WAIST FRONT
1977 ARMY WOMEN

	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	TOTAL
19.0										1	1		1	1								1
18.5										1	1		1									4
18.0									1	1	1	1	1	3		1			1			7
17.5						1				1	1	2	1	1								11
17.0						1	1	1	2	4	3	1	4	1	1	2	2		1			24
16.5					1	1	4	3	5	7	14	5	3	5	3	3						54
16.0						3	8	6	12	14	12	13	6	4	3	3						84
15.5					4	11	23	18	18	35	38	14	19	9	2	1		1				194
15.0					8	9	19	31	43	43	23	23	11	4	3	1						218
14.5					14	29	47	57	42	38	29	12	7	2	1	1						281
14.0					2	12	18	35	33	34	32	27	14	7	1							216
13.5					4	9	22	27	23	19	11	6	3	4	1							169
13.0					1	8	7	8	11	8	11	4	3	1								62
12.5								4	1	3	2	1										12
12.0																						3
11.5																						
TOTAL	1	3	9	56	105	179	192	193	217	154	93	65	32	11	11	5		2	1	1		1330

BUST/CHEST CIRC(IN)

WAIST FRONT(IN)

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
BUST/CHEST CIRC	34.72	2.49	0.343	$= (0.829) \times \text{WAIST FRONT}(\text{IN}) + (22.73)$	2.34
WAIST FRONT	14.46	1.03	0.343	$= (0.142) \times \text{BUST/CHEST CIRC}(\text{IN}) + (9.53)$	0.97

TABLE 128

A BIVARIATE FREQUENCY TABLE FOR
CROTCH LENGTH AND WAIST CIRC
1977 ARMY WOMEN

CROTCH LENGTH(IN)																						
20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	TOTAL	
42.0												2		1							3	
41.0									1					1							2	
40.0																						
39.0																						
38.0																						
37.0			1							1				1							3	
36.0								1	2	2			1		1						7	
35.0						2		1	2	1			2								9	
34.0		1					1	2	2	3	7	2	2	1					1		20	
33.0			1		1		2	2	6	2	2	3		3							20	
32.0			2		3	3	1	6	1	7	4	2	2	1							30	
31.0						4	4	8	10	5	14	5	2	1	2						55	
30.0			3	1	3	4	6	12	17	18	24	14	3								105	
29.0		1			3	3	10	16	27	23	26	16	6	3	2						135	
28.0			2	2		4	23	23	33	37	45	9	10	3							191	
27.0	2			2	5	8	17	28	36	54	39	14	7	1							213	
26.0	2	2	1	1	4	2	29	48	33	43	31	18	4	1	1						220	
25.0					5	8	27	42	46	31	12	5	3								179	
24.0			1	2	6	11	16	23	18	13	3	4	1								98	
23.0			1		3	6	4	8	7	1	1										32	
22.0						2	2	1	1	2											8	
TOTAL	4	4	11	9	33	57	139	216	241	240	213	96	43	17	6				1		1330	

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

CROTCH LENGTH 28.71 2.15 0.262 = (0.210)*WAIST CIRC(IN)+(22.84) 2.07

WAIST CIRC 27.94 2.67 0.262 = (0.326)*CROTCH LENGTH(IN)+(18.59) 2.58

TABLE 129

A BIVARIATE FREQUENCY TABLE FOR
NECK CIRC AND SLEEVE LENGTH
1966 ARMY MEN

	11.5	12.0	12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	TOTAL
39.5									1	2	2		1					6
39.0							1	1	2	1	2	4			1			12
38.5							1	1	3	3	4	1						13
38.0									6	12	6		1					36
37.5					1	3	9	19	27	23	11	4	1	1				97
37.0					3	9	20	19	38	28	14	10			1			134
36.5				1	2	26	40	41	38	37	9	1	2					207
36.0				1	13	20	70	110	78	33	6	1				1		392
35.5				2	12	45	105	151	123	70	41	13	8					670
35.0				1	11	67	144	137	138	80	33	14	6	1				621
34.5				3	28	81	196	201	180	101	32	13	1	1				837
34.0				2	8	30	108	254	190	89	27	11	1			1		953
33.5				3	5	38	118	194	140	69	17	6	2		1			790
33.0				5	41	116	187	131	120	60	19	3						672
32.5				8	40	112	160	118	86	32	14	1		1				573
32.0				7	22	64	86	63	38	15	3							298
31.5	1			6	30	54	66	41	20	8	3	1						230
31.0				3	14	33	43	21	15	4								135
30.5				3	8	15	17	8	2	2								55
30.0				1	1	6	9	5	1	2	1							25
29.5				1		4	4	1										10
29.0				2	3	1	3		1									10
28.5					1	2												3
28.0																		2
27.5																		
TOTAL	1	8	56	288	859	1594	1457	1283	706	298	97	22	7	3		2		6681

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR
 NECK CIRC 14.72 0.81 0.372 = (0.195)*SLEEVE LENGTH(IN)+(8.13) 0.76
 SLEEVE LENGTH 33.79 1.56 0.372 = (0.711)*NECK CIRC(IN)+(23.33) 1.44

TABLE 130

A BIVARIATE FREQUENCY TABLE FOR
SPHYRION HT AND FOOT LENGTH
1977 ARMY WOMEN

SPHYRION HT(IN)												
	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	TOTAL			
FOOT LENGTH(IN)	11.75				1							1
	11.50											
	11.25											
	11.00				1	2						3
	10.75		1	4	3	3		1				12
	10.50		1	7	15	8						31
	10.25		8	16	23	19	2	1				69
	10.00	1	13	43	56	38	4					166
	9.75		9	57	83	41	3					193
	9.50	2	15	73	100	48	2					240
	9.25		29	93	123	44	4					293
	9.00	2	15	75	74	17						183
	8.75	1	15	40	25	13	1					96
	8.50		6	24	9	4	1					43
	8.25		4	4	3							11
	8.00			1								1
TOTAL	6	116	437	515	237	17	2					1330

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
SPHYRION HT	2.54	0.21	0.213	$= (0.092)*\text{FOOT LENGTH(IN)} + (1.66)$	0.21
FOOT LENGTH	9.57	0.49	0.213	$= (0.490)*\text{SPHYRION HT(IN)} + (8.33)$	0.48

TABLE 131

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND SLEEVE LENGTH
1966 ARMY MEN

	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	TOTAL
39.5																1	2	1	1	1		6
39.0															3	5	3	1	1			13
38.5											1			1	2	2	4	1	1	1		13
38.0															7	3	7	4	2			36
37.5										1	1	5	9	20	14	20	14	9	3	1	1	97
37.0										1	4	8	22	23	28	23	11	9	2			134
36.5										2	14	28	36	40	37	30	11	5				207
36.0										6	17	28	62	66	77	69	34	10	4			392
35.5																						570
35.0																						621
34.5																						837
34.0																						963
33.5																						790
33.0																						672
32.5																						673
32.0																						238
31.5																						230
31.0																						135
30.5																						55
30.0																						26
29.5																						10
29.0																						10
28.5																						3
28.0																						2
27.5																						6682
TOTAL	1	9	32	58	135	235	476	751	970	1043	937	773	544	372	199	87	39	11	9	1		

SLEEVE LENGTH(IN)

STATURE(IN)

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

STATURE 68.71 2.60 0.701 = (1.170)*SLEEVE LENGTH(IN)+(29.17) 1.86

SLEEVE LENGTH 33.80 1.56 0.701 = (0.419)*STATURE(IN)+(5.01) 1.11

TABLE 132

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND SLEEVE OUTSEAM
1977 ARMY WOMEN

	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	TOTAL
25.6															1			1	2
25.0														1					1
24.5													1		2	1	2		7
24.0										1	2	4	7	6	5	1	2		28
23.5										5	4	6	14	10	5	5			50
23.0								2	1	7	13	25	19	18	10	1	1		87
22.5							1	4	13	16	45	20	30	11	3	2	1		146
22.0							5	14	24	37	40	24	10	3		1			158
21.6						4	12	33	52	45	52	27	8		1				234
21.0						10	21	49	46	44	27	4	1						204
20.5					3	11	22	43	49	34	29	10	5						206
20.0					3	1	9	26	27	24	16	7							112
19.5							3	9	13	9	12	7							53
19.0							8	5	3	2	1	1							20
18.5							1	1	1	2	2	1							9
18.0	1																		2
17.5																			1
17.0																			1
TOTAL	1	7	18	35	80	122	189	194	191	193	116	90	60	27	11	6	1		1330

SLEEVE OUTSEAM(IN)

STATURE(IN)

1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
STATURE	64.15	2.57	0.782	$= (1.720) * \text{SLEEVE OUTSEAM(IN)} + (27.73)$	1.60
SLEEVE OUTSEAM	21.18	1.17	0.782	$= (0.355) * \text{STATURE(IN)} + (-1.60)$	0.73

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND WAIST FRONT
1977 ARMY WOMEN

MR187 FRONT (IN)

STD ERROR
2.39
0.96

SECTION IV

Double Male/Female Bivariates

TABLE 134

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND BICEPS CIRC
1966 ARMY MEN / 1977 ARMY WOMEN

	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	50.0	TOTAL
18.0																									1/
17.5																									2/
17.0																									7/
16.5																									16/
16.0																									43/
15.5																									26/
15.0																									211/
14.5																									1/
14.0																									414/
13.5																									691/
13.0																									986/
12.5																									1268/
12.0																									1161/
11.5																									942/
11.0																									573/
10.5																									209/
10.0																									81/
9.5																									16/
9.0																									5/
8.5																									90/
8.0																									6882/
TOTAL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1390

STD ERROR

1.73

0.71

REGRESSION EQUATIONS

BUST/CHST CIRC = (1.833)*BICEPS CIRC(IN)+(13.63)

BICEPS CIRC = (0.310)*BUST/CHST CIRC(IN)+(1.26)

R

0.754

0.754

ST DEV

2.63

1.08

1966 ARMY MEN

BUST/CHST CIRC

BICEPS CIRC

MEAN

36.92

12.70

STD ERROR

1.74

0.62

REGRESSION EQUATIONS

BUST/CHST CIRC = (2.004)*BICEPS CIRC(IN)+(13.52)

BICEPS CIRC = (0.257)*BUST/CHST CIRC(IN)+(1.65)

R

0.718

0.718

ST DEV

2.49

0.89

1977 ARMY WOMEN

BUST/CHST CIRC

BICEPS CIRC

MEAN

34.72

10.58

TABLE 135

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND HIP CIRC
1966 ARMY MEN / 1977 ARMY WOMEN

BUST/CHEST CIRC.(IN)																								
	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	TOTAL
53.0																	/ 1					1/	1	
62.0																								
61.0																			1/		1/			2/
60.0																					1/			1/
59.0																					2/			5/ 1
49.0																					1/			7/ 2
48.0																	1/		1/		2/			14/ 3
47.0																2/	1/	3/	2/		1/			40/ 5
46.0																4/	11/	4/	6/	4/	1/			70/ 14
45.0																21/	2/	5/	8/	1/	3/			122/ 28
44.0																14/	5/	6/	5/	4/	2/			198/ 46
43.0																3/	3/	3/	3/	4/	1/			339/ 101
42.0																2/	3/	9/	3/	4/	1/			571/ 167
41.0																30/	1/	23/	3/	2/	1/			785/ 193
40.0																8/	4/	3/	1/					1036/ 241
39.0																3/	1/							1113/ 195
38.0																1/								1113/ 170
37.0																4/								720/ 94
36.0																9/	4/							590/ 55
35.0																2/								137/ 25
34.0																4/								34/ 6
33.0																1/								4/ 2
32.0																2/								
31.0																11/	13							
30.0																39	22							
TOTAL	1	3	9	15	58	105	178	217	193	182	478	795	1111	1052	911	712	518	325	339	166	111	130	70	5
																								6882
																								1390

STD ERROR

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS
 BUST/CHEST CIRC 36.92 2.63 0.797 = (0.853)BUST/CHEST CIRC(IN)+(5.28)
 HIP CIRC 37.09 2.46 0.797 = (0.745)BUST/CHEST CIRC(IN)+(9.59)

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS
 BUST/CHEST CIRC 34.72 2.49 0.707 = (0.711)BUST/CHEST CIRC(IN)+(7.99)
 HIP CIRC 37.59 2.48 0.707 = (0.703)BUST/CHEST CIRC(IN)+(13.19)

STD ERROR

1.59
1.481.76
1.75

TABLE 136

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND SCYE CIRC
1966 ARMY MEN / 1977 ARMY WOMEN

	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	TOTAL		
23.6															1/					1/				2/		
23.0													1/											2/		
22.6													1/						1/					17/		
22.0											2/	2/	1/		2/	3/	1/	1/	2/	1/	2/	2/	1/	17/		
21.6											2/	1/	2/		6/	6/	6/	4/	2/	2/	2/	1/		48/		
21.0											6/	1/	6/		4/	6/	6/	9/	3/	3/	2/	3/		66/		
20.6								1/	2/	1/	6/	1/	6/		1/	6/	9/	3/	2/	3/				66/		
20.0								1/	4/	1/	6/	16/	24/	17/	10/	14/	13/	2/	3/		1/			118/		
19.6												32/	41/	38/	28/	26/	10/	8/			1/			219/		
19.0							1/	2/	14/	22/	29/	32/	41/	38/	28/	26/	10/	8/						345/		
18.6								10/	16/	20/	41/	58/	64/	67/	30/	30/	19/	4/	5/	2/	1/			569/		
18.0							1/	7/	17/	35/	62/	104/	98/	94/	66/	42/	10/	4/	2/	1	2/			776/		
17.6						4/	6/	6/	38/	76/	119/	149/	165/	109/	61/	29/	11/	2	4/	1	1/			1048/		
17.0				1/	1/	1/	6/	26/	92/	184/	217/	206/	143/	1	93/	20/	2	16/	1/	2/	1/			1137/		
16.6						2/	18/	62/	168/	267/	268/	1165/	1	109/	4	26/	1	1/	1/	1/				930/		
16.0						2/	33/	107/	187/	1197/	3	97/	3	51/	3	1/	3	2/	1					722/		
15.6						1/	12/	50/	110/	1182/	1	173/	13	111/	17	62/	11	2/	15	8/	9	2/	3	2/	422/	
15.0						4/	18/	1	53/	2102/	1	115/	19	80/	36	24/	27	11/	27	11/	17	4/	8	1/	196/	
14.6						2/	11/	2	32/	13	46/	21	28/	36	22/	67	11/	65	8/	29	7/	18	1/	5	1/	63/
14.0						1/			1/																24/	
13.6						3/	1	8/	15	13/	39	9/	44	7/	60	6/	56	2/	31		6				24/	
13.0						1/	3/	7	3/	21	3/	69	3/	68	6/	52	3/	40		10	1/	7	2/	3	1	24/
12.6						2/	3	1/	10		22/	44/	1/	45	1/	23		3		4	1/	1			5/	
12.0						1/	1																		4/	
11.6						1/	1																		1/	
TOTAL	1	1	3	9	15	63	217	478	785	1111	1052	911	712	618	339	106	130	70	33	22	11	13	4	6002	1330	

STD ERROR

1.97

0.96

STD ERROR

1.63

0.62

REGRESSION EQUATIONS

 $BUST/CHEST CIRC(IN) = (1.364) \cdot SCYE CIRC(IN) + (12.99)$ $SCYE CIRC = (0.325) \cdot BUST/CHEST CIRC(IN) + (5.55)$

REGRESSION EQUATIONS

 $BUST/CHEST CIRC(IN) = (2.005) \cdot SCYE CIRC(IN) + (5.11)$ $SCYE CIRC = (0.287) \cdot BUST/CHEST CIRC(IN) + (4.80)$

TABLE 137

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND SHOULDER CIRC
1966 ARMY MEN / 1977 ARMY WOMEN

	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	TOTAL	
57.0																					1/	2/		3/	
56.0																					1/			1/	
55.0																					2/	4/		7/	
54.0																	1/	3/	3/		1/			7/	
53.0																1/	16/	4/	4/		6/	1/		17/	
52.0															3/	6/	8/	7/	6/		7/	1/		49/	
51.0																16/	22/	12/	5/	5/	2/	2/		80/	
50.0																31/	30/	12/	5/	2/	2/			140/	
49.0											2/				17/	39/	31/	32/	5/	2/	2/			290/	
48.0											3/				80/	51/	15/	6/	4/	1/	2/	1/		404/	
47.0									1/		38/				88/	51/	24/	6/						895/	
46.0											181/				57/	20/	7/							935/	
45.0											269/				39/	3/	3/	1/						1132/	
44.0											1226/				10/	4/	2/	3/						1036/	
43.0											126/				3/	1/	1/							829/	
42.0											116/				6/	1/	1/							570/	
41.0											25/				10/	1/	1/							280/	
40.0											13/				2/	1/								108/	
39.0											27/				1/									38/	
38.0											42/				6/									6/	
37.0											1/				1/									3/	
36.0											23/				2/									9/	
35.0											5/				1/									30/	
34.0											154/				39/									1/	
33.0											151/				11/									6692/	
TOTAL	1	1	3	9	15	63	106	179	479	795	1111	1052	911	712	519	322	339	111	186	130	70	33	22	11	1390

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR
BUST/CHEST CIRC 36.92 2.63 0.855 = (0.895)*BUST/CHEST CIRC(IN) + (-2.96) 1.37
SHOULDER CIRC 44.55 2.51 0.855 = (0.816)*BUST/CHEST CIRC(IN) + (14.43) 1.31

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR
BUST/CHEST CIRC 34.72 2.49 0.823 = (0.973)*BUST/CHEST CIRC(IN) + (-3.73) 1.42
SHOULDER CIRC 39.51 2.11 0.823 = (0.695)*BUST/CHEST CIRC(IN) + (15.38) 1.20

TABLE 138

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND SHOULDER LTH
1966 ARMY MEN / 1977 ARMY WOMEN

	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	TOTAL
10.0																								
9.6																								
9.0																								
8.6																								
8.0																								
7.6																								
7.0																								
6.6																								
6.0																								
5.6																								
5.0																								
4.6																								
4.0																								
3.6																								
3.0																								
TOTAL	1	1	3	9	15	68	106	217	478	796	1111	1291	1492	1682	1882	1999	1986	1111	339	22	11	13	4	8882

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
BUST/CHEST CIRC	36.92	2.63	0.153	$= (0.516) \times \text{SHOULDER LTH} + (33.62)$	2.60
SHOULDER LTH	6.38	0.78	0.153	$= (0.045) \times \text{BUST/CHEST CIRC} + (4.72)$	0.77
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
BUST/CHEST CIRC	34.72	2.49	0.117	$= (0.700) \times \text{SHOULDER LTH} + (30.59)$	2.48
SHOULDER LTH	5.90	0.42	0.117	$= (0.020) \times \text{BUST/CHEST CIRC} + (5.21)$	0.41

TABLE 139

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND SLEEVE INSEAM
1966 ARMY MEN / 1977 ARMY WOMEN

BUST/CHEST CIRC.(IN)																											
	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	TOTAL			
24.0												1/					1/							1/			
23.5										2/		1/			1/	2/								2/			
23.0								1/	2/	3/	5/	4/	3/		1/	2/								9/			
22.5								1/	2/	11/	10/	8/	6/	5/	4/	2/								25/			
22.0							3/	2/	11/	22/	25/	30/	30/	19/	16/	10/	9/							60/			
21.5							1/	1/	6/	1/	20/	7/	22/	26/	19/	10/	7/							109/			
21.0							1/	10/	2/	11/	32/	2/	60/	67/	2/	48/	1/	39/	20/	19/	2/	1/		362/			
20.5					1/	5/	1/	68/	1/	111/	3/	120/	3/	90/	3/	61/	2/	51/	48/	26/	3/	5/	1/	882/			
20.0					8/	6/	26/	3/	60/	4/	132/	5/	172/	5/	153/	3/	100/	1/	98/	64/	30/	22/	11/	1084/			
19.5					2/	3/	6/	3/	21/	7/	98/	16/	153/	12/	168/	23/	205/	15/	176/	61/	9/	4/	1/	1228/			
19.0					2/	4/	14/	11/	50/	14/	103/	18/	164/	23/	204/	32/	203/	15/	170/	15/	10/	89/	2/	1209/			
18.5																								709/			
18.0																								585/			
17.5																								585/			
17.0																								282/			
16.5																								96/			
16.0																								28/			
15.5																								16/			
15.0																								1/			
14.5																								1/			
14.0																								1/			
TOTAL	1	3	1	9	15	63	105	178	295	478	795	1111	1082	911	712	518	399	106	130	70	33	22	11	13	4	6082	1330

STD ERROR

1966 ARMY MEN
BUST/CHEST CIRC
SLEEVE INSEAM

REGRESSION EQUATIONS

R

ST DEV

MEAN

1966 ARMY MEN

BUST/CHEST CIRC

SLEEVE INSEAM

$BUST/CHEST\ CIRC = (0.409) \cdot SLEEVE\ INSEAM + (29.09)$
 $BUST/CHEST\ CIRC = (0.066) \cdot BUST/CHEST\ CIRC + (16.69)$

STD ERROR

1977 ARMY WOMEN
BUST/CHEST CIRC
SLEEVE INSEAM

REGRESSION EQUATIONS

R

ST DEV

MEAN

1977 ARMY WOMEN

BUST/CHEST CIRC

SLEEVE INSEAM

$BUST/CHEST\ CIRC = (0.291) \cdot SLEEVE\ INSEAM + (29.56)$
 $BUST/CHEST\ CIRC = (0.050) \cdot BUST/CHEST\ CIRC + (16.00)$

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND WEIGHT
1966 ARMY MEN / 1977 ARMY WOMEN

[illegible]

	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
1966 ARMY MEN	36.92	2.63	0.849	$= (0.096) \times \text{WEIGHT}(\text{LB}) + (21.64)$	1.39
BUST/CHEST CIRC	159.10	29.35	0.849	$= (7.531) \times \text{BUST} / \text{CHEST CIRC}(\text{IN}) + (-118.92)$	12.33
WEIGHT					
1977 ARMY WOMEN	34.72	2.49	0.808	$= (0.107) \times \text{WEIGHT}(\text{LB}) + (20.58)$	1.47
BUST/CHEST CIRC	132.11	18.76	0.808	$= (6.081) \times \text{BUST} / \text{CHEST CIRC}(\text{IN}) + (-79.01)$	11.04
WEIGHT					

TABLE 141

A BIVARIATE FREQUENCY TABLE FOR
BUST/CHEST CIRC AND WRIST CIRC
1966 ARMY MEN / 1977 ARMY WOMEN

	27.00	28.00	29.00	30.00	31.00	32.00	33.00	34.00	35.00	36.00	37.00	38.00	39.00	40.00	41.00	42.00	43.00	44.00	45.00	46.00	47.00	48.00	49.00	TOTAL
8.75															1/									1/
8.50															2/									1/
8.25															3/									3/
8.00															4/									20/
7.75															5/									20/
7.50															6/									205/
7.25															7/									205/
7.00															8/									1657/
6.75															9/									1499/
6.50															10/									406/
6.25															11/									97/
6.00															12/									422/
5.75															13/									5/
5.50															14/									167/
5.25															15/									25/
5.00															16/									1390/
TOTAL	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

BUST/CHEST CIRC 36.92 2.63 0.497 = (3.794)WRIST CIRC(IN)+(11.44) 2.28

WRIST CIRC 6.72 0.34 0.497 = (0.065)BUST/CHEST CIRC(IN)+(4.32) 0.30

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

BUST/CHEST CIRC 34.72 2.49 0.479 = (4.452)WRIST CIRC(IN)+(8.95) 2.19

WRIST CIRC 5.79 0.27 0.479 = (0.051)BUST/CHEST CIRC(IN)+(4.02) 0.24

TABLE 142

A BIVARIATE FREQUENCY TABLE FOR
CROTCH HEIGHT AND ANKLE CIRC
1966 ARMY MEN / 1977 ARMY WOMEN

	24.00	25.00	26.00	27.00	28.00	29.00	30.00	31.00	32.00	33.00	34.00	35.00	36.00	37.00	38.00	39.00	40.00	TOTAL
12.00																		
11.76						1/							1/					2/
11.50																		
11.26																		
11.00								1/		5/		1/	3/	1/				11/
10.76						2/		2/	4/	5/		5/	4/	2/	1/			30/
10.50							1/	3/	4/	16/		12/	12/	5/	2/			72/
10.26						2/	1/	21/	27/	40/	26/	15/	17/	7/	7/			177/
10.00				2/	1/	1/	8/	7/	35/	41/	47/	30/	14/	7/	1/			280/
9.76										88/	85/	62/	24/	16/	2/			483/
9.50					2/	1/	6/	1/	32/	2/	189/	1/	97/	42/	2/			886/
9.26					1/	1/	1/	6/	25/	5/	60/	10/	145/	2/	147/	2/	2/	886/
9.00				1/	3/	3/	3/	3/	30/	23/	92/	20/	167/	17/	235/	21/	105/	984/
8.76									42/	47/	111/	34/	192/	23/	277/	26/	40/	1137/
8.50				1/	2/	2/	3/	6/	11/	19/	42/	47/	111/	34/	192/	26/	33/	1201/
8.26									26/	49/	51/	52/	126/	31/	172/	26/	54/	895/
8.00				1/	1/	3/	6/	16/	12/	35/	26/	49/	51/	52/	126/	31/	20/	895/
7.76				1/	1/	5/	1/	19/	6/	55/	13/	74/	33/	58/	33/	41/	26/	497/
7.50				1/	1/	5/	1/	17/	17/	17/	27/	39/	9/	26/	9/	13/	3/	210/
7.26				1/	1/	3/	1/	13/	1/	15/	2/	10/	2/	6/	3/	11/	1/	42/
7.00				1/	1/	4/	1/	5/	1/	6/	1/	10/	1/	4/	1/	6/	2/	10/
6.76								1/	2/	3/	1/	1/	1/	1/	1/	1/	3/	3/
6.50				1/	2/	2/	3/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	6/
TOTAL	1/	5/	7/	34/	22/	77/	198/	545/	980/	1451/	190/	1020/	609/	256/	94/	17/	6092/	1330/

ANKLE CIRC(IN)

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
CROTCH HEIGHT	33.05	1.84	0.162	$\text{ANKLE CIRC(IN)} + (28.34)$	1.82
ANKLE CIRC	8.93	0.57	0.162	$\text{CROTCH HEIGHT(IN)} + (7.28)$	0.56
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
CROTCH HEIGHT	30.07	1.72	0.231	$\text{ANKLE CIRC(IN)} + (23.44)$	1.68
ANKLE CIRC	8.16	0.49	0.231	$\text{CROTCH HEIGHT(IN)} + (6.18)$	0.48

TABLE 143

A BIVARIATE FREQUENCY TABLE FOR
CROTCH HEIGHT AND HIP CIRC
1966 ARMY MEN / 1977 ARMY WOMEN

	24.0	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	TOTAL
53.0					1/				/ 1									1/ 1
52.0																		
51.0																		
50.0							1/					1/						2/
49.0					1/				/ 1									1/ 1
48.0							/ 1	1/		2/	1/	1/						5/ 1
47.0								/ 2			4/	1/						7/ 2
46.0		1/						1/	2/	6/ 1	3/	1/						14/ 3
45.0								3/ 1	4/ 2	6/ 2	6/	5/	6/	4/				40/ 5
44.0					1/			3/ 4	6/ 4	17/ 1	14/	12/	12/	3/	2/			70/ 14
43.0				/ 1	1/ 1	4/ 3	5/ 4	13/ 5	16/ 6	30/ 5	22/ 2	15/ 1	8/	5/	3/	1/		122/ 28
42.0				/ 1	1/ 2	1/ 9	9/ 4	14/ 10	21/ 9	37/ 6	31/ 3	39/ 1	20/ 1	12/	4/			186/ 46
41.0			/ 1	2/	4/ 12	8/ 18	28/ 26	41/ 20	70/ 14	60/ 4	57/ 3	34/	25/	9/	2/	1/		339/ 101
40.0			/ 1	2/	4/ 10	13/ 34	47/ 37	63/ 18	116/ 28	113/ 6	91/ 3	58/	30/ 1	9/	1/			571/ 157
39.0			/ 1	2/	6/ 30	22/ 41	45/ 42	114/ 32	172/ 21	160/ 8	131/ 2	80/ 1	35/	11/	2/	1/		785/ 193
38.0			/ 1	3/	6/ 22	5/ 34	39/ 69	89/ 48	155/ 36	226/ 16	209/ 9	154/ 3	99/ 1	35/	15/	4/	1/	1036/ 241
37.0			/ 1	2/	7/ 13	12/ 34	19/ 59	78/ 38	160/ 21	242/ 13	244/ 4	184/ 3	110/	40/	17/	3/	2/	1113/ 195
36.0			/ 1	5/	4/ 25	7/ 27	29/ 32	76/ 39	185/ 24	233/ 14	250/ 2	170/ 1	100/	38/	15/	4/	1/	1113/ 170
35.0			/ 1	4/	3/ 8	10/ 21	23/ 23	66/ 13	110/ 9	169/ 3	169/ 1	99/ 1	45/	20/	6/			720/ 84
34.0			/ 1	2/	1/ 12	10/ 11	15/ 15	40/ 5	67/ 7	89/ 3	80/	44/	27/	7/				380/ 55
33.0			/ 6	1/	2/ 6	9/ 3	31/ 4	22/ 1	30/ 1	20/	13/	8/						137/ 25
32.0			/ 6	1/	2/ 6	9/ 3	9/ 1	9/ 2	5/	7/	3/	1/						34/ 6
31.0			/ 1		/ 1	/ 1	/ 1	/ 1	/ 1	3/	3/							4/ 2
30.0			/ 1		/ 1	/ 1	/ 1	/ 1	/ 1	128	1451	1020	609	256	94	17	6	6682
TOTAL	1	7	34	104	218	308	545	778	990	1451	1391	1020	609	256	94	17	6	1330

HIP CIRC(IN)

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
CROTCH HEIGHT	33.05	1.84	0.097	$= (0.072) \times \text{HIP CIRC(IN)} + (30.38)$	1.83
HIP CIRC	37.09	2.46	0.097	$= (0.129) \times \text{CROTCH HEIGHT(IN)} + (32.83)$	2.45
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
CROTCH HEIGHT	30.07	1.72	0.260	$= (0.181) \times \text{HIP CIRC(IN)} + (23.26)$	1.66
HIP CIRC	37.59	2.48	0.260	$= (0.374) \times \text{CROTCH HEIGHT(IN)} + (26.35)$	2.39

TABLE 144

A BIVARIATE FREQUENCY TABLE FOR
CROTCH HEIGHT AND STATURE
1966 ARMY MEN / 1977 ARMY WOMEN

	24.0	25.0	26.0	27.0	28.0	29.0	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	TOTAL
79.0	1													1				1
78.0													2	1	4	1	1	9
77.0													1	2	4	3	1	11
76.0											2	4	13	16	4	1	39	97
75.0										2	6	12	38	22	3	2	87	199
74.0									3	10	29	68	56	31	2		199	
73.0								1	10	37	92	1158	58	13	2	1	372	1
72.0								1	31	102	214	2144	2	4	1		544	6
71.0							2	5	19	79	215	5278	3145	28	1	1	773	11
70.0							1	12	58	3237	9371	9208	541	9			937	27
69.0							3	34	135	9360	24350	9131	523	2			1043	60
68.0							2	10	72	9241	33377	36212	1046	1	10		970	90
67.0							7	33	5	109	29285	44231	74	11			751	115
66.0							1	9	6	43	32158	81158	5793	17	10		476	193
65.0							1	1	3	16	1637	6574	70	19	5	7	235	191
64.0							1	1	6	3	16	4336	50	45	18	14	135	194
63.0							1	1	4	13	13	68	20	73	16	32	16	189
62.0							1	4	7	25	9	49	9	38	4	6	32	122
61.0							1	8	2	36	5	29	2	7			9	80
60.0							1	1	1	8	21	1	6				1	35
59.0							1	2	10	3	2	1					1	18
58.0							1	4	2	1							1	7
57.0							1	1									1	1
56.0							1										6882	1330
TOTAL	1	7	5	34	22	104	77	198	545	990	1451	1391	1020	609	256	94	17	6

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
CROTCH HEIGHT	33.05	1.84	0.819	$= (0.579) \times \text{STATURE}(\text{IN}) + (-6.73)$	1.06
STATURE	68.71	2.60	0.819	$= (1.158) \times \text{CROTCH HEIGHT}(\text{IN}) + (30.44)$	1.49
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
CROTCH HEIGHT	30.07	1.72	0.861	$= (0.579) \times \text{STATURE}(\text{IN}) + (-7.08)$	0.88
STATURE	64.15	2.57	0.861	$= (1.282) \times \text{CROTCH HEIGHT}(\text{IN}) + (25.61)$	1.30

A BIVARIATE FREQUENCY TABLE FOR
CROTCH HEIGHT AND UPPER THIGH CIRC
1966 ARMY MEN / 1977 ARMY WOMEN

UPPER THIGH CIRC(IN)

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
CROTCH HEIGHT	33.05	1.84	0.013	= (0.012)*UPPER THIGH CIRC(IN)+(32.79)	1.84
UPPER THIGH CIRC	21.82	1.89	0.013	= (0.013)*CROTCH HEIGHT(IN)+(21.39)	1.89
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
CROTCH HEIGHT	30.07	1.72	0.184	= (0.177)*UPPER THIGH CIRC(IN)+(26.10)	1.69
UPPER THIGH CIRC	22.40	1.79	0.184	= (0.191)*CROTCH HEIGHT(IN)+(16.66)	1.76

TABLE 146

A BIVARIATE FREQUENCY TABLE FOR
FOOT BREADTH AND FOOT CIRC
1966 ARMY MEN / 1977 ARMY WOMEN

	2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	5.00	TOTAL
12.50										1/	1/
12.25											
12.00											
11.75											5/
11.50						1/	13/	23/	2/		8/
11.25						3/	32/	46/	8/		39/
11.00											89/
10.75					1/	17/	109/	71/	7/		204/
10.50					10/	137/	290/	1 83/	2/		522/ 1
10.25					22/	307/	361/	4 40/ 1	1/		731/ 5
10.00					109/	691/	7 374/	6 26/			1190/ 13
9.75				2/	300/	13 666/	11 175/	3 6/			1149/ 27
9.50			1/	6/	421/	36 497/	32 69/	6/			999/ 70
9.25			/ 1	22/	9 469/	166 258/	34 50/	1 6/			806/ 201
9.00			2/	48/	52 272/	151 99/	10 24/	2/			447/ 213
8.75			2/	4 44/	143 120/	132 50/	4 9/				225/ 283
8.50			2/	24 31/	196 71/	63 65/	8/				177/ 273
8.25			/ 44	16/	105 20/	7 12/					48/ 166
8.00		/ 4	1/	42 7/	18 16/	1					24/ 65
7.75		/ 6	1/	13 4/	3 12/						17/ 22
7.50			/ 1	1/							1/ 1
7.25				1/							1/
TOTAL	10	9	129	182	1843	2793	1513	319	22	1	6682
				526	551	98	15	1			1330

FOOT CIRC(IN)

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
FOOT BREADTH	3.87	0.22	0.710	$= (0.262) * FOOT CIRC(IN) + (1.29)$	0.15
FOOT CIRC	9.85	0.58	0.710	$= (1.924) * FOOT BREADTH(IN) + (2.40)$	0.41
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
FOOT BREADTH	3.49	0.20	0.847	$= (0.382) * FOOT CIRC(IN) + (0.09)$	0.11
FOOT CIRC	8.90	0.45	0.847	$= (1.880) * FOOT BREADTH(IN) + (2.34)$	0.24

TABLE 147

A BIVARIATE FREQUENCY TABLE FOR
FOOT BREADTH AND HEEL BREADTH
1966 ARMY MEN / 1977 ARMY WOMEN

FOOT BREADTH(IN)															
2.75	3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	5.00	TOTAL					
3.60					1/	2/				3/					
3.50					1/	1/				2/					
3.40				1/	5/	8/	1/			16/					
3.30					4/	16/	8/	1/		29/					
3.20				2/	28/	54/	27/	4/	1/	116/					
3.10			2/	6/	55/	92/	38/	5/		198/					
3.00			2/	60/	249/	1 264/	2 66/	2/		643/ 3					
2.90		/ 1	4/ 3	97/ 4	292/ 3	227/ 1	66/ 1	3/		679/ 13					
2.80			9/ 2	323/ 25	719/ 11	386/ 6	63/	4/		1504/ 44					
2.70			1/	27/ 16	339/ 36	594/ 13	261/ 3	27/	1/	1240/ 67					
2.60			3/ 9	57/ 40	563/ 108	693/ 32	170/ 1	18/	1/	1406/ 190					
2.50			2/ 16	50/ 142	353/ 173	214/ 24	41/ 2	5/		665/ 357					
2.40		/ 1	2/ 28	14/ 134	67/ 114	34/ 11	4/			121/ 288					
2.30			/ 49	16/ 137	27/ 70	9/ 2	1/			53/ 258					
2.20		/ 5	1/ 18	1/ 37	3/ 17	1/ 1				6/ 76					
2.10		/ 2	/ 10	/ 18	2/ 4					2/ 32					
2.00										/ 2					
1.90															
TOTAL	10/	9	182	1843	2793	1513	319	22	1	6682					
			129	526	551	98	15	1		1330					

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
FOOT BREADTH	3.87	0.22	0.499	$= (0.582) * \text{HEEL BREADTH (IN)} + (2.30)$	0.19
HEEL BREADTH	2.70	0.18	0.499	$= (0.429) * \text{FOOT BREADTH (IN)} + (1.04)$	0.16
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
FOOT BREADTH	3.49	0.20	0.503	$= (0.630) * \text{HEEL BREADTH (IN)} + (1.98)$	0.18
HEEL BREADTH	2.40	0.16	0.503	$= (0.402) * \text{FOOT BREADTH (IN)} + (0.99)$	0.14

A BIVARIATE FREQUENCY TABLE FOR
FOOT LENGTH AND FOOT BREADTH
1966 ARMY MEN / 1977 ARMY WOMEN

FOOT LENGTH(IN)																				
8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.50	10.75	11.00	11.25	11.50	11.75	12.00	12.25	12.50	12.75	TOTAL
5.00															1/					1/
4.75															1/			2/		22/
4.50															1/			3/	1/	319/ 1
4.25															1/			1/		1513/ 15
4.00															1/			3/		2793/ 98
3.75															1/			1/		1843/ 551
3.50															1/			6		182/ 526
3.25															3/					9/ 129
3.00																				/ 10
2.75																				6882
2.50																				1330
TOTAL	1	11	43	95	193	293	240	502	1007	1239	1439	915	597	381	124	57	30	6	1	

	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
1966 ARMY MEN					
FOOT LENGTH	10.54	0.51	0.541	$= (1.286) \times \text{FOOT BREADTH} + (5.56)$	0.43
FOOT BREADTH	3.87	0.22	0.541	$= (0.227) \times \text{FOOT LENGTH} + (1.48)$	0.18
1977 ARMY WOMEN					
FOOT LENGTH	9.57	0.49	0.531	$= (1.290) \times \text{FOOT BREADTH} + (5.07)$	0.42
FOOT BREADTH	3.40	0.20	0.531	$= (0.219) \times \text{FOOT LENGTH} + (1.39)$	0.17

TABLE 149

A BIVARIATE FREQUENCY TABLE FOR
FOOT LENGTH AND FOOT CIRC
1966 ARMY MEN / 1977 ARMY WOMEN

	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.50	10.75	11.00	11.25	11.50	11.75	12.00	12.25	12.50	12.75	TOTAL
12.50																1/					1/
12.25																		1/			
12.00																	1/				5/
11.75																3/	2/	2/			6/
11.50																2/	2/	2/			39/
11.25																8/	9/	2/			89/
11.00																4/	8/	1/			204/
10.75																22/	6/	1/			522/
10.50																9/	1/				731/
10.25																8/	3/				1190/
10.00																7/	2/				1149/
9.75																24/	1/				999/
9.50																7/	3/				70/
9.25																6/	1/				806/
9.00																4/	1/				213/
8.75																3/					225/
8.50																2/					177/
8.25																					48/
8.00																					24/
7.75																					17/
7.50																					1/
7.25																					1/
TOTAL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6862

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
FOOT LENGTH	10.54	0.51	0.493	$= (0.433) \cdot \text{FOOT CIRC} + (6.28)$	0.45
FOOT CIRC	9.85	0.58	0.493	$= (0.562) \cdot \text{FOOT LENGTH} + (3.93)$	0.51
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
FOOT LENGTH	9.57	0.49	0.592	$= (0.648) \cdot \text{FOOT CIRC} + (3.81)$	0.40
FOOT CIRC	8.90	0.45	0.592	$= (0.540) \cdot \text{FOOT LENGTH} + (3.73)$	0.36

A BIVARIATE FREQUENCY TABLE FOR
FOOT LENGTH AND INSTEP LENGTH
1966 ARMY MEN / 1977 ARMY WOMEN

		FOOT LENGTH(IN)																					
		8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.50	10.75	11.00	11.25	11.50	11.75	12.00	12.25	12.50	12.75	TOTAL	
INSTR LENGTH(IN)	9.75																		1/			1/	
	9.50																	2/	3/		1/		
	9.25																1/	2/	8/	1/	12/		
	9.00																	22/	13/	6/	52/		
	8.75																	7/	28/	6/	186/		
	8.50																	4/	15/	72/	419/		
	8.25																	41/	148/	170/	5/		
	8.00																	133/	332/	6288/	1100/		
	7.75																	6/	133/	130/	4/		
	7.50																	1/	407/	1434/	43635/		
	7.25																	30/	21208/	60425/	83225/		
	7.00																	1/	3/	6/	1/		
6.75																	1/	407/	1434/	43635/			
6.50																	30/	21208/	60425/	83225/			
6.25																	1/	3/	6/	1/			
6.00																	1/	407/	1434/	43635/			
5.75																	30/	21208/	60425/	83225/			
TOTAL		1/	1/	1/	43/	95/	183/	293/	240/	193/	155/	89/	31/	12/	3/	381/	124/	57/	30/	6/	1/	6082/	
		1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1/	1330	

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS
FOOT LENGTH	10.54	0.51	0.898	$= (1.118) \times \text{INSTEP LENGTH}(\text{IN}) + (1.90)$
INSTEP LENGTH	7.73	0.41	0.898	$= (0.722) \times \text{FOOT LENGTH}(\text{IN}) + (0.12)$

	MEAN	ST DEV	R	REGRESSION EQUATIONS
1977 ARMY WOMEN				
FOOT LENGTH	9.57	0.49	0.926	$= (1.176) * \text{INSTP LENGTH}(\text{IN}) + (1.31)$
INSTP LENGTH	7.03	0.39	0.926	$= (0.729) * \text{FOOT LENGTH}(\text{IN}) + (0.05)$

TABLE 151

A BIVARIATE FREQUENCY TABLE FOR
HAND BREADTH AND HAND LENGTH
1966 ARMY MEN / 1977 ARMY WOMEN

HAND BREADTH(IN)												
2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	TOTAL				
9.50						1/						1/
9.25					1/	5/						6/
9.00					4/	3/	1/					8/
8.75					14/	18/	8/					41/
8.50			1/	5/	68/	37/	10/					121/
8.25		2/	57/	1 249/	94/	13/	415/	1				
8.00	1/	16/	2 245/	7 644/	1 165/	21/	1092/	10				
7.75	1/	1 60/	25 534/	29 779/	1 126/	9/	1509/	56				
7.50	2/	7 93/	63 725/	44 689/	2 85/	1/	1595/	116				
7.25		7/ 32	184/192	763/ 55	367/ 2	30/	1343/	201				
7.00		8/110	125/196	225/ 33	69/	3/	430/	339				
6.75	/ 5	1/136	41/160	44/ 14	5/		91/	315				
6.50	/ 4	5/119	17/ 53	6/			28/	176				
6.25	/ 3	1/ 23	/ 5				1/	31				
6.00	/ 1	/ 4										
5.75												
TOTAL	13	26	432	539	2879	567	65	6681				1330

HAND LENGTH (IN)

1966 ARMY MEN

HAND BREADTH

HAND LENGTH

MEAN

3.50

ST DEV

0.19

R

0.522

REGRESSION EQUATIONS

= (0.266)*HAND LENGTH(IN)+(1.51)

STD ERROR

0.16

0.32

1977 ARMY WOMEN

HAND BREADTH

HAND LENGTH

MEAN

3.08

ST DEV

0.15

R

0.602

REGRESSION EQUATIONS

= (0.259)*HAND LENGTH(IN)+(1.30)

STD ERROR

0.12

0.28

TABLE 152

A BIVARIATE FREQUENCY TABLE FOR
HAND BREADTH AND PALM LENGTH
1966 ARMY MEN / 1977 ARMY WOMEN

HAND BREADTH(IN)													
2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.25	TOTAL					
5.25					5/	6/	1/						12 /
5.00			1/	8/	39/	28/	6/						82 /
4.75			4/ 1	79/	2 293/	95/	16/						487 / 3
4.50			1/ 4	61/ 34	593/ 30	112/ 2	206/	22/					1995 / 70
4.25			5/ 38	192/186	199/ 78	996/ 2	179/	17/					2588 / 304
4.00			/ 6	12/202	207/322	595/ 62	366/ 2	45/	3/				1228 / 593
3.75			/ 8	6/169	71/147	120/ 11	68/	8/					273 / 335
3.50			2/ 18	3/ 6	10/								15 / 24
3.25			/ 1		1/								1 / 1
3.00			26	539	2605	2879	567	65	6681				1330
TOTAL	13	432	696	183	6								

1966 ARMY MEN

HAND BREADTH

PALM LENGTH

MEAN ST DEV

3.50

0.19

R

0.398

REGRESSION EQUATIONS

= (0.311)*PALM LENGTH(IN)+(2.21)

STD ERROR

0.18

1977 ARMY WOMEN

HAND BREADTH

PALM LENGTH

MEAN ST DEV

3.08

0.15

R

0.483

REGRESSION EQUATIONS

= (0.359)*PALM LENGTH(IN)+(1.68)

STD ERROR

0.13

0.18

TABLE 153

A BIVARIATE FREQUENCY TABLE FOR
HAND CIRC AND HAND BREADTH
1966 ARMY MEN / 1977 ARMY WOMEN

HAND BREADTH (IN)	HAND CIRC (IN)																				TOTAL
	6.00	6.25	6.50	6.75	7.00	7.25	7.50	7.75	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.50		
4.25																					
4.00																					
3.75																					
3.50																					
3.25																					
3.00																					
2.75																					
2.50																					
TOTAL	1	1	11	73	197	378	358	201	667	1030	1411	1542	910	484	298	69	27	14	1	8981	
																				1330	

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HAND CIRC	8.51	0.45	0.753	$= (1.744) * \text{HAND BREADTH (IN)} + (2.40)$	0.29
HAND BREADTH	3.50	0.19	0.753	$= (0.325) * \text{HAND CIRC (IN)} + (0.74)$	0.13
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HAND CIRC	7.26	0.34	0.933	$= (2.058) * \text{HAND BREADTH (IN)} + (0.93)$	0.12
HAND BREADTH	3.08	0.15	0.933	$= (0.423) * \text{HAND CIRC (IN)} + (0.01)$	0.06

TABLE 154

A BIVARIATE FREQUENCY TABLE FOR
HAND CIRC AND HAND LENGTH
1966 ARMY MEN / 1977 ARMY WOMEN

	6.00	6.25	6.50	6.75	7.00	7.25	7.50	7.75	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.50	TOTAL
HAND CIRC(IN)																				
9.50																				
9.25																				
9.00																				
8.75																				
8.50																				
8.25																				
8.00																				
7.75																				
7.50																				
7.25																				
7.00																				
6.75																				
6.50																				
6.25																				
6.00																				
TOTAL	1	11	73	197	376	49	169	201	358	412	542	910	484	298	69	27	14	1	6692	1330

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HAND CIRC	8.51	0.45	0.496	$= (0.586) \times \text{HAND LENGTH}(IN) + (4.12)$	0.39
HAND LENGTH	7.49	0.38	0.496	$= (0.420) \times \text{HAND CIRC}(IN) + (3.92)$	0.33
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HAND CIRC	7.26	0.34	0.592	$= (0.563) \times \text{HAND LENGTH}(IN) + (3.40)$	0.27
HAND LENGTH	6.87	0.36	0.592	$= (0.623) \times \text{HAND CIRC}(IN) + (2.34)$	0.29

TABLE 155

A BIVARIATE FREQUENCY TABLE FOR
HAND CIRC AND PALM LENGTH
1966 ARMY MEN / 1977 ARMY WOMEN

		HAND CIRC.(IN)																					
		6.00	6.25	6.50	6.75	7.00	7.25	7.50	7.75	8.00	8.25	8.50	8.75	9.00	9.25	9.50	9.75	10.00	10.25	10.50	TOTAL		
6.25																						12 /	
5.00																						82 /	
4.76																						82 /	
4.50																						82 /	
4.25																						82 /	
4.00																						82 /	
3.76																						82 /	
3.50																						82 /	
3.25																						82 /	
3.00																						82 /	
TOTAL		11	73	197	376	49	169	201	667	1030	1412	1642	910	484	298	89	27	14	1	6682	1330		

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HAND CIRC	8.51	0.45	0.419	$= (0.758) \times \text{PALM LENGTH (IN)} + (5.34)$	0.41
PALM LENGTH	4.17	0.25	0.419	$= (0.232) \times \text{HAND CIRC (IN)} + (2.20)$	0.22
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HAND CIRC	7.26	0.34	0.473	$= (0.775) \times \text{PALM LENGTH (IN)} + (4.25)$	0.30
PALM LENGTH	3.89	0.21	0.473	$= (0.288) \times \text{HAND CIRC (IN)} + (1.80)$	0.18

TABLE 156

A BIVARIATE FREQUENCY TABLE FOR
HEAD BREADTH AND HEAD CIRC
1966 ARMY MEN / 1977 ARMY WOMEN

HEAD BREADTH(IN)													
5.00	5.25	5.50	5.75	6.00	6.25	6.50	6.75	7.00	TOTAL				
25.25								1/	1/				
25.00													
24.75													
24.50									1/				
24.25					3/	2/			5/				
24.00			1/	4/ 1	2/	1/			8/ 1				
23.75			2/	4/	13/ 1	2/	1/		22/ 1				
23.50		1/ 1	4/ 2	28/	28/ 1	7/	1/		69/ 4				
23.25		/ 1	11/ 5	54/ 5	61/ 2	11/	2/		139/ 13				
23.00	1/	6/ 1	28/ 2	129/ 4	93/ 3	18/	2/		268/ 10				
22.75	1/	4/ 6	101/ 12	262/ 11	137/ 7	28/			523/ 36				
22.50	2/	18/ 9	181/ 30	327/ 11	149/ 2	24/			701/ 62				
22.25		2/ 1	43/ 27	262/ 43	384/ 16	117/ 4	7/		915/ 91				
22.00	1/	6/ 6	105/ 46	445/ 66	441/ 24	142/ 5	10/		1149/ 147				
21.75		6/ 3	140/ 77	412/ 71	384/ 19	93/ 4	3/		1008/ 174				
21.50	1/	9/ 10	155/ 112	385/ 74	220/ 9	39/	3/		792/ 205				
21.25	/ 1	14/ 16	161/ 126	274/ 73	180/ 13	18/			627/ 229				
21.00	/ 1	10/ 17	107/ 94	115/ 31	53/ 4	4/ 1	1/		290/ 148				
20.75		8/ 22	57/ 69	72/ 13	22/ 2	2/			161/ 106				
20.50	/ 2	10/ 25	34/ 38	23/ 6	3/	1/			71/ 71				
20.25	1/ 1	4/ 8	12/ 15	7/ 1	1/				25/ 28				
20.00	/ 2	1/ 6	8/ 5	/ 1					9/ 14				
19.75			/ 1						/ 1				
19.50	3	73	850	2303	2446	882	118	7	6682				
TOTAL	7	115	828	431	1119	30	30	7	1330				

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HEAD BREADTH	6.01	0.23	0.525	= (0.191)*HEAD CIRC(IN)+(1.79)	0.20
HEAD CIRC	22.09	0.63	0.525	= (1.442)*HEAD BREADTH(IN)+(13.43)	0.54
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HEAD BREADTH	5.75	0.21	0.548	= (0.180)*HEAD CIRC(IN)+(1.86)	0.18
HEAD CIRC	21.62	0.64	0.548	= (1.667)*HEAD BREADTH(IN)+(12.03)	0.54

TABLE 157

A BIVARIATE FREQUENCY TABLE FOR
HEAD LENGTH AND HEAD BREADTH
1966 ARMY MEN / 1977 ARMY WOMEN

		HEAD LENGTH(IN)														TOTAL	
		6.25	6.50	6.75	7.00	7.25	7.50	7.75	8.00	8.25	8.50	8.75	9.00				
HEAD BREADTH(IN)								2/	4/					1/	7/		
7.00								35/	34/	15/	4/			1/	118/		
6.75				1/	7/	21/								1/	882/ 30		
6.50				6/ 1	80/ 5	167/ 13	262/ 5	224/ 26	107/ 6	23/ 2	6/ 8/			6/	2446/ 119		
6.25															2303/ 431		
6.00				2	9/ 173/ 27	445/ 38	734/ 28	724/ 15	286/ 2	27/ 2	1/			2/	960/ 628		
5.75				1/ 4	24/ 25	161/ 98	442/141	762/121	718/ 39	186/ 2	5/ 6/			2/	73/ 115		
5.50				1/ 7	7/ 42	93/168	182/240	303/133	234/ 30	35/ 5				2/	3/ 7		
5.25					1/ 12	8/ 43	16/ 45	28/ 15	14/ 4/								
5.00					/ 1	/ 3	1/ 2	1/ 1	1/ 1								
TOTAL		2	13	63	492	1274	2116	1990	612	112	20	1	6682	1330			

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HEAD LENGTH	7.66	0.29	0.109	$= (0.137) * \text{HEAD BREADTH(IN)} + (6.84)$	0.29
HEAD BREADTH	6.01	0.23	0.109	$= (0.087) * \text{HEAD LENGTH(IN)} + (5.34)$	0.23
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HEAD LENGTH	7.37	0.26	0.161	$= (0.201) * \text{HEAD BREADTH(IN)} + (6.21)$	0.26
HEAD BREADTH	5.75	0.21	0.161	$= (0.129) * \text{HEAD LENGTH(IN)} + (4.80)$	0.21

TABLE 158

A BIVARIATE FREQUENCY TABLE FOR
HEAD LENGTH AND HEAD CIRC
1966 ARMY MEN / 1977 ARMY WOMEN

	6.25	6.50	6.75	7.00	7.25	7.50	7.75	8.00	8.25	8.50	8.75	9.00	TOTAL
HEAD CIRC(IN)													
25.25											1/		1/
25.00													
24.75											1/		1/
24.50									1/	3/	1/		6/
24.25									2/ 1	2/	3/	1/	8/ 1
24.00								1/ 1	7/	9/	6/		22/ 1
23.75								7/ 2	34/ 1	24/	4/		69/ 4
23.50								2/ 6	38/ 6	67/ 3	32/		139/ 13
23.25								12/ 3	109/ 6	124/ 1	19/	2/	266/ 10
23.00								1/ 1	8/ 7	53/ 9	271/ 16	173/ 3	523/ 36
22.75								2/	14/ 6	180/ 23	412/ 23	106/	701/ 62
22.50								1/ 3	44/ 17	268/ 64	446/ 17	67/	815/ 91
22.25								10/ 11	169/ 49	529/ 76	422/ 12	28/	1148/ 147
22.00								38/ 18	271/ 77	486/ 71	190/ 8	12/	1008/ 174
21.75								2/ 1	71/ 44	291/ 118	362/ 42	76/	792/ 205
21.50								6/ 12	136/ 76	284/ 128	187/ 16	16/ 1	627/ 229
21.25								17/ 14	95/ 72	134/ 59	41/ 3	3/	290/ 148
21.00								3/ 17	18/ 86	72/ 44	13/	1/	161/ 108
20.75								2/ 11	22/ 38	41/ 19	6/	1/	71/ 71
20.50								1/ 3	7/ 15	14/ 8	3/		26/ 26
20.25								1/ 1	4/ 2	6/ 3	1/		9/ 14
20.00								1/					1/ 1
19.75								2/					1/ 1
19.50								2/					1/ 1
TOTAL	2	2	13	63	492	1274	2118	3000	346	612	112	20	6882
								91	9				1330

HEAD CIRC(IN)

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HEAD LENGTH	7.66	0.29	0.788	$= (0.360) * \text{HEAD CIRC}(IN) + (-0.29)$	0.18
HEAD CIRC	22.09	0.63	0.788	$= (1.729) * \text{HEAD LENGTH}(IN) + (8.84)$	0.39
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HEAD LENGTH	7.37	0.26	0.796	$= (0.326) * \text{HEAD CIRC}(IN) + (0.32)$	0.16
HEAD CIRC	21.62	0.64	0.796	$= (1.943) * \text{HEAD LENGTH}(IN) + (7.31)$	0.39

TABLE 159

A BIVARIATE FREQUENCY TABLE FOR
HIP BREADTH AND HIP CIRC
1966 ARMY MEN / 1977 ARMY WOMEN

HIP BREADTH (IN)

	10.5	11.0	11.5	12.0	12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	20.0	TOTAL
53.0																					1
52.0																					1
51.0																					1
50.0																					2
49.0																					1
48.0																					6
47.0																					7
46.0																					14
45.0																					40
44.0																					70
43.0																					123
42.0																					188
41.0																					398
40.0																					671
39.0																					785
38.0																					1036
37.0																					1113
36.0																					1113
35.0																					720
34.0																					380
33.0																					137
32.0																					34
31.0																					4
30.0																					1
TOTAL	10	74	368	1104	1784	1491	1018	506	203	64	25	47	102	166	249	296	223	142	784	1104	1330

HIP CIRC (IN)

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HIP BREADTH	13.07	0.79	0.859	$= (0.276) \times \text{HIP CIRC (IN)} + (2.83)$	0.40
HIP CIRC	37.09	2.46	0.859	$= (2.673) \times \text{HIP BREADTH (IN)} + (2.15)$	1.26
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
HIP BREADTH	13.92	0.96	0.906	$= (0.352) \times \text{HIP CIRC (IN)} + (0.69)$	0.41
HIP CIRC	37.59	2.48	0.906	$= (2.333) \times \text{HIP BREADTH (IN)} + (5.12)$	1.05

TABLE 160

A BIVARIATE FREQUENCY TABLE FOR
HIP BREADTH AND WEIGHT
1966 ARMY MEN / 1977 ARMY WOMEN

	10.5	11.0	11.5	12.0	12.5	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	19.0	19.5	TOTAL
280.0																				1 /
275.0																				3 /
270.0																				1 /
265.0																				4 /
260.0																				1 /
255.0																				7 /
250.0																				11 /
245.0																				19 /
240.0																				13 /
235.0																				21 /
230.0																				43 /
225.0																				67 /
220.0																				71 /
215.0																				98 /
210.0																				121 /
205.0																				161 /
200.0																				200 /
195.0																				235 /
190.0																				313 /
185.0																				378 /
180.0																				434 /
175.0																				552 /
170.0																				684 /
165.0																				830 /
160.0																				931 /
155.0																				1114 /
150.0																				1338 /
145.0																				167 /
140.0																				185 /
135.0																				267 /
130.0																				353 /
125.0																				458 /
120.0																				584 /
115.0																				680 /
110.0																				830 /
105.0																				931 /
100.0																				1114 /
95.0																				1338 /
90.0																				167 /
85.0																				185 /
80.0																				267 /
75.0																				353 /
70.0																				458 /
65.0																				584 /
60.0																				680 /
55.0																				830 /
50.0																				931 /
45.0																				1114 /
40.0																				1338 /
35.0																				167 /
30.0																				185 /
25.0																				267 /
20.0																				353 /
15.0																				458 /
10.0																				584 /
5.0																				680 /
0.0																				830 /
TOTAL	74	398	1103	1783	2498	3298	4177	5066	5966	6866	7766	8666	9566	10466	11366	12266	13166	14066	14966	15866

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR
 HIP BREADTH 13.07 0.79 0.816 = (0.028)*WEIGHT(LB)+(8.62) 0.46
 WEIGHT 159.10 23.35 0.816 = (24.094)*HIP BREADTH(IN)+(-155.82) 13.51

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR
 HIP BREADTH 13.92 0.96 0.801 = (0.041)*WEIGHT(LB)+(8.50) 0.58
 WEIGHT 132.11 18.76 0.801 = (15.591)*HIP BREADTH(IN)+(-84.92) 11.24

TABLE 161

A BIVARIATE FREQUENCY TABLE FOR
HIP CIRC AND UPPER THIGH CIRC
1966 ARMY MEN / 1977 ARMY WOMEN

HIP CIRC(LIN)																									
30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	50.0	51.0	52.0	53.0	TOTAL	
31.0																		1 /						1 /	
30.0											1 / 1					3 /	2 /	1 /						4 /	
29.0										1 /		2 /	3 / 2	4 / 5	7 / 1	5 / 1	1 /	1 /						4 /	
28.0										1 /		12 / 2	18 / 3	23 / 11	20 / 5	16 / 2	1 /	1 /						10 / 4	
27.0										1 /		7 /	1 35 / 8	55 / 13	55 / 15	43 / 6	24 / 7	1 /						26 / 10	
26.0										2 /		2 /	7 / 1	63 / 15	64 / 45	128 / 45	64 / 20	31 / 8	13 /					100 / 26	
25.0										8 /		29 / 2	63 / 15	164 / 45	128 / 45	64 / 20	31 / 8	13 /						233 / 49	
24.0										11 /		42 /	9 155 / 42	241 / 68	213 / 72	100 / 34	34 / 6	3 /						485 / 136	
23.0										3 /		16 /	100 / 15	247 / 68	390 / 127	324 / 70	126 / 27	30 / 5	16 /					816 / 253	
22.0										1 /		5 /	16 /	107 / 15	349 / 69	453 / 95	327 / 62	119 / 19	28 / 5					1282 / 313	
21.0										1 /		6 /	16 /	2 89 / 11	309 / 49	433 / 85	327 / 62	119 / 19	28 / 5					1379 / 253	
20.0										1 /		13 /	33 /	12 244 / 43	428 / 79	390 / 21	119 / 8	22 /	10 /					1254 / 183	
19.0										2 /		7 /	46 /	10 164 / 32	275 / 28	185 / 16	44 / 2	10 /	6 /					745 / 88	
18.0										1 /		2 /	11 /	5 61 / 11	94 / 8	89 / 2	28 / 1	5 /	2 /					283 / 27	
17.0										1 /		1 /	2 9 /	19 / 4	16 / 1	8 /	1 /	3 /						59 / 7	
16.0										1 /		1 /	6 /	1 2 /	2 /	1 /								12 / 1	
15.0										1 /		1 /	2 /	1 /										1 /	
TOTAL	4	34	137	289	380	55	720	1113	1035	785	571	339	186	122	70	40	14	3	2	7	5	1	1	2	6682

STD ERROR

$$= (1.110) \sqrt{\text{UPPER THIGH CIRC}^2 + (12.87)^2}$$

$$= (0.655) \sqrt{\text{HIP CIRC}^2 + (-2.47)^2}$$

REGRESSION EQUATIONS

$$= (1.110) \sqrt{\text{UPPER THIGH CIRC}^2 + (12.87)^2}$$

$$= (0.655) \sqrt{\text{HIP CIRC}^2 + (-2.47)^2}$$

1966 ARMY MEN

HIP CIRC

UPPER THIGH CIRC

1977 ARMY WOMEN

HIP CIRC

UPPER THIGH CIRC

TABLE 162

A BIVARIATE FREQUENCY TABLE FOR
HIP CIRC AND WEIGHT
1966 ARMY MEN / 1977 ARMY WOMEN

	30.0	31.0	32.0	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	50.0	51.0	52.0	53.0	TOTAL
280.0																									1/
275.0																									1/
270.0																									3/
265.0																									1/
260.0																									1/
255.0																									4/
250.0																									1/
245.0																									7/
240.0																									7/
235.0																									11/
230.0																									13/
225.0																									21/
220.0																									43/
215.0																									57/
210.0																									71/
205.0																									96/
200.0																									121/
195.0																									161/
190.0																									200/
185.0																									245/
180.0																									313/
175.0																									378/
170.0																									434/
165.0																									562/
160.0																									680/
155.0																									630/
150.0																									531/
145.0																									518/
140.0																									393/
135.0																									287/
130.0																									186/
125.0																									95/
120.0																									28/
115.0																									22/
110.0																									10/
105.0																									3/
100.0																									1/
95.0																									1/
90.0																									1/
85.0																									1/
TOTAL	4	2	3	6	13	25	37	55	71	84	113	112	106	96	69	56	46	39	28	20	14	10	5	1	6677

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR
 HIP CIRC 37.09 2.46 0.919 = (0.097)*WEIGHT(LB)+(21.66) 0.97
 WEIGHT 159.10 23.35 0.919 = (8.722)*HIP CIRC(IN)+(-164.41) 9.22

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR
 HIP CIRC 37.59 2.48 0.903 = (0.119)*WEIGHT(LB)+(21.87) 1.06
 WEIGHT 132.11 18.76 0.903 = (6.832)*HIP CIRC(IN)+(-124.73) 8.05

TABLE 163

A BIVARIATE FREQUENCY TABLE FOR
INSTEP CIRC AND FOOT CIRC
1966 ARMY MEN / 1977 ARMY WOMEN

	7.50	8.00	8.50	9.00	9.50	10.00	10.50	11.00	11.50	12.00	12.50	13.00	13.50	14.00	14.50	TOTAL
12.50											1/					1/
12.25																
12.00											1/	2/				5/
11.75								1/	2/	2/	1/					8/
11.50								4/	13/	15/	5/	2/				39/
11.25						1/	1/	13/	31/	28/	13/	2/				89/
11.00							16/	49/	79/	53/	6/			1/		204/
10.75					5/	55/	185/	1184/	74/	17/	2/					522/ 1
10.50				1/	12/	176/	5296/	180/	58/	8/						731/ 5
10.25			3/	8/	64/	1407/	7449/	5209/	44/	6/						1190/ 13
10.00		1/	6/	17/	6192/	6438/	12357/	3125/	10/	3/						1149/ 27
9.75				1/	34/	8240/	41390/	18262/	370/	12/						999/ 70
9.50				8/	2	63/	77264/	89309/	31126/	232/	2/					805/ 201
9.25				5/	18	98/	125176/	61131/	836/	13/						447/ 213
9.00						8/	50	61/	168	82/	58/	1				225/ 283
8.75			3/	11	16/	132	62/	116	56/	14	34/					177/ 273
8.50				1/	22	6/	101	18/	32	20/	1					48/ 156
8.25		1	1	15	6/	43	8/	6	7/	2/						24/ 65
8.00		3	1/	12	7/	7	6/		3/							17/ 22
7.75			1/	1												1/ 1
7.50			1/													1/
7.25																1/
TOTAL	4	8	66	366	1122	2019	1788	937	301	64	9	1		1	6682	1330

FOOT CIRC(IN)

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
INSTEP CIRC	10.46	0.65	0.669	$= (0.744) * FOOT CIRC(IN) + (3.13)$	0.48
FOOT CIRC	9.85	0.58	0.669	$= (0.601) * INSTEP CIRC(IN) + (3.57)$	0.43
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
INSTEP CIRC	9.24	0.50	0.780	$= (0.862) * FOOT CIRC(IN) + (1.57)$	0.31
FOOT CIRC	8.90	0.45	0.780	$= (0.705) * INSTEP CIRC(IN) + (2.38)$	0.28

TABLE 164

A BIVARIATE FREQUENCY TABLE FOR
INSTEP CIRC AND HEEL-ANKLE CIRC
1966 ARMY MEN / 1977 ARMY WOMEN

INSTEP CIRC(IN)																	
7.50	8.00	8.50	9.00	9.50	10.00	10.50	11.00	11.50	12.00	12.50	13.00	13.50	14.00	14.50	TOTAL		
16.00										1/	2/	1/				4/	
16.75								1/	3/	1/	1/	1/				8/	
16.50								1/	4/	4/	3/	2/				14/	
15.25								4/	17/	19/	8/	2/				52/	
16.00								3/	23/	23/	9/	3/		1/		96/	
14.75								10/	50/	34/	11/					174/	
14.50								4/	45/	117/	66/	11/				384/	
14.25								4/	26/	189/	60/	9/				549/	1
14.00								1/	11/	205/	1232/	53/	4/			713/	3
13.75								4/	11/	107/	2359/	28/	3/			1030/	11
13.50								2/	19/	142/	6381/	7/				964/	22
13.25								1/	5/	49/	4242/	4/	2/			983/	48
13.00								8/	1	35/	385/	13/				768/	108
12.75								2/	9/	30240/	252/					477/	146
12.50								/	1	75/	153/	14/	1/			247/	166
12.25								3/	1	10/	50/					150/	258
12.00								/	4	12/	16/					56/	204
11.75								1/	8	4/	89					14/	172
11.50								/	25	4/	74					7/	119
11.25								/	1	12/	31					2/	49
11.00								/	2	9/	4					/	15
10.75								/	1	3/	4					/	8
10.50								4/	8	66/	353/	366/	1122/	2019/	1788/	937/	301/
TOTAL																	

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
INSTEP CIRC	10.46	0.65	0.635	= (0.631)*HEEL-ANKLE CIRC(IN)+(1.98)	0.50
HEEL-ANKLE CIRC	13.43	0.65	0.635	= (0.639)*INSTEP CIRC(IN)+(6.75)	0.50
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
INSTEP CIRC	9.24	0.50	0.804	= (0.698)*HEEL-ANKLE CIRC(IN)+(0.78)	0.30
HEEL-ANKLE CIRC	12.12	0.57	0.804	= (0.926)*INSTEP CIRC(IN)+(3.56)	0.34

TABLE 165

A BIVARIATE FREQUENCY TABLE FOR
PALM LENGTH AND HAND LENGTH
1966 ARMY MEN / 1977 ARMY WOMEN

PALM LENGTH(IN)													TOTAL
3.00	3.25	3.50	3.75	4.00	4.25	4.50	4.75	5.00	5.25				
9.50									1/			1/	
9.25									3/			6/	
9.00							1/	4/	3/			8/	
8.75						3/	15/	20/	3/			41/	
8.50						27/	70/	23/	1/			121/	
8.25					18/	190/	180/	1 26/	1/			415/ 1	
8.00				9/	214/	686/	9 180/	1 3/				1092/ 10	
7.75			4/	58/	704/	27 708/	28 34/	1 3/				1509/ 58	
7.50			12/	286/	4 960/	82 332/	30 6/					1596/ 116	
7.25			73/	1 587/	128 634/	149 48/	3 1/					1343/ 281	
7.00			5/	119/	20 248/	274 57/	45 1/					430/ 339	
6.75			6/	48/	145 35/	169 2/	1					91/ 315	
6.50			1/	3/	11 17/	147 7/	18					28/ 178	
6.25				1/	10	/	21					1/ 31	
6.00		1	1	3	/	1						/ 5	
5.75	1	16	24	335	593	2589	1995	487	82	12	6682	1330	
TOTAL	1	16	24	335	593	2589	1995	487	82	12	6682	1330	

HAND LENGTH(IN)

1966 ARMY MEN

PALM LENGTH

HAND LENGTH

MEAN

4.17

ST DEV

0.25

R

0.822

REGRESSION EQUATIONS

= (0.537)*HAND LENGTH(IN)+(0.15)

= (1.260)*PALM LENGTH(IN)+(2.24)

STD ERROR

0.14

0.22

1977 ARMY WOMEN

PALM LENGTH

HAND LENGTH

MEAN

3.89

ST DEV

0.21

R

0.908

REGRESSION EQUATIONS

= (0.526)*HAND LENGTH(IN)+(0.28)

= (1.567)*PALM LENGTH(IN)+(0.77)

STD ERROR

0.09

0.15

TABLE 166

A BIVARIATE FREQUENCY TABLE FOR
SHOULDER CIRC AND WEIGHT
1966 ARMY MEN / 1977 ARMY WOMEN

WEIGHT (LB)	SHOULDER CIRC (IN)																TOTAL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	33.0	34.0	35.0	36.0	37.0	38.0	39.0	40.0	41.0	42.0	43.0	44.0	45.0	46.0	47.0	48.0	49.0	50.0	51.0	52.0	53.0	54.0	55.0	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	80.0	81.0	82.0	83.0	84.0	85.0	86.0	87.0	88.0	89.0	90.0	91.0	92.0	93.0	94.0	95.0	96.0	97.0	98.0	99.0	100.0	101.0	102.0	103.0	104.0	105.0	106.0	107.0	108.0	109.0	110.0	111.0	112.0	113.0	114.0	115.0	116.0	117.0	118.0	119.0	120.0	121.0	122.0	123.0	124.0	125.0	126.0	127.0	128.0	129.0	130.0	131.0	132.0	133.0	134.0	135.0	136.0	137.0	138.0	139.0	140.0	141.0	142.0	143.0	144.0	145.0	146.0	147.0	148.0	149.0	150.0	151.0	152.0	153.0	154.0	155.0	156.0	157.0	158.0	159.0	160.0	161.0	162.0	163.0	164.0	165.0	166.0	167.0	168.0	169.0	170.0	171.0	172.0	173.0	174.0	175.0	176.0	177.0	178.0	179.0	180.0	181.0	182.0	183.0	184.0	185.0	186.0	187.0	188.0	189.0	190.0	191.0	192.0	193.0	194.0	195.0	196.0	197.0	198.0	199.0	200.0	201.0	202.0	203.0	204.0	205.0	206.0	207.0	208.0	209.0	210.0	211.0	212.0	213.0	214.0	215.0	216.0	217.0	218.0	219.0	220.0	221.0	222.0	223.0	224.0	225.0	226.0	227.0	228.0	229.0	230.0	231.0	232.0	233.0	234.0	235.0	236.0	237.0	238.0	239.0	240.0	241.0	242.0	243.0	244.0	245.0	246.0	247.0	248.0	249.0	250.0	251.0	252.0	253.0	254.0	255.0	256.0	257.0	258.0	259.0	260.0	261.0	262.0	263.0	264.0	265.0	266.0	267.0	268.0	269.0	270.0	271.0	272.0	273.0	274.0	275.0	276.0	277.0	278.0	279.0	280.0	281.0	282.0	283.0	284.0	285.0	286.0	287.0	288.0	289.0	290.0	291.0	292.0	293.0	294.0	295.0	296.0	297.0	298.0	299.0	300.0	301.0	302.0	303.0	304.0	305.0	306.0	307.0	308.0	309.0	310.0	311.0	312.0	313.0	314.0	315.0	316.0	317.0	318.0	319.0	320.0	321.0	322.0	323.0	324.0	325.0	326.0	327.0	328.0	329.0	330.0	331.0	332.0	333.0	334.0	335.0	336.0	337.0	338.0	339.0	340.0	341.0	342.0	343.0	344.0	345.0	346.0	347.0	348.0	349.0	350.0	351.0	352.0	353.0	354.0	355.0	356.0	357.0	358.0	359.0	360.0	361.0	362.0	363.0	364.0	365.0	366.0	367.0	368.0	369.0	370.0	371.0	372.0	373.0	374.0	375.0	376.0	377.0	378.0	379.0	380.0	381.0	382.0	383.0	384.0	385.0	386.0	387.0	388.0	389.0	390.0	391.0	392.0	393.0	394.0	395.0	396.0	397.0	398.0	399.0	400.0	401.0	402.0	403.0	404.0	405.0	406.0	407.0	408.0	409.0	410.0	411.0	412.0	413.0	414.0	415.0	416.0	417.0	418.0	419.0	420.0	421.0	422.0	423.0	424.0	425.0	426.0	427.0	428.0	429.0	430.0	431.0	432.0	433.0	434.0	435.0	436.0	437.0	438.0	439.0	440.0	441.0	442.0	443.0	444.0	445.0	446.0	447.0	448.0	449.0	450.0	451.0	452.0	453.0	454.0	455.0	456.0	457.0	458.0	459.0	460.0	461.0	462.0	463.0	464.0	465.0	466.0	467.0	468.0	469.0	470.0	471.0	472.0	473.0	474.0	475.0	476.0	477.0	478.0	479.0	480.0	481.0	482.0	483.0	484.0	485.0	486.0	487.0	488.0	489.0	490.0	491.0	492.0	493.0	494.0	495.0	496.0	497.0	498.0	499.0	500.0	501.0	502.0	503.0	504.0	505.0	506.0	507.0	508.0	509.0	510.0	511.0	512.0	513.0	514.0	515.0	516.0	517.0	518.0	519.0	520.0	521.0	522.0	523.0	524.0	525.0	526.0	527.0	528.0	529.0	530.0	531.0	532.0	533.0	534.0	535.0	536.0	537.0	538.0	539.0	540.0	541.0	542.0	543.0	544.0	545.0	546.0	547.0	548.0	549.0	550.0	551.0	552.0	553.0	554.0	555.0	556.0	557.0	558.0	559.0	560.0	561.0	562.0	563.0	564.0	565.0	566.0	567.0	568.0	569.0	570.0	571.0	572.0	573.0	574.0	575.0	576.0	577.0	578.0	579.0	580.0	581.0	582.0	583.0	584.0	585.0	586.0	587.0	588.0	589.0	590.0	591.0	592.0	593.0	594.0	595.0	596.0	597.0	598.0	599.0	600.0	601.0	602.0	603.0	604.0	605.0	606.0	607.0	608.0	609.0	610.0	611.0	612.0	613.0	614.0	615.0	616.0	617.0	618.0	619.0	620.0	621.0	622.0	623.0	624.0	625.0	626.0	627.0	628.0	629.0	630.0	631.0	632.0	633.0	634.0	635.0	636.0	637.0	638.0	639.0	640.0	641.0	642.0	643.0	644.0	645.0	646.0	647.0	648.0	649.0	650.0	651.0	652.0	653.0	654.0	655.0	656.0	657.0	658.0	659.0	660.0	661.0	662.0	663.0	664.0	665.0	666.0	667.0	668.0	669.0	670.0	671.0	672.0	673.0	674.0	675.0	676.0	677.0	678.0	679.0	680.0	681.0	682.0	683.0	684.0	685.0	686.0	687.0	688.0	689.0	690.0	691.0	692.0	693.0	694.0	695.0	696.0	697.0	698.0	699.0	700.0	701.0	702.0	703.0	704.0	705.0	706.0	707.0	708.0	709.0	710.0	711.0	712.0	713.0	714.0	715.0	716.0	717.0	718.0	719.0	720.0	721.0	722.0	723.0	724.0	725.0	726.0	727.0	728.0	729.0	730.0	731.0	732.0	733.0	734.0	735.0	736.0	737.0	738.0	739.0	740.0	741.0	742.0	743.0	744.0	745.0	746.0	747.0	748.0	749.0	750.0	751.0	752.0	753.0	754.0	755.0	756.0	757.0	758.0	759.0	760.0	761.0	762.0	763.0	764.0	765.0	766.0	767.0	768.0	769.0	770.0	771.0	772.0	773.0	774.0	775.0	776.0	777.0	778.0	779.0	780.0	781.0	782.0	783.0	784.0	785.0	786.0	787.0	788.0	789.0	790.0	791.0	792.0	793.0	794.0	795.0	796.0	797.0	798.0	799.0	800.0	801.0	802.0	803.0	804.0	805.0	806.0	807.0	808.0	809.0	810.0	811.0	812.0	813.0	814.0	815.0	816.0	817.0	818.0	819.0	820.0	821.0	822.0	823.0	824.0	825.0	826.0	827.0	828.0	829.0	830.0	831.0	832.0	833.0	834.0	835.0	836.0	837.0	838.0	839.0	840.0	841.0	842.0	843.0	844.0	845.0	846.0	847.0	848.0	849.0	850.0	851.0	852.0	853.0	854.0	855.0	856.0	857.0	858.0	859.0	860.0	861.0	862.0	863.0	864.0	865.0	866.0	867.0	868.0	869.0	870.0	871.0	872.0	873.0	874.0	875.0	876.0	877.0	878.0	879.0	880.0	881.0	882.0	883.0	884.0	885.0	886.0	887.0	888.0	889.0	890.0	891.0	892.0	893.0	894.0	895.0	896.0	897.0	898.0	899.0	900.0	901.0	902.0	903.0	904.0	905.0	906.0	907.0	908.0	909.0	910.0	911.0	912.0	913.0	914.0	915.0	916.0	917.0	918.0	919.0	920.0	921.0	922.0	923.0	924.0	925.0	926.0	927.0	928.0	929.0	930.0	931.0	932.0	933.0	934.0	935.0	936.0	937.0	938.0	939.0	940.0	941.0	942.0	943.0	944.0	945.0	946.0	947.0	948.0	949.0	950.0	951.0	952.0	953.0	954.0	955.0	956.0	957.0	958.0	959.0	960.0	961.0	962.0	963.0	964.0	965.0	966.0	967.0	968.0	969.0	970.0	971.0	972.0	973.0	974.0	975.0	976.0	977.0	978.0	979.0	980.0	981.0	982.0	983.0	984.0	985.0	986.0	987.0	988.0	989.0	990.0	991.0	992.0	993.0	994.0	995.0	996.0	997.0	998.0	999.0	1000.0	1001.0	1002.0	1003.0	1004.0	1005.0	1006.0	1007.0	1008.0	1009.0	1010.0	1011.0	1012.0	1013.0	1014.0	1015.0	1016.0	1017.0	1018.0	1019.0	1020.0	1021.0	1022.0	1023.0	1024.0	1025.0	1026.0	1027.0	1028.0	1029.0	1030.0	1031.0	1032.0	1033.0	1034.0	1035.0	1036.0	1037.0	1038.0	1039.0	1040.0	1041.0	1042.0	1043.0	1044.0	1045.0	1046.0	1047.0	1048.0	1049.0	1050.0	1051.0	1052.0	1053.0	1054.0	1055.0	1056.0	1057.0	1058.0	1059.0	1060.0	1061.0	1062.0	1063.0	1064.0	1065.0	1066.0	1067.0	1068.0	1069.0	1070.0	1071.0	1072.0	1073.0	1074.0	1075.0	1076.0	1077.0	1078.0	1079.0	1080.0	1081.0	1082.0	1083.0	1084.0	1085.0	1086.0	1087.0	1088.0	1089.0	1090.0	1091.0	1092.0	1093.0	1094.0	1095.0	1096.0	1097.0	1098.0	1099.0	1100.0	1101.0	1102.0	1103.0	1104.0	1105.0	1106.0	1107.0	1108.0	1109.0	1110.0	1111.0	1112.0	1113.0	1114.0	1115.0	1116.0	1117.0	1118.0	1119.0	1120.0	1121.0	1122.0	1123.0	1124.0	1125.0	1126.0	1127.0	1128.0	1129.0	1130.0	1131.0	1132.0	1133.0	1134.0	1135.0	1136.0	1137.0	1138.0	1139.0	1140.0	1141.0	1142.0	1143.0	1144.0	1145.0	1146.0	1147.0	1148.0	1149.0	1150.0	1151.0	1152.0	1153.0	1154.0	1155.0	1156.0	1157.0	1158.0	1159.0	1160.0	1161.0	1162.0	1163.0	1164.0	1165.0	1166.0	1167.0	1168.0	1169.0	1170.0	1171.0	1172.0	1173.0	1174.0	1175.0	1176.0	1177.0	1178.0	1179.0	1180.0	1181.0	1182.0	1183.0	1184.0	1185.0	1186.0	1187.0	1188.0	1189.0	1190.0	1191.0	1192.0	1193.0	1194.0	1195.0	1196.0	1197.0	1198.0	1199.0	1200.0	1201.0	1202.0	1203.0	1204.0	1205.0	1206.0	1207.0	1208.0	1209.0	1210.0	1211.0	1212.0	1213.0	1214.0	1215.0	1216.0	1217.0	1218.0	1219.0	1220.0	1221.0

TABLE 167

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND BUST/CHEST CIRC
1966 ARMY MEN / 1977 ARMY WOMEN

	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	80.0	TOTAL
49.0																										4/
48.0																										13/
47.0																										11/
46.0																										22/
45.0																										33/
44.0																										70/
43.0																										130/
42.0																										186/
41.0																										338/
40.0																										518/
39.0																										712/
38.0																										911/
37.0																										1082/
36.0																										1111/
35.0																										1111/
34.0																										1111/
33.0																										1111/
32.0																										1111/
31.0																										1111/
30.0																										1111/
29.0																										1111/
28.0																										1111/
TOTAL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1339

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR
 STATURE 68.71 2.60 0.245 = (0.242)*BUST/CHEST CIRC(IN)+(59.77) 2.52
 BUST/CHEST CIRC 36.92 2.63 0.245 = (0.248)*STATURE(IN)+(19.88) 2.56

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR
 STATURE 64.16 2.57 0.239 = (0.246)*BUST/CHEST CIRC(IN)+(55.61) 2.49
 BUST/CHEST CIRC 34.72 2.49 0.239 = (0.232)*STATURE(IN)+(19.83) 2.42

TABLE 168

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND HIP BREADTH
1966 ARMY MEN / 1977 ARMY WOMEN

HIP BREADTH (IN.)	STATURE (IN)																												TOTAL
	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	80.0	81.0	82.0		
19.6																													
19.0																													
18.6																													
18.0																													
17.6																													
17.0																													
16.6																													
16.0																													
15.6																													
15.0																													
14.6																													
14.0																													
13.6																													
13.0																													
12.6																													
12.0																													
11.6																													
11.0																													
10.6																													
10.0																													
TOTAL	1	7	18	1	35	90	32	122	199	136	236	478	761	970	1043	937	773	544	6	1	109	67	39	11	9	1	6092	1208	

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
STATURE	68.71	2.60	0.437	$= (1.440) \cdot \text{HIP BREADTH (IN)} + (49.89)$	2.34
HIP BREADTH	13.07	0.79	0.437	$= (0.133) \cdot \text{STATURE (IN)} + (3.93)$	0.71
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
STATURE	64.15	2.57	0.398	$= (1.059) \cdot \text{HIP BREADTH (IN)} + (49.41)$	2.35
HIP BREADTH	13.92	0.96	0.398	$= (0.149) \cdot \text{STATURE (IN)} + (4.36)$	0.88

TABLE 169

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND HIP CIRC
1966 ARMY MEN / 1977 ARMY WOMEN

STATURE(IN)																										
55.0	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	TOTAL	
53.0															1/	1									1/	1
52.0																										
51.0																										
50.0																1/										2/
49.0																										1/
48.0																										6/
47.0																1/										7/
46.0																	2/									2/
45.0																										14/
44.0																										40/
43.0																										5/
42.0																										2/
41.0																										7/
40.0																										2/
39.0																										4/
38.0																										1/
37.0																										1/
36.0																										
35.0																										
34.0																										
33.0																										
32.0																										
31.0																										
TOTAL	1	7	19	36	90	122	169	194	235	476	761	970	1043	937	273	544	372	199	97	39	11	9	1	6662	1390	

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
STATURE	68.71	2.60	0.350	$= (0.370) * \text{HIP CIRC}(\text{IN}) + (54.98)$	2.44
HIP CIRC	37.09	2.46	0.350	$= (0.330) * \text{STATURE}(\text{IN}) + (14.42)$	2.30
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
STATURE	64.15	2.57	0.414	$= (0.429) * \text{HIP CIRC}(\text{IN}) + (48.03)$	2.34
HIP CIRC	37.59	2.48	0.414	$= (0.400) * \text{STATURE}(\text{IN}) + (11.93)$	2.26

TABLE 170

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND SHOULDER CIRC
1966 ARMY MEN / 1977 ARMY WOMEN

	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	TOTAL
56.0																									
57.0																									
58.0																									
59.0																									
60.0																									
61.0																									
62.0																									
63.0																									
64.0																									
65.0																									
66.0																									
67.0																									
68.0																									
69.0																									
70.0																									
71.0																									
72.0																									
73.0																									
74.0																									
75.0																									
76.0																									
77.0																									
78.0																									
79.0																									
TOTAL	7	18	1	9	32	123	58	198	135	235	475	751	115	870	1043	937	544	372	193	97	39	11	9	1	6082

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

STATURE 68.71 2.60 0.297 = (0.308)*SHOULDER CIRC(N)+(54.98) 2.48

SHOULDER CIRC 44.55 2.51 0.297 = (0.287)*STATURE(N)+(24.83) 2.40

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

STATURE 64.16 2.57 0.331 = (0.404)*SHOULDER CIRC(N)+(48.19) 2.42

SHOULDER CIRC 39.51 2.11 0.331 = (0.272)*STATURE(N)+(22.06) 1.99

TABLE 171

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND SLEEVE INSEAM
1966 ARMY MEN / 1977 ARMY WOMEN

	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	TOTAL
24.0																								1 /
23.5																								2 /
23.0																								8 /
22.5																								25 /
22.0																								60 /
21.5																								168 /
21.0																								282 /
20.5																								17 /
20.0																								1064 /
19.5																								34 /
19.0																								1228 /
18.5																								97 /
18.0																								789 /
17.5																								190 /
17.0																								555 /
16.5																								247 /
16.0																								99 /
15.5																								168 /
15.0																								25 /
14.5																								109 /
14.0																								15 /
TOTAL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6682

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

STATURE 68.71 2.60 0.732 = (1.806)*SLEEVE INSEAM(IN)+(34.16) 1.77

SLEEVE INSEAM 19.13 1.05 0.732 = (0.296)*STATURE(IN)+(-1.21) 0.72

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR

STATURE 64.15 2.57 0.746 = (1.860)*SLEEVE INSEAM(IN)+(31.16) 1.71

SLEEVE INSEAM 17.74 1.03 0.746 = (0.299)*STATURE(IN)+(-1.44) 0.69

TABLE 172

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND UPPER THIGH CIRC
1966 ARMY MEN / 1977 ARMY WOMEN

		STATURE (IN)																									
		56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	TOTAL	
31.0																										1 /	
30.0																										4 /	
29.0																										10 / 4	
28.0																										26 / 10	
27.0																										100 / 25	
26.0																										225 / 49	
25.0																										496 / 136	
24.0																										915 / 253	
23.0																										1265 / 313	
22.0																										1378 / 283	
21.0																										1524 / 369	
20.0																										1645 / 395	
19.0																										1825 / 427	
18.0																										2057 / 5	
17.0																										12 / 1	
16.0																										1 /	
15.0																										6692	
TOTAL																										1390	

1966 ARMY MEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR
 STATURE 68.71 2.60 0.219 = (0.302)*UPPER THIGH CIRC(IN)+(62.12) 2.54
 UPPER THIGH CIRC 21.82 1.89 0.219 = (0.159)*STATURE(IN)+(10.90) 1.84

1977 ARMY WOMEN MEAN ST DEV R REGRESSION EQUATIONS STD ERROR
 STATURE 64.16 2.57 0.287 = (0.411)*UPPER THIGH CIRC(IN)+(54.95) 2.46
 UPPER THIGH CIRC 22.40 1.79 0.287 = (0.200)*STATURE(IN)+(9.57) 1.72

TABLE 173

A BIVARIATE FREQUENCY TABLE FOR
STATURE AND WEIGHT
1966 ARMY MEN / 1977 ARMY WOMEN

	55.0	56.0	57.0	58.0	59.0	60.0	61.0	62.0	63.0	64.0	65.0	66.0	67.0	68.0	69.0	70.0	71.0	72.0	73.0	74.0	75.0	76.0	77.0	78.0	79.0	TOTAL
280.0															1/											1/
275.0																			1/						3/	
270.0																									1/	
265.0																									4/	
260.0																									9/	
255.0																									1/	
250.0																									7/	
245.0																									1/	
240.0																									11/	
235.0																									18/	
230.0																									13/	
225.0																									21/	
220.0																									43/	
215.0																									57/	
210.0																									71/	
205.0																									98/	
200.0																									121/	
195.0																									161/	
190.0																									200/	
185.0																									245/	
180.0																									312/	
175.0																									378/	
170.0																									434/	
165.0																									552/	
160.0																									584/	
155.0																									630/	
150.0																									630/	
145.0																									531/	
140.0																									518/	
135.0																									363/	
130.0																									297/	
125.0																									195/	
120.0																									105/	
115.0																									85/	
110.0																									77/	
105.0																									10/	
100.0																									45/	
95.0																									3/	
90.0																									1/	
85.0																									1/	
TOTAL	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1390	

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
STATURE	68.71	2.60	0.489	$= (0.054) \times \text{WEIGHT(LB)} + (60.12)$	2.27
WEIGHT	159.10	23.35	0.489	$= (4.388) \times \text{STATURE(IN)} + (-142.39)$	20.37
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
STATURE	64.15	2.57	0.536	$= (0.073) \times \text{WEIGHT(LB)} + (54.51)$	2.17
WEIGHT	132.11	18.76	0.536	$= (3.916) \times \text{STATURE(IN)} + (-119.12)$	15.84

TABLE 174

A BIVARIATE FREQUENCY TABLE FOR
UPPER THIGH CIRC AND WEIGHT
1966 ARMY MEN / 1977 ARMY WOMEN

UPPER THIGH CIRC(IN)																		
15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0	31.0	TOTAL	
280.0														1/			1/	
275.0																		
270.0										1/	1/			1/			3/	
265.0												1/					1/	
260.0											2/	1/		1/			4/	
255.0														1/			1/	
250.0												1/	2/				7/	
245.0									1/	2/	2/	2/	1/				9/	
240.0								1/	1/	2/	3/	3/	2/				11/	
235.0								1/	3/	4/	4/	6/	1/				19/	
230.0									2/	6/	4/	1/					13/	
225.0								1/	3/	11/	3/	1/	1/				21/	
220.0								2/	2/	7/	20/	10/	1/	1/			43/	
215.0					1/			4/	2/	14/	15/	17/	2/	1/			67/	
210.0								3/	9/	25/	18/	12/	1/	1/			71/	
205.0							2/	2/	16/	31/	33/	13/	1/	1/			98/	
200.0							1/	7/	32/	42/	28/	8/	1/	3/			121/	
195.0					2/			19/	46/	53/	27/	12/	1/	3/	1/		161/	
190.0					3/	6/		35/	59/	73/	23/	1/					200/	
185.0					1/			51/	100/	66/	15/	1/	3/	1/	4/	1/	245/	
180.0					4/	23/		88/	1114/	170/	13/	2/	1/	6/			313/	
175.0					9/	42/		134/	133/	150/	1/	9/	2/	4/	1/		378/	
170.0			1/		1/	100/		179/	1102/	130/	6/	3/	4/	1/			434/	
165.0					5/	47/		164/	1214/	1102/	4/	17/	11/	3/	8/	4/	584/	
160.0			2/		8/	93/		226/	2184/	361/	8/	7/	25/	17/	1/	2/	684/	
155.0			2/		29/	171/		258/	1191/	728/	24/	22/	1/	7/	1/		680/	
150.0			2/		6/	58/		242/	220/	87/	1914/	481/	244/	4/	1/		630/	
145.0			4/		10/	89/		218/	176/	532/	262/	551/	251/	630/	97/		630/	
140.0			2/		25/	154/		218/	104/	1714/	511/	5810/	2510/	531/	114/		531/	
135.0			1/		4/	50/		150/	125/	230/	323/	7425/	2519/	518/	136/		518/	
130.0			1/		4/	57/		136/	59/	910/	4962/	171/	1/	363/	142/		363/	
125.0			13/		58/	80/		127/	305/	742/	456/	11/	1/	267/	138/		267/	
120.0			13/		41/	27/		611/	3039/	161/	33/	1/		186/	157/		186/	
115.0			6/		16/	5/		11/	54/	24/	6/			95/	94/		95/	
110.0			2/		6/	11/		33/	23/	27/	9/			26/	86/		26/	
105.0			5/		3/	9/		27/	9/					22/	63/		22/	
100.0			1/		1/	4/		7/	1/	18/	1/			10/	45/		10/	
95.0			1/		2/	2/		6/	2/	1/				3/	30/		3/	
90.0			1/		1/	1/		1/	2/	1/				1/	11/		1/	
85.0			12/		59/	282/		747/	1253/	1377/	263313/	816495/	232136/	5677/	1390/		5677/	
TOTAL	1	1	1	7	7	163	253	263	377	1262	816	253	495	232	48	100	26	1390

1966 ARMY MEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
UPPER THIGH CIRC	21.82	1.89	0.857	$= (0.069) \times \text{WEIGHT(LB)} + (10.84)$	0.97
WEIGHT	159.10	23.35	0.857	$= (10.598) \times \text{UPPER THIGH CIRC(IN)} + (-72.16)$	12.03
1977 ARMY WOMEN	MEAN	ST DEV	R	REGRESSION EQUATIONS	STD ERROR
UPPER THIGH CIRC	22.40	1.79	0.883	$= (0.084) \times \text{WEIGHT(LB)} + (11.30)$	0.84
WEIGHT	132.11	18.76	0.883	$= (9.243) \times \text{UPPER THIGH CIRC(IN)} + (-74.95)$	8.82

APPENDIX

MEASUREMENT DESCRIPTIONS

ANKLE CIRCUMFERENCE

WOMEN: the minimum circumference of the ankle.

MEN: same.

ANKLE HEIGHT

WOMEN: the height of the level of minimum circumference of the ankle.

MEN: not measured.

BICEPS CIRCUMFERENCE FLEXED

WOMEN: the circumference of the arm at the level of the maximum protrusion of the biceps, measured with the elbow flexed 90°, the upper arm horizontal and the fist tightly clenched.

MEN: same.

BUST/CHEST CIRCUMFERENCE

WOMEN: the horizontal circumference of the trunk, measured with the tape passing over the bra points.

MEN: the horizontal circumference of the trunk, measured with the tape passing over the nipples.

CROTCH HEIGHT

WOMEN: the vertical distance from floor to mid-point of crotch.

MEN: same.

CROTCH LENGTH

WOMEN: the surface distance from the waist directly above buttock protrusion, over the protrusion, and through the crotch to waist level in the midsagittal plane.

MEN: not measured.

FOOT BREADTH

WOMEN: the maximum breadth of the foot as measured at right angles to its long axis.

MEN: same.

FOOT CIRCUMFERENCE

WOMEN: the circumference of the foot measured around the distal ends of the protrusions of the metatarsal bones (the widest part of the foot).

MEN: same.

FOOT LENGTH

WOMEN: the length of the foot measured parallel to its long axis.

MEN: same.

HAND BREADTH

WOMEN: the distance between the distal ends of the metacarpal bones.

MEN: same.

HAND CIRCUMFERENCE

WOMEN: the circumference measured around the metacarpal-phalangeal joints.

MEN: same.

HAND LENGTH

WOMEN: the distance from the wrist crease to the tip of the middle finger, measured parallel to the long axis of the hand.

MEN: same.

HEAD BREADTH

WOMEN: the maximum breadth of the head above the level of the ears.

MEN: same.

HEAD CIRCUMFERENCE

WOMEN: the maximum circumference of the head measured above the brow ridges.

MEN: same.

HEAD LENGTH

WOMEN: the maximum length of the head measured from the most protruding point between the brow ridges to the back of the head (occiput).

MEN: same.

HEEL BREADTH

WOMEN: the maximum breadth of the heel.

MEN: same.

HEEL-ANKLE CIRCUMFERENCE

WOMEN: the diagonal circumference of the foot measured with the tape passing under the tip of the heel and over the instep at the foot-leg junction.

MEN: same.

HIP BREADTH

WOMEN: the maximum horizontal breadth of the hips.

MEN: same.

HIP CIRCUMFERENCE

WOMEN: the maximum circumference of the hips at the level of the maximum posterior protrusion of the buttocks.

MEN: same.

INSTEP CIRCUMFERENCE

WOMEN: the circumference of the foot at the level of the metatarsal-cuneiform joint measured perpendicular to the long axis of the foot.

MEN: same.

INSTEP LENGTH

WOMEN: the distance from the level of the heel to the point of maximum horizontal protrusion of the foot, measured parallel to the long axis of the foot.

MEN: same.

INTERSCYE BACK

WOMEN: the surface distance across the back between points located midway between the upper ends of the armpit creases and the tips of the shoulders.

MEN: the surface distance across the back between the upper ends of the armpit creases.

NECK CIRCUMFERENCE

WOMEN: the circumference of the base of the neck; this circumference is not in a plane perpendicular to the axis of the neck.

MEN: the circumference of the neck measured just below the "Adam's Apple"; this circumference is measured on a plane slightly higher and closer to the perpendicular with regard to the neck axis than is the corresponding women's measurement.

PALM LENGTH

WOMEN: the distance from the wrist crease to the skin crease at the base of the third finger measured parallel to the long axis of the hand.

MEN: same.

SCYE CIRCUMFERENCE

WOMEN: the circumference of the scye (armhole) measured with the tape passing through the armpit and over the tip of the shoulder.

MEN: same.

SHOULDER CIRCUMFERENCE

WOMEN: the horizontal circumference of the shoulders at the level of the greatest lateral protrusion of the deltoid muscles.

MEN: same.

SHOULDER LENGTH

WOMEN: the surface distance from the neck-shoulder junction on the side of the neck to the tip of the shoulder.

MEN: same.

SLEEVE INSEAM

WOMEN: the distance from the front edge of the armpit to the little finger side of the wrist measured with the arm held slightly away from the body, palm forward and the tape tense.

MEN: same.

SLEEVE LENGTH

WOMEN: not measured.

MEN: subject stands erect with his arms held horizontally and bent at the elbows, fists pressed together in front of him. Sleeve length is the horizontal distance along the outer surface of the right arm from the middle of the back, over the elbow, to the center of the bony prominence at the outer edge of the wrist.

SLEEVE OUTSEAM

WOMEN: the distance from the tip of the shoulder to the thumb side of the wrist with the arm held slightly away from the body, palm forward and the tape tense.

MEN: not measured.

SPHYRION HEIGHT

WOMEN: the height of the most distal extension of the tibia (the bottom of the ankle bone) on the inside of the foot.

MEN: not measured.

STATURE

WOMEN: the vertical distance from floor to the top of the head.

MEN: same.

UPPER THIGH CIRCUMFERENCE

WOMEN: the circumference of the leg measured at the level of the lowest point of the gluteal furrow (point at which the buttock meets the thigh).

MEN: same.

VERTICAL TRUNK CIRCUMFERENCE

WOMEN: the circumference of the torso measured with the tape passing through the crotch, over the protrusion of the buttock, the midshoulder point and the tip of the bra. The tape follows the contour of the body's back but not its front below the bustpoint.

MEN: measured the same except that the tape generally follows the contours of the body's back and front.

WAIST BACK

WOMEN: the surface distance from the "natural" waist to the seventh cervical vertebra (approximately at the base of the neck).

MEN: the surface distance from the waist (at the level of the navel) to the seventh cervical vertebra (approximately at the base of the neck).

WAIST CIRCUMFERENCE

WOMEN: the horizontal circumference of the waist at "natural" waist level.

MEN: the maximum horizontal circumference of the waist measured at the level of the navel.

WAIST FRONT

WOMEN: the surface distance from the "natural" waist to the neck-torso junction on the front of the body.

MEN: not measured.

WAIST HEIGHT

WOMEN: the vertical distance from the floor to the "natural" waist level.

MEN: the vertical distance from the floor to the upper edge of the right hip bone.

WEIGHT

WOMEN: the weight of the subject wearing underwear.

MEN: same.

WRIST CIRCUMFERENCE

WOMEN: the circumference of the wrist at stylium (wrist bone on the thumb side of the hand).

MEN: same.

INDEX
OF
BIVARIATE TABLES

<u>Variable Name</u>	<u>PAGE NOS.</u>		
	<u>Men</u>	<u>Women</u>	<u>Double</u>
Ankle Circ with:			
Crotch Height	36	37	164
Waist Circumference	104	105	-
Ankle Height with:			
Foot Length	-	144	-
Sphyrion Height	-	145	-
Biceps Circumference with:			
Bust/Chest Circumference	20	21	156
Bust/Chest Circumference with:			
Biceps Circumference	20	21	156
Hip Circumference	22	23	157
Interscye Back	106	107	-
Neck Circumference	108	109	-
Scye Circumference	24	25	158
Shoulder Circumference	26	27	159
Shoulder Length	28	29	160
Sleeve Inseam	30	31	161
Sleeve Length	146	-	-
Sleeve Outseam	-	147	-
Stature	86	87	189
Vertical Trunk Circ	110	111	-
Waist Back	112	113	-
Waist Circumference	114	115	-
Waist Front	-	148	-
Weight	32	33	162
Wrist Circumference	34	35	163
Crotch Height with:			
Ankle Circumference	36	37	164
Hip Circumference	38	39	165
Stature	40	41	166
Upper Thigh Circ	42	43	167
Vertical Trunk Circ	116	117	-
Waist Circumference	118	119	-
Waist Height	120	121	-
Crotch Length with:			
Waist Circumference	149	-	-
Foot Breadth with:			
Foot Circumference	44	45	168
Foot Length	48	49	170
Heel Breadth	46	47	169

INDEX (cont'd)

<u>Variable Name</u>	<u>PAGE NOS.</u>		
	<u>Men</u>	<u>Women</u>	<u>Double</u>
Foot Circumference with:			
Foot Breadth	44	45	168
Foot Length	50	51	171
Instep Circumference	78	79	185
Foot Length with:			
Ankle Height	-	144	-
Foot Breadth	48	49	170
Foot Circumference	50	51	171
Instep Length	52	53	172
Sphyrion Height	-	151	-
Hand Breadth with:			
Hand Circumference	58	59	175
Hand Length	54	55	173
Palm Length	56	57	174
Hand Circumference with:			
Hand Breadth	58	59	175
Hand Length	60	61	176
Palm Length	62	63	177
Hand Length with:			
Hand Breadth	54	55	173
Hand Circumference	60	61	176
Palm Length	82	83	187
Head Breadth with:			
Head Circumference	64	65	178
Head Length	66	67	179
Head Circumference with:			
Head Breadth	64	65	178
Head Length	68	69	180
Head Length with:			
Head Breadth	66	67	179
Head Circumference	68	69	180
Heel-Ankle Circumference with:			
Instep Circumference	80	81	186
Heel Breadth with:			
Foot Breadth	46	47	169
Hip Breadth with:			
Hip Circumference	70	71	181
Stature	88	89	190
Weight	72	73	182

INDEX (cont'd)

Variable Name	PAGE NOS.		
	Men	Women	Double
Hip Circumference with:			
Bust/Chest Circumference	22	23	157
Crotch Height	38	39	165
Hip Breadth	70	71	181
Stature	90	91	191
Upper Thigh Circumference	74	75	183
Waist Circumference	122	123	-
Weight	76	77	184
Instep Circumference with:			
Foot Circumference	78	79	185
Heel-Ankle Circumference	80	81	186
Instep Length with:			
Foot Length	52	53	172
Interscye Back with:			
Bust/Chest Circumference	106	107	-
Stature	124	125	-
Neck Circumference with:			
Bust/Chest Circumference	108	109	-
Sleeve Length	150	-	-
Stature	126	127	-
Palm Length with:			
Hand Breadth	56	57	174
Hand Circumference	62	63	177
Hand Length	82	83	187
Scye Circumference with:			
Bust/Chest Circumference	24	25	158
Shoulder Circumference with:			
Bust/Chest Circumference	26	27	159
Stature	92	93	192
Weight	84	85	188
Shoulder Length with:			
Bust/Chest Circumference	28	29	160
Sleeve Inseam with:			
Bust/Chest Circumference	30	31	161
Stature	94	95	193
Sleeve Length with:			
Bust/Chest Circumference	146	-	-
Neck Circumference	150	-	-
Stature	152	-	-
Sleeve Outseam with:			
Bust/Chest Circumference	-	147	-
Stature	-	153	-

INDEX (cont'd)

Variable Name	PAGE NOS.		
	Men	Women	Double
Sphyrion Height with:			
Ankle Height	-	145	-
Foot Length	-	151	-
Stature with:			
Bust/Chest Circumference	86	87	189
Crotch Height	40	41	166
Hip Breadth	88	89	190
Hip Circumference	90	91	191
Interscye Back	124	125	-
Neck Circumference	126	127	-
Shoulder Circumference	92	93	192
Sleeve Inseam	94	95	193
Sleeve Length	152	-	-
Sleeve Outseam	-	153	-
Upper Thigh Circ	96	97	194
Vertical Trunk Circ	128	129	-
Waist Back	130	131	-
Waist Circumference	132	133	-
Waist Front	-	154	-
Waist Height	134	135	-
Weight	98	99	195
Upper Thigh Circumference with:			
Crotch Height	42	43	167
Hip Circumference	74	75	183
Stature	96	97	194
Waist Circumference	136	137	-
Weight	100	101	196
Vertical Trunk Circumference with:			
Bust/Chest Circumference	110	111	-
Crotch Height	116	117	-
Stature	128	129	-
Waist Circumference	138	139	-
Waist Back with:			
Bust/Chest Circumference	112	113	-
Stature	130	131	-
Waist Circumference with:			
Ankle Circumference	104	105	-
Bust/Chest Circumference	114	115	-
Crotch Height	118	119	-
Crotch Length	-	149	-
Hip Circumference	122	123	-
Stature	132	133	-
Upper Thigh Circumference	136	137	-
Vertical Trunk Circ	138	139	-
Weight	140	141	-

INDEX (cont'd)

<u>Variable Name</u>	<u>PAGE NOS.</u>		
	<u>Men</u>	<u>Women</u>	<u>Double</u>
Waist Front with:			
Bust/Chest Circumference	-	148	-
Stature	-	154	-
Waist Height with:			
Crotch Height	120	121	-
Stature	134	135	-
Weight with:			
Bust/Chest Circumference	32	33	162
Hip Breadth	72	73	182
Hip Circumference	76	77	184
Shoulder Circumference	84	85	188
Stature	98	99	195
Upper Thigh Circ	100	101	196
Waist Circumference	140	141	-
Wrist Circumference with:			
Bust/Chest Circumference	34	35	163