UNCLASSIFIED

LEVEL II

EASTERN—WESTERN ARCTIC SEA ICE ANALYSIS 1980

AD A098667

PREPARED BY
NAVAL POLAR OCEANOGRAPHY CENTER,
SUITLAND, MD

DISTR
Appr

PREPARED FOR
COMMANDER,
NAVAL OCEANOGRAPHY COMMAND
NSTL STATION, BAY ST. LOUIS, MS 39529

81 5

DTIC
ELECTE
MAY 8 1981
C

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

81 5 07 058

Best
Available
Copy

FOREWORD

The U.S. Navy has a long and colorful history of polar exploration and currently is an active participant in the growing national activity in the Arctic and Antarctic. The strategic importance and increased demand for the natural resources of these areas have resulted in a greater requirement for environmental information. In 1976, the National Oceanic and Atmospheric Administration (NOAA) joined the Navy in forming a Joint Ice Center (JIC) to combine efforts and resources in sea ice analysis and forecasting.

Through 1972, reliable sea ice information in the polar regions was based on a relatively few shore station and ship reports augmented by limited aerial reconnaissance data. These data were further restricted mainly to the relatively small areas observed primarily during the ship operating seasons. The advent of high resolution satellite imagery combined with the ground truth of conventional observations has in recent years enabled a description of the polar ice fields on a semi-synoptic scale in both polar regions.

This publication is the seventh in a continuing yearly series of Arctic sea ice atlases prepared in the Joint Ice Center at the Naval Polar Oceanography Center, Suitland. The atlas contains weekly charts depicting Northern Hemisphere and Great Lakes ice conditions and extents. The information presented was prepared under operational time constraints principally from satellite imagery supplemented by conventional observations. The Great Lakes ice analyses are derived principally from information provided by the National Weather Service Forecast Office, Ann Arbor, Michigan. Table I located on the inside back cover summarizes satellite data availability for 1980.

Commencing wit
tenths of ice cover
earlier, were identifi

The purpose of
weekly hemispheric
involved in manually
analysis procedures:

a. Conventiona
plotted on base chart

b. Satellite d
and highest resolutio
yields the final analy

c. Where su
estimated ice bounda
edge position is base
During subsequent we
positions.

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	

DTIC ELECTE MAY 8 198

with the first analysis of 1980, ice concentrations are identified in coverage. Ice concentrations in analyses of prior years, 1979 and entified in oktas or eighths coverage.

e of this atlas is to provide operators and researchers with reliable eric ice analyses. Satellite data limitations and other difficulties ually synthesizing various forms of ice data have evolved, the following res:

ntional shore station, ship and aerial ice reconnaissance observations are charts and evaluated for timeliness.

lite data is analyzed for ice information content, with the most recent olution considered first. Synthesis of conventional with satellite data analysis.

e sufficient data is not available to define the sea ice limit, an oundary is depicted. After one week of no data availability the ice based on analyzed theoretical ice drift data and other diagnostic aids. t weeks of no data availability the ice edges approach seasonal mean

Naval Polar Oceanography Center
Navy Department
4301 Suitland Road
Washington, DC 20390

8 1984

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
1 REPORT NUMBER	2. GOVT ACCESSION NO. AD-A098667 (1) / 3. RECIPIENT'S CATALOG NUMBER
4 TITLE (and Subtitle) Eastern-Western Arctic Sea Ice Analysis 1980.	5. TYPE OF REPORT & PERIOD COVERED Reference Publication, 1980
	6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) N A	8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Oceanography Command Detachment Federal Building Asheville, NC 28801	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS Commander, Naval Oceanography Command NSTL Station Bay St Louis, MS 39529 (12)	12. REPORT DATE May 1981 / 13. NUMBER OF PAGES 108
14 MONITORING AGENCY NAME & ADDRESS(if different from Controlling Office) Commanding Officer Naval Polar Oceanography Center Joint Ice Center Suitland, MD 20390	15. SECURITY CLASS. (of this report) Unclassified / 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT (of this Report)



17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

Approved for public release; distribution unlimited.

18. SUPPLEMENTARY NOTES

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Ice analysis, sea ice, ice charts, Arctic ice, Western Arctic, Eastern Arctic.

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

This publication contains the separate weekly analysis charts of sea ice in the Eastern and Western Arctic Basins for 1980. Ice free, Southern limits, types and concentrations of sea ice are depicted. Ice analysis of the Great Lakes region are included for periods of ice occurrence.

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE
S N 0102-LF-014-6601

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
10/10 OLD
10/10 FY
9-10 FY
9-10 FY/YNG
9/10 OLD/FY
FAST ICE
ICE LIMIT
ICE FREE
O/W BELTS/STRIPS 4-6
SOUTHERN ICE LIMIT 02 JANUARY 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
OW Open water See ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (icebergs) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Say or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice See ice which forms and remains fast along the coast
Theoretical thickness of this season's growth (cm) based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
GREAT LAKES
8-10
6-8
4-6
7-9

12

DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
10/10
OLD
10-10
FY
FAST ICE
9-10
FY/YNG
10-10
OLD/FY
9-10
FY
9-10
FY/YNG
9-10N
6-8
BELTS/STRIPS
9-10
FY/YNG
10-10
FY
9-10
FY/YNG
9-10
FY
9-10
FY/YNG
10/10 YNG
8-10
N/YNG
3-5
N/YNG
3-5
N/YNG
3-5
YNG
9-10
FY
9-10
YNG/N
O/W
ICE LIMIT
ICE FREE
ICE FREE
GREAT LAKES
ICE CONDITIONS
10/10
N
10/10
N
10/10
N
10/10
YNG/N
SUPERIOR
MICHIGAN
HURON
ERIE
ONTARIO
SOUTHERN ICE LIMIT 08 JANUARY 1980
NAVY NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
O/W Open water
ICE FREE
ICE THICKNESS (AGE)
OLD
FY
YNG
N
Fast ice
Ice boundary
Ice boundary estimated


180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
40E
35E
30E
25E
20E
15E
10E
5E
0
10/10
OLD
FAST ICE
FAST ICE
FAST ICE
FAST ICE
FAST ICE
FAST ICE
9-10N
9-10 PY/YNG
9-10YNG
DELTA STRIPS
9-10
O/W
O/W
9-10YNG
FREE
9-10FY
9-10YNG
9-10N
9-10N
9-10N


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
10-10 FY
10-10 OLD
10-10 OLD/FY
9-10 N
FAST ICE
ICE FREE
ICE LIMIT
O/W
GREAT LAKES
SOUTHERN ICE LIMIT 15 JANUARY 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
ICE THICKNESS (AGE)


130E
120E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
15E
20E
25E
30E
35E
40E
FAST ICE
FAST ICE
FAST ICE
FAST ICE
FAST ICE
ICE FREE
ICE LIMIT
ICE FREE
B-10YNG
B-10YNG
B-10YNG


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10
10/10 OLD
10-10 FY
10/10 FY
FAST ICE
ICE LIMIT
ICE FREE
9-10 FY/YNG
10/10 YNG
10-10 MY/FY
9-10 N/YNG
9-10 FY
8-10 YNG
BELTS/STRIPS
6-8
7-9 YNG/N
O/W
D/W
GREAT LAKES
SOUTHERN ICE LIMIT 22 JANUARY 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
OW Open water Sea ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
Theoretical thickness of this season's growth (cm based on 1 Feb ogive
days (presented for first day of each month on land succeeding
Ice boundary usually or partly observed
Ice boundary estimated
Seven day forecast of ice edge position


160W 170W 180 170E 160E 150E 140E 130E 120E 115E 110E 105E
100E 95E 90E 85E 80E 75E 70E 65E 60E 55E 50E 45E
5W 0 5E 10E 15E 20E 25E 30E 35E 40E
10/10 OLD
FAST ICE
8-10 N/VNQ
8-10 N
8-10 OLD/FY
9-10 VNQ/FY
10-10 MY/FY
O/W
ICE FREE
ICE LIMIT
7-9VNQ
1-3VNQ
9-10 N/VNQ
6-8 N
FAST ICE

7


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
FAST ICE
ICE LIMIT
10/10 FY
10/10 OLD
10/10 OLD/FY
9-10 FY/YNG
9-10 YNG
GREAT LAKES
SOUTHERN ICE LIMIT 29 JANUARY 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
ICE CONCENTRATION
THICKNESS (AGE)
OLD
FY
YNG
N
Fast ice
Ice boundary analyzed or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


150W
160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
5W
0
5E
10E
15E
20E
25E
30E
35E
40E
10/10 OLD
10/10 OLD/FV
ICE FREE
ICE FREE
FAST ICE
FAST ICE
FAST ICE
FAST ICE
ICE LIMIT
O/W

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
ICE FREE
FAST ICE
ICE LIMIT
GREAT LAKES
SOUTHERN ICE LIMIT 05 FEBRUARY 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
ICE FREE
ICE THICKNESS (AGE)
OLD
FY
YNG
N


150E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
5E
10E
15E
20E
25E
30E
35E
40E
ICE FREE
FAST ICE
113
104
97
79

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
130E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
ICE LIMIT
FAST ICE
10 MY
10 FY
GREAT LAKES
SOUTHERN ICE LIMIT 12 FEBRUARY 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
ICE THICKNESS (AGE)
OLD
FY
YNG
N
Fast ice
Ice boundary visually or satellite observed
Ice boundary estimated


150W
160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
5W
0
5E
10E
15E
20E
25E
30E
35E
40E
10 MV
9-10 MV/ FV
9-10 FV YNG
9-10 FV/MV
ICE FREE
ICE FREE
ICE LIMIT
FAST ICE
OLD FV
YNG
MULTI YR ICE
FIRST YR ICE
SECOND YR ICE

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
10 OLD
10 FY
FAST ICE
ICE LIMIT
ICE FREE
GREAT LAKES
SOUTHERN ICE LIMIT 19FEBUARY1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
ICE CONCENTRATION
ICE THICKNESS (AGE)
OLD
FY
YNG
N
Fast Ice


160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
0
5E
10E
15E
20E
25E
30E
35E
40E
100LD
FAST ICE
ICE FREE
ICE FREE
ICE FREE
ICE LIMIT


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
FAST ICE
ICE FREE
ICE LIMIT
GREAT LAKES
SOUTHERN ICE LIMIT 26 FEBRUARY 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
ICE CONCENTRATION
ICE THICKNESS (AGE)
OLD
FY
YNG
N
Fast ice
Ice boundary estimated


150W
160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
5W
0
5E
10E
15E
20E
25E
30E
35E
40E
FAST ICE
10 OLD
9-10 NEW
9-10 FY/YNG
ICE LINE
ICE FREE
9-10 OLD/FY
7-8 NI/YNG
10/10 YNG
1-3 W


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
FAST ICE
ICE LIMIT
BELTS/STRIPS
GREAT LAKES
O/W
SOUTHERN ICE LIMIT 04 MARCH 1980
NAVI - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
ICE CONCENTRATION
ICE THICKNESS (AGE)
OLD
FY
YNG
N
Past ice
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
0
5E
10E
15E
20E
25E
30E
35E
40E
FAST ICE
127
123
112
89
OLD
9-10 FY/OLD
9-10 FY/MO
ICE FREE
ICE LIMIT


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
10 OLD
10FY
ICE FREE
ICE LIMIT
GREAT LAKES
SOUTHERN ICE LIMIT 11 MARCH 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
ICE CONCENTRATION
ICE THICKNESS/AGE


170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
0
5E
10E
15E
20E
25E
30E
35E
40E
10
OLD
ICE FREE
ICE LIMIT
9-10 FWYNG
4-6 YNG
7-10 FY
10 FY
4-6 YNG/FY
ICE FREE


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
9-10 FV
OLD
FY/OLD
ICE FREE
ICE FREE
ICE LIMIT
SOUTHERN ICE LIMIT 18 MARCH 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
ICE CONCENTRATION
ICE THICKNESS (AGE)
OLD
FY
YNG
N
Fast ice
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
GREAT LAKES
ICE CONDITIONS
O/W
ICE FREE


180 170E 160E 150E 140E 130E 120E 115E 110E 105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
0 5E 10E 15E 20E 25E 30E 35E 40E
ICE FREE
LAKES
CONDITIONS


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
ICE LIMIT
O/W
GREAT LAKES
ICE CONDITIONS
SOUTHERN ICE LIMIT 25 MARCH 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
ICE THICKNESS (AOS)


170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
5E
10E
15E
20E
25E
30E
35E
40E
ICE FREE
ICE LIMIT
9-10 FY
7-9 FY
10 FY/1 OLD
7-9 FY/NG
9-10 FY/NG
7-9 FY/TN
6/10
5/10
4/10
3-5/10
2/10
1/10
7-9/10
9-10/10
7/10
6/10
5/10
4/10

2


SOUTHERN ICE LIMIT 01 APRIL 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
ICE CONCENTRATION
ICE FREE
ICE FINGERNESS (AGE)
OLD
FY
YNG
N
Fast ice
Theoretical 9 assoc. of the ice edge along with ice based on freezing degree days forecasted for 1 st day of 4 th month of first succeeding south
Ice boundary usually or totally observed
Ice boundary estimated
Some day to west of ice edge position
GREAT LAKES
ICE FREE
ICE LIMIT
9-10 FY
9-10 OLD
9-10 FYI OLD
7-9 FYOLD
ICE FREE
105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E


170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
40E
35E
30E
25E
20E
15E
10E
5E
0
5W
147
142
130
102
10 OLD
10 OLD FY
8-10 FY
ICE LIMIT
ICE FREE
O/W
9-10 YNG
1-3 YNG
3-4 YNG
4-6 FY/N
70 FY
60N
55N
50N
45N
40N


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
ICE LIMIT
9-10 FY
O/W
GREAT LAKES
SOUTHERN ICE LIMIT 08 APRIL 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
ICE THICKNESS (AGE)
Fast ice
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


160W 170W 180 170E 160E 150E 140E 130E 120E 115E 110E 105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
5W 0 5E 10E 15E 20E 25E 30E 35E 40E
ICE FREE
ICE FREE
ICE LIMIT
OLD
FY
YNG
O/W


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
9-10FY
9-10 FY
10 OLD
9-10 FY/OLD
ICE FREE
ICE LIMIT
SOUTHERN ICE LIMIT 15 APRIL 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
ICE CONCENTRATION
ICE THICKNESS (AGE)
OLD
FY
YNG
N
O/W


170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
0
5E
10E
15E
20E
25E
30E
35E
40E
ICE FREE
ICE LIMIT
ICE EDGE
9-10 FY
10 OLD
9-10 FY/YNG
10 OLD FY
YNG/FY
O/W
O/IW
FY/YNG
1-3 YNG/FY
2-4 FY
3-5 FY
5-7 FY
7-9 FY
9-10 YNG
65N
60N
55N
50N
45N
40N

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
9-10 FY
9-10 OLD/FY
1-3FY BELTS/STRIPS 8-10
1-3FY OLD BELTS/STRIPS 9-10
ICE LIMIT
SOUTHERN ICE LIMIT 22 APRIL 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
ICE CONCENTRATION
OW Open water
CE FREE No sea ice
ICE THICKNESS (AGE)
OLD
FY
TNG
N
Ice boundary analyzed
Ice boundary estimated
Seven day forecast of ice edge position


150W
160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
10W
5W
0
5E
10E
15E
20E
25E
30E
35E
40E
ICE FREE
ICE FREE
10 OLD
OLD/ 2-4FY STRIPS 7-9
9-10 OLD/FY
9-10 FY
0-2 BELTS 9-10
1-3 FY OLD BELTS/STRIPS 9-10
O/W
1-3FY
5-7 FY
7-9FY
9-10FY
6-8Y
7-8Y
4-6Y
8-10Y
60N
55N
50N
45N

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
9-10FY
O/W
ICE FREE
BELTS/ STRIPS 8-10
BELTS/ STRIPS 7-9
ICE LIMIT
SOUTHERN ICE LIMIT 29 APRIL 1980
NAVY NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
ICE THICKNESS (AOE)
OLD
FY
Young ice (10 30 cm thick)
N
New and nilas
Fast ice Sea ice which forms and remains fast along the coast
Theoretical thickness in this season's growth (cm), based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary analyzed or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


170W 180 170E 160E 150E 140E 130E 120E 115E 110E 105E
100E 95E 90E 85E 80E 75E 70E 65E 60E 55E 50E 45E
0 5E 10E 15E 20E 25E 30E 35E 40E
ICE FREE
ICE FREE
ICE FREE
BELTS STRIPS
9-10
OLD
O/W
FY
ICE LINE

2


SOUTHERN ICE LIMIT 06 MAY 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
ICE FREE
ICE THICKNESS (AGE)
OLD
FY
YNG
N
ICE FREE
ICE LIMIT
O/W
9-10 FY
5-7FY
4-6FY
BELTS/STRIPS
8-10
2-4
8-10 FY/OLD
3-5 FY/OLD
8-10 OLD/FY
7-9 FY
7-9N
7-9 YNG
3-6 YNG
105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E


150W 160W 170W 180 170E 160E 150E 140E 130E 120E 115E 110E 105E
100E 95E 90E 85E 80E 75E 70E 65E 60E 55E 50E 45E
10W 5W 0 5E 10E 15E 20E 25E 30E 35E 40E
ICE FREE
ICE FREE
ICE LIMIT
ICE LIMIT
OLD
7-9 FY
7-9 FY
7-9 FY


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
ICE LIMIT
O/W
9-10 FV
10 OLD
8-10 FV
9-10 OLD/FY
3-5FY RTCHS 7-9
2-4 BELTS 8-8
0-2 BELTS/STRPS 8-10
SOUTHERN ICE LIMIT 13 MAY 1980
NAVY NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
ICE FREE
ICE THICKNESS (AGE)
OLD
FY
TNG
N


180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
0
5E
10E
15E
20E
25E
30E
35E
40E
ICE FREE
ICE FREE
ICE FREE
ICE LIMIT
ICE LIMIT
O/W
10 FV
8-10 FV
10 FV
10-20
6-8 FV
1-3
3-5 FV
4-7 FY
8-10 FY
3-5 FY
1-7 FY
5-10
6-8 FY
7-8M
6-8M
5-6M
4-5M
4-6M

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
ICE LIMIT
SOUTHERN ICE LIMIT 20 MAY 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
OW Open water
ICE FREE No sea ice
ICE THICKNESS (AGE)
OLD
FY
YNG
N
Fast ice
Ice boundary visually or satellite observed
Ice boundary estimated


160W 170W 180 170E 160E 150E 140E 130E 120E 115E 110E 105E
100E 95E 90E 85E 80E 75E 70E 65E 60E 55E 50E 45E
5W 0 5E 10E 15E 20E 25E 30E 35E 40E
10 OLD
O/W
9-10 FY
8-9 FY
6-8 FY
4-6 FY
2-4 FY
0-2
6-10 OLD/FY
ICE FREE
ICE LIMIT
75N
70N
65N
60N
55N
50N
45N
40N

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
10
OLD
9-10
FY
6-8
FY
5-7FV
5-7FV
PTCHS
8-10
8-8FY
8-10FY
1-3FY
8-10
FY
1-3
FY
O/W
BELTS/STRIPS
8-10
9-10
FY/OLD
2-4FY/OLD
3-5FY/OLD
6-8FY/OLD
3-5
FY/
OLD
2-4
FY
2-9FY/OLD
0-1
PTCHS
8-10
5-7FY
BELTS/STRIPS
8-10
ICE FREE
SOUTHERN ICE LIMIT 27 MAY 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
4 6 Areas 4 6 tenths ice covered
O-W Open water Sea ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (icebergs, growlers) may be present
ICE THICKNESS (AGE)
OLD Includes both multi-year and second year ice Generally 2 3.5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
125 Theoretical thickness of this season's growth ice, based on freezing degree day (presented for 1 st day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
0
5E
10E
15E
20E
25E
30E
35E
40E
10
OLD
O/W
6-8
FY
1-3 FY
9-10
FY
9-10
FY/OLD
1-3 FY
OLD
2-4 FY
2-4FY/OLD
2-4FY
ICE FREE
ICE FREE
2-4
FY
75N
70N
65N
60N
55N
50N
45N
40N

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
O/W
9-10 FV/OLD
9-10 FV
SOUTHERN ICE LIMIT 03 JUNE 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
4 - 6 Area 4 - 6 tenths ice covered
OW Open water - Sea ice present in concentrations less than one tenth
ICE FREE No sea ice - Ice of land orig n (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second - year ice Generally 2 - 3 5 m thick
FY Any or all first year ice types (30 cm - 2 m thick)
TNG Young ice (10 - 30 cm thick)
N New and nilas
Fast ice - Sea ice which forms and remains fast along the coast
Theoretical thickness of this season s growth (cm), based on freezing degree days (processed for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
THEORETICAL ICE THICKNESSES WILL NOT BE SHOWN DURING SUMMER MONTHS MONTHLY PRESENTATION WILL RESUME ON 1 NOVEMBER


170W 180 170E 160E 150E 140E 130E 120E 115E 110E 105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
0 5E 10E 15E 20E 25E 30E 35E 40E
10
OLD
O/W
9-10
FY
ICE FREE
ICE LIMIT
1-3
FY
4-6
FY
7-9
FY
3-5
FY/MA
9-10
FY/OLD
162
154
147
116
60W
50W
40W


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
10 OLD
8-10 FV/OLD
0-2 8-10 FV/OLD
8-10 FV
8-10FY
O/W BELTS/ STRIPS 5-7
5-7FY
4-6FY
2-4FY
7-9FY
5-7FY/BJ
6-8 FV/BJ
5-7 FV/BJ
8-10 FV/BJ
3-5 FV/BJ
2-4FY/BJ
1-3
STRIPS/ PTCHS 8-10
PTCHS 7-9
ICE FREE
ICE LIMIT
ICE EDGE
AREA OF ICE-15 GIANT FLOES 20—40 NM IN DIAMETER
GIANT FLOES
O/W
SOUTHERN ICE LIMIT 10 JUNE 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
9 10 Areas 9 - 10 tenths ice covered
O/W Open water - Sea ice present in concentrations less than one tenth
ICE FREE No sea ice - Ice of land origin (icebergs, etc.) may be present
ICE THICKNESS (AGE)
OLD Includes both multi-year and second year ice. Generally 2 - 3.5 m thick
FY Any or all first year ice types (30 cm - 2 m thick)
YNG Young ice (10 - 30 cm thick)
N New and nilas
Fast ice - Sea ice which forms and remains fast along the coast
125 Theoretical thickness of this season's growth (cm) based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


150W 160W 170W 180 170E 160E 150E 140E 130E 120E 115E 110E 105E
100E 95E 90E 85E 80E 75E 70E 65E 60E 55E 50E 45E
5W 0 5E 10E 15E 20E 25E 30E 35E 40E
10 OLD
8-10 FV/OLD
O/W
ICE FREE
ICE LIMIT
7-8FV
6-8 FV
8-10 FV
4-6 FV
5-7 FV
1-3
1-2
6-8FV
7-8FV
4-6FV
8-8FV
6-8 FV/RF
5-7 FV/RF
8-10 FV/RF
5-7 FV/RF
50M
100M
500M
1000M
2000M
3000M
4000M

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
ICE FREE
ICE FREE
ICE FREE
10 OLD
AREA OF SCTD GIANT FLOES 20-40 NM IN DIAMETER
GIANT FLOES
ICE LIMIT
SOUTHERN LIMIT OF ALL KNOWN BERGS AND GROWLERS
SOUTHERN ICE LIMIT 17 JUNE 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
ICE CONCENTRATION
4 - 6 Areas 4 - 6 tenths ice covered
OW Open water - Sea ice present in concentrations less than one tenth
ICE FREE No sea ice - ice of land origin - observed ice may be present
ICE THICKNESS/AGE
OLD Includes both multi-year and second year ice - Generally 2 - 3.5 m thick
FY Any one of several ice types (30 cm - 2 m thick)
TNG Young ice (10 - 30 cm thick)
N New and nilas
Fast Ice - Sea ice which forms and remains fast along the coast
Theoretical thickness of this season's growth (cm) based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary as analyzed
Ice boundary estimated
Seven day forecast of ice edge position


140W
150W
160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
10W
5W
0
5E
10E
15E
20E
25E
30E
35E
40E
ICE FREE
ICE FREE
ICE LIMIT
LEADS ALONG COAST
O/W
10
OLD
2-4FY
7-9FY
3-5FY
4/6FY
6-8
FY/OLD
8-10
FY/OLD
5-7
FY/OLD
3-5
FY/OLD
5-7FY/OLD
6-8
FY/OLD
4-6
FY/OLD

2


SOUTHERN ICE LIMIT 24 JUNE 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
OLD
FY
OW
ICE FREE
ICE THICKNESS (AGE)
105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E


170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
5E
10E
15E
20E
25E
30E
35E
40E
O/W
8-10 FV
2-4 FV
7-8 FV
2-3 FV
6-8 FV
6-10 FV
75M
65M
60M
55M
50M
45M


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
9-10 FY
10 OLD
8-10 FY/OLD
ICE FREE
ICE FREE
ICE LIMIT
O/W
2-4FY
SOUTHERN ICE LIMIT 01 JULY 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
4 - 6 Area 4 - 6 tenths ice covered
OW Open water See ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE
OLD Includes both multi year and second year ice Generally 2 - 3 5 m thick
FY Any or all first year ice types (30 cm - 2 m thick)
YNG Young ice (10 - 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
Isopach of thickness of this season's growth (cm) based on freezing degree days (presented for first day of each month on first succeeding chart.
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


150W
160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
10W
5W
0
5E
10E
15E
20E
25E
30E
35E
40E
10 OLD
3-5 FY
O/W
1-3
ICE FREE
9-10 FY
ICE FREE
ICE LIMIT
9-10 FY/OLD
ICE FREE
ICE LIMIT
2-4FY/OLD BELTS/ STRIPS 6-8
2-4FY/OLD BELTS/ STRIPS 6-8
O/W
75N
70N
65N
60N
55N
50N
45N
40N


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
10 OLD
ICE FREE
ICE LIMIT
O/W
9-10 FV
7-8 FV
0-2
1-3
4-6 FY
9-10 FY
7-9 FY
0-1 FY/LD
6-10 FY/OLD
PTCHS
BELTS/
STRIPS
SOUTHERN ICE LIMIT 08 JULY 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
O/W Open water Sea ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
123 Theoretical thickness of this season s growth (cm) based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
0
5E
10E
15E
20E
25E
30E
35E
40E
10 OLD
ICE FREE
ICE FREE
ICE LIMIT
0-2
1-3
1-2
4-6 FY
7-9 FY
9-10 FY

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
ICE LIMIT
O/W
OLD
SOUTHERN ICE LIMIT 15 JULY 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
ICE THICKNESS (AGE)
OLD
FY
YNG
N
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


140W
150W
160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
15W
10W
5W
0
5E
10E
15E
20E
25E
30E
35E
40E
ICE FREE
ICE LIMIT
OLD
AND

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
130
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
ICE LIMIT
O/W
10 OLD
8-10 FV/OLD
SOUTHERN ICE LIMIT 22 JULY 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
O/W Open water Sea ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
125 Theoretical thickness of this season s growth (cm) based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


150W
160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
5W
0
5E
10E
15E
20E
25E
30E
35E
40E
ICE FREE
ICE FREE
ICE FREE
ICE LIMIT
ICE LIMIT
10 OLD
8-10 FY/OLD
4-6 FY/OLD
9-10 FY/OLD
10 FY/OLD
2-4FY
3-5FY
2-4 FY
8-10 FY
O/W
O/W
O/W
O/W
O/W
1-3
1-3
1-4
1-4
0/2
0/2
0/2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
130E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
ICE LIMIT
O/W
OLD
FYOLD
FIST ICE
ICE THICKNESSES FROM SWEDISH ICEBREAKER YMER
SOUTHERN ICE LIMIT 29 JULY 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
OW Open water Sea ice present in concentration less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 3 5 m thick
FY Any or all first year ice types (10 cm 2 m thick)
THG Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
Theoretical thickness of this season's growth (cm) based on freezing degree days (preset ad for first day of each month as first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


150W
160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
10W
5W
0
5E
10E
15E
20E
25E
30E
35E
40E
65N
60N
55N
50N
45N
40N
ICE FREE
FAST ICE
ICE EDGE
ICE LIMIT
O/W
10 OLD
ICE THICKNESSES FROM SWEDISH ICEBREAKER YMER

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
O/W
ICE FREE
ICE LIMIT
10 OLD
FY/OLD
SOUTHERN ICE LIMIT 05 AUGUST 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
ICE THICKNESS (AGE)
OLD
FY
YNG
N
Fast ice
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


140W
150W
160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
10W
5W
0
5E
10E
15E
20E
25E
30E
35E
40E
10 OLD
8-10 FY/OLD
ICE FREE
O/W
D/W
ICE LIMIT
80


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
O/W
ICE FREE
ICE LIMIT
FY/OLD
OLD
SOUTHERN ICE LIMIT 12 AUGUST 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
ICE THICKNESS (AGE)
OLD
FY
Fast ice


150W
140W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
5W
0
5E
10E
15E
20E
25E
30E
35E
40E
10
OLD
O/W
FY/OLD
ICE LINE
ICE TREE


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
O/W
ICE FREE
ICE LIMIT
SOUTHERN ICE LIMIT 19 AUGUST 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
ICE THICKNESS (AGE)
OLD
FY
YNG
N
Fast ice
Ice boundary assumed
Seven day forecast of ice edge position


150W
160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
5W
0
5E
10E
15E
20E
25E
30E
35E
40E
ICE FREE
ICE FREE
ICE FREE
ICE LIMIT
O/W
65N
60N
55N
50N
45N
40N

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
130E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
O/W
1-3
BELTS STRIPS
ICE LIMIT
SOUTHERN ICE LIMIT 26 AUG 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
OW Open water See ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
Theoretical thickness of this season s growth (cm) based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary usually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


150W
160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
10W
5W
0
5E
10E
15E
20E
25E
30E
35E
40E
ICE FREE
ICE FREE
ICE LIMIT
ICE LIMIT
ICE LIMIT
O/W
10 OLD
7-9 OLD FY
2-4 FY/OLD
5-7 FY/OLD
7-9 FY/OLD
4-6 FY/OLD
3-5 FY/OLD
5-7 FY
7-9 FY
4-6 FY
1-3 FY
1-3
70N
65N
60N
55N
50N
45N
40N

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
130E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
O/W
ICE LIMIT
10 OLD
SOUTHERN ICE LIMIT 02 SEPT 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
OW Open water See ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year i e Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
125 Theoretical thickness of this season s growth (cm) based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


60W 170W 180 170E 160E 150E 140E 130E 120E 115E 110E 105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
0 5E 10E 15E 20E 25E 30E 35E 40E
ICE FREE
ICE FREE
ICE LIMIT
O/W
OLD
FY
FY/N
OLD/FY
FY/OLD
7-9 FY
3-5 FY
4-6 FY
1-3
2-4FY
4-8N
65N
60N
55N
50N
45N

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
130E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
ICE FREE
ICE FREE
ICE FREE
ICE LIMIT
ICE LIMIT
ICE LIMIT
SOUTHERN ICE LIMIT 09 SEPT 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
OW Open water See ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice See ice which forms and remains fast along the coast
125 Theoretical thickness of this season s growth (cm) based on freezing degree days (processed for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
40E
5W
0
5E
10E
15E
20E
25E
30E
35E
10
OLD
ICE FREE
ICE FREE
ICE FREE
ICE LIMIT
ICE LIMIT
O/W
1-3
7-9 FV
4-6 FV
7-9 FV/N
9-10 FY
2-4 FY/OLD PITCHS 8-10
7-9 FV/OLD
4-6 FV/OLD
2-4 FY/OLD
1-2
1-2
1-2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
130E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
ICE FREE
ICE FREE
ICE FREE
ICE FREE
SOUTHERN ICE LIMIT 16 SEPT 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
4 - 6 Area 4 - 6 tenths ice covered
OW Open water Sea ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg, ice island) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 - 3.5 m thick
FY Any or all first year ice types (30 cm - 2 m thick)
YNG Young ice (10 - 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
125 Theoretical thickness of this season's growth (cm) based on freezing degree days (processed for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
0
5E
10E
15E
20E
25E
30E
35E
40E
ICE FREE
ICE FREE
ICE FREE
ICE LIMIT
ICE LIMIT
ICE LIMIT
10 OLD
5-7 N/OLD/FY
7-9 FY/OLD
5-7F Y/N FTCHS
8-10 FY/N
7-8 FY/N
8-10 FY/N
7-8 FY/N
8-10 FY/N
2-4 FY
3-5 FY/N
3-5 FY/N
3-5 FY/N
2-4 FY
O/W
O/W
O/W
45N
50N
55N
60N


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
O/W
7-9 FY/OLD
ICE LIMIT
SOUTHERN ICE LIMIT 23 SEPT 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
ICE THICKNESS (AGE)
OLD
FY
YNG
N
Fast ice
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


140W
150W
160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
40E
35E
30E
25E
20E
15E
10E
5E
0
5W
10W
10
OLD
ICE FREE
7-9
FY/OLD
ICE FREE
ICE LIMIT
O/W
7-9
NEY
7-9
FY
4-6
FY/N
3-5
FY
6-8
FY/N
6-8
FY/N
6-8
FY
3-5
FY
7-9
FY
4-6
FY
ICE LIMIT
ICE FREE
ICE LIMIT
70E
60N
55N
50N
45N
40N


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
130E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
10 OLD
7-8 FY/OLD
SOUTHERN ICE LIMIT 30 SEPT 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
OW Open water
ICE FREE
ICE THICKNESS / AGE
OLD
FY
YNG
N
Fast ice
Ice boundary usually or sometimes observed
Ice boundary estimated


150W
160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
10 OLD
10 FY/OLD
7-9 FY/OLD
4-6 FY/OLD
10 FY/IN
4-6 FY/IN
10 FY/IN/OLD
7-9 FY/IN
0W
5W
0
5E
10E
15E
20E
25E
30E
35E
40E


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
130E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
ICE FREE
ICE FREE
10 OLD
10 OLD/N/YNG
OLD/N
ICE LIMIT
BY CONVENTION ALL FIRST YEAR ICE SURVIVING THE SUMMER MELT BECOMES SECOND YEAR (OLD) ICE ON 1 OCTOBER
SOUTHERN ICE LIMIT 07 OCTOBER 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
OW Open water See ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Say or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice See ice which forms and remains fast along the coast
125 Theoretical thickness of this season's growth (cm) based on freezing degree days (processed for first day of each month on final succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
0
5E
10E
15E
20E
25E
30E
35E
40E
10
OLD
ICE FREE
ICE FREE
ICE LIMIT
ICE LIMIT
YEAR ICE SURVIVING THE
COND YEAR (OLD) ICE ON


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
10W
5W
0
5E
10E
15E
ICE FREE
ICE LIMIT
10 OLD
9-10 OLD/N
ICE FREE
ICE FREE
ICE LIMIT 1-3
SOUTHERN ICE LIMIT 14 OCTOBER 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
6 9 Area 6 9 tenths ice covered
OW Open water Sea ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast i e Sea ice which forms and remains fast along the coast
*25 Theoretical thickness of this season s growth (cm) based on freezing degree days (processed for first day of each month on first succeeding chart)
Ice boundary mostly or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
40E
35E
30E
25E
20E
15E
10E
5E
0
5W
10
OLD
9-10
OLD/N
9-10
N/OLD
ICE FREE
ICE FREE
ICE FREE
ICE LIMIT
ICE LIMIT
ICE LIMIT
ICE LIMIT
70N
65N
60N
55N
50N
45N
40N


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
130E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
ICE LIMIT
10 OLD
10 N/OLD
10 OLD
9-10 N/YNG
9-10 N
9-10 N/YNG
9-10 N/YNG
9-10 N/YNG
6-8 YNG/N/OLD
9-10 YNG/N
10 OLD/N
ICE LIMIT 6-7 N/YNG
8-5 YNG/N
3-5 N
3-5 N
9-10 N/YNG
6-8 N/YNG
SOUTHERN ICE LIMIT 21 OCTOBER 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
9 - 10 Area 9 - 10 tenths ice covered
OW Open water - Sea ice present in concentrations less than one tenth
ICE FREE No sea ice - Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 - 3 5 m thick
FY Any or all first year ice types (30 cm - 2 m thick)
YNG Young ice (10 - 30 cm thick)
N New and nilas
Fast ice - Sea ice which forms and remains fast along the coast
125 Theoretical thickness of this season s growth (cm) based on freezing degree days (presented for first day of each month on first preceding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


160W 170W 180 170E 160E 150E 140E 130E 120E 115E 110E 105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
5W 0 5E 10E 15E 20E 25E 30E 35E 40E
10 OLD
10 N/OLD
10 OLD
4-6 N/YNG
ICE LIMIT
ICE FREE
ICE FREE
ICE LIMIT 6-7 N/YNG
3-5 YNG/N
3-5 N
9-10 N/YNG
ICE LIMIT
ICE FREE
6-8 YNG/N/OLD
9-10 YNG/N
10 OLD/N
3-5 N
65N
60N
55N
50N
45N

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
130E
105W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
ICE FREE
ICE FREE
ICE FREE
ICE LIMIT
10 OLD
10 OLD/YNG/N
8-10 OLD/YNG
8-10 N/YNG
8-10 YNG/N
8-10 N
6-8 N/YNG
3-5 N/YNG BELTS/STRIPS 7-9
6-8 N/YNG BELTS/STRIPS 8-10
8-10 OLD/YNG
7-9N
3-5 BELTS/STRIPS 7-9
5-7 YNG/OLD/N
4-6 OLD/YNG
SOUTHERN ICE LIMIT 28 OCT 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
OW Open water Sea ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
MY A r or all four year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Coast ice Sea ice which forms and remains fast along the coast
125 Theoretical thickness of this season s growth (cm) based on freezing degree days (processed 1 first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


70W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
0
5E
10E
15E
20E
25E
30E
35E
40E
10
OLD
10
OLD/YNG/N
8-9
N/YNG
8-9
N/YNG
8-10
P/YNG
ICE LIMIT
3-5/7 YNG
BELTS/STRIPS
7-9
8-10
YNG/N
6-8N/YNG
BELTS/STRIPS 8-10
ICE LIMIT
7-9N
ICE FREE
ICE FREE
3-5
TS/STRIPS
7-9

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
130E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
ICE FREE
ICE FREE
ICE FREE
ICE FREE
SOUTHERN ICE LIMIT 04 NOV 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
OW Open water Sea ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
125 Theoretical thickness of this season s growth (cm) based on freezing degree days (proceeded for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


70W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
0
5E
10E
15E
20E
25E
30E
35E
40E
ICE FREE
ICE FREE
OLD
OLD/YNG/N
YNG
N
NYNG
N
NG
738
708
658
608
558
508
458
408
358
18
15
10
10
20
10


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE FREE
ICE LIMIT
SOUTHERN ICE LIMIT 11 NOVEMBER 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
ICE CONCENTRATION
Open water
ICE FREE
ICE THICKNESS / AGE
OLD
YNG
Seaward limit of ice which forms and remains fast along the coast
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


150W
160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
10
10
OLD
9-10
YNG/N
6-8
YNG/N
9-10
YNG/N
9-10
YNG/FY
6-10
YNG/N
7-9
YNG/N
7-9
N
9-10
OLD/YNG
ICE LIMIT
ICE FREE
ICE FREE
60N
55N
50N
45N
0W
5W
0
5E
10E
15E
20E
25E
30E
35E
40E


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
ICE LIMIT
ICE FREE
SOUTHERN ICE LIMIT 18 NOV 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
ICE THICKNESS (AGE)
OLD
FY
YNG
N
Seven day forecast of ice edge position


150W
160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
10W
5W
0
5E
10E
15E
20E
25E
30E
35E
40E
10
OLD
10
YNG/OLD/FY
9-10
N
6-8 YNG/N
BELTS/STRIPS 8-10
9-10
YNG/N
6-10
YNG/N
7-9
N/YNG
5-7 YNG/N
BELTS/STRIPS
6-10
YNG/N
9-10
YNG/FY
7-9
YNG
5-7N
6-10
OLD/YNG
ICE FREE
ICE FREE
ICE LIMIT
ICE LIMIT
ICE LIMIT
O/W
O/W
7-9
N/YNG
5-7
YNG/N
7-9
N
6-8
N
7-9
YNG/N
6-10
YNG/N
7-9
N/YNG
7-9
N/YNG
7-9
N/YNG
7-9
N
7-9
YNG/N
6-10
YNG/N
5-7
YNG/N
7-9
N
6-8
N
5-7
YNG/N
6-10
YNG/N
7-9
N/YNG


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
ICE FREE
ICE LIMIT
FY LIMIT
O/W
10 OLD
9-10 YNG/N/FY
9-10 YNG/N
9-10 N
8-10 YNG
10 OLD/FY/YNG/N
9-10N/YNG
8-9N/YNG
10 OLD/YNG
9-10 OLD/YNG/N
8-9N/YNG
8-10N/YNG
9-10N
8-9N
N/YNG
BELTS/STRIPS 8-10
SOUTHERN ICE LIMIT 25 NOV 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
6 - 8 Area 6 - 8 tenths ice covered
OW Open water - Sea ice present in concentrations less than one tenth
ICE FREE No sea ice - ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 - 3 5 m thick
FY Any or all first year ice floes (30 cm - 2 m thick)
YNG Young ice (10 - 30 cm thick)
N New and nilas
Fast ice - Sea ice which forms and remains - along the coast
125 Theoretical thickness of this season's growth (cm) - no ice or freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


150W
160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
5W
0
5E
10E
15E
20E
25E
30E
35E
40E
10
OLD
ICE FREE
ICE FREE
9-10 OLD/YNG
4-6 BELTS/ STRIPS 9-10
6-8 N/YNG BELTS/ STRIPS 9-10
5-7N/ YNG BELTS/STRIPS 9-10
9-10 YNG/ N
8-10N/ YNG
9-10 N/YNG
5-7N/ YNG
4-6 N/YNG
9-10N/ YNG/FY
6-8 N/YNG
5-7 N/YNG
7-9 YNG
7-9 N/YNG
6-8N/YNG
6-7-8N
60N
55N
50N
45N
40N


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
OLD/FY/YNG
8-10 N/YNG
O/W
8-10 N
YNG/N/FY
7-9 N/YNG
ICE LIMIT
ICE FREE
8-10 OLD/ FY/YNG
4-6N/YNG BELTS/STRIPS 8-10
8-10 OLD/YNG/ N
7-8N/YNG
3-5N/YNG
SOUTHERN ICE LIMIT 02 DEC 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
OW Open water See ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be p esent
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm th ck)
N New and nilas
Fast ice See ice which forms and remains fas along the coast
Thickness of this season s growth (cm) based on freezing day days (presented for fi st day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


150W
160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
ICE LIMIT
ICE FREE
8-10 N/YNG
7-9 N/YNG
8-10 OLD/ FY/YNG
4-6N/YNG BELTS/STRIPS 8-10
5-7 M/YNG BELTS/STRIPS 8-10
8-10 YNG/N
8-9 YNG/N
7-9 N/YNG
8-9 YNG/N
8-10 YNG/N
7-9 N/YNG
8-10 YNG/N
6-8 N/YNG
7-9 N/YNG
8-10 YNG/N
75N
70N
65N
60N
55N
50N
45N

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
8-10 YNG/N
10 OLD
ICE FREE
ICE LIMIT
SOUTHERN ICE LIMIT 09 DEC 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
OW Open water
ICE FREE No sea ice
ICE THICKNESS (AGE)
OLD
YNG
N
Fast ice
Ice boundary visually or satellite observed
Ice boundary estimated


40W
150W
160W
170W
180
170E
160E
150E
140E
130E
120E
115E
110E
105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
10W
5W
0
5E
10E
15E
20E
25E
30E
35E
40E
10
OLD
ICE FREE
ICE FREE
ICE FREE
ICE LIMIT
ICE LIMIT
ICE LIMIT
ICE LIMIT
ICE LIMIT
7-9 M/YNG
8-10 M/YNG
9-10 M/YNG
7-9 YNG/M
8-10 FY/YNG
7-9 M/YNG
8-10 M/YNG
7-9 M/YNG
8-10 M/YNG
9-10 OLD FY/YNG
8-9 SALTS/STRIPS 8-10
8-10 YNG/M
8-10 YNG/M
6-7M
7-8 YNG/M
8-9M
7-9 M/YNG
6M
5M
4M
4M


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
9-10 YNG
9-10 YNG/N
9-10 YNG/FY
9-10 N/YNG
7-9N
7-9N/YNG
5-7N
5-7 BELTS/STRIPS 8-10
ICE FREE
ICE LIMIT
10 OLD
3-5 YNG/N BELTS/STRIPS 8-10
9-10 YNG/FY
9-10 OLD/FY/YNG
5-7 YNG/N BELTS/STRIPS 8-10
6-8 YNG/N BELTS/STRIPS 8-10
5-7M/YNG
9-10FY/YNG/N
4-6 N/YNG
GREAT LAKES ICE CONDITIONS
9-10 N
9-10 OLD
7-9N
SOUTHERN ICE LIMIT 16 DEC 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
6 - 8 Area 6 - 8 tenths ice covered
OW Open water See ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 - 3.5 m thick
FY Average all first year ice types (30 cm - 2 m thick)
YNG Young ice (10 - 30 cm thick)
N New and nilas
Fast ice See ice which forms and remains fast along the coast
Thickness (in cm) of this season's growth (cm) based on freezing degree days (presumed for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position


150W 160W 170W 180 170E 160E 150E 140E 130E 120E 115E 110E 105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
10W 5W 0 5E 10E 15E 20E 25E 30E 35E 40E
ICE FREE
ICE FREE
ICE FREE
ICE FREE
ICE FREE
ICE LIMIT
ICE LIMIT
ICE LIMIT
3-5 YNG/N BELTS/STRIPS 9-10
9-10 YNG/N
8-10 N/YNG
6-10 FY/YNG
6-8 YNG/N PTCHS 9-10
7-9 N/YNG
8-9 YNG/N
8-9 YNG/N BELTS/STRIPS 9-10
8-9 YNG/N BELTS/STRIPS 9-10
8-9 OLD/ F/YNG
6-8 YNG/N
5-7 N/YNG
5-7 N/ YNG
8-10 YNG/N
8-10 YNG/N
1-3 N/YNG
6-8 N/YNG
6-9 YNG/N
O/W
60N
55N
50N
45N

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
9-10 YNG/N/FY
9-10 YNG
9-10 YNG/FY
9-10 OLD
9-10 YNG/N
9-10 OLD/ FY/YNG
9-10 YNG/N
9-10 N/YNG
9-10 YNG/N
5-7 BELTS/STRIPS 8-10
ICE LIMIT
ICE FREE
3-5N/ YNG BELTS/ STRIPS 8-10
5-7 YNG/N BELTS/STRIPS 8-10
6-8N/ YNG
7-9N YNG 2-4N
6-8 N/YNG
9-10N
5-7N STRIPS/PTCHS 8-10
1-3N STRIPS/ PTCHS 8-10
4-6N STRIPS/PTCHS 7-9
9-10FY/YNG/ N
3-5N
6-8N/YNG
9-10N
ICE FREE
9-10 N/ YNG
GREAT LAKES ICE CONDITIONS
SUPERIOR
MICHIGAN
HURON
ERIE
ONTARIO
9-10 N
4-6 N
7-9 N
1-3 N
SOUTHERN ICE LIMIT 23 DECEMBER 80
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
6 - 8 Area 6 - 8 tenths ice covered
OW Open water Sea ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
125 Theoretical thickness of this season s growth (cm) based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary usually observed
Ice boundary estimated
Seven day forecast of ice edge position


180 170E 160E 150E 140E 130E 120E 115E 110E 105E
100E
95E
90E
85E
80E
75E
70E
65E
60E
55E
50E
45E
0 5E 10E 15E 20E 25E 30E 35E 40E
10
OLD
ICE FREE
ICE LIMIT
ICE FREE

2


105W
110W
115W
120W
130W
140W
150W
160W
170W
180
170E
160E
150E
140E
100W
95W
90W
85W
80W
75W
70W
65W
60W
55W
50W
45W
40W
35W
30W
25W
20W
15W
10W
5W
0
5E
10E
15E
10 YNG/FY
10 OLD
10 YNG
10 FY/YNG
ICE FREE
ICE LIMIT
SOUTHERN ICE LIMIT 30 DEC 1980
NAVY - NOAA JOINT ICE CENTER
NAVAL OCEANOGRAPHY CENTER, SUITLAND
ICE CONCENTRATION
OW Open water
ICE FREE No sea ice
ICE THICKNESS (AGE)
OLD Includes both multi-year and second-year ice
FY Any or all first-year ice types
YNG Young ice
N New and/or
Fast ice
Theoretical thickness of this season's growth
Ice boundary estimated
Seven day forecast of ice edge position
GREAT LAKES ICE CONDITIONS


ICE FREE
ICE FREE
ICE FREE
ICE FREE
ICE LIMIT
3-5YNG BELTS/STRIPS
7-9 OLD/FY YNG
1-3N
3-5N
6-9 N/YNG 2-4N
9-7 BELTS/STRIPS 9-10
9-10 YNG/N
FY/YNG
7-9 N/YNG
10 YNG/N
7-9 YNG/N
6-9 YNG/N
6-8 YNG/N
7-9 YNG/N
6-8 YNG/N
6-8 YNG/N
6-8


ICE CONCENTRATION
OW Open water. Sea ice present in concentration less than one tenth
ICE FREE No sea ice of all kinds present
ICE THICKNESS/AGE
OLD Includes both multi-year and second year ice. Generally 2-3.5 m thick
FY First year ice. 30 cm to 2 m thick
YNG Young ice. 10 cm to 30 cm thick
N New and nilas
Fast ice. Sea ice which forms and remains fast along the coast
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 02 JANUARY 80
10/10FY
10/10FY
10/10 OLD
9-10YNG
10/10FY/YNG
10/10 FY/OLD
40/10YNG
9-10N
10/10 YNG/N
FAST ICE
ICE LIMIT
ICE CONCENTRATIONS ON THIS AND
IN TENTHS OF ICE COVERED WATER
WEATHER FACILITY/NAVAL POLAR
SUITLAND ICE CHARTS FROM 1972
IN EIGHTHS OF ICE COVER.
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
105E
110E
115E
120E
125E
130E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
160
FAST ICE
10/10 FY/OLD
10/10 FY/YNG
10/10 YNG/N
FAST ICE 8-10/10
ICE LIMIT
ICE CONCENTRATIONS ON THIS AND FUTURE CHARTS ARE EXPRESSED IN TENTHS OF ICE COVERED WATER. CONCENTRATIONS ON FLEET WEATHER FACILITY/NAVAL POLAR OCEANOGRAPHY CENTER SUNLAND ICE CHARTS FROM 1972 THROUGH 1979 ARE IN EIGHTHS OF ICE COVER.

2


75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160
ICE CONCENTRATION
6 6 Area 6 6 tenths ice covered
OW Open water Sea ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (icebergs e g may be present)
ICE THICKNESS (ICE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
125 Theoretical thickness of this season's growth (cm) based on freezing degree days (presented for first day of each month or first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 08 JANUARY 1980
10/10 OLD
10-10 FY
FAST ICE
9-10 YNG
10/10FY/YNG
FAST ICE
9-10N
9-10N
9-10N
9-10N
10/10YNG
9-10N
9-10N
FAST ICE
9-10N
9-10 YNG
3-4 YNG
8-10 YNG
1-3 YNG
5-7 YNG
10/10 YNG/NEW
9-10 YNG
9-10YNG
2-4 YNG
ICE LIMIT
ICE FREE
ICE FREE
75N
70N
65N
60N
55N
50N
45N
40N


0E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
180
175W
170W
165W
160W
155W
150W
145W
140W
135W
10/10
OLD
10/10FY/YNG
FAST ICE
9-10N
10/10YNG
ICE FREE
ICE FREE


ICE CONCENTRATION
OW Open water
ICE FREE
ICE THICKNESS (AGE)
OLD
FY
YNG
NEW
Fast ice
ICE BOUNDARY
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 15 JANUARY 1980
FAST ICE
10/10 FY
10/10 OLD
9-10YNG
10/10 FY/YNG
9-10N
3-5 N/YNG
O/W
4-6 N/YNG
10/10 YNG/N
ICE LIMIT
9-10 N/YNG
ICE FREE
7-8 N/YNG
8-9 YNG/N
10/10 YNG/N
6-8 BELTS/STRIPS 8-9
6-8 BELTS/STRIPS 8-9


20E
10E
0
10W
20W
30W
40W
50W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
55N
50N
45N
40N
35N
10/10
OLD
10/10
FY/YNG
9-10YNG
9-10N
FAST ICE
8-9
YNG/N
ICE LIMIT
6-8
BELTS/STRIPS
ICE FREE
175E
180
175W
170W
165W
160W
155W
150W
145W
140W
135W


NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 22 JANUARY 1980
ICE CONCENTRATION
OLD
FY
YNG
N
FAST ICE
10/10FV
10/10 OLD
10/10 FV/YNG
ICE FREE
ICE LIMIT


20E
10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
175E
10/10 OLD
10/10 FY/YNG
FAST ICE
9-10N
10-10 FY
9-10 YNG
9-10 FY/YNG
9-10 YNG/N
6-7 FY/N
ICE LIMIT
ICE FREE
ICE FREE

2


ICE CONCENTRATION
OW Open water
ICE FREE
ICE THICKNESS (AGE)
OLD
FY
YNG
N
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 29 JANUARY 1980
FAST ICE
ICE LIMIT
ICE FREE
10/10 OLD
10/10 FY/YNG
9-10 FY/YNG
10/10 FY/YNG
9-10 YNG /N
4-6 YNG/N
5-7 YNG/N
5-7 FY/N
9-10 N
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
180
175W
170W
165W
160W
155W
150W
145W
140W
135W
10/10
OLD
10/10
FY/YNG
FAST ICE
9-10N
FAST ICE
10/10
FY
9-10
FY/YNG
9-10YNG/FY
9-10N
5-7
FY/N
9-10
NI
ICE LIMIT
9-10N
9-10
NI
7-8FY/N
ICE LIMIT
ICE FREE
ICE FREE
65N
60N
55N

2


NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 05 FEBRUARY 1980
ICE CONCENTRATION
ICE THICKNESS (AGE)
OLD
FY
YNG
N
FAST ICE
ICE FREE
ICE LIMIT
10/10 OLD
10/10 FY/YNG
9-10 FY/YNG
10/10 FY
9-10 FY/ YNG
9-10 FY/YNG
ICE FREE
ICE FREE
ICE FREE
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W


40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
150W
170W
165W
160W
155W
150W
145W
140W
135W
132
145
133
FAST ICE
114
109
FAST ICE
107
109
FAST ICE
94
79
FAST ICE
ICE FREE
ICE LIMIT

2


NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 12 FEBRUARY 1980
ICE FREE
FAST ICE
10 OLD
10 FY/YNG
9-10 FY/YNG
ICE LIMIT


0E 20E 10E 0 10W 20W 30W 40W 50W 60W 65W 70W 75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
175E 170E 175W 170W 165W 160W 155W 150W 145W 140W 135W
10 OLD
9-10 FY/YNG
FAST ICE
10 FY
9-10 FY/YNG
FAST ICE
ROTTEN
9-10 FY
ICE FREE
ICE LIMIT
ICE LIMIT
7-9 YNG
ICE LIMIT
ICE FREE
EAST ICE
BAR ICE
65W
60W
55W
50W
45W
40W
35W

2


ICE CONCENTRATION
OW Open water
RFE
ICE THICKNESS (AGE)
OLD
FY
YNG
N
Fast ice
ICE LIMIT
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 19FEBUARY1980
ICE FREE
FAST ICE
10 FY
10 OLD
10 FV/YNG
8-10 N/YNG
8-10 YNG/N
10 FY/YNG
7-9YNG/N BELTS/STRIPS 8-10


10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
180
175W
170W
165W
160W
155W
150W
145W
140W
135W
10 OLD
FAST ICE
8-10 N/VNG
10 FV/VNG
FAST ICE
8-10 N/VNG
FAST ICE
8-10 N/VNG
8-10 N/VNG
8-10 VNG/N
8-10 FV/VNG
ICE LIMIT
1-3
8-9 N/VNG
7-9 VNG/N BELTS/STRIPS 8-10
ICE FREE
ICE FREE
65N
60N
55N
50N
45N
40N
35N

2


ICE CONCENTRATION
Area of 6 tenths ice covered
Open water - Sea ice present in concentrations less than one tenth
No sea ice - Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD - Includes both multi-year and second year ice. Generally 2-3.5 m thick
FY - Any or all first year ice types (30 cm - 2 m thick)
YNG - Young ice (10-30 cm thick)
N - New and nilas
Fast ice - Sea ice which forms and remains fast along the coast
Theoretical thickness of this season's growth (cm) based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary usually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 26 FEBRUARY 1980
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W
FAST ICE
10 OLD
10 FY
10 FY/YNG
10FY/ YNG
ICE FREE
ICE LIMIT


10E
10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
160
175W
170W
165W
160W
155W
150W
145W
140W
135W
10
OLD
10
FY/YNG
FAST ICE
FAST ICE
FAST ICE
FAST ICE
9-10
FY/
YNG
9-10
YNG
10FY
9-10N
10
YNG/
9-10
FY/YNG
9-10N
9-10N/YNG
9-10
YNG/FY
6-8
YNG/FY
7-9
YNG
7-9
YNG/N
6-8
N/YNG
ICE LIMIT
65N
60N
55N
50N
45N
40N
35N

2


ICE CONCENTRATION
6 - 9 Areas 6 - 9 tenths ice covered
OW Open water - Sea ice present in concentration less than one tenth
ICE FREE No sea ice - Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi-year and second year ice Generally 2 - 3.5 m thick
FY Any or all first-year ice types (30 cm - 2 m thick)
YNG Young ice (10 - 30 cm thick)
N New and nilas
Fast ice - Sea ice which is attached to and remains fast along the coast
125 Theoretical thickness of this contour's growth (cm) based on freezing degree days (presented for first day of each month on first succe
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 04 MARCH 1980
THEORETICAL THICKNESS BASED ON 26 FEBRUARY 80 DATA
ICE FREE
FAST ICE
ICE LIMIT
10 OLD
10 FY
10 FY/YNG
9-10 YNG
9-10 FY YNG
9-10 FY/YNG
9-10 YNG/N
9-10 N/YNG
9-10 N
150
152
153
150
137
124
104
109
94
120
163
75E
70E
65E
60E
55E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


40E
30E
20E
10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
170E
175E
180
175W
170W
165W
160W
155W
150W
145W
140W
135W
10 OLD
10 FY/ YNG
10 FY
9-10 FY/ YNG
9-10 N/YNG
FAST ICE
ICE FREE
ICE LIMIT
120
150
165
130
127
124
104
109
94
137

2


ICE CONCENTRATION
OW Open water
ICE FREE No sea ice
ICE THICKNESS (AGE)
OLD
FY
YNG
N
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 11 MARCH 1980
ICE FREE
ICE LIMIT
10 OLD
10 FY/YNG
9-10 YNG
9-10 FY/YNG
6-8 YNG
4-6 YNG
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


40E
30E
20E
10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
70E
175E
180
175W
170W
165W
160W
155W
150W
145W
140W
135W
1D
OLD
10F Y/
YNG
9-10
YNG
9-10 F/
YNG
10
FY
9-10
YNG
9-10
YNG
6-8
YNG
6 8YNG
9-10
FY/YNG
4-6
YNG
4-6
YNG
ICE LIMIT
ICE LIMIT
ICE LIMIT
ICE FREE
ICE FREE

2


ICE CONCENTRATION
OW Open water. Sea ice present in concentrations less than one tenth
ICE FREE No sea ice. Ice of land origin (icebergs) may be present
ICE THICKNESS (AGE)
YNG Young ice (10 - 30 cm thick)
N New and nilas
Fast ice. Sea ice which remains fast along the coast
Theoretical thickness of ice based on freezing degree days (presented for first day of each month as first succeeding chart)
Ice boundary usually or partly observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 18 MARCH 1980
ICE FREE
ICE LIMIT
10 OLD
10 FY/YNG
10 FY
9-10 N YNG
8-10 N/YNG
8-10 YNG/FY
8-10N
8-10 YNG/N
BELTS/STRIPS
7-9 YNG/N
6-9 N/YNG
2-4 N/YNG
1-3
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
9-10 N YNG
10 OLD
10 FY/YNG
9-10 N/YNG
9-10 N/YNG
8-10 YNG/FY
9-10 F/YNG
8-10N
5-7 YNG/N BELTS/STRIPS 8-10
7-9 YNG/N
8-10N
ICE LIMIT
6-8 N/YNG
4-6
1-3
ICE FREE
4-6 YNG/N
2-4 N/YNG
ICE FREE


NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 25 MARCH 1980
ICE FREE
ICE FREE
10 OLD
10 FY
10 FY/YNG
9-10 YNG/N
9-10 YNG/FY
8-10 YNG/N
8-10 N/YNG
8-10 YNG/FY
8-10 FY/YNG
4-8YNG BELTS/STRIPS 8-10
3-5YNG BELTS STRIPS 7-9
6-8 YNG
2-4 YNG
1-3
O/W
ICE LIMIT


0 10W 20W 30W 40W 50W 60W 65W 70W 75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
180 175W 170W 165W 160W 155W 150W 145W 140W 135W
TO OLD
9-10 YNG/N
10 FV/YNG
8-10N/YNG O/W
9-10 N/YNG
9-10 FV/YNG
8-10 YNG/FY
4-8YNG BELTS/STRIPS 8-10
O/W
3-5YNG
ICE FREE
2-4 YNG
7-9 YNG
3-5YNG BELTS STRIPS 7-9
6-8YNG BELTS/STRIPS 8-10
FREE

2


NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 01 APRIL 1980
ICE FREE
ICE FREE
ICE FREE
ICE LIMIT
8-10 FY/YNG
8-10 YNG/FV
10 OLD
10 FY
3-5 YNG/FY BELTS/STRIPS 8-10
5-7 YNG BELTS/STRIPS 8-10
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
10
OLD
10
FY
145
150
127
117
107
125
135
0-2
ICE FREE
ICE FREE
ICE LIMIT
5-7 YNG
BELTS/STRIPS
8-10

2


75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W
ICE CONCENTRATION
OW Open water
ICE FREE No sea ice
ICE THICKNESS (AGE)
OLD Includes both multi-year and second year ice
FY
YNG Young ice (10 - 30 cm thick)
N New and nilas
Fast ice
Ice boundary visually or satellite observed
Ice boundary estimated
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 08 APRIL 1980
10 FY
10 OLD
10 FY
ICE FREE
ICE FREE
ICE LIMIT
ICE LIMIT
O/W
O/W
O/W
O/W
1-3 YNG
1-3 YNG
1-3 YNG
7-9 YNG
5-7 YNG
4-6 YNG BELTS/STRIPS 8-10
3-5 YNG BELTS/STRIPS 8-10
8-10 FY/YNG
8-10 YNG/FY
8-10 YNG/FY
8-10 YNG/FY
8-10 YNG/N
8-10 YNG/N
8-10 YNG/N
8-10 YNG/N
8-10 YNG/N
8-10 FY/YNG
8-10 FY/YNG
8-10 YNG
7-9 YNG/FY
7-9 YNG/FY
1-3 YNG
1-3 YNG
0-2 O/W
0-2
0-2
0-2


10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
180
175W
170W
165W
160W
155W
150W
145W
140W
10 OLD
10 FY
ICE FREE
ICE FREE
8-10 YNG/N
8-10 YNG/FY
7-9 YNG/FY
8-10 FY/YNG
0-2 O/W
8-10 YNG
1-3 YNG
6-8
3 SYNG BELTS/STRIPS
8-10

2


ICE CONCENTRATION
OW Open water. Sea ice present in concentrations less than one tenth
ICE FREE No sea ice. Ice of land origin (iceberg e.g.) may be present
ICE THICKNESS (AGE)
OLD includes both multi-year and second year ice. Generally 2-3.5 m thick
FY Any or all first year ice type (30 cm - 2 m thick)
YN Young ice (10 - 30 cm thick)
N New and nilas
Fast ice. Sea ice which forms and remains fast along the coast
Theoretical thickness of the ice in centimeters (cm) based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary usually based on data not more than two days old
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 15 APRIL 1980
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W
10 FY
8-10 YNG/FY
10 OLD
10 FY
8-10 FV/YNG
8-10 YNG/FY
8-10 YNG/N
8-10 N/YNG
8-10 FV/YNG
8-10 YNG/N
8-10 YNG/FY YNG/N
4-6 YNG
O/W
2-4 YNG
ICE LIMIT
3-5 YNG
8-10 YNG/FY
3-5 YNG BELTS/STRIPS 8-10
8-10 YNG
1-3 N/YNG
BELTS/STRIPS 8-10
4-6 YNG BELTS/STRIPS 8-10
ICE FREE
4-6 YNG BELTS/STRIPS 8-10
ICE LIMIT


0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
1D
OLD
10
FY
8-10
YNG/FY
8-10
FYYNG
8-10
YNG/N
O/W
4-6
YNG
ICE LIMIT
ICE FREE
BELTS/STRIPS
8-10
4-6YNG
BELTS/STRIPS
8-10
ICE FREE

2


ICE CONCENTRATION
6 6 Area 6 6 tenths ice covered
OW Open water See ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
Theoretical thickness of ice on ice growth (cm) based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 22 APRIL 1980
ICE FREE
ICE LIMIT
10 FY
10 OLD
9-10 FY/YNG
9-10 YNG/FY
9-10 N/YNG
3-6 YNG BELTS/STRIPS 8-10
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


10E 20E 10E 0 10W 20W 30W 40W 50W 60W 65W 70W 75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
10
OLD
10
FV
8-10
YNG/N
8-10
FY/YNG
8-10
FY/YNG/N
8-10
FY/YNG
ICE FREE
ICE LIMIT
3-5 YNG
BELTS/STRIPS
8-10
8-10
YNG/N
8-10
YNG/FY
ICE FREE
175E 180 175W 170W 165W 160W 155W 150W 145W 140W 135W


ICE CONCENTRATION
ICE THICKNESS (AGE)
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 29 APRIL 1980
ICE FREE
ICE FREE
ICE FREE
ICE LIMIT
4-6FY/YNG BELTS/STRIPS 8-10
2-4FY/YNG PITCHS 8-8
3-6FY/YNG BELTS/STRIPS 8-10
10 OLD
10 FY
9-10 FY/YNG
8-10 YNG/FY
7-9 YNG/FY
5-7 FY/YNG
1-3 FY/YNG
8-10 YNG
O/W


10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
175W
170W
165W
160W
155W
150W
145W
140W
135W
45N
40N
35N
ICE FREE
ICE LIMIT
O/W
8-10 YNG
1-3
2-4FYYNG PTCHS 6-8
3-5FYYNG BELTS/STRIPS 8-10

2


ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
OW Open water Sea ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
Theoretical thickness of this season's growth (cm) based on freezing degree days (processed for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 06 MAY 1980
ICE FREE
ICE FREE
ICE LIMIT
10 FY
8-10 YNG
10 OLD
9-10 FY/YNG
7-9 YNG/FY
4-6 FY/YNG FLTS/STRIPS 8-10
O/W
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


30E
20E
10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
175E
170E
1D
OLD
8-10
YNG
10
FV
ICE FREE
ICE FREE
ICE LIMIT
4-6 FY/YNG
BELTS/STRIPS
8-10
3-5
YNG/FY

2


ICE CONCENTRATION
OW Open water
ICE FREE
ICE THICKNESS (AGE)
OLD
FY
YNG
N
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 13 MAY 1980
ICE FREE
ICE FREE
ICE LIMIT
9-10 FY/YNG
2-4YNG/FY BELTS/STRIPS 7-9
2-4FY/YNG BELTS/STRIPS 7-9
PTCHS 7-9FY/YNG
10 OLD
10 FY
10 YNG
8-10 N/YNG
O/W


10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
180
175W
170W
165W
160W
155W
150W
145W
140W
135W
10
OLD
10
FY
0-8
N YNG
O/W
O/W
1-9
FY
ICE LIMIT
ICE FREE
2-4F Y/YNG
BELTS STRIPS
PTCHS
7-8F Y/YNG
ICE FREE

2


ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
OW Open water See ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and ndas
Fast ice See ice which forms and remains fast along the coast
125 Theoretical thickness of this season's growth (cm) based on freezing degree days (processed for first day of each month on firm succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 20 MAY 1980
FRACTURE ZONE MANY LARGE REFREEZING FRACTURES ORIENTED NORTH SOUTH
ICE FREE
ICE FREE
ICE FREE
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


0E
10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
180
175W
170W
165W
160W
155W
150W
145W
140W
10
OLD
9-10
FRACTURE ZONE MANY LARGE REFREEZING
FRACTURES ORIENTED NORTH SOUTH
10
FY
O/W
ICE FREE
ICE FREE


ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
O/W Ocean water Sea ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
125 Theoretical thickness of this season s growth (cm) based on freezing degree days (processed for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 27 MAY 1980
FRACTURE Z MAY REFREEZING
FRACTURES ORIENTED NORTH SOUTH
ICE FREE
ICE FREE
ICE LIMIT
ICE LIMIT
ICE LIMIT
ICE LIMIT
O/W
O/W
O/W
O/W
10 OLD
9-10 FY/OLD
9-10 YNG
9-10N
9-10 YNG
10 FY
10 FY
8-10 FY
2-4FY BELTS/STRIPS 8-10
0-2 PTCHS 8-10
1-3
1-3
1-3
1-3
1-3
1-3
0-2
0-2
0-2
0-2
4-6 FY
4-6 FY
4-6 FY
4-6 FY
4-6 FY
4-6 FY
4-6FY
4-6FY
4-6FY
4-6FY
8-9 FY
8-9 FY
8-9


20E
10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
175E
10
OLD
10
FY/OLD
10
FY
ICE FREE
ICE FREE
ICE LIMIT
ICE LIMIT
45N
40N
55N


ICE CONCENTRATION
4 6 Area 4 - 6 tenths ice covered
OW Open water - Sea ice present in concentrations less than one tenth
ICE FREE No sea ice - Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice - Generally 2 - 3.5 m thick
FY Any or all first year ice types (30 cm - 2 m thick)
YNG Young ice (10 - 30 cm thick)
N New and nilas
Fast ice - Sea ice which forms and remains fast along the coast
135 Theoretical thickness of this season's growth (cm) based on freezing degree days (presumed for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 03 JUNE 1980
FRACTURE ZONE
SCATTERED FRACTURES
MANY FRACTURES
ICE LIMIT
ICE FREE
ICE FREE
THEORETICAL ICE THICKNESSES WILL NOT BE SHOWN DURING SUMMER MONTHS
MONTHLY PRESENTATION WILL RESUME ON 1 NOVEMBER
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


30E
20E
10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
175E
170E
10 OLD
9-10 M/OLD
FRACTURE ZONE
MANY FRACTURES
SCATTERED FRACTURES
9-10 Y/NG
10 FY
9-10 PTCHS
ICE LIMIT
ICE FREE
ICE FREE
183
205
190
165
167
162
162
175
60N
55N
50N
45N
40N
35N


ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
OW Open water See ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (icebergs e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice See ice which forms and remains fast along the coast
125 Theoretical thickness of this season s growth (cm) based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 10 JUNE 1980
ICE FREE
ICE LIMIT
O/W
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
8-10
OLD
10
FV
O/W
ICE FREE

2


ICE CONCENTRATION
OW Open water
ICE FREE
ICE THICKNESS (AGE)
OLD
FY
YNG
NEW
Fast ice
125
Ice boundary visually or satellite observed
Ice boundary estimated
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 17 JUNE 1980
ICE FREE
ICE FREE
ICE FREE
O/W
ICE LIMIT
ICE LIMIT
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


30E
20E
10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
175E
180
175W
170W
165W
160W
155W
150W
145W
140W
135W
10 OLD
8-10 OLD/N
10 FY
7-8 FY
3-5 FY
4-7 FY
8-10 FY
4-8 FY
0-2
2-4 FY
2-4FY PTCHS 8-10
ICE LIMIT
ICE FREE
ICE FREE


ICE CONCENTRATION
4 6 Areas 4 6 tenths ice covered
OW Open water See ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
125 Theoretical thickness of this season s growth (cm) based on freezing degree days (presented for first day of each month on four succeeding charts)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 24 JUNE 1980
ICE FREE
ICE FREE
O/W
ICE LIMIT
O/W
ICE LIMIT
O/W
ICE LIMIT
O/W
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
10
OLD
0-2
10
FY
4-6
FY
ICE LIMIT
O/W
ICE FREE


ICE CONCENTRATION
4 6 Area of 4 6 tenths ice covered
O/W Open water Sea ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
123 Theoretical thickness of this season s growth (cm) based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 01 JULY 1980
ICE FREE
ICE FREE
ICE LIMIT
ICE FREE
ICE LIMIT
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


20E
10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
175E
180
175W
170W
165W
160W
155W
150W
145W
140W
135W
10' OLD
O/W
10 FV
ICE FREE

2


ICE CONCENTRATION
Open water
ICE FREE
ICE THICKNESS (AGE)
OLD
FY
YNG
NEW and NILAS
Fast ice
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 08 JULY 1980
ICE FREE
ICE FREE
ICE LIMIT
O/W
FY/OLD
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
O/W
LIMIT
ICE FREE


ICE CONCENTRATION
OW Open water
ICE FREE
ICE THICKNESS (AOR)
OLD
FY
TNG
N
Fast ice
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 15 JULY 1980
ICE FREE
ICE FREE
ICE FREE
ICE LIMIT
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


20E
10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
175E
ICE FREE
ICE FREE
ICE LIMIT
O/W
10
OLD

2


ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
O/W Open water See ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY A y or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice See ice which forms and remains fast along the coast
Thickness thickness of this season s growth (cm) based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 22 JULY 1980
ICE FREE
ICE FREE
ICE LIMIT
ICE LIMIT
O/W
FY/OLD
OLD
FY
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W
50N
45N
40N


0E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
ICE FREE
ICE LIMIT
O/W
9-10 FV
7-9 FV
4-6 FV
1-3 FV
0-2 FV
2-4 FV
3-5 FV
45N
40N
35N

2


ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
OW Open water Sea ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
125 Theoretical thickness of this season s growth (cm) based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 29 JULY 1980
ICE FREE
ICE FREE
ICE FREE
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


20E
10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
175E
ICE FREE
ICE FREE
O/W
LIMIT


ICE CONCENTRATION
6 6 Area 6 6 tenths ice covered
O/W Open water Sea ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
THIN Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
125 Theoretical thickness of this season s growth (cm) based on freezing degree days (processed for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 05 AUGUST 1980
ICE FREE
ICE FREE
ICE LIMIT
ICE FREE
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


ICE FREE
ICE FREE
ICE LIMIT
O/W
O/W
O/W


ICE CONCENTRATION
4 - 6 Area 4 - 6 tenths ice covered
OW Open water. See ice present in concentrations less than one tenth
ICE FREE No sea ice. Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice. Generally 2 - 3.5 m thick
FY Any or all first year ice types (30 cm - 2 m thick)
FNO Young ice (10 - 30 cm thick)
N New and nilas
Fast ice. Sea ice which forms and remains fast along the coast
Theoretical thickness of this season's growth (cm) based on freezing degree days (processed for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 12 AUGUST 1980
ICE FREE
ICE FREE
ICE FREE
O/W
OLD
OLD/FY
FY
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
10
OLD
ICE FREE
ICE FREE
O/W
45N
40N
35N


75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W
10
OLD
ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
OW Open water See ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AOI)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG N Young ice (10 30 cm thick)
New and nilas
Fast ice See ice which forms and remains fast along the coast
125
Theoretical thickness of this season s growth (cm) based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary mostly or completely observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 19 AUGUST 1980
ICE FREE
ICE FREE
ICE FREE
ICE LIMIT
O/W
50%
40%
10%


ICE
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
180
175W
170W
165W
160W
155W
150W
145W
140W
135W
10
OLD
O/W
ICE FREE
ICE LIMIT

2


75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W
MANY OPENINGS - - - AVERAGE ICE CONCENTRATION ESTIMATED 7-8 TENTHS
THIS IS THE MOST EXTENSIVE AREA OF WEAKNESS IN THE REMOTE POLAR ICE PACK SINCE THE LATE SUMMER OF 1976
THE AREA MAY BE MORE EXTENSIVE THAN SHOWN
CLOUD COVER MAY PREVENT A DEFINITION OF THE PRECISE LIMITS
10 OLD
O/W
ICE FREE
ICE FREE
ICE FREE
ICE CONCENTRATION
Open water
ICE FREE
ICE THICKNESS (AGE)
OLD
FY
YNG
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 26 AUGUST 1980


20E
10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
MANY OPENINGS---AVERAGE ICE CONCENTRATION ESTIMATED 1-7 TENTHS
THIS IS THE MOST EXTENSIVE AREA OF WEAKNESS IN THE REMOTE POLAR ICE PACK SINCE THE LATE SUMMER OF 1974. THE AREA MAY BE MORE EXTENSIVE THAN SHOWN.
CLOUD COVER MAY PREVENT A DEFINITION OF THE PRECISE LIMITS
ICE FREE
ICE FREE
ICE FREE
O/W
10' OLD
ICE LIMIT


75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W
ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
OW Open water See ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (icebergs e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
TNG Young ice (10 30 cm thick)
N New and nilas
Fast ice See ice which forms and remains fast along the coast
125 Theoretical thickness of this season's growth (cm) based on freezing degree days (presented for first day of each month on final succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 02 SEPT 1980
SATELLITE IMAGERY INDICATES OPENINGS SHOWN ON 26 AUGUST CHART HAVE REFROZEN
ICE FREE
ICE FREE
ICE FREE
10 OLD
10 OLD
10 OLD
O/W
O/W
O/W


0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
10
OLD
ICE FREE
ICE FREE
ICE FREE
O/W
ICE LIMIT

2


ICE CONCENTRATION
4 6 Area 4 6 tenths ice cover
OW Open water See present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N Nilas
Fast ice See to which forms and remains fast along the coast
125 The modal thickness of this season's growth (cm) based on freezing degree days (presumed for first day of each month on first succeeding chart)
Ice boundary visually or small to observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 29 SEPT 1980
AREA OF WEAKNESS
MANY OPENINGS ESTIMATED COVERED BY NEW ICE
SOUTHERN AND NORTHERN LIMITS
UNOBSERVED DUE CLOUDS
ICE FREE
ICE FREE
ICE LIMIT
ICE FREE
O/W
OLD
FY
BELTS
STRIPS


60W
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
155
10
QLD
O/W
AREA OF WEAKNESS
MANY OPENINGS ESTIMATED COVERED BY NEW ICE
SOUTHERN AND NORTHERN LIMITS
UNOBSERVED DUE CLOUDS
2-4
BELTS
STRIPS
ICE LIMIT
ICE FREE
ICE FREE
ICE FREE
ICE
70S
65S
60S
55S
50S
45S
40N
35N


30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
10
QLD
O/W
ICE FREE
ICE FREE
FREE


75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160
ICE CONCENTRATION
4 6 Area 4 6 parts ice covered
OW Open water See ice present in concentrations less than one tenth
ICE FREE No sea ice ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and calm
Fast ice Sea ice which forms and remains fast along the coast
125 Theoretical thickness of this season s growth (cm) based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 16 SEPT 1980
ICE FREE
ICE FREE
ICE FREE
O/W
10 OLD
8-10 OLD/FY/N
8-10 FY/N
5-7 FY/NLI
1-3
PTCHS 3-5 FY/NLI
2-4 FY/NLI
7-9 FY/NLI
4-6 FY/NLI
ICE LIMIT


30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
10
OLD
8-10
OLD/FY/N
ICE LIMIT
O/W
ICE FREE
FREE

2


ICE CONCENTRATION
4 6 Area 4 - 6 tenths ice covered
OW Open water. See ice present in concentrations less than one tenth
ICE FREE No sea ice. Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi-year and second year ice. Generally 2 - 3 m thick
FY Any or all first year ice types. (30 cm - 2 m thick)
YNG Young ice (10 - 30 cm thick)
N New and nilas
Fast ice. Sea ice which forms and remains fast along the coast
Theoretical thickness of this season's growth (ice) based on freezing degree days (processed for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 23 SEPT 1980
ICE FREE
ICE FREE
ICE FREE
ICE LIMIT
O/W
O/W
O/W
O/W
O/W
O/W
OLD
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
ICE FREE
ICE FREE
ICE FREE
ICE LIMIT
O/W
FY/SI/N
STRIPS
PTCHS


ICE CONCENTRATION
O/W Open water. See ice present in concentrations less than one tenth
ICE FREE No sea ice. Ice of land origin (icebergs e.g.) may be present
ICE THICKNESS (AGE)
OLD Includes both multi-year and second year ice. Generally 2 3.5 thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and lates
Fast ice. Sea ice which forms and remains fast along the coast
Thousandths of thickness of this season's growth (ice) based on freezing degree days (presumed for first day of each month on first sustained cold
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 30 SEPT 1980
ICE FREE
ICE FREE
ICE FREE
O/W
O/W
OLD
ICE LIMIT
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
ICE FREE
ICE FREE
ICE FREE


ICE CONCENTRATION
OW Open water. Sea ice present in concentrations less than one tenth
ICE FREE No sea ice. Ice of land origin (iceberg e g.) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice. Generally 2 3.5 m thick
FY Any or all first year sea ice types (30 cm 2 m thick)
TNO Young ice (10 30 cm thick)
N New and nilas
Fast ice. Sea ice which forms and remains fast along the coast
125 Theoretical thickness of this season's growth (cm) based on freezing degree days (accounted for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 07 OCTOBER 1980
ICE FREE
ICE FREE
BY CONVENTION ALL FIRST YEAR ICE SURVIVING THE SUMMER MELT BECOMES SECOND YEAR (OLD) ICE ON 1 OCTOBER!
OLD
OIW PTCHS
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
175E
ICE FREE
ICE FREE
ALL FIRST YEAR ICE SURVIVING THE SUMMER
SECOND YEAR (OLD) ICE ON 1 OCTOBER

2


75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W
ICE CONCENTRATION
ICE THICKNESS (AGE)
OLD
FY
YNG
N
ICE FREE
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 14 OCTOBER 1980


20E
10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
10
OLD
ICE FREE
ICE LIMIT
6-8
4-9
OKUMA
2-11
2-10
WRANGEL
5-7
8-10
9-10
70N
65N
60N
55N
50N
45N
40N
35N


ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
OW Open water See ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
125 Theoretical thickness of this season s growth (cm) based on freezing degree days (processed for first day of each month on 1 of succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 21 OCTOBER 1980
ICE FREE
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
10
ICE FREE
9-10 YNG
9-10 YNG/N
6-8 N
6-8 N/YNG
9-10 N/YNG
70N
65N
60N
55N
50N
45N
40N
35N


ICE CONCENTRATION
4 - 6 Area 4 - 6 tenths ice covered
OW Open water - Sea ice present in concentrations less than one tenth
ICE FREE No sea ice - Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi-year and second year ice - Generally 2 - 3.5 m thick
FY Any o all first year ice types (30 cm - 2 m thick)
YNG Young ice (10 - 30 cm thick)
N New and thin
Fast ice - Sea ice which forms and remains fast along the coat
125 Isothermal thickness of ice - ocean growth (cm) based on freezing degree days (processed for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
5-day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 28 OCT 1980
ICE FREE
ICE FREE
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
160W


10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
10
10
ICE EDGE
ICE LIMIT
ICE LIMIT
8-10 YNG N
8-10 YNG
8-8 N/YNG
8-8 N/YNG
8-8 N/YNG
8-8 N/YNG
8-8 N/YNG
8-8 N/YNG
8-8 YNG/N
8-8 YNG/N
8-8 YNG/N


ICE CONCENTRATION
4 - 6 Area 4 - 6 tenths ice covered
OW Open water - Sea ice present in concentration less than one tenth
ICE FREE No sea ice - Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 - 3 5 m thick
FY Any or all first year ice types (30 cm - 2 m thick)
YNG Young ice (10 - 30 cm thick)
N New and nilas
Fast ice - Sea ice which forms and remains fast along the coast
125 Theoretical thickness of this season's growth (cm) based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 04 NOV 1980
ICE FREE
ICE FREE
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W
10
44
33
36
33
33
30
38
10
51
66
8-10 YNG
8-10 YNG/N
7-9 YNG/N
7-8 YNG
5-7 N
6-8 YNG
7-9 N/YNG
8-9 N/YNG


20E
10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
175E
ICE FREE
9-10 VNG
7-9 VNG/N
7-9 VNG
8-10 VNG/N
5-7 W 6-8 VNG
8-9 VNG
8-9 W/VNG
10
15
30
33
41
51
56
58
59
60
15W
40W
35W


ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
OW Open water See ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or old first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
125 Theoretical thickness of this season s growth (cm) based on freezing degree days (processed for first day of each month on first succeeding count)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 11 NOV 1980
ICE FREE
ICE FREE
ICE LIMIT
ICE LIMIT
ICE LIMIT
ICE LIMIT
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W


E 10E 0 10W 20W 30W 40W 50W 60W 65W 70W 75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
175E 180 175W 170W 165W 160W 155W 150W 145W 140W 135W
ICE FREE
ICE FREE
ICE LIMIT
ICE LIMIT
10 OLD
10 NEW YNGU FY
2-8 YNGFM
8-10 YNGFM
10 YNGU
8-10 NYNG
8-10 YNG
8-10 N
8-10 YNGFM
8-10 YNGFM
7-9/10
65N
60N
55N

2


75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W
10 FY/YNG
10 OLD
9-10 FY/YNG
9-10 YNG/N
9-10 FY/YNG
9-10 N/YNG
9-10 YNG/N
9-10 N/YNG
9-10 YNG
7-9 N/YNG
9-10 N/YNG
ICE FREE
ICE FREE
ICE LIMIT
ICE LIMIT
ICE CONCENTRATION
9 10 Areas 9 - 10 tenths ice covered
Ow Open water - less ice present or concentrations less than one tenth
ICE FREE No sea ice - Ice of land origin (icebergs & ice may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 - 3 5 m thick
FY Any or all first year ice types (30 cm - 2 m thick)
YNG Young ice (10 - 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
135 Theoretical thickness of this season's growth (cm) based on freezing degree days (processed for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 18 NOV 1980


10E 20E 10E 0 10W 20W 30W 40W 50W 60W 65W 70W 75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
10 OLD
10 FY/YNG
9-10 FY/YNG
9-10 YNG/N
7-8 N/YNG
7-8 N
ICE FREE
70E 175E 180 175W 170W 165W 160W 155W 150W 145W 140W 135W


ICE CONCENTRATION
4 6 Area 4 6 tenths ice covered
OW Open water See ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 25 NOV 1980
ICE FREE
ICE FREE
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W


0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
OLD
FY
FYYNG
YNG
YNG/FY
YNG/N
ICE FREE

2


NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 02 DEC 1980
ICE FREE
ICE FREE
ICE FREE
OLD
ICE LIMIT


ICE FREE
ICE FREE
10 OLD
10 FY
10 FY YNG
2-10 YNG/FY
8-10 YNG
8-10 YNG/N
7-9 N/YNG BELTS
ICE LIMIT
ICE LIMIT
ICE LIMIT
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
175E
70W
75W


ICE CONCENTRATION
6 6 Area 6 6 tenths ice covered
OW Open water Sea ice present in concentrations less than one tenth
ICE FREE No sea ice Ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice Sea ice which forms and remains fast along the coast
125 Theoretical thickness of this season's growth (cm) based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 09 DEC 1980
ICE FREE
ICE LIMIT
BELTS/STRIPS
10 OLD
10 FY
8-10 N/YNG
8-10 YNG/N
8-10 YNG/FY
8-10 FY/YNG
8-10 N
7-9 NEW
5-7 N
6-8 N
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


20E
10E
0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
175E
10
OLD
10
FY
10
YNG
9-10
FY/YNG
9-10
YNG/FY
9-10
YNG/N
7-9
NEW
YNG/FY
5-7
BELTS/STRIPS
8-10
ICE FREE
ICE LIMIT
ICE LIMIT
5-7
N
7-9
N
45N
40N
35N

2


ICE CONCENTRATION
10 Area 10 tenths ice covered
OW Open water See ice present in concentrations less than one tenth
ICE FREE No sea ice ice of land origin (iceberg e g) may be present
ICE THICKNESS (AGE)
OLD Includes both multi year and second year ice Generally 2 3 5 m thick
FY Any or all first year ice types (30 cm 2 m thick)
YNG Young ice (10 30 cm thick)
N New and nilas
Fast ice See ice which forms and remains fast along the coast
125 Theoretical thickness of this season s growth (cm) based on freezing degree days (presented for first day of each month on first succeeding chart)
Ice boundary visually or satellite observed
Ice boundary estimated
Seven day forecast of ice edge position
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 16 DEC 1980
ICE FREE
ICE FREE
ICE LIMIT
BELTS/STRIPS
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


10E 20E 10E 0 10W 20W 30W 40W 50W 60W 65W 70W 75W
70W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
175E 180 175W 170W 165W 160W 155W 150W 145W 140W
10 OLD
10 FY/OLD
10 YNG
10 FY
10 YNG/FY
8-10 YNG/FY
8-10 YNG FY
8-10 YNG/N
8-10 N YNG
8-9 YNG
7-9 YNG/N
7-9 N
6-9 BELTS/STRIPS 9-10
ICE LIMIT
ICE FREE
6-7 BELTS/STRIPS 8-10
ICE LIMIT 7-8 N
ICE FREE
45N
40N
35N

2


ICE CONCENTRATION
OW Open water
ICE FREE
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER SUITLAND
SOUTHERN ICE LIMIT 23 DECEMBER 80
ICE LIMIT
ICE FREE
BELTS-STRIPS
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
155E
160E
165E
170E
175E
180
175W
170W
165W
160W


0
10W
20W
30W
40W
50W
60W
65W
70W
75W
80W
85W
90W
95W
100W
105W
110W
115W
120W
125W
130W
135W
140W
145W
150W
155W
160W
165W
170W
175W
180
ICE FREE
ICE FREE
10 OLD
10 FY/OLD
9-10 YNG
10 FY
9-10 YNG/FY
9-10 N/YNG
9-10 YNG/N
9-10 N/YNG
9-10 YNG/N
9-10 N/YNG
9-10 FY
9-10 FY
9-10 FY


ICE CONCENTRATION
OW Open water
ICE FREE
ICE THICKNESS (AOE)
OLD
YNG
N
NAVY - NOAA JOINT ICE CENTER
NAVAL POLAR OCEANOGRAPHY CENTER, SUITLAND
SOUTHERN ICE LIMIT 30 DEC 1980
ICE FREE
ICE FREE
ICE LIMIT
10 OLD
10 FY/OLD
75E
70E
65E
60E
50E
40E
30E
20E
10E
0
10W
20W
30W
40W
50W
80E
85E
90E
95E
100E
105E
110E
115E
120E
125E
130E
135E
140E
145E
150E
155E
160E
165E
170E
175E
180
170W
165W
160W



USCOMM NOAA ASHEVILLE N C 3.81/150

TABLE I TYPE OF SATELLITE IMAGERY UTILIZED DU

Time Period		Satellite Remote Sensing			Res
From	To	Sensor Platform	Sensor Type	Spectral Region	
1-80	11-80	TIROS-N	AVHRR HRPT/LAC VIS NIR IR	 0.55-0.90um 3.55-3.93um 10.5-11.5um	
			GAC VIS IR	 0.55-0.90um 10.5-11.5um	
1-80	8-80	DMSP	HR MI	0.4-1.1um 8.0-13.0um	3 4
1-80	12-80	NOAA-6	AVHRR HRPT/LAC VIS NIR IR	 0.55-0.68um 3.55-3.93um 10.5-11.5um	
2-80	12-80		GAC VIS IR	 0.55-0.68um 10.5-11.5um	
1-80	12-80	NIMBUS-5	ESMR	1.55cm	2
4-80	12-80	NIMBUS-7	SMMR	1.66cm	5(

Abbreviations and Acronyms

AVHRR - Advanced Very High Resolution Radiometer
cm - Centimeter
DMSP - Defense Meteorological Satellite Program
ESMR - Electrically Scanning Microwave Radiometer
GAC - Global Area Coverage
HR - High Resolution (Visual Scanning Radiometer)
HRPT - High Resolution Picture Transmission
IR - Infrared
km - Kilometer
LAC - Local Area (
MI - High Resolut
NIR - Near Infrare
SMRR - Scanning Mul
VHRR - Very High Re
VIS - Visual
um - Micrometer

ERY UTILIZED DURING 1980

al n	Resolution	Coverage
0um 3um 5um	1km 1km 1km	Regional
0um 5um	4km 4km	Global
m um	3.7km 4.4km	Global
8um 3um 5um	1km 1km 1km	Regional
8um 5um	4km	Global
m	25km	Global
m	50km	Global

- Kilometer
C - Local Area Coverage
- High Resolution (Infrared Scanning Radiometer)
R - Near Infrared
RR - Scanning Multifrequency Microwave Radiometer
RR - Very High Resolution Radiometer
S - Visual
- Micrometer