

AD-A098 904


NAVAL OCEAN RESEARCH AND DEVELOPMENT ACTIVITY NSTL 5--ETC F/6 8/3  
CURRENT METER DATA FROM THE SOUTHEASTERN CARIBBEAN SEA, AUGUST --ETC(U  
SEP 80 J D BOYD, T H KINDER


UNCLASSIFIED NORDA-TN-76

NL

1 of 3

40 A  
09 09 74





MICROCOPY RESOLUTION TEST CHART  
ANSI #2 - 1983

# LEVEL II

NORDA Technical Note 76

Naval Ocean Research  
and Development Activity

NSTL Station, Mississippi 39529




## Current Meter Data from the Southeastern Caribbean Sea, August 1978 to February 1979

RS **12**

See 1473

AD 1088904



**SD**  
DTIC  
ELECTE  
MAY 14 1981  
**ED**

**DUPLICATE FILE COPY**

Janice D. Boyd  
Thomas H. Kinder

Oceanography Division  
Ocean Science and Technology Laboratory

SEPTEMBER 1980

81 5 14 011

## ABSTRACT

Thirteen vector-averaging current meters were deployed on four moorings in the southeastern Caribbean Sea from August 1978 to February 1979. Velocity and temperature data are presented graphically as time series, histograms, and as variance spectra. Low-pass filtered data (72 hour period at the half-power point) are presented graphically as progressive vector diagrams, vector diagrams (stick plots), time series, and spectra.

Scalar mean speeds ranged from 4 to 38 cm/s, and (mostly westward) vector mean speeds from 2 to 36 cm/s (all but one were less than 9 cm/s). The velocity and temperature variance were distributed among three frequency bands: subinertial, inertial, and tidal. In the velocity spectra the subinertial variance accounted for an average of 50% of the total variance, inertial 5%, and tidal 10%. In the temperature spectra the subinertial accounted for 75% of the total variance, inertial 1%, and tidal 10%. Individual records had peaks at periods between 10 and 45 days.

#### ACKNOWLEDGEMENTS

Lou Banchero of NORDA and the officers and crew of the USNS KANE deployed and recovered the moorings. Kim Saunders and Mark Bergin of NORDA and personnel from the Physical Oceanography Branch, Naval Oceanographic Office (NAVOCEANO), contributed to the development of the necessary computer programs. Dick Stanford of NAVOCEANO produced the plots.

## CONTENTS

	Page
List of Illustrations	v
I. Introduction	1
II. Measurements	1
III. Presentation of Data	1
A. Editing and Time Series	1
B. Statistics and Current Histograms	2
C. Spectra of Unfiltered Records	2
D. Low-Pass Filter	4
E. Low-Pass Filtered Records	4
F. Spectra of Low-Pass Filtered Records	5
IV. Summary	6
V. References	7

## TABLES

	Page
Table 1. Mooring summary	8
Table 2. Current meter problems	9
Table 3. Day conversion	10
Table 4. Velocity statistics	11
Table 5. Velocity variance	12
Table 6. Temperature variance	13
Table 7. Inertial variance	14
Table 8. Tidal variance	15
Table 9. Low-pass variance	16

<b>Accession For</b>	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	

## ILLUSTRATIONS

		Page
Figure 1.	Location of moorings	17
Figure 2.	Meter 406 current time series	18
Figure 3.	Meter 406 temperature time series	19
Figure 4.	Meter 416 current time series	20
Figure 5.	Meter 416 temperature time series	21
Figure 6.	Meter 412 current time series	22
Figure 7.	Meter 412 temperature time series	23
Figure 8.	Meter 219 current time series	24
Figure 9.	Meter 219 temperature time series	25
Figure 10.	Meter 298 current time series	26
Figure 11.	Meter 298 temperature time Series	27
Figure 12.	Meter 417 current time series	28
Figure 13.	Meter 417 temperature time series	29
Figure 14.	Meter 300 current time series	30
Figure 15.	Meter 300 temperature time series	31
Figure 16.	Meter 296 current time series	32
Figure 17.	Meter 296 temperature time series	33
Figure 18.	Meter 410 current time series	34
Figure 19.	Meter 410 temperature time series	35
Figure 20.	Meter 289 current time series	36
Figure 21.	Meter 289 temperature time series	37
Figure 22.	Meter 216 temperature time series	38
Figure 23.	Meter 407 current time series	39
Figure 24.	Meter 407 temperature time series	40
Figure 25.	Meter 414 current time series	41
Figure 26.	Meter 414 temperature time series	42

	Page
Figure 27. Meter 406 speed and direction histograms	43
Figure 28. Meter 416 speed and direction histograms	44
Figure 29. Meter 412 speed and direction histograms	45
Figure 30. Meter 219 speed and direction histograms	46
Figure 31. Meter 298 speed and direction histograms	47
Figure 32. Meter 417 speed and direction histograms	48
Figure 33. Meter 300 speed and direction histograms	49
Figure 34. Meter 296 speed and direction histograms	50
Figure 35. Meter 410 speed and direction histograms	51
Figure 36. Meter 289 speed and direction histograms	52
Figure 37. Meter 407 speed and direction histograms	53
Figure 38. Meter 414 speed and direction histograms	54
Figure 39. Meter 406 east spectrum	55
Figure 40. Meter 406 north spectrum	56
Figure 41. Meter 406 east-north coherence	57
Figure 42. Meter 406 rotary spectrum	58
Figure 43. Meter 406 rotary coefficient	59
Figure 44. Meter 406 temperature spectrum	60
Figure 45. Meter 416 east spectrum	61
Figure 46. Meter 416 north spectrum	62
Figure 47. Meter 416 east-north coherence	63
Figure 48. Meter 416 rotary spectrum	64
Figure 49. Meter 416 rotary coefficient	65
Figure 50. Meter 416 temperature spectrum	66
Figure 51. Meter 412 east spectrum	67
Figure 52. Meter 412 north spectrum	68
Figure 53. Meter 412 east-north coherence	69

	Page
Figure 54. Meter 412 rotary spectrum	70
Figure 55. Meter 412 rotary coefficient	71
Figure 56. Meter 412 temperature spectrum	72
Figure 57. Meter 219 east spectrum	73
Figure 58. Meter 219 north spectrum	74
Figure 59. Meter 219 east-north coherence	75
Figure 60. Meter 219 rotary spectrum	76
Figure 61. Meter 219 rotary coefficient	77
Figure 62. Meter 219 temperature spectrum	78
Figure 63. Meter 298 east spectrum	79
Figure 64. Meter 298 north spectrum	80
Figure 65. Meter 298 east-north coherence	81
Figure 66. Meter 298 rotary spectrum	82
Figure 67. Meter 298 rotary coefficient	83
Figure 68. Meter 298 temperature spectrum	84
Figure 69. Meter 417 east spectrum	85
Figure 70. Meter 417 north spectrum	86
Figure 71. Meter 417 east-north coherence	87
Figure 72. Meter 417 rotary spectrum	88
Figure 73. Meter 417 rotary coefficient	89
Figure 74. Meter 417 temperature spectrum	90
Figure 75. Meter 300 east spectrum	91
Figure 76. Meter 300 north spectrum	92
Figure 77. Meter 300 east-north coherence	93
Figure 78. Meter 300 rotary spectrum	94
Figure 79. Meter 300 rotary coefficients	95
Figure 80. Meter 300 temperature spectrum	96

	Page
Figure 81. Meter 296 east spectrum	97
Figure 82. Meter 296 north spectrum	98
Figure 83. Meter 296 east-north coherence	99
Figure 84. Meter 296 rotary spectrum	100
Figure 85. Meter 296 rotary coefficient	101
Figure 86. Meter 410 east spectrum	102
Figure 87. Meter 410 north spectrum	103
Figure 88. Meter 410 east-north coherence	104
Figure 89. Meter 410 rotary spectrum	105
Figure 90. Meter 410 rotary coefficient	106
Figure 91. Meter 410 temperature spectrum	107
Figure 92. Meter 289 east spectrum	108
Figure 93. Meter 289 north spectrum	109
Figure 94. Meter 289 east-north coherence	110
Figure 95. Meter 289 rotary spectrum	111
Figure 96. Meter 289 rotary coefficient	112
Figure 97. Meter 289 rotary spectrum	113
Figure 98. Meter 407 east spectrum	114
Figure 99. Meter 407 north spectrum	115
Figure 100. Meter 407 east-north coherence	116
Figure 101. Meter 407 rotary spectrum	117
Figure 102. Meter 407 rotary coefficient	118
Figure 103. Meter 414 east spectrum	119
Figure 104. Meter 414 north spectrum	120
Figure 105. Meter 414 east-north coherence	121
Figure 106. Meter 414 rotary spectrum	122
Figure 107. Meter 414 rotary coefficient	123

	Page
Figure 108. Meter 414 temperature spectrum	124
Figure 109. Meter 406 progressive vector diagram	125
Figure 110. Meter 406 current vector diagram	126
Figure 111. Meter 406 low-pass temperature time series	127
Figure 112. Meter 416 progressive vector diagram	128
Figure 113. Meter 416 current vector diagram	129
Figure 114. Meter 416 low-pass temperature time series	130
Figure 115. Meter 412 progressive vector diagram	131
Figure 116. Meter 412 current vector diagram	132
Figure 117. Meter 412 low-pass temperature time series	133
Figure 118. Meter 219 progressive vector diagram	134
Figure 119. Meter 219 current vector diagram	135
Figure 120. Meter 219 low-pass temperature time series	136
Figure 121. Meter 298 progressive vector diagram	137
Figure 122. Meter 298 current vector diagram	138
Figure 123. Meter 298 low-pass temperature time series	139
Figure 124. Meter 417 progressive vector diagram	140
Figure 125. Meter 417 current vector diagram	141
Figure 126. Meter 417 low-pass temperature time series	142
Figure 127. Meter 300 progressive vector diagram	143
Figure 128. Meter 300 current vector diagram	144
Figure 129. Meter 300 low-pass temperature time series	145
Figure 130. Meter 296 progressive vector diagram	146
Figure 131. Meter 296 current vector diagram	147
Figure 132. Meter 410 progressive vector diagram	148
Figure 133. Meter 410 current vector diagram	149
Figure 134. Meter 410 low-pass temperature time series	150

	Page
Figure 135. Meter 289 progressive vector diagram	151
Figure 136. Meter 289 current vector diagram	152
Figure 137. Meter 289 low-pass temperature time series	153
Figure 138. Meter 407 progressive vector diagram	154
Figure 139. Meter 407 current vector diagram	155
Figure 140. Meter 407 low-pass temperature time series	156
Figure 141. Meter 414 progressive vector diagram	157
Figure 142. Meter 414 current vector diagram	158
Figure 143. Meter 414 low-pass temperature time series	159
Figure 144. Meter 406 low-pass rotary spectrum	160
Figure 145. Meter 406 low-pass rotary coefficient	161
Figure 146. Meter 406 low-pass temperature spectrum	162
Figure 147. Meter 416 low-pass rotary spectrum	163
Figure 148. Meter 416 low-pass rotary coefficient	164
Figure 149. Meter 416 low-pass temperature spectrum	165
Figure 150. Meter 412 low-pass rotary spectrum	166
Figure 151. Meter 412 low-pass rotary coefficient	167
Figure 152. Meter 412 low-pass temperature spectrum	168
Figure 153. Meter 219 low-pass rotary spectrum	169
Figure 154. Meter 219 low-pass rotary coefficient	170
Figure 155. Meter 219 low-pass temperature spectrum	171
Figure 156. Meter 298 low-pass rotary spectrum	172
Figure 157. Meter 298 low-pass rotary coefficient	173
Figure 158. Meter 298 low-pass temperature spectrum	174
Figure 159. Meter 417 low-pass rotary spectrum	175
Figure 160. Meter 417 low-pass rotary coefficient	176
Figure 161. Meter 417 low-pass temperature spectrum	177

	Page
Figure 162. Meter 300 low-pass rotary spectrum	178
Figure 163. Meter 300 low-pass rotary coefficient	179
Figure 164. Meter 300 low-pass temperature spectrum	180
Figure 165. Meter 296 low-pass rotary spectrum	181
Figure 166. Meter 296 low-pass rotary coefficient	182
Figure 167. Meter 410 low-pass rotary spectrum	183
Figure 168. Meter 410 low-pass rotary coefficient	184
Figure 169. Meter 410 low-pass temperature spectrum	185
Figure 170. Meter 289 low-pass rotary spectrum	186
Figure 171. Meter 289 low-pass rotary coefficient	187
Figure 172. Meter 289 low-pass temperature spectrum	188
Figure 173. Meter 407 low-pass rotary spectrum	189
Figure 174. Meter 407 low-pass rotary coefficient	190
Figure 175. Meter 407 low-pass temperature spectrum	191
Figure 176. Meter 414 low-pass rotary spectrum	192
Figure 177. Meter 414 low-pass rotary coefficient	193
Figure 178. Meter 414 low-pass temperature spectrum	194

## I. INTRODUCTION

The southeastern Caribbean Sea (Fig. 1) manifests intense mesoscale variability (Wyrski et al., 1976), and it is the location of strong inflows from the Atlantic Ocean (Stalcup and Metcalf, 1972) which begin the Caribbean Current/Loop Current/Gulf Stream current system. Instabilities in these strong inflows may form eddies in Grenada Basin, west of the narrow passages through the southern Lesser Antilles (Leming, 1971).

We have examined the mesoscale variability in this region using both observations (Mazeika et al., 1980a and 1980b) and numerical modeling. Our goal is to understand the mesoscale variability through a synthesis of field observations and modeling, and to test a sophisticated numerical model in a regime different from the Gulf of Mexico, for which it was designed (Hurlburt and Thompson, in press).

In order to assess the time scales and energy levels of subinertial variability (presumably coincident with mesoscale spatial variability), four current meter moorings were deployed from August 1978 to February 1979 (Fig. 1 and Table 1). This report presents the preliminary analysis of the resulting data and the techniques used.

## II. MEASUREMENTS

We used AMF vector averaging current meters (model 610), which recorded average speed, direction, and temperature every 15 minutes. Speed was accurate to  $\pm 1$  cm/s and the threshold of the Savonius rotor was 3 cm/s or lower. Direction was accurate to  $\pm 3^\circ$ . The installed thermistors were accurate to  $\pm 0.1^\circ\text{C}$  and were precise to  $\pm 0.01^\circ\text{C}$ . The manufacturer's manual (AMF, 1976) gives further details on instrument construction, and Woodward and Appel (1973) and McCullough (1975) describe determination of accuracies.

Actual depths of the instruments varied from the planned depths. Corrected depths given in Table 1 were estimated by comparing the temperature data with deployment and recovery cruise CTD profiles from Teague (1979) and Teague (1980). Corrected depths are used in the text, but planned depths are given on the figures.

## III. PRESENTATION OF DATA

### A. EDITING AND TIME SERIES

The data were first plotted as time series to examine each record for anomalous data. We removed beginning and ending transients, and replaced isolated spikes with interpolated values. Figures 2-26 display the edited series. Current meter problems are tabulated in Table 2. Seven of thirteen instruments ran for the full deployment without problem. Meter 296 had a noisy temperature record (Fig. 17) that was not amenable to simple editing. Meter 216 had no velocity data and meter 407 had an erratic temperature record (Fig. 24). Appropriate plots from these three meters are missing because of these data problems.

The records show high frequency fluctuations of 0.4-2.0 cycles per day (2.5-0.5 day periods) superimposed on lower frequency fluctuations of less than 0.1 cycles per day (10 day period). Later in this report we show that the 0.4-2.0 cycles per day fluctuations occur primarily at inertial and semi-diurnal frequencies.

Two peculiarities of the data are not instrumental errors as they might appear. The temperature spike near day 260 (all dates are in year-day for 1978; see Table 3) in Figure 7 corresponded to similar events at the other two instruments on mooring A (Figs. 3 and 5). Similarly, the large negative temperature excursion of meter 300 near day 260 in Figure 15 corresponded to similar events at the other instruments on mooring C (Figs. 17 and 19).

#### B. STATISTICS AND CURRENT HISTOGRAMS

Figures 27-38 show speed histograms, direction histograms, and cumulative speed distributions. Disregard those portions of the speed histograms lying at or below the VACM threshold of about 3 cm/sec.

Table 4 lists basic statistics. Scalar mean speeds varied from 4.5 to 38.5 cm/s, and vector mean speeds from 2.2 to 35.7 cm/s. Records from mooring A had the most unidirectional flow, closely followed by the mooring C records. Least unidirectional records were from mooring D, except from the deepest meter where the flow was as persistent as that at mooring A.

A significant mean flow was present in all records. At mooring A the mean flow was W, from WNW at the shallow meter to W at the two deeper meters. At mooring B the mean was also W, from WNW at the two shallower meters to WSW at the deepest meter. At mooring C the mean was NW, from N at the shallow meter, to NNW at the intermediate meter, to NW at the deepest meter. The monotonic sense of rotation of the mean at all three moorings was counterclockwise proceeding from the shallowest to the deepest meter. At mooring D the mean flow at the two shallowest meters was NNE, and the mean flow was S at the deepest meter.

#### C. SPECTRA OF UNFILTERED RECORDS

The east-north and clockwise-counterclockwise velocity spectra and temperature spectra are presented in Figures 39 to 108. Coherence magnitude squared and phase (for the east-north decomposition) and rotary coefficient (for the clockwise-counterclockwise decomposition) are also given. The rotary coefficient is the clockwise minus counterclockwise variance divided by their sum, and is zero for rectilinear motion and plus one for circular clockwise motion (e.g., Calman, 1978; Mooers, 1973; and Gonella, 1972). We use rotary spectral analysis extensively because of its independence from coordinate system orientation. In locations away from large topographic gradients, rotary spectra often prove more satisfactory than coordinate-dependent spectra.

Prior to spectral calculations, the number of points in the 190 day records were halved by low-pass filtering to remove high frequency (>1 cph) energy and resampling at 30 minute intervals. All records were then tapered with a Hann window and fast Fourier transformed. Spectra were corrected for the effects of the window and were frequency band averaged over frequency - increasing numbers of points to increase spectral stability and to reduce the number of points plotted at high frequencies. The frequency-dependent averaging scheme is reflected in the changing sizes of the confidence intervals and significance levels on the plots.

The record from current meter 298, the intermediate depth meter on mooring B, had typical results (Figs. 63-68). There was high variance density (Figs. 63 and 64) at frequencies below  $1 \times 10^{-2}$  cph (100 hours), a spectral valley separating these frequencies from the inertial peak (inertial frequency =  $1.93 \times 10^{-2}$  cph, or 52 hour period), a strong semidiurnal peak, then a decrease with about -2 slope to the Nyquist frequency. The Nyquist frequency was 1 cph for the resampled day

records, and 2 cph for the shorter records. Small peaks occurred at the first and second harmonics of the semidiurnal (M2) frequency.

The coherence squared between east and north components (Fig. 65) was generally significant. Typical of all records, a broad peak in coherence corresponded to the broad inertial peak in variance density. This peak extended toward frequencies higher than the local inertial frequency. A narrow peak in coherence corresponded to the narrow variance density peak at the semidiurnal frequency. The phase plot showed a plateau near  $+90^\circ$  coincident with the broad inertial peak in spectral plots.

At most frequencies the rotary spectrum (Fig. 66) resembled the spectra from the east-north decomposition. Notably different were the domination of both the clockwise variance at the inertial peak and the domination of counterclockwise variance at the lowest frequencies. The rotary coefficient (Fig. 67) was nearly  $+1.00$  across the inertial peak and about  $-0.60$  at the lowest frequencies.

The temperature spectrum (Fig. 68) had high variance density at low frequencies, a small inertial peak, and peaks at the semidiurnal frequency and its first two harmonics. The temperature spectra typically lacked a clearly defined valley separating low-frequency and inertial variance.

The spectral results were all plotted as variance density, i.e., variance per frequency bandwidth. This presentation can obscure the relative amount of variance contained in different frequency segments. To examine the amount of variance in different segments, we constructed Tables 5 and 6 using three frequency ranges: low frequency, inertial, and tidal. The low frequency band was all harmonic coefficients at frequencies less than  $1.39 \times 10^{-2}$  cph (72 hour period), the inertial band was the first harmonic coefficient at a frequency higher than the inertial frequency, and the tidal segment was the sum of the two harmonic coefficients nearest  $4.18 \times 10^{-2}$  cph (23.93 hours, K1) and  $8.05 \times 10^{-2}$  cph (12.42 hours, M2). The total variance is that represented by the harmonic coefficients after correcting for tapering. The tables list both variance and percent of total variance.

Several effects reduce the precision of these calculations. Because the spectra have high variance densities at the lowest frequencies, longer records have more low frequency variance. The inertial peak is typically quite broad, but only one estimate was used to represent this peak (it was always the largest harmonic coefficient within the inertial peak). The tidal peaks were defined by harmonic coefficients representing frequency bands that were not centered on the tidal frequencies. Finally, the total variance was calculated after filtering (longest records only) and tapering (a correction was applied), so that this variance is not identical to the variance of the original time series. In spite of these effects, the tables quantitatively show the division of variance corresponding to peaks in the spectral plots.

The record from meter 298, for example, had 87% of its velocity variance and 82% of its temperature variance in the three categories. Examining the velocity variance of all records, low frequencies accounted for about 50%, inertial for about 5%, and tidal for about 10% of the total variance. For temperature, low frequencies accounted for about 75%, inertial for about 1%, and tidal for about 10% of the total variance. In all cases the sum of the three categories included over 50% of both the velocity and temperature variances.

Table 7 lists data for the inertial frequency. Inertial waves (or near-inertial waves) would be expected to have the following properties: equipartition of energy between east and north components, all variance in the clockwise component, a coherence of 1.00, and a phase between east and north components of  $+90^\circ$ . Table 7 shows that this was nearly satisfied in all records, even those from the deepest current meters.

Table 8 lists tidal variance at the diurnal frequency, semidiurnal frequency, and at the first two harmonics of the semidiurnal frequency. For both velocity and temperature the semidiurnal variance is much greater than diurnal variance. There was often no peak at the diurnal frequency, while the semidiurnal frequency always had a peak, usually a prominent one. The first harmonic of the semidiurnal frequency usually had a peak that contained more variance than was contained at the diurnal frequency.

#### D. LOW PASS FILTER

Our primary interest in these data is in the low frequency variability. In order to examine this region of the spectrum more carefully, we low-pass filtered the time series to remove inertial and higher frequencies. We chose  $1.39 \times 10^{-2}$  cph (72 hours) as the half power point of the filter because this frequency is in the spectral valley that separated the low frequency and the inertial peaks in the longest records. Following filtering, the series were resampled every 12 hours. Examination of the records after filtering revealed: about 99% of the variance at  $8.6 \times 10^{-3}$  cph (116 hours) passed, about 0.2% of the variance passed at  $1.8 \times 10^{-2}$  cph (56 hours, the inertial period at mooring D); about  $2 \times 10^{-4}$ % of the variance passed at  $2.0 \times 10^{-2}$  cph (49 hours, the inertial period at mooring A); and about  $2 \times 10^{-10}$ % of the variance passed at  $8.1 \times 10^{-2}$  cph (12.4 hours, the M2 tide). Because of the long filter length used, about eight days were lost from each end of the records.

Table 9 compares the low frequency variance estimated from the spectra of the unfiltered records (Tables 5 and 6) to the variance in the spectra of the filtered series (discussed in further detail later). For the longest records, about 90% of the velocity and about 100% of the temperature variance passed the filter. Because the frequency bands were not identical for the filtered and unfiltered calculations, and because the series lengths were different, agreement between unfiltered and filtered variance is imperfect.

#### E. LOW-PASS FILTERED RECORDS

After low-pass filtering the records, current and temperature series were again plotted (Figs. 109-143). Velocity was plotted as a progressive vector diagram and as a stick plot, and temperature was plotted as a time series.

The progressive vector diagram for meter 298 (Fig. 121), for example, shows variability at periods of 10 to 20 days imposed on the mean (3.9 cm/s at  $290^\circ\text{T}$ ; see Table 4). The mean itself can be viewed as the resultant of two long segments of flow, the first about 50 days long (240 to 290) northward and the second about 100 days long (290 to 390) west-southwestward.

Results from the progressive vector diagrams enlarge upon the conclusions drawn from the basic velocity statistics in section 3-B. The flow at mooring A tended to be W. Greatest variability occurred at the deepest meter (Fig. 115): flow W for about 40 days, S for about 80, then NW. At mooring B the flow was initially N for about 60 days, then predominantly W or SW. Mooring C indi-

mainly W or NNW flow. The most variable flows were at mooring D (Figs. 135, 138, 141). The upper meter indicated S for for about 60 days, then mostly N. Flow at 850 m was predominantly SSE for 60 days, then became N. At the deepest meter (1650 m) flow was predominantly S. Superimposed upon these flows were occasional closed paths, which may indicate the passage of eddies or waves.

The vector or stick plot (e.g., Fig. 122) is a vector plotted every 12 hours along a time axis. The length of the vector is proportional to speed, and the direction of the arrow from the time-axis to the tip is current direction; north is up in all our plots. Although the low pass filter had a half-power point at 72 hours, plotting vectors every 12 hours resolves clearly motions of a few days' period.

Three features characterize the low passed temperature time series plots. The first is a large amplitude modulation of the records at very long periods (only a few cycles per 100-178 day record). The second is an intermediate amplitude periodicity ranging between 10 to 30 day periods ( $4$  to  $1 \times 10^{-3}$  cph) and the last is a low amplitude, 4-16 day period ( $10$  to  $7 \times 10^{-3}$  cph) oscillation, which is also evident from the spectral analysis in the next section.

#### F. SPECTRA OF LOW-PASS FILTERED RECORDS

The low-passed spectra are displayed as periodograms (magnitude squared of the coefficients of the Fourier decomposition) plotted for periods greater than or equal to 72 hours, the half-power point of the filter. Unsmoothed periodograms are erratic because the variance estimates are inconsistent (their variability does not decrease as record length increases), but we chose to let the eye rather than the computer smooth the plots because, depending on record length, only 10-58 raw spectral estimates were available.

Since rotary spectra are independent of coordinate system orientation, plots from the rotary decomposition not from the east-north decomposition are presented here. In virtually all cases, however, peaks in the rotary spectra have corresponding peaks in the east-north spectra.

Low-passed current rotary spectra and the rotary coefficient (clockwise minus counterclockwise variance divided by their sum) are given in Figures 144 to 178. Counterclockwise motion dominates long periods (low frequencies) down to about 10 days ( $4.0 \times 10^{-3}$  cph) in the upper meters of all moorings and the intermediate meters of moorings B and C (for the upper meter of D, the counterclockwise domination is true only down to about 35 days). Predominantly clockwise motion with periods from 8 to 30 days ( $5.0$  to  $1.0 \times 10^{-3}$  cph) characterizes the intermediate and deep meters of mooring A. No preferred sense of rotation is evident for most meters at periods shorter than 8 days.

Moorings A, B, and D have maximum variance density at the very longest periods and spectra falling off with about a -2 slope, with various local maxima between 30 and 10 days ( $1.0$  to  $4.0 \times 10^{-3}$  cph). Mooring C, the only mooring clearly located over the Grenada Basin abyssal plain, has distinctive inverted U-shaped spectra. Significant peaks with variance densities as large or larger than those at very long periods occurred at 45-50 days ( $0.9$  to  $0.8 \times 10^{-3}$  cph) (shallow and deep meters), 20-30 days ( $2.0$  to  $1.0 \times 10^{-3}$  cph) (all three meters), and 10 days ( $4 \times 10^{-3}$  cph) (intermediate depth meter).

The low-passed temperature spectra show many peaks at a variety of periods. The large amplitude, very low frequency motion - if indeed it is periodic - cannot

be resolved with these record lengths; but the large amplitude is reflected in the great low frequency variance density of the temperature spectra. Only one meter, the deepest of mooring D, however, appears to have a particular low frequency peak, at about a 50 day period ( $0.8 \times 10^{-3}$  cph).

The intermediate amplitude periodicity between 10-30 day periods ( $4.0$  to  $1.0 \times 10^{-3}$  cph) is ill-defined in the temperature spectra. No particularly dominant periods appear. Nine meters have peaks between 10 and 20 days ( $4.0$  to  $2.0 \times 10^{-3}$  cph), while four have peaks between 25-35 days ( $1.6$  to  $1.0 \times 10^{-3}$  cph). The 4-6 day ( $10.0$  to  $7.0 \times 10^{-3}$  cph) oscillation evident in most of the temperature time series plots is perhaps reflected in the plethora of peaks visible in virtually all spectra at 3-9 day periods ( $14.0$  to  $4.6 \times 10^{-3}$  cph).

#### IV. SUMMARY

Four current meter moorings with thirteen AMF vector averaging current meters were deployed in the southeastern Caribbean from August 1978 to February 1979 as part of a study to examine space and time scales of the mesoscale variability in the area.

Significant mean flows were observed at all moorings. Scalar mean speeds were  $4.5$  to  $38.5$  cm/s and vector mean speeds  $2.2$  to  $35.7$  cm/sec. Flow at mooring A was generally W, at B, first N then W or SW, and at C, N or NNW. Net flow at the upper meters of D (250 m and 850 m) was N, but substantial direction changes on a 1-4 month time scale occurred three times. Flow at mooring D's deepest meter (1650 m), however, was persistently S.

High variance densities at subinertial frequencies (presumably corresponding to the mesoscale processes of interest) were separated from inertial and tidal peaks by a distinct spectral valley in the current spectra, but by a considerably less conspicuous valley in the temperature spectra. In the velocity spectra, the subinertial variance accounted for about 50% of the total variance, inertial for about 5%, and tidal for about 10%. In the temperature spectra the corresponding values were 75%, 1%, and 10%.

The data were filtered to pass only energy at subinertial frequencies and were resampled at a 12 hour interval. Many peaks appeared in the spectra of the filtered data, but not at any particular frequencies.

In the current spectra, variance at moorings A, B, and D was maximum at lowest frequencies and declined with increasing frequency (shorter periods). A variety of minor peaks were seen between 10 and 30 days ( $4.0$  to  $1.0 \times 10^{-3}$  cph). Spectra from mooring C had a distinctive inverted "U" shape, with significant peaks at one or more meters at about 45 days ( $0.9 \times 10^{-3}$  cph), 20-30 days ( $2.0$  to  $1.0 \times 10^{-3}$  cph) and 10 days ( $4.0 \times 10^{-3}$  cph).

Filtered temperature spectra had variance falling off with increasing frequency and a plethora of minor peaks. Four meters had peaks between 25-35 days ( $1.7$  to  $1.0 \times 10^{-3}$  cph), nine between 10-20 days ( $4.0$  to  $2.0 \times 10^{-3}$  cph), and all meters between 3-9 days ( $14.0$  to  $4.6 \times 10^{-3}$  cph).

Finally, a significant temperature event appeared near day 260 in the time series from moorings A and C. We have no explanation for its cause, but do not think it is due to instrument malfunction, since it appears in all six records from two widely separated moorings.

## V. REFERENCES

AMF (1976). Vector Averaging Current Meter, Model 610C. AMF Electrical Products Development Division of AMF Incorporated, Herndon, VA.

Calman, J. (1978). On the Interpretation of Ocean Current Spectra. Part 1: The Kinematics of Three-dimensional Vector Time Series. *J. Phys. Oceanogr.* 8 (4): 627-643.

Gonella, J. (1972). A Rotary-component Method for Analysing Meteorological and Oceanographic Vector Time Series. *Deep Sea Res.* 19 (12):833-846.

Hurlburt, H.E. and J.D. Thompson (in press). A Numerical Study of Loop Current Intrusions and Eddy Shedding. *J. Phys. Oceanogr.*

Leming, T.D. (1971). Eddies West of the Southern Lesser Antilles. In: Symposium on Investigations and Resources of the Caribbean Sea and Adjacent Regions. UNESCO, Paris. pp. 113-120.

Mazeika, P.A., D.A. Burns, and T.H. Kinder (1980a). Mesoscale Circulation East of the Southern Lesser Antilles. *J. Geophys. Res.* 85(C5):2743-2758.

Mazeika, P.A., D.A. Burns, and T.H. Kinder (1980b). Measured Flow in St. Vincent and Grenada Passages. *NORDA Tech. Note* 62.

McCullough, J.R. (1975). Vector Averaging Current Meter Speed Calibration and Recording Procedure. Woods Hole Oceanographic Institution Tech. Rept. WHOI-75-44, 35 p.

Mooers, C.N.K. (1973). A Technique for the Cross Spectrum Analysis of Complex-valued Time Series, with Emphasis on Properties of Polarized Components and Rotary Invariants. *Deep Sea Res.* 20(12):1129-1141.

Stalcup, M.C. and W.G. Metcalf (1972). Current Measurements in the Passages of the Lesser Antilles. *J. Geophys. Res.* 77(6):1032-1049.

Teague, W.J. (1979). Data Report. CTD Profiles in the Eastern Caribbean Sea, August 1978. Naval Oceanographic Office Technical Note TN 7210-79, 106 p.

Teague, W.J. (1980). Data Report. CTD Profiles in the Eastern Caribbean Sea, February 1980. Naval Oceanographic Office Technical Note TN 7210-7-80, 58 p.

Woodward, W.E. and G.F. Appell (1973). Report on the Evaluation of a Vector Averaging Current Meter. NOAA Tech. Memo. NOAA-TM-NOS-NOIC-1, 64 p.

Wyrтки, K., L. Magaard, and J. Hager (1976). Eddy Energy in the Oceans. *J. Geophys. Res.* 81(15):2641-2646.

Table 1. Mooring Summary

Mooring	Location and Water Depth	Date Deployed and Recovered	Meter Number	Planned Depth (m)	Estimated Depth (m)	Record Length (days)
A	14-10.4 N	5 August 1978	406	193	100	55
	62-33.7 W	10 February 1979	416	393	300	120
	2583 m		412	793	700	190
B	13-24.3 N	5 August 1978	219	193	200	60
	62-26.9 W	13 February 1979	298	393	400	190
	2983 m		417	793	800	190
C	13-04.9 N	6 August 1978	300	150	150	190
	61-59.4 W	14 February 1979	296	350	350	110
	2983 m		410	750	750	190
D	12-19.6 N	6 August 1978	289	150	250	190
	63-01.8 W	14 February 1979	216	350	450	01
	2895 m		407	750	850	190
			414	1500	1650	190

NOTE 1. No velocity data; 190 day temperature record.

Table 2. Current Meter Problems

Mooring and Planned Depth	Serial No.	Description
A193	406	Stopped early (55 days record length)
A393	416	Stopped early (120 days record length)
A793	412	None
B193	219	Stopped early (60 days record length)
B393	298	None
B793	417	None
C150	289	None
C350	296	Stopped early (110 days record length) Noisy temperature record
C750	410	None
D150	289	None
D350	216	No velocity data
D750	407	Erratic temperature record
D1500	414	None

Table 3. Day Conversion

<u>Year-Day 1978</u>	<u>Date</u>
1	1 January 1978
213	1 August 1978
244	1 September 1978
274	1 October 1978
305	1 November 1978
335	1 December 1978
366	1 January 1979
397	1 February 1979
425	1 March 1979

Table 4. Velocity Statistics

Mooring and Current Meter	Scalar Speed (cm/s)		Vector Mean (cm/s, OT)		Maximum Component Speeds (cm/s)				
	Mean	Standard Deviation	Maximum	Speed	Direction	East	West	North	South
A 406	38.5	12.6	69.2	35.7	287	1.1	67.9	58.6	35.3
A 416	11.8	6.8	39.6	8.6	264	10.6	37.6	26.5	25.6
A 412	10.1	6.1	38.3	5.0	260	18.7	36.1	21.9	27.0
B 219	12.3	5.5	35.0	4.3	301	19.6	26.6	28.8	34.2
B 298	9.8	5.2	31.3	3.9	290	17.4	30.9	26.7	24.5
B 417	6.7	3.4	24.5	3.1	256	13.7	20.5	14.5	17.3
C 300	13.7	7.3	40.8	7.2	352	39.4	33.3	36.0	25.6
C 296	9.9	5.4	31.8	4.3	336	29.6	25.0	24.9	15.0
C 410	7.6	3.9	23.3	3.7	304	16.6	22.9	20.5	14.1
D 289	12.9	7.4	40.9	2.2	019	34.1	25.8	40.6	35.6
D 416	-	-	-	-	-	-	-	-	-
D 406	9.3	4.8	31.7	2.1	022	27.5	14.7	30.2	25.4
E 414	4.5	2.2	14.9	2.7	176	11.1	9.3	6.5	14.3

Table 5. Velocity Variance ( $\text{cm}^2/\text{s}^2$ , %)

	<u>Total</u>	<u>Low Frequency</u> <sup>1</sup>	<u>Inertial</u> <sup>2</sup>	<u>Tidal</u> <sup>3</sup>
A 406	289 (100)	119 (41)	21 (7)	26 (9)
A 416	91 (100)	55 (60)	1 (1)	10 (11)
A 412	101 (100)	73 (73)	5 (5)	5 (5)
B 219	157 (100)	100 (64)	3 (2)	16 (11)
B 298	125 (100)	88 (70)	6 (5)	15 (12)
B 417	48 (100)	28 (59)	6 (12)	5 (9)
C 300	291 (100)	132 (45)	10 (4)	30 (10)
C 296	125 (100)	81 (65)	1 (1)	9 (8)
C 410	57 (100)	30 (52)	5 (9)	6 (11)
D 289	205 (100)	156 (76)	19 (9)	6 (3)
D 216	-	-	-	-
D 407	88 (100)	62 (70)	5 (6)	4 (5)
D 414	13 (100)	5 (39)	2 (14)	2 (14)

1. Sum of estimates with periods longer than 72 hours.
2. First estimate with period shorter than inertial period.
3. Sum of two estimates nearest 12.42 hours (M2) and 23.93 hours (K1).

Table 6. Temperature Variance ( $^{\circ}\text{C}^2$ , %)

	<u>Total</u>	<u>Low Frequency</u> <sup>1</sup>	<u>Inertial</u> <sup>2</sup>	<u>Tidal</u> <sup>3</sup>
406	1.88 (100)	0.80 (42)	0.01 (1)	0.77 (41)
416	0.92 (100)	0.56 (61)	0.02 (2)	0.12 (13)
412	0.37 (100)	0.31 (83)	0.004 (1)	0.01 (4)
219	0.51 (100)	0.38 (75)	0.01 (1)	0.03 (7)
298	0.29 (100)	0.21 (73)	0.01 (2)	0.02 (7)
417	0.018 (100)	0.014 (77)	0.000 (1)	0.001 (5)
300	0.85 (100)	0.68 (80)	0.01 (1)	0.03 (4)
296	-	-	-	-
410	0.032 (100)	0.024 (74)	0.00 (1)	0.05 (15)
289	0.56 (100)	0.39 (71)	0.01 (2)	0.09 (17)
216	-	-	-	-
407	-	-	-	-
414	0.0003 (100)	0.0002 (75)	0.0000 (5)	0.0000 (6)

1. Sum of estimates with periods longer than 72 hours.
2. First estimate with period shorter than inertial period.
3. Sum of two estimates nearest 12.42 hours (M2) and 23.93 hours (K1).

Table 7. Inertial Variance<sup>1</sup>

	Variance (cm/s) <sup>2</sup>				East-North Coherence	
	East	North	Total	Clockwise	(Coherence) <sup>2</sup>	Phase
406	5.8	14.8	20.6	17.6	0.91	124
416	0.4	0.2	0.6	0.6	0.94	93
412	2.2	2.3	4.6	5.7	0.90	87
219	1.6	1.7	3.4	3.3	1.00	93
298	2.9	3.6	6.5	6.3	0.92	90
417	3.1	2.6	5.6	5.5	0.92	83
300	5.2	5.2	10.4	10.1	0.91	83
296	0.3	0.4	0.7	0.6	0.93	95
410	2.4	2.7	5.2	5.1	0.96	89
289	9.2	9.9	19.1	18.9	0.95	88
216	-	-	-	-	-	-
407	2.3	2.8	5.2	5.0	0.89	83
414	1.1	0.8	1.8	1.7	0.80	86

1. The first coefficient with center frequency higher than inertial was used. In all cases this coefficient had the highest variance density within the broad inertial peak.

Table 8. Tidal Variance<sup>1</sup>

	<u>Velocity (cm/s)<sup>2</sup></u>		<u>Temperature (°C)<sup>2</sup></u>					
	Diurnal	Semidiurnal	H <sub>1</sub>	H <sub>2</sub>	Diurnal	Semidiurnal	H <sub>1</sub>	H <sub>2</sub>
406	1.57	24.5	6.62	2.00*	0.010	0.759	0.030	0.009
416	0.77*	9.7	1.75	0.43*	0.010	0.111	0.039	0.004*
412	-	-	-	-	-	-	-	-
219	0.38*	16.1	1.11*	0.57*	0.001*	0.032	0.011	0.001*
298	0.43*	14.9	0.60	0.22	0.002	0.017	0.003	0.001
417	0.29*	4.2	0.49	0.15	0.0001	0.0009	0.0003	0.0001
300	1.32	28.2	2.12	0.92	0.003*	0.031	0.009	0.002
296	0.79*	8.6	0.65	0.52	-	-	-	-
410	0.50	5.6	0.73	0.25	0.0001	0.0046	0.0001	0.00005
289	-	-	-	-	-	-	-	-
216	-	-	-	-	-	-	-	-
407	0.45*	3.6	0.54	0.14*	0.001*	0.001	0.0003	0.0001*
414	0.13	1.7	0.06	0.03	2x10 <sup>-6</sup>	16x10 <sup>-6</sup>	2x10 <sup>-6</sup>	1x10 <sup>-6</sup> *

1. Diurnal is the coefficient nearest 23.93 hours (K1) and semidiurnal is the coefficient nearest 12.42 hours (M2). H<sub>1</sub> and H<sub>2</sub> are the first and second harmonics of M2. An asterisk indicates that the amplitude was not larger than both of the two adjacent coefficients.

Table 9. Low-Pass Variance

	Record <sup>1</sup> Length (days)	Velocity Variance			Temperature Variance		
		Unfiltered <sup>2</sup> (cm/s) <sup>2</sup>	Low-Pass (cm/s) <sup>2</sup>	Percent (%)	Unfiltered <sup>2</sup> (°C) <sup>2</sup>	Low-Pass (°C) <sup>2</sup>	Percent (%)
406	30	119	86	72	0.80	0.56	70
416	100	55	49	90	0.56	0.48	86
412	172	101	72	72	0.37	0.31	84
219	35	100	73	72	0.38	0.21	54
298	174	88	88	101	0.21	0.22	102
417	174	28	24	86	0.014	0.015	104
300	174	132	131	99	0.68	0.66	98
296	90	81	86	106	-	-	-
410	174	30	29	97	0.024	0.023	98
289	174	156	142	91	0.39	0.33	84
216	-	-	-	-	-	-	-
407	174	62	57	92	-	-	-
414	174	5	5	97	0.0002	0.0002	96

1. The low-pass filtering reduced the useful length of the time series.
2. The unfiltered variance is the variance that was estimated for the low frequency segment of the spectrum. See Tables 5 and 6.






Figure 1. Location of moorings




File :	VACMF	Array :	A
Meter :	406	Depth :	193
Latitude :	14.17300	Start :	06 AUG 1978
Longitude :	62.54450	End :	21 SEP 1978

Figure 2. Meter 406 current time series




File :	VACMF	Array :	A
Meter :	406	Depth :	193
Latitude :	14.17300	Start :	06 AUG 1978
Longitude:	62.54450	End :	21 SEP 1978

Figure 3. Meter 406 temperature time series




File :	VACMF	Array :	A
Meter :	416	Depth :	393
Latitude :	14.17300	Start :	06 AUG 1978
Longitude :	62.54450	End :	30 NOV 1978

Figure 4. Meter 416 current time series




File :	VACMF	Array :	A
Meter :	416	Depth :	393
Latitude :	14.17300	Start :	06 AUG 1978
Longitude :	62.54450	End :	30 NOV 1978

Figure 5. Meter 416 temperature time series




File :	VACMF	Array :	A
Meter :	412	Depth :	793
Latitude :	14.17300	Start :	06 AUG 1978
Longitude :	62.54450	End :	28 FEB 1979

Figure 6. Meter 412 current time series




File :	VACMF	Array	A
Meter :	412	Depth :	793
Latitude :	14.17300	Start :	06 AUG 1978
Longitude:	62.54450	End :	28 FEB 1979

Figure 7. Meter 412 temperature time series



File :	VACMF	Array :	B
Meter :	219	Depth :	193
Latitude :	13.40500	Start :	07 AUG 1978
Longitude :	62.44900	End :	27 SEP 1978


Figure 8. Meter 219 current time series



File : VACMF  
 Meter : 219  
 Latitude : 13.40500  
 Longitude : 62.44900


Array : B  
 Depth : 193  
 Start : 07 AUG 1978  
 End : 27 SEP 1978

Figure 9. Meter 219 temperature time series




File :	VACMF	Array :	B
Meter :	298	Depth :	393
Latitude :	13.40500	Start :	07 AUG 1978
Longitude :	62.44900	End :	13 FEB 1979

Figure 10. Meter 298 current time series




File	VACMF	Array	B
Meter	298	Depth	393
Latitude	13.40500	Start	07 AUG 1978
Longitude	62.44900	End	13 FEB 1979

Figure 11. Meter 298 temperature time Series




File :	VACMF	Array :	B
Meter :	417	Depth :	793
Latitude :	13.40500	Start :	07 AUG 1978
Longitude :	62.44900	End :	13 FEB 1979

Figure 12. Meter 417 current time series




File :	VACMF	Array :	B
Meter :	417	Depth :	793
Latitude :	13.40500	Start :	07 AUG 1978
Longitude :	62.44900	End :	13 FEB 1979

Figure 13. Meter 417 temperature time series




File :	VACMF	Array :	C
Meter :	300	Depth :	150
Latitude :	13.08230	Start :	07 AUG 1978
Longitude :	61.99000	End :	14 FEB 1979

Figure 14. Meter 300 current time series




File :	VACMF	Array :	C
Meter :	300	Depth :	150
Latitude :	13.08230	Start :	07 AUG 1978
Longitude:	61.99000	End :	14 FEB 1979

Figure 15. Meter 300 temperature time series




File :	VACMF	Array :	C
Meter :	296	Depth :	350
Latitude :	13.08230	Start :	07 AUG 1978
Longitude :	61.99000	End :	23 NOV 1978

Figure 16. Meter 296 current time series




File :	VACMF	Array	C
Meter	296	Depth :	350
Latitude :	13.08230	Start :	07 AUG 1978
Longitude:	61.99000	End :	23 NOV 1978

Figure 17. Meter 296 temperature time series




File :	VACMF	Array :	C
Meter :	410	Depth :	750
Latitude :	13.08230	Start :	07 AUG 1978
Longitude :	61.99000	End :	14 FEB 1979

Figure 18. Meter 410 current time series




File :	VACMF	Array :	C
Meter :	410	Depth :	750
Latitude :	13.08230	Start :	07 AUG 1978
Longitude:	61.99000	End :	14 FEB 1979

Figure 19. Meter 410 temperature time series




File :	VACMF	Array :	D
Meter :	289	Depth :	150
Latitude :	12.33000	Start :	08 AUG 1978
Longitude :	63.03000	End :	14 FEB 1979

Figure 20. Meter 289 current time series




File	VACMF	Array	D
Meter	289	Depth	150
Latitude	12.33000	Start	08 AUG 1978
Longitude	63.03000	End	14 FEB 1979

Figure 11. Meter 289 temperature time series




File :	VACMF	Array :	D
Meter :	216	Depth :	350
Latitude :	12.33000	Start :	08 AUG 1978
Longitude :	63.03000	End :	14 FEB 1979

Figure 22. Meter 216 temperature time series




Instrument:	WACVF	Array:	D
Meter:	407	Depth:	750
Latitude:	0 35 00	Start:	03 AUG 1978
Longitude:	66 03 00	End:	14 FEB 1979

Figure 23. Meter 407 current time series




File :	VACMF	Array :	D
Meter :	407	Depth :	750
Latitude :	12.33000	Start :	08 AUG 1978
Longitude:	63.03000	End :	14 FEB 1979

Figure 24. Meter 407 temperature time series






File :	VACMF	Array :	D
Meter :	414	Depth :	1500
Latitude :	12.33000	Start :	08 AUG 1978
Longitude :	63.03000	End :	14 FEB 1979

Figure 25. Meter 414 current time series






File :	VACMF	Array :	D
Meter :	414	Depth :	1500
Latitude :	12.33000	Start :	08 AUG 1978
Longitude:	63.03000	End :	14 FEB 1979

Figure 26. Meter 414 temperature time series






File :	VACMF	Array :	A
Meter :	406	Depth :	193
Latitude :	14.17300	Start :	06 AUG 1978
Longitude :	62.54450	End :	21 SEP 1978

Figure 27. Meter 406 speed and direction histograms






File :	VACMF	Array :	A
Meter :	416	Depth :	393
Latitude :	14.17300	Start :	06 AUG 1978
Longitude :	62.54450	End :	30 NOV 1978

Figure 28. Meter 416 speed and direction histograms






File	VACMF	Array	A
Meter	412	Depth	793
Latitude	14.17300	Start	06 AUG 1978
Longitude	62.54450	End	28 FEB 1979

Figure 29. Meter 412 speed and direction histograms






File :	VACMF	Array :	B
Meter :	219	Depth :	193
Latitude :	13 40500	Start :	07 AUG 1978
Longitude :	62.44900	End :	27 SEP 1978

Figure 30. Meter 219 speed and direction histograms






File :	VACMF	Array :	B
Meter :	298	Depth :	393
Latitude :	13.40500	Start :	07 AUG 1978
Longitude :	62.44900	End :	13 FEB 1979

Figure 31. Meter 298 speed and direction histograms






File :	VACMF	Array :	B
Meter :	417	Depth :	793
Latitude :	13 40300	Start :	07 AUG 1978
Longitude :	62.44900	End :	13 FEB 1979

Figure 32. Meter 417 speed and direction histograms






File :	VACMF	Array :	C
Meter :	300	Depth :	150
Latitude :	13.08230	Start :	07 AUG 1978
Longitude :	61.99000	End :	14 FEB 1979

Figure 33. Meter 300 speed and direction histograms






File :	VACMF	Array :	C
Meter :	296	Depth :	350
Latitude :	13 08 23 0	Start :	07 AUG 1978
Longitude :	61 99 00 0	End :	23 NOV 1978

Figure 34. Meter 296 speed and direction histograms






File :	VACMF	Array :	C
Meter :	410	Depth :	750
Latitude :	13.08230	Start :	07 AUG 1978
Longitude :	61.99000	End :	14 FEB 1979

Figure 35. Meter 410 speed and direction histograms






File :	VACMF	Array	D
Meter :	289	Depth :	150
Latitude :	12.33000	Start :	08 AUG 1978
Longitude :	63.03000	End :	14 FEB 1979

Figure 36. Meter 289 speed and direction histograms



File : VACMF Array : D  
 Meter : 407 Depth : 750  
 Latitude : 12.33000 Start : 08 AUG 1978  
 Longitude : 63.03000 End : 14 FEB 1979


Figure 37. Meter 407 speed and direction histograms



File	VACMF	Array	D
Meter	414	Depth	1500
Latitude	12.33000	Start	08 AUG 1978
Longitude	63.03000	End	14 FEB 1979

Figure 38. Meter 414 speed and direction histograms


# CURRENT SPECTRUM



Variable : U	Array : A
File : VACMF	Depth : 193
Meter : 406	Start : 6 AUG 1978
Lat. : 14.7300	End : 20 SEP 1978
Long : 62.54450	

Figure 39. Meter 406 east spectrum


# CURRENT SPECTRUM



Variable	V	Array	A
File	VACMF	Depth	193
Meter	406	Start	6 AUG 1978
Lat.	14.7300	End	20 SEP 1978
Long	62.54450		

Figure 40. Meter 406 north spectrum

# CROSS SPECTRAL PHASE & COHERENCE




Variable : U  
 Depth : 193  
 Meter : 406  
 Lat. : 14.17300  
 Long : 62.54450

Variable : V  
 Depth : 193  
 Meter : 406  
 Lat. : 14.17300  
 Long : 62.54450

Figure 41. Meter 406 east-north coherence

# ROTARY SPECTRUM




Variable : U  
 Depth : 193  
 Meter : 406  
 Lat. : 14.7300  
 Long : 62.54450

Variable : V  
 Depth : 193  
 Meter : 406  
 Lat. : 14.7300  
 Long : 62.54450

Figure 42. Meter 406 rotary spectrum

# ROTARY COEFFICIENT




Variable : U  
 Depth : 193  
 Meter : 406  
 Lat. : 14.17300  
 Long : 62.54450

Variable : V  
 Depth : 193  
 Meter : 406  
 Lat. : 14.17300  
 Long : 62.54450

Figure 43. Meter 406 rotary coefficient


# TEMPERATURE SPECTRUM



Variable :	T	Array	A
File :	VACMF	Depth	193
Meter :	406	Start	6 AUG 1978
Lat. :	14.17300	End	20 SEP 1978
Long :	62.54450		

Figure 44. Meter 406 temperature spectrum

# CURRENT SPECTRUM




Variable : U  
 File : VACMF  
 Meter : 416  
 Lat. : 14.17300  
 Long : 62.54450

Array : A  
 Depth : 393  
 Start : 6 AUG 1978  
 End : 26 NOV 1978

Figure 45. Meter 416 east spectrum


# CURRENT SPECTRUM



Variable :	V	Array	A
File	VACMF	Depth	
Meter	416	Start	393
Lat.	14.17300	End	6 AUG 1978
Long	62.54450		26 NOV 1978

Figure 46. Meter 416 north spectrum

# CROSS SPECTRAL PHASE & COHERENCE




Variable : U  
 Depth : 393  
 Meter : 416  
 Lat. : 14.17300  
 Long : 62.54450

Variable : V  
 Depth : 393  
 Meter : 416  
 Lat. : 14.17300  
 Long : 62.54450

Figure 47. Meter 416 east-north coherence

# ROTARY SPECTRUM




Variable : U  
 Depth : 393  
 Meter : 416  
 Lat. : 14.17300  
 Long : 62.54450

Variable : V  
 Depth : 393  
 Meter : 416  
 Lat. : 14.17300  
 Long : 62.54450

Figure 48. Meter 416 rotary spectrum

# ROTARY COEFFICIENT




Variable : U  
 Depth : 393  
 Meter : 416  
 Lat. : 14.17300  
 Long : 62.54450

Variable : V  
 Depth : 393  
 Meter : 416  
 Lat. : 14.17300  
 Long : 62.54450

Figure 49. Meter 416 rotary coefficient

# TEMPERATURE SPECTRUM




Variable : T  
 File : VACMF  
 Meter : 416  
 Lat. : 14.17300  
 Long : 62.54450

Array : A  
 Depth : 393  
 Start : 6 AUG 1978  
 End : 28 NOV 1978

Figure 50. Meter 416 temperature spectrum


# CURRENT SPECTRUM



Variable :	V	Array	A
File :	VACMF	Depth :	793
Meter :	412	Start :	6 AUG 1978
Lat. :	14.17300		
Long :	62.54450		

Figure 51. Meter 412 east spectrum


# CURRENT SPECTRUM



Variable :	U	Array	A
File :	VACMF	Depth	793
Meter :	412	Start	6 AUG 1978
Lat. :	14.17300		
Long	62.54450		

Figure 52. Meter 412 north spectrum

# CROSS SPECTRAL PHASE & COHERENCE




Variable U  
 Depth : 793  
 Meter : 412  
 Lat. : 14.7300  
 Long : 62.54450

Variable V  
 Depth : 793  
 Meter : 412  
 Lat. : 14.7300  
 Long : 62.54450

Figure 53. Meter 412 east-north coherence

# ROTARY SPECTRUM




Variable : U  
 Depth : 793  
 Meter : 412  
 Lat. : 14.17300  
 Long : 62.54450

Variable : V  
 Depth : 793  
 Meter : 412  
 Lat. : 14.17300  
 Long : 62.54450

Figure 54. Meter 412 rotary spectrum

# ROTARY COEFFICIENT




Variable : U  
 Depth : 793  
 Meter : 412  
 Lat. : 14.17300  
 Long : 62.54450

Variable : V  
 Depth : 793  
 Meter : 412  
 Lat. : 14.17300  
 Long : 62.54450

Figure 55. Meter 412 rotary coefficient


# TEMPERATURE SPECTRUM



Variable :	T	Array :	A
File :	VACMF	Depth :	793
Meter :	412	Start :	6 AUG 1978
Lat. :	14.17300	End :	* G 1978
Long :	62.54450		

Figure 56. Meter 412 temperature spectrum

# CURRENT SPECTRUM




Variable : U  
 File : VACMF  
 Meter : 219  
 Lat. : 13 40500  
 Long : 62.44900

Array : B  
 Depth : 193  
 Start : 6 AUG 1978  
 End : 26 SEP 1978

Figure 57. Meter 219 east spectrum


# CURRENT SPECTRUM



Variable :	V	Array :	B
File :	VACMF	Depth :	193
Meter :	219	Start :	6 AUG 1978
Lat. :	13 40500	End :	26 SEP 1978
Long :	62.44900		

Figure 58. Meter 219 north spectrum

# CROSS SPECTRAL PHASE & COHERENCE




Variable : U  
 Depth : 193  
 Meter : 219  
 Lat. : 13 40500  
 Long : 62.44900

Variable : V  
 Depth : 193  
 Meter : 219  
 Lat. : 13 40500  
 Long : 62.44900

Figure 59. Meter 219 east-north coherence

# ROTARY SPECTRUM




Variable : U  
 Depth : 193  
 Meter : 219  
 Lat. : 13 40500  
 Long : 62.44900

Variable : V  
 Depth : 193  
 Meter : 219  
 Lat. : 13 40500  
 Long : 62.44900

Figure 60. Meter 219 rotary spectrum

# ROTARY COEFFICIENT




Variable : U  
 Depth : 193  
 Meter : 219  
 Lat. : 13 40500  
 Long : 62.44900

Variable : V  
 Depth : 193  
 Meter : 219  
 Lat. : 13 40500  
 Long : 62.44900

Figure 61. Meter 219 rotary coefficient

# TEMPERATURE SPECTRUM




Variable : T  
 File : VACMF  
 Meter : 219  
 Lat. : 13 40500  
 Long : 62.44900

Array : B  
 Depth : 193  
 Start : 6 AUG 1978  
 End : 28 SEP 1978

Figure 62. Meter 219 temperature spectrum


# CURRENT SPECTRUM



Variable :	U	Array	B
File :	VACMF	Depth	393
Meter :	298	Start	6 AUG 1978
Lat. :	13 40500	End	9 FEB 1979
Long	62.44800		

Figure 63. Meter 298 east spectrum


# CURRENT SPECTRUM



Variable	V	Array	B
File	VACMF	Depth	
Meter	298	Start	393
Lat.	13 40500	End	6 AUG 1978
Long	62.44900		9 FEB 1979

Figure 64. Meter 298 north spectrum

# CROSS SPECTRAL PHASE & COHERENCE




Variable : U  
 Depth : 393  
 Meter : 298  
 Lat. : 13 40500  
 Long : 62.44900

Variable : V  
 Depth : 393  
 Meter : 298  
 Lat. : 13 40500  
 Long : 62.44900

Figure 65. Meter 298 east-north coherence

# ROTARY SPECTRUM




Variable : U  
 Depth : 393  
 Meter : 298  
 Lat. : 13 40500  
 Long : 62.44900

Variable : V  
 Depth : 393  
 Meter : 298  
 Lat. : 13 40500  
 Long : 62.44900

Figure 66. Meter 298 rotary spectrum

# ROTARY COEFFICIENT




Variable : U  
 Depth : 393  
 Meter : 298  
 Lat. : 13 40500  
 Long : 62.44900

Variable : V  
 Depth : 393  
 Meter : 298  
 Lat. : 13 40500  
 Long : 62.44900

Figure 67. Meter 298 rotary coefficient


# TEMPERATURE SPECTRUM



Variable : T	Array : B
File : VACMF	Depth : 393
Meter : 298	Start : 6 AUG 1978
Lat. : 13 40500	End : 9 FEB 1979
Long : 62.44900	

Figure 68. Meter 298 temperature spectrum


# CURRENT SPECTRUM



Variable	U	Array	B
File	VACMF	Depth	793
Meter	417	Start	7 AUG 1978
Lat.	13 40500		
Long	62 44900		


Figure 69. Meter 417 east spectrum





MIRACLES RESOLUTION TEST CHART  
1963-A


# CURRENT SPECTRUM



Variable	V	Array	B
File	VACMF	Depth	
Meter	417	Start	793
Lat.	13 40500		7 AUG 1978
Long	62 44900		

Figure 70. Meter 417 north spectrum

# CROSS SPECTRAL PHASE & COHERENCE




Variable U  
 Depth 793  
 Meter 417  
 Lat 13 40500  
 Long 62 44900

Variable V  
 Depth 793  
 Meter 417  
 Lat 13.40500  
 Long 62.44900

Figure 71. Meter 417 east-north coherence

# ROTARY SPECTRUM




Variable U  
 Depth 793  
 Meter 417  
 Lat. 13 40500  
 Long 62 44900

Variable V  
 Depth 793  
 Meter 417  
 Lat 13 40500  
 Long 62 44900

Figure 72. Meter 417 rotary spectrum

# ROTARY COEFFICIENT




Variable : U  
 Depth : 793  
 Meter : 417  
 Lat. : 13 40500  
 Long : 62 44900

Variable : V  
 Depth : 793  
 Meter : 417  
 Lat. : 13 40500  
 Long : 62 44900

Figure 73. Meter 417 rotary coefficient


# TEMPERATURE SPECTRUM



Variable : T	Array : A
File : VACMF	Depth : 793
Meter : 412	Start : 6 AUG 1978
Lat. : 14.17300	End : 8 FEB 1979
Long : 62.54450	

Figure 74. Meter 417 temperature spectrum


# CURRENT SPECTRUM



Variable :	U	Array :	C
File :	VACMF	Depth :	150
Meter :	300	Start :	8 AUG 1978
Lat. :	13.08230	End :	10 FEB 1979
Long. :	61.99000		

Figure 75. Meter 300 east spectrum


# CURRENT SPECTRUM



Variable	V	Array	C
File	VACMF	Depth	150
Meter	300	Start	8 AUG 1978
Lat.	13.08230	End	10 FEB 1979
Long.	61.99000		

Figure 76. Meter 300 north spectrum

# CROSS SPECTRAL PHASE & COHERENCE




Variable : U  
 Depth : 150  
 Meter : 300  
 Lat : 13.08230  
 Long : 61.99000

Variable : V  
 Depth : 150  
 Meter : 300  
 Lat : 13.08230  
 Long : 61.99000

Figure 77. Meter 300 east-north coherence

# ROTARY SPECTRUM




Variable : U  
 Depth : 150  
 Meter : 300  
 Lat. : 13.08230  
 Long. : 61.99000

Variable : V  
 Depth : 150  
 Meter : 300  
 Lat. : 13.08230  
 Long. : 61.99000

Figure 78. Meter 300 rotary spectrum

I




Variable : U  
Depth : 150  
Meter : 300  
Lat : 13.08230  
Long : 61.99000

Variable : V  
Depth : 150  
Meter : 300  
Lat : 13.08230  
Long : 61.99000

Figure 79. Meter 300 rotary coefficients


# TEMPERATURE SPECTRUM



Variable	T	Array	C
File	VACMF	Depth	150
Meter	300	Start	8 AUG 1978
Lat	13.08230	End	10 FEB 1979
Long	61.99000		

Figure 80. Meter 300 temperature spectrum


# CURRENT SPECTRUM



Variable : U	Array : C
File : VACMF	Depth : 350
Meter : 296	Start : 8 AUG 1978
Lat. : 13.08230	End : 22 NOV 1978
Long. : 61.99000	

Figure 81. Meter 296 east spectrum


# CURRENT SPECTRUM



Variable	V	Array	C
File	VACMF	Depth	350
Meter	296	Start	8 AUG 1978
Lat.	13.08230	End	22 NOV 1978
Long.	61.99000		

Figure 82. Meter 296 north spectrum

# CROSS SPECTRAL PHASE & COHERENCE




Variable : U  
 Depth : 350  
 Meter : 296  
 Lat. : 13.08230  
 Long. : 61.99000

Variable : V  
 Depth : 350  
 Meter : 296  
 Lat. : 13.08230  
 Long. : 61.99000

Figure 83. Meter 296 east-north coherence


# ROTARY SPECTRUM



Variable . U Depth : 350 Meter 296 Lat 13.08230 Long. 61.99000	Variable . V Depth . 350 Meter 296 Lat 13.08230 Long. 61.99000
--	--

Figure 84. Meter 296 rotary spectrum

# ROTARY COEFFICIENT



Variable . U  
 Depth : 350  
 Meter : 296  
 Lat. : 13.08230  
 Long. : 61.99000

Variable . V  
 Depth : 350  
 Meter : 296  
 Lat. : 13.08230  
 Long. : 61.99000

Figure 85. Meter 296 rotary coefficient


# CURRENT SPECTRUM



Variable	U	Array	C
File	VACMF	Depth	750
Meter	410	Start	8 AUG 1978
Lat	13.08230	End	10 FEB 1979
Long	61.99000		

Figure 86. Meter 410 east spectrum


# CURRENT SPECTRUM



Variable :	V	Array :	C
File :	VACMF	Depth :	750
Meter :	410	Start :	8 AUG 1978
Lat. :	13.08230	End :	10 FEB 1979
Long. :	61.99000		

Figure 87. Meter 410 north spectrum


# CROSS SPECTRAL PHASE & COHERENCE



Variable	U		Variable	V
Depth	750		Depth	750
Meter	410		Meter	410
Lat	13.08230		Lat	13.08230
Long	61.99000		Long	61.99000

Figure 88. Meter 410 east-north coherence

# ROTARY SPECTRUM




Variable : U  
 Depth : 750  
 Meter : 410  
 Lat : 13.08230  
 Long : 61.99000

Variable : V  
 Depth : 750  
 Meter : 410  
 Lat : 13.08230  
 Long : 61.99000

Figure 89. Meter 410 rotary spectrum

# ROTARY COEFFICIENT




Variable U  
 Depth 750  
 Meter 410  
 Lat 13 08 23 0  
 Long 61 99 00 0

Variable V  
 Depth 750  
 Meter 410  
 Lat 13 08 23 0  
 Long 61 99 00 0

Figure 90. Meter 410 rotary coefficient


# TEMPERATURE SPECTRUM



Variable	T	Array	C
File	VACMF	Depth	750
Meter	410	Start	8 AUG 1978
Lat.	13.08230	End	10 FEB 1979
Long.	61.99000		

Figure 91. Meter 410 temperature spectrum


# CURRENT SPECTRUM



Variable	U	Array	D
File	VACMF	Depth	150
Meter	289	Start	8 AUG 1978
Lat	12.33000	End	10 FEB 1979
Long	63.03000		

Figure 92. Meter 289 east spectrum


# CURRENT SPECTRUM



Variable : V	Array : D
File : VACMF	Depth : 150
Meter : 289	Start : 8 AUG 1978
Lat. : 12.33000	End : 10 FEB 1979
Long. : 63.03000	

Figure 93. Meter 289 north spectrum

# CROSS SPECTRAL PHASE & COHERENCE




Variable U  
 Depth 150  
 Meter 289  
 Lat 12.33000  
 Long 63.03000

Variable V  
 Depth 150  
 Meter 289  
 Lat 12.33000  
 Long 63.03000

Figure 94. Meter 289 east-north coherence

# ROTARY SPECTRUM




Variable : U  
 Depth : 150  
 Meter : 289  
 Lat. : 12.33000  
 Long. : 63.03000

Variable : V  
 Depth : 150  
 Meter : 289  
 Lat. : 12.33000  
 Long. : 63.03000

Figure 95. Meter 289 rotary spectrum

# ROTARY COEFFICIENT




Variable U  
 Depth 150  
 Meter 289  
 Lat 12.33000  
 Long 63.03000

Variable V  
 Depth 150  
 Meter 289  
 Lat 12.33000  
 Long 63.03000

Figure 96. Meter 289 rotary coefficient


# TEMPERATURE SPECTRUM



Variable	T	Array	D
File	VACMF	Depth	150
Meter	289	Start	8 AUG 1978
Lat.	12.33000	End	10 FEB 1979
Long.	63.03000		

Figure 97. Meter 289 rotary spectrum


# CURRENT SPECTRUM



Variable	U	Array	D
File	VACMF	Depth	750
Meter	407	Start	8 AUG 1978
Lat.	12.33000	End	10 FEB 1979
Long.	63.03000		

Figure 98. Meter 407 east spectrum


# CURRENT SPECTRUM



Variable :	V	Array :	D
File :	VACMF	Depth :	750
Meter :	407	Start :	8 AUG 1978
Lat. :	12.33000	End :	10 FEB 1979
Long. :	63.03000		

Figure 99. Meter 407 north spectrum


# CROSS SPECTRAL PHASE & COHERENCE



Variable U Depth 750 Meter 407 Lat 12.33000 Long 63.03000	Variable V Depth 750 Meter 407 Lat 12.33000 Long 63.03000
---	---

Figure 100. Meter 407 east-north coherence

# ROTARY SPECTRUM




Variable U  
 Depth : 750  
 Meter : 407  
 Lat. : 12.33000  
 Long. : 63.03000

Variable V  
 Depth : 750  
 Meter : 407  
 Lat. : 12.33000  
 Long. : 63.03000

Figure 101. Meter 407 rotary spectrum


# ROTARY COEFFICIENT



Variable	U	Variable	V
Depth	750	Depth	750
Meter	407	Meter	407
Lat.	12 33000	Lat.	12 33000
Long.	63 03000	Long.	63 03000

Figure 102. Meter 407 rotary coefficient


# CURRENT SPECTRUM



Variable	U	Array	D
File	VACMF	Depth	1500
Meter	414	Start	8 AUG 1978
Lat.	12.33000	End	10 FEB 1979
Long.	63.03000		

Figure 103. Meter 414 east spectrum


# CURRENT SPECTRUM



Variable	V	Array	D
File	VACMF	Depth	1500
Meter	414	Start	8 AUG 1978
Lat.	12.33000	End	10 FEB 1979
Long.	63.03000		

Figure 104. Meter 414 north spectrum

# CROSS SPECTRAL PHASE & COHERENCE




Variable . U  
 Depth : 1500  
 Meter : 414  
 Lat : 12.33000  
 Long : 63.03000

Variable . V  
 Depth : 1500  
 Meter : 414  
 Lat : 12.33000  
 Long : 63.03000

Figure 105. Meter 414 east-north coherence

# ROTARY SPECTRUM




Variable U  
 Depth : 1500  
 Meter 414  
 Lat 12.33000  
 Long 63.03000

Variable V  
 Depth 1500  
 Meter 414  
 Lat 12.33000  
 Long 63.03000

Figure 106. Meter 414 rotary spectrum

# ROTARY COEFFICIENT




Variable : U  
 Depth . 1500  
 Meter . 414  
 Lat. . 12.33000  
 Long. . 63.03000

Variable : V  
 Depth . 1500  
 Meter . 414  
 Lat. . 12.33000  
 Long. . 63.03000


Figure 107. Meter 414 rotary coefficient

# TEMPERATURE SPECTRUM



Variable	T	Array	D
File	VACMF	Depth	1500
Meter	414	Start	8 AUG 1978
Lat	12.33000	End	10 FEB 1979
Long	63.03000		


Figure 108. Meter 414 temperature spectrum



\* Every 120 Hours Starting At 0000 Julian Day 226

File :	VACMF	Array :	A
Meter :	406	Depth :	193
Latitude :	14.17300	Start :	14 AUG 1978
Longitude :	62.54450	End :	13 SEP 1978

Figure 109. Meter 406 progressive vector diagram




Scale: 50.0 cm/sec

File : VACMF  
 Meter : 406  
 Latitude : 14.17300  
 Longitude : 62.54450  
 Time Interval: 12.0000 Hours


Array : A  
 Depth : 193  
 Start : 14 AUG 1978  
 End : 13 SEP 1978

Figure 110. Meter 406 current vector diagram



File	VACMF	Array	A
Meter	406	Depth	193
Latitude	14.17300	Start	14 AUG 1978
Longitude	62.54450	End	13 SEP 1978


Figure 111. Meter 406 low-pass temperature time series



\* Every 168 Hours Starting At 0000 Julian Day 226

File :	VACMF	Array :	A
Meter :	416	Depth :	393
Latitude :	14.17300	Start :	14 AUG 1978
Longitude :	62.54450	End :	22 NOV 1978


Figure 112. Meter 416 progressive vector diagram



File : VACMF  
 Meter : 416  
 Latitude : 14.17300  
 Longitude : 62.54450  
 Time Interval: 12.0000 Hours


Array : A  
 Depth : 393  
 Start : 14 AUG 1978  
 End : 22 NOV 1978

Figure 113. Meter 416 current vector diagram



File	VACMF	Array	A
Meter	416	Depth	393
Latitude	14.17300	Start	14 AUG 1978
Longitude	62.54450	End	22 NOV 1978


Figure 114. Meter 416 low-pass temperature time series



\* Every 168 Hours Starting At 0000 Julian Day 220

File :	VACMF	Array :	A
Meter :	412	Depth :	
Latitude :	14.17300	Start :	14 AUG 1961
Longitude :	62.54450	End :	02 FEB 1962


Figure 115. Meter 412 progressive vector diagram



File : VACMF  
 Meter : 412  
 Latitude : 14.17300  
 Longitude : 62.54450  
 Time Interval: 12.0000 Hours


Array : A  
 Depth : 793  
 Start : 14 AUG 1978  
 End : 02 FEB 1979

Figure 116. Meter 412 current vector diagram



File	VACMF	Array	A
Meter	412	Depth	793
Latitude	14.17300	Start	14 AUG 1978
Longitude	62.54450	End	02 FEB 1979


Figure 117. Meter 412 low-pass temperature time series



\* Every 168 Hours Starting At 0000 Julian Day 227

File :	VACMF	Array :	B
Meter :	219	Depth :	193
Latitude :	13 40500	Start :	15 AUG 1978
Longitude :	62.44900	End :	19 SEP 1978


Figure 118. Meter 219 progressive vector diagram



Scale: 500 cm/sec


File : VACMF  
 Meter : 219  
 Latitude : 13.40500  
 Longitude : 62.44900  
 Time Interval: 12.0000 Hours  
 Array : B  
 Depth : 193  
 Start : 15 AUG 1978  
 End : 19 SEP 1978

Figure 119. Meter 219 current vector diagram



File	VACMF	Array	B
Meter	219	Depth	193
Latitude	13 40500	Start	15 AUG 1978
Longitude	62.44900	End	19 SEP 1978


Figure 126. Meter 219 low-pass temperature time series



\* Every 168 Hours Starting At 0000 Julian Day 227

File :	VACMF	Array :	B
Meter :	298	Depth :	393
Latitude :	13 40500	Start :	15 AUG 1978
Longitude :	62.44900	End :	05 FEB 1979


Figure 121. Meter 298 progressive vector diagram



File : VACMF  
 Meter : 298  
 Latitude : 13 40500  
 Longitude : 62.44900  
 Time Interval: 12.0000 Hours


Array : B  
 Depth : 393  
 Start : 15 AUG 1978  
 End : 05 FEB 1979

Figure 122. Meter 298 current vector diagram



File	VACMF	Array	B
Meter	298	Depth	393
Latitude	13 40500	Start	15 AUG 1978
Longitude	62.44900	End	05 FEB 1979


Figure 100. Meter 298 low-pass temperature time series



\* Every 168 Hours Starting At 0000 Julian Day 227

File :	VACMF	Array :	B
Meter :	417	Depth :	793
Latitude :	13 40500	Start :	15 AUG 1978
Longitude :	62.44900	End :	05 FEB 1979


Figure 124. Meter 417 progressive vector diagram



Scale: 50.0 cm/sec


File : VACMF  
 Meter : 417  
 Latitude : 13.40500  
 Longitude : 62.44900  
 Time Interval: 12.0000 Hours  
 Array : B  
 Depth : 793  
 Start : 15 AUG 1978  
 End : 05 FEB 1979

Figure 125. Meter 417 current vector diagram



File	VACMF	Array	B
Meter	417	Depth	793
Latitude	13.40500	Start	15 AUG 1978
Longitude	62.44900	End	05 FEB 1979


Figure 126. Meter 417 low-pass temperature time series



\* Every 168 Hours Starting At 0000 Julian Day 228

File :	VACMF	Array :	C
Meter :	300	Depth :	150
Latitude :	13 08230	Start :	16 AUG 1978
Longitude :	61.99000	End :	06 FEB 1979


Figure 127. Meter 300 progressive vector diagram



File : VACMF  
 Meter : 300  
 Latitude : 13.08230  
 Longitude : 61.99000  
 Time Interval: 12.0000 Hours


Array : C  
 Depth : 150  
 Start : 16 AUG 1978  
 End : 06 FEB 1979

Figure 128. Meter 300 current vector diagram



File	VACMF	Array	C
Meter	300	Depth	150
Latitude	13 08 230	Start	16 AUG 1978
Longitude	61.99000	End	06 FEB 1979


Figure 129. Meter 300 low-pass temperature time series



\* Every 168 Hours Starting At 0000 Julian Day 228

File .	VACMF	Array .	C
Meter :	296	Depth .	350
Latitude .	13.08230	Start :	16 AUG 1978
Longitude :	61.99000	End .	15 NOV 1978


Figure 130. Meter 296 progressive vector diagram



File : VACMF  
 Meter : 296  
 Latitude : 13.08230  
 Longitude : 61.99000  
 Time Interval: 12.0000 Hours

Array : C  
 Depth : 350  
 Start : 16 AUG 1978  
 End : 15 NOV 1978


Figure 131. Meter 296 current vector diagram



\* Every 168 Hours Starting At 0000 Julian Day 228

File :	VACMF	Array :	C
Meter :	410	Depth :	750
Latitude :	13 08 230	Start :	16 AUG 1978
Longitude :	61.99000	End :	06 FEB 1979


Figure 132. Meter 410 progressive vector diagram



File : VACMF  
 Meter : 410  
 Latitude : 13 08230  
 Longitude : 61.99000  
 Time Interval: 12.0000 Hours


Array : C  
 Depth : 750  
 Start : 16 AUG 1978  
 End : 06 FEB 1979

Figure 133. Meter 410 current vector diagram



File	VACMF	Array	C
Meter	410	Depth	750
Latitude	1308230	Start	16 AUG 1978
Longitude	6199000	End	06 FEB 1979


Figure 114. Meter 410 low-pass temperature time series



\* Every 168 Hours Starting At 0000 Julian Day 228

File :	VACMF	Array :	D
Meter :	289	Depth :	150
Latitude :	12.33000	Start :	16 AUG 1978
Longitude :	63.03000	End :	06 FEB 1979


Figure 135. Meter 289 progressive vector diagram



File : VACMF  
 Meter : 289  
 Latitude : 12.33000  
 Longitude : 63.03000  
 Time Interval: 12.0000 Hours


Array : D  
 Depth : 150  
 Start : 16 AUG 1978  
 End : 06 FEB 1979

Figure 136. Meter 289 current vector diagram



File : VACMF  
 Meter : 289  
 Latitude : 12.33000  
 Longitude : 63.03000


Array : D  
 Depth : 150  
 Start : 16 AUG 1978  
 End : 06 FEB 1979



\* Every 168 Hours Starting At 0000 Julian Day 228

File :	VACMF	Array :	D
Meter	407	Depth :	750
Latitude .	12.33000	Start :	16 AUG 1978
Longitude .	63.03000	End :	06 FEB 1979

Figure 138. Meter 407 progressive vector diagram.




Scale: 50.0 cm/sec

File : VACMF  
 Meter : 407  
 Latitude : 12.33000  
 Longitude : 63.03000  
 Time Interval: 12.0000 Hours


Array : D  
 Depth : 750  
 Start : 16 AUG 1978  
 End : 06 FEB 1979

Figure 139. Meter 407 current vector diagram



File	VACMF	Array	D
Meter	407	Depth	750
Latitude	12.33000	Start	16 AUG 1978
Longitude	63.03000	End	06 FEB 1979


Figure 140. Meter 407 low-pass temperature time series



\* Every 168 Hours Starting At 0000 Julian Day 228

File :	VACMF	Array :	D
Meter :	414	Depth :	1500
Latitude :	12.33000	Start :	16 AUG 1978
Longitude :	63.03000	End :	06 FEB 1979


Figure 141. Meter 414 progressive vector diagram



File : VACMF  
 Meter : 414  
 Latitude : 12.33000  
 Longitude : 63.03000  
 Time Interval: 12.0000 Hours

Array : D  
 Depth : 1500  
 Start : 16 AUG 1978  
 End : 06 FEB 1979


Figure 142. Meter 414 current vector diagram



File	VACMF	Array	D
Meter	414	Depth	1500
Latitude	12.33000	Start	16 AUG 1978
Longitude	63.03000	End	06 FEB 1979

Figure 143. Meter 414 low-pass temperature time series

# ROTARY SPECTRUM




Variable : U  
 Depth : 193  
 Meter : 406  
 Lat. : 14.17300  
 Long : 62.54450

Variable : V  
 Depth : 193  
 Meter : 406  
 Lat. : 14.17300  
 Long : 62.54450

Figure 144. Meter 406 low-pass rotary spectrum

# ROTARY COEFFICIENT




Variable : U  
 Depth : 193  
 Meter : 406  
 Lat. : 14.7300  
 Long : 62.54450

Variable : V  
 Depth : 193  
 Meter : 406  
 Lat. : 14.7300  
 Long : 62.54450

Figure 145. Meter 406 low-pass rotary coefficient


# TEMPERATURE SPECTRUM



Variable : T	Array A
File : VACMF	Depth . 193
Meter : 406	Start 14 AUG 1978
Lat. : 14.17300	End 13 SEP 1978
Long : 62.54450	

Figure 146. Meter 406 low-pass temperature spectrum

# ROTARY SPECTRUM




Variable . U  
 Depth . 393  
 Meter . 416  
 Lat . 14.17300  
 Long. . 62.54450

Variable . V  
 Depth . 393  
 Meter . 416  
 Lat . 14.17300  
 Long. . 62.54450

Figure 147. Meter 416 low-pass rotary spectrum

# ROTARY COEFFICIENT




Variable U  
 Depth 393  
 Meter 416  
 Lat 14.17300  
 Long 62.54450

Variable V  
 Depth 393  
 Meter 416  
 Lat 14.17300  
 Long 62.54450

Figure 148. Meter 416 low-pass rotary coefficient


# TEMPERATURE SPECTRUM



Variable	T	Array	A
File	VACMF	Depth	393
Meter	416	Start	14 AUG 1978
Lat	14.7300	End	22 NOV 1978
Long.	62.54450		

Figure 149. Meter 416 low-pass temperature spectrum

# ROTARY SPECTRUM




Variable . U  
 Depth . 793  
 Meter . 412  
 Lat. . 14.17300  
 Long . 62.54450

Variable . V  
 Depth . 793  
 Meter . 412  
 Lat. . 14.17300  
 Long . 62.54450

Figure 150. Meter 412 low-pass rotary spectrum

# ROTARY COEFFICIENT




Variable : U  
 Depth : 793  
 Meter : 412  
 Lat. : 14.17300  
 Long : 62.54450

Variable : V  
 Depth : 793  
 Meter : 412  
 Lat. : 14.17300  
 Long : 62.54450

Figure 151. Meter 412 low-pass rotary coefficient


# TEMPERATURE SPECTRUM



Variable :	T	Array	A
File :	VACMF	Depth	793
Meter :	412	Start	14 AUG 1978
Lat. :	14.7300	End	2 FEB 1979
Long :	62.54450		

Figure 152. Meter 412 low-pass temperature spectrum

# ROTARY SPECTRUM




Variable : U  
 Depth : 193  
 Meter : 219  
 Lat. : 13 40500  
 Long : 62.44900

Variable : V  
 Depth : 193  
 Meter : 219  
 Lat. : 13 40500  
 Long : 62.44900

Figure 153. Meter 219 low-pass rotary spectrum

# ROTARY COEFFICIENT




Variable : U  
 Depth : 193  
 Meter : 219  
 Lat. : 13 40500  
 Long : 62.44900

Variable : V  
 Depth : 193  
 Meter : 219  
 Lat. : 13 40500  
 Long : 62.44900

Figure 154. Meter 219 low-pass rotary coefficient

# TEMPERATURE SPECTRUM




Variable : T  
 File : VACMF  
 Meter : 219  
 Lat. : 13 40500  
 Long : 62.44900

Array : B  
 Depth : 193  
 Start : 15 AUG 1978  
 End : 19 SEP 1978

Figure 155. Meter 219 low-pass temperature spectrum

# ROTARY SPECTRUM




Variable . U  
 Depth . 393  
 Meter . 298  
 Lat. . 13 40500  
 Long . 62.44900

Variable . V  
 Depth . 393  
 Meter . 298  
 Lat. . 13 40500  
 Long . 62.44900

Figure 156. Meter 298 low-pass rotary spectrum

# ROTARY COEFFICIENT




Variable : U  
 Depth : 393  
 Meter : 298  
 Lat. : 13 40500  
 Long : 62.44900

Variable : V  
 Depth : 393  
 Meter : 298  
 Lat. : 13 40500  
 Long : 62.44900

Figure 157. Meter 298 low-pass rotary coefficient


# TEMPERATURE SPECTRUM



Variable	T	Array	B
File	VACMF	Depth	393
Meter	298	Start	15 AUG 1978
Lat.	13 40 500	End	5 FEB 1979
Long	62.44900		

Figure 158. Meter 298 low-pass temperature spectrum

# ROTARY SPECTRUM




Variable : U  
 Depth : 793  
 Meter : 417  
 Lat. : 13 40500  
 Long : 62.44900

Variable : V  
 Depth : 793  
 Meter : 417  
 Lat. : 13 40500  
 Long : 62.44900

Figure 159. Meter 417 low-pass rotary spectrum

# ROTARY COEFFICIENT




Variable : U  
 Depth : 793  
 Meter : 47  
 Lat. : 13 40500  
 Long : 62.44900

Variable : V  
 Depth : 793  
 Meter : 47  
 Lat. : 13 40500  
 Long : 62.44900

Figure 160. Meter 417 low-pass rotary coefficient


# TEMPERATURE SPECTRUM



Variable :	T	Array	B
File :	VACMF	Depth	793
Meter :	417	Start	15 AUG 1978
Lat. :	13 40500	End	5 FEB 1979
Long	62.44900		

Figure 161. Meter 417 low-pass temperature spectrum

# ROTARY SPECTRUM




Variable : U  
 Depth : 150  
 Meter : 300  
 Lat. : 13 08230  
 Long : 61.99000

Variable : V  
 Depth : 150  
 Meter : 300  
 Lat. : 13 08230  
 Long : 61.99000

Figure 162. Meter 300 low-pass rotary spectrum

# ROTARY COEFFICIENT




Variable : U  
 Depth : 150  
 Meter : 300  
 Lat. : 13 08230  
 Long : 61.99000

Variable : V  
 Depth : 150  
 Meter : 300  
 Lat. : 13 08230  
 Long : 61.99000

Figure 163. Meter 300 low-pass rotary coefficient


# TEMPERATURE SPECTRUM



Variable :	T	Array	C
File :	VACMF	Depth :	150
Meter :	300	Start :	16 AUG 1978
Lat. :	13 08230	End :	6 FEB 1979
Long :	61.99000		

Figure 164. Meter 300 low-pass temperature spectrum

# ROTARY SPECTRUM



Variable : U Depth : 350 Meter : 296 Lat. : 13 08 230 Long : 61.99000	Variable : V Depth : 350 Meter : 296 Lat. : 13 08 230 Long : 61.99000
---	---

Figure 165. Meter 296 low-pass rotary spectrum

AD-A098 904

NAVAL OCEAN RESEARCH AND DEVELOPMENT ACTIVITY NSTL S--ETC F/6 8/3  
CURRENT METER DATA FROM THE SOUTHEASTERN CARIBBEAN SEA, AUGUST --ETC(U  
SEP 80 J D BOYD, T H KINDER

UNCLASSIFIED

NORDA-TN-76


NL

3 of 3

AD-A  
-98904




END  
DATE  
FILMED  
6-81  
DTIC



MICROCOPY RESOLUTION TEST CHART  
 NATIONAL BUREAU OF STANDARDS-1963-A

# ROTARY COEFFICIENT




Variable : U  
 Depth : 350  
 Meter : 296  
 Lat. : 13 08230  
 Long : 61.99000

Variable : V  
 Depth : 350  
 Meter : 296  
 Lat. : 13 08230  
 Long : 61.99000

Figure 166. Meter 296 low-pass rotary coefficient

# ROTARY SPECTRUM




Variable : U  
 Depth : 750  
 Meter : 410  
 Lat. : 13 08230  
 Long : 61.99000

Variable : V  
 Depth : 750  
 Meter : 410  
 Lat. : 13 08230  
 Long : 61.99000

Figure 167. Meter 410 low-pass rotary spectrum

# ROTARY COEFFICIENT




Variable : U  
 Depth : 750  
 Meter : 410  
 Lat. : 13 08230  
 Long : 61.99000

Variable : V  
 Depth : 750  
 Meter : 410  
 Lat. : 13 08230  
 Long : 61.99000

Figure 168. Meter 410 low-pass rotary coefficient

# TEMPERATURE SPECTRUM




Variable : T  
 File : VACMF  
 Meter : 410  
 Lat. : 13 08230  
 Long : 61.99000

Array : C  
 Depth : 750  
 Start : 16 AUG 1978  
 End : 6 FEB 1979

Figure 169. Meter 410 low-pass temperature spectrum

# ROTARY SPECTRUM




Variable : U  
 Depth . 150  
 Meter 289  
 Lat. 12.33000  
 Long 63.03000

Variable : V  
 Depth . 150  
 Meter 289  
 Lat. 12.33000  
 Long 63.03000

Figure 170. Meter 289 low-pass rotary spectrum

# ROTARY COEFFICIENT




Variable : U  
 Depth : 150  
 Meter : 289  
 Lat : 12.33000  
 Long : 63.03000

Variable : V  
 Depth : 150  
 Meter : 289  
 Lat : 12.33000  
 Long : 63.03000

Figure 171. Meter 289 low-pass rotary coefficient

# TEMPERATURE SPECTRUM




Variable : T  
 File : VACMF  
 Meter : 289  
 Lat. : 12.33000  
 Long : 63.03000

Array Depth : D  
 Start : 16 AUG 1978  
 End : 6 FEB 1979

Figure 172. Meter 289 low-pass temperature spectrum


# ROTARY SPECTRUM



Variable : U  
 Depth . 750  
 Meter 407  
 Lat. 12.33000  
 Long 63.03000

Variable : V  
 Depth . 750  
 Meter 407  
 Lat. 12.33000  
 Long 63.03000

Figure 173. Meter 407 low-pass rotary spectrum




Variable : U  
 Depth : 750  
 Meter 407  
 Lat. 12.33000  
 Long 63.03000

Variable : V  
 Depth : 750  
 Meter 407  
 Lat. 12.33000  
 Long 63.03000

Figure 174. Meter 407 low-pass rotary coefficient


# TEMPERATURE SPECTRUM



Variable : T	Array : D
File : VACMF	Depth : 750
Meter : 407	Start : 16 AUG 1978
Lat. : 12.33000	End : 6 FEB 1979
Long : 63.03000	

Figure 175. Meter 407 low-pass temperature spectrum


# ROTARY SPECTRUM



Variable	U		Variable	V
Depth	1500		Depth	1500
Meter	414		Meter	414
Lat	12 33000		Lat	12 33000
Long	63 03000		Long	63 03000

Figure 176. Meter 414 low-pass rotary spectrum

# ROTARY COEFFICIENT




Variable : U  
 Depth : 1500  
 Meter : 414  
 Lat. : 12.33000  
 Long. : 63.03000

Variable : V  
 Depth : 1500  
 Meter : 414  
 Lat. : 12.33000  
 Long. : 63.03000

Figure 177. Meter 414 low-pass rotary coefficient

# TEMPERATURE SPECTRUM



Variable : T  
 File : VACMF  
 Meter : 414  
 Lat. : 12.33000  
 Long. : 63.03000

Array : D  
 Depth : 1500  
 Start : 16 AUG 1978  
 End : 6 FEB 1979

Figure 178. Meter 414 low-pass Temperature spectrum

## UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

9 REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NORDA Technical Note 76	2. GOVT ACCESSION NO. AD-A098904	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Current Meter Data from the Southeastern Caribbean Sea, August 1978 to February 1979.		5. TYPE OF REPORT & PERIOD COVERED
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Janice D. Boyd Thomas H. Kinder		8. CONTRACT OR GRANT NUMBER(s) 11N-76-TN-76
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Ocean Research & Development Activity Ocean Science & Technology Laboratory, Code 330 NSTL Station, Mississippi 39529		10. PROGRAM ELEMENT PROJECT, TASK AREA & WORK UNIT NUMBERS PE 62759N RF 59-553-800
11. CONTROLLING OFFICE NAME AND ADDRESS 16 F 9 11 11 11 11		12. REPORT DATE September 1980
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) 17 F F 9 11 11 11		13. NUMBER OF PAGES 203
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
15a. DECLASSIFICATION DOWNGRADING SCHEDULE		
16. DISTRIBUTION STATEMENT (of this Report) Unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Grenada Basin Lesser Antilles Southeast Caribbean Current meter measurements		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Thirteen vector-averaging current meters were deployed on four moorings in the southeastern Caribbean Sea from August 1978 to February 1979. Velocity, and temperature data are presented graphically as time series, histograms, and as variance spectra. Low-pass filtered data (72 hour period at the half-power point) are presented graphically as progressive vector diagrams, vector diagrams (stick plots), time series, and spectra. Scalar mean speeds ranged from 4 to 38 cm/s, and (mostly westward) current		

DD FORM 1473  
1 JAN 73EDITION OF 1 NOV 68 IS OBSOLETE  
S/N 0102-LF-014-6601

UNCLASSIFIED

593773

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

mean speeds from 2 to 36 cm/s (all but one were less than 9 cm/s). The velocity and temperature variance were distributed among three frequency bands: subinertial, inertial, and tidal. In the velocity spectra the subinertial variance accounted for an average of 50% of the total variance, inertial 5, and tidal 10%. In the temperature spectra the subinertial accounted for 75 of the total variance, inertial 1%, and tidal 10%. Individual records had peaks at periods between 10 and 45 days.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

DATE  
ILMED  
-8