

AD-A099 017

ISTITUTO DI METROLOGIA GUSTAVO COLONNETTI TURIN (ITALY) F/8 R/5
ABSOLUTE GRAVITY MEASUREMENTS IN THE UNITED STATES OF AMERICA.(U)
NOV 80 I MARSON, F ALASIA AFOSR-80-0157

UNCLASSIFIED

R-162

AFGL-TR-81-0052

NL

1 of 1
AD-A
099017

END
DATE
FILMED
6-81
DTIC

18 AFGL TR-81-0052 19

LEVEL III

12

6 ABSOLUTE GRAVITY MEASUREMENTS IN THE UNITED STATES OF AMERICA.

10 Iginio MARSON *Franco Alasia*
Istituto di Miniere e di Geofisica Applicata
Università
Trieste, Italy

and

Franco ALASIA
Istituto di Metrologia "G. Colonnetti"
Torino, Italy

DTIC
ELECTE
S MAY 15 1981
E

AD A099017

11 12 Nov 1980

12 72

14 R-162

9 Final Report, 5 May 1980 - 4 Jul 1980,

Approved for public release; distribution unlimited

15 - AFOSR-80-0157

16 1230

Prepared for
AIR FORCE GEOPHYSICS LABORATORY
AIR FORCE SYSTEMS COMMAND
UNITED STATES AIR FORCE
HANSCOM AFB, MASSACHUSETTS 01731

17 68 AD

and

EUROPEAN OFFICE OF AEROSPACE RESEARCH AND DEVELOPMENT
LONDON, England

FILE COPY

393459
81 5 15 05 2mt

Qualified requestors may obtain additional copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFGL-TR-81-0052 ✓	2. GOVT ACCESSION NO. AD-A099017	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) ABSOLUTE GRAVITY MEASUREMENTS IN THE UNITED STATES OF AMERICA		5. TYPE OF REPORT & PERIOD COVERED Final - 5 May 1980 - 4 July 1980
		6. PERFORMING ORG. REPORT NUMBER R 162 ✓
7. AUTHOR(s) Iginio MARSON and Franco ALASIA		8. CONTRACT OR GRANT NUMBER(s) AFOSR-80-0157
9. PERFORMING ORGANIZATION NAME AND ADDRESS Istituto di Metrologia "G. Colonnetti" Strada delle Cacce 73 10135 TORINO, Italy		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 1230/68 and 1230/A DMA 000AA 69116
11. CONTROLLING OFFICE NAME AND ADDRESS Air Force Geophysics Laboratory Hanscom AFB, Massachusetts 01731 Monitor/Bela Szabo/I.W		12. REPORT DATE 12 November 1980
		13. NUMBER OF PAGES 68 (text, tables, figs., Appendix)
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS (of this report) Unclassified
		15a. DECLASSIFICATION DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release - Distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Absolute gravity measurements		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The measurements of gravity acceleration described in the report were performed in 1980 within a grant program sponsored by the US Air Force. The introductory part of the report illustrates the transportable absolute gravimeter and ancillary instrumentation used in measurements, and describes the measurement method applied; uncertainty and errors are analysed as well. Measurements of gravity acceleration made in Europe prior to the USA program are also briefly considered before a detailed account is given of the measurements made in the USA. The numerous tables in the text and at the end of the report form an		

essential part of it. Six stations were observed in the USA and approximately 100 measurements made per station. The results show an overall uncertainty in g measurements of the order of 10 μ Gal.

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	

The work described in this final report was developed in the framework of an international grant programme for basic research of the US Air Force Office of Scientific Research, grant n° AFOSR-80-0157.

For the realization of the programme contributions were given by

- Italy : A. Bray, contractor representative, Director of the Istituto di Metrologia "G. Colonnetti" (IMGC), Torino; G. Cerutti, physicist, main investigator, researcher at IMGC; I. Marson, physicist, principal investigator, assistant professor at the University of Trieste; L. Cannizzo, higher-grade technician at IMGC; F. Alasia, higher-grade technician at IMGC.
- U.S.A. : B. Szabo, programme manager, Senior Scientist at the Terrestrial Sciences Division, Air Force Geophysical Laboratory (AFSC), Hanscom AF Base; W. Spita, gravimetrist, Geodetic Survey Squadron, DMATC, Warren AFB, Wyoming; J. Hammond, physicist, Geodesy & Gravity Branch, Terrestrial Sciences Division AFGL.

Measurements in USA were carried out by I. Marson, F. Alasia, W. Spita. G. Cerutti gave his cooperation also in preparing the report.

The Istituto di Metrologia "G. Colonnetti" of the National Research Council of Italy developed, in cooperation with the Bureau International des Poids et Mesures (BIPM), Sèvres, a transportable absolute gravity meter, with 10 μ Gal uncertainty (*). This instrument has been used in the past five years to determine the gravity acceleration in 23 European sites to improve the International Gravity Standardization Net (IGSN 71) (**). Moreover, six absolute stations had been observed during a previous USA campaign in 1977 (***).

In Summer 1980 measurements were carried out in six sites in the United States: Boulder, Colorado; Alamogordo, New Mexico; Mc Donald Obs., Texas; Sheridan, Wyoming; Great Falls, Montana; Anchorage, Alaska.

The work was supported by the US Air Force Geophysical Laboratory, Hanscom AFB, Mass., under grant n° AFOSR-80-0157.

(*) Cerutti, G., Cannizzo, L., Sakuma, A., & Hostache, J. A transportable apparatus for absolute gravity measurements. VDI-Berichte n. 212, 1974: p. 49.

(**) Cannizzo, L., Cerutti, G., & Marson, I. Absolute gravity measurements in Europe. Il Nuovo Cimento, vol. 1C (n. 1), 1978: p. 39.

Marson, I., & Alasia, F. Absolute gravity measurements in Switzerland. P.I, IMGC Technical Report R 127, 1978. P. II, IMGC Technical Report R 142, 1979. P. III, IMGC Technical Report R 156, 1980.

(***) Marson, I., & Alasia, F. Absolute gravity measurements in the United States of America. Report AFGL-TR-78-0126.

Symbols and Abbreviations

g	value of gravity acceleration (*)
g_{corr}	value of g corrected for tide effect
g_f	final mean value of gravity acceleration at height h from pillar surface, normalized at a reference fringe number and corrected for electronic delay
g_r	gravity value reduced to reference level (floor or pillar surface) (**)
h	height from ground or pillar surface of the point where g is determined
m	standard deviation
M	standard error
N	number of interference fringes in the trajectory of projected body
N_m	total number of g measurements at each station
N_r	number of reference fringes
t	time interval between the two passages across the higher station during one trajectory
T	time interval between the two passages across the lower station during one trajectory
T.C.	Earth tides correction
U.Time	Greenwich mean time (Universal Time)
N.V.T. REJ.	Non vertical trajectory. Rejected

(*) The value of g is given by the formula

$$g = \frac{4 \cdot \lambda \cdot (N - 0.25)}{T^2 - t^2}$$

where $\lambda = 0.632\,991\,4122 \text{ }\mu\text{m}$ is the wavelength of the He-Ne laser beam.

(**) According to the resolution of the WG 2 of the International Gravity Commission, the Honkasalo term has not been included.

1. THE IMGC ABSOLUTE GRAVITY METER

1.1. Measurement method

The method adopted consists of the observation of the symmetrical free fall of a body in the gravitational field of the earth.

The advantages of this method are well known: relative freedom from residual air resistance and higher accuracy in time measurements, owing to the symmetry of the motion.

An object is projected vertically upwards and, in its rise and fall, it crosses twice two stations separated by distance L , whose value is accurately determined.

Two time intervals, T and t , corresponding to the two passages across the lower and upper stations respectively, are measured. The value of the acceleration due to the gravity force of the earth is given by

$$g = 8L/(T^2 - t^2) \quad (1)$$

The vertical gradient of the gravity force being assumed as constant along the whole trajectory, the value of g obtained from (1) corresponds to a point situated at height

$$z = L/6 + 1/3 \approx H/6 \quad (2)$$

from the apex of the trajectory downwards (l is the distance between the apex and the upper station and is negligible with respect to L).

The repeatability of the trajectory at each station and the determination of the apex are obtained with an uncertainty lower than 1 mm.

1.2. Technical description

The essential parts of the apparatus are a Michelson interferometer and a long-period seismometer (~ 20 s) (Figure 1). On the inertial mass of the seismometer is placed a corner cube (cc1) forming one mirror of the interferometer and the reference fixed point. The radiation from a stabilized HeNe laser is used. A second corner cube (cc2) is projected vertically in a vacuum cylinder (~ 0.1 Pa) and forms the movable mirror of the interferometer. Two

photodetectors (Ph a, Ph b) detect the interference fringes during the vertical motion of the corner cube and drive the electronic counters of the flight time and the trajectory length.

1.3. Measurement techniques

No physical standard of length is used, therefore measurements start at a pre-determined but arbitrary instant on the upward trajectory. At that point, fringe counting begins by means of a bi-directional counter guided by the signals of two photomultipliers. Simultaneously, computation of the total flight time begins as well. Another time counter is reset by each fringe in the rise and is stopped only by the first fringe in the fall motion, owing to phase relation inversion of the photodetector signals at the apex of the trajectory. This time interval is quantity "t" in eq. (1).

The upper station is therefore placed at the last fringe in the upward motion. If N is the total number of fringes recorded in the upward motion and λ the wavelength of the laser radiation, then

$$L = N \frac{\lambda}{2} \quad (3)$$

In the downward motion the counter counts the number of fringes in decreasing order, and when it reaches fringe 0, it stops counting of time T.

1.4. Errors

a) Distance measurement

It is directly connected with the measurement of the value of the laser light wavelength and with its stability. A maximum relative error of 5×10^{-9} , corresponding to $\pm 5 \mu\text{Gal}$, is expected.

Therefore, the laser wavelength is measured before and after each measurement trip.

Microseisms influence the determination of distance, as they alter the position of the fixed mirror.

These effects have been reduced by ~ 20 times by placing the fixed corner

cube on the inertial mass of the seismometer.

The mechanical shocks of the catapult on the movable corner cube can be a source of disturbance for the experiment; for this reason, measurements begin with a pre-determined delay with respect to the STARTING POINT in order to avoid vibration of the corner cube.

b) Laser beam verticality

Verticality is obtained using a mercury pool. The error must be less than 10^{-4} rad in order that errors in "g" measurements can be less than 5 μ Gal. No correction was applied to the g value for this error, but a ± 5 μ Gal uncertainty was introduced in the overall evaluation of measurement uncertainty.

c) Trajectory verticality

Deviation from verticality must be less than 10^{-4} rad over the whole trajectory, to obtain homogeneous visibility (> 80%).

d) Movable corner cube rotation

Rotations must be less than 0.03 rad/s. The corner cube must be adjusted so that the optical and gravity centres coincide within 0.1 mm.

e) Time determination

A rubidium time standard is used, with 10^{-10} stability approximately. A Hewlett-Packard counter, with ± 1 ns resolution is used to determine time T. The "start" and "stop" pulses, obtained from the fringe counter, are affected by the delay-time of the circuits used, which introduce a systematic error of 5 ns $\pm$ 0.5 ns in the determination of T.

In total, the uncertainty in T measurements is of ± 1.5 ns corresponding to approximately ± 6 μ Gal in g determination (indicated as uncertainty of d.t.c. in the tables).

The error in the determination of t is much higher, owing to the fact that a counter with ± 100 ns resolution is used.

Yet, being

$$t \ll T$$

the error on t becomes negligible.

f) Other influence factors

The presence of magnetic fields induces electrical currents in the metal of the corner cube during flight. To avoid this effect, all the metallic parts are made of amagnetic material.

The elastic of the catapult may have an electrostatic charge, and the movable corner cube may be charged by residual air. The elastic is therefore protected by a grounded metallic tube.

Moreover, if the trajectory is vertical, the tube is perfectly centred with respect to the corner cube, so that the capacitance between them keeps constant during flight and its effect is negligible.

No corrections were made for buoyancy or for reduction of the wavelength of the laser light caused by residual air.

g) The measured g value corresponds to a height of ~ 0.8 m from the ground. To reduce it to this level, the vertical gradient of g has to be measured, and a correction applied. Two relative gravity meters, La Coste Romberg G-131 and La Coste Romberg D-26 (for Anchorage), have been used.

The results obtained at the individual stations, together with their measurement uncertainties, are given below. Δh represents the difference in the heights at which the Δg gravity difference was measured.

Vertical gradient of g at the different stations

Site	Δh (m)	Δg (μ Gal)	$\Delta g / \Delta h$ (μ Gal/m)
Boulder	$.780 \pm .001$	181 ± 3	232 ± 3
Alamogordo	$.780 \pm .001$	245 ± 2	314 ± 2
Mc Donald	$.780 \pm .001$	317 ± 2	407 ± 2
Sheridan	$.780 \pm .001$	200 ± 2	256 ± 2
Great Falls	$.780 \pm .001$	242 ± 2	310 ± 2
Anchorage	$.780 \pm .001$	206 ± 2	264 ± 2

A typical example of the evaluation of errors is given below, as well as their overall evaluation.

Source of error	Estimated uncertainty (μ Gal)
1) Laser wavelength	± 5
2) Beam direction	± 5
3) Time interval T (± 1.5 ns)	± 6
4) Gradient of g	± 2

The uncertainty in the g value is thus ± 10 μ Gal, calculated as the square root of the sum of the squares of the individual errors.

2. PREVIOUS MEASUREMENTS

As was said before, 23 European sites and six in the U.S. had been determined (Figure 2).

As relevant information, the agreement of the Italian apparatus with Sakuma's gravity meter and its repeatability are given in Tables A and B.

TABLE A Comparison with Sakuma's value of "g" at Sèvres

Station, date	g_r (μ Gal)	m (μ Gal)	M (μ Gal)
Sèvres A ₃ by Sakuma	980 925 900		
Sèvres, May 1976	980 925 892	20	2.0
Sèvres, June 1976	980 925 902	17	1.8
Sèvres, January 1977	980 925 896	19	2.1
Sèvres, March 1977	980 925 906	17	1.9

TABLE B Repeatability of the measurements in the same station

Station, date	g_r (μ Gal)	m (μ Gal)	M (μ Gal)
Sèvres, May 1976	980 925 892	20	2.0
Sèvres, June 1976	980 925 902	17	1.8
Sèvres, January 1977	980 925 896	19	2.1
Sèvres, March 1977	980 925 906	17	1.9
Gävle, July 1976	981 923 527	19	1.6
Gävle, August 1976	981 923 533	17	1.9
Gävle, September 1976	981 923 524	20	3.1
Torino, July 1976	980 534 256	26	3.1
Torino, October 1976	980 534 251	25	4.1
Torino, June 1977	980 534 259	25	2.6
Torino, September 1977	980 534 259	30	3.3.
Bedford, Mass, Oct1977	980 378 671	24	2.4
Bedford, Mass, Dec 1977	980 378 675	29	3.6

3. U.S. MEASUREMENTS

From May 26 to June 29, 1980 the IMGC apparatus was used in the United States. The basic criteria for site selection were the establishment of a high-precision calibration line running from Mc Donald Obs. (Texas) to Greer Falls (Montana). Studies concerning monitoring of gravity field variations in a seismic area suggested the observation of the site in Anchorage (Alaska).

The following stations were therefore selected:

Mc Donal Obs., Texas

Alamogordo, New Mexico

Boulder, Colorado

Sheridan, Wyoming

Great Falls, Montana

Anchorage, Alaska

which are described in the Appendix.

Some comments are necessary about measurements in Alamogordo, N M, a site already observed in 1977 with the IMGC apparatus and subsequently with Hammond's.

Results indicated significant discrepancy between the two instruments (80 „Gal). Measurements carried out with both instruments in other sites (Bedford, Denver) did not show the presence of systematic effects that could account for this high discrepancy. Therefore simultaneous measurements with both instruments were organized in Alamogordo in 1980, to explain this ambiguous behaviour.

The measurements in question were carried out in three days. The results obtained by the IMGC instrument on May 31, 1980 are quite different from those of June 2 and 3. In fact, the results of May 31 are in very satisfactory agreement with those of 1977, whereas the results of June 2 and 3 indicate better agreement with Hammond's instrument. In an attempt to find an environmental condition that could have affected the 1977 measurements and those of May 31, 1980, it was found out that in both periods a system for gyroscope testing was operating at a few metres' distance, and that it was switched off on June 2 and 3. As the system was of a classified character, it was not possible to have the information necessary for thorough understanding of the interaction between the system and the gravity meter.

The gyroscope testing system was turned on again on June 3 in the afternoon, and once more results showed the mentioned discrepancy. Table C summarizes the results of the various measurements.

A synopsis of the results of the measurements carried out in the United States are reported in Tables C and D.

TABLE C

ALAMOGORDO MEASUREMENTS

Date	g Reduced (μ Gal)	Error (μ Gal)	Note
Nov. 3-7 1977	979 139 513	11	Gyro. Test. Syst. on
May 31 1980	979 139 516	11	" " " "
June 3 1980	979 139 519	15	" " " "
June 2-3 1980	979 139 514	12	" " " off

TABLE D

Synopsis of U.S. Measurements

Site	Date	g Reduced (μ Gal)	Error (μ Gal)
Boulder, CO	May 26-27, 1980	979 608 498	11
Alamogordo, NM	June 2-3, 1980	979 139 584	12
Mc Donald Obs, TX	June 6-7, 1980	978 820 097	11
Sheridan, WY	June 12-14, 1980	980 209 007	11
Great Falls, MO	June 17-18, 1980	980 497 412	10
Anchorage, AL	June 27-28, 1980	981 928 998	10

ACKNOWLEDGMENTS

The authors are indebted to all those who have contributed to the success of the campaign. Particular thanks are due to


- Mr. R.P. Beruff, Mr. B. Szabo and dr. J. Hammond for the logistic organization in the U.S.
- prof. A. Bray and dr. G. Cerutti for the logistic organization in Italy.
- prof. J. Faller and his staff for their most helpful assistance in repairing the instrument damaged in transport.
- Mr. L. Cannizzo for his assistance in repairing the instrument.
- Mr. W. Spita for his valuable assistance during field operations.

BOULDER, COLORADO MAY 26-27 1980

STATISTICS

TOTAL MEAS. 98
 MEAS. USED 90
 MEAS. REJECTED 8
 MEAN 979608.333
 STANDARD DEVIATION .038
 STANDARD ERROR .004

HISTOGRAM INTERVAL = .01 MILLIGAL



REDUCTION AT THE FLOOR

SOURCE	VALUE	ERROR
HEIGHT	.799	.001
GRADIENT	.235	.002
GRAVITY VAL.	979608.333	.004
DELTA G	.188	.002
D.T.C.	-.023	.007
G REDUCED	979608.498	.011

ALAMOGORDO, NEW MEXICO MAY 31 1966 0430. EAST. SWIFT. 14


STATISTICS

TOTAL MEAS. 48
 MEAS. USED 48
 MEAS. REJECTED 0
 MEAN 974139.247
 STANDARD DEVIATION .003
 STANDARD ERROR .006

REDUCTION AT THE FLOR

SOURCE	VALUE	STDEV
HEIGHT	.772	.002
GRAVITY	.324	.003
GRAVITY VAL.	975134.247	.002
DELTA S	.242	.002
DELTA C	-.002	.004
S	973239.015	.011

HISTOGRAM INTERVAL = .01 MILLIGAL




ALAMOGOGO, NEW MEXICO JUNE 2-3 1980

STATISTICS

TOTAL MEAS. 101
 MEAS. USED 101
 MEAS. REJECTED 0
 MEAN 979139.391
 STANDARD DEVIATION .024
 STANDARD ERROR .002

HISTOGRAM INTERVAL = .01 MILLIGAL



REDUCTION AT THE FLOOR

SOURCE	VALUE	ERROR
HEIGHT	.702	.001
GRADIENT	.314	.002
GRAVITY VAL.	979139.391	.002
DELTA G	.220	.002
D.T.C.	-.027	.009
G REDUCED	979139.584	.012

FLAMINGO JUNE 3 1960 GYRC. TEST. SYST. ON

STATISTICS

TOTAL MEAS. 12
 MEAS. USED 12
 MEAS. REJECTED 0
 MEAN 979139.326
 STANDARD DEVIATION .022
 STANDARD ERROR .010

HISTOGRAM INTERVAL = .01 MILLIGAL

-.10 *
 -.09 *
 -.08 *
 -.07 *
 -.06 *
 -.05 *
 -.04 *
 -.03 *
 -.02 *
 -.01 *
 .00 *
 .01 *
 .02 *
 .03 *
 .04 *
 .05 *
 .06 *

REDUCTION AT THE FLOOR

SOURCE	VALUE	ERROR
HEIGHT	.702	.001
GRADIENT	.314	.002
GRAVITY VAL.	979139.326	.010
DELTA G	.220	.002
J.T.C.	-.027	.003
G REDUCED	979139.519	.015

MC DONALD JRS., TEXAS JUNE 6-7 1980


STATISTICS

TOTAL MEAS. 115
 MEAS. USED 109
 MEAS. REJECTED 6
 MEAN 978419.430
 STANDARD DEVIATION .035
 STANDARD ERROR .003

REDUCTION AT THE FLOOR

SOURCE	VALUE	ERROR
HEIGHT	.717	.301
GRAFICIENT	.407	.002
GRAVITY VAL.	978619.830	.003
DELTA G	.292	.002
D.T.C.	-.025	.003
G REDUCED	978320.097	.011

HISTOGRAM INTERVAL = .01 MILLIGAL



CHERIDAN, MONTING JUNE 12-13 1960


STATISTICS

TOTAL MEAS. 121
 MEAS. USED 105
 MEAS. REJECTED 16
 MEAN 330200.867
 STANDARD DEVIATION .333
 STANDARD ERROR .003

REDUCTION AT THE SIGN

SOURCE	VALUE	REGR
HEIGHT	.458	.001
GRADIENT	.254	.002
GRAVITY VAL.	000200.867	.003
DELTA G	.148	.002
DELTA G	-.022	.002
G REDUCED	000200.007	.011

HISTOGRAM INTERVAL = .01 MILLICAL



GREAT FALLS, MONTANA JUNE 17-18 1980


STATISTICS

TOTAL MEAS. 112
 MEAS. USED 103
 MEAS. REJECTED 9
 MEAN 980497.219
 STANDARD DEVIATION .036
 STANDARD ERROR .004

REDUCTION AT THE FLOOR

SOURCE	VALUE	ERROR
HEIGHT	.705	.001
GRACIENT	.310	.002
GRAVITY VAL.	980497.219	.004
DELTA G	.219	.002
D.T.C.	-.026	.001
G REDUCED	980497.412	.010

HISTOGRAM INTERVAL = .01 MILLIGAL



ANCHORAGE, ALASKA JUNE 27-28 1980


STATISTICS

TOTAL MEAS. 126
 MEAS. USED 124
 MEAS. REJECTED 2
 MEAN 2-1320.837
 STANDARD DEVIATION .028
 STANDARD ERROR .002

REDUCTION AT THE FLOOD

SOURCE	VALUE	ERROR
LENGTH	.706	.001
GRADIENT	.264	.002
GRAVITY VAL.	981928.827	.002
DELTA S	.186	.002
D.T.C.	-.025	.007
C. ADJUSTED	981528.058	.010

HISTOGRAM INTERVAL = .01 MILLICAL



BOULDER, CO MAY 26 1980

W.T. HR.	N. FRINGES	TOT. TIME MICRO S	TIME APEX MICRO S	T.C. MILLIGAL	G. VALUE MILLIGAL	NOTE
15.30	691234	422593.488	309.5	.0627	979608.2625	N.V.T. REJ.
15.34	686798	421325.165	469.6	.0647	979608.2684	N.V.T. REJ.
15.37	675493	417842.965	222.2	.0622	979608.3147	
15.40	673492	417223.706	344.7	.0677	979608.3158	
15.43	675804	417939.340	445.8	.0698	979608.2333	N.V.T. REJ.
16.01	638611	421880.710	216.9	.0772	979608.2187	N.V.T. REJ.
16.03	683412	420285.259	459.4	.0781	979608.2329	N.V.T. REJ.
16.07	676613	418189.253	243.4	.0796	979608.2491	N.V.T. REJ.
16.10	676097	418029.961	480.6	.0808	979608.2822	N.V.T. REJ.
16.12	675879	417962.545	475.4	.0815	979608.3303	
16.14	673355	417181.197	252.3	.0823	979608.3560	
16.16	676107	418032.957	399.2	.0830	979608.3304	
16.18	673392	417192.717	309.7	.0837	979608.2648	
16.20	671072	416473.512	496.9	.0843	979608.2697	
16.25	673573	417248.700	176.0	.0859	979608.2844	
17.10	665255	414664.595	452.4	.0953	979608.2655	
17.17	669264	415912.177	479.8	.0958	979608.3104	
17.21	665050	414503.737	375.6	.0959	979608.2827	

BOULDER, CO MAY 26 1980

U.M.T. HR. MIN	N. FRINGES	TGT. TIME MICRO S	TIME APEX MICRO S	T.C. MILLIGAL	G. VALUE MILLIGAL	NOTE
13.54	558436	412533.799	341.0	.0784	979608.3344	
13.58	579577	419104.376	439.9	.0768	979608.2705	
14.05	579051	418941.931	194.8	.0737	979608.4188	
14.07	572985	417066.554	233.8	.0728	979608.3399	
14.10	553331	414064.450	406.3	.0715	979608.3968	
14.12	657781	415450.991	364.9	.0707	979608.3374	
14.15	664277	414359.626	438.0	.0693	979608.4275	
14.18	664647	414474.909	293.2	.0668	979608.2973	
14.21	563658	416034.473	384.0	.0663	979608.3351	
14.24	669431	415964.018	437.4	.0649	979608.2786	
14.28	675160	417740.087	388.5	.0639	979608.2890	
14.30	564509	414431.893	324.9	.0629	979608.3288	
14.32	661651	413539.741	358.2	.0619	979608.3287	
14.36	664670	414482.120	346.4	.0607	979608.2911	
14.40	655193	411516.524	230.5	.0575	979608.3924	
14.44	666875	415169.068	362.2	.0564	979608.3100	
14.44	659353	412824.225	477.2	.0542	979608.3394	

BOULDER, CO MAY 26 1980

G.M.T. HR. MIN	N. FRINGES	TOT. TIME MICRO S	TIME APEX MICRO S	T.C. MILLIGAL	G. VALUE MILLIGAL	NOTE
20.12	679731	419151.841	425.7	.0362	979608.2512	N.V.T. REJ.
20.13	668121	415556.794	435.0	.0360	979608.3696	
20.17	657300	412177.616	51.2	.0347	979608.3820	
20.19	661072	413358.729	352.2	.0334	979608.4252	
20.20	664530	414438.342	191.1	.0329	979608.3751	
20.22	658827	412656.182	242.4	.0316	979608.3677	
20.24	656793	412018.854	425.4	.0303	979608.3051	
20.26	650638	410083.585	261.4	.0291	979608.3653	
20.26	650601	410071.879	176.6	.0278	979608.3658	
20.31	653533	410994.946	314.7	.0260	979608.3281	
20.35	547648	409140.155	94.0	.0234	979608.3831	
20.37	654254	411221.729	486.6	.0218	979608.4349	N.V.T. REJ.
20.40	655060	411474.983	496.5	.0203	979608.3850	
20.42	661452	413477.675	489.0	.0190	979608.3174	
20.44	656313	411868.095	227.2	.0161	979608.3734	
20.45	653390	412919.372	336.6	.0171	979608.3340	
20.47	555743	411689.413	472.6	.0158	979608.3733	
20.49	656586	411953.913	433.5	.0146	979608.3646	
20.50	554842	411419.070	483.9	.0139	979608.3263	
20.52	628763	412636.160	279.5	.0127	979608.3572	
20.54	660523	413187.060	337.5	.0114	979608.3097	
20.56	654678	411354.920	433.5	.0108	979608.3662	
20.57	654641	415730.783	281.8	.0095	979608.3255	

BOULDER, CO MAY 26 1960

S.M.T. HR. MIN	N. FRINGES	TOT. TIME MICRO S	TIME APEX MICRO S	T.C. MILLIGAL	G. VALUE MILLIGAL	NOTE
22.31	673330	417173.582	426.2	-0.0432	979608.2864	
22.33	664553	414445.605	330.2	-0.0440	979608.2816	
22.35	660798	413273.145	440.2	-0.0440	979608.3260	
22.36	659300	412804.211	90.8	-0.0453	979608.3619	
22.38	662103	413680.988	414.7	-0.0462	979608.3831	
22.39	654190	414332.313	197.7	-0.0466	979608.2812	
22.41	653638	411043.765	419.0	-0.0474	979608.3001	
22.43	654030	411151.063	63.4	-0.0483	979608.3244	
22.45	650525	410047.965	252.1	-0.0491	979608.2960	
22.47	655293	411546.158	505.2	-0.0498	979608.3544	
22.49	650504	410041.386	322.1	-0.0506	979608.3396	
22.51	658586	412580.819	396.1	-0.0528	979608.2827	
22.53	603214	414027.928	408.3	-0.0539	979608.2974	

BOULDER, CO MAY 27 1980

G.M.T. HR. MIN	N. FRINGES	TOT. TIME MICRO S	TIME APEX MICRO S	T.C. MILLIGAL	G. VALUE MILLIGAL	NOTE
16.30	690738	422531.965	479.3	.0930	979608.3137	
16.32	684031	420475.450	340.5	.0938	979608.3383	
16.34	685928	421057.983	112.3	.0947	979608.2722	
16.36	675102	417722.220	460.9	.0955	979608.3071	
16.40	671761	416687.320	472.4	.0972	979608.3220	
16.44	679013	418621.858	469.3	.0989	979608.3040	
16.46	675960	417987.509	404.0	.0997	979608.3731	
16.47	675098	417720.981	459.3	.1000	979608.3104	
16.49	675972	417991.148	318.4	.1008	979608.3610	
16.51	674918	417665.106	264.5	.1015	979608.3799	
16.53	664690	414488.379	385.8	.1022	979608.3878	
16.55	676720	418222.431	392.7	.1029	979608.2751	
16.57	672135	416818.839	497.9	.1036	979608.2886	
16.59	664447	414412.664	432.1	.1043	979608.3362	
17.00	672743	416991.563	214.4	.1046	979608.3103	
17.03	670185	416198.145	381.2	.1054	979608.3565	
17.06	666253	414975.477	435.1	.1062	979608.3602	
17.07	664244	414349.311	396.0	.1065	979608.3717	
17.09	653461	414104.844	46.7	.1070	979608.3452	
17.10	661844	413600.055	364.9	.1073	979608.3792	
17.13	664917	414559.192	412.8	.1082	979608.3154	
17.32	667340	415313.876	449.2	.1118	979608.3498	
17.55	678240	418691.849	388.6	.1134	979608.3096	
17.57	674051	417396.822	342.0	.1134	979608.3340	
18.01	673449	417210.375	322.8	.1135	979608.3342	
18.05	674617	417572.000	317.0	.1132	979608.3775	
18.07	677221	418377.300	487.4	.1131	979608.3527	

ALUMINUM DYE MAY 31 1950 CAPT. TEST. SYST. OR

Q.W.T. H.M.P.	N. FRAMES	TOT. TIME MICRO S	TIME AREA MICRO S	T.C. MILLICAL	S. VALUE MILLICAL	NOTE
17.05	771557	445702.622	440.4	.0654	979139.2592	
17.06	771510	445685.374	301.6	.0604	979139.3351	
17.10	769654	446126.430	444.8	.0622	979139.3420	
17.11	773522	447242.522	470.5	.0623	979139.3190	
4.71	772503	446947.885	420.4	.0651	979139.3403	
17.15	759729	446128.720	172.0	.0670	979139.3249	
17.16	757937	445625.113	450.1	.0679	979139.3241	
17.17	770926	446491.367	311.3	.0606	979139.2744	
17.20	757773	445577.313	201.1	.0731	979139.3024	
17.22	757920	445020.062	354.0	.0731	979139.3030	
17.25	764975	444764.670	204.2	.0755	979139.2491	
17.27	759754	443247.453	495.0	.0774	979139.2465	

ALAMCOURD, JM MAY 24 1960 GPER. TEST. SYST. ON

G.P.I. M.P.M	N. SPRINGS	TOT. TIME MICRO S	TIME APPEX MICRO S	I.C. MILLIGAL	% VALUE MILLIGAL	NOTE
19.07	755821	450804.069	157.7	.1448	579134.2749	
19.09	777876	446494.365	97.9	.1456	579139.2509	
19.10	775202	447957.191	472.3	.1450	579129.2721	
19.12	772031	446825.667	215.4	.1468	579135.2339	
19.15	775351	448059.523	345.0	.1480	579139.3197	
19.16	757755	445574.983	125.4	.1483	579134.2955	
19.15	770972	446504.843	485.4	.1490	579134.3580	
19.21	775031	447693.039	413.2	.1500	579134.2897	
19.24	765375	445171.551	312.0	.1510	579135.2762	

ALAMOGORDO, NM MAY 31 1950 CYC. TEST. SYST. 20

6.0.1. 42.12	N. FRINGES	TOT. TIME MICRO S	TIME AP- PROX S	I.C. MILLIGAL	C. VALUE MILLIGAL	W.T.
19.41	771213	445574.515	333.7	.1544	979139.2314	
19.42	771127	445549.722	452.1	.1573	979139.3557	
19.57	757904	445532.875	393.2	.1576	979139.3257	
20.00	753305	444279.402	361.0	.1580	979139.3471	
20.01	770712	445425.463	377.5	.1581	979139.2770	
20.03	754343	444520.374	287.1	.1582	979139.2451	
20.06	754731	445255.315	323.7	.1584	979139.2522	
20.10	755710	444374.492	455.5	.1587	979139.2905	
20.12	765778	444990.190	398.0	.1588	979139.2480	
20.14	754345	444581.747	409.3	.1589	979139.2463	
20.16	767142	445346.098	426.5	.1591	979139.2197	
20.20	770749	444454.694	422.3	.1547	979139.3046	
20.22	757731	445575.348	441.5	.1571	979139.2943	
20.24	755245	445133.440	490.1	.1572	979139.2432	

ALAMOGORDO, NM JUNE 2 1980

G.M.T. HR. MIN	N. FRINGES	TOT. TIME MICRO S	TIME APEX MICRO S	T.C. MILLIGAL	G. VALUE MILLIGAL	NOTE
19.50	582418	382082.496	244.5	.0997	979139.3815	
19.51	571454	384415.813	400.2	.1002	979139.3915	
19.53	577450	386424.031	493.1	.1012	979139.3532	
19.55	579823	387217.222	506.6	.1023	979139.3842	
19.56	570745	384173.740	176.9	.1029	979139.3877	
19.57	573364	385054.303	370.4	.1043	979139.4014	
19.57	573364	385054.303	370.4	.1034	979139.4005	
19.58	569567	383777.270	425.8	.1039	979139.3847	
19.59	575244	385685.195	489.5	.1045	979139.4018	
20.00	573487	385095.756	501.8	.1050	979139.3775	
20.01	570034	383934.434	272.7	.1135	979139.3837	
20.03	566904	382878.311	80.4	.1146	979139.4388	
20.04	568310	383353.355	186.5	.1151	979139.4147	
20.06	572217	384668.876	261.9	.1162	979139.4111	
20.07	557210	382982.453	496.7	.1167	979139.3987	
20.06	574858	385555.622	347.9	.1172	979139.3967	
20.11	574697	385498.275	348.1	.1189	979139.3900	
20.13	567718	383153.736	316.0	.1199	979139.3436	
20.15	575891	385598.508	309.1	.1210	979139.3495	
20.20	563229	383326.190	391.0	.1220	979139.4155	
20.22	576614	386143.866	61.7	.1226	979139.4380	
20.24	575702	385938.555	346.2	.1236	979139.3816	
20.25	573350	385049.466	154.1	.1240	979139.3635	
20.26	575579	385797.503	498.0	.1244	979139.3736	
20.27	573042	384946.179	377.7	.1248	979139.3870	
20.29	557947	383231.199	508.1	.1256	979139.4104	
20.30	573236	387020.952	292.9	.1260	979139.3616	

ALAMJGORDJ ,NM JUNE 2 1980

G.M.T. HR. MIN	N. FRINGES	TOT. TIME MICRO S	TIME APEX MICRO S	T.C. MILLIGAL	G. VALUE MILLIGAL	NOTE
20.31	573153	384983.295	125.7	.1263	979139.3887	
20.35	573216	385004.566	313.2	.1268	979139.3569	
20.34	563547	383433.581	505.4	.1271	979139.3632	
20.35	567926	383223.949	357.3	.1273	979139.3846	
20.36	572512	384768.091	342.9	.1276	979139.3804	
20.37	570298	384023.567	507.1	.1279	979139.4007	
20.39	570153	383974.486	231.9	.1274	979139.3673	
20.40	574097	365300.364	375.7	.1287	979139.4053	
20.42	570096	383955.457	428.7	.1292	979139.3908	
20.43	567976	383240.829	371.6	.1295	979139.4005	
20.44	566656	382795.375	496.4	.1297	979139.4150	
20.45	566584	382771.015	459.9	.1300	979139.3869	
20.47	570652	384142.675	457.1	.1305	979139.3917	
20.48	567553	383097.933	121.9	.1308	979139.3987	
20.49	561505	381051.380	315.7	.1311	979139.3905	
20.51	567433	383057.730	488.4	.1316	979139.3629	
20.52	570031	383933.652	503.7	.1319	979139.4290	
20.53	571006	384261.805	455.0	.1321	979139.3884	
20.55	573420	385072.935	47.2	.1327	979139.4108	
20.56	564516	382071.763	403.1	.1329	979139.4080	
20.57	565632	382449.328	479.1	.1332	979139.3959	
20.58	568503	383418.671	453.4	.1335	979139.4089	
21.00	566577	382768.658	464.4	.1340	979139.3802	
21.01	569340	383700.771	409.7	.1341	979139.3997	
21.02	570072	383954.005	313.0	.1342	979139.3614	
21.03	568511	383421.441	506.7	.1344	979139.3815	
21.04	569942	383916.917	263.5	.1345	979139.3966	
21.06	569235	383665.336	357.1	.1348	979139.3851	

ALAMJGORDJ,NM JUNE 2 1980

G.M.T. HF. MIN	N. FRINGES	TOT. TIME MICRO S	TIME APEX MICRO S	T.C. MILLIGAL	G. VALUE MILLIGAL	NOTE
21.30	581300	387709.949	374.9	.1370	979139.3877	
21.31	574829	385545.997	437.2	.1370	979139.3693	
21.32	579020	386614.704	495.6	.1370	979139.4002	
21.34	574020	386614.704	495.6	.1370	979139.4002	
21.34	573359	386728.074	503.1	.1370	979139.3737	
21.35	579753	367193.774	441.8	.1370	979139.3999	
21.30	573984	386936.304	348.5	.1370	979139.3778	
21.37	574612	386812.442	319.4	.1370	979139.4415	
21.38	573611	385137.199	318.7	.1370	979139.3717	
21.39	573121	384972.681	348.3	.1340	979139.4157	
21.40	574449	385418.307	121.2	.1370	979139.3917	
21.42	573824	387240.811	407.9	.1370	979139.4255	
21.43	575559	386125.569	255.7	.1370	979139.3521	
21.44	530523	387450.656	262.1	.1370	979139.3661	
21.46	574071	385291.799	513.1	.1369	979139.4061	
21.47	573451	387036.186	376.9	.1367	979139.3978	
21.48	573202	384999.847	298.8	.1366	979139.3969	
21.49	575332	386049.750	470.2	.1365	979139.3589	
21.51	580730	387519.695	211.8	.1362	979139.3738	
21.52	575584	386134.012	357.9	.1361	979139.3991	
21.53	573227	385109.023	359.3	.1359	979139.4257	
21.54	577734	386518.846	297.5	.1358	979139.3686	
21.55	587127	389648.432	472.1	.1356	979139.3597	
21.55	584519	388782.001	413.3	.1355	979139.3528	

ALAMCGCRDQ, NM JUNE 3 1980

G.M.T. HR. MIN	N. FRINGES	TOT. TIME MICRO S	TIME APEX MICRO S	T.C. MILLIGAL	G. VALUE MILLIGAL	NOTE
13.54	527013	369162.391	399.3	-.0592	979139.3692	
13.55	530598	370415.892	421.1	-.0595	979139.3990	
13.55	526352	368935.419	450.8	-.0597	979139.4004	
14.00	532049	370922.069	466.9	-.0600	979139.4597	
14.02	527924	369491.426	490.4	-.0601	979139.3981	
14.03	527678	369395.228	400.1	-.0602	979139.3686	
14.05	532954	371237.430	486.1	-.0303	979139.4478	
14.07	533587	371457.679	356.9	-.0605	979139.4267	
14.09	532934	371230.220	233.9	-.0606	979139.4160	
14.11	530227	370286.203	228.5	-.0609	979139.3874	
14.14	538362	373116.207	503.2	-.0609	979139.4316	
14.15	530736	370464.085	437.1	-.0610	979139.3550	
14.17	532041	370919.249	423.5	-.0611	979139.3438	
14.19	532740	371162.698	288.7	-.0613	979139.3432	
14.20	532516	371084.669	306.7	-.0613	979139.3658	
14.21	539150	373389.105	448.4	-.0614	979139.4148	
14.23	532547	371102.361	203.1	-.0615	979139.3979	
14.24	529150	369560.442	436.3	-.0616	979139.3627	
14.25	529203	369579.029	472.9	-.0617	979139.3641	
14.26	530300	370311.914	469.5	-.0617	979139.4140	
14.27	528462	369669.620	475.1	-.0618	979139.4203	
14.28	528309	369615.875	232.4	-.0619	979139.3972	

ALANCOB-03 JUNE 3 1980 GYPS. TEST. SYST. ON

TIME	TIME	TIME AREA	T.C.	S. VALUE	NOTE
MIN	SEC	MICRO S	MILLIGAL	MILLIGAL	
1.00	00.00	374080.444	.0023	379139.3329	
1.00	00.07	378731.076	.0039	379129.3701	
1.00	00.14	378734.387	.0080	379134.2257	
1.00	00.17	378231.114	.0091	379129.2349	
1.00	00.20	377908.165	.0101	379159.3322	
1.00	00.23	375611.010	.0107	379136.2451	
1.00	00.26	379269.595	.0117	379123.2331	
1.00	00.29	379542.216	.0128	379129.3358	
1.00	00.35	379317.974	.0133	379129.3250	
1.00	00.38	378244.332	.0136	379134.2415	
1.00	00.45	377539.752	.0144	379139.3372	
1.00	00.47	378380.247	.0155	379129.3151	

MC DONALD BAS., TEXAS JUNE 6 1960

W.V.I. W.P. IN	N. PRINGS	SET. TIME MICRO S	TIME APEX MICRO S	7.C. MILLIGAL	C. VALUE MILLIGAL	NOTE
14.50	550207	374311.534	500.5	.0345	478519.8034	
14.52	550385	377321.403	453.1	.0343	478519.8307	
14.53	543439	374339.361	387.3	.0341	478519.9301	N.V.I.
14.55	554133	378505.114	224.1	.0339	478519.8712	
14.57	545630	376031.795	510.1	.0337	478519.8408	
15.00	547872	375458.618	412.5	.0334	478519.8649	
15.04	540946	374071.419	311.5	.0328	478519.9056	N.V.I.
15.06	541959	374421.717	505.0	.0324	478519.9120	N.V.I.
15.08	545448	375624.845	413.4	.0321	478519.8553	
15.10	545442	375450.740	401.7	.0320	478519.8097	N.V.I.
15.11	540717	375745.239	252.0	.0316	478519.8354	
15.13	551408	377671.040	436.9	.0313	478519.8485	
15.14	551210	377009.537	245.2	.0311	478519.8760	
15.15	545550	375940.815	301.0	.0310	478519.8480	N.V.I.
15.17	553252	375302.329	326.8	.0306	478519.8568	
15.19	550376	377317.973	459.7	.0302	478519.8349	
15.20	542459	374507.555	337.0	.0300	478519.8663	
15.23	550001	377183.329	410.0	.0294	478519.9302	N.V.I.
15.22	543083	375246.265	263.2	.0294	478519.8522	
15.24	547335	376274.939	212.7	.0292	478519.8550	
15.26	552023	377405.490	390.2	.0291	478519.8502	
15.28	554414	378095.581	403.4	.0284	478519.8707	
15.32	550052	378212.229	412.1	.0285	478519.8445	
15.34	552452	374524.546	247.1	.0281	478519.8710	
15.35	545500	375303.150	338.2	.0268	478519.8229	
15.37	553056	375205.452	377.7	.0263	478519.8527	
15.38	551035	377544.203	202.7	.0258	478519.8573	

MC DONALD DME, TEXAS JUNE 6 1963

W. T. K. M.	N. FRINGS	INT. TIME MICRO S	TIME APPL MICRO S	T.C. MILLIGAL	S. VALUE MILLIGAL	NOTE
15.45	530054	370237.054	370.7	.0270	978819.8095	
15.42	554011	379426.161	509.5	.0252	978819.8522	
15.43	552732	378158.423	458.4	.0222	978819.8271	
15.47	553735	378447.408	331.0	.0245	978819.8676	
15.49	555306	379003.293	191.9	.0234	978819.8315	
15.50	556552	379429.034	406.7	.0234	978819.8382	
15.51	559454	380537.825	317.7	.0231	978819.8762	
15.52	559387	380394.256	471.7	.0227	978819.8353	
15.53	561604	381167.597	400.7	.0224	978819.8003	

MC DONALD 125.9 TEXAS JUNE 5 1950

DATE TIME	N. BRINGS	INT. TIME MICRO S	TIME APX MICRO S	I.C. MILLIGAL	C. VALUE MILLIGAL	NOTE
15.10	53157	334533.313	221.0	-0024	77819.033	
15.11	53357	331742.311	247.5	-0039	77819.025	
15.13	53365	340240.004	244.5	-0045	77819.015	
15.16	536423	370365.050	413.0	-0056	77819.0314	
15.18	53347	340720.305	331.0	-0041	77819.0373	
15.19	537559	383152.504	195.6	-0054	77819.7893	
15.20	53979	343541.751	467.0	-0057	77819.8491	
15.21	553202	374205.254	255.5	-0069	77819.8591	
15.22	543404	377053.043	241.5	-0072	77819.8717	
15.24	532806	379515.044	460.4	-0074	77819.815	
15.25	53345	361920.343	253.5	-0089	77819.8279	
15.31	53464	341973.741	345.4	-0084	77819.8760	
15.31	537303	374604.702	225.5	-0085	77819.8413	
15.33	534622	378740.619	121.5	-0103	77819.7024	
15.35	534314	352060.031	130.3	-0109	77819.7359	
15.37	533241	361470.426	344.7	-0114	77819.8141	
15.40	53401	340459.741	246.0	-0172	77819.8123	
15.42	53241	341542.323	307.2	-0125	77819.801	
15.44	533931	340223.150	445.6	-0126	77819.803	
15.45	533641	340140.047	441.6	-0130	77819.8123	
15.47	534723	374403.154	400.7	-0130	77819.7924	
15.51	531477	341103.430	104.4	-0142	77819.8230	
15.52	532037	341234.077	344.7	-0144	77819.8171	

NO. 000000 143.07-143 JUNE 6 1967

G.I.I. NO. MIN	PRINGS	LT. TIME MICRO S	TIME APX MICRO S	T.C. MILLICAL	S. VALU MILLICAL	NOTE
17.45	574077	3430764.236	394.2	-0.0206	97819.3174	
17.46	577447	3434495.264	305.3	-0.0207	97819.3184	
17.47	572539	343146.027	104.5	-0.0209	97819.3471	
17.50	572941	344091.420	450.4	-0.0210	97819.3264	
17.52	573537	345266.307	456.1	-0.0210	97819.3282	
17.54	573531	343547.407	237.5	-0.0210	97819.3135	
17.46	574670	343564.236	394.2	-0.0211	97819.3169	
17.55	572171	344716.144	227.0	-0.0209	97819.3220	
17.57	573506	342422.479	495.4	-0.0210	97819.7824	
17.59	564031	343322.029	476.3	-0.0210	97819.3331	

*C DONALD 335., TEXAS JUNE 5 1980

C.M.T. HR. MIN	N. FRINGES	TUT. TIME MICRO S	TIME APEX MICRO S	T.C. MILLIGAL	C. VALUE MILLIGAL	NOTE
20.40	570450	384140.571	422.5	-.0179	978419.8129	
20.42	571498	384490.017	440.5	-.0174	978419.8329	
20.44	569358	383941.281	413.0	-.0173	978419.8432	
20.46	565228	382374.934	334.0	-.0170	978419.8737	
20.74	565295	382735.754	402.5	-.0168	978419.8057	
20.49	572137	384704.795	329.0	-.0165	978419.8380	
20.51	569130	383052.744	249.0	-.0161	978419.8520	
20.52	559218	383722.149	296.4	-.0159	978419.8310	
20.54	568333	383440.721	426.1	-.0156	978419.8372	
20.55	552543	381405.670	341.4	-.0154	978419.8382	

NO. 000000 035.0 TEXAS JUNE 5 1960

CALC. PER. MIN	NO. READING	INT. TIME MICRO S	TIME APPEX MICRO S	T.C. MILLICAL	G. VALUE MILLICAL	NOTE
21.35	57.777	384543.870	450.9	-.0050	978819.8405	
21.38	560824	380422.404	431.1	-.0490	978819.7353	
21.40	562923	381604.559	350.3	-.0043	978819.8293	
21.45	555535	382496.129	449.7	-.0029	978819.8737	
21.47	570083	384013.741	447.4	-.0022	978819.8503	
21.49	557259	379649.927	300.8	-.0016	978819.8279	
21.50	561799	381210.293	363.3	-.0013	978819.8735	
21.52	563471	381773.822	432.0	-.0006	978819.8547	
21.57	554813	378835.329	452.4	.0010	978819.8528	
21.58	562459	381572.684	179.0	.0013	978819.8623	
22.00	554402	382025.495	376.0	.0020	978819.8045	
22.02	557039	379594.917	322.6	.0026	978819.8207	
22.04	555954	381246.527	300.3	.0033	978819.8201	

W. DONALD DRS., TEXAS JUNE 7 1980

W. MIN	N. FRINGES	TOT. TIME MICRO S	TIME APEX MICRO S	T.C. MILLIGAL	S. VALUE MILLIGAL	NOTE
13.26	554420	378701.754	506.3	.0185	478819.7308	
13.28	543108	376539.525	319.3	.0596	478819.7403	
13.29	544146	375103.524	377.5	.0602	478819.8191	
13.31	541759	374252.553	453.0	.0612	478819.7837	
13.33	543503	374954.413	497.7	.0621	478819.8164	
13.37	533447	372165.224	262.2	.0640	478819.4358	
13.38	535919	372353.510	350.3	.0650	478819.8304	
13.41	532000	370984.554	444.2	.0659	478819.7944	
13.43	534255	371751.988	469.9	.0668	478819.8416	
13.49	551645	377753.022	420.4	.0697	478819.8666	
13.50	539401	373537.038	430.4	.0702	478819.8395	
13.52	532421	371112.057	159.5	.0711	478819.7911	

DATE 10/10/77 TIME 17:10

NO. 1000000	TIME 17:10	TIME 17:10	TIME 17:10	TIME 17:10
10.40	10.40	10.40	10.40	10.40
10.41	10.41	10.41	10.41	10.41
10.42	10.42	10.42	10.42	10.42
10.43	10.43	10.43	10.43	10.43
10.44	10.44	10.44	10.44	10.44
10.45	10.45	10.45	10.45	10.45
10.46	10.46	10.46	10.46	10.46
10.47	10.47	10.47	10.47	10.47
10.48	10.48	10.48	10.48	10.48
10.49	10.49	10.49	10.49	10.49
10.50	10.50	10.50	10.50	10.50
10.51	10.51	10.51	10.51	10.51
10.52	10.52	10.52	10.52	10.52
10.53	10.53	10.53	10.53	10.53
10.54	10.54	10.54	10.54	10.54
10.55	10.55	10.55	10.55	10.55
10.56	10.56	10.56	10.56	10.56
10.57	10.57	10.57	10.57	10.57
10.58	10.58	10.58	10.58	10.58
10.59	10.59	10.59	10.59	10.59
10.60	10.60	10.60	10.60	10.60
10.61	10.61	10.61	10.61	10.61
10.62	10.62	10.62	10.62	10.62
10.63	10.63	10.63	10.63	10.63
10.64	10.64	10.64	10.64	10.64
10.65	10.65	10.65	10.65	10.65
10.66	10.66	10.66	10.66	10.66
10.67	10.67	10.67	10.67	10.67
10.68	10.68	10.68	10.68	10.68
10.69	10.69	10.69	10.69	10.69
10.70	10.70	10.70	10.70	10.70
10.71	10.71	10.71	10.71	10.71
10.72	10.72	10.72	10.72	10.72
10.73	10.73	10.73	10.73	10.73
10.74	10.74	10.74	10.74	10.74
10.75	10.75	10.75	10.75	10.75
10.76	10.76	10.76	10.76	10.76
10.77	10.77	10.77	10.77	10.77
10.78	10.78	10.78	10.78	10.78
10.79	10.79	10.79	10.79	10.79
10.80	10.80	10.80	10.80	10.80
10.81	10.81	10.81	10.81	10.81
10.82	10.82	10.82	10.82	10.82
10.83	10.83	10.83	10.83	10.83
10.84	10.84	10.84	10.84	10.84
10.85	10.85	10.85	10.85	10.85
10.86	10.86	10.86	10.86	10.86
10.87	10.87	10.87	10.87	10.87
10.88	10.88	10.88	10.88	10.88
10.89	10.89	10.89	10.89	10.89
10.90	10.90	10.90	10.90	10.90
10.91	10.91	10.91	10.91	10.91
10.92	10.92	10.92	10.92	10.92
10.93	10.93	10.93	10.93	10.93
10.94	10.94	10.94	10.94	10.94
10.95	10.95	10.95	10.95	10.95
10.96	10.96	10.96	10.96	10.96
10.97	10.97	10.97	10.97	10.97
10.98	10.98	10.98	10.98	10.98
10.99	10.99	10.99	10.99	10.99
11.00	11.00	11.00	11.00	11.00

Year	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100
1900	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916	1917	1918	1919	1920	1921	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932	1933	1934	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100

GRAT FALLS, MD JUNE 17, 1960

S.M.T. H2.MIN	N. FRINGES	TOT. TIME MICRO S	TIME APX MICRO S	C. MILLICAL	S. VALUE MILLICAL
16.23	563433	371457.643	475.3	-.0414	980497.1354
16.24	563553	371461.143	225.3	-.0412	980497.2174
16.25	565413	372110.277	369.3	-.0410	980497.1347
16.27	567018	372262.440	395.3	-.0406	980497.2277
16.28	564156	372257.459	482.0	-.0404	980497.2072
16.30	564556	372125.951	143.4	-.0400	980497.2540
16.31	564656	372526.255	412.3	-.0398	980497.2544
16.33	567495	373425.200	211.3	-.0393	980497.2164
16.34	564135	373543.070	343.2	-.0391	980497.2487
16.35	565273	373642.540	510.3	-.0388	980497.2346
16.37	565536	373753.167	440.4	-.0384	980497.2303
16.38	565056	373597.750	161.3	-.0382	980497.2027
16.39	561922	377547.930	315.3	-.0379	980497.2032
16.40	563606	375099.597	443.7	-.0377	980497.2041
16.42	560394	377002.712	411.4	-.0372	980497.1953
16.43	562216	377624.547	314.7	-.0370	980497.1903
16.44	563114	378214.449	340.3	-.0367	980497.2471
16.45	565457	378377.437	450.3	-.0365	980497.1323
16.46	563712	378137.825	335.1	-.0362	980497.1451
16.48	567393	378471.407	177.5	-.0357	980497.1314
16.50	564705	378743.221	471.1	-.0353	980497.1747
16.51	565933	378531.041	250.4	-.0349	980497.1540
16.53	564706	378491.047	144.0	-.0344	980497.1743
16.54	567313	378114.409	325.0	-.0342	980497.1444
16.55	565903	378425.416	245.4	-.0339	980497.2073
16.57	564075	378226.305	447.0	-.0333	980497.1743

GREAT FALLS, N.D. JUNE 17 1926

G.M.T. HR. MIN	N. FRINGES	ULI. TIME MICRONS	TIME APERTURE MICRONS	I.C. MILLIGAL	C. VALU MILLIGAL
16.59	539129	375125.099	328.7	-.0329	980497.1372
17.00	545032	375504.377	444.7	-.0325	980497.1301
17.01	544225	376257.744	224.3	-.0323	980497.2795
17.05	545739	375747.374	445.4	-.0309	980497.1396
17.07	542914	374430.454	60.4	-.0306	980497.2170
17.09	546070	375514.313	285.1	-.0300	980497.2443
17.10	550767	377128.354	353.4	-.0297	980497.2263
17.11	549712	376757.043	455.3	-.0294	980497.2254
17.14	545342	375435.390	425.0	-.0286	980497.2000
17.16	545645	375372.356	501.6	-.0279	980497.2262
17.18	544995	375147.628	453.5	-.0273	980497.1619
17.19	542220	374191.167	405.6	-.0270	980497.7006
17.20	544659	375031.913	420.7	-.0267	980497.2470
17.22	546524	375573.236	105.3	-.0261	980497.2090
17.25	548711	376424.251	321.6	-.0251	980497.2419
17.26	547497	376007.700	402.1	-.0249	980497.2132

N.V.I.

GREAT FALLS, MD JUNE 17 1960

G.M.T. HR. MIN	N. FRINGES	TOT. TIME MICRO S	TIME APEX MICRO S	T.C. MILLIGAL	S. VALU MILLIGAL
20.30	564782	371597.075	425.3	.0441	980497.2006
20.31	556901	372223.133	337.0	.0444	980497.1374
20.32	559951	380263.539	337.7	.0447	980497.2553
20.33	557480	380100.265	413.7	.0450	980497.2531
20.34	555852	378365.864	414.7	.0453	980497.2349
20.41	556618	379126.871	455.3	.0475	980497.2384
20.42	548426	375633.524	460.1	.0479	980497.1854
20.45	553254	377979.468	432.9	.0488	980497.1780
20.46	550178	376927.173	377.9	.0491	980497.2503
20.47	548250	376266.157	369.4	.0433	980497.2353
20.49	551503	377320.686	256.4	.0499	980497.2327
20.51	554377	379362.830	376.4	.0514	980497.1071
20.54	550358	376485.498	493.3	.0513	980497.0924
20.55	548815	376459.415	285.4	.0515	980497.2372
20.56	547439	375987.780	351.9	.0518	980497.1944
20.58	547796	376110.276	241.4	.0524	980497.1497
21.00	546145	375543.249	450.5	.0529	980497.1191
21.04	543499	376351.791	318.3	.0539	980497.2175
21.07	555839	378861.456	423.5	.0544	980497.1780
21.09	553033	377903.488	358.3	.0551	980497.1424
21.11	549213	376546.413	325.3	.0555	980497.3270
21.13	547630	376739.237	41.0	.0561	980497.1444
21.15	551755	377466.436	305.4	.0566	980497.2322
21.19	547125	376566.364	411.3	.0574	980497.1304
21.20	551253	377295.140	309.4	.0574	980497.1027
21.21	545977	375929.207	450.4	.0574	980497.1421
21.23	554174	378299.251	241.0	.0582	980497.2377
21.24	551521	377347.041	450.2	.0584	980497.1113
21.26	549279	376522.493	351.5	.0589	980497.1427
21.30	545502	376664.790	309.0	.0594	980497.1427
21.32	551173	377257.490	477.7	.0594	980497.2372
21.54	543351	375304.675	402.0	.0594	980497.1427

GREAT FALLS, MC JUNE 17 1980

G.M.T. HR. MIN	N. FRINGES	TOT. TIME MICRO S	TIME APEX MICRO S	T.C. MILLIGAL	S. VALUF MILLIGAL	NOTE
22.10	545090	375140.267	385.9	.0645	980497.1522	N.V.T. REC.
22.12	554720	375479.771	204.4	.0647	980497.2253	
22.13	551630	377427.162	152.5	.0648	980497.2319	
22.16	54393	376518.615	349.0	.0649	980497.2296	
22.20	5505	377066.056	90.4	.0650	980497.2405	
22.21	55114	377244.257	337.2	.0651	980497.2717	
22.23	555840	376861.598	523.0	.0651	980497.1840	
22.26	563021	381301.305	484.3	.0652	980497.1970	
22.27	562448	381107.216	480.5	.0652	980497.2242	

GREAT FALLS, MO JUNE 13 1930



G.M.T. HR. MIN	N. FRINGES	TOT. TIME MICRO S	TIME APEX MICRO S	T.C. MILLIGAL	G. VALUE MILLIGAL	NOTE
15.45	574104	385035.827	338.0	.0357	980497.2105	
15.47	568175	383042.313	197.3	-.0355	980497.1505	
15.50	567977	382975.662	352.3	-.0355	980497.2238	
15.51	570948	383975.923	252.8	-.0355	980497.2086	
15.55	563942	383301.013	492.2	-.0353	980497.2502	
15.58	565231	382048.671	252.8	-.0352	980497.2453	
16.01	564152	381683.973	410.6	-.0350	980497.2674	
16.05	565779	382233.957	409.2	-.0348	980497.2539	
16.07	567992	382980.513	229.7	-.0347	980497.2551	
16.10	560432	380423.598	506.0	-.0345	980497.2956	
16.15	564162	381687.255	298.4	-.0342	980497.2507	


N.I.T. 2.1.

[illegible][illegible]

11.

57





A P P E N D I X

GRAVITY STATION DESCRIPTION		STATION TYPE		STATION LOCATION	
COUNTRY USA		Absolute Site		Boulder, Colo	
STATE/PROVINCE Colorado		COUNTY		Boulder	
LATITUDE 40° 00.15' N		LONGITUDE 105° 16.1' W		ELEVATION 1550 meters	
GRAVITY STATION MARK Brass disk		AGENCY SOURCE USAF		INSTRUMENT Gravity station	
POSITION REFERENCE Map		POSITION SOURCE USGS 7 1/2'		COLLECTED DATE Boulder, Colo 1966	
ELEVATION REFERENCE Map		ELEVATION SOURCE USGS 7 1/2'		REMARKS Boulder, Colo 1966	
POSITION ELEVATION REMARKS					
DESCRIPTION: The station is in the southern part of Boulder at the University of Colorado, 0.5 miles west of 26th Street, south of Colorado Avenue and Palmer Station, at the Joint Institute for Laboratory Astrophysics (JILA) building. Observations were made in the sub-basement in Room B0017 (the Spectroscopy Hall) near the northwest corner, 1.5 meters south of the north wall, 2.0 meter east of the west wall, on the tile floor. ID: 15505P					
DATE OF PHOTO May 1980 NAME OF PHOTOGRAPHER W.G. Spita AGENCY DMA/TC/GSS DATE May 1980					

DMATTC FORM 8250-2 (GSS) MAR 79

Supersedes DMATTC FORM 8250-9 (GSS), Oct 77 which will be used until stock is exhausted.

GRAVITY STATION DESCRIPTION		Absolute Site	Station Name
COUNTRY	USA	New Mexico	Alamogordo
STATE			
COUNTY			
LOCATION	32° 53.5' N	106° 06.0' W	1250 meters
GRAVITY STATION MARK	Brass Disk	DMA	Gravity Base
ELEVATION REFERENCE	Map	USGS 15'	Holloman, N.M. 1946
	Map	USGS 15'	Holloman, N.M. 1946
contour interval = 25 feet The station is about 8 miles west of Alamogordo at the north side of Holloman Air Force Base in the Advanced Inertial Test Laboratory (building 1256). Observations were made in the basement level in Room 10 (the northeastern most room of the basement), on the round concrete pier, midway between the center and the south edge of the pier. ICF Code: 11926A			
November 1977 W. G. Spita		AGENCY DMATC/GSS	DATE November 1977

TPC FORM 115-20
MAY 77

REPLACES TEST EDITION, AUG 69, WHICH IS OBSOLETE

GRAVITY STATION DESCRIPTION		STATION TYPE	STATION DESIGNATION
COUNTRY: USA		Absolute Site	McDonald AB
LATITUDE: 30° 40' 13" N		STATE PROVINCE: Texas	CITY: Ft Davis
GRAVITY STATION MARK: None		LONGITUDE: 104° 01' 13" W	ELEVATION: 2065.6 meters
POSITION REFERENCE: Estimated from Trig. Sta		AGENCY SOURCE: NGS	INSCRIPTION: McDonald, 1942
ELEVATION REFERENCE: Spot elev. Engineer's Map		POSITION SOURCE: Univ. of Texas	SOURCE DESIGNATION: McDonald Observatory
POSITION ELEVATION REMARKS:			
CI=2 feet, station is 100 meters NE of Trig. Station DESCRIPTION The station is 17 miles northwest of Ft. Davis on Mt. Locke at the McDonald Observatory. To reach from the courthouse in Ft. Davis go 15 miles northwest along Texas Highway 118, then turn right and go southeast 2 miles along Spur Road 78 to McDonald Observatory. The station is east of the top of the mountain, at the end of the road, in the 107 inch Telescope Building, ground level. Observations were made in the northeast side, in Room 103, 1.8 meter east of the west wall and door of the room and 1.1 meter south of the north wall, on the tile floor. GSS Code: 119S04			
DIAGRAM PHOTOGRAPH			
DESCRIBED/RECOVERED BY: W.G. Spita		AGENCY: DMAHTC/GSS	DATE: June 1980

DMAHTC FORM 8250-9 (GSS) MAR 79

Supersedes DMAHTC FORM 8250-9 (GSS), Oct 77 which will be used until stock is exhausted.

GRAVITY STATION DESCRIPTION		STATION TYPE	STATION DESIGNATION
COUNTRY	U.S.A.	Absolute Site	Sheridan AB
STATE/PROVINCE	Wyoming		
CITY	Sheridan		
COORDINATE	44° 45.'6 N	LONGITUDE	106° 58.'1 W
ELEVATION	1205 Meters		
GRAVITY STATION MARK	Brass Disk	AGENCY SOURCE	DMA
POSITION REFERENCE	Map	POSITION SOURCE	USGS 7 1/2'
SOURCE DESIGNATION	Sheridan, Wyo 1968		
ELEVATION REFERENCE	Map	ELEVATION SOURCE	USGS 7 1/2'
SOURCE DESIGNATION	Sheridan, Wyo 1968		
POSITION ELEVATION REMARKS			
CI= 20 Feet			
DESCRIPTION The station is about 2.5 miles south of the center of Sheridan, west of Wyoming Highway #333, at the Wyoming State Girls School, in Stolt Hall (Administration building). Observations were made in the basement, east of the boiler room, near the northeast corner of the large room used for arts and crafts, in a small storage room. The station is 1.0 meters north of the south wall of the room, 0.9 meters east of the west wall, 1.6 meters west of "AA" (the AFGL station), and 2.5 meters west of the disk, on the concrete floor. GSS Code: 155V04			
DIAGRAM PHOTOGRAPH			
Walter G. ...		AGENCY	DMAHTC/GSS
		DATE	June 1980

DMATC FORM 8250-9 (125) MAR 79


Supersedes DMATC FORM 8250-9 (GSS), Oct 77 which will be used until stock is exhausted.

GRAVITY STATION DESCRIPTION	STATION TYPE	STATION DESIGNATION
	Absolute Site	Great Falls AA
COUNTRY	STATE PROVINCE	CITY
U.S.A.	Montana	Great Falls
LATITUDE	LONGITUDE	ELEVATION
47° 28.'7 N	111° 21.'6 W	1120 Meters
GRAVITY STATION MARK	AGENCY SOURCE	INTERSECTION
Brass Disk	DMA	
POSITION REFERENCE	POSITION SOURCE	SOURCE DESIGNATION
Map	USGS 7 1/2'	1965 Southwest Great Falls, MT
ELEVATION REFERENCE	ELEVATION SOURCE	SOURCE DESIGNATION
Map	USGS 7 1/2'	1965 Southwest Great Falls, MT
POSITION ELEVATION REMARKS		

CI = 20 Feet



The station is at the west side of Great Falls on Gore Hill, south of the airport and at the south side of the intersection of Avenue C and Second Street, at the CPT William W. Galt US Army Reserve Center. Observations were made near the south side of the building in the firing range, northeast end, 1.5 meters southwest of the middle firing stall (also 1.5 meters from edge of carpet). The station is midway between the northwest and southeast walls, 2.0 meters southeast of the disk, on the concrete floor.

GSS Code: 156E05



DMAHTC FORM 8250-9 (GSS)
OCT 77

Supersedes GSSQ FORM 8250/QD-9, May 75 which is obsolete.

GRAVITY STATION DESCRIPTION	STATION TYPE Absolute Site	STATION DESIGNATION Anchorage AA
COUNTRY USA	STATE PROVINCE Alaska	CITY Anchorage
LATITUDE 61° 09.'37N	LONGITUDE 149° 47.'56W	ELEVATION 70 meters
GRAVITY STATION MARK Aluminum Disk	AGENCY SOURCE USGS	INSCRIPTION
POSITION REFERENCE Map	POSITION SOURCE USGS 1:25,000	SOURCE DESIGNATION Anchorage (A-8) NE, 1974
ELEVATION REFERENCE Map	ELEVATION SOURCE USGS 1:24,000	SOURCE DESIGNATION Anchorage & Vicinity, 1961
POSITION ELEVATION REMARKS CI=20 feet The station is at the southeast side of Anchorage, about 0.5 miles southeast of the intersection of East 68th Avenue and Abbott Loop Road, at the Bureau of Land Management Anchorage District Office. Observations were made in the office building, in the basement, westside, in the storage room which is southeast of the Audio-Visual Education Room and southwest of Room 10B (a hallway). The station is 1.3 meters northeast of the southwest wall of the room and 1.6 meters southeast of the northwest wall, on the concrete floor.		
GSS Code: 231A01		
		
		
DATE OF PHOTOGRAPH		
DATE OF PHOTOGRAPH		
AGENCY DMAHTC /GSS		DATE June 1980

DMAHTC FORM 8250-9 (GSS) MAR 79

Superseries DMAHTC FORM 8250-9 (GSS), Oct 77
which will be used until stock is exhausted.

