

AD-A099 817

**TECHNICAL
LIBRARY**

AD A099817



AMSAA

TECHNICAL REPORT NO. 332

THE DISTRIBUTION OF THE NUMBER OF TARGETS THAT
WILL BE RANDOMLY ENGAGED BY A GROUP OF WEAPONS

ARTHUR GROVES

MAY 1981

DTIC QUALITY INSPECTED 3

APPROVED FOR PUBLIC RELEASE, DISTRIBUTION UNLIMITED.

U. S. ARMY MATERIEL SYSTEMS ANALYSIS ACTIVITY
ABERDEEN PROVING GROUND, MARYLAND

DISPOSITION

Destroy this report when no longer needed. Do not return it to the originator.

DISCLAIMER

The findings in this report are not to be construed as an official Department of the Army position unless so specified by other official documentation.

WARNING

Information and data contained in this document are based on the input available at the time of preparation. The results may be subject to change and should not be construed as representing the DARCOM position unless so specified.

TRADE NAMES

The use of trade names in this report does not constitute an official endorsement or approval of the use of such commercial hardware or software. The report may not be cited for purposes of advertisement.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER Technical Report No. 332	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) The Distribution of the Number of Targets That Will be Randomly Engaged by a Group of Weapons		5. TYPE OF REPORT & PERIOD COVERED
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Arthur D. Groves		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Materiel Systems Analysis Activity Aberdeen Proving Ground, MD 21005		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS DA Project No. 1R765706M541
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Materiel Development & Readiness Command 5001 Eisenhower Avenue Alexandria, VA 22333		12. REPORT DATE May 1981
		13. NUMBER OF PAGES 28
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Distribution of Fire Wargaming Number of targets attacked Random Target Selection Probability Distribution Weapons evaluation		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report develops the probability distribution for the number of targets engaged when each of m weapons selects a target at random from a set of n targets. The results are applicable to wargaming studies in which available firepower must be divided among available targets. Also presented are tables of these probabilities and the expected number of targets engaged.		

CONTENTS

	Page
1. INTRODUCTION	5
2. DISCUSSION	5
2.1 Assumptions and Problem Statement	5
2.2 Method of Solution	5
3. CONCLUSIONS AND RECOMMENDATIONS	7
APPENDIX A - DERIVATION OF RECURSIVE EXPRESSION FOR $B(m,x)$. .	17
APPENDIX B - PROOF THAT $\sum_{x=1}^n P(x,m,n) = 1$	21
DISTRIBUTION LIST	27

THE DISTRIBUTION OF THE NUMBER OF TARGETS THAT WILL BE RANDOMLY ENGAGED BY A GROUP OF WEAPONS

1. INTRODUCTION

In war-gaming and other weapons analysis studies, it is frequently assumed that available firepower is evenly distributed among available targets. This assumption presumes a degree of coordination among the weapons that may not exist on the battlefield. It may be that each weapon will choose a target at random from among the set of targets. This type of target selection leads to the possibility that some targets receive fire from many weapons, while others receive no fire at all. This report derives the probability distribution for the number of targets engaged under the assumption of random target selection by each weapon.

2. DISCUSSION

In the following sections, the assumptions and statement of the engagement problem are formalized and the solution is developed.

2.1 Assumptions and Problem Statement.

The following assumptions will govern the derivation of the distribution of the number of targets engaged:

- There are m weapons selecting targets.
- There are n targets in the group from which each weapon selects a target.
- Each weapon selects one and only one of the targets to engage.
- A target may be engaged by more than one weapon.
- Each weapon is equally likely to engage each target.

Under these assumptions, the problem is to find:

$P(x,m,n)$ = the probability that exactly x targets are engaged,
and

$\bar{x}(m,n)$ = the expected or average number of targets engaged.

2.2 Method of Solution.

The problem will be treated as a counting problem. Let $N(x,m,n)$ denote the number of ways in which exactly x targets can be selected at random by m weapons from among n targets. Further, let $N(m,n)$ denote the total number of ways in which m weapons can select targets from among n targets.

Then

$$P(x,m,n) = \frac{N(x,m,n)}{N(m,n)}. \quad (1)$$

First, consider the denominator of (1). Since there are n targets, each weapon can select its target in n ways. There are m weapons, so

$$N(m,n) = \underbrace{(n)(n)(n)\dots\dots(n)}_{m \text{ factors}} = n^m$$

Now consider the numerator of (1), which can be expressed as the product of two factors as follows:

$$N(x,m,n) = A(x,n) \times B(m,x) \quad (2)$$

where $A(x,n)$ denotes the number of ways that exactly x targets can be selected at random from among n targets, and $B(m,x)$ denotes the number of ways that m weapons can divide their fire among x targets. Clearly, $A(x,n) = \binom{n}{x}$, the number of combinations of n things taken x at a time. An expression for $B(m,x)$ is not as easily obtained. In "Introduction to Combinatorial Mathematics," by Liu, McGraw-Hill, 1968, Page 38, it is shown that

$$B(m,x) = \sum_{i=0}^x (-1)^i \binom{x}{i} (x-i)^m \quad (3)$$

A more intuitive expression for $B(m,x)$ is derived in Appendix A. This is a recursive definition of $B(m,x)$, as follows

$$B(m,x) = \sum_{i=1}^{m-x+1} \binom{m}{i} B(m-i,x-1) \quad (4)$$

with starting values $B(k,1) = 1$ for all k . Using Equation (3) to define $B(m,x)$, it follows from Equation (2) that:

$$N(x,m,n) = \binom{n}{x} \sum_{i=0}^x (-1)^i \binom{x}{i} (x-i)^m \quad (5)$$

and

$$P(x,m,n) = \frac{\binom{n}{x}}{n^m} \sum_{i=0}^x (-1)^i \binom{x}{i} (x-i)^m, \quad (6)$$

which is the desired result. All that remains is to carefully specify the domain of this probability density junction.

There are certain values of x relative to m and n for which this probability is clearly equal to zero. These values are

$x > m$ (One cannot engage more targets than he has weapons to engage them.)

and $x > n$ (One cannot engage more targets than there are targets available.)

Thus, the complete specification of the desired probability is

$$P(x, m, n) = \begin{cases} 0 & \text{if } x > \min(m, n) \\ \frac{\binom{n}{x}}{n^m} \sum_{i=0}^x (-1)^i \binom{x}{i} (x-i)^m & \text{if } x \leq \min(m, n) \end{cases} \quad (7)$$

Appendix B presents a proof that this result satisfies the requirement of a probability density function that

$$\sum_{x=1}^n P(x, m, n) = 1.$$

The expected value of x (the average number of targets engaged) is found by definition to be

$$\bar{x}(m, n) = \sum_{x=1}^n x P(x, m, n) \quad (8)$$

While the formulas for $P(x, m, n)$ and $\bar{x}(m, n)$ are somewhat unwieldy for hand computation, they are well suited to high speed digital computation at least for reasonably small values of m and n . For larger m and n , care must be taken, for the size of some of the partial results [$B(m, x)$ for example] can easily exceed the word length in a machine.

Tables 1 through 10 give values of $P(x, m, n)$ for $m = 1, 2, \dots, 10$ respectively, for each value of n between 1 and 10.

Table 11 and Figure 1 give values of $\bar{x}(m, n)$ for the same range of values of m and n .

3. CONCLUSIONS AND RECOMMENDATIONS

A model which assumes an even distribution of available fire among available targets tends to overestimate the attrition to that set of targets. This can best be seen by noting that there is a diminishing incremental effect as additional shots are fired at a given target. Thus, a given increment of kill probability is more effective in terms of expected effect on the set of targets, the fewer the total number of such increments

that are applied to that same target. For example, given two weapons and two targets, with each weapon having a single shot kill probability of 0.6 against a target, the expected number of kills is

$$(1)(.6) + (1)(.6) = 1.2$$

if each weapon fires at its own target, but is

$$(1)[1-(1-.6)^2] + (1)(0) = 0.84$$

if both weapons fire at the same target, leaving the second target un-attacked.

This effect could be contributing to the observed effect that most wargame models overestimate the effectiveness of weapons as compared to battle experience.

It is recommended that consideration be given to incorporating the distributions derived in this report into pertinent combat models, at least to the extent of allowing available fire to be divided among the expected number of targets engaged (Equation (11) or Figure 1) rather than assuming it is divided equally among all available targets.

TABLE 1 PROBABILITY THAT EXACTLY X TARGETS ARE ENGAGED

m = NUMBER OF WEAPONS = 1

x	TOTAL NUMBER OF AVAILABLE TARGETS (n)									
	1	2	3	4	5	6	7	8	9	10
1	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000

TABLE 2 PROBABILITY THAT EXACTLY X TARGETS ARE ENGAGED

$m = \text{NUMBER OF WEAPONS} = 2$

		TOTAL NUMBER OF AVAILABLE TARGETS (n)									
x		1	2	3	4	5	6	7	8	9	10
1		1.000	0.500	0.333	0.250	0.200	0.167	0.143	0.125	0.111	0.100
2	-		0.500	0.667	0.750	0.800	0.833	0.857	0.875	0.889	0.900

TABLE 3 PROBABILITY THAT EXACTLY X TARGETS ARE ENGAGED

$m = \text{NUMBER OF WEAPONS} = 3$

		TOTAL NUMBER OF AVAILABLE TARGETS (n)									
x		1	2	3	4	5	6	7	8	9	10
1		1.000	0.250	0.111	0.063	0.040	0.028	0.020	0.016	0.012	0.010
2		-	0.750	0.667	0.563	0.480	0.417	0.367	0.328	0.296	0.270
3		-	-	0.222	0.375	0.480	0.556	0.612	0.656	0.691	0.720

TABLE 4 PROBABILITY THAT EXACTLY X TARGETS ARE ENGAGED

m = NUMBER OF WEAPONS = 4

TOTAL NUMBER OF AVAILABLE TARGETS (n)

x	1	2	3	4	5	6	7	8	9	10
1	1.000	0.125	0.037	0.016	0.008	0.005	0.003	0.002	0.001	0.001
2	-	0.875	0.519	0.328	0.224	0.162	0.122	0.096	0.077	0.063
3	-	-	0.444	0.563	0.576	0.556	0.525	0.492	0.461	0.432
4	-	-	-	0.094	0.192	0.278	0.350	0.410	0.461	0.504

TABLE 5 PROBABILITY THAT EXACTLY X TARGETS ARE ENGAGED

m = NUMBER OF WEAPONS = 5

TOTAL NUMBER OF AVAILABLE TARGETS (n)

x	1	2	3	4	5	6	7	8	9	10
1	1.000	0.063	0.012	0.004	0.002	0.001	0.000	0.000	0.000	0.000
2	-	0.938	0.370	0.176	0.096	0.058	0.037	0.026	0.018	0.014
3	-	-	0.617	0.586	0.480	0.386	0.312	0.256	0.213	0.180
4	-	-	-	0.234	0.384	0.463	0.500	0.513	0.512	0.504
5	-	-	-	-	0.038	0.093	0.150	0.205	0.256	0.302

TABLE 6 PROBABILITY THAT EXACTLY X TARGETS ARE ENGAGED

m = NUMBER OF WEAPONS = 6

TOTAL NUMBER OF AVAILABLE TARGETS (n)

x	1	2	3	4	5	6	7	8	9	10
1	1.000	0.031	0.004	0.001	0.000	0.000	0.000	0.000	0.000	0.000
2	-	0.969	0.255	0.091	0.040	0.020	0.011	0.007	0.004	0.003
3	-	-	0.741	0.527	0.346	0.231	0.161	0.115	0.085	0.065
4	-	-	-	0.381	0.499	0.502	0.464	0.417	0.370	0.328
5	-	-	-	-	0.115	0.231	0.321	0.385	0.427	0.454
6	-	-	-	-	-	0.015	0.043	0.077	0.114	0.151

TABLE 7 PROBABILITY THAT EXACTLY X TARGETS ARE ENGAGED

m = NUMBER OF WEAPONS = 7

TOTAL NUMBER OF AVAILABLE TARGETS (n)

x	1	2	3	4	5	6	7	8	9	10
1	1.000	0.016	0.001	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	-	0.984	0.173	0.046	0.016	0.007	0.003	0.002	0.001	0.001
3	-	-	0.826	0.441	0.231	0.129	0.077	0.048	0.032	0.022
4	-	-	-	0.513	0.538	0.450	0.357	0.280	0.221	0.176
5	-	-	-	-	0.215	0.360	0.428	0.449	0.443	0.423
6	-	-	-	-	-	0.054	0.129	0.202	0.266	0.318
7	-	-	-	-	-	-	0.006	0.019	0.038	0.060

TABLE 8 PROBABILITY THAT EXACTLY X TARGETS ARE ENGAGED

m = NUMBER OF WEAPONS = 8

TOTAL NUMBER OF AVAILABLE TARGETS (n)

x	1	2	3	4	5	6	7	8	9	10
1	1.000	0.008	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	-	0.992	0.116	0.023	0.007	0.002	0.001	0.000	0.000	0.000
3	-	-	0.883	0.354	0.148	0.069	0.035	0.019	0.011	0.007
4	-	-	-	0.623	0.523	0.365	0.248	0.170	0.119	0.086
5	-	-	-	-	0.323	0.450	0.459	0.421	0.369	0.318
6	-	-	-	-	-	0.114	0.233	0.320	0.374	0.402
7	-	-	-	-	-	-	0.024	0.067	0.118	0.169
8	-	-	-	-	-	-	-	0.002	0.008	0.018

TABLE 9 PROBABILITY THAT EXACTLY X TARGETS ARE ENGAGED

m = NUMBER OF WEAPONS = 9

TOTAL NUMBER OF AVAILABLE TARGETS (n)

x	1	2	3	4	5	6	7	8	9	10
1	1.000	0.004	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	-	0.996	0.078	0.012	0.003	0.001	0.000	0.000	0.000	0.000
3	-	-	0.922	0.277	0.093	0.036	0.016	0.008	0.004	0.002
4	-	-	-	0.711	0.477	0.278	0.162	0.097	0.061	0.039
5	-	-	-	-	0.427	0.497	0.434	0.348	0.271	0.210
6	-	-	-	-	-	0.189	0.330	0.397	0.413	0.400
7	-	-	-	-	-	-	0.058	0.139	0.216	0.279
8	-	-	-	-	-	-	-	0.011	0.034	0.065
9	-	-	-	-	-	-	-	-	0.001	0.004

TABLE 10 PROBABILITY THAT EXACTLY X TARGETS ARE ENGAGED

$m = \text{NUMBER OF WEAPONS} = 10$

TOTAL NUMBER OF AVAILABLE TARGETS (n)

x	1	2	3	4	5	6	7	8	9	10
1	1.000	0.002	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	-	0.998	0.052	0.006	0.001	0.000	0.000	0.000	0.000	0.000
3	-	-	0.948	0.214	0.057	0.019	0.007	0.003	0.001	0.001
4	-	-	-	0.781	0.419	0.203	0.101	0.053	0.030	0.017
5	-	-	-	-	0.523	0.506	0.379	0.266	0.184	0.129
6	-	-	-	-	-	0.272	0.407	0.429	0.396	0.345
7	-	-	-	-	-	-	0.105	0.221	0.306	0.356
8	-	-	-	-	-	-	-	0.028	0.078	0.136
9	-	-	-	-	-	-	-	-	0.005	0.016
10	-	-	-	-	-	-	-	-	-	0.000

TABLE 11 EXPECTED NUMBER OF TARGETS ENGAGED

TOTAL NUMBER OF AVAILABLE TARGETS (n)

	1	2	3	4	5	6	7	8	9	10
Number of Weapons (m)										
1	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
2	1.00	1.50	1.67	1.75	1.80	1.83	1.86	1.88	1.89	1.90
3	1.00	1.75	2.11	2.31	2.44	2.53	2.59	2.64	2.68	2.71
4	1.00	1.88	2.41	2.73	2.95	3.11	3.22	3.31	3.38	3.44
5	1.00	1.94	2.60	3.05	3.36	3.59	3.76	3.90	4.01	4.10
6	1.00	1.97	2.74	3.29	3.69	3.99	4.22	4.41	4.56	4.69
7	1.00	1.98	2.82	3.47	3.95	4.33	4.62	4.86	5.05	5.22
8	1.00	1.99	2.88	3.60	4.16	4.60	4.96	5.25	5.49	5.70
9	1.00	2.00	2.92	3.70	4.33	4.84	5.25	5.59	5.88	6.13
10	1.00	2.00	2.95	3.77	4.46	5.03	5.50	5.90	6.23	6.51




Figure 1. Expected Number of Targets Engaged if Each Weapon Selects a Target at Random.

APPENDIX A

DERIVATION OF RECURSIVE EXPRESSION FOR $B(m,x)$

APPENDIX A
DERIVATION OF RECURSIVE EXPRESSION FOR $B(m,x)$

$B(m,x)$ is defined to be the number of ways that m weapons can divide their fire among x targets, with each target receiving fire from at least one weapon.

Let i denote the number of weapons choosing to attack target #1. Since there are m weapons altogether, there are $\binom{m}{i}$ ways in which this set of i weapons can be chosen. Once i weapons have been chosen, there are $m-i$ weapons left, and $x-1$ targets left to be attacked. The number of ways that $m-i$ weapons can divide their fire among $x-1$ targets is simply $B(m-i, x-1)$, using the definition of B given above.

Therefore, the number of ways in which m weapons can divide their fire among x targets, with exactly i weapons firing at target #1, is

$$\binom{m}{i} B(m-i, x-1)$$

Since various values of i are possible,

$$B(m,x) = \sum_i \binom{m}{i} B(m-i, x-1).$$

Since at least one weapon must fire at target #1, this summation starts at $i=1$. Since at least one weapon must be left to fire at each of the remaining $x-1$ targets, the maximum allowable value of i is $m-(x-1) = m-x+1$. Thus,

$$B(m,x) = \sum_{i=1}^{m-x+1} \binom{m}{i} B(m-i, x-1)$$

This provides a recursive expression for $B(m,x)$. It only remains to provide a starting value for B . If $x=1$, that is, if there is only one target, there is only one way that fire can be divided - all the weapons must attack that target. Thus,

$$B(k,1) = 1 \quad \text{for all } k \geq 1$$

This provides the required starting values. Therefore, the complete specifications of the recursive expression is

$$B(k,1) = 1 \quad \text{for all } k \geq 1$$

and
$$B(m,x) = \sum_{i=1}^{m-x+1} \binom{m}{i} B(m-i, x-1) \quad \text{for } 2 \leq x \leq m.$$

APPENDIX B

PROOF THAT $\sum_{x=1}^n P(x,m,n) = 1$

APPENDIX B

Equation (6) gives the probability that exactly x targets are attacked to be

$$P(x, m, n) = \frac{\binom{n}{x}}{n^m} \sum_{i=0}^x (-1)^i \binom{x}{i} (x-i)^m$$

It will be shown that this function satisfies one requirement of a probability density function, namely that

$$\sum_{x=1}^n P(x, m, n) = 1.$$

That is, it must be shown that

$$J \equiv \sum_{x=1}^n \binom{n}{x} \sum_{i=0}^x (-1)^i \binom{x}{i} (x-i)^m = n^m$$

The first step is to rewrite J in the form

$$J = \sum_{i=1}^n C_i i^m$$

This is done by writing out J term by term and then collecting terms with like values of i^m .

$$x=1 \quad \binom{n}{1} \sum_{i=0}^1 (-1)^i \binom{1}{i} (1-i)^m = \binom{n}{1} \binom{1}{0} 1^m$$

$$x=2 \quad \binom{n}{2} \sum_{i=0}^2 (-1)^i \binom{2}{i} (2-i)^m = \binom{n}{2} \left[\binom{2}{0} 2^m - \binom{2}{1} 1^m \right]$$

$$x=3 \quad \binom{n}{3} \sum_{i=0}^3 (-1)^i \binom{3}{i} (3-i)^m = \binom{n}{3} \left[\binom{3}{0} 3^m - \binom{3}{1} 2^m + \binom{3}{2} 1^m \right]$$

$$x=4 \quad \binom{n}{4} \sum_{i=0}^4 (-1)^i \binom{4}{i} (4-i)^m = \binom{n}{4} \left[\binom{4}{0} 4^m - \binom{4}{1} 3^m + \binom{4}{2} 2^m - \binom{4}{3} 1^m \right]$$

$$x=5 \quad \binom{n}{5} \sum_{i=0}^5 (-1)^i \binom{5}{i} (5-i)^m = \binom{n}{5} \left[\binom{5}{0} 5^m - \binom{5}{1} 4^m + \binom{5}{2} 3^m - \binom{5}{3} 2^m + \binom{5}{4} 1^m \right]$$

.

.

.

.

.

$$x=n \quad \binom{n}{n} \sum_{i=0}^n (-1)^i \binom{n}{i} (n-i)^m = \binom{n}{n} \left[\binom{n}{0} n^m - \binom{n}{1} (n-1)^m + \binom{n}{2} (n-2)^m + \dots + (-1)^{n-1} \binom{n}{n-1} 1^m \right]$$

Collecting terms in like values of i^m , the coefficient of i^m is

$$C_i = \sum_{j=i}^n (-1)^{j-i} \binom{j-i}{j-i} \binom{n}{j}$$

By letting $k=j-i$, this coefficient becomes

$$C_i = \sum_{k=0}^{n-i} (-1)^k \binom{k+i}{k} \binom{n}{k+i}$$

Applying the definition $\binom{a}{b} = \frac{a!}{b!(a-b)!}$,

$$C_i = \frac{n!}{i!} \sum_{k=0}^{n-i} (-1)^k \frac{1}{k!(n-k-i)!}$$

But $n-i$ is fixed relative to this summation. Call it N . Therefore,

$$C_i = \frac{n!}{i!} \sum_{k=0}^N (-1)^k \frac{1}{k!(N-k)!}$$

$$= \frac{n!}{i!N!} \sum_{k=0}^N (-1)^k \frac{N!}{k!(N-k)!}$$

$$C_i = \binom{n}{i} \sum_{k=0}^N (-1)^k \binom{N}{k}$$

This summation can be evaluated by recognizing it as a special case of the binomial expansion of $(a+b)^N$. In general,

$$(a+b)^N = \sum_{k=0}^N \binom{N}{k} a^k b^{N-k}$$

For $a = -1$ and $b=1$, we have

$$0^N = \sum_{k=0}^N (-1)^k \binom{N}{k}$$

But $0^N=0$ for $N>0$. Therefore, $C_i=0$ for $N>0$, that is, for $i<n$. For $i=n$ (that is, for $N=0$),

$$C_n = \binom{n}{n} \sum_{k=0}^0 (-1)^k \binom{0}{k} = \binom{n}{n} (-1)^0 \binom{0}{0} = 1$$

Thus, $J=n^m$, establishing the desired result.

DISTRIBUTION LIST

No. of Copies	Organization	No of Copies	Organization
12	Commander Defense Technical Information Center ATTN: DDC-TC Cameron Station Alexandria, VA 22314	1	Commander US Army Materiel Development and Readiness Command ATTN: DRCCP DRCDE-F DRCRE DRCPA-S DRCQA DRCDE-R DRCDE-D 5001 Eisenhower Avenue Alexandria, VA 22333
2	Commander US Army Armament Research & Development Command ATTN: DRDAR-SEA Technical Library Dover, NJ 07801		
1	Commander Rock Island Arsenal ATTN: Tech Lib Rock Island, IL 61299	1	Commander Harry Diamond Laboratories ATTN: DELHD-SAB 2800 Powder Mill Road Adelphi, MD 20783
1	Commander US Army Test & Evaluation Command ATTN: STEDP-MT-L Dugway Proving Ground, UT 84002	1	Commander US Army Mobility Equipment R&D ATTN: DRDME-O Fort Belvoir, VA 22060
1	Commander US Army Natick R&D Command ATTN: DRDNA-O Natick, MA 01760	2	Chief Defense Logistics Studies Information Exchange US Army Logistics Management Center ATTN: DRXMC-D Fort Lee, VA 23801
1	Commander US Army Concepts Analysis Agency 8120 Woodmont Avenue Bethesda, MD 20014	1	Reliability Analysis Center ATTN: Mr. I. L. Krulac Griffiss AFB, NY 13441
1	Commander US Army Aviation R&D Command ATTN: DRDAV-BC P.O. Box 209 St. Louis, MO 63166	1	Commander US Army Electronics R&D Command ATTN: DRDEL-AP-OA 2800 Powder Mill Road Adelphi, MD 20783

DISTRIBUTION LIST (continued)

No. of Copies	Organization	No. of Copies	Organization
2	Director US Army TRADOC Systems Analysis Activity ATTN: ATAA-SL ATAA-T White Sands Missile Range NM 88002	1	Commander US Army Missile Command ATTN: DRSMI-C (R&D) Redstone Arsenal, AL 35898
1	Commander US Army Tank-Automotive Command ATTN: DRSTA-TSL DRSTA-V Warren, MI 48090	1	Commander US Army Troop Support & Aviation Materiel Readiness Command ATTN: DRSTS-BA 4300 Goodfellow Blvd. St. Louis, MO 63120
1	Commander Air Force Armament Laboratory (AFSC) AFATL/DLMA ATTN: Lt. James R. McClendon Eglin AFB, FL 32542		

Aberdeen Proving Ground

2	Cdr, USATECOM ATTN: DRSTE DRSTE-CS-A Bldg 314 Dir, BRL, Bldg 328 Dir, BRL ATTN: DRDAR-TSB-S (STINFO BRANCH) Bldg 305 Dir, HEL, Bldg 520		
---	---	--	--