

AD A100619

LEVEL

(R)

NRL Memorandum Report 4537

# **The Physics and the Chemistry of ETWAC Code (An Early Time Wet Air Chemistry Code for Disturbed Air Conductivity Calculations)**

A. W. Ali

*Plasma Physics Division*

June 8, 1981

This report was sponsored by the Advanced Research Projects Agency (DoD), ARPA Order No. 3718,  
monitored by C. M. Huddleston under Contract #N60921-80-WR-W0190.



**NAVAL RESEARCH LABORATORY**  
Washington, D.C.

**DTIC**  
**ELECTE**  
**S** JUN 25 1981 **D**  
**A**

Approved for public release; distribution unlimited.

81 6 25 072

**DTIC FILE COPY**

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

14

NRL-MR-4537

| REPORT DOCUMENTATION PAGE                                                                                                                                                                                                                                                               |                                                                                                            | READ INSTRUCTIONS<br>BEFORE COMPLETING FORM   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|-----------------------------------------------|
| 1. REPORT NUMBER<br>NRL Memorandum Report 4537                                                                                                                                                                                                                                          | 2. GOVT ACCESSION NO.<br>AD-A100619                                                                        | 3. RECIPIENT'S CATALOG NUMBER                 |
| 4. TITLE (and Subtitle)<br>THE PHYSICS AND THE CHEMISTRY OF ETWAC CODE (AN<br>EARLY TIME WET AIR CHEMISTRY CODE FOR DISTURBED<br>AIR CONDUCTIVITY CALCULATIONS).                                                                                                                        | 5. TYPE OF REPORT & PERIOD COVERED<br>Interim report on a continuing<br>NRL problem.                       |                                               |
| 7. AUTHOR(s)<br>A. W. Ali                                                                                                                                                                                                                                                               | 8. CONTRACT OR GRANT NUMBER(s)<br>15 V/ARPA Order-3718                                                     |                                               |
| 9. PERFORMING ORGANIZATION NAME AND ADDRESS<br>Naval Research Laboratory<br>Washington, DC 20375                                                                                                                                                                                        | 10. PROGRAM ELEMENT, PROJECT, TASK<br>AREA & WORK UNIT NUMBERS<br>61101E; N60921-80-WR0190;<br>47-0900-0-0 |                                               |
| 11. CONTROLLING OFFICE NAME AND ADDRESS<br>Defense Advanced Research Projects Agency<br>Arlington, VA 22209                                                                                                                                                                             | 12. REPORT DATE<br>June 1981                                                                               |                                               |
| 14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)<br>Naval Surface Weapons Center<br>White Oak, Silver Spring, MD 20910                                                                                                                                       | 13. NUMBER OF PAGES<br>24                                                                                  |                                               |
| 15. SECURITY CLASS. (of this report)<br>UNCLASSIFIED                                                                                                                                                                                                                                    |                                                                                                            | 15a. DECLASSIFICATION/DOWNGRADING<br>SCHEDULE |
| 16. DISTRIBUTION STATEMENT (of this Report)<br><br>Approved for public release; distribution unlimited.                                                                                                                                                                                 |                                                                                                            |                                               |
| 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)                                                                                                                                                                                              |                                                                                                            |                                               |
| 18. SUPPLEMENTARY NOTES<br>This report was sponsored by the Advanced Research Projects Agency (DoD), ARPA Order No. 3718,<br>monitored by C. M. Huddleston under Contract #N60921-80-WR-W0190.                                                                                          |                                                                                                            |                                               |
| 19. KEY WORDS (Continue on reverse side if necessary and identify by block number)<br>Dry and wet air<br>Chemistry<br>Conductivity<br>Deionization process                                                                                                                              |                                                                                                            |                                               |
| 20. ABSTRACT (Continue on reverse side if necessary and identify by block number)<br>The physics and the chemistry of dry and wet air disturbed by an electron beam, is described. The<br>pertinent reactions controlling the deionization and hence the air conductivity is presented. |                                                                                                            |                                               |

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE  
S/N 0102-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

251950

Jm

## CONTENTS

|                                     |    |
|-------------------------------------|----|
| I. INTRODUCTION .....               | 1  |
| II. THE CHEMISTRY OF DRY AIR .....  | 2  |
| III. THE CHEMISTRY OF WET AIR ..... | 7  |
| IV. REACTION RATES .....            | 10 |
| V. SPECIES AND TEMPERATURES .....   | 14 |
| ACKNOWLEDGMENT .....                | 15 |
| REFERENCES .....                    | 16 |

A

**THE PHYSICS AND THE CHEMISTRY OF ETWAC CODE  
(AN EARLY TIME WET AIR CHEMISTRY CODE FOR  
DISTURBED AIR CONDUCTIVITY CALCULATIONS)**

**I. INTRODUCTION**

When air is bombarded by a pulsed beam of electrons or charged particles, a conducting ionized path is generated which will subsequently decay and deionize. The conductivity of the plasma is determined by the electron density in the ionized region. However, the electron density or the deionization of the plasma depends on the atmospheric ions generated as a result of the energy deposited in air by the bombarding charged particles.

The air ions, their forms and their paths in the deionization scheme depend on the air density, various kinetic temperatures and the density of the minor species present in air. Minor species and impurities ( $\text{H}_2\text{O}$ ,  $\text{O}_3$ ,  $\text{CO}_2$ ,  $\text{NO}$ ,  $\text{NO}_2$ ,  $\text{N}_2\text{O}$ , etc.) are generally present in the atmosphere. Their role in the deionization of air must be assessed.

In this report we present the physics and the chemistry of a code developed to depict the role of the water vapor in the deionization of air. This code is developed to provide calculations on the time history of the electron density, at a point in space, during the passage of an electron beam in wet air. The code is named ETWAC (Early Time Wet Air Chemistry) to emphasize its application to the early time phase of the disturbed air.

The report describes the deionization of the dry air in Section 2. In Section 3 the processes which arise upon the addition of water vapor to air are presented to depict the role of  $\text{H}_2\text{O}$  in the deionization processes. In Section 4 the rate coefficients currently used in

Manuscript submitted April 10, 1981.

the code are presented while in Section 5 a discussion is given for the calculation of various relevant temperatures.


## II. THE CHEMISTRY OF DRY AIR

The ionization of the air species ( $N_2$  and  $O_2$ ) by the electron beam arise from the collisional ionization, ionization due to the Bremsstrahlung radiation and the avalanche ionization caused by the intense electric field associated with the electron beam. Regardless of the ionization sources, the following ions:  $N_2^+$ ,  $N^+$ ,  $O_2^+$ , and  $O^+$ , are generated directly in the dry air along with the free electrons.

The deionization (i.e. the disappearance of the charges, positive and negative) proceeds in two distinct manners: 1) by the electron-ion recombinations and 2) by the ion-ion recombinations. These processes<sup>1</sup>, however, are complimented by various atomic processes which result in the generation of other ions not produced originally in air.

The electron-ion recombinations proceed through the dissociative and the three-body recombinations. The dissociative recombinations are:





The three-body recombinations, on the other hand, proceed according to





and



Where the third-body, M, in equation (9) is a neutral species and  $A_n^+$  indicates an atomic ion ( $n=1$ ), a molecular ion ( $n=2$ ) or a cluster ion ( $n=3$  and  $4$ ). Recombination also proceeds through the radiative recombination, which can be ignored in regions of interest to our problem.

The cluster ions,  $N_3^+$ ,  $N_4^+$ ,  $O_4^+$  and  $O_2^+ \cdot N_2$  which appear in equations (2), (3), (5) and (7) are formed by the following association reactions



$NO^+$  on the other hand, is formed by



and by various charge exchange processes of positive ions with NO.


However, for early time phase of the beam air interaction one may

ignore  $\text{NO}^+$ .

The ion-ion recombination, also called the mutual neutralization can be illustrated by the following two reactions



Mutual neutralization also proceeds through the three-body neutralization reaction



where the negative ions  $\text{O}_2^-$  and  $\text{O}^-$  are produced by the three-body





and by the dissociative attachments



respectively.

The positive ions, however, undergo various charge exchange and ion atom interchange processes which are





A schematic diagram shown in Fig. 1 illustrates the flow of the positive charge in the deionization scheme of the disturbed dry air.







Fig. 1 — Disturbed dry air positive ion flow chart

### III. THE CHEMISTRY OF WET AIR

The presence of water in air introduces further complications in the disturbed air chemistry. Various positive clustered ions are formed which terminate in the form of a hydrated hydronium,  $\text{H}_3\text{O}^+ \cdot (\text{H}_2\text{O})_n$ . These ions have been observed by Narcisi and Bailey<sup>2</sup> in the D-region of the ionosphere. The reaction paths leading towards these clusters starts with  $\text{O}_2^+$  as a precursor ion and is well understood<sup>3,4</sup> and have been utilized in the modeling<sup>1,5</sup> of the disturbed atmosphere as a result of nuclear detonation.


The hydrated hydronium generally recombine with the free electrons, through the dissociative recombination, at a much faster<sup>6</sup> rate compared to the lighter air ions.

The pertinent reactions which lead to the generation of various hydrated ions are as follows. The positive ions,  $\text{N}^+$ ,  $\text{N}_2^+$ ,  $\text{N}_3^+$ ,  $\text{N}_4^+$  and  $\text{O}^+$  react with  $\text{H}_2\text{O}$  according to the following reactions




Reactions (29) through (34) obviously produce predominantly  $\text{H}_2\text{O}^+$  which in turn undergoes the following reactions








Reaction (37) generates the hydronium,  $\text{H}_3\text{O}^+$ , which in turn generates once hydrated hydronium according to




The following reactions, an association and two switching, result in the production of  $\text{O}_2^+ \cdot \text{H}_2\text{O}$



On the other hand,  $\text{O}_2^+ \cdot \text{H}_2\text{O}$  reacts with  $\text{H}_2\text{O}$  to produce  $\text{H}_3\text{O}^+ \cdot \text{OH}$  which in turn produces  $\text{H}_3\text{O}^+ \cdot \text{H}_2\text{O}$  through a switching reaction with  $\text{H}_2\text{O}$ . This indicates two routes for the production of  $\text{H}_3\text{O}^+ \cdot \text{H}_2\text{O}$ , one initiated by  $\text{H}_3\text{O}^+$ , and the other by  $\text{O}_2^+ \cdot \text{H}_2\text{O}$  where  $\text{O}_2^+$  and  $\text{O}_4^+$  are the precursor ions.

Other hydrates are generated according to



All these new clusters recombine with the free electrons through the dissociative recombination process to produce neutral products.

A schematic diagram shown in Fig. 2 illustrates the flow of the positive charge in a disturbed wet air. This diagram clearly shows more complication compared to dry air scheme presented in Figure 1.




Fig. 2 — Disturbed wet air positive ion flow charts

#### IV. REACTION RATES

The relevant reaction rates pertinent to the early time wet air chemistry code is given as a function of temperature, if the temperature dependence is known; otherwise the room temperature values are presented. A review of these and other rates is to be reported elsewhere<sup>7</sup>.

Table 1. LIST OF REACTIONS AND THEIR COEFFICIENTS

| <u>Reaction</u>                                        | <u>Rate Coefficient</u>                                     | <u>Reference</u> |
|--------------------------------------------------------|-------------------------------------------------------------|------------------|
| $N_2^+ + e \rightarrow N + N$                          | $4.3 \times 10^{-8} (T_e)^{-0.39}$                          | 8                |
| $O_2^+ + e \rightarrow O + O$                          | $1.5 \times 10^{-8} (T_e)^{-0.7}, T_e \leq 0.1$             | 8                |
|                                                        | $2.1 \times 10^{-8} (T_e)^{-0.5}, T_e > 0.1$                | 8                |
| $N_4^+ + e \rightarrow N_2 + N_2$                      | $3.4 \times 10^{-8} (T_e)^{-1.1}$                           | 9, 10            |
| $N_3^+ + e \rightarrow N + N_2$                        | $1.75 \times 10^{-8} (T_e)^{-1.0}$                          | 6, 10            |
| $O_4^+ + e \rightarrow O_2 + O_2$                      | $3.4 \times 10^{-8} (T_e)^{-1.0}$                           | 6, 10            |
| $H_3O^+ + e \rightarrow H + H_2O$                      | $3.2 \times 10^{-7} (T_e)^{-1.0}, T_e \leq 0.86$            | 6, 10            |
|                                                        | $2.5 \times 10^{-8} (T_e)^{-1.2}, 0.26 \leq T_e \leq 2.15$  | 11               |
|                                                        | $3.05 \times 10^{-8} (T_e)^{-1.43}, 2.15 \leq T_e \leq 8.6$ | 11               |
| $H_2O^+ + e \rightarrow OH + H$                        | $2.7 \times 10^{-8} (T_e)^{-0.5}$                           | Estimated        |
| $H_3O^+ \cdot H_2O + e \rightarrow$<br>$2H_2O + H$     | $1.6 \times 10^{-6} (T_e)^{-0.15}$                          | 6, 10            |
| $H_3O^+ \cdot (H_2O)_2 + e \rightarrow$<br>$3H_2O + H$ | $4.2 \times 10^{-6} (T_e)^{-0.05}$                          | 6, 10            |

Table 1. (continued)

|                                                                           |                                                                            |                          |
|---------------------------------------------------------------------------|----------------------------------------------------------------------------|--------------------------|
| $O_2^+ \cdot H_2O + e \rightarrow$<br>$O_2 + H_2O$                        | $7.2 \times 10^{-7} (T_e)^{-0.2}$                                          | 6                        |
| $H_3O^+ \cdot OH + e \rightarrow$<br>$H_2O + H + OH$                      | $9.6 \times 10^{-7} (T_e)^{-0.2}$                                          | 6                        |
| $e + M + (A^+, A_2^+) \rightarrow$<br>$(A, A_2) + M$                      | $5.9 \times 10^{-31} (T_e)^{-2.5}$                                         | 6                        |
| $e + e + (A^+, A_2^+) \rightarrow$<br>$e + (A, A_2)$                      | $4.3 \times 10^{-27} (T_e)^{-4.5}$                                         | 6                        |
| $N_2^+ + 2N_2 \rightarrow$<br>$N_4^+ + N_2$                               | $3.1 \times 10^{-35} (T_a)^{-3.9}$<br>$1.3 \times 10^{-30} (T_a)^{-1.0}$   | 12,13<br>10              |
| $N^+ + 2N_2 \rightarrow N_3^+ + N_2$                                      | $4.5 \times 10^{-31} (T_a)^{-1.0}$                                         | 10                       |
| $O_2^+ + 2O_2 \rightarrow O_4^+ + O_2$                                    | $1.9 \times 10^{-35} (T_a)^{-3.2}$                                         | 14                       |
| $O_2^+ + M + H_2O \rightarrow$<br>$O_2^+ \cdot H_2O + M$                  | $1.75 \times 10^{-31} (T_a)^{-2.0}$<br>$1.43 \times 10^{-31} (T_a)^{-2.0}$ | $M=N_2$ 10<br>$M=O_2$ 10 |
| $H_3O^+ + H_2O + M \rightarrow$<br>$H_3O^+ \cdot H_2O + M$                | $2.1 \times 10^{-30} (T_a)^{-2.0}$<br>$1.4 \times 10^{-33} (T_a)^{-4.0}$   | $M=N_2$ 10<br>$M=O_2$ 10 |
| $H_3O^+ \cdot H_2O + H_2O + M \rightarrow$<br>$H_3O^+ \cdot (H_2O)_2 + M$ | $1.4 \times 10^{-30} (T_a)^{-2.0}$<br>$7.8 \times 10^{-33} (T_a)^{-4.0}$   | $M=N_2$ 10<br>$M=O_2$ 10 |
| $N^+ + O_2 \rightarrow O_2^+ + N$                                         | $2.8 \times 10^{-10}$                                                      | , $T_a \leq 0.39$ 10,15  |

Table 1. continued

|                                             |                                    |                  |       |
|---------------------------------------------|------------------------------------|------------------|-------|
|                                             | $5.3 \times 10^{-10} (T_a)^{0.57}$ | $T_a > 0.39$     |       |
| $N_2^+ + O_2 \rightarrow O_2^+ + N_2$       | $2.7 \times 10^{-12} (T_a)^{0.8}$  | $, T_a \leq 0.3$ | 15    |
|                                             | $4.2 \times 10^{-11} (T_a)^{1.4}$  | $, T_a > 0.3$    | 15    |
| $N_3^+ + O_2 \rightarrow NO^+ + N_2 + O$    | $5.1 \times 10^{-11}$              |                  | 16    |
| and $NO_2^+ + N_2$                          | $8.8 \times 10^{-12} (T_a)^{0.52}$ |                  | 17    |
| $N_4^+ + O_2 \rightarrow O_2^+ + 2N_2$      | $2.5 \times 10^{-10}$              |                  | 16    |
| $O^+ + O_2 \rightarrow O_2^+ + O$           | $4.6 \times 10^{-12} (T_a)^{0.4}$  | $T_a \leq .155$  | 18    |
|                                             | $1.0 \times 10^{-10} (T_a)^{1.0}$  | $T_a > .155$     |       |
| $N^+ + H_2O \rightarrow H_2O^+ + N$         | $2.8 \times 10^{-9}$               |                  | 16    |
| $N_4^+ + H_2O \rightarrow H_2O^+ + 2N_2$    | $3.0 \times 10^{-9}$               |                  | 16    |
| $O^+ + H_2O \rightarrow H_2O^+ + N_2$       | $3.2 \times 10^{-9}$               |                  | 16    |
| $N_2^+ + H_2O \rightarrow H_2O^+ + N_2$     | $2.8 \times 10^{-9}$               |                  | 16    |
| and $N_2^+H + OH$                           | $a=0.82$<br>$b=.18$                |                  |       |
| $N_3^+ + H_2O \rightarrow H_2NO^+ + N_2$    | $3.3 \times 10^{-10}$              |                  | 16    |
| $O^+ + N_2 \rightarrow NO^+ + N$            | $7.5 \times 10^{-10}$              | $T_a \leq 0.1$   | 15,18 |
|                                             | $3.2 \times 10^{-11} (T_a)^{1.38}$ | $T_a > 0.1$      |       |
|                                             | $T_a = T_v$                        |                  |       |
| $O_4^+ + H_2O \rightarrow O_2^+ \cdot H_2O$ | $1.5 \times 10^{-9}$               |                  | 19    |

Table 1. Continued

|                                                             |                                                                     |      |
|-------------------------------------------------------------|---------------------------------------------------------------------|------|
| $O_2^+ \cdot H_2O + H_2O \rightarrow H_3O^+ \cdot OH + O_2$ | $1.2 \times 10^9$                                                   | 19   |
| $\rightarrow H_3O^+ + OH + O_2$                             | $a=0.83$<br>$b=0.17$                                                |      |
| $H_3O^+ \cdot OH + H_2O \rightarrow$                        | $1.4 \times 10^9$                                                   | 19   |
| $H_3O^+ \cdot H_2O + OH$                                    |                                                                     |      |
| $H_2O^+ + H_2O \rightarrow H_3O^+ + OH$                     | $1.8 \times 10^9$                                                   | 10   |
| $H_2O^+ + O_2 \rightarrow O_2^+ + H_2O$                     | $2.0 \times 10^{10}$                                                | 10   |
| $O^+ + O^- \rightarrow O + O$                               | $4.3 \times 10^8 [T_a]^{0.5}$                                       | 6,10 |
| $N^+ + O^- \rightarrow N + O$                               | $4.1 \times 10^8 [T_a]^{0.5}$                                       | 6,10 |
| $O_2^+ + O^- \rightarrow O_2 + O$                           | $1.6 \times 10^8 [T_a]^{0.5}$                                       | 6,10 |
| $O_2^+ + O_2^- \rightarrow O_2 + O_2$                       | $6.6 \times 10^8 [T_a]^{0.5}$                                       | 6,10 |
| $N_2^+ + O_2^- \rightarrow N_2 + O_2$                       | $2.5 \times 10^8 [T_a]^{0.5}$                                       | 6,10 |
| $X^+ + Y^- \rightarrow X + Y$                               | $1.6 \times 10^8 [T_a]^{0.5}$                                       | 20   |
| $A^+ + B^- + M \rightarrow$                                 | $2.9 \times 10^{29} [T_a]^{2.5}$                                    | 6    |
| $A + B + M$                                                 |                                                                     |      |
| $X^+ + Y^- + M \rightarrow$                                 | $1.0 \times 10^{29} [T_a]^{2.5}$                                    | 6    |
| $X + Y + M$                                                 |                                                                     |      |
| $e + O_2 + O_2 \rightarrow O_2^- + O_2$                     | $3.6 \times 10^{31} (\frac{1}{T_e}) \text{Exp}(-\frac{0.052}{T_e})$ | 21   |
| $e + O_2 + N_2 \rightarrow O_2^- + N_2$                     | $1.0 \times 10^{31}$                                                | 21   |
| $e + O_2 + H_2O \rightarrow O_2^- + H_2O$                   | $1.4 \times 10^{29}$                                                | 21   |

Table 1. Continued

$$e + O_2 \rightarrow O^- + O \quad 1.5 \times 10^{-10} (T_e)^{1.0} \text{ Exp } (-5/T_e) \quad 22$$

$T_e$  and  $T_a$  are in eV

#### V. SPECIES AND TEMPERATURES

The early time disturbed wet air chemistry code solves a set of rate equations to calculate the time histories of:  $N^+$ ,  $N_3^+$ ,  $N_4^+$ ,  $O^+$ ,  $O_2^+$ ,  $O_4^+$ ,  $H_2O^+$ ,  $H_3O^+$ ,  $H_3O^+ \cdot OH$ ,  $O_2^+ \cdot H_2O$ ,  $H_3O^+ \cdot H_2O$ ,  $O_2^-$  and  $\bar{O}$ . On the other hand, the electron density is calculated via the charge neutrality condition. In addition to the above species, the electron temperature,  $T_e$ , the  $N_2$  vibrational temperature,  $T_v$ , and the neutral species temperature,  $T_a$ , are calculated. The set of the rate equation for species and temperatures are solved by a computer program devised by D. Strickland of Beers Associates.

The calculation of  $T_e$ ,  $T_v$ , and  $T_a$  are necessary because (see Table 1, Section 4) various relevant deionization reactions are temperature dependent.

The calculations of these temperatures requires data on all appropriate cross sections<sup>23</sup> for elastic and inelastic processes in order to account for the energy loss by electrons in air. These cross sections are then utilized along with the electron velocity distribution to obtain the relevant rate coefficients. The current rate coefficients used in this code are based on a previous set of cross sections<sup>24</sup>, some of which have been modified<sup>25</sup> to the most current data. The calculation of the vibrational temperature and the energy stored in the  $N_2$  vibrational mode follows a method reported previously.<sup>26</sup> The neutral temperature, on the other hand, is calculated ab initio, where the heating sources are the elastic electron neutral, electron ion collisions, dissociative recombination, charge exchange and the arrangement processes.

The ohmic heating of the thermal electrons is considered in the code by solving a simple circuit equation.<sup>27</sup> This circuit equation relates the net current  $I_n$ , to the induced electric field,  $E_z$ , via,

$$L \frac{dI_n}{dt} = E_z$$

Where  $L$  is the inductance per unit length and is defined as

$$L = \frac{2}{c^2} \left[ \log \left( \frac{R}{r_b} \right)^2 + \frac{1}{4} \right]$$

Where  $r_b$  is the beam current radius and  $R > r_b$  is the radius where conductivity in the plasma sheath falls to  $\frac{C}{4\pi R}$ . The net current, on the other hand, is

$$I_n = I_b + \pi r_b^2 \sigma E_z$$

$\sigma$  is the conductivity and  $I_b$  is the beam current.

The conductivity  $\sigma$  is defined as

$$\sigma = \frac{e^2}{m} \frac{Ne}{\nu_m}$$

Where  $\nu_m$  is the electron momentum transfer collision frequency and is the sum of the electron neutral and electron ion collision frequencies.

#### ACKNOWLEDGEMENT

The necessary rate equations for the code were programmed for the computer by Dr. D. Strickland whose help is greatly appreciated.

## REFERENCES

1. A. W. Ali, W. Knapp and F. Niles, Chapter 22, Defense Nuclear Agency Reaction Rate Handbook, DNA 1948H, Bortner and Baurer, Eds. Published by DASIAC, DoD Nuclear Information Center GE-Tempo, Santa Barbara, CA (1974).
2. R. S. Narcisi and A. D. Bailey, J. Geophys. Res. 70, 3687 (1965).
3. F. C. Fehsenfeld and E. E. Ferguson, J. Geophys. Res. 74, 2217 (1969).
4. A. Good, D. A. Durden and P. Kebarle, J. Chem. Phys. 52, 222 (1970).
5. George C. Reid, Planet Space Sci. 25, 275 (1977).
6. M. A. Biondi, Chapter 16, Defense Nuclear Agency Reaction Rate Handbook, DNA 1948H, Bortner and Baurer, Eds. Published by DASIAC, DoD Nuclear Information Center GE-Tempo, Santa Barbara, CA (1974).
7. A. W. Ali, to be published
8. F. J. Mehr and M. B. Biondi, Phys. Rev. 181, 264 (1969).
9. R. Hackman, Planet Space Sci. 13, 667 (1965).
10. T. Baurer and M. Bortner, Chapter 24, Defense Nuclear Agency Reaction Rate Handbook, DNA 1948H, Bortner and Baurer, Eds. Published by DASIAC, DoD Nuclear Information Center, GE-Tempo, Santa Barbara, CA (1974).
11. R. A. Heppner, F. L. Falls, W. T. Armstrong and G. H. Dunn, Phys. Rev. A, 13, 1000 (1976).
12. J. L. McCrumb, P. Warneck, J. Chem. Phys. 66, 5416 (1977).
13. A. Good, D. A. Durden and P. Kebarle, J. Chem. Phys. 52, 212 (1970).
14. D. J. Payzant, A. J. Cunningham and P. Kebarle, J. Chem. Phys. 59, 5615 (1973).
15. M. McFarland, D. L. Albritton, F. C. Fehsenfeld, E. E. Ferguson and A. L. Schmeltekopf, J. Chem. Phys. 59, 6620 (1973).
16. D. Smith, N. G. Adams and R. M. Miller, J. Chem. Phys. 69, 308 (1978).
17. W. Lindinger, J. Chem. Phys. 64, 3720 (1976).
18. R. Johnsen and M. A. Biondi, J. Chem. Phys. 59, 3504 (1973).
19. C. J. Howard, V. M. Bierbaum, H. W. Ruddle and F. Kaufman, J. Chem. Phys. 57, 3491 (1972).

20. D. Smith, N. G. Adams and M. J. Church, Planet Space Sci. 24, 697 (1976).
21. A. V. Phelps, Chapter 12, DNA Reaction Rate Handbook, DNA 1948 H, Bortner and Baurer, Eds. Published by DASIAC, DoD Nuclear Information Center, GE-Tempo, Santa Barbara, CA (1974).
22. The cross section of D. Rapp and D. D. Briglia, J. Chem. Phys. 43, 1480 (1965) was averaged over a Maxwellian velocity distribution to obtain an approximate rate coefficient.
23. A. W. Ali. To be published.
24. A. W. Ali, and A. D. Anderson, "Electron Impact Rate Coefficients for some Stmospheric Species", NRL Report 7432 (1987)
25. A. W. Ali. "The Physics and Chemistry of NRL Master Code for the Disturbed E and F Regions." NRL Memo Report 3732 (1978).
26. A. W. Ali. "The Physics and the Chemistry of Two NRL Codes for the Disturbed E and F Regions." NRL Report 7578 (1973).

DISTRIBUTION LIST

Commander  
Naval Sea Systems Command  
Department of the Navy  
Washington, D. C. 20363  
Attn: NAVSEA 03H (Dr. C. F. Sharn)

Central Intelligence Agency  
P. O. Box 1925  
Washington, D. C. 20013  
Attn: Dr. C. Miller/OSI

Air Force Weapons Laboratory  
Kirtland Air Force Base  
Albuquerque, New Mexico 87117  
Attn: Lt. Col. J. H. Havey

U. S. Army Ballistics Research Laboratory  
Aberdeen Proving Ground, Maryland 21005  
Attn: Dr. D. Eccleshall (DRXBR-BM)

Ballistic Missile Defense Advanced Technology Center  
P. O. Box 1500  
Huntsville, Alabama 35807  
Attn: Dr. L. Havard (BMDSATC-1)

B-K Dynamics, Inc.  
15825 Shady Grove Road  
Rockville, Maryland 20850  
Attn: Mr. I. Kuhn

Intelcom Rad Tech  
P. O. Box 81087  
San Diego, California 92138  
Attn: Mr. W. Selph

Lawrence Livermore Laboratory  
University of California  
Livermore, California 94550  
Attn: Dr. R. J. Briggs  
Dr. T. Fessenden  
Dr. E. P. Lee

Mission Research Corporation  
735 State Street  
Santa Barbara, California 93102  
Attn: Dr. C. Longmire  
Dr. N. Carron

DIRECTOR  
Defense Advanced Rsch Proj Agency  
Architect Building  
1400 Wilson Bldv.  
Arlington, VA 22209  
Attn: Strategic Tech Office  
Dr. J. Bayless  
Dr. J. Mangano

DIRECTOR  
Defense Intelligence Agency  
Washington, D. C. 20301  
Attn: W. Wittig DC - 7D  
DT-1B  
P. Castelberry

DIRECTOR  
Defense Nuclear Agency  
Washington, D. C. 20305  
Attn: Capt. P. Lunn, RAAE

COMMANDER  
Harry Diamond Laboratories  
2800 Powder Mill Road  
Adelphi, MD 20783  
Attn: AMXDO-NP  
S. Graybill

COMMANDER  
U. S. Army Missile Command  
Redstone Arsenal  
Huntsville, AL 35809  
Attn: AMSMI-YTT W. G. Proussel, Jr.

AF Weapons Laboratory, AFSC  
Kirtland AFB, NM 87117  
Attn: Maj. H. Dagliani  
Dr. K. Dreyer  
Lt. David L. Smith  
Dr. D. Straw

AFTAC  
Patrick AFB, FL 32925  
Attn: TF Maj. E. Hines  
TF Capt. Wiley  
TN

HQ USAF/RD  
Washington, D. C. 20330  
Attn: RDQ

Sandia Laboratories  
Albuquerque, NM 87185  
Attn: Dr. Bruce Miller  
Dr. Barbara Epstein

University of California  
Physics Department  
Irvine, CA 92717  
Attn: Dr. Gregory Benford

Defense Technical Information Center  
Cameron Station  
5010 Duke Street  
Alexandria, VA 22314 (12 copies)

Beers Associates Inc.  
Attn: Dr. Douglas Strickland  
P. O. Box 2549  
Reston, VA 22090

Jaycor, Inc.  
205 S. Whiting St.  
Alexandria, BA 22304  
Attn: Dr. R. Fernsler

Physical Dynamics, Inc.  
P. O. Box 1883  
La Jolla, California 92038  
Attn: Dr. K. Brueckner

Office of Naval Research  
Department of the Navy  
Arlington, Virginia 22217  
Attn: Dr. W. J. Condell (Code 421)  
Dr. T. Berlincourt

Avco Everett Research Laboratory  
2385 Revere Beach Pkwy.  
Everett, Massachusetts 02149  
Attn: Dr. R. Patrick  
Dr. Dennis Reilly

Defense Technical Information Center  
Cameron Station  
5010 Duke Street  
Alexandria, VA 22314 (12 copies)

Naval Research Laboratory  
Washington, D. C. 20375  
Attn: Code 5460, Radio Propagation Branch  
Code 4701, Jack D. Brown  
Code 4700, Division Superintendent (25 copies)  
Code 4700.1, Dr. A. W. Ali (20 copies)  
Code 4770, Mr. I. M. Vitkovitsky  
Code 4760, Dr. J. R. Greig  
Code 4790, Dr. M. Lampe

Naval Surface Weapon Center  
White Oak Laboratory  
Silver Spring, MD 20910

ATT: Mr. R. J. Biegalski  
Dr. R. Cawley  
Dr. J. W. Forbes  
Dr. D. L. Love  
Dr. C. M. Huddleston  
Dr. A. E. Hudson  
Dr. M. H. Cha  
Dr. H. S. Uhm  
Dr. R. Fiorito

Science Applications, Inc.  
Security Office  
5 Palo Alto Square, Suite 200

ATT: Dr. R. R. Johnston

C. S. Draper Laboratories  
Cambridge, MA 02139

ATT: Dr. E. Olsson