

AD-A102 098 NAVAL OCEANOGRAPHIC OFFICE NSTL STATION MS F/G R/3  
SURFACE CURRENTS. SOUTHWEST NORTH PACIFIC OCEAN INCLUDING THE P--ETC (U)  
JUL 77  
UNCLASSIFIED N00-SP-1402-NP-10 NL


1 of 1  
20/02/80

|      |
|------|
| END  |
| DATE |
| TIME |
| 9 14 |
| DTIC |

AD A I 0 2 0 9 8



[Redacted text block]



[Redacted text block]

[Redacted text block]

6

# SURFACE CURRE

SOUTHWEST NORTH PACIFIC OCEA  
THE PHILIPPINE ISLAN

9. Final rpt.



11

JUL 1977


APPROVED FOR PUBLIC RELEASE; DISTRIBUTION

NAVAL OCEANOGRAPHIC OFFICE  
WASHINGTON, D. C. 20375

14) NOO-SP-1402-NP-10

# ACE CURRENTS.

## WORTH PACIFIC OCEAN INCLUDING PHILIPPINE ISLANDS.



12) 46

JUL 1977

FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.

NATIONAL OCEANOGRAPHIC OFFICE  
WASHINGTON, D. C. 20373

2 250 450

*mt*

#### ACKNOWLEDGMENTS


Messrs. Raymond J. Beauchesne\* and William E. Boisvert made major contributions to this atlas.

Mr. Beauchesne presently is employed by the Bureau of Naval Personnel.

## FOREWORD

THIS ATLAS, ONE IN A SERIES OF 43 REGIONAL SURFACE CHARTS, IS PRODUCED TO FULFILL A NEED OF NAVY PLANNING STAFFS AND THE MARITIME AND INDUSTRIAL COMMUNITIES FOR THE LATEST AVAILABLE OCEAN SURFACE DATA. THESE ATLASES ADD TO THE WEALTH OF NAUTICAL INFORMATION UPON WHICH OPERATIONAL PLANNING, NAVIGATIONAL SAFETY, AND SHIPPING ECONOMY DEPEND. THE PRODUCTION AND WIDE DISSEMINATION OF THIS ATLAS ARE MADE POSSIBLE BY THE LATEST COMPUTER TECHNIQUES.

THE CONSTANT IMPROVEMENT IN THE QUALITY OF SURFACE CHARTS RECEIVED OVER THE YEARS IS MADE POSSIBLE LARGELY BY THE MORE THOROUGH OBSERVATIONS OF VOLUNTARY OBSERVERS IN RECENT YEARS. THE DEFENSE MAPPING AGENCY, THE OCEANOGRAPHIC OFFICE, AND THE USER OF THE ATLASES RELY ON THE PRECISE OBSERVATIONS OF THE MAN WHO HAS "BEEN THERE." MARINERS, IN REPORTING THEIR OBSERVATIONS, RENDER A SERVICE NOT ONLY TO THEMSELVES BUT ALSO TO THE NAVY AND TO THE COMMERCIAL MARITIME. WITH THE ADVENT OF NUCLEAR POWER, THE DEVELOPMENT OF NAVIGATION AIDS, AND 300,000-TON SHIPS, UP-TO-DATE, RAPIDLY DISSEMINATED ENVIRONMENTAL AND NAVIGATIONAL INFORMATION HAS BECOME INCREASINGLY IMPORTANT.




J. E. AYRES  
Captain, USN  
Commander

# WORD

5 OF 43 REGIONAL SURFACE CURRENT ATLASES,  
Y PLANNING STAFFS AND THE SCIENTIFIC AND  
T AVAILABLE OCEAN SURFACE CURRENT DATA.  
AUTICAL INFORMATION UPON WHICH OPERA-  
, AND SHIPPING ECONOMY DEPEND. RAPID  
THIS ATLAS ARE MADE POSSIBLE BY THE

N THE QUALITY OF SURFACE CURRENT DATA  
IBLE LARGELY BY THE MORE THOROUGH REPORTS  
RS. THE DEFENSE MAPPING AGENCY, THE  
F THE ATLASES RELY ON THE PERSONAL OB-  
THERE." MARINERS, IN REPORTING THEIR  
NLY TO THEMSELVES BUT ALSO TO ALL "WHO  
THE ADVENT OF NUCLEAR POWER, ELECTRONIC  
PS, UP-TO-DATE, RAPIDLY DISSEMINATED  
MATION HAS BECOME INCREASINGLY IMPORTANT.

  
J. E. MYRES  
Captain, USN  
Commander

|                    |                                     |
|--------------------|-------------------------------------|
| Accession For      |                                     |
| NTIS GRA&I         | <input checked="" type="checkbox"/> |
| DTIC TAB           | <input type="checkbox"/>            |
| Unannounced        | <input type="checkbox"/>            |
| Justification      |                                     |
| By                 |                                     |
| Distribution/      |                                     |
| Availability Codes |                                     |
| Dist               | Avail and/or<br>Special             |
| A                  |                                     |

2

## SURFACE CURRENT ATLASES


THIS SERIES OF COMPUTERIZED ATLASES REPLACES THE OLD HYDROGRAPHIC OFFICE ATLASES OF SURFACE CURRENTS (HOP 566, 568, 569, 570) WHICH WERE MANUALLY COMPILED FROM DATA OBTAINED DURING THE PERIOD 1903 - 1934. THESE NEW ATLASES CONFORM TO THE STANDARD NAVY OCEAN AREA AND REGION INDEX LIMITS SHOWN BELOW: e.g., NOO SP 1402-NP 10 COVERS NORTH PACIFIC REGION 10 EAST OF THE PHILIPPINES.

AS AMOUNTS OF NEW DATA WA

THESE GRAPHICS MAY AREAS AS THE NORTH SEA, P CURRENTS ARE STRONGLY TID PREDICTABLE HOURLY CHANGES

RECENT IMPROVEMENTS IN THE DATA FILE ASSURE THE INCLUSION OF THE LATEST, HIGH QUALITY SURFACE CURRENT DATA AVAILABLE. THE FILE NOW CONTAINS MORE THAN 4,200,000 OBSERVATIONS AND A GENERAL UPDATE OF THE FILE WILL BE MADE

### INDEX




# E CURRENT ATLASES

AS AMOUNTS OF NEW DATA WARRANT, MOST LIKELY EVERY 12 - 18 MONTHS.

THESE GRAPHICS MAY NOT BE TRULY REPRESENTATIVE OF THE ACTUAL FLOW IN SUCH AREAS AS THE NORTH SEA, PERSIAN GULF, GULF OF THAILAND, AND YELLOW SEA WHERE CURRENTS ARE STRONGLY TIDAL. FOR SUCH AREAS, OTHER SOURCES DESCRIBING PREDICTABLE HOURLY CHANGES OF TIDAL CURRENTS SHOULD BE CONSULTED.

## INDEX




**Introduction**

The Surface Current Data File, from which these atlases are derived, consists primarily of over four million ship set and drift observations. These data were collected by the Netherlands, Japan, Britain, France, and the United States. The file is supplemented by several thousand Geomagnetic Electrokinetograph (GEK) observations, mostly Japanese. The file spans the period from the early 1850's to the present. The earliest observations were collected by the Netherlands and Great Britain; those of the 1960's through the present are primarily United States data.

If there are 12 or more observations by vector resultants as follows:

**General Quality**

The quality of this data file is considered high for this type of derived value. The data have been carefully screened for duplication; observations taken under adverse conditions (i.e. high winds and waves, time between observations greater than 12 hours) have been eliminated when warranted. Consideration was given to the reliability of the observer; doubtful shipboard computations of set and drift were edited; and observations with erroneous locations (mostly observations on land) have been eliminated. The accepted data are considered most useful when used collectively as in summaries where a number of observations show trends.




**General Observation Technique**


The set (direction) and drift (speed) are computed by the navigator from the difference between the dead reckoning (DR) position and the position determined by any type of navigational fix. The drift can be determined along any straight line track and includes all factors which cause changes in the DR position. When a fix is obtained, the current set (direction) is FROM the DR position TO the fix; the drift (speed) is equal to the distance in nautical miles between the DR and the fix, divided by the number of hours since the last fix. For successive observations, the TO POSITION of one observation becomes the FROM POSITION of the next observation.

- (1) Persistent Current - 60 percent or more of all observations fall within a 45° sector of the 8-point compass.
- (2) Prevailing Current - 45 percent or more of all observations fall within a 45° sector of the 8-point compass.

Because the influence of current may vary along a ship's track, the MEAN POSITION of the track is assigned as the geographic location of the current observation. An example of a current computation is shown in the figure below.



EXAMPLE OF A SURFACE CURRENT (SHIP'S DRIFT) OBSERVATION



**Data Presentation**

The following legend shows two types of surface current presentations by 1° quadrangle, type 1 with 12 or more observations and type 2 with fewer than 12 observations. Where there are 11 or fewer observations within a 1° quadrangle, the total number of observations is shown within the 90° quadrant containing the observations.


- (4) Bizonal Flow - Practically all observations are concentrated in opposite pairs of sectors, and one pair contains at least 80 percent as many observations as the other pair. This generally indicates variability that occurs in zones of entrainment of opposing currents (see examples A and B in quadrangles 1, 2, and 3).

**LEGEND**




**TYPE 1**

**TYPE 2**

- A NUMBER OF CALMS (INCLUDED IN TOTAL OBSERVATIONS).
- B TOTAL OBSERVATIONS (999 ALSO USED FOR 1000 OR MORE OBSERVATIONS).
- C MEAN SPEED (0.8 KNOT) FOR ALL OBSERVATIONS.
- D VECTOR RESULTANT DIRECTION (°) FOR ALL OBSERVATIONS.
- E PERCENT FREQUENCIES (57% PRIMARY DIRECTION, 23% SECONDARY DIRECTION).
- F MEAN SPEEDS (1.0 KNOT PRIMARY DIRECTION, 0.6 KNOT SECONDARY DIRECTION).
- G NUMBER OF OBSERVATIONS BY QUADRANT.



If there are 12 or more observations in a 1° quadrangle, the surface current is depicted by vector resultants as follows:





(1) Persistent Current - 60 percent or more of all observations fall within a 45° sector of the 8-point compass.

(2) Prevailing Current - 70 percent or more of all observations fall within two adjacent 45° sectors.

(3) Primary Current with Secondary Direction -


(a) Primary Current - 50 percent or more of all observations fall within three adjacent 45° sectors.

(b) Secondary Direction - 20 percent or more of all observations fall within a 45° sector, and the two resultant vector directions are separated by more than 90° of arc.



(4) Bizonal Flow - Practically all observations are concentrated in opposite pairs of 45° sectors, and one pair contains at least 80 percent as many observations as the opposite pair. This generally indicates variability that occurs in zones of entrainment between opposing currents (see examples A and B, quadrangles 1, 2, and 3).

(5) Variable Current - The 45° sector with most observations has less than 25 percent of all observations; direction is indeterminate.




2

|    | 120E | 125E | 130E | 135E | 140E | 145E |
|----|------|------|------|------|------|------|
| 8N | ...  | ...  | ...  | ...  | ...  | ...  |
| 7N | ...  | ...  | ...  | ...  | ...  | ...  |
| 6N | ...  | ...  | ...  | ...  | ...  | ...  |
| 5N | ...  | ...  | ...  | ...  | ...  | ...  |
| 4N | ...  | ...  | ...  | ...  | ...  | ...  |
| 3N | ...  | ...  | ...  | ...  | ...  | ...  |
| 2N | ...  | ...  | ...  | ...  | ...  | ...  |
| 1N | ...  | ...  | ...  | ...  | ...  | ...  |
| 0  | ...  | ...  | ...  | ...  | ...  | ...  |

JANUARY





FEBRUARY

140 E

145 E

150 E

155 E

160 E

29 N

25 N

20 N

15 N

10 N

5 N

0

135 E

140 E

145 E


150 E


155 E

160 E


FEBRUARY

2





MARCH



140 E  
MARCH

145 E

150 E

2

155 E

160 E

29 N  
25 N  
20 N  
15 N  
10 N  
5 N  
0

120 F

125 E

130 E

135 E

140 E

145 E

29 N

25 N


20 N

15 N


10 N

5 N

0



APRIL



140 E  
APRIL


145 E

2  
150 E

155 E

160 E

29 N  
25 N  
20 N  
15 N  
10 N  
5 N  
0



MAY

145 E

150 E

155 E

160 E

29 N

25 N

20 N

15 N

10 N

5 N

0


145 E

150 E

155 E

160 E

2



29N

125 F

130 F

135 F

140 F

145 F

30N


31N

32N

33N

34N

35N



125 F

130 F


135 F

140 F

145 F

JUNE





140E  
JULY

140 F

150 F

155 F

160 F

75 F

75 F

75 F

15 F

10 F

5 F

145 F

150 F

155 F

160 F

0

2

F  
Y

130 E  
135 E  
140 E  
145 E


125 E

130 E

135 E

140 E

145 E



125 E

130 E

135 E

140 E

145 E

**AUGUST**

150 E

140 E 145 E 150 E 155 E 160 E

29 N

25 N

20 N

15 N

10 N


5 N

0

140 E 145 E 150 E 155 E 160 E

AUGUST

2



1300 125 F 130 F 135 F 140 F 145 F

|      |       |       |       |       |       |       |
|------|-------|-------|-------|-------|-------|-------|
| 29 N | 1300  | 125 F | 130 F | 135 F | 140 F | 145 F |
| 28 N |       |       |       |       |       |       |
| 27 N |       |       |       |       |       |       |
| 26 N |       |       |       |       |       |       |
| 25 N |       |       |       |       |       |       |
| 24 N |       |       |       |       |       |       |
| 23 N |       |       |       |       |       |       |
| 22 N |       |       |       |       |       |       |
| 21 N |       |       |       |       |       |       |
| 20 N |       |       |       |       |       |       |
| 19 N |       |       |       |       |       |       |
| 18 N |       |       |       |       |       |       |
| 17 N |       |       |       |       |       |       |
| 16 N |       |       |       |       |       |       |
| 15 N |       |       |       |       |       |       |
| 14 N |       |       |       |       |       |       |
| 13 N |       |       |       |       |       |       |
| 12 N |       |       |       |       |       |       |
| 11 N |       |       |       |       |       |       |
| 10 N |       |       |       |       |       |       |
| 9 N  |       |       |       |       |       |       |
| 8 N  |       |       |       |       |       |       |
| 7 N  |       |       |       |       |       |       |
| 6 N  |       |       |       |       |       |       |
| 5 N  |       |       |       |       |       |       |
| 4 N  |       |       |       |       |       |       |
| 3 N  |       |       |       |       |       |       |
| 2 N  |       |       |       |       |       |       |
| 1 N  |       |       |       |       |       |       |
| 0    | 120 E | 125 F | 130 E | 135 E | 140 E | 145 E |

SEPTEMBER

145 E

150 E

155 E

160 E

29 N

25 N

20 N

15 N

10 N

5 N

0

145 E


150 E

155 E


160 E


2

BER




OCTOBER






140 E  
NOVEMBER  
145 E




NOVEMBER

2




DECEMBER




140 E  
**CEMBER**

2



WINTER - JAN, FEB, MAR




140 E  
AN, FEB, MAR

145 E                      150 E                      155 E                      160 E


2

29 N  
25 N  
20 N  
15 N  
10 N  
5 N  
0



120 E                      125 E                      130 E                      135 E                      140 E                      145 E                      150

**SPRING - APR, MAY, JUN**



140 E  
**SPRING - APR, MAY, JUN**

145 E


150 E

2

155 E


160 E

29 N  
25 N  
20 N  
15 N  
10 N  
5 N  
0



120 E 125 E 130 E 135 E 140 E 145 E


SUMMER - JUL, AUG, SEP



AUG, SEP

2





140 E 145 E 150 E 155 E 160 E  
0 N  
5 N  
10 N  
15 N  
20 N  
25 N

140 E 145 E 150 E 155 E 160 E

OCT, NOV, DEC

2

DISTRIBUTION LIST

NAVY

CINCPACFLT (02M)  
COMTHIRDFLT  
COMSEVENTHFLT  
COMSUBPAC  
COMNAVAIRPAC  
COMPATWINGSPAC  
PATWINGSPAC DET ADAK  
PATWING 1  
COMNAVSURFPAC  
DIRNAVOCEANMET  
FLENUMWEACEN  
FLEWEACEN GUAM  
FLEWEACEN PEARL  
NAVWEASERVFAC SAN DIEGO  
NAVWEASERVFAC YOKOSUKA  
NWS D ASHEVILLE  
NWS D ADAK  
NWS D AGANA  
NWS D ATSUGI  
NWS D KADENA  
NWS D MISAWA

OTHER GOVT.

NOAA/NODC  
NOAA/NCC

PRIVATE

AMAX EXPLORATION INC.

FOREIGN

HYDROGRAPHER/R. A. N.  
DEPT. TRANSPORTATION/AUSTRALIA

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

| REPORT DOCUMENTATION PAGE  |                       | READ INSTRUCTIONS<br>BEFORE COMPLETING FORM                    |  |
|--|-----------------------|--|--|
| 1. REPORT NUMBER<br>NOO SP1402-NP8   | 2. GOVT ACCESSION NO. | 3. RECIPIENT'S CATALOG NUMBER                                  |  |
| 4. TITLE (and Subtitle)<br>Surface Currents<br>North Central<br>North Pacific Ocean  |                       | 5. TYPE OF REPORT & PERIOD COVERED<br>Final                    |  |
|  |                       | 6. PERFORMING ORG. REPORT NUMBER                               |  |
| 7. AUTHOR(s)<br>U.S. Naval Oceanographic Office  |                       | 8. CONTRACT OR GRANT NUMBER(s)                                 |  |
| 9. PERFORMING ORGANIZATION NAME AND ADDRESS<br>Naval Oceanographic Office<br>Washington, D.C. 20373  |                       | 10. PROGRAM ELEMENT, PROJECT, TASK<br>AREA & WORK UNIT NUMBERS |  |
| 11. CONTROLLING OFFICE NAME AND ADDRESS<br>Naval Oceanographic Office<br>Washington, D.C. 20373  |                       | 12. REPORT DATE<br>July 1977                                   |  |
|  |                       | 13. NUMBER OF PAGES<br>22                                      |  |
| 14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)  |                       | 15. SECURITY CLASS. (of this report)                           |  |
|  |                       | 15a. DECLASSIFICATION/DOWNGRADING<br>SCHEDULE                  |  |
| 16. DISTRIBUTION STATEMENT (of this Report)<br>Approved for public release; distribution unlisted.   |                       |  |  |
| 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)   |                       |  |  |
| 18. SUPPLEMENTARY NOTES  |                       |  |  |
| 19. KEY WORDS (Continue on reverse side if necessary and identify by block number)<br>Surface Currents, Northwest Pacific, Sea of Japan  |                       |  |  |
| 20. ABSTRACT (Continue on reverse side if necessary and identify by block number)<br>This atlas, and the series of which it is a part, is computer generated and automatically plotted. It makes available to the most recent surface current data collected and will be updated whenever sufficient amounts of data are added to the data file. This and the other atlases are based on a vast quantity of data as compared to the previous manually-compiled editions printed in the mid-thirties. |                       |  |  |

DD FORM 1473 EDITION OF 1 NOV 68 IS OBSOLETE  
1 JAN 73 S/N 0102-010-0001

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

20. The surface current information is based on which is the difference between the dead re and the position determined by any typed of This difference describes the direction and

SECURITY CLASS

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

Surface current information is based mainly on ship drift,  
which is the difference between the dead reckoning position  
and the position determined by any type of navigational fix.  
This difference describes the direction and speed of the current.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

END

DATE  
FILMED

9 - 81

DTIC