

AD-A102 634

PENNSYLVANIA STATE UNIV UNIVERSITY PARK IONOSPHERE R--ETC F/G 4/1
WEIGHTING FUNCTION ANALYSIS FOR THE PENN STATE UPPER ATMOSPHERE--ETC(U)
JAN 81 R M BEVILACQUA N00014-79-C-0610
UNCLASSIFIED PSU-IRL-SCI-469 NL

1 of 1
ADA
102634



END
DATE
FILMED
9-81
DTIC



12

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER PSU-IRL-SCI-469	2. GOVT ACCESSION NO. AD-A202 634	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Weighting Function Analysis for the Penn State Upper Atmospheric Water Vapor Microwave Radiometer Experiment	5. TYPE OF REPORT & PERIOD COVERED Technical report	6. PERFORMING ORG. REPORT NUMBER PSU-IRL-SCI-469
7. AUTHOR(s) Richard M. Bevilacqua	8. CONTRACT OR GRANT NUMBER(s) N00014-79-C-6610	9. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Task No. NR 089-148
10. PERFORMING ORGANIZATION NAME AND ADDRESS The Pennsylvania State University 318 Electrical Engineering East University Park, PA 16802	11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Code 464 Arlington, Virginia 22217	12. REPORT DATE January, 1981
13. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	14. SECURITY CLASS. (of this report) Unclassified	15. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Distribution Unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) Distribution Statement A Approved for public release		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Structure of the Upper Atmosphere Ground-Based Techniques and Measurements Data Analysis Techniques		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The measurement of water vapor in the middle atmosphere by microwave radiometry, using the 22.235 GHz water vapor absorption line, is being pursued at the Ionosphere Research Laboratory and the Department of Meteorology here at Penn State. In this report the weighting functions which are required in order to invert the radiance data to obtain the corresponding water vapor profile are derived and calculated. An examination of these weighting functions indicates that, with our instrument, water vapor measurements can successfully be made in the 50 to 85 km altitude range.		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-014-6601

NONE

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

788530

106

PSU-IRL-SCI-469

Classification Numbers: 1.9, 3.2.1, 3.2.3

Scientific Report 469

Weighting Function Analysis for the Penn State
Upper Atmospheric Water Vapor Microwave Radiometer Experiment


by

Richard M. Bevilacqua

January, 1981

The research reported in this document has been supported by the
Office of Naval Research under Contract No. N00014-79-C-0610.

Submitted by:


John J. Olivero
Associate Professor of Meteorology

Approved by:


John S. Nisbet
Director, Ionosphere Research
Laboratory

Department of Electrical Engineering
Ionosphere Research Laboratory
The Pennsylvania State University
University Park, Pennsylvania 16802

Table of Contents

	Page
ABSTRACT	ii
LIST OF FIGURES	iii
ACKNOWLEDGEMENTS	iv
I INTRODUCTION	1
II WEIGHTING FUNCTIONS	1
III CONCLUSION	9
IV REFERENCES	11

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Avail and/or	
Dist	Special
A	

Abstract

The measurement of water vapor in the middle atmosphere by microwave radiometry, using the 22.235 GHz water vapor absorption line, is being pursued at the Ionosphere Research Laboratory and the Department of Meteorology here at Penn State. In this report the weighting functions which are required in order to invert the radiance data to obtain the corresponding water vapor profile are derived and calculated. An examination of these weighting functions indicates that, with our instrument, water vapor measurements can successfully be made in the 50 to 85 km altitude range.

List of Figures

Figure 1: Normalized absorption experiment weighting functions for the first 25 contiguous filter bank channels, with $\nu_0 = 22.235$ GHz.

Figure 2: Normalized emission experiment weighting functions for the first 25 contiguous filter bank channels, with $\nu_0 = 22.235$ GHz.

Figure 3: Altitude of weighting function peak, as a function of frequency offset from line center for the 22.235 GHz water vapor line.

Acknowledgements

I would like to extend my deep thanks and appreciation to Drs. John Olivero and Christopher Gibbins and to Ms. Jung-June Tsou for many discussions which were quite helpful. Special thanks are due to Drs. Olivero and Gibbins for taking the time and effort to review the manuscript, and to offer many constructive criticisms. This work was supported by the Office of Naval Research under contract number N00014-79-C-0610.

1. Introduction

The measurement of water vapor in the middle atmosphere by microwave radiometry is being pursued at the Ionosphere Research Laboratory and in the Department of Meteorology. In brief the goal of the project is to use our ground-based radiometer, which is presently nearly completed, to produce a spectrum of radiance measurements across the 22.235 GHz water vapor absorption line, and to use this data to infer the mesospheric water vapor profile. It is hoped that once the experimental program is established, mesospheric water vapor will be monitored on a continuous basis. The details of the instrument are discussed elsewhere. Here it need only be mentioned that spectral analysis of the radiometer data will be obtained with the use of a filter-bank spectrometer which comprises 50 contiguous channels each of 50 KHz bandwidth for a total bandwidth of 2.5 MHz, centered at line center. In this report the weighting functions which are required in order to retrieve a water vapor profile from the radiance measurements are derived. An examination of these weighting functions demonstrates the feasibility of measuring mesospheric water vapor with our instrument.

2. Weighting Functions

In general the weighting function for any type of remote sensing experiment can be defined such that

$$g(y) = \int WF(x,y) f(x) dx \quad (1)$$

where $g(y)$ is the measured quantity,

$f(x)$ is the quantity to be inferred from the measurement

$WF(x,y)$ is the weighting function for the particular experiment.

In our experiment the vector $g(y)$ is the radiance measurement, with y being the frequency at which an individual measurement is made. The vector $f(x)$ becomes $n_{H_2O}(s)$, the water vapor profile as a function of height. In order to determine the manner in which radiance measurements in the vicinity of the 22.235 GHz water vapor absorption line are related to the water vapor profile, and thus determine the weighting function, an equation of radiative transfer must be used. The radiative transfer equation, for an upward viewing path through the atmosphere, applied at microwave frequencies, where atmospheric scattering can be neglected and $h\nu \ll kT$ (long wavelength limit of the Planck function), takes the simple form (Waters, 1976).

$$T_g(\nu) = T_\infty(\nu)e^{-\tau(\nu, \infty, 0)} + \int_0^\infty T(s)e^{-\tau(\nu, s, 0)} K_a(\nu, s) ds \quad (2)$$

where $T_g(\nu)$ is the brightness temperature, at frequency ν , at the ground,
 $T_\infty(\nu)$ is the brightness temperature of any microwave source external to the atmosphere,

$T(s)$ is the atmospheric temperature profile,

$K_a(\nu, s)$ is the volumetric absorption coefficient and

$\tau(\nu, s, 0)$ is the atmospheric optical depth or opacity,

$$\tau(\nu, s, 0) = \int_0^s K_a(\nu, s') ds'.$$

Two types of experiments can be performed and simulated using Eq. (2): an absorption experiment in which the radiometer's antenna is mounted on a solar tracker, and the attenuation of solar radiation is measured; and an emission experiment in which the antenna is fixed and the thermal radiation emitted by the atmosphere is measured. The relative merits and disadvantages of each type of experiment are discussed in detail in Longbothum (1976), and the interested reader is

referred there. In the following subsections the appropriate weighting function for each experiment will be derived.

a) Absorption Experiment

When looking at the sun the radiation emitted by the atmosphere can be neglected because it is extremely small by comparison, therefore the radiative transfer equation reduces to:

$$T_g(\nu) = T_{\text{sun}}(\nu) e^{-\tau(\nu, \infty, 0)} \quad (3)$$

Equation (3) can be rewritten as

$$\ln \left(\frac{T_{\text{sun}}(\nu)}{T_g(\nu)} \right) = \tau(\nu, \infty, 0) = \int_0^{\infty} K_a(\nu, s) ds.$$

In the stratosphere and mesosphere the absorption coefficient for frequencies within a few MHz of the 22.235 GHz water vapor absorption line is, to a good approximation, linear in the water vapor concentration and can be written

$$K_a(\nu, s) = \sigma(\nu, s) n_{\text{H}_2\text{O}}(s) \quad (4)$$

where $n_{\text{H}_2\text{O}}$ is the water vapor concentration,

$\sigma(\nu, s)$ is the water vapor absorption cross section for the 22.235 GHz line.

With this approximation Eq. (3) can be written in its final form

$$\ln \left(\frac{T_{\text{sun}}(\nu)}{T_g(\nu)} \right) = \int_0^{\infty} WF(\nu, s) n_{\text{H}_2\text{O}}(s) ds \quad (5)$$

where $WF(\nu, s)$ is simply equal to $\sigma(\nu, s)$.

The left side of Eq. (5) can be considered known from spectral analysis of the radiometer data. A potential problem with this is that the solar brightness temperature can be quite variable at

microwave frequencies, hence T_{sun} is not well known. This problem can be circumvented by performing the measurement at more than one zenith angle, and thus eliminating T_{sun} from Eq. (5).

In order to calculate the weighting functions, for the frequencies which correspond to the filter bank used in our measurement program, the microwave radiative transfer model developed by Longbothum (1976) has been used. This model was developed in conjunction with a feasibility study, carried out at the Ionosphere Research Laboratory, of using microwave radiometry to measure water vapor in the stratosphere and mesosphere. In Figure (1) we present a plot of the absorption weighting functions for the first 25 channels of the filter bank, each normalized by its maximum value. Thus the curves are separated by 50 KHz with the offset from line center ranging from 1.25 MHz to zero. The line is symmetrical about line center so that the 25 channels on the opposite side of line center give essentially redundant information. The line is centered on the center channel of the filter bank to produce a symmetric spectrum, in order to avoid any problems with baseline instabilities. Figure (1) illustrates that the weighting functions peak at successively higher altitudes with decreasing frequency offset in an apparently exponential fashion. The figure also shows that these weighting functions cover the 50 to 85 km altitude range quite well. Therefore water vapor profile measurements in this altitude range are feasible with our instrumentation. One other point bears mentioning, with the 50 KHz resolution there is a considerable amount of overlap,




Fig. 1: Normalized absorption experiment weighting functions for the first 25 contiguous filter bank channels, with $\nu_0 = 22.235 \text{ GHz}$.

and therefore redundancy of information, in the weighting functions. In an actual data inversion procedure not all these frequencies would be included. Another scientific report objectively determines the number of independent pieces of information, and thus the frequencies which should be used in the data inversion, based on the experimental error in the measurements.

b) Emission Experiment

In an emission experiment the antenna is pointed in a direction away from the sun in order to measure the thermal radiation emitted by the atmosphere. In this case the radiative transfer equation becomes

$$T_g(\nu) = \int_0^{\infty} T(s) e^{-\tau(\nu, s, 0)} K_a(\nu, s) ds. \quad (6)$$

By definition, then, the weighting function for this particular experiment is given by

$$WF(\nu, s) = T(s) e^{-\tau(\nu, s, 0)} K_a(\nu, s) / n_{H_2O}(s) = T(s) e^{-\tau(\nu, s, 0)} g(\nu, s)$$

so that Eq. (6) can be written

$$T_g(\nu) = \int_0^{\infty} WF(\nu, s) n_{H_2O}(s) ds.$$

At first glance this expression for the weighting function appears to be of little use because it contains the opacity for the underlying atmosphere, $\tau(\nu, s, 0) = \int_0^s K_a(\nu, s') ds'$, which depends on the water vapor profile from the given level, s , down to the surface. However, the atmospheric opacity is dominated by tropospheric attenuation. In fact the Longbothum model, with a reasonable water vapor profile, shows that the opacity from the tropopause

to the surface is more than 98% of the total opacity from the surface to 100 km. Thus in the stratosphere and mesosphere the atmospheric opacity can be considered essentially independent of height, and the emission weighting function can be written in the final form

$$WF(\nu, s) = T(s)\sigma(\nu, s)e^{-\tau(\text{trop})} \quad (7)$$

It can be seen from Eq. (7) that the emission weighting function differs from its absorption counterpart only in that it has an extra linear temperature dependence. However, the absorption cross section varies over orders of magnitude in the mesosphere, while the temperature varies over tens of percent. Thus, variations in the emission weighting function will be controlled mainly by variations in $\sigma(\nu, s)$. In Figure (2) the emission weighting functions are plotted in the same format as were the absorption weighting functions. As expected no significant differences between the two types of weighting functions are observed. Hence, the same altitude range can be covered with the absorption and the emission experiment.

The weighting functions can be carried one step further to determine, in general, the vertical range of water vapor profile measurements, using ground-based microwave techniques, as a function of the instrument bandwidth. The highest altitude at which water vapor measurements can be made using the 22.235 GHz absorption line, occurs at approximately 85 km. This is a consequence of the fact that above that altitude Doppler broadening begins to surpass pressure broadening as the dominant line broadening mechanism, and the line width is no longer a function of pressure, or altitude.




Fig. 2: Normalized emission experiment weighting functions for the first 25 contiguous filter bank channels, with $\nu_0 = 22.235 \text{ GHz}$.

The lowest measurement altitude for a given instrument can be estimated as the altitude corresponding to the weighting function peak, at maximum frequency offset. Figure (3) is a plot of the altitude of the peak of the weighting function as a function of frequency offset. The exponential nature of the weighting functions, which was mentioned previously, is evident in Figure (3). Because of this, it is extremely difficult to employ ground-based microwave techniques to make mid and lower stratospheric water vapor measurements. For example, to obtain water vapor profiles successfully down to 20 km would require an instrument with a bandwidth of greater than 100 MHz. The large bandwidth involved, then, tends to limit the vertical range of measurements using this technique, because wide bandwidth spectrometers suffer from baseline instability problems. The weighting functions, however, remain well behaved into the troposphere; therefore, in principle measurements can be made down into the troposphere, given an instrument of sufficiently large bandwidth, and good baseline stability.

3. Conclusion

Emission and absorption weighting functions have been calculated for the frequencies which correspond to those obtained from spectral analysis of the radiometer data, with the filter bank spectrometer. An examination of these weighting functions reveals that it is quite feasible to make mesospheric water vapor measurements with our present instrumentation in both the absorption and emission modes.




Fig. 3: Altitude of weighting function peak, as a function of frequency offset from line center for the 22.235 GHz water vapor line.

References

Longbothum, R. L., A study of water vapor measurement in the stratosphere and mesosphere using microwave techniques, PSU-IRL-SCI-449, University Park, Pennsylvania, 1976.

Waters, J. W., Absorption and emission by atmospheric gases, Methods of Experimental Physics, Volume 12: Astrophysics, Part B: Radio Telescopes, Academic Press, 1976.

DISTRIBUTION LIST FOR PENNSYLVANIA STATE
UNIVERSITY REPORTS UNDER ONR CONTRACT
NO. N00014-79-C-0610

Dr. Gene W. Adams
NOAA Lab, R43
Boulder, CO 80302

Dr. A. C. Aiken
Code 625 NASA
Goddard Space Flight Center
Greenbelt, MD 20771

Mr. R. V. Anderson
Naval Research Lab
Code 4320
Washington, DC 20375

Arecibo Observatory
P.O. Box 995
Arecibo, PR 00612
ATTN: Director and Librarian

Dr. E. Arijs
Belgian Inst. for Space Aeronomy
3 Ringlaan
B-1180 Brussels, BELGIUM

Dr. F. Arnold
Max Planck Institut
Fur Kernphysik
Postfach 103980
D169 Heidelberg
GERMANY

Dr. E. Boeck
Professor of Physics
Niagara University
New York NY 14109

Dr. W-M Boerner
COM LAB/INF ENG
UICC
P.O. Box 4348
Chicago, IL 60680

Prof. H. G. Booker
Dept. of Applied Electrophysics
P.O. Box 109
University of California
La Jolla, CA 92038

Dr. S. A. Bowhill
Aeronomy Laboratory
Dept. of Elec. Engineering
363 E. E. Building
University of Illinois
Urbana, IL 61801

Dr. R. R. Burke
CRPE
CRNS
45045 Orleans CEDEX
FRANCE

Dr. J. M. Calo
Dept. of Chem. Eng.
Engineering Quad
Princeton University
Princeton, NJ 08544

Dr. H. R. Carlon
DRDAR-CLB-PO
Chemical Systems Lab
Aberdeen Proving Ground
MD 21010

Prof. A. W. Castleman
Dept. of Chemistry
University of Colorado
Campus Box 215
Boulder, CO 80309

Dr. W. C. Chamedies
School of Geophysical Sciences
Georgia Institute of Technology
Atlanta, GA 30332

DISTRIBUTION LIST FOR PENNSYLVANIA STATE
UNIVERSITY REPORTS UNDER ONR CONTRACT
NO. N00014-79-C-0610

PAGE 2

Comissao Nacional de
Actividades Espaciais
Calisca Postal, 515
San Jose Dos Campos
Sao Paulo, BRAZIL

Director
U.S. Naval Research Lab
Washington, DC 20390
ATTN: Technical Information
Division

Commander and Director
Atmospheric Sciences Lab.
U.S. Army Electronics Commission
DRSEL-BY-SY-A
Dr. Franklin E. Niles
White Sands Missile Range,
NM 88002

Director
U.S. Naval Research Lab
Washington, DC 20390
ATTN: Library, Code 2029

Dr. Cullen Crain
Rand Corporation
1700 Main Street
Santa Monica, CA 90406

Dr. J. C. Dodge
CODE EBT-8
Severe Storms Program Manager
NASA Headquarters
Washington, DC 20546

Dr. D. L. Croom
Rutherford and Appleton
Laboratories
Ditton Park
Slough SL3 9JX
Bucks, ENGLAND

Dr. Bruce Edgar
Box 92957
Aerospace Corp.
Los Angeles, CA 90009

Dr. G. A. Dawson
Inst. of Atmos. Phys.
University of Arizona
Tuscon, AZ 87521

Dr. J. V. Evans
P.O. Box 73
Lexington, MA 02173

Dr. Adarsh Deepak
Institute for Atmospheric
Optics and Remote Sensing
P.O. Box P
Hampton, VA 23666

Dr. A. A. Few
Department of Space Physics
Rice University
P.O. Box 1892
Houston, TX 77001

Defense Technical
Information Center
Building 5
Cameron Station
Alexandria, VA 22314

Dr. W. A. Flood
P.O. Box 5275
Dept. of Elec. Eng.
North Carolina State University
Raleigh, NC 27607

Prof. George Freier
School of Physics and Astronomy
University of Minnesota
Minneapolis, MN 55455

DISTRIBUTION LIST FOR PENNSYLVANIA STATE
UNIVERSITY REPORTS UNDER ONR CONTRACT
NO. N00014-79-C-0610

PAGE 3

Dr. Richard Goldberg
Code 912
Goddard Space Flight Center
Greenbelt, MD 20771

Dr. F. S. Johnson
National Science Foundation
1800 G. Street, N.W.
Washington, DC 20550

Prof. J. Hallett
Atmospheric Science Lab
Stead Facility
Desert Research Institute
Reno, NV 60220

Dr. K. H. Kaselau
Institut Fur Geophysik & Meteo.
Albertus-Magnus-Platz
D5000 Koln 41
WEST GERMANY

Dr. Ake Hedberg
Uppsala Ionospheric Observatory
755 90 Uppsala 1
SWEDEN

Dr. H. Kasemir
1604 S. County Road 15 Rt. 1
Berthoud, CO 80513

Dr. J. R. Herman
624 Tulane Avenue
Melbourne, FL 32901

Dr. Thomas Keneshea
AFGL
L.G. Hanscom Field
Bedford, MA 01730

Dr. F. H. Hibberd
Department of Physics
University of New England
Armidale, N.S.W. 2351
AUSTRALIA

Dr. G. Kockarts
Institut D'Aeronomie Spatiale
Avenue Circulaire 3
B-1180, Bruxelles, BELGIUM

Dr. W. A. Hoppel
CODE 4326
Naval Research Lab
Washington, DC 20375

Dr. W. R. Kuhn
Dept. of Atmospheric
and Oceanic Science
University of Michigan
Ann Arbor, MI 48104

Dr. R. E. Houston
Dept. of Physics
University of New Hampshire
Durham, NH 03824

Dr. D. R. Lane-Smith
60 Cedarwood Crescent
Nobleton, Ontario
LOG 1NO CANADA

Dr. S. G. Jennings
Physics Department
UMIST
Sackville Street
Manchester M60 1QD
ENGLAND

Dr. L. J. Lanzerotti
Bell Laboratories
Murray Hill, NJ 07974

DISTRIBUTION LIST FOR PENNSYLVANIA STATE
UNIVERSITY REPORTS UNDER ONR CONTRACT
NO. N00014-79-C-0610

PAGE 4

Prof. J. Latham
Physics Department
Sackville Street
Manchester M60 1QD
ENGLAND

Library
Service D'Aeronomie
CNRS
91 Verreries - Le Buisson
Paris, FRANCE

Dr. Joseph Lemaire
Institut D'Aeronomie Spatiale
Avenue Circulaire 3
B-1180 Bruxelles, BELGIUM

Dr. R. Markson
46 Kendal Common Road
Weston, MA 02193

Prof. Z. Levin
Dept. of Geophysics
& Planetary Sciences
Tel Aviv University
Tel Aviv, ISRAEL

Massachusetts Institute
of Technology
Center for Space Research
Reading Room, Rm. 37-582
Cambridge, MA 02139

Dr. Lhermitte
School of Marine &
Atmospheric Science
University of Miami
Miami, FL 33124

Mr. M. T. McCracken
Resident Representative
Department of the Navy
Carnegie Mellon University
Room 407 Margaret Morrison Bldg.
Pittsburgh, PA 15213

Library
Department of Meteorology
University of Stockholm
Arrhenius Laboratory
Fack S-104 05 Stockholm
SWEDEN

Prof. E. W. McDaniel
School of Physics
Georgia Inst. of Technology
Atlanta, GA 30332

Library
Geophysical Institute
University of Alaska
College, AK 99701

Dr. L. R. Megill
Director, Center for
Atmospheric and Space Sciences
Logan State University
Logan, UT 84321

Library
Max-Planck-Institut
Fur Aeronomie
3411 Lindau/Harz
Gillersheim, WEST GERMANY

Dr. R. E. Meyerott
27100 Elena Road
Los Altos Hills, CA 94022

Dr. A. P. Mitra
Head, Center of
Radiophysics and Aeronomy
National Physical Laboratory
New Delhi-12, INDIA

DISTRIBUTION LIST FOR PENNSYLVANIA STATE
UNIVERSITY REPORTS UNDER ONR CONTRACT
NO. N00014-79-C-0610

PAGE 5

Dr. V. A. Mohnen
State University of
New York at Albany
1400 Washington Avenue
Albany, NY 12222

Dr. C. B. Moore
Physcis Department
NMIMT
Socorro, NM 87801

Prof. R. Muhleisen
Astronomisches Institut
De Universitat Tubingen
Aussenstelle Weissenau
798 Drasthalde/Ravensburg
WEST GERMANY

Dr. A. F. Nagy
Space Physics Research Lab.
Dept. of Elec. Engineering
University of Michigan
2455 Hayward, North Campus
Ann Arbor, MI 48105

Dr. Rocco S. Narcissi
AFGL
L.G. Hanscom Field
Bedford, MA 01730

Dr. Marcel Nicolet
30 Avenue Den Doorn
B-1180 Brussels
BELGIUM

Dr. R. O. Olsen
Atmospheric Sciences Laboratory
White Sands Missile Range,
NM 88002

Dr. D. E. Olson
Department of Physics
University of Minnesota, Duluth
Duluth, MN 55812

Dr. R. E. Orville
SUNY
Albany, NY 12222

Dr. Chung Park
Radioscience Laboratory
Stanford Electronics Laboratories
Stanford University
Stanford, CA 94305

Dr. L. W. Parker
252 Lexington Road
Concord, MA 01742

Dr. Hays Penfield
Harvard University
Cambridge, MA 02139

Dr. J. Podzimek
University of Missouri-Rolla
Cloud Physics
Rolla, MO 65401

Dr. George C. Reid
NOAA R44
Boulder, CO 80302

Dr. R. Reiter
Inst. F. Atmosph.
Umwelt Forschung
Kreuzeckbahnstrasse 19
D-8100 Garmisch-Partenkirchen
WEST GERMANY

Dr. James Rosen
University of Wyoming
Department of Physics
and Astronomy
Laramie, WY 82071

Dr. L. H. Ruhnke
Naval Research Laboratory
Code 4320
Washington, DC 20375

DISTRIBUTION LIST FOR PENNSYLVANIA STATE
UNIVERSITY REPORTS UNDER ONR CONTRACT
NO. N00014-79-C-0610

PAGE 6

Prof. O. E. H. Rydbeck
Onsala Space Observatory
Research Laboratory
of Electronics
Chalmers University of Technology
Onsala, SWEDEN

Dr. F. J. Schmidlin
NASA
Wallops Flight Center
Wallops Island, VA 23367

Dr. P. R. Schwartz
E. O. Hulbert Center
for Space Research
Naval Research Laboratory
Washington, DC 20375

Dr. Ron Schwiesow
NOAA ERL WPL
Boulder, CO 80302

Dr. C. F. Sechrist
University of Illinois
Electrical Engineering Dept.
Urbana, IL 61801

Official Publications Section
British Library Reference Division
London, WC1B 3DG
ENGLAND

Dr. T. A. Seliga
Director
The Atmospheric Sciences Program
Ohio State University
Columbus, OH 43210

Space Science Board
Documents Section
(JH No. 421)
National Academy of Sciences
2101 Constitution Avenue, N.W.
Washington, DC 20037

Dr. P. Stubbe
Max-Planck-Institut Fur Aeronomie
3411 Lindau-Harz
Gillersheim, GERMANY

Dr. Paul Swanson
Jet Propulsion Laboratory
4800 Oak Grove Drive
Pasadena, CA 91103

Dr. Wesley E. Swartz
School of Electrical Engineering
Phillips Hall
Cornell University
Ithaca, NY 14850

Dr. W. A. Swider
AFGL (LKB)
L.G. Hanscom Field
Bedford, MA 01730

Technical Reports Collection
Gordon McKay Library
Harvard University
Pierce Hall, Oxford Street
Cambridge, MA 01020

Dr. D. L. Thacker
E. O. Hulbert Center
for Space Research
Naval Research Laboratory
Washington, DC 20375

Dr. E. V. Thrane
NDRE, P.O. Box 25
N-2007 Kjeller
NORWAY

Dr. B. A. Thrush
Dept. of Physical Chemistry
Lensfield Road
Cambridge, ENGLAND

DISTRIBUTION LIST FOR PENNSYLVANIA STATE
UNIVERSITY REPORTS UNDER ONR CONTRACT
NO. N00014-79-C-0610

PAGE 7

Dr. Thomas F. Trost
Electrical Engineering Dept.
Texas Tech. University
Lubbock, TX 79409

Dr. Roland T. Tsunoda
Radio Physics Laboratory
Stanford Research Institute
333 Ravenswood Avenue
Menlo Park, CA 94025

Dr. R. P. Turko
R&D Associates
P.O. Box 9695
Marina Del Rey, CA 90291

Dr. J. W. Waters
Jet Propulsion Laboratory
4800 Oak Grove Drive
Pasadena, CA 91103

Dr. S. Weisbrod
Mgr. Electromagnetic
Propagation Department
Micronetics
7155 Mission Gorge Road
P.O. Box 20396
San Diego, CA 92120

Dr. J. C. Willett
Code 4325
Naval Research Lab
Washington, DC 20375

World Data Centre
Appleton Lab, Ditton Park
Slough SL3 9JX
Bucks, ENGLAND

<u>Addressee</u>	<u>No. of Copies</u>
Director Defense Nuclear Agency Washington, D.C. 20305 Attn: Dr. Carl Fitz (RAAE)	1
Mr. Dow Evelyn (RAAE)	1
Director Defense Advanced Research Projects Agency 1400 Wilson Boulevard Arlington, VA 22209 Attn: STO	1
LCOL G. Bulin (NMRO)	1
Office of Assistant Secretary of the Navy for Research, Engineering and Systems Washington, D.C. 20301 Attn: Dr. Herbert Rabin	1
Deputy Assistant Secretary of Defense (C ³) The Pentagon Washington, D.C. 20301 Attn: Dr. Thomas P. Quinn Room 3E160	1
Chief of Naval Research 800 N. Quincy Street Arlington, VA 22217 Attn: R. G. Joiner (Code 464)	1
J. Hughes (Code 465)	1
W. Martin (Code 465)	1
H. Mullaney (Code 427)	
C. Luther (Code 461)	1
S. Reed (Code 100C)	1
W. Boyer (Code 200)	1
Director Naval Electronic Systems Command Washington, D.C. 20360 Attn: PME 117-21	2
PME 117-23	2
PME 117T	2
Director Naval Oceans System Center 271 Catalina Blvd. San Diego, CA 92152 Attn: Dr. Juergen Richter	2

Addressee

No. of Copies

Director

Naval Underwater Systems Center

New London Laboratory

New London, CT 06320

Attn: Dr. Peter Banister

2

Lockheed Palo Alto Research Laboratories

3251 Hanover Street

Palo Alto, CA 94304

Attn: Dr. J. B. Reagan

1

Dr. Wm. Imhof

1

Dr. Billy McCormick

1

Bouliacque, Richard W., Weighing Function Analysis for the Penn State Upper Atmosphere Water Vapor Microwave Radiometer Experiment, The Electrical Engineering Department, Ionosphere Research Laboratory, University Park, Pennsylvania, 16802.

The measurement of water vapor in the middle atmosphere by microwave radiometry, using the 22.235 GHz water vapor absorption line, is being pursued at the Ionosphere Research Laboratory and the Department of Meteorology here at Penn State. In this report the weighting functions which are required in order to invert the radiance data to obtain the corresponding water vapor profile are derived and calculated. An examination of these weighting functions indicates that, with our instrument, water vapor measurements can successfully be made in the 50 to 85 km altitude range.

PSI-PR-57-489
Classification Numbers:

1.9 Structure of the Upper Atmosphere

1.2.1 Ground-Based Techniques and Measurements

1.2.3 Data Analysis Techniques

Bouliacque, Richard W., Weighing Function Analysis for the Penn State Upper Atmosphere Water Vapor Microwave Radiometer Experiment, The Electrical Engineering Department, Ionosphere Research Laboratory, University Park, Pennsylvania, 16802.

The measurement of water vapor in the middle atmosphere by microwave radiometry, using the 22.235 GHz water vapor absorption line, is being pursued at the Ionosphere Research Laboratory and the Department of Meteorology here at Penn State. In this report the weighting functions which are required in order to invert the radiance data to obtain the corresponding water vapor profile are derived and calculated. An examination of these weighting functions indicates that, with our instrument, water vapor measurements can successfully be made in the 50 to 85 km altitude range.

PSI-PR-57-489
Classification Numbers:

1.9 Structure of the Upper Atmosphere

1.2.1 Ground-Based Techniques and Measurements

1.2.3 Data Analysis Techniques

Bouliacque, Richard W., Weighing Function Analysis for the Penn State Upper Atmosphere Water Vapor Microwave Radiometer Experiment, The Electrical Engineering Department, Ionosphere Research Laboratory, University Park, Pennsylvania, 16802.

The measurement of water vapor in the middle atmosphere by microwave radiometry, using the 22.235 GHz water vapor absorption line, is being pursued at the Ionosphere Research Laboratory and the Department of Meteorology here at Penn State. In this report the weighting functions which are required in order to invert the radiance data to obtain the corresponding water vapor profile are derived and calculated. An examination of these weighting functions indicates that, with our instrument, water vapor measurements can successfully be made in the 50 to 85 km altitude range.

PSI-PR-57-489
Classification Numbers:

1.9 Structure of the Upper Atmosphere

1.2.1 Ground-Based Techniques and Measurements

1.2.3 Data Analysis Techniques

Bouliacque, Richard W., Weighing Function Analysis for the Penn State Upper Atmosphere Water Vapor Microwave Radiometer Experiment, The Electrical Engineering Department, Ionosphere Research Laboratory, University Park, Pennsylvania, 16802.

The measurement of water vapor in the middle atmosphere by microwave radiometry, using the 22.235 GHz water vapor absorption line, is being pursued at the Ionosphere Research Laboratory and the Department of Meteorology here at Penn State. In this report the weighting functions which are required in order to invert the radiance data to obtain the corresponding water vapor profile are derived and calculated. An examination of these weighting functions indicates that, with our instrument, water vapor measurements can successfully be made in the 50 to 85 km altitude range.

PSI-PR-57-489
Classification Numbers:

1.9 Structure of the Upper Atmosphere

1.2.1 Ground-Based Techniques and Measurements

1.2.3 Data Analysis Techniques

EN
DAT