

AD-A102 788

ARMY ELECTRONICS RESEARCH AND DEVELOPMENT COMMAND WS--ETC F/G 4/2
19304D MLRS. MISSILE NUMBER V02-004, V02-005. ROUND NUMBER V-15--ETC(U)
JUN 81 D C KELLER
ERADCOM/ASL-DR-1190

UNCLASSIFIED

ML

For
reference

END
DATE
FILMED
9-81
DTIC

DR 1190
June 1981

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

AD

LEVEL

12

AD A102788

DTIC FILE COPY

METEOROLOGICAL DATA REPORT

19304D MLRS

Missile Number V02-004, V02-005

Round Number V-158/MD-25, V-159/MD-26

by

DONALD C. KELLER
Program Support Coordinator
Phone Number (505) 679-9568
AVN Number 349-9568

DTIC
SELECTED
AUG 12 1981
C

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, NEW MEXICO

ECOM

UNITED STATES ARMY ELECTRONICS COMMAND

3

24

DISPOSITION INSTRUCTIONS

Destroy this report when it is no longer needed. Do not return to the originator.

DISCLAIMER

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.


CONTENTS

	Page
INTRODUCTION-----	1
DISCUSSION-----	1
LAUNCH AREA DIAGRAM-----	2
GENERAL AREA MAP-----	3
TABLES	
1. Surface Observation Taken at 1717 MDT & 1800 MDT at LC-33--	4
2. Anemometer-Measured Wind Speed and Direction, LC-33 Fixed Pole, Taken at 1715 MDT-----	5
3. Anemometer-Measured Wind Speed and Direction, Tower Levels 1, 2, 3, and 4 Taken at 1715 MDT -----	5
4. Anemometer-Measured Wind Speed and Direction, LC-33 Fixed Pole Taken at 1755MDT-----	6
5. Anemometer-Measured Wind Speed and Direction, Tower Levels 1, 2, 3, and 4 taken at 1755 MDT-----	6
6. LC-33 and Nick Site 1715 MDT Pilot-Balloon Measured Wind Data-----	7
7. Nick Site 1754 MDT Pilot-Balloon Measured Wind Data-----	8
8. Aiming and T-Time Computer Met Messages-----	9
9. WSD Significant Level Data at 1210 MDT-----	10
10. WSD Upper Air Data at 1210 MDT-----	11-15
11. WSD Mandatory Levels at 1210 MDT-----	16
12. LC-37 Significant Level Data at 1500 MDT -----	17
13. LC-37 Upper Air Data at 1500 MDT-----	18-19
14. LC-37 Mandatory Levels at 1500 MDT-----	20
15. WSD Significant Level Data at 1600 MDT-----	21
16. WSD Upper Air Data at 1600 MDT-----	22-24
17. WSD Mandatory Levels at 1600 MDT-----	25
18. LC-37 Significant Level Data at 1715 MDT -----	26
19. LC-37 Upper Air Data at 1715 MDT -----	27-28
20. LC-37 Mandatory Levels at 1715 MDT -----	29

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER DR 1190	2. GOVT ACCESSION NO. AD-A202788	3. RECIPIENT'S CATALOG NUMBER	
4. TITLE (and Subtitle) 19304D MLRS Missile Number V02-004, V02-005. Round Number V-158/MD-25, V-159/MD-26.		5. TYPE OF REPORT & PERIOD COVERED	
		6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(s) White Sands Meteorological Team	10 Donald C. Keller	8. CONTRACT OR GRANT NUMBER(s) 16 17 7 DA Task 1F6657021D127-02	
9. PERFORMING ORGANIZATION NAME AND ADDRESS 14 ERADZOM/ASH-DR-2490		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Research & Development Cmd Atmospheric Sciences Laboratory White Sands Missile Range, New Mexico 88002		12. REPORT DATE June 1981	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Electronics Research & Development Cmd Adelphi, MD 20783		13. NUMBER OF PAGES 33	
		18. SECURITY CLASS. (of this report) UNCLASSIFIED	
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report)			
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) Approved for public release; distribution unlimited.			
18. SUPPLEMENTARY NOTES			
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)			
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Meteorological data gathered for the launching of the 19304D, Missile Number V02-004, V02-005, Round Number V-158/MD-25, V-159/MD-26 presented in tabular form.			

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)



SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

INTRODUCTION

19304D MLRS, Missile Number V02-004, V02-005, Round Number V-158/MD-25, V-158/MD-26, was launched from LC-33, White Sands Missile Range (WSMR), New Mexico, at 1716 & 1754:06 on 23 June 1981. The scheduled launch time was 1600 and 1730 MDT.

DISCUSSION

Meteorological data were recorded and reduced by the White Sands Meteorological Team, Atmospheric Sciences Laboratory (ASL), White Sands Missile Range, New Mexico. The data were obtained by the following methods:

1. Observations

a. Surface

(1) Standard surface observations to include pressure, temperature ($^{\circ}\text{C}$), relative humidity, dew point ($^{\circ}\text{C}$), density (gm/m^3), Wind direction and speed, and cloud cover were made at the LC-33 Met Site at T-0 minutes.

(2) Anemometer data were provided from existing pole-mounted and tower-mounted anemometers at LC-33. Monitor of wind speed and direction from one anemometer was also provided in the launch control room.

b. Upper Air

(1) Low level wind data were obtained from RAPTS T-9 pibal observation at:

SITE AND ALTITUDE


NICK	1715 MDT	2 Km
LC-33	1715 MDT	2 Km
NICK	1754 MDT	2 Km

(2) Air structure data (rawinsonde) were collected at the following Met Sites.

SITE AND TIME

WSD	1210 MDT
LC-37	1500 MDT
WSD	1600 MDT
LC-37	1715 MDT

Acquisition For	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
NTIS GRA&I	
DTIC TAB	
Unannounced	
Justification	
Availability Codes	
Avail and/or	
Dist. Special	
A	



LC-38
Launch Area

NORTH
WEST
1 inch = 250 ft

Y186,500

Firing Azimuth

Anemometer Pole #3

Y186,000

MET
Tower

T-9 Radar

Anemometer Pole #2

L-579A

L-519A

L-351A

L-350A

Anemometer Pole #1

Y185,500


X485,000

X485,500

X486,000

Y185,000

L-600



PROJECT SURFACE OBSERVATION

TABLE 1		STATION LC-33									
DATE 23 DAY		June 1981 MONTH YEAR		X= 484,982.64		Y= 185,957.73		H= 3983.00			
TIME M D J	PRESSURE mbs	TEMPERATURE OF °C	DEW POINT OF °C	RELATIVE HUMIDITY %	DENSITY gm/m ³	DIRECTION degs Tn	WIND SPEED kts	CHARACTER kts	VISIBILITY		
1717	875.8	37.1	13.7	25	976	150	08		30		
1800	876.0	33.8	9.3	22	988	110	25		30		

OBSTRUCTIONS TO VISIBILITY	CLOUDS						REMARKS
	1st LAYER		2nd LAYER		3rd LAYER		
	AMT	TYPE	AMT	TYPE	AMT	TYPE	
	4	CB	6	C1	23000		CB NE-SE, NW
	5	CB	5	C1	23000		

PSYCHROMETRIC COMPUTATION

TIME:	1717	1800
DRY BULB TEMP.	37.1	33.8
WET BULB TEMP.	21.0	18.0
WET BULB DEPR.	16.1	15.8
DEW POINT	13.7	9.3
RELATIVE HUMID.	25	22

TABLE 2 LC-33 FIXED POLE ANEMOMETER MEASURED WINDS

1715 MDT 23 Jun 81

POLE #1 X485,874.29 Y185,958.90 H4018.74 38.7 ft. AGL			POLE #2 X485,874.93 Y186,012.00 H4033.57 53.0 ft. AGL			POLE #3 X485,877.29 Y186,116.06 H4063.92 83.6 ft. AGL		
T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS
-30	118	09	-30	146	MISG	-30	135	09
-20	127	09	-20	144	MISG	-20	134	11
-10	129	09	-10	144	MISG	-10	143	09
0.0	147	07	0.0	168	MISG	0.0	139	09
+10	146	06	+10	MISG	MISG	+10	168	06

TABLE 3 LC-33 METEOROLOGICAL TOWER ANEMOMETER MEASURED WINDS (202 FT TOWER)

LEVEL #1, 12 FEET X484,982.64, Y185,057.73, H3983.00 (base)			LEVEL #2, 62 FEET X484,982.64, Y185,057.73, H3983.00 (base)		
T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS
-30	153	09	-30	178	10
-20	177	09	-20	180	12
-10	160	09	-10	174	10
0.0	156	11	0.0	178	09
+10	167	09	+10	168	09

LEVEL #3, 102 FEET X484,982.64, Y185,057.73, H3983.00 (base)			LEVEL #4, 202 FEET X484,982, Y185,057.73, H3983.00 (base)		
T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS
-30	177	12	-30	164	13
-20	174	11	-20	164	12
-10	174	12	-10	162	11
0.0	166	10	0.0	164	10
+10	164	09	+10	162	11

TABLE 4

LC-33 FIXED POLE ANEMOMETER MEASURED WINDS

1755 MDT 23 Jun 81

POLE #1 X485,874.29 Y185,958.90 H4018.74 38.7 ft. AGL			POLE #2 X485,874.93 Y186,012.00 H4033.57 53.0 ft. AGL			POLE #3 X485,877.29 Y186,116.06 H4063.92 83.6 ft. AGL		
T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS
-30	077	19	-30	099	MISG	-30	099	22
-20	058	17	-20	090	MISG	-20	097	23
-10	085	19	-10	090	MISG	-10	108	19
0.0	075	15	0.0	093	MISG	0.0	096	18
+10	072	15	+10	091	MISG	+10	089	21

TABLE 5

LC-33 METEOROLOGICAL TOWER ANEMOMETER MEASURED WINDS (202 FT. TOWER)

LEVEL #1, 12 FEET X484,982.64, Y185,057.73, H3983.00 (base)			LEVEL #2, 62 FEET X484,982.64, Y185,057.73, H3983.00 (base)		
T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS
-30	105	28	-30	108	28
-20	109	23	-20	107	19
-10	117	22	-10	113	22
0.0	129	15	0.0	104	21
+10	120	15	+10	105	20

LEVEL #3, 102 FEET X484,982.64, Y185,057.73, H3983.00 (base)			LEVEL #4, 202 FEET X484,982, Y185,057.73, H3983.00 (base)		
T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS
-30	102	28	-30	102	28
-20	094	22	-20	099	28
-10	106	23	-10	094	22
0.0	093	19	0.0	096	19
+10	093	20	+10	096	21

TABLE 6

T-TIME PILOT-BALLOON MEASURED WIND DATA

DATE 23 June 1981

SITE: LC-33
 TIME: 1715 MDT
 WSTM COORDINATES:
 X= 485,135.76
 Y= 185,919.24
 H= 3,988.57

SITE: NICK
 TIME: 1715 MDT
 WSTM COORDINATES:
 X= 470,734.56
 Y= 255,775.64
 H= 4,126.57

LAYER MIDPOINT METERS AGL	DIRECTION DEGREES	SPEED KNOTS
SURFACE	150	08
150	179	07
210	176	06
270	155	07
330	151	09
390	156	12
500	154	12
650	178	10
800	178	08
950	176	07
1150	161	07
1350	161	09
1550	152	08
1750	170	06
2000	163	06

Data obtained from T-9
 Radar Tracked Pilot-
 Balloon Observation

LAYER MIDPOINT METERS AGL	DIRECTION DEGREES	SPEED KNOTS
SURFACE	175	08
150	154	11
210	148	12
270	142	13
330	137	14
390	135	13
500	131	12
650	137	09
800	146	11
950	148	12
1150	139	09
1350	183	02
1550	278	05
1750	241	08
2000	244	10

Data obtained from Single
 Theodolite Tracked Pilot-
 Balloon Observation

TABLE 7

T-TIME PILOT-BALLOON MEASURED WIND DATA

DATE 23 June 1981

SITE: NICK

TIME: 1754 MDT

WSTN COORDINATES:

X= 470,734.56

Y= 255,775.64

H= 4,126.57

<u>LAYER MIDPOINT METERS AGL</u>	<u>DIRECTION DEGREES</u>	<u>SPEED KNOTS</u>
SURFACE	110	12
150	111	18
210	112	20
270	115	19
330	118	19
390	120	19
500	123	21
650	127	20
800	128	20
950	137	16
1150	172	06
1350	144	06
1550	202	04
1750	243	09
2000	209	09

AIMING AND T-TIME COMPUTER MESSAGES

23 JUNE 1981

LC 37 1500 MDT
METCM1324063
232100124874
00373007 30920874
01376010 30790865
02344014 30520841
03318010 30170804
04291009 29680759
05312011 29200717
06283006 28760676
07218002 28360637
08130009 27970599

WSD 1600 MDT
METCM1324064
232200122877
00373012 31120877
01311019 30990867
02242016 30690843
03287014 30250806
04306009 29710762
05338009 29240719
06369007 28760678
07199004 28360639
08195008 27940601

LC 37 1715 MDT
METCM1324063
232330124873
00444005 30990873
01392013 30960863
02263006 30660839
03265088 30290803
04267006 29840758
05357004 29390716
06369007 28830675
07376006 28280636
08379009 27810599

STATION ALTITUDE 3989.00 FEET MSL
 23 JUNE 81
 ASCENSION NO. 410

SIGNIFICANT LEVEL DATA
 1740020410
 WHITE SANDS

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

TABLE 9

PRESSURE MILLIBARS	GEOMETRIC ALTITUDE MSL FEET	AIR TEMPERATURE DEGREES CENTIGRADE	DEW POINT CENTIGRADE	REL. HUM. PERCENT
878.0	3989.0	32.3	15.3	36.0
850.0	4943.7	29.2	15.3	43.0
804.2	6550.9	23.5	11.5	47.0
776.6	7552.1	22.6	8.7	41.0
700.0	10488.8	16.1	2.2	39.0
593.2	15030.0	5.7	-5.9	43.0
500.0	19528.1	-6.6	-13.9	56.0
400.0	25125.2	-19.7	-23.4	72.0
358.2	27788.9	-26.2	-29.9	71.0
300.0	31942.3	-34.4	-42.1	45.0
258.0	35363.7	-41.6	-50.5	
250.0	36066.3	-42.3		
200.0	40901.7	-54.9		
190.4	41932.6	-57.2		
163.8	45041.7	-61.1		
150.0	46824.5	-65.7		
135.4	48859.5	-69.1		
115.6	51961.7	-71.0		
100.0	54807.8	-69.0		
89.8	56923.0	-70.5		
70.0	61907.6	-61.9		
50.0	68874.2	-56.4		
47.4	69999.7	-54.4		
32.6	78011.6	-49.8		
30.0	79825.3	-46.0		
20.0	88836.9	-41.7		
18.2	90949.6	-42.6		

STATION ALTITUDE 3989.00 FEET MSL
 23 JUNE 81
 ASCENSION NO. 410

UPPER AIR DATA
 I740020410
 WHITE SANDS

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

TABLE 10

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREE CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION DEGREES (IN)	SPEED KNOTS	INDEX OF REFRACTION
3989.0	878.0	32.3	36.0	993.8	683.4	180.0	9.9	1.000292
4000.0	877.7	32.3	36.1	993.6	683.4	180.1	9.9	1.000292
4500.0	862.9	30.6	39.7	981.9	681.6	186.1	10.1	1.000291
5000.0	848.4	29.0	43.1	970.6	679.8	191.8	10.4	1.000288
5500.0	833.9	27.2	44.4	960.0	677.7	197.2	10.8	1.000281
6000.0	819.6	25.5	45.6	949.6	675.5	202.1	11.3	1.000275
6500.0	805.6	23.7	46.9	939.4	673.4	214.2	9.7	1.000268
7000.0	791.7	23.1	44.3	925.4	672.6	226.9	8.6	1.000260
7500.0	778.0	22.6	41.3	911.2	671.9	231.6	8.1	1.000252
8000.0	764.4	21.6	40.7	898.7	670.6	228.5	7.2	1.000246
8500.0	751.0	20.5	40.4	886.6	669.2	214.3	6.4	1.000240
9000.0	737.8	19.4	40.0	874.6	667.9	194.6	5.3	1.000235
9500.0	724.9	18.3	39.7	862.7	666.5	167.6	5.0	1.000229
10000.0	712.2	17.2	39.3	851.1	665.2	159.5	5.5	1.000224
10500.0	699.7	16.1	39.0	839.5	663.8	153.3	5.9	1.000219
11000.0	687.1	14.9	39.5	827.8	662.4	147.0	5.3	1.000215
11500.0	674.7	13.8	39.9	816.2	661.1	132.6	4.7	1.000211
12000.0	662.5	12.6	40.3	804.8	659.7	102.9	4.9	1.000207
12500.0	650.5	11.5	40.8	793.6	658.3	81.9	6.5	1.000203
13000.0	638.8	10.3	41.2	782.5	657.0	72.6	9.2	1.000199
13500.0	627.2	9.2	41.7	771.6	655.6	68.0	11.3	1.000195
14000.0	615.9	8.1	42.1	760.9	654.2	65.4	12.4	1.000191
14500.0	604.8	6.9	42.5	750.3	652.8	64.5	12.7	1.000188
15000.0	593.8	5.8	43.0	739.8	651.4	65.3	12.2	1.000184
15500.0	582.7	4.4	44.4	729.6	649.8	67.1	11.5	1.000181
16000.0	571.7	3.0	45.8	719.5	648.2	70.0	10.6	1.000178
16500.0	561.0	1.7	47.2	709.5	646.6	65.4	9.6	1.000174
17000.0	550.4	.3	48.7	699.7	644.9	56.1	8.6	1.000171
17500.0	540.1	-1.1	50.1	690.1	643.3	46.2	8.3	1.000168
18000.0	529.9	-2.4	51.6	680.6	641.6	36.2	8.3	1.000165
18500.0	519.9	-3.8	53.0	671.2	640.0	30.8	8.3	1.000162
19000.0	510.1	-5.2	54.5	662.0	638.3	24.8	8.7	1.000159
19500.0	500.5	-6.5	55.9	652.9	636.6	15.8	12.1	1.000157
20000.0	490.7	-7.7	57.3	643.0	635.2	11.1	15.1	1.000154
20500.0	481.0	-8.9	58.8	633.1	633.8	8.7	16.2	1.000151
21000.0	471.5	-10.0	60.2	623.4	632.4	6.5	16.3	1.000148
21500.0	462.2	-11.2	61.6	613.9	630.9	3.8	14.4	1.000146
22000.0	453.1	-12.4	63.1	604.5	629.5	.7	13.7	1.000143
22500.0	444.1	-13.6	64.5	595.3	628.1	358.2	14.5	1.000140
23000.0	435.4	-14.7	65.9	586.2	626.6	358.6	14.5	1.000138

STATION ALTITUDE 3989.00 FEET MSL
 23 JUNE 81 1210 HRS MDT
 ASCENSION NO. 410

UPPER AIR DATA
 1740020410
 WHITE SANDS

TABLE 10 (con't)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	TEMPERATURE DEWPOINT DEGREES	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION DEGREES (TN)	SPEED KNOTS	INDEX OF REFRACTION
23500.0	426.8	-15.9	-20.5	67.4	577.3	625.2	8	14.1	1.000135
24000.0	418.4	-17.1	-21.4	68.8	568.5	623.7	3.3	12.6	1.000133
24500.0	410.1	-18.2	-22.3	70.2	559.9	622.3	6.6	10.9	1.000131
25000.0	402.0	-19.4	-23.2	71.6	551.4	620.8	2.4	10.6	1.000128
25500.0	393.8	-20.6	-24.3	71.9	542.8	619.3	358.4	10.6	1.000126
26000.0	385.8	-21.8	-25.5	71.7	534.3	617.8	355.9	10.9	1.000124
26500.0	377.8	-23.1	-26.8	71.5	526.0	616.3	358.3	10.3	1.000121
27000.0	370.1	-24.3	-28.0	71.3	517.7	614.8	4.8	9.4	1.000119
27500.0	362.5	-25.5	-29.2	71.1	509.6	613.3	19.0	9.8	1.000117
28000.0	355.0	-26.6	-30.5	69.7	501.4	611.8	32.7	11.5	1.000115
28500.0	347.5	-27.6	-31.9	66.5	492.8	610.6	39.1	10.4	1.000112
29000.0	340.2	-28.6	-33.3	63.4	484.3	609.4	45.8	8.1	1.000110
29500.0	333.0	-29.6	-34.8	60.3	476.1	608.1	55.1	5.1	1.000108
30000.0	325.9	-30.6	-36.2	57.2	467.9	606.9	88.9	2.2	1.000106
30500.0	319.1	-31.6	-37.7	54.0	459.9	605.6	105.3	2.8	1.000104
31000.0	312.3	-32.5	-39.2	50.9	452.1	604.4	97.6	4.3	1.000102
31500.0	305.7	-33.5	-40.7	47.8	444.4	603.1	102.7	4.2	1.000100
32000.0	299.2	-34.5	-42.3	44.9	436.8	601.9	116.4	3.4	1.000098
32500.0	292.7	-35.6	-43.5	43.7	429.1	600.5	117.7	1.5	1.000096
33000.0	286.3	-36.6	-44.7	42.5	421.7	599.2	310.4	.8	1.000095
33500.0	280.1	-37.7	-45.9	41.4	414.3	597.9	342.9	3.1	1.000093
34000.0	274.0	-38.7	-47.1	40.2	407.1	596.5	348.4	5.4	1.000091
34500.0	268.0	-39.8	-48.4	39.0	400.0	595.2	349.4	6.1	1.000090
35000.0	262.2	-40.8	-49.6	37.9	393.1	593.8	349.8	6.7	1.000088
35500.0	256.4	-41.7	-52.4	29.8**	386.0	592.7	344.0	6.6	1.000086
36000.0	250.7	-42.2	-69.1	3.5**	378.3	592.0	336.7	6.2	1.000084
36500.0	245.0	-43.4			371.6	590.5	307.1	4.0	1.000083
37000.0	239.5	-44.7			365.2	588.8	258.4	4.0	1.000081
37500.0	234.0	-46.0			358.9	587.1	221.0	4.9	1.000080
38000.0	228.7	-47.3			352.8	585.4	201.1	7.1	1.000079
38500.0	223.4	-48.6			346.7	583.7	206.9	8.6	1.000077
39000.0	218.3	-49.9			340.8	582.0	211.0	10.3	1.000076
39500.0	213.4	-51.2			335.0	580.3	218.4	10.4	1.000075
40000.0	208.5	-52.6			329.3	578.6	225.8	10.7	1.000073
40500.0	203.7	-53.9			323.7	576.9	235.0	8.6	1.000072
41000.0	199.1	-55.1			318.1	575.2	250.6	6.5	1.000071
41500.0	194.4	-56.2			312.2	573.8	252.0	6.5	1.000070
42000.0	189.8	-57.3			306.3	572.4	250.5	6.8	1.000068
42500.0	185.2	-57.9			299.8	571.6	259.9	4.9	1.000067
43000.0	180.8	-58.5			293.5	570.7	290.2	3.0	1.000065

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

STATION ALTITUDE 3989.00 FEET MSL
 23 JUNE 81
 ASCENSION NO. 410

UPPER AIR DATA
 1740020410
 WHITE SANDS

TABLE 10 (Con't)

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DIRECTION DEGREES (TN)	WIND SPEED KNOTS	INDEX OF REFRACTION
43500.0	176.5	-59.2		287.3	569.9	12.6	5.7	1.000064
44000.0	172.3	-59.8		281.3	569.0	28.7	12.9	1.000063
44500.0	168.2	-60.4		275.4	568.2	37.9	16.9	1.000061
45000.0	164.1	-61.0		269.6	567.4	46.9	19.3	1.000060
45500.0	160.1	-62.3		264.6	565.7	57.5	20.6	1.000059
46000.0	156.2	-63.6		259.7	564.0	69.7	21.6	1.000058
46500.0	152.4	-64.9		254.9	562.2	79.4	23.6	1.000057
47000.0	148.7	-66.0		250.0	560.7	86.7	26.2	1.000056
47500.0	145.0	-66.8		244.8	559.6	92.2	28.2	1.000055
48000.0	141.4	-67.7		239.7	558.5	96.6	28.7	1.000053
48500.0	137.9	-68.5		234.7	557.3	99.9	28.7	1.000052
49000.0	134.4	-69.2		229.6	556.4	98.2	25.4	1.000051
49500.0	131.1	-69.5		224.2	556.0	95.9	22.1	1.000050
50000.0	127.8	-69.8		218.9	555.5	88.1	19.3	1.000049
50500.0	124.5	-70.1		213.7	555.1	76.2	17.4	1.000048
51000.0	121.4	-70.4		208.6	554.7	63.0	16.8	1.000046
51500.0	118.4	-70.7		203.7	554.3	55.3	19.0	1.000045
52000.0	115.4	-71.0		198.8	553.9	49.4	21.5	1.000044
52500.0	112.5	-70.6		193.5	554.4	50.4	21.0	1.000043
53000.0	109.6	-70.3		188.3	554.9	56.6	18.5	1.000042
53500.0	106.9	-69.9		183.2	555.4	66.4	15.8	1.000041
54000.0	104.2	-69.6		178.3	555.9	91.4	12.3	1.000040
54500.0	101.6	-69.2		173.5	556.3	124.3	12.3	1.000039
55000.0	99.0	-69.1		169.1	556.4	137.9	13.1	1.000038
55500.0	96.5	-69.5		165.1	556.0	146.5	13.8	1.000037
56000.0	94.1	-69.8		161.3	555.5	149.5	13.8	1.000036
56500.0	91.8	-70.2		157.5	555.0	140.2	12.0	1.000035
57000.0	89.5	-70.4		153.7	554.8	128.1	10.7	1.000034
57500.0	87.2	-69.5		149.2	555.9	122.7	10.5	1.000033
58000.0	85.1	-68.6		145.0	557.1	119.5	10.5	1.000032
58500.0	83.0	-67.8		140.8	558.3	116.1	10.5	1.000031
59000.0	80.9	-66.9		136.7	559.5	111.5	10.2	1.000030
59500.0	78.9	-66.1		132.8	560.6	106.7	9.9	1.000029
60000.0	77.0	-65.2		129.0	561.8	96.4	9.8	1.000028
60500.0	75.1	-64.3		125.3	563.0	84.8	10.2	1.000027
61000.0	73.2	-63.5		121.7	564.1	78.4	10.9	1.000026
61500.0	71.4	-62.6		118.2	565.3	82.5	11.9	1.000025
62000.0	69.7	-61.8		114.9	566.3	85.9	13.0	1.000024
62500.0	68.0	-61.4		111.9	566.9	85.9	14.7	1.000023
63000.0	66.4	-61.0		109.1	567.4	85.0	16.7	1.000022

UPPER AIR DATA
 1740020410
 WHITE SANDS

STATION ALTITUDE 3989.00 FEET MSL
 23 JUNE 81 1210 HRS MDT
 ASCENSION NO. 410

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

TABLE 10 (Cont.'T)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	DIRECTION DEGREES(TN)	WIND DATA		INDEX OF REFRACTION
							SPEED KNOTS	INDEX OF REFRACTION	
63500.0	64.8	-60.6		106.3	567.9	84.3	18.7	1.000024	
64000.0	63.3	-60.2		103.5	568.4	86.0	19.5	1.000023	
64500.0	61.8	-59.9		100.9	569.0	87.8	20.2	1.000022	
65000.0	60.3	-59.5		98.3	569.5	89.9	21.0	1.000022	
65500.0	58.8	-59.1		95.8	570.0	95.6	23.0	1.000021	
66000.0	57.4	-58.7		93.3	570.5	100.4	25.3	1.000021	
66500.0	56.1	-58.3		90.9	571.1	103.5	27.2	1.000020	
67000.0	54.7	-57.9		88.6	571.6	104.3	28.1	1.000020	
67500.0	53.4	-57.5		86.3	572.1	105.0	28.9	1.000019	
68000.0	52.2	-57.1		84.1	572.6	104.4	27.7	1.000019	
68500.0	50.9	-56.7		81.9	573.2	103.2	25.8	1.000018	
69000.0	49.7	-56.2		79.8	573.9	101.6	24.2	1.000018	
69500.0	48.5	-55.3		77.6	575.0	99.1	23.9	1.000017	
70000.0	47.4	-54.4		75.5	576.2	96.6	23.6	1.000017	
70500.0	46.3	-54.1		73.6	576.6	96.1	23.9	1.000016	
71000.0	45.2	-53.8		71.9	577.0	96.7	24.6	1.000016	
71500.0	44.2	-53.5		70.1	577.3	97.3	25.2	1.000016	
72000.0	43.2	-53.3		68.4	577.7	97.9	25.4	1.000015	
72500.0	42.2	-53.0		66.7	578.1	98.5	25.5	1.000015	
73000.0	41.2	-52.7		65.1	578.5	99.1	25.6	1.000014	
73500.0	40.2	-52.4		63.5	578.8	98.4	25.7	1.000014	
74000.0	39.3	-52.1		62.0	579.2	97.4	25.9	1.000014	
74500.0	38.4	-51.8		60.5	579.6	96.4	26.1	1.000013	
75000.0	37.5	-51.5		59.0	580.0	99.1	26.4	1.000013	
75500.0	36.7	-51.2		57.5	580.3	103.1	27.0	1.000013	
76000.0	35.8	-51.0		56.1	580.7	106.9	27.6	1.000013	
76500.0	35.0	-50.7		54.8	581.1	107.5	28.0	1.000012	
77000.0	34.2	-50.4		53.4	581.5	106.3	28.1	1.000012	
77500.0	33.4	-50.1		52.1	581.8	105.2	28.2	1.000012	
78000.0	32.6	-49.8		50.9	582.2	102.5	28.8	1.000011	
78500.0	31.9	-49.8		49.5	583.6	99.1	29.9	1.000011	
79000.0	31.2	-47.7		48.1	584.9	95.9	31.1	1.000011	
79500.0	30.5	-46.7		46.8	586.3	94.5	31.7	1.000010	
80000.0	29.8	-45.9		45.6	587.3	94.9	31.5	1.000010	
80500.0	29.1	-45.7		44.6	587.6	95.3	31.4	1.000010	
81000.0	28.5	-45.4		43.5	587.9	95.7	30.9	1.000010	
81500.0	27.8	-45.2		42.5	588.2	96.4	29.6	1.000009	
82000.0	27.2	-45.0		41.5	588.5	97.1	28.3	1.000009	
82500.0	26.6	-44.7		40.6	588.8	98.0	27.2	1.000009	
83000.0	26.0	-44.5		39.6	589.1	99.8	27.4	1.000009	

UPPER AIR DATA
 1740020410
 WHITE SANDS

STATION ALTITUDE 3989.00 FEET MSL
 23 JUNE 81 1210 HRS MDT
 ASCENSION NO. 410

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

TABLE 10 (Cont)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	REL HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DIRECTION DEGREES (TN)	WIND SPEED KNOTS	INDEX OF REFRACTION
83500.0	25.4	-44.2		38.7	589.4	101.6	27.5	1.000009
84000.0	24.9	-44.0		37.8	589.7	103.3	27.8	1.000008
84500.0	24.3	-43.8		36.9	590.0	106.0	25.0	1.000008
85000.0	23.8	-43.5		36.1	590.3	109.4	22.2	1.000008
85500.0	23.2	-43.3		35.2	590.6	113.8	19.4	1.000008
86000.0	22.7	-43.1		34.4	590.9	110.5	21.3	1.000008
86500.0	22.2	-42.8		33.6	591.3	105.8	25.1	1.000007
87000.0	21.7	-42.6		32.8	591.6	102.3	28.9	1.000007
87500.0	21.2	-42.3		32.1	591.9	99.3	32.7	1.000007
88000.0	20.8	-42.1		31.3	592.2	96.6	36.3	1.000007
88500.0	20.3	-41.9		30.6	592.5	94.3	40.1	1.000007
89000.0	19.9	-41.8		29.9	592.6			1.000007
89500.0	19.4	-42.0		29.3	592.3			1.000007
90000.0	19.0	-42.2		28.6	592.0			1.000006
90500.0	18.6	-42.4		28.0	591.8			1.000006

STATION ALTITUDE 3989.00 FEET MSL
 23 JUNE 81 1210 HRS MDT
 ASCENSION NO. 410

MANDATORY LEVELS
 1740020410
 WHITE SANDS

GEODETTIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

TABLE 11

PRESSURE GEOPOTENTIAL		TEMPERATURE	REL. HUM.	WIND DATA	
MILLIBARS	FEET	AIR DEGREE CENTIGRADE	PERCENT	DIRECTION DEGREE(TN)	SPEED KNOTS
850.0	4940.	29.2	43.	191.2	10.4
800.0	6696.	23.4	46.	220.1	9.2
750.0	8538.	20.4	40.	212.9	6.3
700.0	10478.	16.1	39.	153.5	5.9
650.0	12529.	11.4	41.	80.9	6.7
600.0	14705.	6.4	43.	64.8	12.5
550.0	17023.	.3	49.	55.3	8.6
500.0	19500.	-6.6	56.	15.6	12.2
450.0	22171.	-12.8	64.	359.7	14.0
400.0	25082.	-19.7	72.	1.4	10.6
350.0	28287.	-27.3	68.	37.4	11.2
300.0	31878.	-34.4	45.	114.1	3.5
250.0	35986.	-42.3		334.9	5.9
200.0	40801.	-54.9		246.1	7.0
175.0	43569.	-59.4		20.9	7.9
150.0	46696.	-65.7		83.9	25.1
125.0	50285.	-70.1		78.6	17.7
100.0	54637.	-69.0		133.9	12.9
80.0	59012.	-66.5		109.8	10.1
70.0	61694.	-61.9		85.1	12.7
60.0	64842.	-59.4		90.4	21.1
50.0	68613.	-56.4		102.3	24.5
40.0	73316.	-52.3		98.3	25.7
30.0	79481.	-46.0		94.7	31.6
25.0	83478.	-44.1		102.7	27.7
20.0	88416.	-41.7			

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

STATION ALTITUDE 4051.37 FEET MSL
 23 JUNE #1
 ASCENSION NO. 133

SIGNIFICANT LEVEL DATA
 1740180133
 LC-37

GEODETIC COORDINATES
 32.40175 LAT DEG
 106.31232 LON DEG

TABLE 12

PRESSURE MILLIBARS	GEOMETRIC ALTITUDE MSL FEET	TEMPERATURE		REL. HUM. PERCENT
		AIR DEGREES	DEWPOINT CENTIGRADE	
874.3	4051.4	37.5	9.2	18.0
850.0	4889.3	31.4	7.1	22.0
787.8	7104.6	25.5	7.1	31.0
750.0	8513.0	20.6	7.2	42.0
700.0	10456.4	15.8	3.3	43.0
683.4	11124.5	13.9	2.8	47.0
647.0	12633.2	10.5	-2.5	40.0
551.6	16924.2	.6	-10.8	42.0
535.0	17727.6	-1.9	-11.4	48.0
500.0	19483.6	-6.4	-13.1	59.0
486.8	20170.3	-7.9	-14.9	57.0
422.7	23717.7	-17.5	-21.5	71.0
400.0	25074.4	-19.2	-23.9	66.0
393.0	25505.9	-20.3	-27.6	52.0
359.8	27640.2	-24.5	-32.7	46.0
320.0	30415.8	-30.8	-39.7	41.0
300.0	31913.6	-34.3	-43.1	40.0
282.6	33281.0	-37.5	-46.7	37.0
265.0	34739.1	-38.7	-49.4	31.0
250.0	36048.1	-41.9		
231.4	37756.3	-46.4		
226.2	38253.0	-47.0		
210.6	39798.1	-51.2		

STATION ALTITUDE 4051.37 FEET MSL
 23 JUNE 81 1500 HRS MDT
 ASCENSION NO. 133

UPPER AIR DATA
 1740180133
 LC-37

GEODETIC COORDINATES
 32.40175 LAT UEG
 106.51232 LONG UEG

TABLE 13

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND		WIND DATA		INDEX OF REFRACTION
		AIR DEGREES CENTIGRADE	DEWPOINT CENTIGRADE			KNOTS	DIR. DEGREES (TN)	SPEED KNOTS	REFRACTION	
4051.4	874.3	37.5	9.2	18.0	975.5	688.4	210.0	7.0	1.000263	
4500.0	861.2	34.2	8.2	20.1	971.4	684.7	200.5	8.2	1.000260	
5000.0	846.8	31.1	7.2	22.4	965.1	681.1	192.8	9.7	1.000257	
5500.0	832.4	29.8	7.3	24.5	952.8	679.6	187.2	11.3	1.000255	
6000.0	818.2	28.4	7.4	26.5	940.0	678.2	182.0	10.0	1.000253	
6500.0	804.3	27.1	7.3	28.5	928.7	676.7	176.2	8.8	1.000250	
7000.0	790.6	25.8	7.2	30.6	916.9	675.2	173.6	9.0	1.000247	
7500.0	777.0	24.1	7.3	34.1	906.0	673.4	170.6	9.2	1.000246	
8000.0	763.6	22.4	7.4	38.0	895.5	671.4	167.6	9.5	1.000244	
8500.0	750.3	20.6	7.3	41.9	885.1	669.5	168.7	9.8	1.000242	
9000.0	737.1	19.4	6.3	42.3	873.5	668.0	169.2	9.8	1.000237	
9500.0	724.2	18.2	5.2	42.5	862.0	666.5	169.5	9.5	1.000232	
10000.0	711.4	16.9	4.2	42.8	850.6	665.0	165.7	8.1	1.000227	
10500.0	698.9	15.7	3.2	43.3	839.5	663.5	159.4	6.6	1.000222	
11000.0	686.5	14.3	2.9	46.3	828.6	661.8	164.2	7.0	1.000219	
11500.0	674.2	13.1	1.5	45.3	817.4	660.3	168.7	7.3	1.000214	
12000.0	662.0	11.9	-0.3	42.9	806.2	658.9	174.5	6.6	1.000208	
12500.0	650.1	10.8	-2.0	40.6	795.2	657.5	181.6	6.0	1.000202	
13000.0	638.2	9.7	-3.2	40.2	784.0	656.1	163.6	2.8	1.000198	
13500.0	626.5	8.5	-4.2	40.4	772.8	654.7	67.7	1.9	1.000194	
14000.0	614.9	7.3	-5.1	40.6	761.8	653.3	59.1	5.4	1.000190	
14500.0	603.6	6.2	-6.1	40.9	750.9	651.9	59.9	9.0	1.000186	
15000.0	592.5	5.0	-7.1	41.1	740.3	650.5	80.6	9.0	1.000183	
15500.0	581.6	3.9	-8.0	41.3	729.8	649.1	99.4	9.6	1.000179	
16000.0	570.9	2.7	-9.0	41.6	719.4	647.7	119.8	9.3	1.000176	
16500.0	560.4	1.6	-10.0	41.8	709.2	646.3	126.6	7.9	1.000172	
17000.0	550.0	.4	-10.9	42.6	699.2	644.9	125.4	5.4	1.000169	
17500.0	539.7	-1.2	-11.2	46.3	690.0	643.0	78.7	2.4	1.000167	
18000.0	529.4	-2.6	-11.6	49.7	680.5	641.4	358.2	6.3	1.000165	
18500.0	519.3	-3.9	-12.1	52.8	670.7	639.8	347.3	12.9	1.000162	
19000.0	509.4	-5.2	-12.5	56.0	661.0	638.3	344.3	18.0	1.000160	
19500.0	499.7	-6.4	-13.1	59.0	651.6	636.8	342.8	16.2	1.000157	
20000.0	490.0	-7.5	-14.4	57.5	641.7	635.4	342.2	13.7	1.000154	
20500.0	480.5	-8.8	-15.5	58.3	632.2	633.9	344.4	11.8	1.000151	
21000.0	471.0	-10.1	-16.3	60.3	623.0	632.2	351.4	11.0	1.000148	
21500.0	461.7	-11.5	-17.2	62.2	613.9	630.6	358.2	11.2	1.000145	
22000.0	452.6	-12.9	-18.2	64.2	605.0	628.9	352.8	12.9	1.000143	
22500.0	443.7	-14.2	-19.1	66.2	596.2	627.3	348.4	13.1	1.000140	
23000.0	434.9	-15.6	-20.1	68.2	587.6	625.6	343.1	11.5	1.000138	
23500.0	426.4	-16.9	-21.0	70.1	579.1	623.9	350.0	9.0	1.000136	

UPPER AIR DATA
 1740180133
 LC-37

STATION ALTITUDE 4051.17 FEET MSL
 23 JUNE 61
 ASCENSION NO. 133

GEODETIC COORDINATES
 32.40175 LAT DEG
 106.31232 LONG DEG

TABLE 13 (Con't)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	TEMPERATURE DEWPOINT DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DIRECTION DEGREES (TN)	WIND SPEED KNOTS	INDEX OF REFRACTION
24000.0	417.9	-17.9	-22.0	70.0	569.7	622.8	1.6	7.2	1.000133
24500.0	409.5	-18.5	-22.9	68.1	559.6	622.0	356.9	8.2	1.000130
25000.0	401.2	-19.1	-23.8	66.3	549.7	621.2	346.3	8.3	1.000128
25500.0	393.1	-20.3	-27.5	52.2	541.2	619.7	324.1	8.0	1.000124
26000.0	385.1	-21.3	-28.8	50.6	532.3	618.5	327.5	8.4	1.000122
26500.0	377.2	-22.3	-30.0	49.2	523.4	617.2	339.8	9.3	1.000120
27000.0	369.5	-23.2	-31.2	47.8	514.8	616.0	350.2	11.0	1.000117
27500.0	361.9	-24.2	-32.4	46.4	506.2	614.8	350.0	10.8	1.000115
28000.0	354.4	-25.3	-33.6	45.4	497.9	613.4	336.2	8.5	1.000113
28500.0	347.0	-26.5	-34.9	44.5	489.8	612.0	331.2	8.2	1.000111
29000.0	339.7	-27.6	-36.1	43.6	481.8	610.6	333.1	8.5	1.000109
29500.0	332.6	-28.7	-37.4	42.6	473.9	609.2	346.3	10.6	1.000107
30000.0	325.7	-29.9	-38.6	41.7	466.2	607.7	355.0	11.1	1.000105
30500.0	318.8	-31.0	-39.9	40.9	458.6	606.3	3.7	10.7	1.000103
31000.0	312.0	-32.2	-41.0	40.6	451.0	604.8	3.2	10.4	1.000102
31500.0	305.4	-33.3	-42.2	40.3	443.5	603.4	3.2	10.3	1.000100
32000.0	298.9	-34.5	-43.3	39.8	436.2	601.9	4.3	10.4	1.000098
32500.0	292.4	-35.7	-44.7	38.7	428.9	600.4	9.7	10.4	1.000096
33000.0	286.1	-36.8	-46.0	37.6	421.7	598.9	17.2	10.4	1.000095
33500.0	279.9	-37.7	-47.1	36.1	414.0	597.8	29.5	10.8	1.000093
34000.0	273.8	-38.1	-48.0	34.0	405.7	597.3	37.3	11.3	1.000091
34500.0	267.8	-38.5	-48.9	32.0	397.6	596.6	38.0	11.1	1.000089
35000.0	261.9	-39.3	-51.6	24.8**	390.2	595.7	33.8	10.7	1.000087
35500.0	256.2	-40.6	-58.1	13.0**	383.7	594.2	25.4	10.4	1.000086
36000.0	250.5	-41.8	-76.2	1.1**	377.2	592.6	24.9	10.3	1.000084
36500.0	244.9	-43.1			370.9	590.9	26.9	10.3	1.000083
37000.0	239.5	-44.4			364.7	589.2	25.6	8.6	1.000081
37500.0	234.1	-45.7			358.6	587.5	22.7	6.7	1.000080
38000.0	228.8	-46.7			352.0	586.3	7.0	5.2	1.000078
38500.0	223.6	-47.7			345.5	585.0			1.000077
39000.0	218.5	-49.0			339.7	583.2			1.000076
39500.0	213.5	-50.4			333.9	581.5			1.000074

** AT LAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

STATION ALTITUDE 4051.37 FEET MSL
 23 JUNE 81
 ASCENSION NO. 133

MANDATORY LEVELS
 1740180133
 LC-37

GEODETTIC COORDINATES
 32.40175 LAT DEG
 106.31232 LON DEG

TABLE 14

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUM.	WIND DATA	
MILLIBARS	FEET	AIR DEGREES CENTIGRADE	DEWPOINT CENTIGRADE	PERCENT	DIRECTION DEGREES(TN)	SPEED KNOTS
650.0	4606.	31.4	7.1	22.	194.3	9.3
600.0	6655.	26.7	7.3	29.	175.3	8.9
750.0	8505.	20.6	7.2	42.	168.7	9.8
700.0	10446.	15.8	3.3	43.	160.0	6.8
650.0	12493.	10.8	-2.1	41.	181.6	6.0
600.0	14664.	5.8	-6.4	41.	67.0	8.9
550.0	16979.	.4	-10.9	43.	125.7	5.5
500.0	19456.	-6.4	-13.1	59.	342.9	10.4
450.0	22127.	-13.2	-18.4	65.	351.4	13.5
400.0	25032.	-19.2	-23.9	66.	343.7	8.2
350.0	28208.	-26.0	-34.4	45.	332.6	8.2
300.0	31849.	-34.3	-43.1	40.	4.1	10.4
250.0	35968.	-41.9			25.1	10.3

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

STATION ALTITUDE 3989.00 FEET MSL
 23 JUNE 81
 ASCENSION NO. 411 1600 HRS MDT

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

TABLE 15

SIGNIFICANT LEVEL DATA 1740020411 WHITE SAHUS	PRESSURE GEOMETRIC ALTITUDE		TEMPERATURE		REL. HUM. PERCENT
	MILLIBARS	MSL FEET	AIR DEGREES	DEWPOINT CENTIGRADE	
	876.6	3989.0	36.2	12.4	24.0
	850.0	4906.1	32.8	8.9	23.0
	744.8	8738.1	20.9	5.7	37.0
	700.0	10486.5	15.9	3.7	44.0
	662.0	12034.0	11.5	2.5	54.0
	643.2	12824.9	10.6	-3.8	36.0
	556.0	16745.0	.8	-11.9	38.0
	500.0	19514.4	-6.3	-13.4	57.0
	452.0	22081.3	-12.8	-16.6	73.0
	400.0	25112.4	-19.3	-25.8	56.0
	364.4	27382.2	-22.0	-34.8	30.0
	324.4	30157.5	-29.3	-41.3	30.0
	300.0	31984.1	-32.6	-45.9	25.0
	275.0	33982.9	-37.4	-50.4	24.0
	250.0	36129.0	-42.1		
	200.0	40984.9	-53.2		
	166.8	44769.4	-61.2		
	150.0	46920.7	-65.4		

STATION ALTITUDE 3989.00 FEET MSL
 23 JUNE 81
 ASCENSION NO. 411

UPPER AIR DATA
 1740020411
 WHITE SANDS

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

TABLE 16

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	AIR TEMPERATURE DEGREES	TEMPERATURE DEWPOINT DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DIRECTION DEGREES(TN)	WIND SPEED KNOTS	INDEX OF REFRACTION
3989.0	876.6	36.2	12.4	24.0	981.0	687.3	210.0	12.0	1.000276
4000.0	876.3	36.2	12.4	24.0	980.8	687.3	209.8	12.0	1.000276
4500.0	861.7	34.3	10.5	23.4	970.9	685.0	202.4	11.5	1.000267
5000.0	847.3	32.5	8.9	23.3	960.7	682.8	194.3	11.1	1.000261
5500.0	832.8	31.0	8.7	25.2	949.1	681.1	185.9	11.0	1.000258
6000.0	818.5	29.4	8.5	27.0	937.7	679.4	177.4	11.1	1.000255
6500.0	804.5	27.9	8.1	28.8	926.4	677.6	169.3	11.4	1.000252
7000.0	790.8	26.3	7.7	30.7	915.4	675.8	163.5	11.7	1.000248
7500.0	777.3	24.7	7.2	32.5	904.5	674.1	166.5	10.9	1.000245
8000.0	764.0	23.2	6.6	34.3	893.8	672.3	170.0	10.1	1.000241
8500.0	750.9	21.6	6.0	36.1	883.2	670.5	174.4	9.5	1.000238
9000.0	737.9	20.2	5.4	38.0	872.4	668.7	179.6	9.4	1.000234
9500.0	724.9	18.7	4.9	40.1	861.3	667.1	185.0	9.4	1.000230
10000.0	712.2	17.3	4.3	42.1	850.5	665.4	190.3	8.9	1.000227
10500.0	699.7	15.9	3.7	44.1	839.7	663.7	196.3	8.3	1.000223
11000.0	687.2	14.4	3.4	47.3	828.8	662.1	200.3	7.4	1.000220
11500.0	674.9	13.0	3.0	50.5	818.1	660.4	202.0	6.4	1.000217
12000.0	662.8	11.6	2.6	53.8	807.5	658.8	197.1	4.9	1.000214
12500.0	650.9	11.0	-1.0	43.4	795.4	657.8	170.9	3.4	1.000204
13000.0	639.0	10.2	-4.2	36.1	783.7	656.6	133.1	3.5	1.000196
13500.0	627.3	8.9	-5.2	36.3	772.8	655.1	113.4	5.1	1.000192
14000.0	615.7	7.7	-6.2	36.6	762.0	653.6	106.5	6.6	1.000188
14500.0	604.4	6.4	-7.2	36.9	751.5	652.1	108.3	7.6	1.000185
15000.0	593.3	5.2	-8.3	37.1	741.0	650.6	109.9	8.3	1.000181
15500.0	582.3	3.9	-9.3	37.4	730.8	649.1	112.5	7.5	1.000178
16000.0	571.6	2.7	-10.3	37.6	720.5	647.6	114.7	6.3	1.000174
16500.0	561.1	1.4	-11.4	37.9	710.7	646.1	111.2	3.9	1.000171
17000.0	550.6	.1	-11.9	39.7	700.6	644.6	83.1	1.7	1.000169
17500.0	540.1	-1.1	-12.0	43.2	690.6	643.1	1.1	2.7	1.000166
18000.0	529.9	-2.4	-12.3	46.6	680.7	641.6	344.0	5.3	1.000164
18500.0	519.8	-3.7	-12.6	50.0	670.9	640.0	339.9	7.8	1.000162
19000.0	510.0	-5.0	-12.9	53.5	661.4	638.5	337.8	10.1	1.000159
19500.0	500.3	-6.3	-13.4	56.9	651.9	637.0	336.3	11.1	1.000157
20000.0	490.5	-7.5	-13.9	60.0	642.3	635.4	335.1	12.2	1.000154
20500.0	481.0	-8.0	-14.5	63.1	632.9	633.9	337.1	12.6	1.000152
21000.0	471.6	-10.1	-15.1	66.3	623.6	632.4	339.7	12.8	1.000149
21500.0	462.4	-11.3	-15.8	69.4	614.4	630.8	342.8	13.0	1.000147
22000.0	453.4	-12.6	-16.5	72.5	605.4	629.3	346.3	13.3	1.000144
22500.0	444.4	-13.7	-17.9	70.7	596.0	627.9	342.7	13.7	1.000141
23000.0	435.6	-14.8	-19.4	67.8	586.6	626.6	336.0	14.5	1.000138

STATION ALTITUDE 3989.00 FEET WSL
 23 JUNE 81 1600 HRS MDT
 ASCENSION NO. 411

UPPER AIR DATA
 1740020411
 WHITE SANDS
 TABLE 16 (Cont)

GEODETTIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CELSIUS	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION DEGREES(TN)	SPEED KNOTS	INDEX OF REFRACTION
23500.0	426.9	-15.8	65.0	577.3	625.2	331.5	12.9	1.000135
24000.0	418.3	-16.9	62.2	568.2	623.9	325.7	10.8	1.000132
24500.0	410.0	-18.0	59.4	559.3	622.6	317.5	10.5	1.000130
25000.0	401.8	-19.1	56.6	550.5	621.2	309.1	10.7	1.000127
25500.0	393.7	-19.8	51.6	540.9	620.3	307.2	11.9	1.000124
26000.0	385.7	-20.4	45.8	531.2	619.6	306.7	13.3	1.000122
26500.0	377.8	-21.0	40.1	521.7	618.8	321.6	11.8	1.000119
27000.0	370.2	-21.5	34.4	512.3	618.1	343.0	11.1	1.000116
27500.0	362.6	-22.3	30.0	503.4	617.1	358.1	12.3	1.000114
28000.0	355.1	-23.6	30.0	495.6	615.5	9.3	14.2	1.000112
28500.0	347.7	-24.9	30.0	487.9	613.8	7.5	13.2	1.000110
29000.0	340.5	-26.3	30.0	480.4	612.2	6.3	12.3	1.000108
29500.0	333.5	-27.6	30.0	472.9	610.6	8.4	11.3	1.000107
30000.0	326.5	-28.9	30.0	465.6	608.9	12.1	10.7	1.000105
30500.0	319.7	-29.9	29.1	457.8	607.6	17.7	10.6	1.000103
31000.0	312.9	-30.8	27.7	449.8	606.5	27.1	11.2	1.000101
31500.0	306.3	-31.7	26.3	441.9	605.4	37.3	12.5	1.000099
32000.0	299.8	-32.6	25.0	434.2	604.2	48.9	14.9	1.000097
32500.0	293.3	-33.8	24.7	427.0	602.7	57.9	17.9	1.000096
33000.0	287.0	-35.0	24.5	419.9	601.2	61.0	18.8	1.000094
33500.0	280.8	-36.2	24.2	412.9	599.7	63.6	19.6	1.000092
34000.0	274.8	-37.4	23.8**	406.1	598.1	60.6	18.4	1.000091
34500.0	268.8	-38.5	18.2**	399.0	596.7	55.8	16.8	1.000089
35000.0	262.9	-39.6	12.6**	392.1	595.3	47.3	14.4	1.000087
35500.0	257.1	-40.7	7.0**	385.3	593.9	34.4	12.1	1.000086
36000.0	251.4	-41.6	1.4**	378.6	592.5	25.2	11.0	1.000084
36500.0	245.8	-42.9		371.9	591.1	17.1	10.3	1.000083
37000.0	240.2	-44.1		365.3	589.6	15.6	10.3	1.000081
37500.0	234.7	-45.2		358.8	588.1	15.5	10.4	1.000080
38000.0	229.4	-46.4		352.4	586.7	11.0	9.8	1.000078
38500.0	224.2	-47.5		346.1	585.2	5.5	9.3	1.000077
39000.0	219.1	-48.7		340.0	583.7	1.5	8.4	1.000076
39500.0	214.1	-49.8		334.0	582.2	357.2	7.5	1.000074
40000.0	209.3	-50.9		328.1	580.7	349.7	7.1	1.000073
40500.0	204.5	-52.1		322.3	579.2	341.1	7.0	1.000072
41000.0	199.9	-53.2		316.6	577.7	343.5	8.3	1.000071
41500.0	195.1	-54.3		310.6	576.3	350.9	10.7	1.000069
42000.0	190.5	-55.3		304.7	574.9	1.9	12.7	1.000068
42500.0	186.0	-56.4		298.9	573.6	18.2	15.1	1.000067
43000.0	181.6	-57.5		293.3	572.2	30.0	17.9	1.000065

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

STATION ALTITUDE 3989.00 FEET MSL
 23 JUNE 81 1600 HRS MDT
 ASCENSION NO. 411

UPPER AIR DATA
 1740020411
 WHITE SANDS

TABLE 16 (Con't)

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION DEGREES(TN)	SPEED KNOTS	INDEX OF REFRACTION
43500.0	177.3	-58.5		287.7	570.7	39.7	20.4	1.000064
44000.0	175.1	-59.6		282.3	569.3	46.8	22.0	1.000063
44500.0	169.0	-60.6		277.0	567.9	52.7	19.4	1.000062
45000.0	164.9	-61.7		271.6	566.6	60.6	16.8	1.000060
45500.0	160.9	-62.6		266.2	565.3	73.8	13.5	1.000059
46000.0	157.0	-63.6		261.0	563.9			1.000058
46500.0	153.1	-64.6		255.8	562.6			1.000057

STATION ALTITUDE 3989.00 FEET MSL
 23 JUNE 81
 ASCENSION NO. 411

MANDATORY LEVELS
 1740020411
 WHITE SANDS

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

TABLE 17

PRESSURE MILLIBARS	GEOPOTENTIAL FEET	TEMPERATURE		REL. HUM. PERCENT	WIND DATA	
		AIR DEGREES CENTIGRADE	DEWPOINT CENTIGRADE		DIRECTION DEGREES(TN)	SPEED KNOTS
850.0	4902.	32.8	8.9	23.	195.9	11.1
800.0	6678.	27.3	8.0	29.	166.5	11.6
750.0	8532.	21.5	5.9	36.	174.7	9.5
700.0	10476.	15.9	3.7	44.	196.0	8.3
650.0	12523.	10.9	-1.3	43.	168.6	3.4
600.0	14696.	5.9	-7.6	37.	108.9	8.0
550.0	17009.	.1	-11.9	40.	78.8	1.6
500.0	19486.	-6.3	-13.4	57.	336.3	11.2
450.0	22158.	-13.0	-16.9	72.	347.3	13.4
400.0	25070.	-19.3	-25.8	50.	307.8	10.8
350.0	28301.	-24.5	-37.0	30.	8.1	13.5
300.0	31919.	-32.6	-45.9	25.	48.2	14.7
250.0	36049.	-42.1			23.5	10.8
200.0	40884.	-53.2			342.8	8.1
175.0	43669.	-59.1			43.9	21.8
150.0	46792.	-65.4				

** AT LEAST ONE ASSUMED RELATIVE HUMIDITY VALUE WAS USED IN THE INTERPOLATION.

STATION ALTITUDE 4051.37 FEET MSL
 23 JUNE 81 1715 HRS MDT
 ASCENSION. NO. 134

SIGNIFICANT LEVELL DATA
 1740180134
 LC-37

GEOGETIC COORDINATES
 32.40175 LAT DEG
 106.51232 LON DEG

TABLE 18

PRESSURE MILLIBARS	GEOMETRIC ALTITUDE MSL FEET	AIR TEMPERATURE DEGREES CENTIGRADE	DEWPOINT TEMPERATURE DEGREES CENTIGRADE	REL. HUM. PERCENT
872.6	4051.4	35.0	6.7	20.0
866.0	4277.6	35.0	10.1	22.0
850.0	4831.3	33.0	7.1	20.0
753.6	8332.5	22.7	4.7	31.0
700.0	10424.1	17.6	4.2	41.0
672.4	11544.9	12.5	3.5	54.0
599.7	14656.6	3.7	1.7	87.0
577.4	15669.5	2.8	.7	86.0
533.5	17757.0	-2.7	-6.9	73.0
520.2	18413.4	-5.0	-9.1	73.0
504.6	19199.2	-6.4	-15.6	48.0
500.0	19434.5	-7.0	-15.9	49.0
481.0	20425.9	-8.7	-16.3	54.0
450.0	22114.7	-11.9	-25.5	31.0
413.2	24244.5	-16.6	-26.5	42.0
400.0	25044.1	-18.9	-26.8	41.0
369.0	27010.6	-21.8	-31.7	40.0
342.0	28833.6	-27.0	-31.7	64.0

STATION ALTITUDE 4051.37 FEET SL
 23 JUNE 81 1715 HRS MDT
 ASCENSION NO. 134

UPPER AIR DATA
 1740180134
 LC-37

GEODETIC COORDINATES
 32.40175 LAT DEG
 106.51232 LONG DEG

TABLE 19

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CELSIUS	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION (IN) DEGREES (IN)	SPEED KNOTS	INDEX OF REFRACTION
4051.4	872.6	15.0	20.0	981.7	685.5	250.0	5.1	1.000264
4500.0	859.5	34.2	21.2	969.4	684.7	238.2	4.3	1.000262
5000.0	845.1	32.5	20.5	958.8	682.6	220.2	3.7	1.000254
5500.0	830.7	31.0	22.1	947.0	681.0	199.0	3.7	1.000252
6000.0	816.5	29.6	23.7	935.4	679.4	179.5	4.0	1.000249
6500.0	802.6	28.1	25.2	924.0	677.7	164.7	4.8	1.000246
7000.0	788.9	26.6	26.8	912.7	676.0	154.5	5.8	1.000243
7500.0	775.5	25.1	28.4	901.6	674.3	155.6	6.0	1.000240
8000.0	762.3	23.7	30.0	890.7	672.7	161.5	5.9	1.000236
8500.0	749.2	22.3	31.8	879.5	671.1	167.1	5.8	1.000233
9000.0	736.1	21.1	34.2	867.7	669.7	173.1	5.8	1.000231
9500.0	723.2	19.9	36.6	856.0	668.3	179.4	5.8	1.000228
10000.0	710.6	18.6	39.0	844.6	667.0	185.7	5.8	1.000225
10500.0	698.1	17.3	41.9	833.7	665.4	191.8	6.0	1.000223
11000.0	685.7	15.0	47.7	825.3	662.8	197.6	6.1	1.000221
11500.0	673.5	12.7	53.5	817.1	660.1	203.0	6.3	1.000219
12000.0	661.2	11.2	58.8	806.4	658.4	208.2	6.4	1.000216
12500.0	649.2	9.8	64.1	795.7	656.8	213.1	6.6	1.000214
13000.0	637.4	8.4	69.4	785.1	655.2	216.0	6.9	1.000212
13500.0	625.8	7.0	74.7	774.7	653.5	215.0	7.3	1.000209
14000.0	614.4	5.6	80.0	764.5	651.8	214.1	7.7	1.000206
14500.0	603.2	4.1	85.3	754.4	650.2	213.3	8.2	1.000203
15000.0	592.0	3.4	86.7	742.6	649.3	212.4	8.1	1.000199
15500.0	581.1	3.0	86.2	730.1	648.7	211.5	8.0	1.000195
16000.0	570.2	1.9	83.9	719.3	647.4	210.6	7.9	1.000190
16500.0	559.5	.6	80.8	709.5	645.7	215.0	7.8	1.000184
17000.0	549.0	-.7	77.7	699.8	644.0	220.8	7.7	1.000179
17500.0	538.7	-2.0	74.6	690.3	642.4	232.8	8.1	1.000174
18000.0	528.5	-3.6	73.0	681.3	640.5	247.6	9.6	1.000170
18500.0	518.5	-5.2	70.2	672.5	638.4	261.9	10.9	1.000165
19000.0	508.5	-6.0	54.3	662.2	637.2	278.4	12.1	1.000159
19500.0	498.7	-7.1	49.3	652.2	635.9	295.0	12.3	1.000155
20000.0	489.1	-8.0	51.9	641.6	634.8	312.7	12.5	1.000152
20500.0	479.6	-8.8	53.0	631.3	633.8	329.0	12.6	1.000150
21000.0	470.2	-9.8	46.2	621.3	632.6	341.4	12.2	1.000146
21500.0	461.0	-10.7	39.4	611.5	631.4	353.4	12.0	1.000142
22000.0	452.0	-11.7	32.6	601.9	630.2	354.2	11.8	1.000139
22500.0	443.1	-12.8	33.0	592.4	628.9	354.2	11.5	1.000136
23000.0	434.3	-13.9	35.6	583.1	627.5	347.9	11.4	1.000134
23500.0	425.7	-15.0	38.2	574.0	626.2	341.7	11.4	1.000132

STATION ALTITUDE 4051.57 FEET MSL
 23 JUNE 81
 ASCENSION NO. 134

UPPER AIR DATA
 1740180134
 LC-37

GEODETIC COORDINATES
 32.40175 LAT DEG
 106.51232 LON DEG

TABLE 19 (Con't)

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	AIR TEMPERATURE DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	DIRECTION DEGREES (TN)	WIND DATA SPEED KNOTS	INDEX OF REFRACTION
24000.0	417.3	-16.1	40.7	565.0	624.9	338.2	11.1	1.000130
24500.0	409.9	-17.3	41.7	556.5	623.3	334.5	10.8	1.000128
25000.0	400.7	-18.8	41.1	548.5	621.5	333.6	10.9	1.000125
25500.0	392.6	-19.6	40.8	539.1	620.5	332.9	11.0	1.000123
26000.0	384.6	-20.3	40.5	529.7	619.6	342.2	11.1	1.000121
26500.0	376.8	-21.0	40.3	520.5	618.7	352.5	11.7	1.000119
27000.0	369.2	-21.8	40.0	511.4	617.8	4.3	13.2	1.000116
27500.0	361.5	-23.2	46.4	503.7	616.1	9.8	13.8	1.000115
28000.0	354.1	-24.6	53.0	496.1	614.3	12.4	13.7	1.000113
28500.0	346.8	-26.0	59.6	488.7	612.5			1.000112

STATION ALTITUDE 4051.37 FEET MSL
 23 JUNE 81 1715 HRS MDT
 ASCENSION, NO. 134

PADATORY LEVELS
 1790180134
 LC-37


GEONETIC COORDINATES
 32.40175 LAT DEG
 106.31232 LON DEG

TABLE 20

PRESSURE MILLIBARS	GEOPOTENTIAL FEET	TEMPERATURE		REL. HUM. PERCENT	WIND D.I.A	
		AIR DEGREES CENTIGRADE	DEWPOINT CENTIGRADE		DIRECTION DEGREES(TN)	SPEED KNOTS
650.0	4028.	33.0	7.1	20.	226.9	3.9
600.0	6004.	27.8	6.3	26.	162.2	5.0
750.0	8462.	22.4	4.7	32.	168.7	5.8
700.0	10414.	17.6	4.2	41.	190.8	5.9
650.0	12463.	9.0	3.4	64.	212.3	6.6
600.0	14626.	3.7	1.8	87.	213.0	6.2
550.0	16936.	-6	-3.9	70.	220.3	7.7
500.0	19407.	-7.0	-15.9	49.	292.3	14.4
450.0	22080.	-11.0	-25.5	31.	354.3	11.7
400.0	25002.	-18.9	-28.8	41.	333.5	10.9
350.0	28231.	-25.4	-31.5	57.		

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER DR 1190	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) 19304D MLBS Missile Number V02-004, V02-005 Round Number V-158/MD-25, V-159/MD-26		5. TYPE OF REPORT & PERIOD COVERED
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) White Sands Meteorological Team		8. CONTRACT OR GRANT NUMBER(s) DA Task 1F6657021D127-02
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Research & Development Cmd Atmospheric Sciences Laboratory White Sands Missile Range, New Mexico 88002		12. REPORT DATE June 1981
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Electronics Research & Development Cmd Adelphi, MD 20783		13. NUMBER OF PAGES 33
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) Approved for public release; distribution unlimited.		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Meteorological data gathered for the launching of the 19304D, Missile Number V02-004, V02-005, Round Number V-158/MD-25, V-159/MD-26 presented in tabular form.		

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)



SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER DR 1190	2. GOVT ACCESSION NO.	4. RECIPIENT'S CATALOG NUMBER	
4. TITLE (and Subtitle) 19304D MERS Missile Number V02-004, V02-005 Round Number V-158/MD-25, V-159/MD-26		5. TYPE OF REPORT & PERIOD COVERED	
		6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(s) White Sands Meteorological Team		8. CONTRACT OR GRANT NUMBER(s) DA Task 1F6657021D127-02	
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Research & Development Cmd Atmospheric Sciences Laboratory White Sands Missile Range, New Mexico 88002		12. REPORT DATE June 1981	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Electronics Research & Development Cmd Adelphi, MD 20783		13. NUMBER OF PAGES 33	
		15. SECURITY CLASS. (of this report) UNCLASSIFIED	
16. DISTRIBUTION STATEMENT (of this Report)		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) Approved for public release; distribution unlimited.			
18. SUPPLEMENTARY NOTES			
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)			
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Meteorological data gathered for the launching of the 19304D, Missile Number V02-004, V02-005, Round Number V-158/MD-25, V-159/MD-26 presented in tabular form.			

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER DR 1190	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) 19304D MLRS Missile Number V02-004, V02-005 Round Number V-158/MD-25, V-159/MD-26	5. TYPE OF REPORT & PERIOD COVERED	
	6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(s) White Sands Meteorological Team	8. CONTRACT OR GRANT NUMBER(s) DA Task 1F6657021D127-02	
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Research & Development Cmd Atmospheric Sciences Laboratory White Sands Missile Range, New Mexico 88002	12. REPORT DATE June 1981	
	13. NUMBER OF PAGES 33	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Electronics Research & Development Cmd Adelphi, MD 20783	15. SECURITY CLASS. (of this report) UNCLASSIFIED	
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report)		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) Approved for public release; distribution unlimited.		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Meteorological data gathered for the launching of the 19304D, Missile Number V02-004, V02-005, Round Number V-158/MD-25, V-159/MD-26 presented in tabular form.		

