

AD-A104 191 ARMY ELECTRONICS RESEARCH AND DEVELOPMENT COMMAND WS--ETC F/G 4/2
193158 MLRS, MISSILE NUMBER V13-004, ROUND NUMBER V-169/AT-2, 1--ETC(U)
JUL 81 D C KELLER
UNCLASSIFIED ERADCOM/ASL-DR-1195 NL

1 OF 1
ADA
115811

END
DATE
FILMED
10-81
DTIC

LEVEL II

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

DR 1195
JULY 1981

AD

4w
(12)

17 JULY 1981 DR 1195

AD A104191

METEOROLOGICAL DATA REPORT

19315B MLRS

Missile Number V13-004

Round Number V-169/AT-2

17 July 1981

by **(12) 22**

(10) DONALD C. KELLER
Program Support Coordinator
Phone Number (505) 679-9568
AVN Number 349-9568

DTIC
SEP 16 1981
H

(11) 5-11-81

(16) LF66-12D15-1 | **(12) 12**

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, NEW MEXICO

DTIC FILE COPY

E COM

UNITED STATES ARMY ELECTRONICS COMMAND

410663

81 9 14 110

DISPOSITION INSTRUCTIONS

Destroy this report when it is no longer needed. Do not return to the originator.


DISCLAIMER

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER DR 1195	2. GOVT ACCESSION NO. AD-A104 191	3. RECIPIENT'S CATALOG NUMBER	
4. TITLE (and Subtitle) 19315B MLRS Missile Number V13-004 Round Number V-169/AT-2		5. TYPE OF REPORT & PERIOD COVERED	
		6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(s) White Sands Meteorological Team		8. CONTRACT OR GRANT NUMBER(s) DA Task 1F665702D127-02	
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Research & Development Cmd Atmospheric Sciences Laboratory White Sands Missile Range, New Mexico 88002		12. REPORT DATE July 1981	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Electronics Research & Development Cmd Adelphi, MD 20783		13. NUMBER OF PAGES 23	
		15. SECURITY CLASS. (of this report) UNCLASSIFIED	
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report)			
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) Approved for public release; distribution unlimited.			
18. SUPPLEMENTARY NOTES			
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)			
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Meteorological data gathered for the launching of the 19315B MLRS, Missile Number V13-004, Round Number V-169/AT-2 presented in tabular form.			

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)





SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

CONTENTS

	PAGE
INTRODUCTION-----	1
DISCUSSION -----	1
GENERAL AREA MAP -----	2
LAUNCH AREA DIAGRAM -----	3
TABLES	
1. Surface Observation Taken at 1430 MDT at LC-33-----	4
2. Anemometer-Measured Wind Speed and Direction, LC-33 Fixed Pole, Taken at 1432 MDT -----	5
3. Anemometer-Measured Wind Speed and Direction, Tower Levels 1, 2, 3, and 4, Taken at 1432 MDT -----	5
4. T-Time Pilot-Balloon measured Wind Data -----	6
5. Aiming and T-Time Computer Met Message -----	7
6. WSD Significant Level Data at 1130 MDT -----	8
7. WSD Upper Air Data at 1130 MDT -----	9-10
8. WSD Mandatory Levels at 1130 MDT -----	11
9. LC-37 Significant Level Data at 1230 MDT -----	12
10. LC-37 Upper Air Data at 1230 MDT -----	13-14
11. LC-37 Mandatory Levels at 1230 MDT -----	15
12. LC-37 Significant Level Data at 1430 MDT -----	16
13. LC-37 Upper Air Data at 1430 MDT -----	17-18
14. LC-37 Mandatory Levels at 1430 MDT -----	19

WSMR METEOROLOGICAL SITES





PROJECT SURFACE OBSERVATION

TABLE 1 STATION LC-33
 DATE 17 DAY July MONTH 1981 YEAR X=484,982.64 Y= 185,957.73 H=3983.00

TIME M D J	PRESSURE mbs	TEMPERATURE of °C	DEW POINT of °C	RELATIVE HUMIDITY %	DENSITY gm/m ³	DIRECTION degs Tn	WIND SPEED kts	CHARACTER kts	VISIBIL- ITY	
										1430 m

OBSTRUCTIONS TO VISIBILITY	CLOUDS						REMARKS			
	1st LAYER		2nd LAYER		3rd LAYER					
	AMT	TYPE	HGT	AMT	TYPE	HGT				
	4	CU	6500				1	CI	22000	

PSYCHROMETRIC COMPUTATION

TIME:	1430	MDT
DRY BULB TEMP.	29.8	
WET BULB TEMP.	21.0	
WET BULB DEPR.	8.8	
DEW POINT	17.4	
RELATIVE HUMID.	47	

TABLE 2 LC-33 FIXED POLE ANEMOMETER MEASURED WINDS

17 July 81 1432 MDT

POLE #1 X485,874.29 Y185,958.90 H4018.74 33.7 ft. AGL			POLE #2 X485,874.93 Y186,012.00 H4033.57 53.0 ft. AGL			POLE #3 X485,877.29 Y186,116.06 H4063.92 83.6 ft. AGL		
T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS
-30	284	04	-30	308	03	-30	286	02
-20	269	03	-20	301	03	-20	273	03
-10	276	03	-10	301	03	-10	270	03
0.0	277	03	0.0	287	03	0.0	286	04
+10	268	02	+10	285	02	+10	291	04

TABLE 3 LC-33 METEOROLOGICAL TOWER ANEMOMETER MEASURED WINDS (202 FT TOWER)

LEVEL #1, 12 FEET X484,982.64, Y185,057.73, H3983.00 (base)			LEVEL #2, 62 FEET X484,982.64, Y185,057.73, H3983.00 (base)		
T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS
-30	269	06	-30	275	04
-20	267	05	-20	261	05
-10	258	03	-10	247	03
0.0	257	03	0.0	250	03
+10	256	04	+10	243	04

LEVEL #3, 102 FEET X484,982.64, Y185,057.73, H3983.00 (base)			LEVEL #4, 202 FEET X484,982, Y185,057.73, H3983.00 (base)		
T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS
-30	270	04	-30	259	03
-20	270	03	-20	267	03
-10	256	05	-10	271	05
0.0	255	04	0.0	271	04
+10	242	03	+10	247	03

T-TIME PILOT-BALLOON MEASURED WIND DATA

DATE 17 July 1981

SITE: LC-33
 TIME: 1438 MDT
 WSTM COORDINATES:
 X= 484,837.15
 Y= 186,125.01
 H= 3,983.57

SITE: NICK
 TIME: 1432 MDT
 WSTM COORDINATES:
 X= 470,734.56
 Y= 255,775.64
 H= 4,126.57

LAYER MIDPOINT METERS AGL	DIRECTION DEGREES	SPEED KNOTS	LAYER MIDPOINT METERS AGL	DIRECTION DEGREES	SPEED KNOTS
SURFACE	240	06	SURFACE	033	02
150		CALM	150	069	04
210	215	02	210	071	05
270	210	03	270	070	04
330	208	05	330	070	04
390	207	06	390	074	04
500	194	07	500	097	03
650	178	08	650	135	03
800	166	09	800	219	02
950			950	248	05
1150			1150	254	06
1350			1350	266	02
1550			1550	292	03
1750			1750	299	07
2000			2000	294	06

DATA OBTAINED FROM
 DOUBLE THEODOLITE
 TRACKED PILOT-BALLOON
 OBSERVATION

DATA OBTAINED FROM
 SINGLE THEODOLITE
 TRACKED PILOT-BALLOON
 OBSERVATION

TABLE 5

AIMING AND T-TIME COMPUTER MET MESSAGES
17 JULY 1981WSD 1130 MDT
METCM1324064

00498004	30170881
01516003	30040871
02183002	29720846
03404002	29380808
04389003	29090762
05600003	28750719
06592005	28340677
07542004	27970637
08439004	27670599
09524007	27380563
10439010	27090529
11407009	26820497
12388014	26390451
13380013	25730396
14367014	25070346

LC37 1230 MDT
MET CM1324063

00507003	30470878
01517003	30170868
02471003	29830844
03473003	29500806
04411005	29120760
05601002	28750717
06586004	28380675
07509007	28020636
08475008	27750598
09408008	27470562
10410013	27150528
11376009	26840496
12400013	26410450

LC-37 1432 MDT
METCM1324063

00391001	30640877
01356002	30260867
02341005	30050843
03319004	29690805
04244005	29220760
05482004	28800717
06580004	28390675
07481006	28020636
08410012	27730562
09387013	27440562
10403016	27140528
11398017	26900496
12404013	26450450

STATION ALTITUDE 3989.00 FEET
 17 JULY 51
 ASCENSION NO. 401

SIGNIFICANT LEVEL DATA
 1480021001
 WHITE SANDS

GEOGRAPHIC COORDINATES
 32.40043 LAT DEG
 106.37033 LONG DEG

TABLE 6

PRESSURE MILLIBARS	GEOMETRIC ALTITUDE MSL FEET	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT
880.7	3989.0	26.2	100.2
850.0	5011.6	22.3	13.6
820.4	6020.9	19.2	14.0
742.6	8820.6	15.1	5.3
700.0	10455.9	11.2	5.3
649.4	12500.6	6.0	4.5
528.4	18073.9	-3.2	-4.2
500.0	19410.2	-5.3	-4.0
485.4	20175.0	-6.4	-10.8
461.8	21450.7	-9.6	-12.7
430.4	22772.4	-10.0	-10.9
400.0	25073.8	-15.9	-20.9
386.4	25929.5	-17.6	-25.1
351.2	26264.8	-21.8	-30.5
300.0	32019.8	-30.4	-41.1
			54.0
			54.0
			72.0
			52.0
			90.0
			86.0
			81.0
			71.0
			78.0
			57.0
			65.0
			62.0
			45.0
			54.0

STATION ALTITUDE 3989.00 FEET MSL
 17 JULY 61
 ASCENSION I.O. 461

UPPER AIR DATA
 1-80020401
 WHITE CARDS

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.57033 LONG DEG

TABLE 7

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	AIR TEMPERATURE DEGREES CENTIGRADE	REL. HUM. PERCENT	GEOMETRIC ALTITUDE METERS	SPEED OF SOUND KNOTS	DIRECTION DEGREES (TN)	IND. DATA SPEED KNOTS	INDEX OF REFRACTION
3989.00	809.7	26.2	54.0	1016.6	676.7	240.0	8.0	1.000304
4000.00	880.4	26.2	54.0	1016.6	676.7	240.0	7.9	1.000304
4500.00	865.2	24.3	56.0	1006.0	674.3	275.5	6.0	1.000247
5000.00	850.3	22.3	58.0	995.5	672.0	275.5	4.0	1.000290
5500.00	835.5	20.8	64.8	983.1	670.4	266.8	2.1	1.000289
6000.00	821.0	19.3	71.7	970.9	668.7	194.1	.6	1.000287
6500.00	806.5	18.5	68.6	958.8	667.6	208.6	1.5	1.000278
7000.00	792.3	17.0	65.0	947.8	666.6	216.7	2.6	1.000269
7500.00	778.3	16.3	61.4	929.0	665.6	218.6	2.8	1.000261
8000.00	764.6	15.6	57.9	915.3	664.6	220.9	2.8	1.000253
8500.00	751.1	14.7	54.3	901.9	663.6	220.9	1.8	1.000245
9000.00	737.8	14.7	53.6	888.9	662.5	282.9	1.2	1.000239
9500.00	724.6	13.5	58.2	876.5	661.1	331.9	2.7	1.000237
10000.00	711.6	12.3	62.8	864.4	659.8	335.3	4.3	1.000234
10500.00	698.9	11.1	67.5	852.4	658.4	334.7	5.8	1.000232
11000.00	686.2	9.8	73.1	840.6	656.9	331.5	5.9	1.000229
11500.00	673.7	8.5	78.7	829.0	655.5	330.0	6.0	1.000227
12000.00	661.4	7.3	84.4	817.6	654.0	331.5	6.0	1.000224
12500.00	649.4	6.0	90.0	806.5	652.5	324.6	5.1	1.000221
13000.00	637.3	5.2	89.6	793.9	651.5	305.7	4.0	1.000216
13500.00	625.4	4.4	89.3	781.6	650.4	276.1	3.6	1.000211
14000.00	613.7	3.5	88.9	769.4	649.4	247.4	4.2	1.000206
14500.00	602.3	2.7	88.6	757.5	648.4	248.1	3.8	1.000202
15000.00	591.0	1.9	88.2	745.7	647.4	251.4	3.5	1.000197
15500.00	580.0	1.0	87.8	734.1	646.3	267.7	3.8	1.000193
16000.00	569.2	.2	87.5	722.7	645.3	278.1	4.5	1.000189
16500.00	558.6	-.6	87.1	711.5	644.3	280.6	5.8	1.000185
17000.00	548.1	-1.4	86.8	700.4	643.2	273.5	7.0	1.000181
17500.00	537.9	-2.3	86.4	689.6	642.2	261.2	8.4	1.000177
18000.00	527.9	-3.1	86.1	678.9	641.2	250.4	9.8	1.000173
18500.00	517.8	-3.9	84.4	668.0	640.2	241.3	11.4	1.000169
19000.00	508.0	-4.7	82.5	657.3	639.2	237.6	11.2	1.000165
19500.00	498.3	-5.4	79.8	646.8	638.2	234.4	11.1	1.000161
20000.00	488.7	-6.1	73.3	636.6	637.3	232.7	11.2	1.000157
20500.00	479.3	-7.2	72.8	626.6	636.0	229.4	11.5	1.000153
21000.00	470.0	-8.5	75.5	617.4	634.4	224.0	12.5	1.000151
21500.00	460.9	-9.6	77.2	608.1	632.8	219.2	13.3	1.000148
22000.00	451.9	-9.8	69.3	598.7	632.8	215.0	14.1	1.000144
22500.00	443.1	-9.9	61.3	589.6	632.5	212.9	14.1	1.000140
23000.00	434.4	-10.6	57.8	579.6	631.7	211.7	13.6	1.000137

STATION ALTITUDE 39800.00 FEET MSL
 17 JULY 61
 ASCENSION NO. 461

UPPER AIR DATA
 194000061
 WHITE SANDS

1130 HRS MDT

GEODETIC COORDINATES
 32.400000 LAT DEG
 106.370333 LONG DEG

TABLE 7 Con't

GEOMETRIC ALTITUDE FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION DEGREES (TR)	SPEED KNOTS	
23500.0	425.9	-11.9	59.5	567.1	630.1	211.0	12.8	1.000134
24000.0	417.5	-13.1	61.3	558.7	628.6	212.0	11.8	1.000132
24500.0	409.2	-14.4	63.0	550.4	627.0	214.2	11.9	1.000130
25000.0	401.2	-15.7	64.7	542.3	625.4	210.0	12.3	1.000127
25500.0	393.2	-17.0	63.5	533.6	624.1	210.2	13.5	1.000125
26000.0	385.3	-17.7	61.5	525.0	622.9	212.2	14.5	1.000122
26500.0	377.5	-18.6	57.8	516.2	621.6	212.2	14.4	1.000120
27000.0	369.8	-19.5	54.2	507.6	620.6	209.3	14.1	1.000117
27500.0	362.4	-20.4	50.6	499.2	619.5	200.0	12.9	1.000115
28000.0	355.0	-21.3	46.9	490.9	618.4	204.0	12.5	1.000112
28500.0	347.8	-22.3	44.3	482.6	617.1	203.5	13.1	1.000110
29000.0	340.5	-23.5	42.0	474.9	615.7	205.5	13.8	1.000108
29500.0	333.5	-24.6	41.4	467.2	614.3	209.7	14.6	1.000106
30000.0	326.5	-25.8	39.9	459.7	612.8	209.1	15.3	1.000104
30500.0	319.8	-26.9	38.5	452.3	611.4	206.0	15.8	1.000102
31000.0	313.1	-28.1	37.0	444.9	610.0			1.000101
31500.0	306.6	-29.2	35.5	437.6	608.5			1.000099
32000.0	300.2	-30.4	34.1	430.7	607.1			1.000097

STATION ALTITUDE 3989.00 FEET MSL
 17 JULY 61
 ASCENSION NO. 461

MONITORY LEVELS
 1000020401
 WHITE CARDS

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.57033 LONG DEG

TABLE 8

PRESSURE GEOPOTENTIAL MILLIBARS	FEET	AIR TEMPERATURE DEGREES CENTIGRADE	WET-BULB DEW-POINT PERCENT	REL. HUMID. PERCENT	WIND DATA DIRECTION DEGREES (TN)	SPEED KNOTS
650.0	5008.	22.3	13.6	58.	275.4	4.0
800.0	6727.	18.2	11.4	67.	213.4	2.0
750.0	8536.	15.5	6.2	54.	229.9	1.7
700.0	10446.	11.2	5.3	67.	334.8	5.7
650.0	12462.	6.1	4.5	90.	325.5	5.2
600.0	14606.	2.5	4.1	88.	248.3	3.7
550.0	16914.	-1.3	-3.2	87.	276.0	6.8
500.0	19383.	-5.3	-8.0	81.	234.7	11.0
450.0	22075.	-9.8	-14.7	68.	214.2	14.2
400.0	25031.	-15.9	-20.9	65.	216.8	12.4
350.0	28205.	-22.0	-30.7	45.	203.8	12.9
300.0	31955.	-30.4	-41.1	34.		

STATION ALTITUDE 4651.37 FEET MSL
 17 JULY 61
 ASCENSION CO. 159 1230 HRS MDT

SIGNIFICANT LEVEL DATA
 1980140159
 LC-37

GEODETIC COORDINATES
 32.40175 LAT DEG
 106.31232 LONG DEG

TABLE 9

PRESSURE MILLIBARS	GEOMETRIC ALTITUDE MSL FEET	AIR TEMPERATURE DEGREES CENTIGRADE	REL. HUM. PERCENT
879.0	4051.4	28.9	50.0
675.0	4151.2	26.5	52.0
659.0	4908.9	23.4	60.0
606.4	6492.0	19.4	66.0
787.4	7166.4	18.5	57.0
778.0	7505.0	17.9	56.0
740.2	8098.6	14.4	57.0
721.4	9612.4	13.0	69.0
700.0	10443.8	11.4	70.0
675.8	11407.7	8.7	81.0
648.8	12514.5	6.3	81.0
631.0	13264.5	5.0	87.0
579.2	15553.5	1.5	85.0
545.8	17122.5	-1.0	74.0
537.6	17519.8	-1.9	79.0
521.4	18319.0	-3.5	76.0
500.0	19407.0	-5.1	76.0
450.6	22075.7	-9.7	67.0
443.2	22496.1	-10.4	59.0
413.8	24224.3	-14.0	63.0
400.0	25070.4	-15.2	59.0
385.0	26018.1	-17.1	54.0
371.4	26903.8	-18.6	51.0
337.8	29209.8	-23.5	41.0
300.0	32028.6	-30.3	30.0

STATION ALTITUDE 4051.37 FEET MSL
 17 JULY 61
 ASCENSION NO. 159

UPPER AIR DATA
 1480140154
 LC-37
 TABLE 10

GEODETIC COORDINATES
 32.40175 LAT DEG
 106.51232 LONG DEG

GEOMETRIC ALTITUDE ASL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL. HUM. PERCENT	DEW POINT DEGREES CENTIGRADE	WIND SPEED KNOTS	DENSITY GRAMS PER CUBIC METER	SOUND SPEED KNOTS	DIRECTION DEGREES (T)	WIND DATA		INDEX OF REFRACTION
		AIR DEGREES CENTIGRADE	TEMPERATURE DEGREES CENTIGRADE							WIND SPEED KNOTS	WIND SPEED KNOTS	
4051.4	878.0	28.9	17.4	50.0	17.4	1003.4	680.0	245.0	245.0	2.9	1.000307	
4500.0	864.5	25.2	15.6	55.3	15.6	1001.5	675.6	260.5	260.5	2.9	1.000299	
5000.0	849.7	23.4	15.2	60.0	15.2	990.6	673.4	275.1	275.1	3.0	1.000295	
5500.0	834.9	22.0	14.4	62.0	14.4	978.0	671.8	270.2	270.2	3.0	1.000290	
6000.0	820.4	20.7	13.7	64.0	13.7	965.6	670.3	265.1	265.1	3.0	1.000284	
6500.0	806.2	19.4	12.9	65.9	12.9	953.3	668.7	259.8	259.8	2.9	1.000278	
7000.0	792.0	18.7	12.6	59.2	12.6	939.6	667.6	245.9	245.9	3.5	1.000266	
7500.0	778.1	17.9	9.0	56.0	9.0	925.1	666.5	235.9	235.9	4.3	1.000258	
8000.0	764.4	16.7	7.9	56.4	7.9	913.9	665.0	231.2	231.2	4.7	1.000252	
8500.0	750.8	15.4	6.9	56.7	6.9	901.9	663.4	226.4	226.4	4.4	1.000246	
9000.0	737.5	14.2	6.2	59.7	6.2	889.7	662.0	246.4	246.4	2.3	1.000242	
9500.0	724.3	13.2	7.3	67.1	7.3	877.4	661.0	298.2	298.2	1.6	1.000242	
10000.0	711.3	12.3	6.8	69.5	6.8	865.7	659.9	332.5	332.5	2.6	1.000234	
10500.0	698.6	11.2	5.1	70.6	5.1	851.3	658.7	353.0	353.0	3.9	1.000231	
11000.0	685.9	9.8	5.9	76.3	5.9	840.1	657.0	319.4	319.4	4.3	1.000228	
11500.0	673.5	8.5	5.4	81.0	5.4	828.8	655.5	304.6	304.6	4.8	1.000222	
12000.0	661.2	7.4	4.4	81.0	4.4	817.1	654.1	292.2	292.2	6.1	1.000217	
12500.0	649.1	6.3	3.3	81.0	3.3	805.5	652.8	254.6	254.6	7.4	1.000214	
13000.0	637.2	5.5	3.1	84.9	3.1	793.1	651.7	264.1	264.1	7.8	1.000210	
13500.0	625.5	4.6	2.6	86.8	2.6	780.9	650.8	261.0	261.0	7.9	1.000206	
14000.0	613.9	3.9	1.8	86.4	1.8	768.6	649.8	272.1	272.1	7.3	1.000201	
14500.0	602.5	3.1	1.0	85.9	1.0	756.6	648.9	260.5	260.5	6.8	1.000197	
15000.0	591.3	2.3	.2	85.5	.2	744.8	647.9	245.5	245.5	6.7	1.000193	
15500.0	580.4	1.6	-.7	85.0	-.7	733.1	647.0	234.0	234.0	7.8	1.000188	
16000.0	569.5	.8	-1.9	81.9	-1.9	721.7	645.9	228.5	228.5	9.5	1.000183	
16500.0	558.8	-.0	-3.3	78.4	-3.3	710.4	644.9	228.5	228.5	10.9	1.000178	
17000.0	548.3	-.8	-4.7	74.9	-4.7	699.3	643.9	228.9	228.9	12.5	1.000175	
17500.0	538.0	-1.9	-5.0	78.8	-5.0	688.8	642.6	227.1	227.1	12.0	1.000171	
18000.0	527.8	-2.9	-6.3	77.2	-6.3	678.4	641.4	225.0	225.0	11.6	1.000167	
18500.0	517.8	-3.8	-7.4	76.0	-7.4	667.9	639.3	219.5	219.5	10.4	1.000164	
19000.0	507.9	-4.5	-8.1	76.0	-8.1	657.0	638.3	212.1	212.1	9.3	1.000161	
19500.0	498.2	-5.3	-8.9	75.7	-8.9	646.3	637.3	212.1	212.1	8.9	1.000157	
20000.0	488.6	-6.1	-10.0	74.0	-10.0	636.0	636.2	213.2	213.2	8.8	1.000153	
20500.0	479.1	-7.0	-11.1	72.3	-11.1	625.8	635.2	218.4	218.4	10.5	1.000150	
21000.0	469.9	-7.8	-12.2	70.6	-12.2	615.8	634.2	222.2	222.2	12.1	1.000147	
21500.0	460.8	-8.7	-13.4	68.9	-13.4	606.0	634.1	225.4	225.4	13.5	1.000144	
22000.0	451.9	-9.6	-14.5	67.3	-14.5	596.3	633.0	228.1	228.1	14.4	1.000140	
22500.0	443.1	-10.4	-16.8	59.0	-16.8	586.7	631.9	230.8	230.8	14.4	1.000137	
23000.0	434.4	-11.4	-17.6	60.2	-17.6	577.5	630.6	232.1	232.1	14.1	1.000135	
23500.0	425.9	-12.5	-18.4	61.3	-18.4	568.5	629.4					

STATION ALTITUDE 4051.37 FEET MSL
 17 JULY 81
 ASCENSION NO. 159 1230 HRS MDT

UPPER AIR DATA
 1980110159
 LC-37

GEODETIC COORDINATES
 32.40175 LAT DEG
 106.31232 LONG DEG

TABLE 19 Cont

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	AIR TEMPERATURE DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA DIRECTION (DEGREES (TH)	SPEED KNOTS	INDEX OF REFRACTION
24000.0	417.5	-13.5	62.5	559.5	628.1	231.2	13.6	1.000132
24500.0	409.3	-14.4	61.7	550.3	627.0	228.4	13.0	1.000130
25000.0	401.1	-15.1	59.3	541.0	626.1	223.4	12.5	1.000127
25500.0	393.1	-16.1	58.5	532.2	625.0	218.3	12.4	1.000124
26000.0	385.3	-17.1	58.0	523.6	623.7	213.3	12.5	1.000122
26500.0	377.5	-17.9	54.2	514.9	622.6	209.1	12.8	1.000119
27000.0	369.9	-18.8	50.6	506.3	621.5	205.3	13.2	1.000117
27500.0	362.4	-19.9	48.4	498.1	620.2	204.7	13.4	1.000115
28000.0	355.0	-20.9	46.2	490.1	618.4	204.3	13.6	1.000112
28500.0	347.8	-22.0	44.1	482.2	617.6	206.3	13.8	1.000110
29000.0	340.7	-23.1	41.9	474.4	616.2	208.3	14.0	1.000108
29500.0	333.7	-24.2	39.9	466.8	614.8	206.3	13.8	1.000106
30000.0	326.7	-25.4	37.9	459.3	613.3	204.1	13.6	1.000104
30500.0	319.9	-26.6	36.0	452.0	611.8	200.0	13.9	1.000102
31000.0	313.3	-27.8	34.0	444.7	610.3	195.9	14.3	1.000100
31500.0	306.8	-29.0	32.1	437.6	608.8			1.000099
32000.0	300.4	-30.2	30.1	430.7	607.2			1.000097

STATION ALTITUDE 4051.37 FEET MSL
 17 JULY 61
 ASCENSION, .0. 159 1230 HRS MDT

INDUSTRY LEVELS
 1980140159
 LC-37

GEODETIC COORDINATES
 32.40175 LAT DEG
 106.31232 LON DEG

TABLE 11

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUMIDITY PERCENT	WIND DATA	
MILLIBARS	FEET	ATMOSPHERIC DEGREES	DEW POINT CENTIGRADE		DIRECTION DEGREES (TN)	SPEED KNOTS
850.0	4985.	23.4	15.2	60.	275.3	3.0
800.0	6712.	19.1	11.9	63.	254.0	3.1
750.0	8525.	15.3	6.8	57.	231.7	4.3
700.0	10433.	11.4	6.1	70.	336.7	3.4
650.0	12451.	6.4	3.4	81.	293.1	5.9
600.0	14597.	2.9	.8	86.	269.9	7.2
550.0	16899.	-.7	-4.5	75.	228.3	10.7
500.0	19379.	-5.1	-8.7	76.	213.6	9.5
450.0	22075.	-9.8	-14.4	60.	226.0	13.7
400.0	25028.	-15.2	-21.4	59.	222.8	12.5
350.0	28300.	-21.7	-30.4	45.	205.7	13.7
300.0	31964.	-30.3	-42.2	30.		

STATION ALTITUDE 4051.37 FEET MSL
 17 JULY 61
 ASCENSION NO. 100 1430 MRS MDT

SIGNIFICANT LEVEL DATA
 19801M0160
 LC-37

GEODEIC COORDINATES
 32.40175 LAT DEG
 106.31232 LON DEG

TABLE 12

PRESSURE MILLIBARS	GEOMETRIC ALTITUDE MSL FEET	TEMPERATURE AIR DEWPOINT DEGREES CENTIGRAH	REL. HUM. PERCENT
876.9	4051.4	31.0	16.0
873.8	4155.3	28.4	15.0
850.0	4359.3	26.1	14.9
824.6	5036.0	23.9	14.3
793.8	6255.3	20.6	13.1
755.2	8335.3	16.6	12.6
716.4	9041.0	15.1	8.0
709.4	10118.2	13.0	6.4
700.0	10447.9	12.0	6.7
680.4	11229.8	10.1	6.4
635.2	13095.6	5.0	3.5
626.0	13488.5	5.6	3.3
617.4	13860.8	4.7	1.7
599.8	14635.5	3.1	.8
573.8	15814.9	1.4	-3.3
565.0	16224.2	.6	-3.0
531.0	17826.8	-2.4	-5.0
500.0	19423.9	-4.2	-9.0
451.2	22065.9	-9.1	-14.6
443.4	22509.6	-9.8	-16.1
434.8	23006.6	-10.5	-16.4
412.6	24330.2	-12.3	-19.0
400.0	25100.9	-13.5	-22.4
369.2	27099.6	-17.7	-26.2
342.0	28370.0	-21.8	-33.4
300.0	32096.2	-29.8	-42.4

STATION ALTITUDE 4651.17 FEET MSL
 17 JULY 81
 ASCENSION 10. 100 1430 HRS MDT

UPPER AIR DATA
 1480140160
 LC-37

GEOMETRIC COORDINATES
 32.40175 LAT DEG
 106.31232 LONG DEG

TABLE 13

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE		REL HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
		AIR DEGREES	DEWPOINT CLINTIGRADE				DIRECTION DEGREES (TN)	SPEED KNOTS	
4051.4	876.9	31.0	16.6	42.0	996.2	682.2	270.0	1.0	1.000299
4500.0	865.5	27.4	15.0	46.6	993.4	677.9	201.9	2.0	1.000293
5000.0	848.8	26.0	14.8	50.2	981.0	676.4	195.0	3.1	1.000290
5500.0	834.2	24.7	14.5	53.1	968.3	674.9	193.0	4.3	1.000287
6000.0	819.9	23.4	14.1	56.1	957.0	673.4	186.0	4.7	1.000283
6500.0	805.7	21.9	13.6	59.3	944.4	671.6	176.5	4.6	1.000278
7000.0	791.7	20.4	13.1	62.8	932.8	669.9	163.5	4.2	1.000274
7500.0	777.8	19.0	13.0	68.1	920.9	668.3	145.4	3.8	1.000272
8000.0	764.2	17.6	12.7	73.4	909.1	666.7	127.0	3.8	1.000269
8500.0	750.8	16.2	11.7	74.2	897.5	665.0	129.4	2.1	1.000262
9000.0	737.5	15.2	8.8	65.7	885.8	663.5	151.3	.5	1.000249
9500.0	724.3	14.2	7.6	64.6	873.3	662.2	263.2	1.5	1.000243
10000.0	711.4	13.2	6.6	64.1	860.9	661.0	272.7	3.1	1.000237
10500.0	698.7	11.9	6.7	70.5	849.4	659.5	283.1	3.1	1.000235
11000.0	685.1	10.7	6.5	75.7	837.6	658.1	292.6	3.3	1.000232
11500.0	673.6	9.4	6.0	79.7	826.3	656.5	246.7	3.6	1.000229
12000.0	661.4	8.0	5.3	83.0	815.3	654.9	300.1	3.9	1.000224
12500.0	649.3	6.6	4.5	86.2	804.5	653.2	283.9	4.5	1.000220
13000.0	637.4	5.3	3.7	89.4	793.8	651.6	271.6	5.4	1.000216
13500.0	625.7	5.6	3.2	84.9	774.4	651.9	254.3	6.9	1.000211
14000.0	614.2	4.4	1.6	81.7	767.6	650.4	242.7	8.8	1.000205
14500.0	602.8	3.4	1.0	84.3	754.3	649.2	234.7	10.1	1.000201
15000.0	591.6	2.6	-4	80.7	744.7	648.1	228.3	11.3	1.000196
15500.0	580.6	1.9	-2.1	74.7	733.0	647.1	223.8	12.1	1.000189
16000.0	569.8	1.0	-3.1	73.7	721.6	646.1	220.1	12.6	1.000185
16500.0	559.1	.1	-3.3	77.9	710.5	645.0	219.8	13.5	1.000179
17000.0	548.6	-9	-4.0	79.4	694.6	643.4	221.2	14.6	1.000176
17500.0	538.2	-1.8	-4.6	81.0	684.9	642.7	223.1	15.4	1.000172
18000.0	528.1	-2.6	-5.5	80.6	674.0	641.7	225.1	16.1	1.000168
18500.0	518.0	-3.2	-6.7	76.5	666.0	641.0	225.0	16.5	1.000164
19000.0	508.2	-3.7	-7.9	72.5	658.4	640.3	224.2	16.7	1.000160
19500.0	498.5	-4.3	-9.2	68.9	644.6	639.5	223.6	16.6	1.000156
20000.0	488.9	-5.3	-10.2	67.9	634.4	638.3	223.2	16.3	1.000156
20500.0	479.5	-6.2	-11.3	67.0	624.5	637.2	223.7	15.4	1.000153
21000.0	470.3	-7.1	-12.4	66.0	614.7	636.0	223.7	14.4	1.000150
21500.0	461.2	-8.1	-13.4	65.1	605.0	634.9	224.5	13.4	1.000146
22000.0	452.4	-9.0	-14.5	64.1	595.5	633.7	225.5	12.3	1.000143
22500.0	443.6	-9.8	-16.0	60.1	585.9	632.7	229.6	12.3	1.000140
23000.0	434.9	-10.5	-17.4	52.1	576.1	631.8	234.1	12.5	1.000136
23500.0	426.4	-11.2	-18.6	53.9	566.3	631.0	235.7	13.4	1.000134

STATION ALTITUDE 4051.37 FEET MSL
 17 JULY 61
 ASCENSION NO. 100

UPPER AIR DATA
 14801001600
 LC-37

GEODETIC COORDINATES
 32.40175 LAT DEG
 106.31232 LONG DEG

TABLE 13 Cont

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	TEMPERATURE AIR DEGREES CENTIGRADE	REL. HUM. PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND KNOTS	WIND DATA		INDEX OF REFRACTION
						DIRECTION (DEGREES(TN))	SPEED KNOTS	
24000.0	410.0	-11.9	55.8	550.0	630.1	237.0	14.3	1.000132
24500.0	409.8	-12.6	54.8	547.2	629.3	235.2	13.1	1.000129
25000.0	401.7	-13.3	48.4	538.1	628.3	233.1	11.9	1.000126
25500.0	393.8	-14.3	45.4	529.5	627.0	230.9	10.8	1.000123
26000.0	385.9	-15.4	43.4	521.1	625.7	229.0	10.2	1.000121
26500.0	378.2	-16.4	41.4	512.9	624.4	227.0	10.7	1.000118
27000.0	370.7	-17.5	39.4	504.8	623.1	228.9	10.9	1.000116
27500.0	363.2	-18.6	37.9	496.7	621.8	225.7	10.7	1.000114
28000.0	355.8	-19.7	36.6	488.8	620.4	222.8	11.1	1.000112
28500.0	348.6	-20.8	35.3	481.0	619.0	220.5	11.9	1.000110
29000.0	341.6	-21.9	33.9	473.4	617.7	217.0	12.5	1.000108
29500.0	334.5	-23.2	33.0	465.9	616.1	214.2	13.0	1.000106
30000.0	327.5	-24.4	32.0	458.6	614.5	210.5	13.1	1.000104
30500.0	320.8	-25.7	31.1	451.5	612.9	205.7	12.7	1.000102
31000.0	314.1	-27.0	30.1	444.4	611.3			1.000100
31500.0	307.6	-28.3	29.1	437.5	609.7			1.000099
32000.0	301.2	-29.6	28.2	430.7	608.1			1.000097

STATION ALTITUDE 4051.37 FEET MSL
 17 JULY 81 1430 HRS MDT
 ASCENSION NO. 100

MANDATORY LEVELS
 19801R0160
 LC-37

GEOGETIC COORDINATES
 32.40175 LAT DEG
 106.31232 LON DEG

TABLE 14

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUM.	WIND DATA	
MILLIBARS	FEET	AIR DEGREES CENTIGRADE	DEWPOINT CENTIGRADE	PERCENT	DIRECTION DEGREES(TH)	SPEED KNOTS
850.0	4956.	26.1	14.4	50.	196.1	3.0
800.0	6699.	21.3	13.3	61.	172.3	4.6
750.0	8521.	16.2	11.5	74.	129.6	2.1
700.0	10437.	12.0	6.7	70.	281.9	3.1
650.0	12460.	6.7	4.5	86.	284.9	4.5
600.0	14609.	3.1	.8	85.	233.1	10.4
550.0	16912.	-4.2	-3.9	79.	221.0	14.5
500.0	19396.	-9.2	-14.9	63.	223.7	16.6
450.0	22099.	-13.5	-22.4	47.	226.4	12.3
400.0	25066.	-20.6	-31.8	36.	232.7	11.7
350.0	28355.	-29.8	-42.4	28.	221.0	11.7
300.0	32031.					

DATE
FILMED
- 8