

12 LEVEL III

AD

AD A104380

MEMORANDUM REPORT ARBRL-MR-03114


(Supersedes IMR No. 685)

PREDICTION OF 3-D BLAST LOADING ON A
PARTIALLY-OPEN INDUSTRIAL BUILDING:
FEASIBILITY STUDY

John D. Wortman
Clarence W. Kitchens, Jr.
Richard E. Lottero

DTIC
ELECTE
SEP 10 1981
S B

July 1981



US ARMY ARMAMENT RESEARCH AND DEVELOPMENT COMMAND
BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MARYLAND

Approved for public release; distribution unlimited.

DTIC FILE COPY

81 8 27 021

Destroy this report when it is no longer needed.
Do not return it to the originator.

Secondary distribution of this report by originating
or sponsoring activity is prohibited.

Additional copies of this report may be obtained
from the National Technical Information Service,
U.S. Department of Commerce, Springfield, Virginia
22161.

The findings in this report are not to be construed as
an official Department of the Army position, unless
so designated by other authorized documents.

*The use of trade names or manufacturers' names in this report
does not constitute indorsement of any commercial product.*

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER MEMORANDUM REPORT ARBRL-MR- 03114	2. GOVT ACCESSION NO. -1D-A104 B80	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) PREDICTION OF 3-D BLAST LOADING ON A PARTIALLY- OPEN INDUSTRIAL BUILDING: FEASIBILITY STUDY	5. TYPE OF REPORT & PERIOD COVERED Final Report April 80 - December 80	
7. AUTHOR(s) John D. Wortman, Clarence W. Kitchens, Jr. and Richard E. Lottero	6. PERFORMING ORG. REPORT NUMBER	
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Ballistic Research Laboratory ATTN: DRDAR-BLT Aberdeen Proving Ground, MD 21005	8. CONTRACT OR GRANT NUMBER(s)	
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Armament Research & Development Command US Army Ballistic Research Laboratory ATTN: DRDAR-BL , APG, Maryland 21005	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 1L66261AH80	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	12. REPORT DATE JULY 1981	13. NUMBER OF PAGES 32
	15. SECURITY CLASS. (of this report) UNCLASSIFIED	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES This report supersedes Interim Memorandum Report No. 685 dated June 1980.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) 3-D blast loading Inviscid computation Open building Finite-difference Oblique shock wave 3-D HULL hydrocode Euler equations		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) (bas) The modified 3-D HULL hydrocode is used to calculate the blast loading on a partially-open, industrial-type building struck by a 32.8 kPa (4.75 psi) overpressure shock at oblique incidence. The feasibility of predicting the net unsteady loading on the front and back walls of the building is demonstrated. The predicted loading appears to be qualitatively correct; further studies will be necessary to assess the quantitative results and extend the analysis to other types of structures.		

DD FORM 1473 1 JAN 73

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

1/2

TABLE OF CONTENTS

	Page
LIST OF ILLUSTRATIONS.	5
I. INTRODUCTION	7
II. DESCRIPTION OF COMPUTATION	8
III. DISCUSSION OF RESULTS.	9
IV. CONCLUSIONS.	10
REFERENCES	13
DISTRIBUTION LIST.	21

Accession No.	
Number	✓
Date	
Author	
Title	
Subject	
Classification	
Notes	
Remarks	
Initials	
Signature	
Stamp	
Other	
A	

LIST OF ILLUSTRATIONS

Figure	Page
1. Steel-frame industrial building (from Glasstone and Dolan ¹).	14
2. Comparison of predicted and measured overpressure-time histories at typical point on front face of S-280 Electrical Equipment Shelter model (from Lottero et al ² .)	14
3. Schematic of partially-open industrial building modeled in 3-D grid.	15
4. Top view of computational grid showing initial shock position (ground plane).	15
5. Isobars predicted at t = 0.23 ms; (a) Z = 5.3 cm, (b) Y = 29.8 cm.	16
6. Isobars predicted at t = 0.28 ms; (a) Z = 5.3 cm, (b) Y = 29.8 cm.	17
7. Isobars predicted at t = 0.38 ms; (a) Z = 5.3 cm, (b) Y = 29.8 cm.	18
8. Isobars predicted at t = 0.58 ms; (a) Z = 5.3 cm, (b) Y = 29.8 cm.	19
9. Predicted overpressure histories at positions A and B on front wall of building.	20
10. Predicted overpressure histories at positions C and D on back wall of building	20

I. INTRODUCTION

Blast effects from nuclear weapons are directly responsible for various forms of structural damage to residential and industrial buildings. A considerable amount of information about the blast response of full-scale and model structures has been obtained in previous nuclear and high-explosive test programs.¹ However, in many cases correlation between the observed structural damage and the predicted results has been hampered by uncertainties in the blast loading history on the structures. These uncertainties in the blast loading have typically been experienced for industrial-type structures, typified by the partially-open industrial building¹ shown in Figure 1. This building has a steel framework covered with concrete siding and a frangible metal roof. The concrete siding only partially covers the two walls, leaving a considerable part of the wall area open. The level of blast damage experienced by a given structure is a function of the blast wave peak overpressure, the positive phase duration (yield), and the orientation of the structure with respect to the incident shock. The prediction of the unsteady blast loading on such structures is difficult because of the complex geometry.

Success was recently achieved at the BRL in predicting the blast loading on an S-280 Electrical Equipment Shelter struck at an oblique angle by a 32.8 kPa (4.75 psi) overpressure step shock.² The shelter is essentially a rectangular parallelepiped, 3.62 m wide, 2.17 m deep, and 2.11 m high. The numerical results were obtained using a modified version* of the three-dimensional (3-D) HULL hydrocode,³ which solves the inviscid Euler equations. The shelter was modeled in the computational flow field as a rigid obstacle sitting on a perfectly reflecting ground plane. It was oriented so that its front face (one of the two 3.62 m by 2.11 m faces) was at a 52.5 degree angle to the oncoming shock

¹S. Glasstone, and P. J. Dolan (Ed.), "The Effects of Nuclear Weapons," Dept. of Army Pamphlet 50-3, March 1977.

²R. E. Lottero, J. D. Wortman, B. P. Bertrand and C. W. Kitchens, Jr., "Oblique Interaction of a Shock Wave with a Tactical Communications Shelter," Proceedings of the 1980 Army Numerical Analysis and Computers Conference, Moffett Field, CA, 21-22 February 1980.

*The modifications were made to the AFWL version³ at the BRL both by the BRL and by individuals under contract to the BRL. The modified version has been given to AFWL.

³M. A. Fry, R. E. Durrett, G. P. Ganong, D. A. Matuska, M. D. Stucker, B. S. Chambers, C. E. Needham, and C. D. Westmoreland, "The HULL Hydrodynamics Computer Code," AFWL-TR-76-183, U.S. Air Force Weapons Laboratory, Kirtland Air Force Base, NM (September 1976).

wave front, with the angle measured between the front face and the wave front. The accuracy of these 3-D calculations was verified by comparison with experimental results taken in the BRL 0.6 m (24 inch) diameter⁴ shock tube using a 1/18 scale-model shelter.

Figure 2 shows a comparison between the predicted and measured overpressure histories at a typical point on the shelter front face. Every fifth computed data point on the curve of the predicted results from HULL has been marked with an "X" for ease in differentiating between the two curves. The experimental results show a shock which has reflected from the shelter, traveled to the shock tube wall, and reflected from it, arriving at the gage on the front face at 1.2 ms. This "interference effect" was not simulated in the computation because the computational boundaries, except for the ground plane, are transmissive. The results are in good agreement; similar good agreement was found in the comparisons for other shelter faces (not shown here). The conclusion from this work was that the modified 3-D HULL hydrocode can provide accurate blast loading predictions (errors less than approximately 10%) for this class of problems at moderate cost.

The main difference between a computational study of an open industrial structure¹ and that for the shelter model² is that a hollow, thin-walled structure with both internal and external flow must be modeled instead of a solid structure with only external flow. However, these two problems are of the same class, and hence HULL should be expected to provide an accurate computation for the open structure. This is an area in which hydrocodes have not yet been properly exploited but could be used to provide the loading as a function of time on the walls, roofs, and floors of such structures. More sense could then be made of existing experimental data, and information could be generated where none now exists. This report describes the computations in this feasibility study and presents typical results to illustrate that blast loading at arbitrary obliquity on open industrial structures can be predicted by computational means.

II. DESCRIPTION OF COMPUTATION

The approach adopted in this study has been to exploit the demonstrated capability² of the BRL's version of HULL to predict loading on 3-D structures from oblique shock diffraction. This was done by adapting the 3-D computational grid for the shelter model to simulate an identical shock wave at the same angle of obliquity diffracting over an open industrial building. The building was "constructed" by hollowing out the shelter model, leaving front and

⁴G. A. Coulter and B. P. Bertrand, "BRL Shock Tube Facility for the Simulation of Air Blast Effects," U.S. Army Ballistic Research Laboratory Memorandum Report No. 1685, August 1965, (AD 475669).

back walls that were one cell thick. The shelter endwalls were removed and the flat roof was replaced with a peaked roof. Window openings were added at the centers of both remaining walls, leaving 12.5% of the wall area open. The windows are one-fourth of the wall height and one-half of the wall length in size.

Figure 3 shows a schematic view of the model structure treated in this study. The peaked roof is irregular because rectangular parallel-piped cells (which are either all hydrodynamic or all rigid) are used in the present version of 3-D HULL; future work is planned to eliminate this shortcoming. The roof slope increases slightly with height due to the use of a variable mesh; this can easily be refined in further studies.

The complete finite-difference grid consists of 92,512 cells, with $49 \times 59 \times 32$ cells in the X,Y, and Z directions, respectively. The model structure is placed on the ground plane ($Z = 0$), roughly in the center of the X-Y plane. Figure 4 is a top view of the computational grid, showing the grid boundaries, the location of the structure within the grid, and the position of the incident shock at the start of the calculation ($t = -0.07$ ms). By definition, the shock strikes the leading edge of the structure at $t = 0$. The mesh size inside and immediately adjacent to the structure is approximately $0.74 \times 0.73 \times 0.71$ cm. The mesh size geometrically increases with distance away from the building, giving approximately a 7% variation in size between adjacent cells. The transmissive grid boundaries are located far enough away from the structure that more than 1 ms of the loading process can be simulated for this model size. (Wave interactions with transmissive grid boundaries can send artificial waves back into the computational flow field.) A computational grid simulating a larger region around the model would have to be used in order to compute farther out in time to have confidence that artificial waves were not reaching regions of interest. The 32.8 kPa shock impinges on the front wall of the structure at an angle of 52.5° . This angle was chosen because it produces a peak reflected pressure on the front face that is larger than that for normal reflection (for a nominal 34.5 kPa shock).

Figure 4 also shows the location of four positions (A through D) on the front and back walls of the structure at which predicted pressure-time histories will be presented. These points are located at $Y = 34.7$ cm and $Z = 2.8$ cm, slightly below the window openings. The computational results for this problem were obtained in approximately 30 minutes of CPU time on the BRL Cyber 76 computer.

III. DISCUSSION OF RESULTS

Figures 5-8 present a qualitative indication of the three-dimensional diffraction process occurring as the shock transits the model structure. Figures 5a - 8a show a time sequence of isobars (pressure

contours) in a horizontal plane ($Z = 5.3$ cm) which passes through the window openings, just below the middle of the windows. The shock is moving from the lower left corner of the figure, approximately toward the upper right. It is depicted by the concentration of isobars. Figures 5b - 8b show the same time sequence of isobars in an orthogonal view; this vertical plane passes through approximately the middle of the building ($Y = 29.8$ cm). The sequence of figures also gives an indication of the shock movement through the grid. The contour numbers indicated on the figures refer to overpressure levels. The waviness of the contour lines near the grid boundaries is an artifact of the contour-drawing algorithm, which is further accentuated by the high aspect ratios of the flow field cells in those regions.

The reflection of the incident shock from the front and back walls can be traced through Figures 5a - 7a. The back wall is partially shielded from the incident shock wave by the presence of the front wall; this effect can be seen in Figures 7a and 8a. Figures 5b - 7b show the progression of the diffracted shock through the windows and over and along the peaked roof. Figures 8a and 8b illustrate the late-time diffraction process as the incident shock reaches the rear-most corner of the structure relative to the corner which the shock first encounters.

Quantitative comparisons of the computed results have been made between the loading at opposite positions on both the front and back walls to demonstrate the significance of shielding effects. Figure 9 shows the predicted overpressure histories at positions A (outside surface) and B (inside surface) on the front wall. The curve for position A has every fifth computed point marked with an "X" for ease of differentiation between the two curves. (The curve for point D on Figure 10 is similarly marked.) The computed loading histories are consistent with the qualitative results in Figures 5 - 7. The net loading at this position is directed inward until approximately $t = 0.7$ ms, at which time the direction momentarily reverses, apparently due to the arrival of waves reflected from the back wall.

Figure 10 shows a similar comparison between the overpressure histories at positions C (inside surface) and D (outside surface) on the back wall. The net loading at this position is directed outward during the time interval shown, with a loading history that is quite different from that shown in Figure 9. In this case a secondary peak at $t = 0.9$ ms in the net loading at this position is apparently caused by waves reflected from the inside of the front wall.

IV. CONCLUSIONS

This feasibility study has shown that the modified 3-D HULL hydrocode can be used to predict the blast loading on a fairly complex industrial-type building. The qualitative results exhibit the features expected during such a shock diffraction process. The net loading

history on the walls of the structure can easily be obtained from the computed results for use in structural response analysis.

It should be recognized, however, that the accuracy of the predicted blast loading history has not been established for this case. Further numerical studies, including comparisons with experimental data, will be needed to validate the predicted loading on such buildings and assess the overall accuracy of the results. At this point we are optimistic that the results will prove to be accurate enough to be useful in analyzing the response and vulnerability of such structures.

REFERENCES

1. S. Glasstone, and P. J. Dolan (Ed.), "The Effects of Nuclear Weapons," Dept. of Army Pamphlet 50-3, March 1977.
2. R. E. Lottero, J. D. Wortman, B. P. Bertrand and C. W. Kitchens, Jr., "Oblique Interaction of a Shock Wave with a Tactical Communications Shelter," Proceedings of the 1980 Army Numerical Analysis and Computers Conference, Moffett Field, CA, 21-22 February 1980.
3. M. A. Fry, R. E. Durrett, G. P. Ganong, D. A. Matuska, M. D. Stucker, B. S. Chambers, C. E. Needham, and C. D. Westmoreland, "The HULL Hydrodynamics Computer Code," AFWL-TR-76-183, U.S. Air Force Weapons Laboratory, Kirtland Air Force Base, NM (September 1976).
4. G. A. Coulter and B. P. Bertrand, "BRL Shock Tube Facility for the Simulation of Air Blast Effects," U.S. Army Ballistic Research Laboratory Memorandum Report No. 1685, August 1965, (AD 475669).




Figure 1. Steel-frame industrial building (from Glasstone and Dolan¹).




Figure 2. Comparison of predicted and measured overpressure-time histories at typical point on front face of S-280 Electrical Equipment Shelter model (from Lottero et al.²).




Figure 3. Schematic of partially-open industrial building modeled in 3-D grid.




Figure 4. Top view of computational grid showing initial shock position (ground plane).





Figure 5. Isobars predicted at $t = 0.23$ ms; (a) $Z = 5.3$ cm, (b) $Y = 29.8$ cm.





Figure 6. Isobars predicted at $t = 0.28$ ms; (a) $Z = 5.3$ cm, (b) $Y = 29.8$ cm.





Figure 7. Isobars predicted at $t = 0.38$ ms; (a) $Z = 5.3$ cm, (b) $Y = 29.8$ cm.





Figure 8. Isobars predicted at $t = 0.58$ ms; (a) $Z = 5.3$ cm, (b) $Y = 29.8$ cm.




Figure 9. Predicted overpressure histories at positions A and B on front wall of building.




Figure 10. Predicted overpressure histories at positions C and D on back wall of building.

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
12	Commander Defense Technical Info Center ATTN: DDC-DDA Cameron Station Alexandria, VA 22314	1	Director Weapons Systems Evaluation Gp ATTN: Document Control Washington, DC 20305
4	Director of Defense Research and Engineering ATTN: DD/TWP DD/S&SS DD/I&SS AD/SW Washington, DC 20301	1	Director National Security Agency ATTN: E. F. Butala, R15 Ft. George G. Meade, MD 20755
2	Asst. to the Secretary of Defense (Atomic Energy) ATTN: Document Control Donald R. Cotter Washington, DC 20301	3	Director Joint Strategic Target Planning Staff JCS ATTN: Sci & Tech Info Lib JLTW-2 DOXT Offut AFB Omaha, NB 68113
3	Director Defense Advanced Research Projects Agency ATTN: Tech Lib NMRO PMO 1400 Wilson Boulevard Arlington, VA 22209	1	Director Defense Communications Agency ATTN: Code 930 Washington, DC 20305
2	Director Federal Emergency Management Agency ATTN: Mr. George Sisson/RF-SR Technical Library Washington, DC 20301	5	Director Defense Nuclear Agency ATTN: STSI/Archives SPAS STSP STVL/Dr. La Vier RATN Washington, DC 20305
4	Director Defense Intelligence Agency ATTN: DT-1B DB-4C/E. O. Farrell DT-2/Wpns & Sys Div RDS-344 Washington, DC 20301	7	Director Defense Nuclear Agency ATTN: DDST/Dr. Conrad DDST/Dr. Oswald STTL/Tech Lib (2 cys) SPSS/K. Goering G. Ullrich SPTD/T. Kennedy Washington, DC 20305

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
2	Commander Field Command, DNA ATTN: FCPR FCTMOF Kirtland AFB, NM 87115	2	Office, Chief of Engineers Department of the Army ATTN: DAEN-MCE-D DAEN-RDM 890 South Pickett Street Alexandria, VA 22304
1	Commander Field Command, DNA Livermore Branch ATTN: FCPRL P.O. Box 808 Livermore, CA 94550	5	Commander US Army Engineer Waterways Experiment Station ATTN: Technical Library William Flathau John N. Strange Guy Jackson Leo Ingram P.O. Box 631 Vicksburg, MS 39180
1	Director Institute for Defense Analyses ATTN: IDA Librarian, Ruth S. Smith 400 Army-Navy Drive Arlington, VA 22202	1	Commander US Army Engineering Center ATTN: ATSEN-SY-L Fort Belvoir, VA 22060
1	Program Manager US Army BMD Program Office ATTN: John Shea 5001 Eisenhower Avenue Alexandria, VA 22333	1	Division Engineer US Army Engineering Division ATTN: HNDSE-R/M.M. Dembo Huntsville Box 1600 Huntsville, AL 35804
2	Director US Army BMD Advanced Technology Center ATTN: CRDABH-X CRDABH-S Huntsville, AL 35807	1	Division Engineer US Army Engineering Division Ohio River ATTN: Docu Cen P.O. Box 1159 Cincinnati, OH 45201
1	Commander US Army BMD Command ATTN: BDMSC-TFN/N.J. Hurst P.O. Box 1500 Huntsville, AL 35807	2	HDQA (DAMA-AR; NCL Div) Washington, DC 20310
2	Deputy Chief of Staff for Operations and Plans ATTN: Technical Library Director of Chemical & Nuclear Operations Department of the Army Washington, DC 20310	1	Commander US Army Materiel Development and Readiness Command ATTN: DRCDMD-ST 5001 Eisenhower Avenue Alexandria, VA 22333

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Commander US Army Materiel Development and Readiness Command ATTN: Technical Library 5001 Eisenhower Avenue Alexandria, VA 22333	6	Commander US Army Electronics Research and Development Command ATTN: DELSD-L DELEW-E W. S. McAfee R. Freiberg DELS-D-EI, J. Roma DELS-D-EM A. Sigismondi C. Goldy Fort Monmouth, NJ 07703
3	Commander US Army Armament Research and Development Command ATTN: DRDAR-LCN-F, W.Reiner DRDAR-TSS (2 cys) Dover, NJ 07801	7	Commander US Army Harry Diamond Labs ATTN: Mr. James Gaul Mr. L. Belliveau Mr. J. Meszaros Mr. J. Gwaltney Mr. F. W. Balicki Mr. Bill Vault Mr. R. J. Bostak 2800 Powder Mill Road Adelphi, MD 20783
1	Commander US Army Armament Materiel Readiness Command ATTN: DRSAR-LEP-L, Tech Lib Rock Island, IL 61299	5	Commander US Army Harry Diamond Labs ATTN: DELHD-TA-L DRXDO-TI/002 DRXDO-NP DRXDO-RBH/P. Caldwell DELHD-RBA/J. Rosado 2800 Powder Mill Road Adelphi, MD 20783
1	Director US Army ARRADCOM Benet Weapons Laboratory ATTN: DRDAR-LCB-TL Watervliet, NY 12189	1	Commander US Army Missile Command ATTN: DRSMI-R Redstone Arsenal, AL 35809
1	Commander US Army Aviation Research and Development Command ATTN: DRDAV-E 4300 Goodfellow Blvd. St. Louis, MO 63120	1	Commander US Army Missile Command ATTN: DRSMI-YDL Redstone Arsenal, AL 35809
1	Director US Army Air Mobility Research and Development Laboratory Ames Research Center Moffett Field, CA 94035		
1	Commander US Army Communications Rsch and Development Command ATTN: DRDCO-PPA-SA Fort Monmouth, NJ 07703		

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
2	Commander US Army Missile Command ATTN: MICOM-XS/Chief Scientist Technical Library Redstone Arsenal, AL 35809	1	Commander US Army Research Office P.O. Box 12211 Research Triangle Park NC 27709
2	Commander US Army Natick Research and Development Command ATTN: DRXRE/Dr. D. Sieling DRXNM-UE Arthur Johnson Natick, MA 01762	4	Commander US Army Nuclear Agency ATTN: ACTA-NAW MONA-WE Technical Library CPT Ebright 7500 Backlick Rd, Bldg. 2073 Springfield, VA 22150
1	Commander US Army Tank Automotive Rsch and Development Command ATTN: DRDTA-UL Warren, MI 48090	1	Commander US Army TRADOC ATTN: ATCD-SA, Mr. Oscar Wells Fort Monroe, VA 23651
1	Commander US Army Foreign Science and Technology Center ATTN: Rsch & Concepts Branch 220 7th Street, NE Charlottesville, VA 22901	2	Director US Army TRADOC Systems Analysis Activity ATTN: LTC John Hesse ATAA-SL, Tech Lib White Sands Missile Range NM 88002
1	Commander US Army Logistical Center ATTN: ATCL-SCA Mr. Robert Cameron Fort Lee, VA 23801	1	Commander USA Combined Arms Combat Developments Activity ATTN: ATCA-CO, Mr. L.C. Pleger Fort Leavenworth, KS 66027
3	Commander US Army Materials and Mechanics Research Center ATTN: Technical Library John Mescall Richard Shea Watertown, MA 02172	1	Commandant Interservice Nuclear Weapons School ATTN: Technical Library Kirtland AFB, NM 87115
		1	Chief of Naval Material ATTN: MAT 0523 Department of the Navy Arlington, VA 22217

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
2	Chief of Naval Operations ATTN: OP-03EG OP-985F Department of the Navy Washington, DC 20350	2	Commander Naval Ship Engineering Ctr ATTN: Technical Library NSEC 6105G Hyattsville, MD 20782
1	Chief of Naval Research ATTN: N. Perrone Department of the Navy Washington, DC 20360	1	Commander David W. Taylor Naval Ship Research & Development Ctr ATTN: Lib Div, Code 522 Bethesda, MD 20084
3	Director Strategic Systems Projects Ofc ATTN: NSP-43, Tech Lib NSP-273 NSP-272 Department of the Navy Washington, DC 20360	1	Commander Naval Surface Weapons Center ATTN: DX-21, Library Br. Dahlgren, VA 22448
1	Commander Naval Electronic Systems Com ATTN: PME 117-21A Washington, DC 20360	3	Commander Naval Surface Weapons Center ATTN: Code WAS01/Navy Nuclear Programs Office Code WX21/Tech Lib Code 240/C.J. Aronson Silver Spring, MD 20910
3	Commander Naval Facilities Engineering Command ATTN: Code 03A Code 04A Technical Library Washington, DC 20360	2	Commander Naval Weapons Center ATTN: Code 533, Tech Lib Code 33804, M. Keith China Lake, CA 93555
2	Commander Naval Sea Systems Command ATTN: ORD-91313 Library Code 03511 Department of the Navy Washington, DC 20362	2	Commander Naval Ship Research and Development Center Facility Underwater Explosions Research Division ATTN: Code 17, W.W. Murray Technical Library Portsmouth, VA 23709
4	Officer-in-Charge Civil Engineering Laboratory Naval Constr Btn Ctr ATTN: Stan Takahashi R. J. Odello John Crawford Technical Library Port Hueneme, CA 93041	2	Commander Naval Weapons Evaluation Facility ATTN: Document Control R. Hughes Kirtland AFB Albuquerque, NM 87117

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Commander Naval Research Laboratory ATTN: Code 2027, Tech Lib Washington, DC 20375	1	AFWL/SUL, Jimmie L. Bratton Kirtland AFB, NM 87117
1	Superintendent Naval Postgraduate School ATTN: Code 2124 Tech Reports Lib Monterey, CA 93940	1	AFWL/R. Henny Kirtland AFB, NM 87117
1	HQ USAF (IN) Washington, DC 20330	1	AFWL/SUL, M. A. Plamondon Kirtland AFB, NM 87117
1	HQ USAF (PRE) Washington, DC 20330	2	Commander-in-Chief Strategic Air Command ATTN: NRI-STINFO Lib SPFS Offutt AFB, NB 68113
2	AFSC (DLCAW; Tech Lib) Andrews AFB Washington, DC 20331	1	AFIT (Lib Bldg. 640, Area B) Wright-Patterson AFB Ohio 45433
2	ADTC (ADBRL-2; Tech Lib) Eglin AFB, FL 32542	4	FTD (TDFBD; TDPMG; ETET, CPT R.C. Husemann; TD/BTA/Lib) Wright-Patterson AFB Ohio 45433
2	AFATL (DLYV, P. Nash) Eglin AFB, FL 32542	1	Director US Bureau of Mines ATTN: Technical Library Denver Federal Center Denver, CO 80225
1	AFATL (DLYV, Jim Flint) Eglin AFB, FL 32542	1	Director US Energy Research and Development Administration Albuquerque Operations Office ATTN: Document Control for Tech Lib P. O. Box 5400 Albuquerque, NM 87115
2	RADC (EMTLD/Docu Lib; EMREC/R.W. Mair) Griffiss AFB, NY 13340		
1	AFWL/DE-I Kirtland AFB, NM 87117		
1	AFWL/DEX Kirtland AFB, NM 87117		

DISTRIBUTION LIST

<u>No. of</u> <u>Copies</u>	<u>Organization</u>	<u>No. of</u> <u>Copies</u>	<u>Organization</u>
1	Director Lawrence Livermore Lab ATTN: L.W. Woodruff/L-96 P.O. Box 808 Livermore, CA 94550	4	Director Los Alamos Scientific Lab ATTN: Doc Control for Rpts Lib R. A. Gentry G. R. Spillman Al Davis P.O. Box 1663 Los Alamos, NM 87544
1	Director Lawrence Livermore Lab ATTN: Jack Kahn/L-7 P.O. Box 808 Livermore, CA 94550	1	US Energy Research and Development Administration Nevada Operations Office ATTN: Doc Control for Tech Lib P.O. Box 14100 Las Vegas, NV 89114
1	Director Lawrence Livermore Lab ATTN: Tech Info Dept L-3 P.O. Box 808 Livermore, CA 94550	6	Sandia Laboratories ATTN: Doc Control for 3141 Sandia Rpt Collection A. M. Chaban M. L. Merritt L. J. Vortman W. Roherty L. Hill P.O. Box 5800 Albuquerque, NM 87115
1	Director Lawrence Livermore Lab ATTN: R. G. Dong/L-90 P.O. Box 808 Livermore, CA 94550	1	Sandia Laboratories Livermore Laboratory ATTN: Doc Control for Tech Lib P.O. Box 969 Livermore, CA 94550
1	Director Lawrence Livermore Lab ATTN: Ted Butkovich/L-200 P.O. Box 808 Livermore, CA 94550	1	Director National Aeronautics and Space Administration Scientific and Technical Information Facility P.O. Box 8757 Baltimore/Washington International Airport, MD 21240
1	Director Lawrence Livermore Lab ATTN: Robert Schock/L-437 P.O. Box 808 Livermore, CA 94550		
1	Director Lawrence Livermore Lab ATTN: J. R. Hearst/L-205 P.O. Box 808 Livermore, CA 94550		

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
3	Aerospace Corporation ATTN: Tech Info Services (2 cys) P. N. Mathur P.O. Box 92957 Los Angeles, CA 90009	2	California Research and Technology, Inc. ATTN: Ken Kreyenhagen Technical Library 6929 Variel Avenue Woodland Hills, CA 91364
1	Agbabian Associates ATTN: M. Agbabian 250 North Nash Street El Segundo, CA 90245	1	Calspan Corporation ATTN: Technical Library P.O. Box 400 Buffalo, NY 14221
1	Applied Theory, Inc. ATTN: John G. Trulio 1010 Westwood Blvd. Los Angeles, CA 90024	1	Civil/Nuclear Systems Corp ATTN: Robert Crawford 1200 University N.E. Albuquerque, NM 87102
1	Artec Associates, Inc. ATTN: Steven Gill 26046 Eden Landing Road Hayward, CA 94545	1	EG&G, Incorporated Albuquerque Division ATTN: Technical Library P.O. Box 10218 Albuquerque, NM 87114
1	AVCO ATTN: Res Lib A830, Rm 7201 201 Lowell Street Wilmington, MA 01887	1	The Franklin Institute ATTN: Zemons Zudans 20th Street and Parkway Philadelphia, PA 19103
1	The BDM Corporation ATTN: Richard Hensley P.O. Box 9274 Albuquerque International Albuquerque, NM 87119	2	General American Trans Corp General American Research Div ATTN: G. L. Neidhardt M. R. Johnson 7449 N. Natchez Avenue Niles, IL 60648
2	The Boeing Company ATTN: Aerospace Library R. H. Carlson P.O. Box 3707 Seattle, WA 98124	1	General Electric Company-TEMPO ATTN: DASIAC P.O. Drawer QQ Santa Barbara, CA 93102

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	Kaman-TEMPO ATTN: E. Bryant, Suite UL-1 715 Shamrock Road Bel Air, MD 21014	2	Martin Marietta Aerospace Orlando Division ATTN: G. Fotieo Mail Point 505, Craig Luongo P.O. Box 5837 Orlando, FL 32805
2	Hazeltine Corp. ATTN: Carl Meinen Greenlawn, NY 11740	3	McDonnell Douglas Astronautics Corporation ATTN: Robert W. Halprin Mr. C. Gardiner Dr. P. Lewis 5301 Bolsa Avenue Huntington Beach, CA 92647
1	J. H. Wiggins Co., Inc. ATTN: John Collins 1650 South Pacific Cost Highway Redondo Beach, CA 90277	2	Merrity Cases, Inc. ATTN: J. L. Merritt Technical Library P.O. Box 1206 Redlands, CA 92373
5	Kaman Avidyne ATTN: Dr. N.P. Hobbs (4 cys) Mr. S. Criscione 83 Second Avenue Northwest Industrial Park Burlington, MA 01830	1	Meteorology Research, Inc. ATTN: W. D. Green 454 West Woodbury Road Altadena, CA 91001
3	Kaman Sciences Corporation ATTN: Library P. A. Ellis F. H. Shelton 1500 Garden of the Gods Road Colorado Springs, CO 80907	1	The Mitre Corporation ATTN: Library P.O. Box 203 Bedford, MA 01730
1	Kaman Sciences Corporation ATTN: Don Sachs Suite 703 2001 Jefferson Davis Highway Arlington, VA 22202	1	Pacific Sierra Research Corp ATTN: Dr. Harold Brode 1456 Cloverfield Boulevard Santa Monica, CA 90404
1	Lockheed Missiles & Space Co. ATTN: Technical Library P.O. Box 504 Sunnyvale, CA 94088	2	Pacifica Technology ATTN: G. Kent R. Bjork P.O. Box 148 Del Mar, CA 92014

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
5	Physics International Corp ATTN: Robert Swift Charles Godfrey Larry A. Behrmann Fred Sauer Technical Library 2700 Merced Street San Leandro, CA 94577	2	Science Applications, Inc. ATTN: Technical Library Michael McKay P.O. Box 2351 La Jolla, CA 92038
3	R&D Associates ATTN: Dr. Albert L. Latter William B. Wright A. Kuhl P.O. Box 9695 Marina del Rey, CA 90291	1	Science Systems and Software ATTN: C. E. Needham P.O. Box 8243 Albuquerque, NM 87198
4	R&D Associates ATTN: Jerry Carpenter Sheldon Schuster J. G. Lewis Technical Library P.O. Box 9695 Marina del Rey, CA 90291	4	Systems, Science & Software ATTN: Donald R. Grine Ted Cherry Thomas D. Riney Technical Library P.O. Box 1620 La Jolla, CA 92037
1	R&D Associates Suite 500 1401 Wilson Boulevard Arlington, VA 22209	3	Terra Tek, Inc. ATTN: Sidney Green A. H. Jonas Technical Library 420 Wakara Way Salt Lake City, UT 84108
1	The Rand Corporation ATTN: C. C. Mow 1700 Main Street Santa Monica, CA 90406	2	Tetra Tech, Inc. ATTN: Li-San Hwang Technical Library 630 North Rosemead Blvd. Pasadena, CA 91107
2	Science Applications, Inc. ATTN: Bert Chambers John Cockayne 8400 Westpart Drive McLean, VA 22102	7	TRW Systems Group ATTN: Paul Lieberman Benjamin Sussholtz Norm Lipner William Rowan Jack Farrell Pravin Bhutta Tech Info Ctr/S-1930 One Space Park Redondo Beach, CA 92078
1	Science Applications, Inc. 2450 Washington Avenue Suite 120 San Leandro, CA 94577		

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>	<u>No. of Copies</u>	<u>Organization</u>
1	TRW Systems Group ATTN: Greg Hulcher San Bernardino Operations P.O. Box 1310 San Bernardino, CA 92402	2	Denver Research Institute University of Denver ATTN: Mr. J. Wisotski Technical Library P.O. Box 10127 Denver, CO 80210
2	Union Carbide Corporation Holifield National Laboratory ATTN: Doc Control for Tech Lib Civil Defense Research Proj P.O. Box X Oak Ridge, TN 37830	3	IIT Research Institute ATTN: Milton R. Johnson R. E. Welch Technical Library 10 West 35th Street Chicago, IL 60616
1	Universal Analytics, Inc. ATTN: E. I. Field 7740 W. Manchester Blvd. Playa del Rey, CA 90291	2	Lovelace Foundation for Medical Education ATTN: Asst. Dir of Research/ Robert K. Jones Technical Library 5200 Gibson Blvd., SE Albuquerque, NM 87109
1	Weidlinger Assoc. Consulting Engineers ATTN: M. L. Baron 110 East 59th Street New York, NY 10022	1	Massachusetts Institute of Technology Aeroelastic and Structures Research Laboratory ATTN: Dr. E. A. Witmer Cambridge, MA 02139
1	Westinghouse Electric Co. Marine Division ATTN: W. A. Votz Hendy Avenue Sunnyvale, CA 94008	2	Southwest Research Institute ATTN: Dr. W. E. Baker A. B. Wenzel 8500 Culebra Road San Antonio, TX 78206
2	Battelle Memorial Institute ATTN: Technical Library R. W. Klingsmith 505 King Avenue Columbus, OH 43201	2	SRI International ATTN: Dr. G. R. Abrahamson Carl Peterson 333 Ravenswood Avenue Menlo Park, CA 94025
1	California Institute of Technology ATTN: T. J. Ahrens 1201 E. California Blvd. Pasadena, CA 91109		

DISTRIBUTION LIST

<u>No. of Copies</u>	<u>Organization</u>
1	University of Dayton Industrial Security Super. KL-505 ATTN: H. F. Swift 300 College Park Avenue Dayton, OH 45409
1	University of Illinois Consulting Engineering Services ATTN: Nathan M. Newmark 1211 Civil Engineering Bldg Urbana, IL 61801
2	The University of New Mexico The Eric H. Wang Civil Engineering Research Facility ATTN: Larry Bickle Neal Baum University Station Box 188 Albuquerque, NM 87131
2	Washington State University Administration Office ATTN: Arthur Miles Hohorf George Duval Pullman, WA 99163

Aberdeen Proving Ground

Dir, USAMSAA
ATTN: DRXSY-D
DRXSY-MP, H. Cohen
Cdr, USATECOM
ATTN: DRSTE-TO-F
Dir, USACSL
Bldg. E3516, EA
ATTN: DRDAR-CLB-PA

USER EVALUATION OF REPORT

Please take a few minutes to answer the questions below; tear out this sheet, fold as indicated, staple or tape closed, and place in the mail. Your comments will provide us with information for improving future reports.

1. BRL Report Number _____

2. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which report will be used.)

3. How, specifically, is the report being used? (Information source, design data or procedure, management procedure, source of ideas, etc.) _____

4. Has the information in this report led to any quantitative savings as far as man-hours/contract dollars saved, operating costs avoided, efficiencies achieved, etc.? If so, please elaborate.

5. General Comments (Indicate what you think should be changed to make this report and future reports of this type more responsive to your needs, more usable, improve readability, etc.) _____

6. If you would like to be contacted by the personnel who prepared this report to raise specific questions or discuss the topic, please fill in the following information.

Name: _____

Telephone Number: _____

Organization Address: _____

FOLD HERE


Director
US Army Ballistic Research Laboratory
Aberdeen Proving Ground, MD 21005



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12062 WASHINGTON, DC
POSTAGE WILL BE PAID BY DEPARTMENT OF THE ARMY



Director
US Army Ballistic Research Laboratory
ATTN: DRDAR-TSB
Aberdeen Proving Ground, MD 21005

FOLD HERE