

AD-A107 002

DUNLAP AND ASSOCIATES INC LA JOLLA CALIF WESTERN DIV F/6 5/9
CONCEPTUAL DEVELOPMENT OF A PRELIMINARY LSO CARRIER LANDING TRA--ETC(U)
SEP 81 C A BRITSON, S T BREIDENBACH N61339-77-C-0166

UNCLASSIFIED

NAVTRAEQUIPC-77-C-0166-2 NL

1-1
A-107

END
DATE
FILMED
BY
DTIC

LEVEL II

Report NAVTRAC-81-001

CONCEPTUAL DEVELOPMENT OF A
LSO CARRIER LANDING TRAINING AIR

Clyde A. Briston
Steven T. Breidenbach

Dunlap and Associates, Inc.
Western Division
La Jolla, California 92037

September 1981

FINAL REPORT
March 1978 to April 1980

DTIC
ELECTE
S-1074-101

DoD Distribution Statement

Approved for public release;
distribution unlimited.

AD A107002

81 11 08 045

GOVERNMENT RIGHTS IN DATA STATEMENT

Reproduction of this publication in whole or
in part is permitted for any purpose of the
United States Government.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NAVTRAEQUIPOEN 77-C-0166-2	2. GOVT ACCESSION NO. AD-A107	3. RECIPIENT'S CATALOG NUMBER 002
4. TITLE (and Subtitle) CONCEPTUAL DEVELOPMENT OF A PRELIMINARY LSO CARRIER LANDING TRAINING AID.		5. TYPE OF REPORT & PERIOD COVERED Final Report, March 1978 to April 1980.
7. AUTHOR(s) Clyde A. Brictson Steven T. Breidenbach		8. CONTRACT OR GRANT NUMBER(s) N61339-77-C-0166
9. PERFORMING ORGANIZATION NAME AND ADDRESS Dunlap and Associates, Inc. - Western Division 920 Kline Street, Suite 203 La Jolla, California 92037		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS n/a
11. CONTROLLING OFFICE NAME AND ADDRESS University of Central Florida P.O. Box 25000 Orlando, Florida 32816		12. REPORT DATE September 1981
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Naval Training Equipment Center Code N-71 Orlando, Florida 32813		13. NUMBER OF PAGES 36
		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE n/a
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Training Aid Remedial Instruction Carrier Landing Training Night Carrier Landing Trainer (NCLT) Field Carrier Landing Practice (FCLP) Landing Signal Officer (LSO) Performance Measurement Knowledge of Results (KOR)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A conceptual plan designed to aid the Landing Signal Officer (LSO) in training pilot carrier landing skills is described. The plan, named the Automated Performance Assessment and Remedial Training System (APARTS) employs basic principles of learning in integrating the Night Carrier Landing Trainer (NCLT) with Field Carrier Landing Practice (FCLP). Application of the APARTS conceptual plan resulted in the development of two computer programs, PADDLES and GRADER, which are described and documented.		

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

The two computer programs process, store and summarize LSO grades and comments of a pilot's landing performance during FCLP. Individualized training is accomplished through diagnostic training feedback provided by program printouts. NCLT remedial instruction is specified to correct a pilot's landing technique problems identified during FCLP. Future development and integration of APARTS for improved carrier landing training effectiveness is outlined.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

TABLE OF CONTENTS

<u>Section</u>		<u>Page</u>
I	BACKGROUND	3
II	APARTS CONCEPTUAL DEVELOPMENT	5
III	APARTS SOFTWARE PROGRAM DESCRIPTION	8
	PADDLES	8
	GRADER	13
IV	FUTURE APARTS DEVELOPMENT	16
	APARTS Individualized Training Effectiveness	17
	APARTS Related to CQ Training	17
	APARTS Related to Fleet Operations	18
	APARTS Integration with ATSS	18
	APARTS-NCLT Instructional Modules	19
 <u>Appendix</u>		
A	Documentation of GRADER Computer Program	21
B	Operator Instructions for GRADER Computer Program . .	27
C	Glossary of LSO Comments	34

Accession For	
NTIC GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Avail and/or	
Dist	Special
A	

NAVTRAEQUIPCEN 77-C-0166-2

LIST OF ILLUSTRATIONS

<u>Figure</u>		<u>Page</u>
1	Conceptualization of APARTS as related to FCLP and NCLT stages of carrier landing training.	6
2	Example of PADDLES input: FCLP Grade Form	9
3	Example of PADDLES output: FCLP Trend Analysis Form	10
4	Example of PADDLES output: FCLP Landing Problem Diagnostics	12
5	Example of GRADER output: FCLP Performance Graph	14
A-1	GRADER computer program	22
B-1	Example of GRADER operator instructions and output .	29

SECTION I

BACKGROUND

In 1978, a report on A7 training effectiveness concluded that certain improvements could be made in training Category I replacement pilots (RP) how to acquire night carrier landing skills.¹ An important aspect of the study was a training method which emphasized individualized remedial instruction in the Night Carrier Landing Trainer (NCLT). Individualized pilot instruction in the NCLT resulted in a reduction of costly recycle training and an improvement in overall pilot performance during Carrier Qualification (CQ) trials. The study was part of a continuing program of research designed to improve training methods and make more effective use of simulators such as the NCLT. Previous research has reported on the positive transfer of training from the NCLT to actual A7E carrier qualification.²

The remedial instruction technique described in the 1978 study utilized a manual system to identify what remedial NCLT instruction each RP required to enhance night landing skills. Specifically, the manual system consisted of the following steps:

1. Analyze each pilot's field carrier landing practice (FCLP) performance to identify pilot landing technique problems.
2. Provide diagnostic training feedback to each pilot on his FCLP results.
3. Translate diagnostic training information into remedial training objectives that can be accomplished in the NCLT.
4. Provide remedial NCLT instruction before the next night FCLP period.

¹Bricton, C.A. A7 Training Effectiveness Through Performance Analysis. Orlando, Florida: NAVTRAEQUIPCEN 75-C-0105-1, April 1978.

²Bricton, C.A. and Burger, W.J. Transfer of Training Effectiveness: A7E Night Carrier Landing Trainer (NCLT) Device 2F103. Orlando, Florida: NAVTRAEQUIPCEN 74-C-0079-1, August 1976.

NAVTRAEQUIPCEN 77-C-0166-2

5. Repeat steps 1-4 for at least the first five successive night FCLP periods.

Since 10 to 12 pilots usually were involved in each FCLP period, up to 120 landings per period (10 per pilot) had to be monitored, logged, and debriefed by the LSO's in charge. The magnitude of paperwork generated by this process suggested that an automated system would be preferable to the present manual system to ease LSO workload. Further, an automated system would provide pilots with immediate knowledge of results and would make training more compatible with the Aviation Training Support System (ATSS). The ATSS is currently under development to automate other parts of the pilot readiness training program and eventually will incorporate carrier landing training.

On the basis of the promising results attained, the Naval Training Equipment Center (NAVTRAEQUIPCEN) decided to support the development of an automated LSO training aid which would analyze FCLP performance and tailor NCLT remedial instruction to each novice pilot. Preliminary results are documented in this report. The system, as it evolved, became known as APARTS (Automated Performance Assessment and Remedial Training System).

SECTION II

APARTS CONCEPTUAL DEVELOPMENT

APARTS is an automated training system designed to assist LSO's in the instruction of pilot carrier landing skills. The APARTS emphasizes individualized instruction and utilizes the following psychological principles of learning.

- Meaningful organization of information,
- Problem analysis,
- Immediate knowledge of results (KOR), and
- Remedial instruction.

The conceptualization of APARTS begins with established learning principles which are mediated through automated programs and result in program outputs which provide pilot training feedback. Figure 1 presents the conceptualization of APARTS as related to the NCLT/FCLP stage of carrier landing training. Three key features of APARTS which distinguish the system from current carrier landing training are: a) APARTS is based upon a few well-established principles of learning; b) the system is an automated training aid to assist (not replace) the LSO in improving pilot performance and reducing LSO workload; and c) the system integrates NCLT training with FCLP by providing individualized remedial instruction.

APARTS integrates NCLT with FCLP training in the following manner:

1. FCLP performance data are organized by pilot into a meaningful format which is called a FCLP Trend Analysis Form. This form is used and accepted in the fleet and categorizes LSO landing comments into type of comment (glideslope, speed, etc.) and location of comment (all the way, in close, at the ramp, etc.). The form represents a meaningful format to summarize LSO landing comments for each night FCLP period.
2. FCLP performance data are analyzed to identify landing technique problems unique to each pilot.




Figure 1. Conceptualization of APARTS as related to FCLP and NCLT stages of carrier landing training.

3. The organized comments and problem areas are given to the student pilots for immediate KOR.
4. LSO's decide what remedial instruction shall be given in the NCLT prior to the next night FCLP period. Thus, each pilot receives individual instruction on specific landing problems as identified by the LSO from the FCLP Trend Analysis Form.
5. The system repeats the cycle after each night FCLP period.

In brief, APARTS is designed to utilize LSO information about a pilot's FCLP performance in a manner which will identify problems, provide diagnostic feedback, and result in NCLT remedial training to improve landing performance.

SECTION III

APARTS SOFTWARE PROGRAM DESCRIPTION

Two computer software programs were developed to process, store, compile, summarize, and combine FCLP performance data. The current capabilities of the two programs called PADDLES and GRADER are described and reviewed in this section to show how each program processes information and provides outputs to facilitate individualized remedial instruction.

PADDLES³

PADDLES is a computer program which analyzes and assesses replacement pilot FCLP performance data during carrier landing training. Input to the Fortran IV-written PADDLES program consists of LSO grades and comments for a maximum of 12 student pilot landings per pilot within a single FCLP period. This information, as well as pilot identification data, is transcribed from data recorded by an LSO on the FCLP Grade Form (see Figure 2) and entered manually on a computer terminal. PADDLES outputs are:

- 1) FCLP Trend Analysis Form
- 2) FCLP Landing Problem Diagnostics (under development)
- 3) FCLP Cumulative Problem Diagnostics (under development)

Once LSO comment data have been entered into the computer, PADDLES deciphers the comments to determine the general types and location of pilot landing problems. Following this assessment, PADDLES produces output on the terminal which consists, in part, of an FCLP Trend Analysis Form. An example of the FCLP Trend Analysis Form is presented in Figure 3. All LSO

³PADDLES: An Automated Performance Tabulation and Analysis of Field Carrier Landing Practice (FCLP)--Preliminary Operator Instruction. La Jolla, California: Dunlap and Associates, Inc., November 1978.

NAVTRAEQUIPCEN 77-C-0166-2

FCLP Grade Form		
FCLP		
Name <u>Lowman</u>		<u>500</u>
		A/C
Date:	D <u>(N)</u>	HOP # <u>3</u>
1.	(ok)	HAW COTL
2.	(ok)	NEPSIC (LOAR)
3.	B→	NERDIM OCTMRDIC) XAR
4.	—	HAW EGTL
5.	B→	OCSRDFIM NEPIC XAR
6.	(ok)	NEPIC CDAR
7.	(ok)	COXHIFIM NEPCDIC
8.	(ok)	NEPSIM
9.	—	HXTMRDIM OCSIC
10.	(ok)	DECIM TMRDIC
11.		
12.		
Comments:		Avg.
LSO: <u>Instructor</u>		

Figure 2. Example of PADDLES input: FCLP Grade Form.*

*A glossary of LSO comments is included in Appendix C.

FCLP TREND ANALYSIS FORM

PILOT: LUNAN

TO: INSTRUCTOR

DATE	DAY/NITE	NIGHT	FCLP	HOP	A	A/C	GLIDESLOPE AND SPEED ERRORS		CONTROL ERRORS		LINEUP & WINGS	REMARKS
							OT	X	TH	IC		
1. (OK)												
2. (OK)												
3. P>												
4. --												
5. P>												
6. (OK)												
7. (OK)												
8. (OK)												
9. --												
10. (OK)												

RECOMMENDED NCLT ACTION:

POWER MANAGEMENT TRAINING
IN NCLT TO IMPROVE
GLIDESLOPE CONTROL.
INSTRUCT IN HOW TO ANTICIPATE
POWER CORRECTIONS WITH
NARROWING FRESNEL
GLIDESLOPE ENVELOPE.
SIGNED: LSO

AVERAGE GRADE: 2.70 FOR 10 LANDINGS.

Figure 3. Example of PADDLES output:
FCLP Trend Analysis Form.

grades and comments for a pilot's FCLP performance during a single period are shown. When presented this way, these data indicate to the LSO and the pilot, general landing technique trends. Data presented on the FCLP Trend Analysis Form is but one method of providing immediate and meaningful performance feedback. Additionally, an average LSO grade for the entire FCLP period is also displayed on the FCLP Trend Analysis Form. Not only is the calculation of average grades much faster by computer than hand calculations, but it is also much more accurate.

Another output of the PADDLES program is the FCLP Landing Problem Diagnostics. This output provides more specific error analysis and performance feedback to the user than the FCLP Trend Analysis Form. In particular, the summary describes in detail the type, frequency and location of pilot landing errors. An example of a preliminary version of the FCLP Landing Problem Diagnostics is presented in Figure 4. The diagnostics are weighted summaries of LSO comments which can be used to assist LSOs in determining specific NCLT remedial action. In this preliminary version of the diagnostics, the first two areas, *general landing technique problems* and *landing segments*, provide specific information on problem areas. These two areas are summarized in the third section--specific landing technique problems and location. In this example, LSO comments are weighted and combined to show the percentage of total landing difficulties at any particular landing segment. The diagnostics are in a preliminary stage of development and undergoing more research refinement to make the final version more usable for the LSO community. They are presented here for illustration only.

After FCLP data are analyzed by PADDLES, an LSO assesses pilot performance and recommends specific remedial instruction on the NCLT. This process is now manually performed by LSO's. In the example (Figure 3), the LSO recommended action is for NCLT remedial training in power management.

PADDLES structures the training so that each RP receives individualized instruction on problems diagnosed from FCLP performance data. Further, since the instruction is individualized and remedial, different rates of learning

NAVTRAEQUIPCEN 77-C-0166-2

```

- - - - - ***** LANDING PROBLEM DIAGNOSTICS ***** - - - - -

** DIAGNOSTICS ARE WEIGHTED SUMMARIES OF LSD' COMMENTS **

GENERAL LANDING TECHNIQUE PROBLEM AREAS:
[23.6%]>(13) - GLIDESLOPE CONTROL
                (12)- TOO HIGH;   ( 1)- TOO LOW
[38.2%]>(21) - RATE OF DESCENT
                (17)- TOO MUCH;   ( 4)- NOT ENOUGH
[10.9%]>( 6) - SPEED CONTROL
                ( 4)- TOO FAST;   ( 2)- TOO SLOW
[27.3%]>(15) - POWER MANAGEMENT
                ( 2)- TOO MUCH;   (13)- NOT ENOUGH

LANDING SEGMENTS SHOWING GENERAL DIFFICULTY:
[32.7%]>(18) - IN MIDDLE THIRD OF GLIDESLOPE
[32.7%]>(18) - IN CLOSE (LAST THIRD OF GLIDESLOPE)
[12.7%]>( 7) - AT THE RAMP

SPECIFIC LANDING TECHNIQUE PROBLEMS AND LOCATIONS IN LANDING SEQUENCE:

***          GLIDESLOPE CONTROL
[ 9.1%]>( 5)* AT THE RAMP
                ( 4)- TOO HIGH;   ( 1)- TOO LOW

***          RATE OF DESCENT
[14.5%]>( 8)* IN MIDDLE THIRD OF GLIDESLOPE
                ( 4)- TOO MUCH;   ( 4)- NOT ENOUGH
[16.4%]>( 9)* IN CLOSE (LAST THIRD OF GLIDESLOPE)
                ( 5)- TOO MUCH;   ( 0)- NOT ENOUGH

***          SPEED CONTROL
[10.9%]>( 6)* IN MIDDLE THIRD OF GLIDESLOPE
                ( 4)- TOO FAST;   ( 2)- TOO SLOW

***          POWER MANAGEMENT
[16.4%]>( 9)* IN CLOSE (LAST THIRD OF GLIDESLOPE)
                ( 0)- TOO MUCH;   ( 9)- NOT ENOUGH

```

Figure 4. Example of PADDLES output: FCLP Landing Problem Diagnostics.

among RP's can be taken into account. For example, if a pilot has a problem with high starts or power control difficulties, correction of these particular problems would be emphasized during remedial NCLT trials. A key to this method of training is that landing problems identified during night FCLP can be corrected by remedial training in the NCLT--prior to the next FCLP period. Hence, the pilot would receive supplemental instruction in how to correct landing problems diagnosed from the previous FCLP. Since individual pilot problem areas are emphasized during remedial instruction, it may be possible in the future to identify a set of generic landing problems encountered by A7 replacement pilots and what types of corrective procedures (in the form of instructional modules) should be provided on the NCLT.

PADDLES is a program of APARTS which assesses and documents a pilot's performance for up to 12 aircraft approaches during a single FCLP period. An extension of this logic is to summarize, in a cumulative manner, a pilot's performance over several successive FCLP periods. Future software development will stress and provide this capability so that pilot landing problems can be analyzed and detected over time to provide a longitudinal performance summary of each pilots training progress and also an indication of remedial training results.

GRADER

The PADDLES program of APARTS primarily focuses on the analysis of LSO comments. GRADER is a program designed to provide information of a pilot's rate of learning in the form of an FCLP learning curve. Average grades for each FCLP period are entered manually on a terminal as inputs to the Fortran IV-written computer program called GRADER. The output of this program is an FCLP Performance Graph. An example of the FCLP Performance Graph is presented in Figure 5. The FCLP Performance Graph is a summary of pilot performance across day and night FCLP periods. An LSO may be able to use the performance graph as a learning acquisition curve or to detect potential recycle pilots (those pilots who fail CQ and must be

NAVTRAEQUIPCEN 77-C-0166-2

AFARTS-FCLP:

AUTOMATED PERFORMANCE ASSESSMENT
AND REMEDIAL TRAINING SYSTEM FOR
FIELD CARRIER LANDING PRACTICE

DATE: 16OCT79

OF FCLP PERIODS: 8-NIGHT
5-DAY


PILOT: SMITH JT

LSO: JONES HR

ACFT TYPE/SIDE #: A-7 / 999

SQUADRON: VA-999

FCLP PERFORMANCE GRAPH



# OF NIGHT APPROACHES	10	8	9	10	10	10	10	10	0	0	0	0
# OF DAY APPROACHES	10	8	9	10	10	0	0	0	0	0	0	0

FCLP SUMMARY FOR PILOT: SMITH JT

NIGHT LCLE	DAY LCLE
AVERAGE GRADE = 3.07	AVERAGE GRADE = 3.08
TOTAL APPROACHES = 77	TOTAL APPROACHES = 47

NOTE: N = NIGHT, D = DAY AND B = BOTH NIGHT AND DAY AVERAGE LSD GRADES

Figure 5. Example of GRADER Output: FCLP Performance Graph.

NAVTRAEQUIPCEN 77-C-0166-2

retrained). This may be especially useful during early FCLP periods so that erratic or low performance can be identified. Documentation for the computer program GRADER is presented in Appendix A with operator instruction presented in Appendix B.

SECTION IV

FUTURE APARTS DEVELOPMENT

Continued development and eventual implementation of APARTS as a carrier landing training aid for LSO's could provide improvements to the pilot carrier landing training sequence in the following areas:

- Individualized Training Effectiveness in Fleet Readiness Squadron (FRS) and Fleet through:
 - . Meaningful organization of material
 - . Problem analysis
 - . Immediate knowledge of results identifying specific landing problems
 - . NCLT remedial instruction
- CQ Landing Performance Measurement to develop:
 - . FRS CQ performance training data bank
 - . FRS CQ performance standards
 - . FRS CQ training progress assessment and validation
- Fleet Carrier Landing Performance Measurement for:
 - . Fleet landing performance data bank
 - . Fleet landing norms
 - . Fleet landing proficiency index
- Administrative Efficiency in:
 - . Reduced LSO workload
 - . Reduced time and cost through automated data storage and retrieval
 - . ATSS integration
 - . NCLT instructional modules

Planned developments within specific topics are outlined below.

APARTS Individualized Training Effectiveness

APARTS as conceptualized and currently developed promises to apply general principles of learning to accomplish individualized training effectiveness in the A7 FRS community as well as fleet operations. As described in this report, APARTS would identify landing technique problems unique to each novice pilot and provide remedial training to correct the problem and enhance performance through increased NCLT training. While this training sequence is appropriate for the FRS by its access to the NCLT, fleet operations could also be tabulated and evaluated by APARTS to identify landing trends for fleet qualified pilots. Remediation in these cases could be accomplished through a review of APARTS data for each individual over time (line period, cruise, yearly) or through their use of an NCLT. Current research at NAVTRAEQUIPCEN is investigating a portable and general purpose NCLT for use on carriers. Should this design prove feasible, shipboard NCLT training could be used to enhance pilot landing proficiency.

At present, APARTS conceptual framework has focused on the NCLT/FCLP stage of Phase III carrier landing training. However, since LSO comments are recorded during actual carrier landings, APARTS could easily be adapted for carrier qualification training and fleet recovery operations.

APARTS Related to CQ Training

APARTS as utilized for carrier qualification training would require only minor modification to the present outputs. LSO grades and comments on pilot performance would be documented to provide pilots with diagnostic feedback of day and night recovery trends. A CQ performance graph would replace the FCLP graph. Computerization of the CQ data would allow automation of such administrative forms as the CQ completion letter. In addition, the compilation of CQ LSO comments on a CQ landing trend form might increase fleet LSO acceptance and use of FRS CQ data for training.

Since the ultimate purpose of A7 CQ training is carrier landing, the collection of CQ data would be the first step in developing a performance data bank for use in validating, assessing and improving FRS training effectiveness.

APARTS Related to Fleet Operations

APARTS could also be used for fleet operations by processing LSO grades and comments of pilot carrier landing approaches. Through automated data storage and retrieval of diagnostic information, fleet pilots could be better appraised of their carrier landing performance over time. The performance data could be automatically stored and used to determine the extent to which carrier landing skills deteriorate or are retained by pilots under different operational conditions. Finally, night carrier landing performance norms could be established to compare carrier recovery proficiency across different ships, aircrafts, squadrons and individual pilots. Normative data could also be used to determine relative levels of pilot landing proficiency.

APARTS Integration with ATSS

Future APARTS applications should also involve the integration of APARTS with the automated ATSS. If APARTS is to be implemented at A7 FRS squadrons, it is recommended that the PADDLES and GRADER programs be converted to BASIC computer language to make APARTS compatible with ATSS. Program modifications could be made to automate PADDLES outputs so that data could be obtained not only via printouts, but additionally, be stored on computer media such as tape or disk. This step would greatly enhance APARTS utility and storage capability and eliminate the need for manual data input to the GRADER program.

APARTS-NCLT Instructional Modules

Future research should be performed to develop instructional modules for the NCLT so that when a certain problem occurs during FCLP, a special module would be provided to correct the problem. Research currently under investigation includes the development of a generic set of landing problems unique to the novice A7 pilot. Over 2,000 night FCLP trials, along with RP questionnaire data and LSO subject matter expert information, are being reviewed and analyzed to identify typical landing problems encountered during FCLP training. Once identified, it should be possible to revise the curriculum to emphasize correction of these frequently occurring problems. In addition, formal and structured NCLT modes of instruction could be developed and incorporated into NCLT training to standardize the remedial instruction provided for each set of landing technique problems. The feasibility of identifying landing problems as a function of novice pilots and aircraft type has already been verified through one field study of FCLP performance and promises to improve overall A7 training effectiveness.

NAVTRAEQUIPCEN 77-C-0166-2

APPENDIX A

DOCUMENTATION OF GRADER
COMPUTER PROGRAM

NAVTRAEQUIPCEN 77-C-0166-2

```

DIMENSION X(41,31,10),PERIOD(10),NDAPP(10),NDAPP(10)
INTEGER*2 IN,NMR,NDR,NPP,M,P
DATA DEM,BLANK,SCORE,SCORE/10*8H ,1H ,1HN,1HD/
DATA CHED,ROTH/1H,1H/

C *****
C **
C ** ARTS-FCLP: AUTOMATED PERFORMANCE ASSESSMENT **
C ** AND REMEDIAL TRAINING SYSTEM **
C ** FOR FIELD CARRIER LANDING PRACTICE **
C **
C ** WRITTEN FOR NTEC - ORLANDO, FLORIDA **
C ** WRITTEN BY: DUNLAP AND ASSOCIATES, INC. **
C ** WESTERN DIVISION **
C ** LA BOLLA, CALIFORNIA 92037 **
C ** PROGRAMMER: DR. STEVEN T. BREIDENBACH **
C ** ASSOCIATE SCIENTIST **
C ** DATE: AUGUST, 1972 **
C **
C ** HARDWARE: PLESC, MICRO-1 WITH 48K MEMORY **
C ** 100V 8 PM-XS11 floppy DISC DRIVES **
C ** DECWRTT III TERMINAL **
C ** OPERATING SYSTEM SOFTWARE: DEC RT-11 VERSION 02 **
C ** FORTRAN COMPILER: VERSION 01 **
C **
C ** MAINS CLP PROGRAM INPUT: DEMOGRAPHIC DATA, **
C ** AVERAGE FCLP GRADES & **
C ** 1 OF APPROACHES FOR UP **
C ** 10 12 NIGHT, 12 DAY OR **
C ** 12 NIGHT AND 12 DAY **
C ** FCLP PERIODS **
C **
C ** APART FROM THE DATA OBTAIN PERFORMANCE GRAPH **
C ** DEPICTING A PILOTS **
C ** PERFORMANCE OVER **
C ** SUCCESSIVE FCLP **
C ** PERIODS **
C **
C *****
C
C 1000
C
C 1001 C WELCOME TO ARTS-FCLP, AN AUTOMATED PERFORMANCE ASSESSMENT
C 1002 AND REMEDIAL TRAINING SYSTEM FOR FIELD CARRIER LANDING
C 1003 PRACTICE.
C
C 1004 CONTINUE
C
C 1005 I=1
C
C 1006

```

Figure A-1. GRADER Computer Program (Sheet 1 of 5).

NAVTRAEQUIPCEN 77-C-0166-2

```

14 XMAT(5,1)=2000
   NNAPPR=0
   NDAPPR=0
   PERIODEN=0.0
15 CONTINUE
   TYPE 1001
1001 FORMAT (A)
   TYPE 1002
1002 FORMAT (10X, 'ENTER PILOT'S LAST NAME AND INITIALS.')
   ACCEPT 1003, DEM(1), I=2,4
1003 FORMAT (3A8)
   TYPE 1004
1004 FORMAT (10X, 'ENTER AIRCRAFT TYPE. EX: A-1C')
   ACCEPT 1005, DEM(8)
1005 FORMAT (A5)
   TYPE 1006
1006 FORMAT (10X, 'ENTER AIRCRAFT SIDE #. EX: 012')
   ACCEPT 1007, DEM(9)
1007 FORMAT (A8)
   TYPE 1008
1008 FORMAT (10X, 'ENTER TODAY'S DATE. EX: 28AUG79 OR 08/28/79')
   ACCEPT 1009, DEM(1)
1009 FORMAT (A5)
   TYPE 1010
1010 FORMAT (10X, 'ENTER SQUADRON. EX: VA-174')
   ACCEPT 1011, DEM(10)
1011 FORMAT (A5)
   TYPE 1012
1012 FORMAT (10X, 'ENTER LSD'S LAST NAME AND INITIALS.')
   ACCEPT 1013, (DEM(I), I=5,7)
1013 FORMAT (3A8)
   TYPE 1016, (DEM(1), I=1,10)
1016 FORMAT (10X, 'YOU HAVE ENTERED THE FOLLOWING INFORMATION: /// DATE: ',
+ 'A8// PILOT: ', 3A8// 'LSD: ', 3A8// 'ACFT TYPE: ', A8// 'ACFT SIDE #: ',
+ A5// 'SQUADRON: ', A5//)
   TYPE 1017
1017 FORMAT (10X, 'THE ABOVE INFORMATION IS CORRECT, ENTER Y. IF NOT, E
   NTER N.')
   ACCEPT 1018, STATUS
1018 FORMAT (A1)
   IF (STATUS.EQ.'CHECK') GO TO 20
   TYPE 1019
1019 FORMAT (10X, 'PLEASE, RE-ENTER ALL INFORMATION.')
   GO TO 10
10 CONTINUE
   NNF=0

```

Figure A-1. GRADER Computer Program (Sheet 2 of 5).

NAVTRAEQUIPCEN 77-C-0166-2

```

SUMN=0.0
XMEAN=0.0
XMEANN=0.0
TYPE 1000
1000 FORMAT ('DO YOU WISH TO ENTER AVERAGE GRADES'// 'FOR NIGHT FCLP PE
*STDS'// 'IF YOU DO, ENTER Y. IF NOT, ENTER N.')
```

ACCEPT 1001,STATUS

```

1001 FORMAT (A1)
IF (STATUS.EQ.'Y') GO TO 71
GO TO 1014
1014 FORMAT ('ENTER THE NUMBER OF NIGHT FCLP PERIODS.')
```

ACCEPT 1015,NNP

```

1015 FORMAT(I2)
TYPE 1020
1020 FORMAT ('ENTER THE AVERAGE GRADE FOR EACH FCLP'//
*'PERIOD EXACTLY AS IT APPEARS ON THE'//
*'FCLP TREND ANALYSIS FORM.'//
*'I.E., DATA SHOULD BE IN X.XX FORMAT.')
```

NNP=1

```

1021 CONTINUE
TYPE 1021-NNP
1021 FORMAT ('ENTER THE AVERAGE GRADE FOR NIGHT FCLP PERIOD # ',I2)
ACCEPT 1022,PERIOD(INN)
```

```

1022 FORMAT (F1,2)
TYPE 1023,INN
1023 FORMAT ('ENTER THE # OF APPROACHES FOR NIGHT FCLP PERIOD # ',I2)
ACCEPT 1024,NNAPP(INN)
```

```

1024 FORMAT (I2)
NNAPP=NNAPP+NNAPP(INN)
SUMN=SUMN+PERIOD(INN)
IF (INN.GE.NNP) GO TO 40
INN=INN+1
GO TO 30
40 CONTINUE
XMEANN=SUMN/NNP
DO 70 K=1,NNP
NNR=(PERIOD(K)+.05)*10.0
INNR=41-NNR
XMAT(INNR,K)=SCOREN
70 CONTINUE
71 SUMD=0.0
MDIFF=0.0
XMEAND=0.0
MDP=0.0
```

Figure A-1. GRADER Computer Program (Sheet 3 of 5).

NAVTRAEQUIPCEN 77-C-0166-2

```

      DO 110 I=1,12
      PERIOD(I)=0.0
      CONTINUE
      TYPE 1025
1025 FORMAT (1000 DO YOU WISH TO ENTER AVERAGE GRADES'/' FOR DAY FCLP PERI
      & 1001 IF YOU DO, ENTER Y. IF NOT, ENTER N.'')
      ACCEPT 1026,STATIS
1026 FORMAT (A1)
      IF (STATUS.NE.CHECK) GO TO 120
      TYPE 1027
1027 FORMAT ('ENTER THE # OF DAY FCLP PERIODS')
      ACCEPT 1028,NDF
1028 FORMAT (I2)
      IF (NDF.LT.1) GO TO 1020
      NDF=NDF
      IND=1
80 CONTINUE
      TYPE 1029,IND
1029 FORMAT ('ENTER THE AVERAGE GRADE FOR DAY PERIOD # ',I2)
      ACCEPT 1030,PERIOD(IND)
1030 FORMAT (F4,2)
      TYPE 1031,IND
1031 FORMAT ('ENTER THE # OF APPROACHES FOR DAY FCLP PERIOD # ',I2)
      ACCEPT 1032,NDAPP(IND)
1032 FORMAT (I2)
      NDAPPS=NDAPPS+NDAPP(IND)
      SUMD=SUMD+PERIOD(IND)
      IF (IND.GE.NDF) GO TO 90
      IND=IND+1
      GO TO 80
90 CONTINUE
      XMEAND=SUMD/PI
105 DO 110 L=1,NDF
      NDR=(PERIOD(L)*.05)<10.0
      INDR=41-NDR
      IF (XMAT(INDR,L).EQ.BLANK) GO TO 109
      XMAT(INDR,L)=BOTH
      GO TO 110
109 XMAT(INDR,L)=SCOREL
110 CONTINUE
80 CONTINUE
      TYPE 2000
2000 FORMAT ('HOW MANY COPIES OF THE OUTPUT DO YOU WANT?')
      ACCEPT 2001,NCOF

```

Figure A-1. GRADER Computer Program (Sheet 4 of 5).

NAVTRAEQUIPCEN 77-C-0166-2

```

0001 FORMAT (I2)
      IF (NCCP.EQ.0) GO TO 5000
      DO 130 M=1,NCCP
      TYPE 1033,DEM(I),NNP,NDF,(DEM(I),I=2,10)
1033 FORMAT (1H1/T38,'APARTS-FCLP: '//T28,'AUTOMATED PERFORMANCE ASSESSM
      *ENT//T28, AND REMEDIAL TRAINING SYSTEM FOR//T29,'FIELD CARRIER LAN
      *DING PRACTICE//T16,'DATE: ',A8,T52,'# OF FCLP PERIODS: ',I2,'-NIG
      *HT//T71,T2,'DAY//T16,'PILOT: ',A8,T52,'LSO: ',A8//T16,'ACFT TYP
      *E//SIDE #: ',A8,'// ',A8,'SQUADRON: ',A8)
      TYPE 1034
1034 FORMAT (T7,74(' ')/T36,'FCLP PERFORMANCE GRAPH//')
      TYPE 1035,((XMAT(I,J),J=1,12),I=1,31)
1035 FORMAT (T12,'4.0-1',12(4X,A1)/4(T16,'1',12(4X,A1)/),T12,'3.5-1',12
      *(4X,A1)/T16,'1',12(4X,A1)/T9,'A      ',12(4X,A1)/T9,'U      ',12
      *(4X,A1)/T9,'E      ',12(4X,A1)/
      *T9,'R 3.0-1',12(4X,A1)/T9,'A      ',
      *12(4X,A1)/T9,'G      ',12(4X,A1)/T9,'E      ',12(4X,A1)/T16,'1',
      *12(4X,A1)/T9,'L 2.5-1',12(4X,A1)/T9,'S      ',12(4X,A1)/T9,'O
      *      ',12(4X,A1)/T16,'1',12(4X,A1)/T9,'G      ',12(4X,A1)/T9,'R 2
      *0.0-1',12(4X,A1)/T9,'A      ',12(4X,A1)/T9,'H      ',12(4X,A1)/T9
      *,/C      ',12(4X,A1)/T16,'1',12(4X,A1)/T12,'1.5-1',12(4X,A1)/4(T1
      *6,'1',12(4X,A1)/),12,'1.0-1',12(4X,A1))
      TYPE 1036,(NNAPP(I),I=1,12),(NDAPP(J),J=1,12)
1036 FORMAT (T16,13(' ')/T21,'1',T26,'2',T31,'3',T36,'4',T41,'5',T4
      *6,'6',T51,'7',T56,'8',T61,'9',T65,'10',T70,'11',T75,'12'//,
      *41,'FCLP PERIODS'//T7,'# OF NIGHT//T7,'APPROACHES',12(3X,I2)/T7,'
      *# OF DAY//T7,'APPROACHES',12(3X,I2)/T7,74(' '))
      TYPE 1037,(DEM(I),I=2,4)
1037 FORMAT (T31,'FCLP SUMMARY FOR PILOT: ',A8//T23,'NIGHT FCLP',T55,'
      *DAY FCLP')
      TYPE 1038,XMEANN,XMEAND,NNAPPS,NDAPPS
1038 FORMAT (T31,T23,10(' ')/T55,8(' ')/T17,'AVERAGE GRADE = ',F4.2,T4
      *9,'AVERAGE GRADE = ',F4.2/T17,'TOTAL APPROACHES = ',I3,T49,'TOTAL
      *APPROACHES = ',I3//T7,'NOTE: N = NIGHT, D = DAY AND B = BOTH NIGH
      *T AND DAY AVERAGE LSD GRADES')
1039 CONTINUE
      TYPE 1039
1039 FORMAT ('DO YOU WISH TO ENTER DATA FOR ANY MORE STUDENTS?// IF Y
      *OU DO, ENTER Y. IF NOT, ENTER N.')
      ACCEPT 1040,STATUS
1040 FORMAT (A1)
      IF (STATUS.EQ.CHECK) GO TO 10
5000 STOP
      END

```

Figure A-1. GRADER Computer Program (Sheet 5 of 5).

APPENDIX B

OPERATOR INSTRUCTIONS FOR
GRADER COMPUTER PROGRAM

GRADER was designed to summarize and plot student pilot performance over successive day, night or both day and night FCLP periods. All information required as input to this computer program is recorded on printouts from the PADDLES program.

Prior to input of any data, the GRADER program must first be called up on the computer. This procedure will vary depending upon the type of equipment used; nevertheless, the program should run on any computer with a Fortran compiler.

Once GRADER is running, the program will prompt the operator for specific information and wait for appropriate input. Identification information is accepted as free-format data so the program will not make any attempt to verify or correct what has been entered. If information is entered wrong, at the wrong point, or not at all, it will be recorded as such on the printed output. Moderate care should be taken to ensure that the correct information is entered at the correct point.

After all identifiers have been entered, the program will display the information to the operator and ask for confirmation. If the operator is satisfied with the information, "Y" (yes) should be typed and the program will continue. If corrections are required, typing "N" (no) will re-start the data entry sequence, and all identification information must be re-entered.

Following the verification of identification data the program requests whether the operator wishes to enter average grades for night FCLP periods. The operator must respond with a "Y" for yes or "N" for no. If answered yes, the program requests the number of night periods. After entering the number of night periods the program requests the average grade and number of approaches for each period. The average grade for each period must be entered exactly as it appears on the FCLP Trend Analysis Form (which is output of the PADDLES program). Also, the number of approaches upon which the average grade was based must be entered.

NAVTRAEQUIPCEN 77-C-0166-2

If the operator does not wish to enter night FCLP average grades, an "N" may be entered and the program will then ask if day FCLP grades are to be entered. The operator responses for day FCLP requests are the same as the above requests for night grades.

Special care should be taken to ensure that grades for FCLP periods are entered exactly as printed and in consecutive order. That is, the average grade for FCLP period number one should be entered first, the grade for period number two should be second, etc. up to the number of FCLP periods that occurred. Furthermore, night FCLP must be entered in consecutive order and not intermixed with day FCLP grades and vice versa.

Following is an example of the data entry sequence and resultant output for the GRADER program; all program requests lines are indicated with a question mark (?) and data entered by the operator with a pound symbol (#). (These symbols are included in the figure for demonstration purposes, but do not occur in the actual program.)

NAVTRAEQUIPCEN 77-C-0166-2

WILL BE TO APARTS-FCLE, AN AUTOMATED
PERFORMANCE ASSESSMENT AND
REMEDIAL TRAINING SYSTEM FOR
FIELD CARRIER LANDING PRACTICE.

? ENTER GILBERT PILOT'S LAST NAME AND INITIALS.
SMITH JJ

? ENTER AIRCRAFT TYPE. EX: A-7E
A-7

? ENTER AIRCRAFT SIDE #. EX: 412
999

? ENTER TODAY'S DATE. EX: 28AUG79 OR 08/28/79
1AUG79

? ENTER SQUADRON. EX: VA-17A
VA-999

? ENTER LSG'S LAST NAME AND INITIALS.
JONES HR

? YOU HAVE ENTERED THE FOLLOWING INFORMATION:

DATE: 1AUG79
PILOT: SMITH JJ
LSG: JONES HR
ACFT TYPE: A-7
ACFT SIDE #: 999
SQUADRON: VA-999

? IF THE ABOVE INFORMATION IS CORRECT, ENTER Y. IF NOT, ENTER N.
Y

? DO YOU WISH TO ENTER AVERAGE GRADES
FOR NIGHT FCLE PERIODS?
IF YOU DO, ENTER Y. IF NOT, ENTER N.
Y

? ENTER THE NUMBER OF NIGHT FCLE PERIODS.
8

Figure B-1. Example of GRADER Operator Instructions and Output.
(Sheet 1 of 5)

NAVTRAEQUIPCEN 77-C-0166-2

? ENTER THE AVERAGE GRADE FOR EACH FCLP
PERIOD EXACTLY AS IT APPEARS ON THE
FCLP TREND ANALYSIS FORM.
I.E. DATA SHOULD BE IN X.XX FORMAT.

? ENTER THE AVERAGE GRADE FOR NIGHT FCLP PERIOD # 1
3.01

? ENTER THE # OF APPROACHES FOR NIGHT FCLP PERIOD # 1
10

? ENTER THE AVERAGE GRADE FOR NIGHT FCLP PERIOD # 2
2.76

? ENTER THE # OF APPROACHES FOR NIGHT FCLP PERIOD # 2
8

? ENTER THE AVERAGE GRADE FOR NIGHT FCLP PERIOD # 3
2.96

? ENTER THE # OF APPROACHES FOR NIGHT FCLP PERIOD # 3
5

? ENTER THE AVERAGE GRADE FOR NIGHT FCLP PERIOD # 4
3.11

? ENTER THE # OF APPROACHES FOR NIGHT FCLP PERIOD # 4
10

? ENTER THE AVERAGE GRADE FOR NIGHT FCLP PERIOD # 5
3.06

? ENTER THE # OF APPROACHES FOR NIGHT FCLP PERIOD # 5
10

? ENTER THE AVERAGE GRADE FOR NIGHT FCLP PERIOD # 6
7.21

? ENTER THE # OF APPROACHES FOR NIGHT FCLP PERIOD # 6
10

Figure B-1. Example of GRADER Operator Instructions and Output.
(Sheet 2 of 5)

NAVTRAEQUIPCEN 77-C-0166-2

? ENTER THE AVERAGE GRADE FOR NIGHT FCLP PERIOD # 7
3.22

? ENTER THE # OF APPROACHES FOR NIGHT FCLP PERIOD # 7
10

? ENTER THE AVERAGE GRADE FOR NIGHT FCLP PERIOD # 8
3.35

? ENTER THE # OF APPROACHES FOR NIGHT FCLP PERIOD # 8
10

? DO YOU WISH TO ENTER AVERAGE GRADES
FOR DAY FCLP PERIODS?
IF YOU DO, ENTER Y. IF NOT, ENTER N.
#

? ENTER THE # OF DAY FCLP PERIODS
5

? ENTER THE AVERAGE GRADE FOR EACH FCLP
PERIOD EXACTLY AS IT APPEARS ON THE
FCLP TREND ANALYSIS FORM.
I.E. DATA SHOULD BE IN X.XX FORMAT.

? ENTER THE AVERAGE GRADE FOR DAY PERIOD # 1
2.9.

? ENTER THE # OF APPROACHES FOR DAY FCLP PERIOD # 1
10

? ENTER THE AVERAGE GRADE FOR DAY PERIOD # 2
3.10

? ENTER THE # OF APPROACHES FOR DAY FCLP PERIOD # 2
8

? ENTER THE AVERAGE GRADE FOR DAY PERIOD # 3
2.93

? ENTER THE # OF APPROACHES FOR DAY FCLP PERIOD # 3
9

Figure B-1. Example of GRADER Operator Instructions and Output.
(Sheet 3 of 5)

NAVTRAEQUIPCEN 77-C-0166-2

?ENTER THE AVERAGE GRADE FOR DAY PERIOD # 4
#3.14

?ENTER THE # OF APPROACHES FOR DAY FCLP PERIOD # 4
#10

?ENTER THE AVERAGE GRADE FOR DAY PERIOD # 5
#3.26

?ENTER THE # OF APPROACHES FOR DAY FCLP PERIOD # 5
#10

?HOW MANY COPIES OF THE OUTPUT DO YOU WANT?
#1

Figure B-1. Example of GRADER Operator Instructions and Output.
(Sheet 4 of 5)

NAVTRAEQUIPCEN 77-C-0166-2

APARTS-FCLP:

AUTOMATED PERFORMANCE ASSESSMENT AND REMEDIAL TRAINING SYSTEM FOR FIELD CARRIER LANDING PRACTICE

DATE: 16OCT79

OF FCLP PERIODS: 8-NIGHT
5-DAY


PILOT: SMITH JT

LSD: JONES MR

ACFT TYPE/SIDE #: A-7 / 999

SQUADRON: VA-999

FCLP PERFORMANCE GRAPH



# OF NIGHT APPROACHES	10	8	9	10	10	10	10	10	0	0	0	0
# OF DAY APPROACHES	10	8	9	10	10	0	0	0	0	0	0	0

FCLP SUMMARY FOR PILOT: SMITH JT

NIGHT-ECLP

AVERAGE GRADE = 3.07
TOTAL APPROACHES = 77

DAY-ECLP

AVERAGE GRADE = 3.08
TOTAL APPROACHES = 47

NOTE: N = NIGHT, D = DAY AND B = BOTH NIGHT AND DAY AVERAGE LSD GRADES

DO YOU WISH TO ENTER DATA FOR ANY MORE STUDENTS?
IF YOU DO, ENTER Y. IF NOT, ENTER N.
N

STOP --

Figure B-1. Example of GRADER Operator Instructions and Output.
(Sheet 5 of 5)

APPENDIX C
GLOSSARY OF LSO COMMENTS

GENERAL SYMBOLS*

<u>Symbol</u>	<u>Meaning</u>	<u>Symbol</u>	<u>Meaning</u>
WO	Waveoff	Square	A square drawn around any symbol indicates that a signal was not answered
OWO	Own waveoff		
TWO	Test waveoff		
<u>OK</u>	Perfect pass	Circle	A circle drawn around any symbol indicates that a signal was answered too slowly
OK	Reasonable deviations with good corrections		
(OK)	Reasonable deviations	OC	When used as a prefix to any symbol, OC indicates "over-controlled"
—	Below average but safe pass		
C	Unsafe, gross deviations inside waveoff point	A	APC/AUTO
		M	Manual (APC equipped aircraft)
B	Bolter	PD	Pitching deck
()	Parentheses around any symbol signifies "slightly"; i.e., (F) means "slightly fast"	I	Mode 1 ACLS (record in grade column)

DESCRIPTIVE SYMBOLS*

AA	Angling approach	CD	Coming down
ACC	Accelerate	CLO	Close
AFU	All Fouled Up	CO	Come-on
B	Flat glideslope	COCO	Climbed on come-on
C	Climbing	CPD	Chased Pitching Deck
CB	Coming back to the left	CU	Cocked up

*Log symbols for this report were extracted from the Landing Signal Officer NATOPS manual.

DESCRIPTIVE SYMBOLS (Cont'd)

<u>Symbol</u>	<u>Meaning</u>	<u>Symbol</u>	<u>Meaning</u>
DEC	Decelerate	NERD	Not enough rate of decent
DFD	Dived for deck	NERR	Not enough right rudder
DLW	Dropped left wing	NESA	Not enough straight away
DN	Dropped nose	NH	No hook
DRW	Dropped right wing	NLU	Not lined up
EG	Eased gun	OS	Overshoot
F	Fast	OSCB	Overshot coming back
FD	Fouled deck	P	Power
GLI	Gliding approach	PNU	Pulled nose up
H	High	ROT	Rotate
LIG	Long in the groove	RUF	Rough
LLU	Late line up	R-L	Right to left
LL	Landed left	S	Settle
LO	Low	SKID	Skid
L-R	Left to right	SLIP	Slip
LR	Landed right	SLO	Slow
LUL	Lined up left	SRD	Stopped rate of descent
LUR	Lined up right	ST	Steep turn
ND	Nose down	TAR	Turned at ramp
NEA	Not enough attitude	TCA	Too close abeam
NELR	Not enough left rudder	TMA	Too much attitude
NEP	Not enough power	TMRD	Too much rate of descent

NAVTRAEQUIPCEN 77-C-0166-2

DESCRIPTIVE SYMBOLS (Cont'd)

<u>Symbol</u>	<u>Meaning</u>	<u>Symbol</u>	<u>Meaning</u>
TTL	Turned too late	. . .	Landed 3 points
TTM	Turned too much		Over the top
TTS	Turned too soon		Fly through the glideslope
TWA	Too wide abeam		Fly through the glideslope
—	For emphasis		

SYMBOL SUFFIXES

IT	In the turn	TL	To land
OT	Out of turn (as aircraft starts to roll wings level)	IW	In the wires
		OW	Over the wires
X	At the start (first 1/3 of glideslope)	AW	All the way
IM	In the middle (middle 1/3 of glideslope)		
IC	In close (last 1/3 of glideslope)		
AR	At the ramp		

NAVTRAEQUIPCEN 77-C-0166-2

DISTRIBUTION LIST

Commanding Officer Naval Training Equipment Center Orlando, FL 32813	Chief U.S. Army Strategy and Tactics Group 61 8120 Woodmont Ave. Bethesda, MD 20014
Defense Technical Information Center Cameron Station Alexandria, VA 22314	Commanding Officer 12 Air Force Office of Scientific Research Technical Library Washington, D.C. 20025
<u>All other addressees receive one copy</u>	
Commanding Officer U.S. Army Security Agency Training Center Library Ft. Devens, MA 01433	Technical Library DDR&E Room 3C122, The Pentagon Washington, D.C. 20301
Headquarters ESD/DRI Hanscom AFB, MA 01731	Director Defense Research and Engineering Washington, D.C. 20301
Commanding Officer Navy Submarine Base New London Attn: Psychology Section, Box 600 Groton, CT 06340	OUSDR&E (R&AT) (E&LS) CDR Paul R. Chatelier Washington, D.C. 20301
National Aviation Facilities Experimental Center Library Atlantic City, NJ 08405	Chief, Research Office Office Deputy Chief of Staff for Personnel Department of Army Washington, D.C. 20310
Dr. Donald W. Connolly Research Psychologist Federal Aviation Administration FAA NAFEC ANA-230 Bldg 3 Atlantic City, NJ 08405	U.S. Army Element Inter American Defense College Library Ft. Leslie J. McNair Washington, D.C. 20315
Superintendent U.S. Military Academy Library West Point, NY 10996	HQAFSC/DLS Andrews AFB Washington, D.C. 20334
Commanding Officer Rome Air Development Center Library (TSLD) Griffiss AFB, NY 13440	Chief of Naval Operations OP-115 Research, Development and Studies Room G836 Washington, D.C. 20350
Commander Naval Air Development Center Attn: Code 6022 Warminster, PA 18974	Chief of Naval Operations OP-112C1 Washington, D.C. 20350
LCDR Steve Harris Naval Air Development Center Code 6021 Warminster, PA 18974	Assistant Secretary of the Navy Research, Engineering and Systems Washington, D.C. 20350

NAVTRAEQUIPCEN 77-C-0166-2

Office of Deputy Chief of Naval
Operations
Manpower, Personnel & Training (OP-01)
Washington, D.C. 20350

Chief of Naval Operations
Attn: Dr. R. G. Smith/OP-987H
Washington, D.C. 20350

Chief of Naval Operations
OP-596C
Washington, D.C. 20350

Chief of Naval Operations
Washington, D.C. 20350

Chief of Naval Operations
OP-593B
Washington, D.C. 20350

Chief of Naval Material
MAT 031M
Washington, D.C. 20360

Chief of Naval Material
MAT 08D2
CP5, Room 678
Attn: Arnold I. Rubinstein
Washington, D.C. 20360

Commander
Naval Electronic Systems Command
Code 03
Washington, D.C. 20360

Commander
Naval Air Systems Command
Technical Library
AIR-950D
Washington, D.C. 20361

Commander
Naval Air Systems Command
Washington, D.C. 20361

Commander
Naval Air Systems Command
AIR 340F
Washington, D.C. 20361

Commander
Naval Air Systems Command
AIR 413F
Washington, D.C. 20361

Commander
Naval Sea Systems Command
Technical Library
SEA 99612
Washington, D.C. 20362

Commander
Naval Sea Systems Command
Code 61R2/Mr. P. J. Andrews
Washington, D.C. 20362

Commander
Naval Sea Systems Command
Code 315/Chief Sci Randd
Washington, D.C. 20362

Commander
Naval Sea Systems Command
Code 335
Washington, D.C. 20362

Bureau of Naval Personnel
Assistant Chief for Education
and Training
Personnel CM
Washington, D.C. 20370

Director, Personnel and Training
Analysis Office
Building 200-3
Washington Navy Yard
Washington, D.C. 20374

Naval Research Laboratory
Attn: Library
Washington, D.C. 20375

Commander
Naval Supply Systems Command
Code 03
Washington, D.C. 20376

Hq Marine Corps
Code APC/LTC J. W. Biermas
Washington, D.C. 20380

Scientific Advisor
Headquarters U.S. Marine Corps
Washington, D.C. 20380

Commandant of the Marine Corps
Code OTTF 31
Washington, D.C. 20380

NAVTRAEQUIPCEN 77-C-0166-2

Scientific Technical Information
Office

NASA
Washington, D.C. 20546

Federal Aviation Administration
Technical Library
Bureau Research and Development
Washington, D.C. 20590

Commander
Naval Air Test Center
CT 176
Patuxent River, MD 20670

Dr. Sam Schiflett
Naval Air Test Center
SY 721
Patuxent River, MD 20670

Director Educational Development
Academic Computing Center
U.S. Naval Academy
Annapolis, MD 21402

Commanding Officer
U.S. Army Engineer Research and
Development Laboratories
Attn: Library
Ft. Belvoir, VA 22060

Dr. Jesse Orlansky
Institute for Defense Analyses
Science and Technology Division
400 Army-Navy Drive
Arlington, VA 22202

Defense Adv. Research Projects Agency
Information Processing Techniques Ofc
1400 Wilson Blvd.
Arlington, VA 22209

Defense Adv. Research Projects Agency
Cybernetics Technology Office
1400 Wilson Boulevard
Arlington, VA 22209

Chief of Naval Research
Director, Air Programs
Code 210
Arlington, VA 22217

Dr. Marshall J. Farr
Director, Personnel and Training
Research Program (Code 458)
Office of Naval Research
Arlington, VA 22217

Chief of Naval Research
Code 455
800 N. Quincy St.
Arlington, VA 22217

Chief of Naval Research
Code 458
800 N. Quincy St.
Arlington, VA 22217

Mr. Jerry Malecki
Office of Naval Research
Code 455
800 N. Quincy St.
Arlington, VA 22217

Dr. Henry M. Halff
Office of Naval Research
Code 458
Arlington, VA 22217

Commanding Officer
Fleet Combat Training Center Atlantic
Attn: Mr. Hartz, Code 02A
Dam Neck
Virginia Beach, VA 23461

Commander
Naval Air Force
U.S. Atlantic Fleet (Code 312 E)
NAS Norfolk
Norfolk, VA 23511

Commanding Officer
FASOTRAGRULANT (50)
NAS Norfolk VA 23511

Army Training Support Center
ATTSC-DS
Ft. Eustis, VA 23604

Conrad Technical Library
U.S. Army Signal Center at Ft. Gordon
Building 29807
Ft. Gordon, GA 30905

Chief, ARI Field Unit
P.O. Box 2086
Attn: Librarian
Ft. Benning, GA 31905

LSO Training Model Manager
Officer in Charge
LSO School
Box 171
NAS Cecil Field, FL 32215

Vision Research Division
Code 32
Naval Aeromedical Research Lab
Naval Air Station
Pensacola, FL 32508

Chief of Naval Education and Training
Code 017
NAS Pensacola, FL 32508

Chief of Naval Education and Training
Code N-2/CAPT Bauchspies
Pensacola, FL 32508

Commanding Officer
Naval Education Training Program
and Development Center
Attn: Technical Library
Pensacola, FL 32509

Chief of Naval Education and Training
Code 010
Pensacola, FL 32509

Selection and Training Division
Department of Psychology
Code 26
Naval Aerospace Medical Research Lab
Pensacola, FL 32512

TAWC/TN
Eglin AFB, FL 32542

Director
Air University Library
Maxwell AFB, AL 36100

Commanding Officer, U.S. Army
Aviation
Air Traffic Control School
ATZQ-T-AT-ATC
P.O. Box 385
Ft. Rucker, AL 36362

USAHEL/USAAVNC
Attn: DRXHE-FR (Dr. Hofmann)
P.O. Box 476
Ft. Rucker, AL 36362

Chief, ARI Field Unit
P.O. Box 476
Ft. Rucker, AL 36362

Commanding Officer
Naval Air Technical Training Center
Code 104, Building S-54
NAS Memphis (85)
Millington, TN 38054

Chief of Naval Technical Training
Code 0161
NAS Memphis (85)
Millington, TN 38054

CW02 Ray Priest (Code 7411)
Naval Air Technical Training Center
NAS Memphis (85)
Millington, TN 38054

Mr. Harold A. Kottmann
ASD/YWE
Wright Patterson AFB, OH 45433

Air Force Institute Technology Library
Wright-Patterson AFB, OH 45433

ASD/ENESS
Attn: R. B. Kuhnen
Wright-Patterson AFB, OH 45433

Air Force Human Resources Laboratory
AFHRL/LR
Logistics Research Division
Wright-Patterson AFB, OH 45433

6570 AMRL/HE
Wright-Patterson AFB, OH 45433

ASD/ENETC
Mr. R. G. Cameron
Wright-Patterson AFB, OH 45433

Commanding Officer
Naval Hospital Corps School
Great Lakes, IL 60088

NAVTRAEQUIPCEN 77-C-0166-2

Commandant
U.S. Army Command and General Staff
College
Library Division
Ft. Leavenworth, KS 66027

Chief of Naval Reserve
Code S-3311
New Orleans, LA 70146

Headquarters 34 Tactical Airlift
Training Group/TTDI
Little Rock AFB, AK 72076

Federal Aviation Administration
AAC-954C
Aeronautical Center, Flight Standards
Branch
Oklahoma City, OK 73101

Chief, Methodology and Standards
Staff
Federal Aviation Administration
Academy
Aeronautical Center, AAC - 914
P.O. Box 25082
Oklahoma City, OK 73125

Commandant
U.S. Army Field Artillery School
Counterfire Department
Attn: Eugene C. Rogers
Ft. Sill, OK 73503

Commandant
U.S. Army Field Artillery School
ATSF-TD-TS (Mr. Inman)
Ft. Sill, OK 73503

Headquarters
Air Training Command, XPTI
Attn: Mr. Goldman
Randolph AFB, TX 78148

Commanding Officer
School of Aviation Medicine
Aeromed Library
Brooks AFB
San Antonio, TX 78200

AFHRL/MP
Brooks AFB, TX 78235

Stimson Library
Academy of Health Sciences
U.S. Army
Attn: Miss H. T. Morrow, DDCS Librarian
Ft. Sam Houston, TX 78234

U.S. Air Force Human Resources Lab
AFHRL-MPM
Manpower and Personnel Division
Manpower and Force Management Systems
Branch
Brooks AFB, TX 78235

U.S. Air Force Human Resources Lab
TSZ
Brooks AFB, TX 78235

AFHRL/PE
Brooks AFB, TX 78235

Chief of Naval Air Training
Attn: Code 3146 (LSO)
NAS Corpus Christi, TX 78419

Chief of Naval Air Training
ATTN: Code 333
NAS Corpus Christi, TX 78419

Superintendent
U.S. Air Force Academy Library
Code DFSLB-D
Denver, CO 80840

U.S. Air Force Human Resources Lab
AFHRL-OT (Dr. Rockway)
Williams AFB, AZ 85224

Commanding Officer
Human Resources Laboratory
Operational Training Division
Williams AFB, AZ 85224

U.S. Air Force Human Resources Lab
AFHRL-FT (Dr. Edwards)
Flying Training Division
Williams AFB, AZ 85224

Chief of Naval Education and Training
Liaison Office
Human Resources Laboratory
Flying Training Division
Williams AFB, AZ 85224

U.S. Air Force Human Resources Lab
AFHRL-OT
Operational Training Division
Williams AFB, AZ 85224

AFHRL/OTO
Luke AFB, AZ 85309

Commanding Officer
Naval Education and Training Support
Center, Pacific
Code NSB (Mr. Rothenberg)
San Diego, CA 92132

Commander, Naval Air Force
U.S. Pacific Fleet (Code 311 L)
NAS North Island
San Diego, CA 92135

Commander, Naval Air Force
U.S. Pacific Fleet (Code 342)
NAS North Island
San Diego, CA 92135

Commander, Naval Air Force
U.S. Pacific Fleet (Code 316)
NAS North Island
San Diego, CA 92135

Commanding Officer
Fleet Training Center
Attn: Training Department
Naval Station
San Diego, CA 92136

Commander, Training Command
Attn: Educational Advisor
U.S. Pacific Fleet
San Diego, CA 92147

Commanding Officer
Fleet Combat Training Center, Pacific
Code 09A
San Diego, CA 92147

Commanding Officer
Fleet Anti-Submarine Warfare Training
Center, Pacific
Attn: Code 001
San Diego, CA 92147

Commanding Officer
Naval Health Research Center
San Diego, CA 92152

Commander
Naval Electronics Lab Center
Attn: Library
San Diego, CA 92152

Navy Personnel Research and Development
Center
Attn: M. McDowell
Library, Code P201L
San Diego, CA 92152

Commander
Pacific Missile Test Center
Point Mugu, CA 93042

LT Wayne R. Helm
Human Factors, Engineering
Code 1226
Point Mugu, CA 93042

National Aeronautical and Space
Administration
High Speed Research Center Library
Edwards AFB, CA 93523

Commanding Officer
Air Force Flight Test Center
FTOTL
Technical Library Branch
Edwards AFB, CA 93523

Commander
Naval Weapons Center
Code 3154 (Mr. Bob Curtis)
China Lake, CA 93555

Plans Officer Psychologist
Ft. Ord, CA 93941

National Aeronautical and Space
Administration
Ames Research Center Aircraft
Inspection Branch
Mail Stop 211-5
Moffett Field, CA 95050