

AD-A111 979

MCDONNELL DOUGLAS ELECTRONICS CO ST CHARLES MO

F/6 5/9

ADVANCED TRAINING TECHNIQUES USING COMPUTER GENERATED IMAGERY.(U)

SEP 81 D HAUCK, D COBLITZ

F49620-79-C-0067

UNCLASSIFIED

MDC-M3026

AFOSR-TR-82-0160


NL

[OF]
811A
19-19

END
DATE
FILMED
04-82
DTIC



2.8 2.5



MICROCOPY RESOLUTION TEST CHART
10X NBS 1010-A

Contract No. F49620-79-C-0067

MDC Report No. MDCM3026

ADVANCED TRAINING TECHNIQUES
USING COMPUTER GENERATED IMAGERY

D. Hauck
D. Coblitz
McDonnell Douglas Electronics Company
2600 N. Third St.
St. Charles, Mo. 63301

15 September 1981

Annual Technical Report for Period-

16 May 1980 - 15 July 1981

DTIC
C O B L I T Z
MAR 12 1982
H D

Prepared for
AIR FORCE OFFICE OF SCIENTIFIC RESEARCH
Director of Life Sciences
Building 410
Bolling AFB, D.C. 20332

82 03 11 093

Approved for public release;
distribution unlimited.

ADA111979

DTIC FILE COPY

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFOSR-TR-82-0160	2. GOVT ACCESSION NO. AD-112 979	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) ADVANCED TRAINING TECHNIQUES USING COMPUTER GENERATED IMAGERY		5. TYPE OF REPORT & PERIOD COVERED Annual Report
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) D. Hauck D. Coblitz		8. CONTRACT OR GRANT NUMBER(s) F49620-79-C-0007
9. PERFORMING ORGANIZATION NAME AND ADDRESS McDonnell Douglas Electronics Co Box 426 St. Charles, Mo. 63301		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 611027 2313/A2
11. CONTROLLING OFFICE NAME AND ADDRESS Air Force Office of Scientific Research (NL), (Dr. Genevieve Haddad) Building 410 - Bolling AFB, DC 20332		12. REPORT DATE 15 September 1981
		13. NUMBER OF PAGES 76
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) TRAINING, FLIGHT TRAINING, COMPUTER GENERATED IMAGERY, VISUAL SYSTEMS, SIMULATION, PILOT TRAINING, COMBAT PILOT TRAINING, LEARNING, TEACHING, CRITICAL COMBAT SKILLS		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Aircraft simulator systems have been primarily designed as substitutes for actual aircraft. The computer generated imagery of these systems provides the flexibility to enhance training in ways that cannot be done in the real world. The thrust of this research is to conceive and demonstrate training approaches to take advantage of this flexibility as a step towards reducing pilot combat attrition and increasing readiness. Two broad categories of techniques are available to us: (1) synthesizing tasks that are untrainable		

Unclassified
SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

→ in aircraft during peacetime but are required during combat; and (2) application of teaching/learning methods unavailable in aircraft. Exploratory testing has begun on numerous techniques. A VITAL IV computer generated image (CGI) system has been used for testing and demonstration.

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

TABLE OF CONTENTS

	PAGE
INTRODUCTION	1
Statement of Work	1
Project Goals	2
Past Progress	3
1980-81 PROGRAM DESCRIPTION	3
Coordination with Air National Guard & Parks College	4
Modifications to MDEC VITAL System	6
Modifications to the Air National Guard System	6
Data Acquisition and Analysis	8
Feedback to Idea Generation	8
1980-81 PROGRESS	8
Flight and Ground Path Markers	9
Cursors	11
Immediate Scoring	11
Weapon Delivery Scene Requirements	13
<u>Air-to-Air</u>	13
<u>Air-to-Ground</u>	13
Cannon Tracer Range Emphasis	16
Multiple View Points	17
Velocity Vector	17
Target Attack Cone	19
Scene Element Utilization	19
Interactions with Other Organizations	24
FUTURE ACTIVITY	24
Coordination with Cambridge Intelligent Systems	26
Feedback to Idea Generation	26
SUMMARY	27
BIBLIOGRAPHY	28
APPENDIX A KEY ISSUES TO BE TRAINED	A-1
APPENDIX B GENERIC LIST OF TRAINING TECHNIQUES	B-1
APPENDIX C SAMPLE EVALUATION FORM	C-1

LIST OF ILLUSTRATIONS

	PAGE
Figure 1. A-7D Simulator	5
Figure 2. Analogue Flight Simulator with VITAL IV	7
Figure 3. Shortened Flight Path Markers	10
Figure 4. Extended Flight Path Marker Single String	10
Figure 5. Horizon Depression Cursor	12
Figure 6. Display Cursor	12
Figure 7. Target Modeling in Progress	14
Figure 8. Scene Modeling in Progress	15
Figure 9. Examples of Non-Real World Scene Elements	16
Figure 10. Tracer Range Emphasis	18
Figure 11. Multiple Viewpoints	18
Figure 12. Visible Lethal Cone	20
Figure 13. Visible Attack Cone	20
Figure 14. Angular Change Recognition	21
Figure 15. Altitude Comparison	23

INTRODUCTION

This annual report describes continuation of the study effort on contract number F49620-79-C00067 entitled "Advanced Training Techniques Using Computer Generated Imagery." This reporting period is from 16 May 1980 through 15 July 1981. The objective is to generate and demonstrate new concepts in aircrew training methods that take advantage of the flexibility of computer generated imagery to enhance critical combat skills. The previous study generated concepts for new utilization methods and scene content for aircrew training device visuals. This was followed by implementation of several examples on an MDEC Virtual Image Take-off And Landing (VITAL) Model IV computer generated imagery simulation system. Incorporated into the visual presentation were scene elements which existed solely for instructional purposes rather than as representations of "real world" objects. Examples are given in the progress section of this report.

Statement Of Work

The following research tasks define the statement of work for this contract through the current reporting period:

- a. Review relevant literature concerning visual simulation techniques.
- b. Review combat flying task cue requirements for selected flying maneuvers.
- c. Generate training approaches for modeling and using scenes which might result in positive training of these flying tasks.
- d. Develop these scenes using computer image generation systems.
- e. Select final training techniques to be implemented and tested.
- f. Make experimental plan for testing these techniques which includes specific experimental objectives, subject type and number, experimental protocol, and type of data analyses.

g. Continue coordination with AFOSR, Air National Guard and Parks College to arrange and implement experimental testing of pilots.

h. Implement modifications to MDEC VITAL system as worked out between AFOSR and contractor. Modifications to MDEC system at MDEC will be retained by MDEC.

i. Implement proposed modifications to A-7D simulator at Davis Monthan AFB in such a way to avoid interference with normal training procedures as agreed by NGB/X00.

j. Arrange details of data collection with National Guard simulator technicians and instructors.

k. Conduct sample interviews with students, instructors, and simulator technicians and analyze this data.

l. Continue concept generation.

Project Goals

The goals of this study were to generate and demonstrate concepts in aircrew training methods that take advantage of the flexibility of Computer Generated Imagery (CGI). While in the past the main objective of simulation was to duplicate the real world cockpit environment, we are now in a position to consider other objectives that are attainable with training devices. This requires a change in orientation from considering a simulator as an airplane substitute to thinking of it as a training device that can complement "real world" training as part of a total training system which cohesively runs the gamut from text through actual aircraft. Another basic change requiring consideration is the shift in military use of simulators from teaching only initial, simple flight skills and procedures to adding the teaching and maintenance of complex combat skills involving interactions among several aircraft and ground systems.

Specifically the goals were:

- Raise the average standard of skill achieved from a given training segment.
- Develop proficiency more rapidly.
- Maintain skill levels more efficiently.
- Extend the upward limits of skill achieved by the best pilots.
- Make fuller use of conceivable visual stimuli.
- Develop and evaluate non-real world display enhancements.

Past Progress

During the first contract period, a list of key issues to be trained was drawn up to provide a framework for concept generation. (See Appendix A.) A list of 18 generic and 44 specific examples of training techniques was also generated. (See Report No. MDC M3020 and Appendix B.) Selected examples of these were implemented for demonstration purposes on a VITAL computer generated visual system at MDEC. Upon examination of the lists it was noticed that most of the listed techniques are intended to address the teaching of "recognitional" type tasks as defined by Klein in AFOSR Report TR-SCR-79-8, October 1979, entitled, "User Guides: Some Theoretical Guidelines for Their Use." They tend to make use of the learning theory principle of immediate feedback of results and are amenable to inclusion within holistic and/or adaptive training schemes as well as more standard techniques.

1980-81 PROGRAM DESCRIPTION

This effort began exploratory testing of some of these new training concepts for two main purposes. The results were fed back into the concept generation process, and the exploratory testing helped select which of the

large number of concepts should first be submitted to more formal testing. That later formal testing (not part of this effort) would provide the type of data required to assure that the techniques indeed add to training effectiveness.

The exploratory testing was divided between two locations and used two different subject samples. Relatively inexperienced flight students and movies were available as subjects for testing at MDEC on a VITAL system with a simple aircraft simulator. In addition, an experienced sample of the Air National Guard pilots and instructors was available for testing on a sophisticated VITAL equipped A-7D simulator. That system was modified under the contract to incorporate some of the advanced training techniques for testing.

Coordination With Air National Guard & Parks College

Coordination was required, particularly early in the program, between MDEC, AFOSR, and the Air National Guard. In addition, coordination was required between MDEC and Parks College (which has a low experience subject pool). With regard to Parks College, Mr. Gerald Spittler, Director of Flight Training, agreed to assist by helping us make his flight students aware of our need for subjects and to help in scheduling student subjects. Parks College presently has approximately 289 flight students on the roster at various levels. They have about 20 flight instructors and operate 23 light aircraft.

With regard to the Air National Guard, personnel from the Operations and training Division were contacted on 4 December 1979. They informally agreed to support our on-site testing and, if necessary, to cooperate in the collection of minor data (e.g., sound recording) that may require the use of an A-7 aircraft. It was mutually understood that National Guard assistance was on a non-interference with training basis and that the National guard is not responsible for funding this effort. In addition, it was agreed that the National Guard may retain any modifications made to their A-7D simulator (Figure 1) and visual system at Davis Monthan AFB. Conversely, any modifications not desired by the National Guard Bureau will be removed by MDEC.



Figure 1. The ANG A-7D Simulator

Continued coordination with the Air National Guard, particularly at Davis Monthan AFB was required to establish methods and schedules for data acquisition and to obtain feedback from experienced users.

Modifications To MDEC VITAL System

Some of the concepts had been implemented on the VITAL system at MDEC during the previous reporting period for demonstration purposes. Additional modifications were required to set up for data taking and experimentation, and to implement other additional concepts. During the course of the contract it was mutually agreed between AFOSR and MDEC that it would be advantageous to change the initial plan, which called for upgrading the software driven by a simplistic joystick box. Instead, an inexpensive analogue flight simulator was procured and interfaced to the VITAL IV system. (See Figure 2.)

Modifications To The Air National Guard System

The A-7D simulator system at Davis Monthan AFB, Arizona, is equipped with a VITAL IV visual system and has access to a large subject pool consisting mainly of experienced pilots but with some less experienced pilots. These conditions combined with the sophisticated training attitudes of the Air National Guard personnel made it an ideal location for exploratory testing of our training approaches. The operational feedback from students and instructors was beneficial. Modifications of the simulator and visual system were performed in such a way as to avoid interference with normal training schedules or methods. It was envisioned that after a student's normal session in the simulator he would spend a short additional period, 15 minutes for instance, using new visual environments. Afterwards, he and the instructor would each spend a few minutes filling out an evaluation form. Instructor and operator participation and comment is crucial since several of the techniques are aimed at providing them with better facilities to perform their jobs. In addition, they are expected to operate the system using the new facilities, collect the data from each session on forms to be provided by MDEC, and provide their own comments, reactions, and suggestions. MDEC personnel installed the changes and explained to the operators and instructors the intended use, operation, and how to collect the data required at each




Figure 2. The Analogue Flight Simulator With VITAL IV

session. The data collection did not require much additional time from the operators or instructors beyond their normal training duties.

Data Acquisition and Analysis

As mentioned in the previous section, data was collected by the Air National Guard simulator technicians and instructors during a short period at the end of each normal training session. A sample evaluation form is given in Appendix C. In order to mesh this activity with the normal syllabus and to help us in picking training concepts relevant to the syllabus, we requested a copy of the Air National Guard A-7D training syllabus.

Sample interviews with students, instructors, and simulator technicians involved were conducted to ascertain their reactions to the program and solicit their suggestions. The data was analyzed by MDEC.

Feedback To Idea Generation

Although the emphasis of the program has now shifted from idea generation to demonstration and exploratory experimentation, the concept generation portion of the program continued. Feedback from demonstration, experimentation, and outside sources naturally lead to refinement of the present concepts and the addition of new ones. For example, the Air National Guard Bureau has already given suggestions regarding their Low Level Awareness Training (LLAT) program. A suggestion from the Davis Monthan Team was for an aid to learning range judgment required for planning an attack on a ground target of opportunity.

1980-81 PROGRESS


The development of the basic aircraft control interface, using an inexpensive analogue flight simulator, provided a means to evaluate CGI visual training. A study was made using presently accepted imagery practice along with systematic treatment of advanced elements, both real and non-real. In-house subjects along with pilots from the Air National Guard at Tucson, Arizona, were used during this study.

Flight and Ground Path Markers

Flight path markers were generated to mark the position and attitude of the simulated aircraft, target, or both. A marker at each wing tip was generated and stored at an easy-to-recognize interval. The relative flight movement during skill development could then be observed to provide the pilot with a comprehensive insight of the task during instructor and self evaluation of a maneuver. It should be noted that this differs significantly from past practice in that now these effects were provided in the student's out-of-the-window display for immediate student feedback and not in the instructor station only. The ground path markers are a modified flight path marker with zero altitude that was used when the target markers were not active. The ground track adds a three-dimensional element. The flight path markers for target aircraft provided additional demand for this enhancement. The markers need to have controllable intensity if used to evaluate air-to-air maneuvers. They should not always be visible from the target during the attack. The marker of the target during attack would be of value to emphasize direction of flight and the present attitude of the target. (See Figure 3.) However, what his attitude was before is of little value. The use of a single light string trail of less than $\frac{1}{2}$ mile and an emphasized target would be best. (Emphasized target subject discussed separately.)


The attitude of attacking aircraft is less important than the flight path over an extended time. The use of a single light string trail would be a better utilization of resources and allow the observation of longer segments of the task. (See Figure 4.)

The implementation of the flight path markers pointed out additional demand for this enhancement. The number of markers displayed needs to be controllable. The instructor may not wish to have the markers visible during the performance of an attack; however, when the results are evaluated the flight paths could add a new dimension to the interpretations. The markers of the target during attack could be used to emphasize direction of flight; however, the attitude and flight path over $\frac{1}{2}$ miles was found to be of little value; however, extended markings are useful for debriefing. (See Figure 4.) The aircraft path markers are best used when combined with the stop action



14-1755-6
(1215-1768)R

Figure 3. Shortened Flight Path Markers



14-1755-5
(1215-1768)R

Figure 4. Extended Flight Path Marker Single String


capability of flight simulators and multiple viewpoints. (Multiple viewpoints is in separate topic.)

Cursors

Two types of cursor were prepared. This feature gave the instructor a direct link to the student's visual impressions. The instructor's joystick was used for controlling the desired position in addition to a choice of pre-selected positions. A horizon depression cursor was controllable in azimuth and elevation angles. The shape of this cursor was a graduated square. After being positioned it would stay a fixed number of degrees below the horizon to represent a desired dive or glide angle. (See Figure 5.) A display cursor was a measuring cross that could be positioned horizontally and vertically in display coordinates with the instructor's joystick. (See Figure 6.) The use of the cursors depends much on the creative imagination of the instructor when combining this aid with his lesson plan. The A7-D simulator joystick is located on the opposite side of the instructor's console from the visual display monitor. For better results, the control should be in a convenient position while he is observing the instructor monitor. The poor position resulted from the fact that the instructor station joystick was originally designed for use with the electronic warfare console only. The visual system and our modifications to its software were only added much later. The addition of a cursor that was scene stabilized was suggested by all instructors that used the system. They expressed the need to have the ability to point out a specific location in the scene and such a cursor would stay on the object once set in position making this easier.

Immediate Scoring

The importance of the ability for the pilot to self-evaluate cannot be overemphasized. The instant that the maneuver is completed, the conditions are fresh in the pilot's mind, and immediate scoring enables him to make best use of this knowledge when evaluating events associated with a maneuver. The visual system program was modified at ANG request to provide this immediate scoring information across the top of the student's out-the-window scene.



14-1755-7
(1215-1248)R

Figure 5. Horizon Depression Cursor



14-755-4
(1215-1244)R

Figure 6. Display Cursor

Weapon Delivery Scene Requirements

Air-to-Air - The model of an air target can have many demanding visual requirements. The element resources available to CGI systems to represent the target are lightpoints and shapes. The tasks of air-to-air refueling formation flying, and aircraft identification require a model of high detail when observed at relatively close range. Shapes are, under most circumstances, used to generate the visual image. The modeler should be made cognizant of the visual requirements when selecting the modeling process. (See Figure 7A.)

The visual requirements for a target that is to be used for air-to-air gunnery differ. The pilot is mentally developing how to maneuver his aircraft into a favorable position; to do this, he must learn to judge the target airspeed, attitude, range, and heading. The model for this is best presented as a generalized ground plane and a highly defined outline of an airplane of specific wingspan. (See Figure 7B.) The shapes can be arranged in such a manner as to present a dimensional target, however resolution and minimum size reduces their effectiveness with range. The calligraphically drawn lightpoints are very resolvable, but not realistic when representing solid objects at close range.

Air-to-Ground - The scene data base requirements for air-to-ground weapon delivery should be well understood by the modeler.

The scene modeler should first consider the task's requirements when selecting elements to be used. A single scene can be used for more than one task, however, one should be careful not to omit significant elements that would be advantageous to learning a particular maneuver. The outstanding features of a scene must contain the proper balance of detail for the visual requirements, for example, a mountain that is to be a checkpoint. The modeler could represent the mountain with from one to fifty scene elements; the final selection should be based on the visual demand of the training task the scene will be associated with. (See Figure 8.)





Figure 7. Target Modeling Techniques




Figure 8. Scene Modeling in Progress

The scene modeler should consider more than the selection of real world elements for a training task. Non-real world elements can be just as important, if not more so. The elements can take many forms. However, some examples are course markers, range markings, key window, attitude direction, etc., (See Figure 9.) The capability to turn on/off scene elements exists now in most computer generated imagery systems. This adds to the flexibility that the instructor can be given for effective adaptability.

Cannon Tracer Range Emphasis

The cannon tracers were emphasized by increasing their intensity when their range matched that to the target. It was hoped this would aid the pilot in learning to make accurate range estimates and miss corrections. (See Figure 10.)

The primary mission of the Air National Guard at D.M. is air to ground weapon delivery. The air-to-air effects should be evaluated at a location that is directly involved with air-to-air gunnery as part of their primary duty.



14-1755-9


Figure 9. Example of Non-Real World Scene Elements

Multiple View Points

The importance for the pilot to form a mental survey of the situation at different phases must be stressed. (See Figure 11.) The ability to generate multiple view points for visual situation presentation during training not only gives the instructor an additional aid, it also stimulates the pilot for self-evaluation. The selected view points visually presented the situation from offensive and defensive aspects for a complete understanding of the required tactics. The multiple view points are desirable for developing both air-to-air and air-to-ground procedures. When used in combination with other features like problem freeze and special effect programs (flight-path markers, cursor, emphasized target, etc.), multiple view points can be expected to accelerate training at all levels. The actual view points could be chosen to fit the conditions to be observed. One example showed the pilot what he looked like to a surface-to-air missile operator so that effective evasive survival techniques could be practiced. The National Guard pilots expressed little interest in this. They were totally offense oriented in their thinking.


Velocity Vector

The velocity vector is a visual mark to indicate to the pilot the extended flight path of the aircraft. The CGI display can be used to supply this feature for any aircraft. The A-7D has this feature in the aircraft as part of the HUD; however, other common types of aircraft do not have this aid. The vector provides the pilot with a visual reference that can be relied on while developing an error-free aim point perceptual judgment. The skill to judge aimpoint is applied to all ground reference maneuvers, whether it be take-off and landings or delivering air-to-ground weapons.




14-1755-10


Figure 10. Tracer Range Emphasis



14-1755-2



14-1755-3



14-1755-8

Figure 11. Multiple Viewpoints


Target Attack Cone

The ability to visually project a three dimensional geometric volume of importance with respect to a target was demonstrated using scene elements to form a danger zone as part of the air target database. The Air National Guard at Davis Monthan does not regularly engage in air-to-air combat in their present flight commitments; however, many of the pilots had past experience. The scene that was utilized outlined the area that the pilot must avoid to prevent the target from having the combination of circumstances favorable to become the aggressor. (See Figure 12.) The boundary of the area to which the pilot must gain position to be an effective attacker for his weapon system was requested by all who were shown this feature. Despite the fact that there was little interest in the particular area modeled, there was much interest in the potential capacity of this instructor aid. (See Figure 13.)

Scene Element Utilization


The use of the simplified analogue simulator with a VITAL IV visual provided the mechanism to dynamically evaluate scene element utilization. The single task detection of changes in roll, pitch, or yaw indicated that novice pilots and non-pilots could perceive the same movement of scene elements on a CGI display. This was demonstrated by introducing angular changes at various rates from level flight and measuring the angular change accumulated before the subject took corrective action. (See Figure 14.)

The ability to meaningfully recognize characteristic movement patterns of scene elements was demonstrated. The subjects were asked to make altitude judgments from visual observations while descending over generalized terrain. The scene used was a random set of lightpoints on the ground and a predominate horizon. The first attempt showed random estimates; however, when exposed to the same task after observing correct examples for immediate comparison, the results were consistent.




14-1547-2

Figure 12. Visible Lethal Cone



14-1755-1

Figure 13. Visible Attack Cone



Condition: Subjects were asked to correct any angular change while observing a dynamic scene in straight and level flight. A single axis rate of change of 2°/sec. was introduced, the angle at which the first correction occurred was recorded.

- = Horizon and unlimited visibility
- = No horizon and unlimited visibility
- X = Visibility 1-1/2 mile

Figure 14. Angular Change Recognition

The ability to accurately judge small angles using scene elements was immediately improved when examples were shown for comparison. (See Figure 15.)


The immediate visual observation of the ideal model for a complex maneuver can be presented utilizing controllable scene elements. The model provides the trainee with a visual example for comparison during skill development. (See Figure 9.)

The requirement to demonstrate low altitude flight control skill has continually been expressed as a key element when developing many advanced combat maneuvers. The demand to generate real world scenes to accomplish effective training in this area is outside the present capability attainable with CGI. A simple pattern of section divisions of an area 20 N.M x 20 M.M. could completely consume the elements available for a scene. Low altitude (defined as from the surface to 300 ft. A.G.L.) training requires more visual stimulation than that available from a pattern of this size.

A dynamically relocated overlay grid provided much greater visual stimulus. A grid made up of thirty stripes visible only below 300 ft. A.G.L. and less than 3500 ft. range was used to provide ten times the visual cues utilizing less than ten percent of the scene capability that would have been required using normal techniques. Other elements such as altitude reference markings (trees) were also included in the relocating overlay. This relocating overlay can be used along with existing training scenes.

The principal of the relocating overlay was successfully demonstrated in the lab as part of MDEC's in-house research. It will be field evaluated next year under this contract.

Movement of scene elements can be clearly perceived on a CGI visual system. The single task detection of changes in roll, pitch and yaw showed that pilots and non-pilots see the same thing. The reaction to the visual inputs, however, does vary with the experience and training of the individual. Training for reaction based on specially designated scene elements can then be used to improve real world performance. The single



Condition: Subjects were asked to judge when their altitude was 200ft. while observing a dynamic visual scene of a generic ground plane.

○ = First attempt.

X = After observing condition for comparison.

Figure 15. Altitude Comparison

instructor controllable introduction of a non-translating lightpoint at specified relative azimuth and intensity would present to the pilot the first visually recognizable elements of a collision. This feature would allow this recognition awareness to be included with other training syllabus elements. This is an example of scene elements that can be introduced to improve pilot reaction to visual stimulus rather than describing a specific object.

Interactions With Other Organizations

A number of interactions with people from other organizations occurred during the reporting period. The major one was a paper presenting results from the first reporting period. This was given at and included in the proceedings of the Interservice/Industry Training Equipment Conference, Nov., 1980, in Salt Lake City, Utah. The paper was well received and resulted in discussions of the proposed training techniques with personnel from the Naval Training Equipment Center, Air Force Human Resources Lab, Army Research Institute, National Research Council, and Tri Service Simulation Technology Advisory Group (SIMTAG). A presentation at the Annual Review of the Air Force Office of Scientific Research fostered many fruitful interactions with other researchers in the field. Among these were Dr. Regan, several vision researchers at MIT, and those addressing similar issues at Ohio State University. The future subcontract activity involving Cambridge Intelligent Systems for design of a tactical decision making display and training approach also resulted from this conference. Such tactical decision training displays were discussed with individuals representing a number of organizations including the Naval Training Equipment Center, the Naval Air Test Center, McDonnell Aircraft Company, and the Israeli Air Force. The Air National Guard and Parks College have cooperated in this research by offering test subjects and suggestions.

FUTURE ACTIVITY

In addition to continuing the concept generation activity, the following year's statement of work calls for:

- a. Design and testing of novel dynamic CGI scenes to train tactical judg-

ment. One of these scenes should include an energy diagram (or other representation which dynamically changes in response to flight conditions).

b. Development and testing of novel training techniques specifically designed to improve performance in low level flight. These techniques should incorporate the new concepts in aircrew training methods generated during the first two years of the contract.

c. Completion of exploratory testing of training techniques developed during the first two years of contract.

d. Development of a dynamic demonstration (film or videotape) which illustrates the most promising training techniques developed during the course of this research effort.

The examples given in the progress section may be thought of as a form of calisthenics for fighter pilots. Instead of exercising their muscles we are exercising their visual perception and tactical judgment. Perceptual calisthenic implementation and testing will be continued and implementation and testing tactical judgment training techniques will begin. Experimental subjects will be drawn from flight students at Parks College and from Air National Guard pilots and instructors at Davis Monthan AFB, Arizona. Two Israeli instructor pilots presently living in Boston, Massachusetts, will assist under subcontract in the design of the tactical judgment training display and its utilization. This display will be implemented by MDEC on a VITAL system.

Key combat flight issues identified in the previous study effort were energy management and low altitude flight. A recent Air Force study (AFHRL-TR-79-44) identified visual lookout and maintaining position as key to the overall success of low level tactical formation missions. The studies involving Parks College students at MDEC on the simple simulator will concentrate on visual cues and training techniques to improve performance in low

level flight. The effort to improve energy management training will center on the use of an energy diagram (or other representation) which dynamically changes in response to flight conditions. This is part of an overall strategy of using the training device to aid tactical judgment training. In addition, testing of other training techniques will continue in cooperation with the Air National Guard.

The National Guard will continue to supply test subjects and instructor pilots for evaluation. MDEC will supply the evaluation forms and perform the data analysis. As exploratory testing results become available, an effort will be made to begin coordination with the Air Force Human Resources Laboratory and other testing agencies to begin formal testing of the most promising techniques.

Coordination With Cambridge Intelligent Systems

The subcontract to Cambridge Intelligent Systems (Israeli instructor pilots) will have as goals: The design of a dynamic visual presentation of energy maneuverability data, and development of a training procedure for optimal use of a simulator having this visual presentation. MDEC will implement the presentation on a VITAL system. Appropriate people at MCAIR will be consulted to avoid duplication of past work in this area.

Feedback To Idea Generation

Although the emphasis of the program has now shifted to implementation, exploratory test, and demonstration, the concept generation will continue. Feedback from demonstration, experimentation, and outside sources will naturally lead to refinement of the present concepts and addition of new ones. For example, the Air National Guard has already given suggestions regarding their Low Level Awareness Training (LLAT) program. Another of their suggestions this year was a cursor that a pilot could place on a ground target of opportunity in the scene. The computer would then show the range to the cursor after the pilot has made his guess. This could be used as an aid to learning to judge range.

SUMMARY

This report presents the results of exploratory testing of an array of training techniques using non-real world element enhancement of CGI visual systems. The feedback from this activity has varified the effectiveness of the concepts. The continuation of testing and refinement of these techniques for explicit skill development will establish a base for utilizing CGI during advanced combat maneuver training. The next period in this process of development will be used to illustrate the principles for selected complex combat skills and compile exploratory testing.

BIBLIOGRAPHY

Aerospace Medical Division; Air Force Technical Objective Document, Aerospace Medical Division, Brooks Air Force Base, Texas 78235, AMD-TR-80-1, FY 1982

Air Force Human Resources Laboratory; Fiscal Year 1980 Air Force Technical Objective Document, Plans and Programs Office, HQ Air Force Human Resources Laboratory, November 1978

Air National Guard; Low Level Awareness Training (LLAT), Air National Guard Fighter Weapons School, Tucson, AZ, December 1978.

Air Training Command; Undergraduate Pilot Training - Instrument Flight Simulator (UPI-IFS) Follow on Operational Test and Evaluation, 3305th School of Squadron, Simulation Management Branch, ATC, Randolph AFB, TX 78148, November 1977.

Allbee, K. F., Semple C. A.; Aircrew Training Devices Life Cycle Cost and Worth of Ownership, United Airlines Flight Training Center, Stapleton International Airport, Denver, Colorado 80207, AFHRL-TR-80-34, January 1981

Andreassi, J. L., Final Report: Evoked Cortical Potentials and Information Processing, Baruch College, CUNY, Psychology Department 155 East 24th Street, NYC 10010, 30 June 1979

Andrews, J. W.; Air-to-Air Visual Acquisition Performance with Pilot Warning Instruments (PWI), Massachusetts Institute of Technology Lincoln Laboratory, FAA-RD-77. 25 April 1977

Bailey, C. D.; USAF-ASEE (1978) Summer Faculty Research Program (WPAFB), Ohio State Univ Research Foundation Columbus, AFOSR-TR-79-0231, November 1978

Bailey, J., Hughes, R. G., Jones, W. E.; Application of Backward Chaining to Air-To-Surface Weapons Delivery Training, Flying Training Division, Air Force Human Resources Laboratory, Williams Air Force Base, Arizona 85224, AFHRL-TR-79-63, April 1980

BIBLIOGRAPHY

Bailey, J. S., Hughes, R. G.; Applied Behavior Analysis in Flying Training Research, Flying Training Division, Air Force Human Resources Laboratory, Williams Air Force Base, Arizona 85224, AFHRL-TR-79-38, January 1980

Barlow, E. M.; Annotated Bibliography of the Air Force Human Resources Laboratory Technical Reports - 1978, Technical Services Division, Air Force Human Resources Laboratory, Brooks Air Force Base, Texas 78235, AFHRL-TR-80-1, June 1980

Beauchamp, D. E.; The Impact of a Learn-Forget-Learn (LFL) Curve and Learning Curves on a System Effectiveness Model, AFIT Student at Kansas State University, CI 79-5, 1978

Benel, R. A., Benel, D. C. R.; Accommodation in Untextured Stimulus Fields, Department of Psychology, University of Illinois, Champaign, Illinois 61820, AFOSR-TR-80-0404, May 1979

Bermudez, J. M., Clover, W. H., Dahle, L. J., Hughes, R. L., Washington, D. M.; Proceedings, Psychology in the Department of Defense, 6th Annual Symposium, Department of Behavioral Sciences and Leadership, USAFA-TR-76-12, April 1978

Bilikam, J. E., Frick, R. K.; Analysis of Air-to-Air Combat Data and the Effect of Pilot Learning, Deputy for Development Planning, Aeronautical Systems Division, Wright-Patterson Air Force Base, Ohio, ADA083960, August 1970

Blumenfeld, G., Hirochbuhl, G. J., Al-Rubaiy, A.; Electronic Computers for Slate-Board Schools, An Ethnographic Parallel to Steel Axes for Stone-Age Men, The University of Akron, IR 006 251, March 1978

Bott, R. A.; A Study in Complex Learning: Theory and Methodologies, Center for Human Information Processing, University of California, San Diego, La Jolla, California 92093, March 1979

Bowen, H. M., Bishop, E. W., Promisel, D., Robins, J. E.; Study, Assessment of Pilot Proficiency, Dunlap & Associates, Inc., Darien, Connecticut, N61339-1614, August 1966

BIBLIOGRAPHY

Bowen, H. M., Bishop, E. W., Promisel, D., Robins, J. E.; Study, Assessment of Pilot Proficiency, Naval Training Device Center, Orlando, Florida, NAVTRADEVCEEN 1614-1, August 1966

Branch, K. V., Duffy, L. R., Staley, J. D.; Design of Training Systems, Phase IV Report, IBM Corp, Cape Canaveral, Florida, TAEG-37, October 1976

Branson, R. K.; Outcomes of the Instructional Systems Development Project, Army Combat Arms Training Board, IR 007 440, March 1979

British European Airways; British European Airways Imagetics Experiment Final Report, British Airways and Redifon Simulation, AMGT, December 1972

Bushnell, D. S., Caro, P. W., Lavisky, S., McFann, H. H., Taylor, J. E.; Instructional Technology in the Military, Human Resources Research Organization, 300 North Washington Street, Alexandria, Virginia 22314, ADB026804, July 1976

Calkins, R. R.; Air Force Training for Instructional Systems Development, IR 007 444, March 1979

Caro, P. W., Shelnut, J. B., Spears, W. D.; Aircrew Training Devices Utilization, Seville Research Corporation, 400 Plaza Building, Pensacola, Florida AFHRL-TR-80-35, January 1981

Caro, P. W., Pohlmann, L. D., Isley, R. N.; Development of Simulator Instructional Feature Design Guides, Seville Research Corporation, 400 Plaza Bldg., Pensacola, Fla. 32505, TR 79-12, October 1979

Caves, W. E., Wilkinson, W. L.; Dynamic Flight Student Flow Model, The George Washington University, Program in Logistics, Washington, DC 20037, SERIAL- T-362, 21 October 1977

Charles, J. P., Johnson, R. M.; Automated Weapon System Trainer: Expanded Module for Basic Instrument Flight Maneuvers, Appli-Mation, Inc., 11772 Sorrento Valley Road, Suite 101, San Diego, California 92121, NAVTRAEQUIPC 74-C-0141-1, August 1977

BIBLIOGRAPHY

Charles, J. P., Johnson, R. M.; Automated Weapon System Trainer: Expanded Module for Basic Instrument Flight Maneuvers, Appli-Mation Inc., San Diego, CA., NAVTRAEQUIPC-74-C-0141-1, August 1977.

Charles, J. P., Willard, G., Healey, G.; Instructional Pilot's Role in Simulation Training, Appli-Mation, Inc., 11772 Sorrento Valley Road, Suite 101, San Diego, California 92121, AD-A -023546, NAVTRAEQUIPCEN-75-C0093-1, March 1975

Charles, J. P.; Instructor Pilot's Role in Simulation Training (Phase II), Appli-Mation, Inc., 930 Woodcock Road, Suite 111, Orlando, Florida 32803, NAVTRAEQUIPCEN 76-C-0034-1, DDC 5751-1P1A, August 1977

Charles, J. P., Instructor Pilot's Role in Simulator Training (Phase III), Appli-Mation, Inc, 930 Woodcock Road, Suite 111, Orlando, Florida 32803, NAVTRAEQUIPCEN 76-C-0034-2, June 1978

Coblitz, D.; Training Techniques Using Computer Generated Imagery (CGI), 2nd Interservice Industry Training Equipment Conference, Salt Lake City, 18-20 November 1980.

Coblitz, D.; Advanced Training Techniques Using Computer Generated Imagery, McDonnell Douglas Report No. MDCM 3020, Annual Technical Report, AFOSR, 15 July 1980.

Cockrell, J. T.; Effective Training for Target Identification Under Degraded Conditions, U.S. Army Research Institute for the Behavioral and Social Sciences (PERI-IK) 5001 Eisenhower Avenue, Alexandria, Virginia 22333, Technical Paper 358, April 1979

Cockrell, J. T.; Evaluation of Four Target-Identification Training Techniques, System Development Corporation, 2500 Colorado Avenue, Santa Monica, California 90406, Technical Paper 301, August 1978

Cody, W. J.; Technical Presentation on Models and Measurement of Human Operator Performance, McDonnell Aircraft Corp., Informal Memo, 2 February 1981

BIBLIOGRAPHY

Collins, A.; Explicating the Tacit Knowledge in Teaching and Learning, Technical Report No. 5, Bolt, Beranek and Newman, Inc., Cambridge, Massachusetts, IR 006 672, 1978

Conway, M. J.; The Imagetics Methodology, Imagetics, Inc. U.S.A., 1979

Conway, M. J.; Method and Means for Enhancing Mental Imaging Capabilities, United States Patent Office, Patent No. 3,613,266, 19 October 1971

Conway, M. J.; Mental Image Enhancement Appartus Utilizing Computer Systems, United States Patent 4,060,915, 6 December 1977

Crosby, J. V., Pohlmann, L. D., Leshowitz, B. Waag, W. L.; Evaluation of a Low Fidelity Simulator (LFS) for Instrument Training, Arizona State University, Tempe, Arizona 85281, AFHRL-TR-78-22, July 1978

Cyrus, M. L.; Motion Systems Role in Flight Simulators for Flying Training, Flying Training Division, Air Force Human Resources Laboratory, Williams Air Force Base, Arizona 85224, AFHRL-TR-78-39, August 1978

Damos, D. L., Lintern, G.; A Comparison of Single- and Dual-Task Measures to Predict Pilot Performance, University of Illinois, Department of Psychology, Urbana, Illinois 61801, AFOSR-TR-80-0325, May 1979

Damos, D. L., Smist, T. E.; Response Strategies and Individual Differences in Multiple-Task Performance, Department of Industrial Engineering, State University of New York at Buffalo, Amherst, New York 14260, AFOSR-TR-81-0289, February 1981

deLeon, P.; The Peacetime Evaluation of the Pilot Skill Factor in Air-to-Air Combat, Directorate of Operational Requirements for United States Air Force Project Rand, R-2070-PR, January 1977

BIBLIOGRAPHY

DeMaio, J. C., Eddowes, E. E.; Airborne Performance Measurement Assessment: Low Altitude Tactical Formation in Two Operating Environments, Operations Training Division, Air Force Human Resources Laboratory, Williams Air Force Base, Arizona 85224, AFHRL-TR-79-44, July 1980

Denton, R. L.; Air Force Human Resources Laboratory Annual Report - Fiscal Year 1979, Applications and Liaison Office, Air Force Human Resources Laboratory, Brooks Air Force Base, Texas 78235, AFHRL-TR-80-57, September 1980

Denz, E. A., Palmer, E. A., Ellis, S. R.; Effect of Field of View and Monocular Viewing on Angular Size Judgments in an Outdoor Scene, National Aeronautics and Space Administration, NASA-TM-81176, February 1980

DeVries, P. B., Jr., Eschenbrenner, A. J., Jr., Ruck, H. W.; Task Analysis Handbook, McDonnell Douglas Astronautics Company - St. Louis, P.O. Box 516, St. Louis, Missouri 63166, AFHRL-TR-79-45(II), July 1980

Dick, A. O.; Instrument Scanning and Controlling: Using Eye Movement Data to Understand Pilot Behavior and Strategies, Behavioral Research Applications Group, Inc., Rochester, New York, NASA Contractor Report 3306, 1980

Dreyfus, S. E., Dreyfus, H. L.; A Five-Stage Model of the Mental Activities Involved in Directed Skill Acquisition, Operations Research Center, University of California, Berkeley, California 94720, ORC-80-2, AD-A084551, February 1980

Dreyfus, H. L., Dreyfus, S. E.; Proficient Adaptable Response to Emergencies Caused by Identifiable Malfunctions: Contrasting Training Implications of Two Proposed Models, Operations Research Center, University of California, Berkeley, California 94720, ORC-80-3, February 1980

Dreyfus, H. L., Dreyfus, S. E.; The Psychic Boom: Flying Beyond the Thought Barrier, Operations Research Center, University of California, Berkeley, California 94720, ORC-79-3, March 1979

BIBLIOGRAPHY

Dreyfus, S. E., Dreyfus, H. L.; The Scope, Limits, and Training Implications of Three Models of Aircraft Pilot Emergency Response Behavior, Operations Research Center, University of California, Berkeley, California 94720, ORC-79-2, February 1979

Earles, J. A., Ratliff, F. R., Ratliff, J. A.; A Comparison of Verbal and Visual Imagery Learning. Their Importance for Instructional Technology, Catholic University of America, Dept. of Psychology, AFOSR-TR-79-0673, December 1978

Edwards, B. J., Weyer, D. C., Smith, B. A.; Undergraduate Pilot Training: Visual Discrimination Pretraining for Landing Task, Flying Training Division, Air Force Human Resources Laboratory, Williams Air Force Base, Arizona 85224, AFHRL-TR-78-78, February 1979

Erwin, D. E.; The Importance of Providing Stereoscopic Vision in Training for Nap-of-the-Earth Flight, U.S. Army Research Institute for the Behavioral and Social Sciences, TP-378, July 1979

Eschenbrenner, A. J., Jr. DeVries, P. B., Jr., Miller, J. T., Ruck, H. W.; Methods for Collecting and Analyzing Task Analysis Data, McDonnell Douglas Astronautics Company - St. Louis, P.O. Box 516, St. Louis, Missouri 63166, AFHRL TR-79-45(1), July 1980

Faconi, V., Epps, R.; Advanced Simulation in Undergraduate Pilot Training: Automatic Instructional System, Advanced Systems Division, Wright Air Force Base, Ohio 45433, AD-A 017 165, October 1975

Federal Aviation Administration; Air Carriers and Commercial Operators of Large Aircraft, U. S. Government Printing Office, Ch. 37 (Amdt 121-161), 30 July 1980

Federal Aviation Administration; Aircraft Simulator and Visual System Evaluation and Approval, Department of Transportation, AC 121-14C, 29 August 1980

BIBLIOGRAPHY

Finnegan, J. P.; Evaluation of the Transfer and Cost Effectiveness of A Complex Computer-Assisted Flight Procedures Trainer, Air Force Office of Scientific Research, Air Force Systems Command, United States Air Force, ARL-77-7/AFOSR-77-6, June 1977

Fox, R., Lehmkuhle, S.; Contour Interaction in Visual Space: Depth Separation and Visual Masking, Vanderbilt University, Nashville, Tennessee 37240, N14-1101 78C-0001, July 1978

Foye, B. A.; F/A-18 Operator Specific Behavioral Objectives Report, McDonnell Aircraft Company, Box 516, St. Louis, Missouri 63166, MDC A4812, 9 December 1977

Gawron, V. J.; Differences Among Myopes, Emmetropes, and Hyperopes, Behavioral Engineering Laboratory, New Mexico State University, Box 5095, Las Cruces, New Mexico 88003, AFOSR-TR-81-0081, April 1980

Gerlach, V. S.; Rule Learning and Systematic Instruction in Pilot Training, Arizona State University, College of Education, Tempe, Arizona 85281, AFOSR-TR-79-0609, March 1979

Gibson, J. J.; Motion Picture Testing and Research, Defense Documentation Center, Defense Supply Agency, AD-651-783, 1947

Gibson, S. B.; Skill Development and Its Retention, Naval Postgraduate School, Monterey, California 93940, AD-A083-834, December 1979

Ginsburg, A. P.; Spatial Filtering and Mechanisms of Perception, Air Force Aerospace Medical Research Laboratory, Aerospace Medical Division, Air Force Systems Command, Wright-Patterson Air Force Base, Ohio 45433, AMRL-TR-79-47, April 1979

Ginsburg, A. P.; Specifying Relevant Spatial Information for Image Evaluation and Display Design: An Explanation of How We See Certain Objects, Aerospace Medical Division, Air Force Systems Command, Wright-Patterson Air Force Base, Ohio 45433, AFAMRL-TR-79-9, March 1979

BIBLIOGRAPHY

Glaister, H.; High-Speed Low-Level Flight: Aircrew Factors, RAF Institute of Aviation Medicine, Farnborough, Hants GU14 6SZ UK, Conference Proceedings No. 267, October 1979

Gray, T. H., Chun, E K., Warner, H. D., Eubanks, J. L.; Advanced Flight Simulator: Utilization In A-10 Conversion and Air-To-Surface Attack Training, Operations Training Division, Air Force Human Resources Laboratory, Williams Air Force Base, Arizona 85224, AFHRL-TR-80-20, January 1981

de Groot, S.; Human Factors Aspects of Low Light Level Television and Forward Looking Infrared Sensor Displays, The School of Technology, Florida International University, Miami, Florida 33199, AFOSR-TR-78-1237, 1 January 1978

Grunwald, A. J., Robertson, J. B., Hatfield, J. J.; Evaluation of a Computer-Generated Perspective Tunnel Display for Flight-Path Following, Langley Research Center, Hampton, Virginia, NASA TP 1736, 1980

Grunzke, P. M.; Evaluation of the Automated Adaptive Flight Training System's Air-To-Air Intercept Performance Measurement, Flying Training Division, Air Force Human Resources Laboratory, Williams Air Force Base, Arizona 85224, AFHRL-TR-78-23, July 1978

Gum, D. R., Albery, W. B., Basinger, J. D.; Advanced Simulation In Undergraduate Pilot Training and Overview, Advanced Systems Division, Air Force Human Resources Laboratory, Wright-Patterson Air Force Base, Ohio 45433, AFHRL-TR-75-59(1), December 1975

Hankins, W. W. III; Computer-Automated Opponent for Manned Air-to-Air Combat Simulations, Langley Research Center, Hampton, Virginia, NASA Technical Paper 1518, September 1979

Harker, G. S., Jones, P. D.; Depth Perception in Visual Simulation, Operations Training Division, Williams Air Force Base, Arizona, 85224, AFHRL-TR-80-19, August 1980

BIBLIOGRAPHY

Harrington, T. L., Harrington, M. K.; Spatial Orientation from Motion-Produced Blur Patterns: Detection of Divergence Change, Psychology Department, Fast Motion Perception Lab, University of Nevada, Reno, Reno, Nevada 89557, 1978-4, August 1978

Hawley, J. W.; Maximizing Tactical Fighter Aircrew Experience in Combat Ready Units, Student at the U.S. Army Command and General Staff College, Fort Leavenworth, Kansas 66027, ADA092582, 6 June 1980

Hennessey, R. T., Sullivan, D. J., Cooles, H. D., Critical Research Issues and Visual System Requirements for a V/STOL Training Research Simulator, Naval Training Equipment Center, Orlando, FL 32813, NAVTREQUIPCEN-78-C-0076-1, June 1980.

Hendrix, W. H.; Feedforward and Feedback in Multiple Cue Probability Learning, Air Force Institute of Technology, WPAFB Ohio, AFIT-LS-1-79, July 1979

Hollister, W. M.; Advancement On Visualization Techniques, Department of Aeronautics and Astronautics, Massachusetts Institute of Technology, Cambridge, Massachusetts 02139, AGARD-AG-255

Holman, G. L.; Training Effectiveness of the CH-47 Flight Simulator, U.S. Army Research Institute for the Behavioral and Social Sciences, 5001 Eisenhower Avenue, Alexandria, Virginia 22333, Research Report 1209, May 1979

Hopf-Weichel, R., Lucaccini, L., Saleh, J., Freedy, A.; Aircraft Emergency Decisions: Cognitive and Situational Variables, Perceptronics, Inc., 6271 Variel Avenue, Woodland Hills, California 91367, AFOSR-TR-79-1175, July 1979

Hopkins, C. O.; Human Performance in Aviation Systems, Illinois University at Urbana-Champaign, ARL-77-14/AFOSR-77-12, July 1977

Hopkins, C. O.; Human Performance in Aviation Systems, Illinois University at Urbana-Champaign, Research Memorandum 79-6, July 1977

BIBLIOGRAPHY

Hopkins, C. O.; Simulators for Training and Profit, Aviation Research Laboratory, Institute of Aviation, University of Illinois, Savoy, Illinois 61874, AFOSR-TR-77-0373, July 1976

Hopper, R.; AV-8B Training and Training Equipment Plan, McDonnell Aircraft Company, Report Number MDC 16840, 31 December 1980, Revision Date 1 May 1981, Rev. Ltr. A

Hughes, R. G., Hannan, S. T., Jones, W. E.; Application of Flight Simulator Record/Playback Feature, Flying Training Division, Air Force Human Resources Laboratory, Williams Air Force Base, Arizona 85224, AFHRL-TR-79-52, December 1979

Hughes, R. G.; Advanced Training Features: Bridging the Gap Between In-Flight and Simulator-Based Models of Flying Training, Flying Training Division, Air Force Human Resources Laboratory, Williams Air Force Base, Arizona 85224, AFHRL-TR-78-96, March 1979

Hughes Aircraft Company, Culver City, California; A Behavioral Model of Target Acquisition in Realistic Terrain, Night Vision & Electro Optics Laboratories, U.S. Army Electronics Command, HAC-REF-D8983, June 1978

Hunter, S., Gundry, A. J., Rolfe, J. M.; Human Factors Topics in Flight Simulation: An Annotated Bibliography, Flight Skills Section, RAF Institute of Aviation Medicine, Farnborough, Hants GU14 6SZ, U.K., AGARD-R-656

Iavecchia, J. H., Iavecchia, H. P., Roscoe, S. N.; The Moon Illusion: Apparent Size and Visual Accommodation Distance, Department of Psychology, University of Illinois, Champaign, Illinois 61820, AFOSR-TR-80-0229, November 1978

Irish, P. A. III, Grunzke, P. M., Gray, T. H., Waters, B. K.; The Effects of System and Environmental Factors Upon Experienced Pilot Performance in the Advanced Simulator for Pilot Training, Flying Training Division, Air Force Human Resources Laboratory, Williams Air Force Base, Arizona 85224, AFHRL-TR-77-13, April 1977

BIBLIOGRAPHY

Irish, P. A. III, Buckland, G. H.; Effects of Platform Motion Visual and G-Seat Factors Upon Experienced Pilot Performance in the Flight Simulator, Flying Training Division, Air Force Human Resources Laboratory, Williams Air Force Base, Arizona 85224, June 1978

Jauer, R., Quinn, T.; Interim Report, Developing Pictorial Formats, A Study for Air Force Flight Dynamics Laboratory, (AFFDL) McDonnell Aircraft Company, McDonnell Douglas Corporation

Jones, M. B., Kennedy, R. S., Bittner, A. C., Jr.; A Video Game for Performance Testing, 1977

Joseph, J. H.; The Instructional Effectiveness of Integrating Abstract and Realistic Visualization, Association for Educational Communications and Technology, New Orleans, Louisiana, IR-007-433, March 1979

Joseph, S. G., Alternatives for Future Undergraduate Pilot Training, Headquarters Air Training Command, Report No. 77-1, April 1977

Kelly, M. J., Wooldridge, L., Hennesey, R. T., Vreuts, D., Bafnebey, S. F, Cotton, J. C., Reed, J. C.; Air Combat Maneuvering Performance Measurement, Canyon Research Group, Inc., 741 Lakefield Road, Suite B, Westlake Village, California 91361, TR793, September 1979

Kiteley, G. W., Harris, R. L., Sr.; Instructor and Student Pilots' Subjective Evaluation of a General Aviation Simulator with a Terrain Visual System, Langley Research Center, Hampton, Virginia, TM 78696, April 1978

Klein, G. A.; User Guides: Some Theoretical Guidelines for Their Use, Klein Associates, 740 Wright Street, Yellow Springs, Ohio, 45387, (AFSC) Research Contract AFOSR-F49620-79-C-0179, October 1979

Klein, G. A.; The Analysis of Highly Proficient Performance, Air Force Human Resources Laboratory, Advanced Systems Division, Wright-Patterson AFB, Ohio 45433, 1978

BIBLIOGRAPHY

Klein, G. A., Weitzenfeld, J.; Improvement of Skills for Solving Ill-Defined Problems, Advanced Systems Division, Air Force Human Resources Laboratory, Wright-Patterson Air Force Base, Ohio 45433, AFHRL-TR-78-31, March 1979

Knerr, B. W., Nawrocki, L. H.; Development and Evaluation of an Adaptive Computerized Training System (ACTS), Army Research Institute for the Behavioral and Social Sciences, (PERI-OK), Alexandria, Virginia 22333, Aided by Perceptronics, Inc., Woodland Hills, California 91364, R&D Utilization Report 78-1, September 1978

Knox, C. E., Leavitt, J.; Description of Path-in-the-Sky Contact Analog Piloting Display, Langley Research Center, Hampton, Virginia and Sperry Rand Corporation, Hampton, Virginia, NASA TM-74057, 1977

Komanski, W. M., Picton, R. E.; Navy Undergraduate Pilot Training Jet Pipeline Training Situation Analysis, Analysis and Design Branch, Code N-2211, Naval Training Equipment Center, Orlando, Florida 32813, NAVTRAEQUIPC-IH-286, 30 September 1977

Kraft, C. L., Anderson, C. D., von Tobel, H., Kosan, J. D.; Cyclophoria and Pilot Prediction of the Runway Plane, The Boeing Aerospace Co., P.O. Box 3999, Seattle, Washington 98124, AFOSR-TR-79-0830, 11 February 1979

Kraft, C. L., Anderson, C. D., Elworth, C. L.; Peripheral Cues and Color in Visual Simulation, Crew Systems, Data Processing Technology, Boeing Aerospace Company-P.O. Box 3999, Seattle, Washington 98124, AFOSR-TR-80-0873, March 1980

Kraft, C. L., Anderson, C. D., Elworth, C. L.; Psychophysical Criteria for Visual Simulation Systems, Boeing Aerospace Company, Logistics Support and Services Division, Seattle, Washington 98124, AFHRL-TR-79-30, May 1980

Krahenbuhl, G. S., Marett, J. R., Reid, G. B.; Stress and Simulation in Pilot Training, Arizona State University, Tempe, Arizona 85281, AFHRL-TR-78-95, February 1979

BIBLIOGRAPHY

Langewiesche, W.; Stick and Rudder, McGraw-Hill Book Company, New York, London, Copyright, 1944, renewed 1972

LeMay, M. K.; The Influence of Figural Complexity on the Detection, Recognition, and Identification of Targets in Computer Generated Image Displays, Montclair State College, Upper Montclair, New Jersey 07043, AFOSR-TR-80-0965, July 1980

Lenzycki, H. P., Finley, D. L. ; How to Determine Training Device Requirements and Characteristics: A Handbook for Training Developers, U. S. Army Research Institute Field Unit, Fort Benning, GA, Research Product 80-25, May 1980

Levine, J. M., Schulman, D., Brahlek, R. E., Fleishamn, E. A.; Trainability of Abilities: Training and Transfer of Spatial Visualization, Advanced Research Resources Organization, 4330 East West Highway, Suite 900, Washington, DC 20014, AD-A083497, April 1980

Levine, J. M.; Trainability of Abilities, Personnel and Training Research Programs, Advanced Research Resources Organization, 4330 East-West Highway, Suite 900, Washington, DC 20014, AD-A088520, June 1980

Lewis, M. F., Mertens, H. W.; Pilot Performance During Simulated Approaches and Landings Made With Various Computer-Generated Visual Glidepath Indicators, FAA Civil Aeromedical Institute, P.O. Box 25082, Oklahoma City, Oklahoma 73125, FAA-AM-79-4, January 1979

Lindenberg, K.; Objective Evaluation Method for Simulated Visual Scenes -Preliminary Analysis, Naval Training Equipment Center, NAVTRAEQUIPCEN TN-47, August 1976

Lucaccini, L.; Aircrew Emergency Decision Training: A Conference Report, 28-30 November 1978, San Francisco, California, Perceptronics, Inc., 6271 Variel Avenue, Woodland Hills, California 91367, AD-A083 575, 1 May 1979

BIBLIOGRAPHY

Lyon, D. R., Eubanks, J. L., Killion, T. H., Nullmeyer, R. T., Eddowes, E. E.; Pop-Up Weapon-Delivery Maneuver: Use of Pilot Self-Assessment Data in Analysis of Critical Components, University of Dayton Research Institute, 300 College Park Avenue, Dayton, Ohio 45469, AD-A091 229, October 1980

Marr, D., Ullman, S.; Directional Selectivity and its Use in Early Visual Processing, Artificial Intelligence Laboratory, A.I. Memo 524, June 79

Martin, E. L., Waag, W. L.; Contributions of Platform Motion To Simulator Training Effectiveness Study II Aerobatics, Flying Training Division, Air Force Human Resources Laboratory, Williams Air Force Base, Arizona 85224, AFHRL-TR-78-52, September 1978

Martin, E. L., Cataneo, D. F.; Computer Generated Image: Relative Training Effectiveness of Day Versus Night Visual Scenes, Operations Training Division, Air Force Human Resources Laboratory, Williams Air Force Base, Arizona 85224, AFHL-TR-79-56, July 1980

Martin, W. N., Aggarwal, J. K.; Dynamic Scene Analysis: The Study of Moving Images, Electronics Research Center, The University of Texas at Austin, Austin, Texas 78712, AFOSR-TR-77-0722, January 1977

Matheny, W. G.; Studies of Motion and Visual Interaction in Simulator Design and Application, Life Sciences, Inc., 227 Lood 820 NE, Hurst, Texas 76053, AFOSR-TR-77-0965, 30 September 1976

McDonnell Aircraft Company; Crew Station, F/A-18 Hornet, McDonnell Aircraft Company, St. Louis, Missouri 63166

McDonnell Aircraft Company, Developing Pictorial Formats - a proposal to AFFDL, McDonnell Aircraft Company, Box 516, St. Louis, MO. 63166, Report MDC A6279, Vol. I., 17 January 1980

BIBLIOGRAPHY

Mengelkoch, R. F.; The Forgetting of Instrument Flying Skills as a Function of the Level of Initial Proficiency, Illinois, University, Urbana, Aviation Psychology Lab, NAVTRADEVCEEN 71-16-18, 1965

Mertens, H. W.; Perceived Orientation of a Runway Model in Nonpilots During Simulated Night Approaches to Landing, FAA Civil Aeromedical Institute, P.O. Box 25082, Oklahoma City, Oklahoma 73125, FAA-AM-77-12, July 1977

Mertens, H. W.; Comparison of the Visual Perception Of A Runway Model In Pilots And Nonpilots During Simulated Night Landing Approaches, Office Of Aviation Medicine, FAA Civil Aeromedical Institute, P. O. Box 25082, Oklahoma City, Oklahoma 73125, FAA-AM-78-15, March 1978

Meyer, R. Laveson, J., Pape, G., Edwards, B.; Development and Application of a Task Taxonomy for Tactical Flying, Flying Training Division, Air Force Human Research Lab, AFHRL-TR-78-42, September 1978.

Meyer, R., Laveson, J. I.; Investigation of an Experience - Judgment Approach to Tactical Flight Training, Design Plus Inc., for Air Force Office of Scientific Research, Bolling AFB, D.C. 20332, AF09R-TR-81-0115, December 1980.

Miller, R., M., Swink, J. R., McKenzie, J. F. Jr.; Instructional Systems Development (ISD) In Air Force Flying Training, Logicon, Inc, 4010 Sorrento Valley Boulevard, San Diego, California 92138, AFHRL TR-78-59, December 1978

Mills, G. S., Grayson, M. A., Loy, S. L., Jauer, R. A.; Research on Visual Display Integration For Advanced Fighter Aircraft, McDonnell Aircraft Company, McDonnell Douglas Corporation, P.O. Box 516, St. Louis, Missouri 63166, AMRL TR-78-97, November 1978

Minsky, M.; K-Lines: A Theory of Memory, Artificial Intelligence Laboratory, 545 Technology Square, Cambridge, Massachusetts 02139, A.I. Memo 516, June 1979

BIBLIOGRAPHY

Moroney, W. F., Pruitt, R., Lau C.; Utilization of Energy Maneuverability Data in Improving, In-Flight Performance and Performance in Air Combat Maneuvering, Proceedings of the Human Factors Society-23rd Annual Meeting -1979, 29 October-1 November, 1979

Moroney, W. F., Barnett, J. F.; Human Factors Considerations In the Design And Evaluation Of A Helmet Mounted Display Using A Light Emitting Diode Matrix, Proceedings of the Human Factors Society - 22nd Annual Meeting - 1978, The Human Factors Society, Inc., 1978

Montemerlo, M. D.; Training Device Design: The Simulation/Stimulation Controversy, Human Factors Laboratory (Code N-71), Naval Training Equipment Center, Orlando, Florida 32813, NAVTRAEQUIPCEN-IH-287, July 1977

Narva, M. A.; Formative Utilization of a Model for the Prediction of the Effectiveness of Training Devices, Army Research Inst for the Behavioral and Social Science, AFOSR-TR-78-0090, May 1979

Nataupsky, M., Waag, W. L., Weyer, D. C., McFadden, R. W., McDowell, E.; Platform Motion Contributions To Simulator Training Effectiveness: Study III -Interaction of Motion With Field-Of-View, Flying Training Division, Air Force Human Resources Laboratory, Williams Air Force Base, Arizona 85224, AFHRL-TR-79-25, November 1979

National Aeronautics and Space Administration and United States Department of Transportation; Proceedings, 13th Annual Conference on Manual Control (Massachusetts Inst. of Tech.), NASA-CR-158107, 15-17 June 1977

Nelson, R.; Naval Training Equipment Center Index of Technical Reports, Technical Data Management Branch (Code N-422), Naval Training Equipment Center, Orlando, Florida 32813, NAVTRADEVCCEN P-3695, June 1980

Newberry, R. J.; An Analysis of the Lead-In Fighter Training Program, U.S. Army Command and General Staff College, Fort Leavenworth, Kansas 66027, AD-A090 723, May 1980

BIBLIOGRAPHY

Nielsen, S. L., Sarason, I. G.; Personality and Selective Attention, Department of Psychology NI-25, University of Washington, Seattle, Washington 98195, 28 March 1980

Norman, D. A.; Studies of Learning and Self-Contained Educational Systems, 1976-1979, Center for Human Information Processing University of California, San Diego, Report No. 7902, June 1979

Oberlin, W. C.; Analysis of USAF Close Air Support Training, Student at the U.S. Army Command and General Staff College, Fort Leavenworth, Kansas 66027, ADA076192, 8 June 1979

Orlansky, J., String, J.; Cost-Effectiveness of Flight/Simulators for Military Training, Volume II, Estimating Costs of Training in Simulators and Aircraft, Institute for Defense Analyses, 400 Army Navy Drive, Arlington, Virginia 22209, P-1275-VOL-2, August 1977

Pantle, A. J.; Analysis of Dynamic Visual Processing, Miami University, Department of Psychology, Oxford, Ohio 45056, AFAMRL-TR-80-112, December 1980

Pohlmann, L. D., Reed, J. C.; Air-To-Air Combat Skills: Contribution of Platform Motion to Initial Training, Flying Training Division, Air Force Human Resources Laboratory, Williams Air Force Base, Arizona 85224, AFHRL-TR-78-53, October 1978

Prather, D. C., Kellogg, R. S., Castore, C. H.; Tactical Flight Simulation, Operations Training Division, Air Force Human Resources Laboratory, Williams Air Force Base, Arizona, AFHRL-R-P-80-1, May 1980

Prophet, W. W., Shelnutt, J. B., Spears, W. D.; Simulator Training Requirements and Effectiveness Study (STRES): Future Research Plans, Seville Research Corporation, 400 Plaza Building, Pensacola, Florida 32505, AFHRL-TR-80-37, January 1981

BIBLIOGRAPHY

Pruitt, V. R., Moroney, W. F., Lau, C.; Energy Maneuverability Display For The Air Combat Maneuvering Range/Tactical Training System (ACMR/TACTS), Naval Aerospace Medical Research Laboratory NAS, Pensacola, Florida 32508, Special Report 80-4, December 1980

Randle, R. J., Tanner, T. A., Hamerman, J. A., Showalter, T. H.; The Use of Total Simulator Training in Transitioning Air-Carrier Pilots: A Field Evaluation, National Aeronautics and Space Administration, NASA Technical Memorandum 81250, January 1981

Randle, R. J., Roscoe, S. N., Pettitt, J. C.; Effects of Magnification and Visual Accomodation on Aimpoint Estimation in Simulated Landings With Real and Virtual Image Displays, Ames Research Center, Moffett Field, California, New Mexico State University, Las Cruces, New Mexico, University of California, San Diego, California, NASA Technical Paper 1635, 1980

Steeb, R., Chu, Y., Clark, C., Alperovitch, Y., Freedy, A.; Adaptive Estimation of Information Values in Continuous Decision Making and Control of Advanced Aircraft, Perceptronics, Inc., 6271 Variel Avenue, Woodland Hills, California 91367, AFOSR-TR-79-1266, June 1979

Ratliff, F. R., Ratliff, J., D., Earles, J. A., Wissman, D.; A Comparison of Verbal and Visual Imagery Learning Their Importance For Instructional Technology, Catholic University of America, Dept. of Psychology, Washington, D.C. 20064, AFOSR-TR-79-0673, December 1978

Reed, J. A., Reed, J. C.; Air Refueling Director Lights Trainer Analysis And Evaluation of Training Effectiveness, Flying Training Division, Air Force Human Resources Laboratory, Williams Air Force Base, Arizona 88224, AFHRL-TR-78-75, January 1979

Reed, L.; Visual-Proprioceptive Cue Conflicts in the Control of Remotely Piloted Vehicles, Wright-Patterson Air Force Base, Ohio, AFHRL-TR-77-7, September 1977

BIBLIOGRAPHY

Reeves, J. R.; Aircrew Training Syllabus, McDonnell Aircraft Company, Box #516, St. Louis, Missouri 63166, Report No. MDC 16621, 15 July 1980

Reicher, G., Davidson, H. H., Osgood, G.; Low Cost Simulation of Piloting Tasks, Department of Psychology, University of Oregon, Eugene, Oregon 97403, Technical Report No. 4, 21 January 1980

Research Institute for the Behavioral and Social Sciences; Behavioral and Functional Requirements for A Visual Flight Research Facility, U. S. Army Research Institute for the Behavioral and Social Sciences, Research Problem Review 78-28, September 1978

Robinson, G. H.; Dynamics of the Eye and Head During Movement Between Displays: A Qualitative and Quantitative Guide for Designers, Board of Regents of the University of Wisconsin System; 750 University Ave., Madison, Wisconsin 53706, TR-78-2, February 1, 1978

Robinson, G. H.; Dynamics of the Eye and Head during Movement Between Displays, Wisconsin University - Madison Dept. of Industrial Engineering, TR-78-2, 17 April 1978

Roscoe, S. N.; Ground-Referenced Visual Orientation With Imaging Displays, Department of Psychology, University of Illinois, Champaign, Illinois 61820, AFOSR-79-4, November 1979

Roscoe, S. N.; Aviation Psychology, Iowa State University Press, 1980

Rosinski, R. R., Chiesi, H. L.; Observer Compensation for Projective Distortion of Graphic Displays, Department of Information Science University Of Pittsburgh, Pittsburgh, Pennsylvania 15260, 80-1, 15 July 1980

Ryan, L. E., Scott, P. G., Browning, R. F.; The Effects of Simulator Landing Practice and The Contribution of Motion Simulation to P-3 Pilot Training, Training Analysis and Evaluation Group, Orlando, Florida 32813, TAEG Report No. 63, September 1978

BIBLIOGRAPHY

Sanders, M. G., Simmons, R. R., Hofmann, M. A.; Visual Workload Of The Copilot/Navigator During Terrain Flight, U.S. Army Aeromedical Research Laboratory, Fort Rucker, Alabama 36362, USAARL Report No. 78-5, December 1977

Scanlan, L. A., Agin, A. K.; A Behavioral Model Of Target Acquisition In Realistic Terrain, Tactical Systems Div., Hughes Aircraft Co. Centinela & Teale Stg., Culver City, California 90236, For Night Vision and Electro-optics Lab (DELNV-VISD), Fort Belvoir, VA 22060, DAAK70-77-C-0013, HAC-REF-D8983, June 1978

Schmid, R. F., Gerlach, V. S.; Principles for Developing Algorithmic Instruction, Arizona State University, Tempe, Arizona 85281, TR-80-0275, December 1978

Semple, C. A., Hennessy, R. T., Sanders M. S., Cross, B. K., Beith, B. H., McCauley, M. E.; Aircrew Training Devices: Fidelity Features, Canyon Research Group, Inc., 741 Lakefield Road, Suite B, Westlake Village, California 91361, AFHRL-TR-80-36, January 1981

Semple, C. A., Simulator Training Requirements and Effectiveness Study (STRES) Executive Summary, Canyon Research Group, Inc., 711 Lakefield Road, Suite B, Westlake Village, California 91361, AFHRL-TR-80-63, January 1981

Semple, C. A., Vruels, D., Cotton, J.C., Durfee, D. R., Hooks, J. Thel, Butler, E. A.; Functional Design of An Automated Instructional Support System For Operational Flight Trainers, Canyon Research Group, Inc., 741 Lakefield Road, Suite B, Westlake Village, California 91361, NAVTRAEQUIPCEN-76-C-0096-1, January 1979

Shelnutt, J. B., Childs, J. M., Prohpet, W. W., Spears, W. D.; Human Factors Problems in General Aviation, Seville Research Corporation, 400 Plaza Building, Pensacola, Florida 32505, FAA-CT-80-194, July 1979 - April 1980

BIBLIOGRAPHY

Simon, C. W.; Applications of Advanced Experimental Methods to Visual Technology Research Simulator Studies: Supplemental Techniques, Canyon Research Group, Inc., 741 Lakefield Road, Suite B, Westlake Village, California 91361, NAVTRAEQUIPCEN-78-C-0060-3, January 1981

Simonelli, N. M., Roscoe, S. N.; Apparent Size and Visual Accommodation Under Day and Night Conditions, Airforce Office of Scientific Research, Bolling AFB, D.C. AFOSR-79-37, May 1979

Singer, R. N., Anshel, M. H.; The Modular Approach (With Strategies) To Learning Motor Skills, Florida State University, Movement Science & Physical Education, Tallahassee, Florida 32306, TR-444, March 1980

Sitterley, T. E.; Degradation of Learned Skills, The Boeing Aerospace Company, Seattle, Washington for the Lyndon B. Johnson Space Center, National Aeronautics and Space Administration, D180-17876-1, Contract No. NAS9-13550, May 1974

Smode, A. F.; Flight Hour Reductions in Fleet Replacement, Pilot Training Through Simulation, Training Analysis and Evaluation Group, Orlando, Florida 32813, TN-6-79, June 1979

Stevens, K. A.; Surface Perception from Local Analysis of Texture and Contour, Artificial Intelligence Laboratory, 545 Technology Square, Cambridge, Massachusetts 02139, AI-TR-512, February 1980

Strawbridge, D., Kahn, N.; Fighter Pilot Performance in Korea, The University of Chicago, Institute For Air Weapons Research, Museum of Science & Industry, Chicago 37, Illinois, Lawr Report 55-10, November 15, 1955

Suminski, L. T., Hulin, P. H.; Computer Generated Imagery (CGI) Current Technology and Cost Measures Feasibility Study, Computer Sciences Corporation, 3659 Maguire Blvd., Orlando, Florida 32803, PMTRADE-RE-0012, 26 September 1980

BIBLIOGRAPHY

Sweney, A. B., Fiechtner, L. A.; The Role Reaction Model and Some Confirming Evidence, Center for Human Appraisal, Wichita State University, Technical Report Number 121, 9 July 1979

Swezey, R. W., Pearlstein, R. B., Ton, W., Mirabella, A.; Contemporary Views on Criterion-Referenced Testing, Applied Science Associates, Inc., Box 158, Valencia, Pennsylvania 16059, Technical Report 416, October, 1979

Tactical Air Forces, Dept. of the Air Force, Headquarters Tactical Air command; Required Operational Capability (ROC) TAF 307-76 F-15A Flight Simulator Visual/Instructional System, Department of the Air Force, Hq. Tactical Air Command, Langley Air Force Base, Virginia 23665, ROC TAF 307-76, 26 July 1976

Thorpe, J. A., Life Sciences Directorate, Air Force Office of Scientific Research, Bolling AFB DC 20332; Briefing: Advanced Concepts on Future Aircrew Training, Future, Views, Aircrew Training 1980-2000, 15 September 1978

Thorpe, J. A., Varney, N. C., McFadden, R. W., LeMaster, W. D., Short L. H.; Training Effectiveness of Three Types of Visual Systems for KC-135 Flight Simulators, Flying Training Division, Air Force Human Resources Laboratory, Williams Air Force Base, Arizona 85224, AFHRL-TR-78-16, June 1978

Trollip, S., Ortony, A.; Real-Time Simulation in Computer-Assisted Instruction; Aviation Research Laboratory, Institute of Aviation, University of Illinois, Savoy, Illinois 61874, AFOSR-TR-78-1593, 1977

Uttal, W. R.; The Processes of Visual Perception, Institute for Social Research, University of Michigan, Ann Arbor, Michigan 48106, ADA074215, September 1979.

Valbracht, W. W.; F/A-18 Training Methods, Media, Aids and Devices, McDonnell Aircraft Company, Box 516, St. Louis, Missouri 63166, Report No. MDC A5447 (Rev. A), 6 July 1979

BIBLIOGRAPHY

VanGilder, W. L.; Realistic Training: The Key to Success in Aerial Combat, U. S. Army Command and General Staff College, Fort Leavenworth, Kansas 66027, ADA076937, June 1979

Vinebert, R. Joyner, J. N.; Instructional System Development (ISD) In The Armed Services: Methodology and Application, Human Resources Research Organization, 300 North Washington Street, Alexandria, Virginia 22314, HUMRRO-TR-80-1, January 1980

Walsh, M. J., Burgin, G. H., Fogel, L. J.; Tactical Performance Characterization Applied to Student Pilots, Decision Science, Inc., 4901 Morena Boulevard, San Diego, California 92117, AFHRL-TR-80-14, October 1980

Weitzenfeld, J., Klein, G. A.; Analogical Reasoning As A Discovery Logic, Klein Associates, 740 Wright Street, Yellow Springs, Ohio, 45387 for Air Force Office of Scientific Research, Contract F49620-79-C-0179, August 1979

Weller, D. R.; Predictor Displays In Carrier Landing Training, Human Factors Laboratory, Naval Training Equipment Center, Orlando, Florida 32813, NAVTRAEQUIPC-IH-311, April 1979

Weiss, H. M., Knight, P. A.; Self Esteem, Information Search and Problem Solving Efficiency, Department of Psychological Sciences, Purdue University, West Lafayette, Indiana 47907, TR-2, May 1979

Weyer, D. C., Fuller, J. H.; Evaluation Of T-37 IFS Syllabi In the ASPT., Training Division, Air Force Human Resources Laboratory, Williams Air Force Base, Airzona 85224, AFHRL-TR-77-61, December 1977

Wickens, C. D., Tsang, P. S.; Attention Allocation In Dynamic Environments, Engineering-Psychology Research Laboratory, University of Illinois at Urbana-Champaign, Technical Report EPL-79-3/AFOSR-79-3, June 1979,

BIBLIOGRAPHY

Williges, B. H., Williges R. C.; Automated Motor Skills Training Optimized For Individual Differences, Human Factors Laboratory, Virginia Polytechnic Institute & State University, Blacksburg, Virginia 24061, AFOSR-TR-80-0284, November 1979

Winston, Patrick H.; Learning by Understanding Analogies, Artificial Intelligence Laboratory, 545 Technology Square, Cambridge, Massachusetts 02139, AI-M-520, 11 June 1979

Witt, E. D.; One Instructor's Opinion - The Oscillation Stall As Therapy, Flight Instructor's Bulletin, 65, July 1979

Woodruff, R. R., Smith, J. F., Fuller, J. R., Weyer, D. C.; Full Mission Simulation In Undergraduate Pilot Training: An Exploratory Study, Air Force Systems Command, Brooks Air Force Base, TX 78235, AFHRL-TR-76-84, December 1976

Woodruff, R. R., Effects of Varying Visual Display Characteristics of The T-4G, A T-37 Flight Simulator, Flying Training Division, Air Force Human Resource Laboratory, Williams Air Force Base, Arizona 85224, AFHRL-TR-79-17, June 1979

Youngling, E. W., Levine, S. H., Mocharnuk, J. B., Weston, L. M.; "Feasibility Study to Predict Combat Effectiveness for Selected Military Roles: Fighter Pilot Effectiveness.", McDonnell Douglas Astronautics Co. - East, St. Louis, Missouri 63166, for Defense Advanced Research Projects Agency (DARPA), MDC E1634, 29 April 1966

APPENDIX A

KEY ISSUES TO BE TRAINED

- I. Factors Affecting Probability of Kill (P_K)
 - A. Energy Management
 - 1. own
 - 2. threat energy state
 - B. Offensive Weapons Systems
 - 1. switchology
 - 2. knowledge of best system selection
 - C. Assessment of Threat (Current)
 - 1. status assessment
 - 2. knowledge of what to do about it.

- II. Factors Affecting Probability of Survival (P_S)
 - A. Energy Management
 - 1. own
 - 2. threat (know energy state of threat)
 - B. Defensive Systems Management
 - 1. display threats
 - 2. respond to threats
 - C. Assessment of Threats
 - 1. status/number
 - 2. knowledge of what to do about it.

- III. Maximizing $P_K \times P_S$

- IV. Low Level Fight

APPENDIX B

GENERIC LIST OF TRAINING TECHNIQUES

1. Make "visible" something the pilot normally cannot see, but tries to model in his mind. For example, let's say a pilot knows that another aircraft will have to get him within a 10-degree cone and within a six-mile range to lock on some particular kind of missile. This "cone of danger" emanating from the nose of the other aircraft needs to be visualized by the pilot, so that he may avoid it. This visualization in three dimensions under a wide variety of circumstances could be taught by simply showing the cone emanating from the other aircraft in a computer generated image visual system. As the pilot flies against this target, he can learn to internalize the image of the lethal cone for use in the "real world", where the cone is invisible. Obviously, there are many other examples of situations where this technique of making a cue available in the simulator that is hidden in the real world would be expected to be useful for training.
2. Scoring/Error Feedback. This is not a new technique, but it certainly could be used in new ways. Computer generated image out of the cockpit displays provide the opportunity for quicker feedback, which is known to produce quicker learning. An example of this technique would be to superimpose scoring data on the pilot's outside scene during a training flight in the simulator. For instance, the pilot's probability of survival could be displayed in a corner of the scene as a bar graph ranging from zero to one and if the probability gets too low, the computer could display a brief explanation of what he has done wrong immediately while he is still in the cockpit, instead of waiting until later. Or for bombing practice, miss distances and aircraft parameters at time of release could be shown after each bombing pass.
3. Feed Forward/Predictors. An example here would be during air-to-air combat. When a pilot is on the offensive, he could be shown where his present course and closure rate would cause him to intercept the target's flight plane.

4. Discrete Indicators. A simple discrete indicator can be used to teach the student to recognize and respond to a particular situation. In teaching low level flight, if it is desired to stay below 250 feet, a simple tone or indicator could be given when that limit is reached or exceeded.
5. Pointers for Instructor and/or Student. It has long been known that a simple pointer is useful in communication about visual displays, yet no aircraft simulator has such a pointer available for use in the out-of-the-window scene.
6. Adaptive Aids. This is an extremely broad category which must be carefully used to avoid student dependence on the aid, but can be extremely effective in quickly making the student capable of performing correctly. The visible adaptive glide slope of Gavan Lintern¹ of the University of Illinois is an example.
7. Awareness Stimulators. There is a dangerous tendency for a pilot while performing a difficult task, such as air-to-ground or air-to-air attack, to focus on that task to the exclusion of perception of other events around him. To maintain the pilot's awareness, other objects or events could be presented in the scene, such as other aircraft, and the pilot's ability to monitor them during his task could be included in his score for the task.
8. Demonstration/Exaggeration. If a subtle cue must be detected by the pilot, it can be helpful to exaggerate the cue first, so that the pilot has a good awareness of what he is looking for. For example, a pilot has an altitude below which he is so involved in avoiding ground impact that he can not perform other tasks. That altitude is his "comfort level".

1. Lintern, Gavan, Transfer of Landing Skills after Training with supplementary Cues, Proceedings of the Human Factor Society, October 1979, p. 301-304.

If it is desired to demonstrate to the pilot that his comfort level depends on his speed, a simulated course may be flown at Mach 3 and then at 30 knots before allowing him to learn his comfort level for more normal speeds.

9. Cue Supplements or Cue Augmentation. Again, subtle cues may initially be supplemented with more obvious ones, to lead quickly to correct performance and then weaned away as the student's proficiency increases. This would be particularly adapted to the case where the pilot is learning two different tasks simultaneously, while one is dependent upon the other. For example, in landing, the two tasks are: controlling the airplane, and perceiving the flight path. One cannot control the airplane without perceiving the flight path. One cannot control the airplane without perceiving the flight path and one cannot test one's flight path perception before getting the airplane under control. This contradiction can be avoided by supplementing the normally subtle flight path perceptual cue until control is learned and then teaching the perceptual task of detecting glideslope deviations from subtle cues.
10. Cue Indicators. There are many subtle cues in flying. These may be indicated to the student in a variety of ways such as, use of "pointer, exaggeration, elimination of other extraneous cues, and so forth."
11. Time Compression/Expansion. Sometimes events occur too quickly for the novice to appreciate them individually and to think through the ramifications. Conversely, the more experienced student may need to "overlearn" one task, as to be able to perform other tasks simultaneously. One could slow the system down for the former and speed it up for the latter. This technique might also be used to simulate the situation when one's internal clock is running faster than normal.
12. Quantization of Time. A task can be broken into discrete steps such as in the task taxonomy of Robert Meyer.² These may be learned singly in

2. Meyer, R. Laveson, J., Pape, G.; Development and Application of a Task Taxonomy for Tactical Flying, AFHRL-TR-78-42, Air Force Systems Command, Brooks AFB, Texas, Sept. 1978.

whatever order is best suited to learning. Examples would be the backward chaining technique of Hughes³, or a slide presentation.

13. Sense Exercise. A computer generated visual system can readily be used to give a student practice in certain types of fine perceptual tasks with feedback such as immediate knowledge of results. There are many useful examples of this technique; one could practice closure rate judgements, target aspect from motion judgements, landing flow pattern discrimination, low contrast target detection, scan patterns, and so on.
14. Dynamic Observer Control of Scene and Cues. For example, if it is desired to teach a student to judge target aspect, he could be given control of the target as if it were a remotely piloted vehicle. If the aspect was uncertain, he could test it by seeing how it responds to his control inputs.
15. Analogies. It is often useful to show similarities between a task to be learned and a more familiar task. It may even be useful to teach a simple task for later use in analogy to a more complex task.
16. Perspective Changes. Advanced pilots generally do not view their actions from their own viewpoint, but abstract the situation to an overview or "G-d's eye view". Some simulator instructor stations show this viewpoint to the instructor or to the student after an engagement. More immediate feedback to facilitate this perspective abstraction could be given by allowing the student to change the viewpoint being displayed while still in the cockpit. Other viewpoints could also be helpful, such as how he looks to a ground threat or to his opponent.

3. Hughes, R. G., Advanced Training Features: Bridging the Gap Between In-Flight and Simulator Based Models for Training, AFHRL-TR-78-96, Air Force Human Resources Laboratory, Flying Training Division, Williams AFB, AZ, March 1979.

APPENDIX C

SAMPLE EVALUATION FORM

FILL OUT IMMEDIATELY AFTER EACH FLIGHT USING SPECIAL EFFECTS:

INTRODUCTION:

This questionnaire will help us determine your reaction to some special effects being tried on the A-7 Simulator under sponsorship of the Air Force Office of Scientific Research (AFOSR) in cooperation with the Air National Guard. This is exploratory research. The effects you have seen are not intended as the last word. We only hope that seeing these effects will broaden and stimulate your thinking about how simulator visual systems could be designed and used. Therefore we urge you to give us not only your reactions to and opinions of the effects you have seen, but also your suggestions of other visual effects you believe might help training for combat flight tasks.

Please answer the following questions by marking the appropriate word or place on a response line and adding any comments you wish.

EVALUATOR CHARACTERISTICS:

Name _____ Rank _____

Are you an instructor/student/other (Specify)? _____

What is your experience in each aircraft type flown?

<u>Aircraft</u>	<u>Hours</u>	<u>Combat Hours</u>
-----------------	--------------	---------------------

What is the percentage of your experience in or preparing for the following missions?

General Flying	_____
Air-to-Air	_____
Air-to-Ground	_____
Transport	_____
Intercept	_____
Other (Specify)	_____

GENERAL COMMENTS & SUGGESTIONS:

Place a circle on the answer scale in the appropriate spot:

1. Did you have an opportunity to use this effect?

<u>Effect</u>	<u>Answer</u>			
	<u>No</u>	<u>A Little</u>	<u>Some</u>	<u>A Lot</u>
Sensor Cone	_____	_____	_____	_____
Contrail Path	_____	_____	_____	_____
Ground Track	_____	_____	_____	_____
Air Track	_____	_____	_____	_____
Both Together	_____	_____	_____	_____
Tracer Range	_____	_____	_____	_____
Emphasis	_____	_____	_____	_____
Horizon Depression	_____	_____	_____	_____
Cursor	_____	_____	_____	_____
Instructor/Student	_____	_____	_____	_____
Cursor	_____	_____	_____	_____
Immediate Scoring	_____	_____	_____	_____
Feedback	_____	_____	_____	_____
Ranging Cursor	_____	_____	_____	_____
Viggen Targets	_____	_____	_____	_____
Multiple Viewpoints	_____	_____	_____	_____
Velocity Vector	_____	_____	_____	_____
Grid/Target Building	_____	_____	_____	_____
With Adjustable Cues	_____	_____	_____	_____

2. Did you find this effect helpful?

<u>Effect</u>	<u>Answer</u>			
	<u>No</u>	<u>A Little</u>	<u>Some</u>	<u>A Lot</u>
Sensor Cone	_____	_____	_____	_____
Contrail Path	_____	_____	_____	_____
Ground Track	_____	_____	_____	_____
Air Track	_____	_____	_____	_____
Both Together	_____	_____	_____	_____
Tracer Range	_____	_____	_____	_____
Emphasis	_____	_____	_____	_____
Horizon Depression	_____	_____	_____	_____
Cursor	_____	_____	_____	_____
Instructor/Student	_____	_____	_____	_____
Cursor	_____	_____	_____	_____
Immediate Scoring	_____	_____	_____	_____
Feedback	_____	_____	_____	_____
Ranging Cursor	_____	_____	_____	_____
Viggen Targets	_____	_____	_____	_____
Multiple Viewpoints	_____	_____	_____	_____
Velocity Vector	_____	_____	_____	_____
Grid/Target Building	_____	_____	_____	_____
With Adjustable Cues	_____	_____	_____	_____

3. Could this effect be made more useful?

How?

<u>Effect</u>	<u>Answer</u>			
	<u>No</u>	<u>A Little</u>	<u>Some</u>	<u>A Lot</u>
Sensor Cone	_____	_____	_____	_____
Contrail Path	_____	_____	_____	_____
Ground Track	_____	_____	_____	_____
Air Track	_____	_____	_____	_____
Both Together	_____	_____	_____	_____
Tracer Range	_____	_____	_____	_____
Emphasis	_____	_____	_____	_____
Horizon Depression	_____	_____	_____	_____
Cursor	_____	_____	_____	_____
Instructor/Student	_____	_____	_____	_____
Cursor	_____	_____	_____	_____
Immediate Scoring	_____	_____	_____	_____
Feedback	_____	_____	_____	_____
Ranging Cursor	_____	_____	_____	_____
Viggen Targets	_____	_____	_____	_____
Multiple Viewpoints	_____	_____	_____	_____
Velocity Vector	_____	_____	_____	_____
Grid/Target Building	_____	_____	_____	_____
With Adjustable Cues	_____	_____	_____	_____

4. What applications would be appropriate for this effect? Explain.

<u>Effect</u>	<u>Answer</u>
Sensor Cone	
Contrail Path	
Ground Track	
Air Track	
Both Together	
Tracer Range	
Emphasis	
Horizon Depression	
Cursor	
Instructor/Student	
Cursor	
Immediate Scoring	
Feedback	
Ranging Cursor	
Viggen Targets	
Multiple Viewpoints	
Velocity Vector	
Grid/Target Building	
With Adjustable Cues	

5. Would (or did) this effect affect your learning speed?

<u>Effect</u>	<u>Much Slower</u>	<u>Slower</u>	<u>Faster</u>	<u>Much Faster</u>
Sensor Cone	_____	_____	_____	_____
Contrail Path	_____	_____	_____	_____
Ground Track	_____	_____	_____	_____
Air Track	_____	_____	_____	_____
Both Together	_____	_____	_____	_____
Tracer Range	_____	_____	_____	_____
Emphasis	_____	_____	_____	_____
Horizon Depression	_____	_____	_____	_____
Cursor	_____	_____	_____	_____
Instructor/Student	_____	_____	_____	_____
Cursor	_____	_____	_____	_____
Immediate Scoring	_____	_____	_____	_____
Feedback	_____	_____	_____	_____
Ranging Cursor	_____	_____	_____	_____
Viggen Targets	_____	_____	_____	_____
Multiple Viewpoints	_____	_____	_____	_____
Velocity Vector	_____	_____	_____	_____
Grid/Target Building	_____	_____	_____	_____
With Adjustable Cues	_____	_____	_____	_____

6. Would or did use of this effect affect your performance?

	<u>Worse</u>	<u>No</u>	<u>Better</u>	<u>Much Better</u>
Sensor Cone	_____	_____	_____	_____
Contrail Path	_____	_____	_____	_____
Ground Track	_____	_____	_____	_____
Air Track	_____	_____	_____	_____
Both Together	_____	_____	_____	_____
Tracer Range	_____	_____	_____	_____
Emphasis	_____	_____	_____	_____
Horizon Depression	_____	_____	_____	_____
Cursor	_____	_____	_____	_____
Instructor/Student	_____	_____	_____	_____
Cursor	_____	_____	_____	_____
Immediate Scoring	_____	_____	_____	_____
Feedback	_____	_____	_____	_____
Ranging Cursor	_____	_____	_____	_____
Viggen Targets	_____	_____	_____	_____
Multiple Viewpoints	_____	_____	_____	_____
Velocity Vector	_____	_____	_____	_____
Grid/Target Building	_____	_____	_____	_____
With Adjustable Cues	_____	_____	_____	_____

7. Did this effect help you communicate with your instructor/student?

<u>Effect</u>	<u>Interfered</u>	<u>Neutral</u>	<u>Helped Some</u>	<u>Helped A Lot</u>
Sensor Cone	_____	_____	_____	_____
Contrail Path	_____	_____	_____	_____
Ground Track	_____	_____	_____	_____
Air Track	_____	_____	_____	_____
Both Together	_____	_____	_____	_____
Tracer Range	_____	_____	_____	_____
Emphasis	_____	_____	_____	_____
Horizon Depression	_____	_____	_____	_____
Cursor	_____	_____	_____	_____
Instructor/Student	_____	_____	_____	_____
Cursor	_____	_____	_____	_____
Immediate Scoring	_____	_____	_____	_____
Feedback	_____	_____	_____	_____
Ranging Cursor	_____	_____	_____	_____
Viggen Targets	_____	_____	_____	_____
Multiple Viewpoints	_____	_____	_____	_____
Velocity Vector	_____	_____	_____	_____
Grid/Target Building	_____	_____	_____	_____
With Adjustable Cues	_____	_____	_____	_____

8. How did you use this effect?

<u>Effect</u>	<u>Answer</u>
Sensor Cone	_____
Contrail Path Ground Track	_____
Air Track	_____
Both Together	_____
Tracer Range Emphasis	_____
Horizon Depression Cursor	_____
Instructor/Student Cursor	_____
Immediate Scoring Feedback	_____
Ranging Cursor	_____
Viggen Targets	_____
Multiple Viewpoints	_____
Velocity Vector	_____
Grid/Target Building With Adjustable Cues	_____

9. For what tasks did you use this effect?

<u>Effect</u>	<u>Answer</u>
Sensor Cone	_____
Contrail Path	_____
Ground Track	_____
Air Track	_____
Both Together	_____
Tracer Range	_____
Emphasis	_____
Horizon Depression	_____
Cursor	_____
Instructor/Student	_____
Cursor	_____
Immediate Scoring	_____
Feedback	_____
Ranging Cursor	_____
Viggen Targets	_____
Multiple Viewpoints	_____
Velocity Vector	_____
Grid/Target Building	_____
With Adjustable Cues	_____

DA
FILM
4-