

ARMY ELECTRONICS RESEARCH AND DEVELOPMENT COMMAND WS--ETC F/B 20/7
PROPERTIES OF DUST AS AN ELECTRON AND ION ATTACHMENT SITE FOR U--ETC(U)
OCT 81 H P COLE, M G HEAPS
ERADCOM/ASL-TR-0098

NL

[illegible]

END
DATE
FILMED
04-82
DTIC

1.0

2.8 2.5

2.2

1.1

2.0

1.8

1.25

1.4

1.6

W. H. ...

...

12



-TR-0098

AD

Reports Control Symbol
OSD - 1366

PROPERTIES OF DUST AS AN ELECTRON AND ION ATTACHMENT
SITE FOR USE IN D REGION ION CHEMISTRY

OCTOBER 1981

By

Henry P. Cole

National Research Council Research Associate
US Army Atmospheric Sciences Laboratory
White Sands Missile Range, New Mexico 88002

Melvin G. Heaps

US Army Atmospheric Sciences Laboratory
White Sands Missile Range, New Mexico 88002

DTIC
ELECTE
MAR 30 1982
B

Approved for public release; distribution unlimited.

DTIC FILE COPY



US Army Electronics Research and Development Command

Atmospheric Sciences Laboratory

White Sands Missile Range, NM 88002

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER ASL-TR-0098	2. GOVT ACCESSION NO. AD-A112 631	3. RECIPIENT'S CATALOG NUMBER Final Report	
4. TITLE (and Subtitle) PROPERTIES OF DUST AS AN ELECTRON AND ION ATTACHMENT SITE FOR USE IN D REGION ION CHEMISTRY	5. TYPE OF REPORT & PERIOD COVERED		
	6. PERFORMING ORG. REPORT NUMBER		
7. AUTHOR(s) Henry P. Cole* and Melvin G. Heaps *National Research Council Research Associate	8. CONTRACT OR GRANT NUMBER(s)		
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Atmospheric Sciences Laboratory White Sands Missile Range, NM 88002	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS DA Task 1L161102B53A		
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Research and Development Command Adelphi, MD 20783	12. REPORT DATE October 1981		
	13. NUMBER OF PAGES 56		
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	15. SECURITY CLASS. (of this report) UNCLASSIFIED		
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE		
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.			
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)			
18. SUPPLEMENTARY NOTES			
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) D Region Mesosphere Dust Mesospheric particulates Electron attachment Ion chemistry			
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Numerous observations of D region electron and ion density profiles have been difficult to interpret with chemical models based upon our present knowledge of a simple gas-phase chemistry. Often the presence of submicrometer sized particulates has been tentatively suggested as a cause of these enigmatic properties of the D region. The numerous observations of noctilucent clouds and mesospheric scattering layers are evidence for particulate matter in the D region, although the origin, composition, and size distribution of such particulates can only be estimated within rather broad ranges. This report			

20. ABSTRACT (cont)

establishes some basic properties of single particulates such as the electron-particulate and ion-particulate attachment rates, recombination rates, and photodetachment rates. A derivation of attachment coefficients for particulates acting en masse in the D region plasma is next examined. The limitations to this approach are outlined along with a discussion of preferred charge loading distributions on the particulates under various ambient conditions. Finally, illustrative examples are given of the effect of particulates on D-region electron density profiles and charge balance.

CONTENTS

LIST OF FIGURES.....	4
LIST OF TABLES.....	4
NOTATIONS.....	5
1. INTRODUCTION.....	7
2. PROPERTIES OF MESOSPHERIC PARTICLES.....	9
3. ELECTRON AND ION ATTACHMENT TO SINGLE DUST PARTICLES.....	11
4. EFFECTIVE CHARGE ATTACHMENT COEFFICIENTS.....	14
4.1 Derivation.....	14
4.2 Choice of Photodetachment Coefficient for Dust.....	17
4.3 Charge Loading on Dust.....	19
4.4 Effective Dust Attachment Coefficients.....	24
5. THE EFFECTS OF DUST ON D REGION CHEMISTRY AND CHARGE BALANCE THROUGH THE USE OF A FULL CHEMICAL CODE.....	25
5.1 Runs at 80 km with Variable Dust Concentration and Photodetachment.....	25
5.2 Comparison of the Effects of Four Dust Profiles ($r = 0.01\mu\text{m}$ and $r = 0.001\mu\text{m}$) upon D-region Ion Chemistry.....	27
6. SUMMARY AND CONCLUSIONS.....	28
REFERENCES.....	31

RE: ASL-TR-0098, Classified
References, Distribution Unlimited
No change in distribution statement
per Mr. Buck Sims, AASL/DELAS-DM-A.

Accession For		
AASL/GRAND		
AASL/TM		
AASL/need		
AASL/attention		
Distribution/		
Availability Codes		
Avail and/or		
Dist Special		
A		

LIST OF FIGURES

1. A plot of the capture rate modification function (F) against the absolute charge, Z, on a dust particle of radius 0.1 μ m to 0.001 μ m.....	12
2. A plot showing the magnitude of k_D^e , the dust-electron attachment coefficient (left ordinate), for various radii dust of charge Z = -1, 0, +1.....	15
3. A plot showing the magnitude of v_D^e , the dust-electron attachment frequency (left ordinate), for various radii dust of charge Z = -1, 0, +1.....	20
4. Values of the effective attachment coefficients of 0.001 μ m and 0.01 μ m dust to electrons, K_D^e , and positive ions, K_D^+ , for populations of electrons and ions.....	23
5. A plot of observed electron densities.....	29

LIST OF TABLES

1. k_D^e AND k_D^+ , ELECTRON AND POSITIVE ION ATTACHMENT COEFFICIENTS FOR A SINGLE DUST PARTICLE AT T = 150°K.....	13
2. PERCENT OF DUST POPULATION WITH A PARTICULAR NUMBER OF ELECTRONS FOR T = 150°K.....	21
3. VARIATION IN ELECTRON DENSITY AT 80 km DUE TO VARIABLE DUST CONCENTRATION AND PHOTODETACHMENT.....	26
4. SELECTED DUST PROFILES.....	27

NOTATIONS

a	Radius of dust particles, centimeters
z	Number of electronic charges on dust, a positive or negative integer
e	Electronic charge
T	Absolute temperature
$\bar{C}$	Mean thermal speed of ions or electrons. For ions, assume a mass of 50 amu. Therefore $\bar{C}_+ \approx 2.6 \times 10^4 \text{ cm s}^{-1}$. For electrons, $\bar{C}_e \approx 300 \bar{C}_+$.
F	Geometric modification shape factor
N_e	Number density of electrons, centimeter^{-3}
N_+	Number density of positive ions, centimeter^{-3}
N_-	Number density of negative ions, centimeter^{-3}
N_D	Number density of dust, centimeter^{-3}
ν_z	Frequency of capture of positive ions by dust particles with a charge z , second^{-1}
ν_z^e	Frequency of capture of electrons by dust particles with a charge z , second^{-1}
ν_z^-	Frequency of capture of negative ions by dust particles with a charge z , second^{-1}
ν_{ph}	Photodetachment frequency, second^{-1}
p_z	Fraction of dust particles which carry a charge z
k_D^e	Coefficient of attachment of an electron to a single dust particle, $\text{centimeter}^3 \text{ second}^{-1}$
k_D^+	Coefficient of attachment of a positive ion to a single dust particle, $\text{centimeter}^3 \text{ second}^{-1}$
K_D^e	Effective attachment coefficient of electrons in a distribution of dust particles, $\text{centimeter}^3 \text{ second}^{-1}$
K_D^+	Effective attachment coefficient of positive ions in a distribution of particles, $\text{centimeter}^3 \text{ second}^{-1}$

1. INTRODUCTION

The D region is the lowest portion of the ionosphere and nominally encompasses the altitude range of 60 to 90 km. It represents a transition region for the ionospheric plasma composition. Above 80 to 85 km, daytime composition is limited to molecular ions such as NO^+ and O_2^+ ; while below 80 to 85 km, the simple molecular ions enter into clustering reactions which convert the positive ion composition into one dominated by water clusters. Electrons also undergo attachment processes in the D region to form negative ions; by day this attachment appears to take place below 70 to 75 km. By night it occurs as high as 90 km, but there are still many unanswered questions concerning the negative ion chemistry.

The sources of ionization within the D region are the "tail end" of the solar x-ray spectrum, mainly at wavelengths less than 1 nm and in the 3- to 10-nm range, and two strong solar emission lines, Lyman beta at 102.6 nm which ionizes O_2 and Lyman alpha at 121.6 nm which ionizes NO . Ionization from these sources occurs principally above 75 km. Below 70 km galactic cosmic rays are the main (though small) source of ionization. At higher latitudes charged particle precipitation and associated bremsstrahlung x-rays may occasionally be the dominant ionization source.

The deposition of micrometeors, at the altitude of the lower portion of the E region and upper portion of the D region, produces a concentration of metallic ion layers at 90 to 110 km and occasional occurrences of sporadic E reflection. Estimates have shown that this micrometeor flux may be sufficiently large to serve as source material for the mesospheric scattering layers and noctilucent clouds which are often observed in the 80 to 85 km range.¹

Certain D region phenomena have been observed which have no ready explanation in terms of conventional ion chemistry; for example, electron density profiles have occasionally shown layers of sharply decreased concentration in the 90 to 90 km range, which could be interpreted as due to particulate layers which have the ability to attach electrons.² This ability would suggest, therefore, that there is a large group of primarily negatively charged species, either

¹D. M. Hunten, R. P. Turco, and O. B. Toon, 1980, "Smoke and Dust Particles of Meteoric Origin in the Mesosphere and Stratosphere," J Atmos Sci, 37:1342.

²A. Pedersen, J. Troin, and J. A. Kane, 1970, "Rocket Measurements showing a Removal of Electrons Above the Mesopause in Summer at High Latitude," Planet Space Sci, 18:945-947.

ions or particulates, present in the upper D region.³ And indeed, conductivity measurements throughout the stratosphere and mesosphere give evidence of light and "massive" ions, which may be interpreted to be charged particulates. D-region electron densities observed during some solar eclipses have indicated a surprisingly rapid electron density decrease which cannot be explained on the basis of current knowledge of electron-ion rates of recombination.⁴

With these examples of anomalous behavior in mind, the purpose of this report is to establish properties of particulates necessary for use in D-region predictive computer codes. These properties are electron-particulate and ion-particulate collision frequencies, attachment and recombination rates, and electron photodetachment rates. To achieve this result, the coefficients will be examined on three levels: (1) Coefficients will be derived for single particles impacting with electrons or ions. (2) An "effective" or "net" attachment coefficient shall be derived which pertains to a population of dust mixed with ambient electrons and positive ions. This derivation follows the work of Parthasarathy and Rai⁶ and Parthasarathy⁷ but has certain limitations which shall be examined. This treatment is instructive since it derives the charge loading on a population of dust and outlines the sensitivity of the attachment coefficients to various parameters. (3) Particulates will be included and evaluated as electron or ion attachment sites within a full time-dependent chemical code which includes all other competitive processes of D-region chemistry.

³M. G. Heaps, F. E. Niles, and R. D. Sears, 1978, Modeling the Ion Chemistry of the D-region: A Case Study Based Upon the 1966 Total Solar Eclipse, ASL-TR-0015, US Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM.

⁴M. G. Heaps and J. M. Heimerl, 1980, "The Quiet Midlatitude D-region: A Comparison Between Modeling Efforts and Experimental Efforts," J Atmos Terr Phys, 42:733.

⁵E. A. Mechtly, C. F. Sechrist, Jr., and L. G. Smith, 1972, "Electron Loss Coefficients for the D-region and the Ionosphere from Rocket Measurements During the Eclipses of March 1970 and November 1966," J Atmos Terrs Phys, 34:641

⁶R. Parthasarathy and D. B. Rai, 1966, "Effect of Meteoric Dust on the Effective Recombination Coefficient in the Lower Ionosphere," Radio Sci, 1:1401.

⁷R. Parthasarathy, 1976, "Mesopause Dust as a Sink for Ionization," J Geophys Res, 81:2392.

2. PROPERTIES OF MESOSPHERIC PARTICLES

Noctilucent clouds (NLC) have long provided the most direct and visual evidence that particulates, most likely pure ice or ice coated dust, tend to layer at the summer mesopause. The rare observation of NLC during stratospheric warmings indicates layering in winter also.⁸ OGO-6 satellite observations⁹ indicate that particulate layers near the 82 km upper bound of the mesosphere may be a persistent high latitude feature, while global lidar observations show a sodium layer in this same region. Witt¹⁰ and Fogle and Rees¹¹ have calculated NLC particulate sizes to be of the order of 0.1 μm to 0.2 μm in radius with number densities of the order of 1 cm^{-3} . Donahue et al⁹ also estimate that 0.13 μm radius particles with number densities of 15 to 40 cm^{-3} would successfully explain their scattering observations. An earlier work by Divari¹² based upon rocket samples states that particulate concentrations in the mesosphere are an inverse function of size down to 0.05 μm . Also model calculations by Hunten et al¹³ indicate a similar inverse size and concentration relationship in the 80- to 90-km altitude range for particles less than 0.001 μm .

There are three alternatives for the origin of NLC particulates: (1) They are terrestrial and ascend by the action of turbulence, (2) they are formed from in-situ ion clusters, or (3) they are meteoritic.

The first possibility seems unlikely considering the insufficient magnitude of the eddy diffusion coefficient in the stratosphere and mesosphere (see, for example, Hunten¹³). As for the second possibility, Witt¹⁴ proposed that water

⁸R. A. Hamilton, 1964, "Observations of Noctilucent Clouds Near Midwinter," Met Mag Lond, 93:201.

⁹T. M. Donahue, B. Guenther, and J. E. Blamont, 1972, "Noctilucent Clouds in the Daytime: Circumpolar Particulate Layers Near the Summer Mesopause," J Atmos Sci, 29(6):1205.

¹⁰G. Witt, 1960, "Polarization of Light From Noctilucent Clouds," J Geophys Res, 65:925-933.

¹¹B. Fogle and M. Rees, 1972, "Spectral Measurements of Noctilucent Clouds," J Geophys Res, 77:720.

¹²G. Divari, 1964, "The Dust Concentration in the Upper Layers of the Earth's Atmosphere," Geomagnetism and Aeronomy, 4:688-692.

¹³D. M. Hunten, R. P. Turco, and O. B. Toon, 1980, "Smoke and Dust Particles of Meteoric Origin in the Mesosphere and Stratosphere," J Atmos Sci, 37:1342.

¹⁴D. M. Hunten, 1975, Vertical Transport in Atmospheres, Atmospheres of Earth and the Planets, D. Reidel Publishing Co., Dordrecht-Holland, pp 57-72.

¹⁵G. Witt, 1969, "The Nature of Noctilucent Clouds," Space Res, IX:157-169, North Holland Publishing Co.

cluster ions in the mesosphere^{15, 16} serve as condensation or sublimation nuclei. Such a clustering mechanism has been investigated for aerosols in general.^{17, 18} However, the mechanism whereby clusters of ten or fewer molecules could grow or combine to form the size of particulates nominally present in the D region (hundreds or thousands of molecules) has not yet been identified. Assisted by a model calculation, Reid¹⁹ has argued that if a substratum of small particulates of nominal 0.001 μ m size exists, then the growth of ice needles of a detectable size (0.13 μ m) is possible under constraints of mesospheric temperatures and low water vapor. The idea that meteoritic dust particles could be sufficiently numerous to form layers dense enough for NLC also has been theoretically supported by Chapman and Kendall.²⁰ Hunten et al¹ showed that a nominal meteor flux of 10^{-14} g cm⁻² s⁻¹ is sufficient to provide a source of particulates with sizes of the order of 0.001 μ m and number densities of 10^3 cm⁻³. Also the source of particles may be multiple and seasonally dependent as suggested by data of Clemesha et al.²¹ Thus, mesospheric particulate sizes and their number densities can apparently range from an upper bound of 0.1 μ m radius with number densities on the order of 10 cm⁻³ or less, to a lower bound of 0.001 μ m sized particulates with number densities on the order of 10^3 cm⁻³. This range of concentrations and sizes will be used as representative in the subsequent calculations and modeling in this report.

¹⁵R. D. Narcisi and A. D. Bailey, 1965, "Mass Spectrometric Measurements of Positive Ions at Altitudes From 64 to 112 Kilometers," J Geophys Res. 70:2687.

¹⁶F. Arnold and W. Joos, 1979, "Rapid Growth of Atmospheric Cluster Ions at the Cold Mesopause," Geophys Res Letters, 6:763-766.

¹⁷A. W. Castleman, Jr., 1974, "Nucleation Processes and Aerosol Chemistry," Space Sci Rev. 15:547-589.

¹⁸A. W. Castleman, Jr., 1979, "Nucleation and Molecular Clustering About Ions," Adv in Colloid and Interface Sci. 10:73-128.

¹⁹G. C. Reid, 1975, "Ice Clouds at the Summer Polar Mesopause," J Atmos Sci. 32:523.

²⁰S. Chapman and P. C. Kendall, 1965, "Noctilucent Clouds and Thermospheric Dust: Their Diffusion and Height Distribution," Quart J Roy Met Soc. 91:115.

²¹D. M. Hunten, R. P. Turco, and O. B. Toon, 1980, "Smoke and Dust Particles of Meteoric Origin in the Mesosphere and Stratosphere," J Atmos Sci. 37:1342.

²²B. R. Clemesha, V. W. J. H. Kirchoff, D. M. Simonich, and H. Takahashi, 1978, "Evidence of an Extra-Terrestrial Source for the Mesospheric Sodium Layer," Geophys Res Letters, 5:873-877.

3. ELECTRON AND ION ATTACHMENT TO SINGLE DUST PARTICLES

The first quantitative steps towards examining the properties of dust in the presence of charged particles were taken in 1960 by Natanson,²² who formulated a kinetic approach to the charging of dust by electrons and ions. Parthasarathy and Rai⁶ used Natanson's approach to derive attachment coefficients for dust particles with electrons and positive ions in the mesosphere. This work was extended by Parthasarathy⁷ to include a probabilistic formulation of the basic equilibrium equations including an explicit photodetachment term.

A dust particle is charged when an electron or ion collides with and is captured by the particle. The capture frequency, ν , equal to the collision frequency (with a collision efficiency of 1), may be expressed as

$$\nu = \pi a^2 N \bar{C} F \quad (\text{s}^{-1}), \quad (1)$$

where πa^2 is the geometric cross section of the particle, N is electron or ion density, $\bar{C}$ is mean velocity, and F is a capture rate modification function or "shape factor" which modifies the geometric cross-section and whose value depends upon the resident charge of the particle and its radius. This shape factor, F , expresses the attractive (or repulsive) effects of charged dust particles to approaching electrons or ions (figure 1).

Several points should be noted. First, the F factor for uncharged dust particles enhances the geometric cross section, an effect which increases as the particle shrinks. This effect is due to the setting up of an image charge within the particle as the electron or ion approaches its surface. Second, powerful repulsive effects lead to a practical limit of one charge for particles of approximately $0.01\mu\text{m}$ in size or less. For such small particles, recombination or neutralization becomes greatly enhanced as the particle becomes charged. Only for particles larger than $0.1\mu\text{m}$ does multiple charging become probable.

²²G. L. Natanson, 1960, "On the Theory of the Charging of Amicroscopic Aerosol Particles as a Result of the Capture of Gas Ions," Sov Phys Tech Phys, (English Translation), 5:538.

⁶R. Parthasarathy and D. B. Rai, 1966, "Effect of Meteoric Dust on the Effective Recombination Coefficient in the Lower Ionosphere," Radio Sci, 1:1401.

⁷R. Parthasarathy, 1976, "Mesopause Dust as a Sink for Ionization," J Geophys Res, 81:2392




Figure 1. A plot of the capture rate modification function (F) against the absolute charge, Z , on a dust particle of radius $0.1 \mu\text{m}$ to $0.001 \mu\text{m}$. The value of the capture rate modification function expresses the ratio of the "effective" capture cross section of a dust particle to the simple geometric cross section and is dependent upon electrostatic effects.

The dust charge attachment coefficient, k_D , for an isolated particle is defined as

$$k_D = v/N = \pi a^2 \bar{C} F \quad (\text{cm}^3 \text{ s}^{-1}), \quad (2)$$

where k_D is a function of particle size, resident charge, electron or ion mass, and velocity. k_D is to be treated as a standard chemical rate constant, where the term in the set of continuity equations becomes $k_D^e [N_D] [N_e]$ or $k_D^+ [N_D] [N_+]$. Table 1 lists representative values of the coefficients k_D^e and k_D^+ for a nominal mesospheric temperature $T = 150^\circ\text{K}$.

Points which are apparent from table 1 are: (1) the smaller the dust, the more rapidly the electron attachment coefficient decreases with increasing negative charge, (2) the larger the particle, the greater tendency it will have to attach electrons and, hence, provide an electron sink. A single large particle (that is, radius $> 0.1 \mu\text{m}$) is therefore as effective as several smaller particles in perturbing the charge balance.

TABLE 1. k_D^e AND k_D^+ , ELECTRON AND POSITIVE ION ATTACHMENT COEFFICIENTS FOR A SINGLE DUST PARTICLE AT $T = 150^\circ\text{K}$

Dust Radius (μm)	Charge (e)	k_D^e ($\text{cm}^3 \text{ s}^{-1}$)	k_D^+ ($\text{cm}^3 \text{ s}^{-1}$)
Z			
0.001	+1	2.6(-5)	1.3(-33)
	0	3.3(-6)	1.0(-8)
	-1	4.2(-31)	8.4(-8)
	-2	2.3(-37)	1.6(-7)
0.01	+1	2.8(-4)	7.3(-11)
	0	1.2(-4)	3.9(-7)
	-1	2.3(-7)	9.1(-7)
	-2	1.1(-10)	1.7(-6)
0.1	+1	5.0(-3)	1.1(-5)
	0	5.5(-3)	1.7(-5)
	-1	3.4(-3)	1.5(-5)
	-2	1.3(-3)	2.4(-5)
	-3	5.2(-4)	3.2(-5)
	-4	2.1(-4)	4.0(-5)
	-5	8.3(-5)	4.9(-5)
	-6	3.3(-5)	5.7(-5)
	-7	1.3(-5)	6.5(-6)
	-8	5.2(-6)	7.4(-6)

A further insight may be provided by a plot (figure 2) comparing the magnitude of the attachment coefficients, k_D^e , for $z = -1, 0$, and $+1$ charged dust, as a function of particle radius, and the electron-ion recombination coefficients for NO^+ and water cluster ions. This figure shows that although normally the most important loss mechanism for electrons is recombination to cluster ions, electron attachment to particulates could be dominant if the dust number density were of the same magnitude as the ion number density and (a) dust were positively charged, (b) dust were neutral but larger than $0.002 \mu\text{m}$, or (c) the dust particle had a single negative charge and exceeded $0.011 \mu\text{m}$ in radius. The inferences of dust size distribution in the mesosphere allow that there could be much dust at sizes of $0.01 \mu\text{m}$ or smaller. In that case, the probability of mesospheric dust affecting the D-region charge balance will be considerable through the formation of an electron sink.

4. EFFECTIVE CHARGE ATTACHMENT COEFFICIENTS

4.1 Derivation

The previous section explicitly derived the charge attachment frequency for an isolated dust particle of a given size and a known resident charge. However, in the D region, a population of dust particles will tend to possess a distribution of charge which will be established by the competitive attachment and detachment of electrons and ions. Parthasarathy and Rai, or Parthasarathy⁷ initially addressed the calculation of the attachment coefficients for dust "en masse." In this section we analyze the limitations of this approach but show that it provides knowledge of the resident charge distribution function of dust for various ambient conditions. Photodetachment is also included in this formulation as an explicit term, and suitable experimental values are examined.

Parthasarathy⁷ stipulates that the equilibrium condition of dust mixed with charged species is considered to be a statistically stationary distribution. This condition is formulated by stating that the frequency at which the fraction of dust particles with a charge z is being depleted by ion capture, electron capture, and photodetachment is equal to that frequency at which the fraction of dust particles with $z + 1$ charges are acquiring electrons or negative ions plus the frequency at which the fraction of dust particles with $z - 1$ charges are acquiring positive charges and suffering photodetachment of electrons (after Parthasarathy⁷).

⁶R. Parthasarathy and D. B. Rai, 1966, "Effect of Meteoric Dust on the Effective Recombination Coefficient in the Lower Ionosphere," Radio Sci. 1:1401.

⁷R. Parthasarathy, 1976, "Mesopause Dust as a Sink for Ionization," J Geophys Res. 81:2392.




Figure 2. A plot showing the magnitude of k_D^e , the dust-electron attachment coefficient (left ordinate), for various radii of dust of charge $Z = -1, 0, +1$. For comparative purposes the electron-ion recombination coefficient for nitric oxide ions and water cluster ions is plotted on the right ordinate.

Expressed algebraically,

$$P_z (\nu_z^+ + \nu_z^e + \nu_z^- + \nu_{ph}) = P_{z+1} (\nu_{z+1}^e + \nu_{z+1}^-) + P_{z-1} (\nu_{z-1}^+ + \nu_{ph}) \quad (3)$$

By setting $P_z = 0$ for a large value of charge (say $z = -9$, meaning that no dust has 9 or more electrons on it), and solving the other P_z 's in terms of P_{-8} and so forth, a recursion relation may be obtained. Then, after normalizing with $\sum P_z = 1$, solve for each P_z . Neglecting negative ions for the daytime D region, the effective attachment coefficients are then defined as:

$$K_D^+ = \frac{1}{N_+} \sum P_z \nu_z^+ = \frac{1}{N_e} \sum P_z (\nu_z^e - \nu_{ph}) \quad (4)$$

$$K_D^+ = \frac{1}{N_e} \sum P_z \nu_z^e - \frac{\sum P_z \cdot \nu_{ph}}{N_e} \quad (5)$$

The attachment coefficient for electrons, K_D^e , is:

$$K_D^e = \frac{\sum P_z \nu_z}{N_e} \quad (6)$$

Substituting equation (6) into (5) and remembering $\sum P_z = 1$,

$$K_D^+ = K_D^e - \frac{\nu_{ph}}{N_e} \quad (7)$$

that is, the effective attachment coefficient for positive ions is equal to the effective attachment coefficient for electrons diminished by the photodetachment frequency divided by the ambient electron density.

This formulation incorporates the following assumptions and restrictions which limit its applicability to D region time dependent chemical codes:

a. This formulation is explicitly stationary. An equilibrium is assumed between the rate of attachment and detachment of ions and electrons for the

derivation of the P_z fractions and the coefficients. As such, these coefficients are unsuitable for use in time dependent programs designed for rapidly varying atmospheric conditions such as eclipse times, sunrise and sunset, or nuclear burst phenomena.

b. It is assumed that $N_e = \Sigma N_+$. This assumption of charge neutrality among electrons and ions is equivalent to the assumption that the number of particulates is too small to perturb the charge balance, which may be an unrealistic assumption for the mesosphere. Therefore, since the derived P_z values are functions of the N_e or ΣN_+ used, the calculation of new P_z 's and the effective coefficients would have to be handled iteratively in a computer code each time new N_e and ΣN_+ were computed.

c. This formulation (equation 3) neglects competitive chemical attachment processes such as the recombination reactions between positive ions and electrons which would change P_z values and K_D^e and K_D^+ .

Within these restrictions the values of K_D^e and K_D^+ derived by Parthasarathy⁷ are useful for steady state chemical codes with a comparatively small number of particulates. But if no restriction is to be placed upon the size of the dust population or upon the concentrations of electrons or positive ions, then a set of stepwise reactions utilizing the coefficients for individual dust in various charge states is more appropriate (section 2). However, a benefit of the approach by Parthasarathy is to predict the range and stability of resident charge loading expected on a population of dust under various ambient conditions. Thus, the number of piecewise reactions sufficient for dust of a given size may be predicted for use in the chemical reaction code.

4.2 Choice of Photodetachment Coefficient for Dust

The photodetachment rate for the dust particle, ν_{ph} , is a key and governing parameter in these computations. Photodetachment yields of many materials are difficult to measure in a laboratory, and, in turn, whether such measurements would be valid for mesospheric conditions is difficult to assess. The best that may be done is to assume a likely composition for dust and establish a plausible range for the photoelectric yield over the incident solar wavelengths which exist in the mesosphere.

Photoelectric yield of a given material is a function of many parameters such as surface roughness, angle of incidence of photons, temperature, and possible adsorption of gases on the surface. For example, photoelectric yield will

⁷R. Parthasarathy, 1976, "Mesopause Dust as a Sink for Ionization," J Geophys Res, 81:2392.

increase with greater roughness and angle of incidence.²³ Adsorption of gases such as molecular oxygen or hydrogen onto the surface may reduce the yield and shift the cutoff wavelength further into the ultraviolet;²³ whereas very small amounts of gases may increase yield and shift the cutoff wavelength to longer wavelengths through the formation of surface "double layers" which allow the creation of surface states about 0.4 ev below the Fermi level.²⁴

If meteoritic material from galactic space, possibly ice coated, is assumed to be the constituent of the dust particles, then the photodetachment values for moon dust,²⁵ nickel,²³ or ice⁶ would be reasonable options. Presumably, E-region meteoritic depositions would be of similar material to lunar surface dust. Willis et al.²⁵ determined the photoelectric yield of samples of moon dust from the Apollo 14 and 15 missions. These determinations for moon dust were made at 10^{-7} to 10^{-9} torr, a more absolute vacuum than in the E-region by five orders of magnitude. Impurities in the samples were baked out for 1 week at 150°C. Auger electron spectroscopy and chemical analysis yielded a composition of: 48 percent of SiO_2 , 18 percent of Al_2O_3 , 11 percent of Fe, 10 percent of FeO , etc., which agrees with other determinations of composition for silicate-type meteors.²⁶ Peak emission of 10^{-11} electrons per photon occurs at 800 angstroms, with smaller values of 10^{-12} at 2700 angstroms and 10^{-12} at 600 angstroms. For solar flux at the top of the earth's atmosphere the composite yield is 2.8×10^9 (πa^2) photoelectrons per second for lunar surface material, where πa^2 represents the surface area in square centimeters. Attenuation of solar flux in the Schumann-Runge Bands and Lyman α in the mesosphere reduces this photodetachment frequency of neutral dust at 80 km to about 1×10^9 (πa^2) s^{-1} . Since iron and nickel meteorites have been commonly reported,²⁶ the photoelectric yield for elemental nickel was obtained in Weissler.²³ When the appropriate solar flux is used for Lyman α and the Schumann-Runge Bands attenuation at 80 km is accounted for, the resultant photodetachment for nickel is 1.5×10^9 (πa^2) s^{-1} . Values of photodetachment for ice⁶ are 1.9×10^8 (πa^2) s^{-1} . To bracket these previous determinations for different materials and to allow for the considerable uncertainty which still remains, the following values of photodetachment frequency are chosen to

²³G. L. Weissler, 1956, "Photoionization in Gases and Photoelectric Emission from Solids," in Handbuch der Physik, Vol XXI, Springer-Verlag, 304-382.

²⁴B. Feuerbacher and B. Fitton, 1972, "Photoemission from Surface States on Tungsten," Phys Rev Letters, 29(12):786.

²⁵R. F. Willis, M. Anderegg, B. Feuerbacher, and B. Fitton, "Photoemission and Secondary Electron Emission from Lunar Surface Material," in Photon and Particle Interactions with Surfaces in Space, Proceedings of the 6th ESTAB Symposium, Noordwijk, the Netherlands, 26-29 September 1972. R. J. L. Grand, Ed., D. Reidel Publishing Co., Dordrecht-Holland/Boston - USA.

²⁶R. Parthasarathy and D. B. Rai, 1966, "Effect of Meteoric Dust on the Effective Recombination Coefficient in the Lower Ionosphere," Radio Sci. 1:1401.

²⁶J. A. Jacobs, R. D. Russell, and J. T. Wilson, 1959, Physics and Geology, McGraw Hill, NY.

be incorporated into the calculations of this report (expressed for zero optical depth): $2.8 \times 10^{16} (\pi a^2) s^{-1}$, $2.8 \times 10^9 (\pi a^2) s^{-1}$, $2.8 \times 10^8 (\pi a^2) s^{-1}$, and 0.

Since mesospheric particles may possess a negative or positive charge, the question arises as to whether an electrostatic potential on a dust particle would modify the photodetachment yield from that dust. Manka²⁷ explored the result of having an electrostatic charge on the surface of dust and the resultant Coulomb retarding of the photoelectron current. He was specifically interested in dust on the lunar surface and showed, for example, that the current density of photoelectrons suffered a reduction of 26 percent in emitted electrons with a single positive charge. Our calculations are not adjusted for this small effect. In the case of a negative potential, the magnitude of the photoelectron current was not modified. That is, negatively charged dust will provide the same photoelectron current as neutral dust and obey the same wavelength dependence. Photoemission will not be enhanced.

A final comment is necessary about the differences in photoemission between single molecules and a solid composed of many molecules: It was considered possible that dust could photoemit in the visible, a fact suggested by analogy in the work of Woo et al.²⁸ who described photoelectron detachment from the O_2^- molecule by visible wavelengths. This idea was supported by Chanin et al.²⁹ who showed that electrons attaching to molecular oxygen to form O_2^- could possibly enter a $v = 1$ vibrational state, described by a repulsive potential energy curve, which could then lead to autodetachment. However, in the case of a solid dust particle, such surface metastable states of high energy would not exist since the energy of the impacting electron would quickly dissipate as momentum and heat through neighboring atoms. The "extra" electron causing the unbalanced negative charge on a dust particle would be indistinguishable from any other electron occupying normal bound conduction states. Photoemission would always operate against the work function of the material and exhibit the same cutoff frequency for irradiation as that for an uncharged surface. Therefore, it would not be likely for dust to photoemit in the visible.

4.3 Charge Loading on Dust

The first result of performing the calculation of the effective attachment coefficients, K_D^e and K_D^+ , is the determination of the fractions of the dust

²⁷R. H. Manka, "Plasma and Potential at the Lunar Surface," in Photon and Particle Interactions with Surfaces in Space, Proceedings of the 6th Eslab Symposium, Noordwijk, The Netherlands, 26-29 September 1972, D. Reidel Publishing Co., Dordrecht-Holland/Boston - USA.

²⁸S. B. Woo, L. M. Branscomb, and E. C. Beaty, 1969, "Sunlight Photodetachment of Ground State O_2 ," J Geophys Res, 74:2933.

²⁹L. M. Chanin, A. V. Phelps, and M. A. Biondi, 1962, "Measurements of Attachment of Low Energy Electrons to Oxygen Molecules," Phys Rev, 128:219.

population which carry a particular charge. Table 2 lists the percentages of the total dust population which carry given numbers of electrons for dust of radii 0.001 μ m, 0.01 μ m, and 0.1 μ m under various ambient electron densities.

The tabulation reveals some of the most graphic aspects of dust behavior in the D region: For example, the charge for dust of radius 0.01 μ m, or smaller, is one electron per dust particle. (These results are similar to those of figures 3 and 4 in Parthasarathy.⁷) This loading holds for a wide range of ambient electron number densities of 100 to 10,000 centimeter⁻³ and photodetachment values of 0 to 10⁻¹ s⁻¹. Under similar ambient conditions, dust sized midway between 0.01 μ m to 0.1 μ m holds a more or less stable charge of 2 to 3 electrons which shifts to 1 electron or no electrons at high photodetachment rates. Dust of radius 0.1 μ m presents a less clear-cut picture. The normal loading is a broad distribution of 5, 6, or 7 electrons which is displaced to positive values of charge where photodetachment values >1 s⁻¹ and electron densities below 1000 cm⁻³ are used. In each of these cases, photodetachment does not exert an influence until it exceeds about 1 s⁻¹.

This insensitivity to photodetachment rates below a certain threshold is an important result since a rigorous number for dust photodetachment rates has been hard to obtain, and this difficulty had been an area of uncertainty in chemical models. A further result is that the smaller dust sizes will exist in the D region with only a single negative charge if they are charged at all.

As an alternate way to illustrate the competing elements of this situation, figure 3 shows a plot of photodetachment frequency for moon dust and ice along with electron attachment frequency for dust charged $Z = 1, 0, +1$ and frequency for the recombination of electrons with H_3O^+ and hydrated water cluster ions. An ambient electron and ion density of 1000 cm⁻³ has been used for this illustration.

From an examination of figure 3, a number of points are apparent:

a. Positively charged dust of any size can competitively acquire electrons when compared to normal electron-ion recombination processes. Uncharged dust of radius $\geq 0.002\mu$ m can compete effectively for electrons even when the positive ions are water clusters (as is the case for altitudes below 80 km). Negatively charged dust can only compete effectively for electrons if the particles have a radius $\geq 0.02\mu$ m. Dust with radii on the order of 0.1 μ m could attach several electrons, but because of the nominally low number densities of 0.1 μ m radius dust (~ 10 cm⁻³), the overall electron attachment to dust of this size is probably of secondary importance when compared to the normal electron-ion recombination processes, a point already noted by Parthasarathy.⁷ However, if dust particles of much smaller sizes were present in large numbers, as is most likely the case, then dust could appreciably alter the ambient electron and ion equilibrium densities. The precise effect

⁷R. Parthasarathy, 1976, "Mesopause Dust as a Sink for Ionization," J Geophys Res. 81:2392.

TABLE 2. PERCENT OF DUST POPULATION WITH A PARTICULAR
NUMBER OF ELECTRONS FOR $T = 150^\circ K^*$

		Percentage								
Dust Particle Radius (μm)		0.001			0.01			0.1		
Ambient Electron Density		100	1000	10,000	100	1000	10,000	100	1000	10,000
Photodetachment Rate (s^{-1})	Charge (e) Z									
0	-4							7	6	6
	-5							28	28	28
	-6							40	40	40
	-7							20	20	20
	-8							3	3	3
$2.8 \times 10^8 (\pi a^2)$	0	2	2	2	1.3	0		9		
	-1	97	97	97	90	88		30		
	-2				8	11		36		
	-3							17	8	
	-4							3	28	9
	-5								39	32
	-6								20	39
	-7								4	17
	-8									3
$2.8 \times 10^9 (\pi a^2)$	0	22	5	2		0		2		
	-1	76	95	97		90		9		
	-2					8		30		
	-3							36		8
	-4							18		28
	-5							3		39
	-6									20
	-7									4
$2.8 \times 10^{10} (\pi a^2)$	8							1		
	7							3		
	6							6		
	5							10		
	4							15		
	3						0	19		
	2	3				0		18		
	1	19				7		14		
	0	56	22	5		90		6		1
	-1	20	76	95		2		3		9
	-2							1		30
	-3									36
	-4									17
	-5									3

*Columns may not always total 100 due to rounding and to neglecting states with less than 0.5 percent.




Figure 3. A plot showing the magnitude of ν_D^e , the dust-electron attachment frequency (left ordinate) for various radii of dust of charge $Z = -1, 0, +1$. The electron-cluster ion and electron-nitric oxide ion recombination frequency is plotted on the right ordinate. An electron density of 10^4 cm^{-3} is assumed. Values of photoemission frequencies for various radii of moon dust and ice-coated moon dust are represented on the right ordinate.

EFFECTIVE ATTACHMENT COEFFICIENT, K_D^e & K_D^+ FOR DUST OF RADIUS .001 μm




Figure 4. Values of the effective attachment coefficients of $0.001 \mu m$ and $0.01 \mu m$ dust to electrons, K_D^e , and positive ions, K_D^+ , for populations of electrons and ions ranging from 10 to $10^4 cm^{-3}$.

would depend on the rate of photoemission of the electrons from the negatively charged dust.

b. During twilight or nighttime, smaller particulates (radius $< 0.01 \mu\text{m}$) become negatively charged. Hence, in large numbers, small dust particles could compete effectively with ion-electron recombination and provide a means of maintaining (rather than neutralizing) negative charge. Referring to the right side of equation (6), the ν_e^e term will dominate the tendency to load all particles negatively; the photoemission term ν_{ph} will tend to counter this. It may, if sufficiently large, keep the smaller particles neutral or even make them positive. At night, or for regions of low light levels, photoemission will dominate and drive a large fraction of the particulates negative.

c. Dust which is ice coated photoemits an order of magnitude less light than uncoated dust. This difference would mean that during polar summer conditions with noctilucent clouds, a larger number of electrons could be attached to the ice coated dust than at other times of the year, resulting in a sharper reduction in the free electron density.

4.4 Effective Dust Attachment Coefficients

Figure 4 shows one instructive example of the derived K_D^e and K_D^+ values for $0.001 \mu\text{m}$ and $0.01 \mu\text{m}$ size dust plotted against electron density (N_e) and thus photodetachment values. The abscissa for figure 4 is N_e (or N_+ since, by the requirement of charge neutrality, they must be held equal in the calculations). Immediately apparent from this graph is the great variability of K_D^e and K_D^+ with changing electron and positive ion densities and photodetachment. Specifically: (a) K_D^e exceed K_D^+ since electrons move 300 times as fast as positive ions and hence have a higher collisional frequency. (b) Higher values of photodetachment rates, ν_{ph} , result in higher K_D^e values since photodetachment tends to keep a particle uncharged (or positively charged), which means that impacting electrons will not feel a repulsive force. (c) As the numbers of ambient electrons and ions increase, the K_D^e and K_D^+ values converge to a common asymptote because the extreme ambient densities negate the effects of photodetachment. However, the fact that K_D^e and K_D^+ are so highly dependent upon ambient electron and ion densities requires that they be entered iteratively into computer codes, a less efficient procedure than using a set of k_D^e and k_D^+ for the individual charging reactions for dust.

5. THE EFFECTS OF DUST ON D REGION CHEMISTRY AND CHARGE BALANCE THROUGH THE USE OF A FULL CHEMICAL CODE

5.1 Runs at 80 km with Variable Dust Concentration and Photodetachment Frequencies

The results of the previous sections have been organized as piecewise calculations designed to gain insight into the behavior of dust in the mesosphere. In this final section, dust is entered as a full partner into an electron-ion reaction set to quantify the effects on the charge balance. The treatment of this topic is not exhaustive, but it is included in this report to establish the qualitative nature of the effect of dust in the D region. The chemistry reaction set is that of DAIRCHEM,³⁰ and the dust attachment coefficients used are $k_n^e = 1.2 (-4) \text{ cm}^3 \text{ s}^{-1}$ for 0.01 μm dust (table 1). Dust is entered in several concentrations: 0, 100, 1000, and 10,000 cm^{-3} , and the resulting values in electron density, NO^+ , and the sum of the hydrated water cluster ions are listed in table 3, examples 1 through 4. In these examples the photodetachment value is held at the value derived from Willis et al.,²⁹ $2.8 \times 10^9 (\text{a}^2) \text{ s}^{-1}$, and the dust concentration is varied by 4 orders of magnitude. A second set of examples, 5 through 7, tests the results using photodetachment rates which vary from 0.01 to 100 times the above value.

Examples 1 through 4 show that as the dust population increases from 0 to 1000 cm^{-3} and 10,000 cm^{-3} , the electron density decreases from a high of 453 to 191 and 54 cm^{-3} , respectively. Sixty-four percent of dust remains uncharged at high concentrations (10,000 cm^{-3}), and 28 percent is negatively charged. Besides the effect of reducing the electron density, another major change is the marked increase in water cluster ion population. This increase is due to the removal of electrons which would recombine with the cluster ions directly (that is, due to the lower ion-dust recombination rate). Total charge neutrality is maintained in the chemistry of these runs, although only a small subset of positive ion species entered in DAIRCHEM is listed in this table. (For example, nitric oxide clusters and other minor positive ion species are omitted.)

Examples 5 through 7 show that the variation in photodetachment is significant in modifying the free electron density. High photodetachment rates drive the dust more positive and hence release electrons. For an increase in photodetachment of 4 orders of magnitude, the free electrons increase from 118 to 749 cm^{-3} . For the most probable value of photodetachment (Willis' value of $2.8 \times 10^9 (\text{a}^2 \text{ cm}^3 \text{ s}^{-1})$ ²⁹, the electron density increases more than 60 percent over its value with no photodetachment.

³⁰D. W. Hoock and M. G. Heaps, 1978, DAIRCHEM: A Computer Code to Model Ionization-Deionization Processes and Chemistry in the Middle Atmosphere. Users Manual, US Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM.

²⁹R. F. Willis, M. Anderegg, B. Feuerbacher, and B. Fitton, "Photoemission and Secondary Electron Emission from Lunar Surface Material," in Photon and Particle Interactions with Surfaces in Space, Proceedings of the 6th Eslab Symposium, Noordwijk, The Netherlands, 26-29 September 1972. R. J. L. Grand, Ed., D. Reidel Publishing Co., Dordrecht-Holland/Boston - USA.

TABLE 3. VARIATION IN ELECTRON DENSITY AT 80 km DUE TO VARIABLE DUST CONCENTRATION AND PHOTODETACHMENT. RADIUS = 0.01 μ m. DAIRCHEM COMPUTER MODEL MIDLATITUDE CASE. v_{ph} IS LISTED FOR ZERO OPTICAL DEPTH AND AN UNCHARGED PARTICLE.

Photodetachment, v_{ph}	Example	Dust Entered	Uncharged Dust	Dust(+)	Dust(-)	Electron Density	NO^+ Ion Density	Sum Water Cluster Ions
$2.8 \times 10^9 (\pi a^2)$	1	0	0	0	0	453	102	207
	2	100	23	1	76	406	103	232
	3	1000	384	13	603	191	111	507
	4	10000	6423	759	2818	54	117	1818
$2.8 \times 10^7 (\pi a^2)$	5	1000	11	10^{-3}	989	118	114	823
	6	1000	384	13	603	191	111	507
	7	1000	524	443	33	749	94	118

In each set of test runs the NO^+ population is comparatively stable. In addition to the reactions listed below, a set of attachment reactions of positive ions to neutral, negatively charged, and positively charged dust was also used.



5.2 Comparison of the Effect of Four Dust Profiles ($r = 0.01\mu\text{m}$ and $r = 0.001\mu\text{m}$) upon D-region Ion Chemistry.

As a more graphic test of the possibility of dust modifying the electron profiles of the D region, four dust distributions were included in the DAIRCHEM code, and computations were made at a series of altitudes. As a basis of comparison for the modeling, a standard type of observed electron density profile from daytime, $\chi = 60^\circ$ at Wallops Island, VA, in December is presented. Secondly, the electron density profile computed by DAIRCHEM with no dust included is plotted. The other curves are computed electron densities using $0.01\mu\text{m}$ dust at constant concentrations of 100 and 1000 cm^{-3} and $0.001\mu\text{m}$ dust at concentrations of 1000 and 5000 cm^{-3} . These values bracket the estimates generally accepted for dust concentrations in that region. The values are tabulated in table 4. A photodetachment value of $2.8 \times 10^3 (\text{m}^2) \text{s}^{-1}$ was used for dust for all runs.

TABLE 4. SELECTED DUST PROFILES

Altitude (km)	A		B		C		D		E	
	No Dust		0.01 μm				0.001 μm			
100	0	100	1000		1000					
90	0	100	1000		1000		5000			
85	0	100	1000		1000					
80	0	100	1000		1000		5000			
75	0	100	1000		1000					
70	0	100	1000		1000		5000			
60	0	100	1000		1000					

The dust profiles used as input to the code represent a plausible range of values. However, since the distribution of dust in the upper mesosphere is a very open question, these profiles were felt to be adequate in a preliminary demonstration of the DAIRCHEM results to dust, particularly the charge

balance. A "step" profile of dust (i.e., a sharp ledge of dust at a given altitude) has been conjectured in the literature. This effect may easily be seen by the comparison, at any altitude, of the dust case with the no dust case.

The results of these inputs to DAIRCHEM are plotted in figure 5. Curve 1 is the Wallops Island observation of electron density for December with $\chi = 60^\circ$. This profile shows the abrupt change in slope at 82 km that is commonly observed in many electron density profiles in the D region under quiet conditions. Curve 2 is the computed electron density profile using DAIRCHEM with no dust. Note the divergence of these two curves at 87 to 75 km. Curves 3 and 4 are $0.01\mu\text{m}$ dust at concentrations of 100 cm^{-3} and 1000 cm^{-3} . A reduction in electron concentration is apparent at 85 to 78 km, particularly for the 1000 cm^{-3} distribution. Below 78 km, the reduction in electron density exceeds the observed curve 1, possibly suggesting that dust may be confined in a relatively narrow ledge. For example, the best fit using $0.01\mu\text{m}$ dust would be in excess of 1000 cm^{-3} from 85 to 77 km and dropping to about 200 cm^{-3} by 70 km. Curves 5 and 6, $0.001\mu\text{m}$ dust at 1000 and 5000 cm^{-3} , bracket the observed values of electron density down to 77 km. Optimum concentration for $0.001\mu\text{m}$ dust would be 3000 to 4000 cm^{-3} . Below 77 km the reducing action of this dust is clearly excessive, thus suggesting values near 200 cm^{-3} at 70 km.

Although these calculations were run at each 5 km in altitude and with a limited number of cases, the results clearly show that a judicious choice of dust concentration can allow the modeled electron density to reproduce the heretofore "anomalous bite-outs" in electron density often observed around 80 km. The controlling rule is: if the particle concentration equals or exceeds the model electron density computed by vapor phase reactions alone, such as in the case below 85 km, a reduction to observed values is apparent. Most runs of DAIRCHEM indicate the best fit is with a variable concentration of dust with altitude.

6. SUMMARY AND CONCLUSIONS

The purpose of this report has been to examine, through a series of piecewise calculations and comparisons, the importance of electron-dust attachment to D region chemistry, particularly in competition with electron-ion recombination. In the course of the argument, we have examined the preferred charge loadings on a population of dust and generated two different (but related) sets of coefficients for electron or positive ion dust attachment calculations. The discrete attachment coefficients, k_D^e and k_D^+ , should generally be used in chemical computer codes since they result in knowledge of the precise charge loading of individual dust particles.

Dust of radius less than $0.01\mu\text{m}$ acquires only one electron under mesospheric conditions. Dust of radius $0.1\mu\text{m}$ may acquire as many as five or six resident electrons, and in this size range photodetachment does not perturb the distribution of charge loading too greatly. The size of dust therefore seems to predetermine a unique charge loading for each dust particle over a wide range of photodetachment values. An accurate measurement of dust size and




Figure 5. A plot of observed electron densities at Wallops Island, VA, for December (curve 1), model computation by DAIRCHEM from the case of no dust (curve 2), 0.01 μ m dust concentrations of 100 cm⁻³ and 1000 cm⁻³ at all altitudes (curves 3 and 4), and 0.001 μ m dust at concentrations of 1000 cm⁻³ and 5000 cm⁻³ (curves 5 and 6).

concentration could permit one to reasonably estimate its effect upon the chemistry due to this unique property. The full understanding of the role of dust, however, requires the use of the ion kinetic reaction scheme.

This report ameliorates some uncertainty in photodetachment rates by running a set of calculations of DAIRCHEM using v_{ph} orders of magnitude lower and higher than the value used by previous researchers and showing resultant stability in the computed electron densities. Nevertheless, the previous value, obtained from moon dust, seems to be the most logical for use in further D region chemistry runs. Based upon the limited computations made for this study, dust indeed does appear to compete strongly for electrons, particularly at dust concentrations of around 1000 cm^{-3} .

Figure 5 represents the most advanced set of calculations of this report and demonstrates that it is possible, with a proper choice of a dust profile and size, to approximate several heretofore "anomalous features" in electron density profiles.

The concentrations of dust included here for use at 80 km were consistent with reports from the literature. The next step in pursuing this topic must be the analytic derivation of a dust size concentration profile starting, most logically, with meteor flux estimates at 150 km. This present model has been run strictly for daytime chemistry and has purposely neglected nighttime processes and the attachment of negative ions to dust at night. Until this other important step is taken and an extensive series of runs is made, a description of the role of dust in D region chemistry will remain incomplete.

REFERENCES

1. Hunten, D. M., R. P. Turco, and O. B. Toon, 1980, "Smoke and Dust Particles of Meteoric Origin in the Mesosphere and Stratosphere," J Atmos Sci, 37:1342.
2. Pedersen, A., J. Troin, and J. A. Kane, 1979, "Rocket Measurements Showing a Removal of Electrons Above the Mesopause in Summer at High Latitude," Planet Space Sci, 18:945-947.
3. Heaps, M. G., F. E. Niles, and R. D. Sears, 1978, Modeling the Ion Chemistry of the D-region: A Case Study Based Upon the 1966 Total Solar Eclipse, ASL-TR-0015, US Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM.
4. Heaps, M. G., and J. M. Heimerl, 1980, "The Quiet Midlatitude D-region: A Comparison Between Modeling Efforts and Experimental Efforts," J Atmos Terr Phys, 42:733.
5. Mechtly, E. A., C. F. Sechrist, Jr., and L. G. Smith, 1972, "Electron Loss Coefficients for the D-region and the Ionosphere from Rocket Measurements During the Eclipses of March 1970 and November 1966," J Atmos Terr Phys, 34:641.
6. Parthasarathy, R., and D. B. Rai, 1966, "Effect of Meteoric Dust on the Effective Recombination Coefficient in the Lower Ionosphere," Radio Sci, 1:1401.
7. Parthasarathy, R., 1976, "Mesopause Dust as a Sink for Ionization," J Geophys Res, 81:2392.
8. Hamilton, R. A., 1964, "Observations of Noctilucent Clouds Near Midwinter," Met Mag Lond, 93:201.
9. Donahue, T. M., B. Guenther, and J. E. Blamont, 1972, "Noctilucent Clouds in the Daytime: Circumpolar Particulate Layers Near the Summer Mesopause," J Atmos Sci, 29(6):1205.
10. Witt, G., 1960, "Polarization of Light from Noctilucent Clouds," J Geophys Res, 65:925-933.
11. Fogle, B., and M. Rees, 1972, "Spectral Measurements of Noctilucent Clouds," J Geophys Res, 77:720.
12. Divari, G., 1964, "The Dust Concentration in the Upper Layers of the Earth's Atmosphere," Geomagnetism and Aeronomy, 4:688-692.
13. Hunten, D. M., 1975, Vertical Transport in Atmospheres, Atmospheres of Earth and the Planets, D. Reidel Publishing Co., Dordrecht-Holland, pp 57-72.
14. Witt, G., 1969, "The Nature of Noctilucent Clouds," Space Res, IX:157-169, North Holland Publishing Co.

15. Narcisi, R. D., and A. D. Bailey, 1965, "Mass Spectrometric Measurements of Positive Ions at Altitudes from 64 to 112 Kilometers," J Geophys Res. 70:3687.
16. Arnold, F., and W. Joos, 1979, "Rapid Growth of Atmospheric Cluster Ions at the Cold Mesopause," Geophys Res Letters, 6:763-766.
17. Castleman, A. W., Jr., 1974, "Nucleation Processes and Aerosol Chemistry," Space Sci Rev, 15:547-589.
18. Castleman, A. W., Jr., 1979, "Nucleation and Molecular Clustering of Ions," Adv in Colloid and Interface Sci, 10:73-128.
19. Reid, G. C., 1975, "Ice Clouds at the Summer Polar Mesopause," J Atmos Sci, 32:523.
20. Chapman, S., and P. C. Kendall, 1965, "Noctilucent Clouds and Thermospheric Dust: Their Diffusion and Height Distribution," Quart J Roy Met Soc, 91:115.
21. Clemesha, B. R., V. W. J. H. Kirchoff, D. M. Simonich, and H. Takahashi, 1978, "Evidence of an Extra-Terrestrial Source for the Mesospheric Sodium Layer," Geophys Res Letters, 5:873-877.
22. Natanson, G. L., 1960, "On the Theory of the Charging of Amicroscopic Aerosol Particles as a Result of the Capture of Gas Ions," Sov Phys Tech Phys, (English Translation), 5:538.
23. Weissler, G. L., 1956, "Photoionization in Gases and Photoelectric Emission from Solids," in Handbuch der Physik, Vol XXI, Springer-Verlag, 304-382.
24. Feuerbacher, B., and B. Fitton, 1972, "Photoemission from Surface States on Tungsten," Phys Rev Letters, 29(12):786.
25. Willis, R. F., M. Anderegg, B. Feuerbacher, and B. Fitton, "Photoemission and Secondary Electron Emission from Lunar Surface Material," in Photon and Particle Interactions with Surfaces in Space, Proceedings of the 6th Estab Symposium, Noordwijk, The Netherlands, 26-29 September 1972. R. J. L. Grand, Ed., D. Reidel Publishing Co., Dordrecht-Holland/Boston - USA.
26. Jacobs, J. A., R. D. Russell, and J. T. Wilson, 1959, Physics and Geology, McGraw Hill, NY.
27. Manka, R. H., "Plasma and Potential at the Lunar Surface," in Photon and Particle Interactions with Surfaces in Space, Proceedings of the 6th Estab Symposium, Noordwijk, The Netherlands, 26-29 September 1972, D. Reidel Publishing Co., Dordrecht-Holland/Boston - USA.
28. Woo, S. B., L. M. Branscomb, and E. C. Beaty, 1969, "Sunlight Photodetachment of Ground State O₂," J Geophys Res, 74:2933.

29. Chanin, L. M., A. V. Phelps, and M. A. Biondi, 1962, "Measurements of Attachment of Low Energy Electrons to Oxygen Molecules," Phys Rev, 128:219.

30. Hoock, D. W., and M. G. Heaps, 1978, DAIRCHEM: A Computer Code to Model Ionization-Deionization Processes and Chemistry in the Middle Atmosphere. Users Manual, March 1978, US Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM.

ELECTRO-OPTICS DISTRIBUTION LIST

Commander
US Army Aviation School
Fort Rucker, AL 36362

Commander
US Army Aviation Center
ATTN: ATZQ-D-MA (Mr. Oliver N. Heath)
Fort Rucker, AL 36362

Commander
US Army Aviation Center
ATTN: ATZQ-D-MS (Mr. Donald Wagner)
Fort Rucker, AL 36362

NASA/Marshall Space Flight Center
ATTN: ES-83 (Otha H. Vaughan, Jr.)
Huntsville, AL 35812

NASA/Marshall Space Flight Center
Atmospheric Sciences Division
ATTN: Code ES-81 (Dr. William W. Vaughan)
Huntsville, AL 35812

Nichols Research Corporation
ATTN: Dr. Lary W. Pinkley
4040 South Memorial Parkway
Huntsville, AL 35802

John M. Hobbie
c/o Kentron International
2003 Byrd Spring Road
Huntsville, AL 35802

Mr. Ray Baker
Lockheed-Missile & Space Company
4800 Bradford Blvd
Huntsville, AL 35807

Commander
US Army Missile Command
ATTN: DRSMI-OG (Mr. Donald R. Peterson)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-OGA (Dr. Bruce W. Fowler)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REL (Dr. George Emmons)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REO (Huey F. Anderson)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REO (Mr. Maxwell W. Harper)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REO (Mr. Gene Widenhofer)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RHC (Dr. Julius Q. Lilly)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
Redstone Scientific Information Center
ATTN: DRSMI-RPRD (Documents Section)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RRA (Dr. Oskar Essenwanger)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RRO (Mr. Charles Christensen)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RRO (Dr. George A. Tanton)
Redstone Arsenal, AL 35809

Commander
US Army Communications Command
ATTN: CC-OPS-PP
Fort Huachuca, AZ 85613

Commander
US Army Intelligence Center & School
ATTN: ATSI-CD-CS (Mr. Richard G. Cundy)
Fort Huachuca, AZ 85613

Commander
US Army Intelligence Center & School
ATTN: ATSI-CD-MD (Mr. Harry Wilder)
Fort Huachuca, AZ 85613

Commander
US Army Intelligence Center & School
ATTN: ATSI-CS-C (2LT Coffman)
Fort Huachuca, AZ 85613

Commander
US Army Yuma Proving Ground
ATTN: STEYP-MSA-TL
Bldg 2105
Yuma, AZ 85364

Northrop Corporation
Electro-Mechanical Division
ATTN: Dr. Richard D. Tooley
500 East Orangethorpe Avenue
Anaheim, CA 92801

Commander
Naval Weapons Center
ATTN: Code 3918 (Dr. Alexis Shlanta)
China Lake, CA 93555

Hughes Helicopters
Army Advanced Attack Helicopter Weapons
ATTN: Mr. Charles R. Hill
Centinela and Teale Streets
Bldg 305, MS T-73A
Culter City, CA 90230

Commander
US Army Combat Developments
Experimentation Command
ATTN: ATEC-PL-M (Mr. Gary G. Love)
Fort Ord, CA 93941

SRI International
ATTN: K2060/Dr. Edward E. Uthe
333 Ravenswood Avenue
Menlo Park, CA 94025

SRI International
ATTN: Mr. J. E. Van der Laan
333 Ravenswood Avenue
Menlo Park, CA 94025

James May
Nav. Environmental Prediction
Research Facility (NEPRF)
ATTN: Library
Monterey, CA 93940

Sylvania Systems Group,
Western Division
GTE Products Corporation
ATTN: Technical Reports Library
P.O. Box 205
Mountain View, CA 94042

Sylvania Systems Group
Western Division
GTE Products Corporation
ATTN: Mr. Lee W. Carrier
P.O. Box 188
Mountain View, CA 94042

Pacific Missile Test Center
Geophysics Division
ATTN: Code 3250-3 (R. de Violini)
Point Mugu, CA 93042

Pacific Missile Test Center
Geophysics Division
ATTN: Code 3253 (Terry E. Battalino)
Point Mugu, CA 93042

Effects Technology Inc.
ATTN: Mr. John D. Carlyle
5383 Hollister Avenue
Santa Barbara, CA 93111

Commander
Naval Ocean Systems Center
ATTN: Code 532 (Dr. Juergen Richter)
San Diego, CA 92152

Commander
Naval Ocean Systems Center
ATTN: Code 5322 (Mr. Herbert G. Hughes)
San Diego, CA 92152

Commander
Naval Ocean Systems Center
ATTN: Code 4473 (Tech Library)
San Diego, CA 92152

The RAND Corporation
ATTN: Ralph Huschke
1700 Main Street
Santa Monica, CA 90406

Particle Measuring Systems, Inc.
ATTN: Dr. Robert G. Knollenberg
1855 South 57th Court
Boulder, CO 80301

US Department of Commerce
National Oceanic and Atmospheric Admin
Environmental Research Laboratories
ATTN: Library, R-51, Technical Reports
325 Broadway
Boulder, CO 80303

US Department of Commerce
National Oceanic and Atmospheric Admin
Environmental Research Laboratories
ATTN: R45X3 (Dr. Vernon E. Derr)
Boulder, CO 80303

US Department of Commerce
National Telecommunications and
Information Administration
Institute for Telecommunication Sciences
ATTN: Code 1-3426 (Dr. Hans J. Liebe)
Boulder, CO 80303

AFATL/DLOOL
Technical Library
Eglin AFB, FL 32542

Commanding Officer
Naval Training Equipment Center
ATTN: Technical Information Center
Orlando, FL 32813

Georgia Institute of Technology
Engineering Experiment Station
ATTN: Dr. Robert W. McMillan
Atlanta, GA 30332

Georgia Institute of Technology
Engineering Experiment Station
ATTN: Dr. James C. Wiltse
Atlanta, GA 30332

Commandant
US Army Infantry Center
ATTN: ATSH-CD-MS-E (Mr. Robert McKenna)
Fort Benning, GA 31805

Commander
US Army Signal Center & Fort Gordon
ATTN: ATZHCD-CS
Fort Gordon, GA 30905

Commander
US Army Signal Center & Fort Gordon
ATTN: ATZHCD-O
Fort Gordon, GA 30905

USAF/AFMIL
ATTN: Mr. Charles Glauber
Scott AFB, IL 62225

Commander
Air Weather Service
ATTN: AWS/DNDP (LTC Kit G. Cottrell)
Scott AFB, IL 62225

Commander
Air Weather Service
ATTN: AWS/DODF (MAJ Robert Wright)
Scott AFB, IL 62225

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-CAA-Q (Mr. H. Kent Pickett)
Fort Leavenworth, KS 66027

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-SAN (Robert Dekinder, Jr.)
Fort Leavenworth, KS 66027

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-SAN (Mr. Kent I. Johnson)
Fort Leavenworth, KS 66027

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-WE (LTC Darrell Holland)
Fort Leavenworth, KS 66027

President
USAARENBD
ATTN: AYZK-AE-TA (Dr. Charles R. Leake)
Fort Knox, KY 40121

Commander
US Army Armor Center and Fort Knox
ATTN: ATZK-CD-MS
Fort Knox, KY 40121

Commander
US Army Armor Center and Fort Knox
ATTN: ATZK-CD-SD
Fort Knox, KY 40121

Aerodyne Research Inc.
ATTN: Dr. John F. Ebersole
Crosby Drive
Bedford, MA 01730

Commander
Air Force Geophysics Laboratory
ATTN: OPA (Dr. Robert W. Fenn)
Hanscom AFB, MA 01731

Commander
Air Force Geophysics Laboratory
ATTN: OPI (Dr. Robert A. McClatchey)
Hanscom AFB, MA 01731

Massachusetts Institute of Technology
Lincoln Laboratory
ATTN: Dr. T. J. Goblick, B-370
P.O. Box 73
Lexington, MA 02173

Massachusetts Institute of Technology
Lincoln Laboratory
ATTN: Dr. Michael Gruber
P.O. Box 73
Lexington, MA 02173

Raytheon Company
Equipment Division
ATTN: Dr. Charles M. Sonnenschein
430 Boston Post Road
Wayland, MA 01778

Commander
US Army Ballistic Research Laboratory/
ARRADCOM
ATTN: DRDAR-BLB (Mr. Richard McGee)
Aberdeen Proving Ground, MD 21005

Commander/Director
Chemical Systems Laboratory
US Army Armament Research
& Development Command
ATTN: DRDAR-CLB-PS (Dr. Edward Stuebing)
Aberdeen Proving Ground, MD 21010

Commander/Director
Chemical Systems Laboratory
US Army Armament Research
& Development Command
ATTN: DRDAR-CLB-PS (Mr. Joseph Vervier)
Aberdeen Proving Ground, MD 21010

Commander/Director
Chemical Systems Laboratory
US Army Armament Research
& Development Command
ATTN: DRDAR-CLY-A (Mr. Ronald Pennsyle)
Aberdeen Proving Ground, MD 21010

Commander
US Army Ballistic Research Laboratory/
ARRADCOM
ATTN: DRDAR-TSB-S (STINFO)
Aberdeen Proving Ground, MD 21005

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-CCM (W. H. Pepper)
Adelphi, MD 20783

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-CG/DRDEL-DC/DRDEL-CS
2800 Powder Mill Road
Adelphi, MD 20783

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-CT
2800 Powder Mill Road
Adelphi, MD 20783

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-PAO (M. Singleton)
2800 Powder Mill Road
Adelphi MD 20783

Project Manager
Smoke/Obscurants
ATTN: DRDPM-SMK
(Dr. Anthony Van de Wal, Jr.)
Aberdeen Proving Ground, MD 21005

Project Manager
Smoke/Obscurants
ATTN: DRDPM-SMK-T (Mr. Sidney Gerard)
Aberdeen Proving Ground, MD 21005

Commander
US Army Test & Evaluation Command
ATTN: DRSTE-AD-M (Mr. Warren M. Baity)
Aberdeen Proving Ground, MD 21005

Commander
US Army Test & Evaluation Command
ATTN: DRSTE-AD-M (Dr. Norman E. Pentz)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-AAM (Mr. William Smith)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-CS (Mr. Philip H. Beavers)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-GB (Wilbur L. Warfield)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-GP (Mr. Fred Campbell)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-GP (H. Stamper)
Aberdeen Proving Grounds, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-GS
(Mr. Michael Starks/Mr. Julian Chérnick)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-J (Mr. James F. O'Bryon)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-LM (Mr. Robert M. Marchetti)
Aberdeen Proving Ground, MD 21005

Commander
Harry Diamond Laboratories
ATTN: Dr. William W. Carter
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Harry Diamond Laboratories
ATTN: DELHD-R-CM (Mr. Robert McCosh)
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Harry Diamond Laboratories
ATTN: DELHD-R-CM-NM (Dr. Robert Humphrey)
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Harry Diamond Laboratories
ATTN: DELHD-R-CM-NM (Dr. Z. G. Sztankay)
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Harry Diamond Laboratories
ATTN: DELHD-R-CM-NM (Dr. Joseph Nemanich)
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Air Force Systems Command
ATTN: WER (Mr. Richard F. Picanso)
Andrews AFB, MD 20334

Martin Marietta Laboratories
ATTN: Jar Mo Chen
1450 South Rolling Road
Baltimore, MD 21227

Commander
US Army Concepts Analysis Agency
ATTN: CSCA-SMC (Mr. Hal E. Hock)
8120 Woodmont Avenue
Bethesda, MD 20014

Director
National Security Agency
ATTN: R52/Dr. Douglas Woods
Fort George G. Meade, MD 20755

Chief
Intelligence Materiel Development
& Support Office
US Army Electronic Warfare Laboratory
ATTN: DELEW-I (LTC Kenneth E. Thomas)
Fort George G. Meade, MD 20755

The Johns Hopkins University
Applied Physics Laboratory
ATTN: Dr. Michael J. Lun
John Hopkins Road
Laurell, MD 20810

Dr. Stephen T. Hanley
1720 Rhodesia Avenue
Oxon Hill, MD 20022

Science Applications Inc.
ATTN: Mr. G. D. Currie
15 Research Drive
Ann Arbor, MI 48103

Science Applications Inc.
ATTN: Dr. Robert E. Turner
15 Research Drive
Ann Arbor, MI 48103

Commander
US Army Tank-Automotive Research
& Development Command
ATTN: DRDTA-ZSC (Mr. Harry Young)
Warren, MI 48090

Commander
US Army Tank Automotive Research
& Development Command
ATTN: DRDTA-ZSC (Mr. Wallace Mick, Jr.)
Warren, MI 48090

Dr. A. D. Belmont
Research Division
Control Data Corporation
P.O. Box 1249
Minneapolis, MN 55440

Director
US Army Engr Waterways Experiment Station
ATTN: WESEN (Mr. James Mason)
P.O. Box 631
Vicksburg, MS 39180

Dr. Jerry Davis
Department of Marine, Earth
and Atmospheric Sciences
North Carolina State University
Raleigh, NC 27650

Commander
US Army Research Office
ATTN: DRXRO-GS (Dr. Leo Alpert)
P.O. Box 12211
Research Triangle Park, NC 27709

Commander
US Army Research Office
ATTN: DRXRO-PP (Brenda Mann)
P.O. Box 12211
Research Triangle Park, NC 27709

Commander
US Army Cold Regions Research
& Engineering Laboratory
ATTN: CRREL-RD (Dr. K. F. Sterrett)
Hanover, NH 03755

Commander/Director
US Army Cold Regions Research
& Engineering Laboratory
ATTN: CRREL-RG (Mr. George Aitken)
Hanover, NH 03755

Commander
US Army Cold Regions Research
& Engineering Laboratory
ATTN: CRREL-RG (Mr. Roger H. Berger)
Hanover, NH 03755

Commander
US Army Armament Research
& Development Command
ATTN: DRDAR-AC (Mr. James Greenfield)
Dover, NJ 07801

Commander
US Army Armament Research
& Development Command
ATTN: DRDAR-TSS (Bldg #59)
Dover, NJ 07801

Commander
US Army Armament Research
& Development Command
ATTN: DRCPM-TAWS-EI (Mr. Peteris Jansons)
Dover, NJ 07801

Commander
US Army Armament Research
& Development Command
ATTN: DRCPM-TAWS-EI (Mr. G. H. Waldron)
Dover, NJ 07801

Deputy Joint Project Manager
for Navy/USMC SAL GP
ATTN: DRCPM-TAWS-NV (CPT Joseph Miceli)
Dover, NJ 07801

Commander/Director
US Army Combat Surveillance & Target
Acquisition Laboratory
ATTN: DELOS-I (Mr. David Longinotti)
Fort Monmouth, NJ 07703

Commander/Director
US Army Combat Surveillance & Target
Acquisition Laboratory
ATTN: DELOS-FC (Mr. Ben A. Di Campi)
Fort Monmouth, NJ 07703

Commander/Director
US Army Combat Surveillance & Target
Acquisition Laboratory
ATTN: DELOS-R-G (Mr. Donald L. Foiani)
Fort Monmouth, NJ 07703

Director
US Army Electronics Technology &
Devices Laboratory
ATTN: DELET-DD (S. Danko)
Fort Monmouth, NJ 07703

Project Manager
FIREFINDER/REMBASS
ATTN: DRCPM-FFR-TM (Mr. John M. Bialo)
Fort Monmouth, NJ 07703

Commander
US Army Electronics Research
& Development Command
ATTN: DRLE-SA (Dr. Walter S. McAfee)
Fort Monmouth, NJ 07703

Commander
US Army Electronics Research
& Development Command
ATTN: DRLE-SA (Dr. Walter S. McAfee)
Fort Monmouth, NJ 07703

Commander
US Army Electronics Research
& Development Command
ATTN: DRLE-SA (Dr. Walter S. McAfee)
Fort Monmouth, NJ 07703

Commander
US Army Electronics Research
& Development Command
ATTN: DRLE-SA (Dr. Walter S. McAfee)
Fort Monmouth, NJ 07703

Director
US Army Electronics Research
& Development Command
ATTN: ATAA-TDB (Mr. Louie Dominguez)
White Sands Missile Range, NM 88002

Director
US Army Electronics Research
& Development Command
ATTN: ATAA-TDB (Mr. William J. Leach)
White Sands Missile Range, NM 88002

Director
US Army Electronics Research
& Development Command
ATTN: ATAA-TSP (Mr. Roger F. Willis)
White Sands Missile Range, NM 88002

Director
US Army Electronics Research
& Development Command
ATTN: DRLEW-M-STO (Dr. Steven Kovel)
White Sands Missile Range, NM 88002

Office of the Test Director
Joint Services EO GW CM Test Program
ATTN: DRXDF-TD (Mr. Welton Findley)
White Sands Missile Range, NM 88002

Commander
US Army White Sands Missile Range
ATTN: STEWS-PT-AL (Laurel B. Saunders)
White Sands Missile Range, NM 88002

Commander
US Army R&D Coordinator
US Embassy - Bonn
Box 165
APO New York 09080

Grumman Aerospace Corporation
Research Department - MS A08-35
ATTN: John E. A. Selby
Bethpage, NY 11714

Rome Air Development Center
ATTN: Documents Library
TSLD (Bette Smith)
Griffiss AFB, NY 13441

Dr. Roberto Vaglio-Laurin
Faculty of Arts and Science
Dept. of Applied Science
26-36 Stuyvesant Street
New York, NY 10003

Air Force Wright Aeronautical Laboratories/
Avionics Laboratory
ATTN: AFWAL/AARI-3 (Mr. Harold Geltmacher)
Wright-Patterson AFB, OH 45433

Air Force Wright Aeronautical Laboratories/
Avionics Laboratory
ATTN: AFWAL/AARI-3 (CPT William C. Smith)
Wright-Patterson AFB, OH 45433

Commandant
US Army Field Artillery School
ATTN: ATSF-CF-R (CPT James M. Watson)
Fort Sill, OK 73503

Commandant
US Army Field Artillery School
ATTN: ATSF-CD-MS
Fort Sill, OK 73503

Commandant
US Army Field Artillery School
ATTN: ATSF-CF-R
Fort Sill, OK 73503

Commandant
US Army Field Artillery School
ATTN: NOAA Liaison Officer
(CDR Jeffrey G. Carlen)
Fort Sill, OK 73503

Commandant
US Army Field Artillery School
Morris Swett Library
ATTN: Reference Librarian
Fort Sill, OK 73503

Commander
Naval Air Development Center
ATTN: Suite 301 (Mr. George F. Eck)
Warminster, PA 18974

The University of Texas at El Paso
Electrical Engineering Department
ATTN: Dr. Joseph H. Pierluissi
El Paso, TX 79968

Commandant
US Army Air Defense School
ATTN: ATSA-CD-SC-A (CPT Charles T. Thorn)
Fort Bliss, TX 79916

Commander
HQ, TRADOC Combined Arms Test Activity
ATTN: ATCAT-OP-Q (CPT Henry C. Cobb, Jr.)
Fort Hood, TX 76544

Commander
HQ, TRADOC Combined Arms Test Activity
ATTN: ATCAT-SCI (Dr. Darrell W. Collier)
Fort Hood, TX 76544

Commander
US Army Dugway Proving Ground
ATTN: STEDP-MT-DA-L
Dugway, UT 84022

Commander
US Army Dugway Proving Ground
ATTN: STEDP-MT-DA-M (Mr. Paul E. Carlson)
Dugway, UT 84022

Commander
US Army Dugway Proving Ground
ATTN: STEDP-MT-DA-T (Mr. John Trethewey)
Dugway, UT 84022

Commander
US Army Dugway Proving Ground
ATTN: STEDP-MT-DA-T (Mr. William Peterson)
Dugway, UT 84022

Defense Documentation Center

ATTN: DDC-TCA

Cameron Station Bldg 5

Alexandria, VA 22314

12

Ballistic Missile Defense Program Office

ATTN: DACS-BMF (Colonel Harry F. Ennis)

5001 Eisenhower Avenue

Alexandria, VA 22333

Defense Technical Information Center

ATTN: DDA-2 (Mr. James E. Shafer)

Cameron Station, Bldg 5

Alexandria, VA 22314

Commander

US Army Materiel Development

& Readiness Command

ATTN: DRCRSI-EE (Mr. Albert Giambalvo)

5001 Eisenhower Avenue

Alexandria, VA 22333

Commander

US Army Materiel Development

& Readiness Command

ATTN: DRCLDC (Mr. James Render)

5001 Eisenhower Avenue

Alexandria, VA 22333

Defense Advanced Rsch Projects Agency

ATTN: Steve Zakanyez

1400 Wilson Blvd

Arlington, VA 22209

Defense Advanced Rsch Projects Agency

ATTN: Dr. James Tegnella

1400 Wilson Blvd

Arlington, VA 22209

Institute for Defense Analyses

ATTN: Mr. Lucien M. Biberman

400 Army-Navy Drive

Arlington, VA 22202

Institute for Defense Analyses

ATTN: Dr. Ernest Bauer

400 Army-Navy Drive

Arlington, VA 22202

Institute for Defense Analyses

ATTN: Dr. Hans G. Wolfhard

400 Army-Navy Drive

Arlington, VA 22202

System Planning Corporation

ATTN: Mr. Daniel Friedman

1500 Wilson Boulevard

Arlington, VA 22209

System Planning Corporation

ATTN: COL Hank Shelton

1500 Wilson Boulevard

Arlington, VA 22209

US Army Intelligence & Security Command

ATTN: Edwin Speakman, Scientific Advisor

Arlington Hall Station

Arlington, VA 22212

Commander

US Army Operational Test

& Evaluation Agency

ATTN: CSTIE-ED (Mr. Floyd I. Hill)

5600 Columbia Pike

Falls Church, VA 22041

Commander and Director

US Army Engineer Topographic Laboratories

ATTN: ETL-GS-A (Mr. Thomas Neidringhaus)

Fort Belvoir, VA 22060

Director

US Army Night Vision &

Electro-Optics Laboratory

ATTN: DELNV-L (Dr. Rudolf G. Buser)

Fort Belvoir, VA 22060

Director

US Army Night Vision &

Electro-Optics Laboratory

ATTN: DELNV-L (Dr. Robert S. Rodhe)

Fort Belvoir, VA 22060

Director

US Army Night Vision &

Electro-Optics Laboratory

ATTN: DELNV-VI (Mr. Joseph R. Moulton)

Fort Belvoir, VA 22060

Director

US Army Night Vision &

Electro-Optics Laboratory

ATTN: DELNV-VI (Luanne P. Obert)

Fort Belvoir, VA 22060

Director
US Army Night Vision
& Electro-Optics Laboratory
ATTN: DELNV-VI (Mr. Thomas W. Cassidy)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-VI (Mr. Richard J. Bergemann)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-VI (Dr. James A. Ratches)
Fort Belvoir, VA 22060

Commander
US Army Training & Doctrine Command
ATTN: ATCD-AN
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-AN-M
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-F-A (Mr. Chris O'Connor, Jr.)
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-IE-R (Mr. David M. Ingram)
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-M-I/ATCD-M-A
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATDOC-TA (Dr. Marvin P. Pastel)
Fort Monroe, VA 23651

Department of the Air Force
OL-I, AWS
Fort Monroe, VA 23651

Department of the Air Force
HQS 5 Weather Wing (MAC)
ATTN: 5 WW/DN
Langley Air Force Base, VA 23655

Commander
US Army INSCOM/Quest Research Corporation
ATTN: Mr. Donald Wilmot
6845 Elm Street, Suite 407
McLean, VA 22101

General Research Corporation
ATTN: Dr. Ralph Zirkind
7655 Old Springhouse Road
McLean, VA 22102

Science Applications, Inc.
8400 Westpark Drive
ATTN: Dr. John E. Cockayne
McLean, VA 22102

US Army Nuclear & Chemical Agency
ATTN: MONA-WE (Dr. John A. Berberet)
7500 Backlick Road, Bldg 2073
Springfield, VA 22150

Director
US Army Signals Warfare Laboratory
ATTN: DELSW-EA (Mr. Douglas Harkleroad)
Vint Hill Farms Station
Warrenton, VA 22186

Director
US Army Signals Warfare Laboratory
ATTN: DELSW-OS (Dr. Royal H. Burkhardt)
Vint Hill Farms Station
Warrenton, VA 22186

Commander
US Army Cold Regions Test Center
ATTN: STECR-TD (Mr. Jerold Barger)
APO Seattle, WA 98733

HQDA (SAUS-OR/Hunter M. Woodall, Jr./
Dr. Herbert K. Fallin)
Rm 2E 614, Pentagon
Washington, DC 20301

COL Elbert W. Friday, Jr.
OUSDRE
Rm 3D 129, Pentagon
Washington, DC 20301

Defense Communications Agency
Technical Library Center
Code 222
Washington, DC 20305

Director
Defense Nuclear Agency
ATTN: Technical Library (Mrs. Betty Fox)
Washington, DC 20305

Director
Defense Nuclear Agency
ATTN: RAAE (Dr. Carl Fitz)
Washington, DC 20305

Director
Defense Nuclear Agency
ATTN: SPAS (Mr. Donald J. Kohler)
Washington, DC 20305

Defense Intelligence Agency
ATTN: DT/AC (LTC Robert Poplawski)
Washington, DC 20301

HQDA (DAMA-ARZ-D/Dr. Verderame)
Washington, DC 20310

HQDA (DAMI-ISP/Mr. Beck)
Washington, DC 20310

Department of the Army
Deputy Chief of Staff for
Operations and Plans
ATTN: DAMO-RQ
Washington, DC 20310

Department of the Army
Director of Telecommunications and
Command and Control
ATTN: DAMO-TCZ
Washington, DC 20310

Department of the Army
Assistant Chief of Staff for Intelligence
ATTN: DAMI-TS
Washington, DC 20310

HQDA (DAEN-ROM/Dr. de Percin)
Casimir Pulaski Building
20 Massachusetts Avenue
Room 6203
Washington, DC 20314

National Science Foundation
Division of Atmospheric Sciences
ATTN: Dr. Eugene W. Bierly
1800 G. Street, N.W.
Washington, DC 20550

Director
Naval Research Laboratory
ATTN: Code 4320 (Dr. Lothar H. Ruhnke)
Washington, DC 20375

Commanding Officer
Naval Research Laboratory
ATTN: Code 6009 (Dr. John MacCallum, Jr.)
Washington, DC 20375

Commanding Officer
Naval Research Laboratory
ATTN: Code 6530 (Mr. Raymond A. Patten)
Washington, DC 20375

Commanding Officer
Naval Research Laboratory
ATTN: Code 6533 (Dr. James A. Dowling)
Washington, DC 20375

ATMOSPHERIC SCIENCES RESEARCH REPORTS

1. Lindberg, J. D. "An Improvement to a Method for Measuring the Absorption Coefficient of Atmospheric Dust and other Strongly Absorbing Powders," ECOM-5565, July 1975.
2. Avara, Elton P., "Mesoscale Wind Shears Derived from Thermal Winds," ECOM-5566, July 1975.
3. Gomez, Richard B., and Joseph H. Pierluissi, "Incomplete Gamma Function Approximation for King's Strong-Line Transmittance Model," ECOM-5567, July 1975.
4. Blanco, A. J., and B. F. Engebos, "Ballistic Wind Weighting Functions for Tank Projectiles," ECOM-5568, August 1975.
5. Taylor, Fredrick J., Jack Smith, and Thomas H. Pries, "Crosswind Measurements through Pattern Recognition Techniques," ECOM-5569, July 1975.
6. Walters, D. L., "Crosswind Weighting Functions for Direct-Fire Projectiles," ECOM-5570, August 1975.
7. Duncan, Louis D., "An Improved Algorithm for the Iterated Minimal Information Solution for Remote Sounding of Temperature," ECOM-5571, August 1975.
8. Robbiani, Raymond L., "Tactical Field Demonstration of Mobile Weather Radar Set AN/TPS-41 at Fort Rucker, Alabama," ECOM-5572, August 1975.
9. Miers, B., G. Blackman, D. Langer, and N. Lorimier, "Analysis of SMS/GOES Film Data," ECOM-5573, September 1975.
10. Manquero, Carlos, Louis Duncan, and Rufus Bruce, "An Indication from Satellite Measurements of Atmospheric CO₂ Variability," ECOM-5574, September 1975.
11. Petracca, Carmine, and James D. Lindberg, "Installation and Operation of an Atmospheric Particulate Collector," ECOM-5575, September 1975.
12. Avara, Elton P., and George Alexander, "Empirical Investigation of Three Iterative Methods for Inverting the Radiative Transfer Equation," ECOM-5576, October 1975.
13. Alexander, George D., "A Digital Data Acquisition Interface for the SMS Direct Readout Ground Station - Concept and Preliminary Design," ECOM-5577, October 1975.
14. Cantor, Israel, "Enhancement of Point Source Thermal Radiation Under Clouds in a Nonattenuating Medium," ECOM-5578, October 1975.

15. Norton, Colburn, and Glenn Hoidale, "The Diurnal Variation of Mixing Height by Month over White Sands Missile Range, NM," ECOM-5579, November 1975.
16. Avara, Elton P., "On the Spectrum Analysis of Binary Data," ECOM-5580, November 1975.
17. Taylor, Fredrick J., Thomas H. Pries, and Chao-Huan Huang, "Optimal Wind Velocity Estimation," ECOM-5581, December 1975.
18. Avara, Elton P., "Some Effects of Autocorrelated and Cross-Correlated Noise on the Analysis of Variance," ECOM-5582, December 1975.
19. Gillespie, Patti S., R. L. Armstrong, and Kenneth O. White, "The Spectral Characteristics and Atmospheric CO₂ Absorption of the Ho³:YLF Laser at 2.05 μ m," ECOM-5583, December 1975.
20. Novlan, David J., "An Empirical Method of Forecasting Thunderstorms for the White Sands Missile Range," ECOM-5584, February 1976.
21. Avara, Elton P., "Randomization Effects in Hypothesis Testing with Autocorrelated Noise," ECOM-5585, February 1976.
22. Watkins, Wendell R., "Improvements in Long Path Absorption Cell Measurement," ECOM-5586, March 1976.
23. Thomas, Joe, George D. Alexander, and Marvin Dubbin, "SATTEL - An Army Dedicated Meteorological Telemetry System," ECOM-5587, March 1976.
24. Kennedy, Bruce W., and Delbert Bynum, "Army User Test Program for the RDT&E-XM-75 Meteorological Rocket," ECOM-5588, April 1976.
25. Barnett, Kenneth M., "A Description of the Artillery Meteorological Comparisons at White Sands Missile Range, October 1974 - December 1974 ('PASS' - Prototype Artillery [Meteorological] Subsystem)," ECOM-5589, April 1976.
26. Miller, Walter B., "Preliminary Analysis of Fall-of-Shot From Project 'PASS'," ECOM-5590, April 1976.
27. Avara, Elton P., "Error Analysis of Minimum Information and Smith's Direct Methods for Inverting the Radiative Transfer Equation," ECOM-5591, April 1976.
28. Yee, Young P., James D. Horn, and George Alexander, "Synoptic Thermal Wind Calculations from Radiosonde Observations Over the Southwestern United States," ECOM-5592, May 1976.

29. Duncan, Louis D., and Mary Ann Seagraves, "Applications of Empirical Corrections to NOAA-4 VTPR Observations," ECOM-5593, May 1976.
30. Miers, Bruce T., and Steve Weaver, "Applications of Meteorological Satellite Data to Weather Sensitive Army Operations," ECOM-5594, May 1976.
31. Sharenow, Moses, "Redesign and Improvement of Balloon ML-566," ECOM-5595, June 1976.
32. Hansen, Frank V., "The Depth of the Surface Boundary Layer," ECOM-5596, June 1976.
33. Pinnick, R. G., and E. B. Stenmark, "Response Calculations for a Commerical Light-Scattering Aerosol Counter," ECOM-5597, July 1976.
34. Mason, J., and G. B. Hoidale, "Visibility as an Estimator of Infrared Transmittance," ECOM-5598, July 1976.
35. Bruce, Rufus E., Louis D. Duncan, and Joseph H. Pierluissi, "Experimental Study of the Relationship Between Radiosonde Temperatures and Radiometric-Area Temperatures," ECOM-5599, August 1976.
36. Duncan, Louis D., "Stratospheric Wind Shear Computed from Satellite Thermal Sounder Measurements," ECOM-5800, September 1976.
37. Taylor, F., P. Mohan, P. Joseph, and T. Pries, "An All Digital Automated Wind Measurement System," ECOM-5801, September 1976.
38. Bruce, Charles, "Development of Spectrophones for CW and Pulsed Radiation Sources," ECOM-5802, September 1976.
39. Duncan, Louis D., and Mary Ann Seagraves, "Another Method for Estimating Clear Column Radiances," ECOM-5803, October 1976.
40. Blanco, Abel J., and Larry E. Taylor, "Artillery Meteorological Analysis of Project Pass," ECOM-5804, October 1976.
41. Miller, Walter, and Bernard Engebos, "A Mathematical Structure for Refinement of Sound Ranging Estimates," ECOM-5805, November 1976.
42. Gillespie, James B., and James D. Lindberg, "A Method to Obtain Diffuse Reflectance Measurements from 1.0 and 3.0 μ m Using a Cary 171 Spectrophotometer," ECOM-5806, November 1976.
43. Rubio, Roberto, and Robert O. Olsen, "A Study of the Effects of Temperature Variations on Radio Wave Absorption," ECOM-5807, November 1976.

44. Ballard, Harold N., "Temperature Measurements in the Stratosphere from Balloon-Borne Instrument Platforms, 1968-1975," ECOM-5808, December 1976.
45. Monahan, H. H., "An Approach to the Short-Range Prediction of Early Morning Radiation Fog," ECOM-5809, January 1977.
46. Engebos, Bernard Francis, "Introduction to Multiple State Multiple Action Decision Theory and Its Relation to Mixing Structures," ECOM-5810, January 1977.
47. Low, Richard D. H., "Effects of Cloud Particles on Remote Sensing from Space in the 10-Micrometer Infrared Region," ECOM-5811, January 1977.
48. Bonner, Robert S., and R. Newton, "Application of the AN/GVS-5 Laser Rangefinder to Cloud Base Height Measurements," ECOM-5812, February 1977.
49. Rubio, Roberto, "Lidar Detection of Subvisible Reentry Vehicle Erosive Atmospheric Material," ECOM-5813, March 1977.
50. Low, Richard D. H., and J. D. Horn, "Mesoscale Determination of Cloud-Top Height: Problems and Solutions," ECOM-5814, March 1977.
51. Duncan, Louis D., and Mary Ann Seagraves, "Evaluation of the NOAA-4 VTPR Thermal Winds for Nuclear Fallout Predictions," ECOM-5815, March 1977.
52. Randhawa, Jagir S., M. Izquierdo, Carlos McDonald, and Zvi Salpeter, "Stratospheric Ozone Density as Measured by a Chemiluminescent Sensor During the Stratcom VI-A Flight," ECOM-5816, April 1977.
53. Rubio, Roberto, and Mike Izquierdo, "Measurements of Net Atmospheric Irradiance in the 0.7- to 2.8-Micrometer Infrared Region," ECOM-5817, May 1977.
54. Ballard, Harold N., Jose M. Serna, and Frank P. Hudson, Consultant for Chemical Kinetics, "Calculation of Selected Atmospheric Composition Parameters for the Mid-Latitude, September Stratosphere," ECOM-5818, May 1977.
55. Mitchell, J. D., R. S. Sagar, and R. N. Olsen, "Positive Ions in the Middle Atmosphere During Sunrise Conditions," ECOM-5819, May 1977.
56. White, Kenneth O., Wendell R. Watkins, Stuart A. Schleusener, and Ronald L. Johnson, "Solid-State Laser Wavelength Identification Using a Reference Absorber," ECOM-5820, June 1977.
57. Watkins, Wendell R., and Richard G. Dixon, "Automation of Long-Path Absorption Cell Measurements," ECOM-5821, June 1977.

58. Taylor, S. E., J. M. Davis, and J. B. Mason, "Analysis of Observed Soil Skin Moisture Effects on Reflectance," ECOM-5822, June 1977.
59. Duncan, Louis D., and Mary Ann Seagraves, "Fallout Predictions Computed from Satellite Derived Winds," ECOM-5823, June 1977.
60. Snider, D. E., D. G. Murcray, F. H. Murcray, and W. J. Williams, "Investigation of High-Altitude Enhanced Infrared Background Emissions," (U), SECRET, ECOM-5824, June 1977.
51. Dubbin, Marvin H., and Dennis Hall, "Synchronous Meteorological Satellite Direct Readout Ground System Digital Video Electronics," ECOM-5825, June 1977.
62. Miller, W., and B. Engebos, "A Preliminary Analysis of Two Sound Ranging Algorithms," ECOM-5826, July 1977.
63. Kennedy, Bruce W., and James K. Luers, "Ballistic Sphere Techniques for Measuring Atmospheric Parameters," ECOM-5827, July 1977.
64. Duncan, Louis D., "Zenith Angle Variation of Satellite Thermal Sounder Measurements," ECOM-5828, August 1977.
65. Hansen, Frank V., "The Critical Richardson Number," ECOM-5829, September 1977.
66. Ballard, Harold N., and Frank P. Hudson (Compilers), "Stratospheric Composition Balloon-Borne Experiment," ECOM-5830, October 1977.
67. Barr, William C., and Arnold C. Peterson, "Wind Measuring Accuracy Test of Meteorological Systems," ECOM-5831, November 1977.
68. Ethridge, G. A., and F. V. Hansen, "Atmospheric Diffusion: Similarity Theory and Empirical Derivations for Use in Boundary Layer Diffusion Problems," ECOM-5832, November 1977.
69. Low, Richard D. H., "The Internal Cloud Radiation Field and a Technique for Determining Cloud Blackness," ECOM-5833, December 1977.
70. Watkins, Wendell R., Kenneth O. White, Charles W. Bruce, Donald L. Walters, and James D. Lindberg, "Measurements Required for Prediction of High Energy Laser Transmission," ECOM-5834, December 1977.
71. Rubio, Robert, "Investigation of Abrupt Decreases in Atmospherically Backscattered Laser Energy," ECOM-5835, December 1977.
72. Monahan, H. H., and R. M. Cionco, "An Interpretative Review of Existing Capabilities for Measuring and Forecasting Selected Weather Variables (Emphasizing Remote Means)," ASL-TR-0001, January 1978.

73. Heaps, Melvin G., "The 1979 Solar Eclipse and Validation of D-Region Models," ASL-IR-0002, March 1978.
74. Jennings, S. G., and J. B. Gillespie, "M.I.F. Theory Sensitivity Studies - The Effects of Aerosol Complex Refractive Index and Size Distribution Variations on Extinction and Absorption Coefficients, Part II: Analysis of the Computational Results," ASL-TR-0003, March 1978.
75. White, Kenneth O., et al, "Water Vapor Continuum Absorption in the 3.5um to 4.0um Region," ASL-TR-0004, March 1978.
76. Olsen, Robert O., and Bruce W. Kennedy, "ABRES Pretest Atmospheric Measurements," ASL-TR-0005, April 1978.
77. Ballard, Harold N., Jose M. Serna, and Frank P. Hudson, "Calculation of Atmospheric Composition in the High Latitude September Stratosphere," ASL-TR-0006, May 1978.
78. Watkins, Wendell R., et al, "Water Vapor Absorption Coefficients at HF Laser Wavelengths," ASL-TR-0007, May 1978.
79. Hansen, Frank V., "The Growth and Prediction of Nocturnal Inversions," ASL-TR-0008, May 1978.
80. Samuel, Christine, Charles Bruce, and Ralph Brewer, "Spectrophone Analysis of Gas Samples Obtained at Field Site," ASL-TR-0009, June 1978.
81. Pinnick, R. G., et al., "Vertical Structure in Atmospheric Fog and Haze and its Effects on IR Extinction," ASL-TR-0010, July 1978.
82. Low, Richard D. H., Louis D. Duncan, and Richard B. Gomez, "The Microphysical Basis of Fog Optical Characterization," ASL-TR-0011, August 1978.
83. Heaps, Melvin G., "The Effect of a Solar Proton Event on the Minor Neutral Constituents of the Summer Polar Mesosphere," ASL-TR-0012, August 1978.
84. Mason, James B., "Light Attenuation in Falling Snow," ASL-TR-0013, August 1978.
85. Blanco, Abel J., "Long-Range Artillery Sound Ranging: 'PASS' Meteorological Application," ASL-TR-0014, September 1978.
86. Heaps, M. G., and F. E. Niles, "Modeling of Ion Chemistry of the D-Region: A Case Study Based Upon the 1966 Total Solar Eclipse," ASL-TR-0015, September 1978.

87. Jennings, S. G., and R. G. Pinnick, "Effects of Particulate Complex Refractive Index and Particle Size Distribution Variations on Atmospheric Extinction and Absorption for Visible Through Middle-Infrared Wavelengths," ASL-TR-0016, September 1978.
88. Watkins, Wendell R., Kenneth O. White, Lanny R. Bower, and Brian Z. Sojka, "Pressure Dependence of the Water Vapor Continuum Absorption in the 3.5- to 4.0-Micrometer Region," ASL-TR-0017, September 1978.
89. Miller, W. B., and B. F. Engebos, "Behavior of Four Sound Ranging Techniques in an Idealized Physical Environment," ASL-TR-0018, September 1978.
90. Gomez, Richard G., "Effectiveness Studies of the CBU-88/B Bomb, Cluster, Smoke Weapon," (U), CONFIDENTIAL ASL-TR-0019, September 1978.
91. Miller, August. Richard C. Shirkey, and Mary Ann Seagraves, "Calculation of Thermal Emission from Aerosols Using the Doubling Technique," ASL-TR-0020, November 1978.
92. Lindberg, James D., et al, "Measured Effects of Battlefield Dust and Smoke on Visible, Infrared, and Millimeter Wavelengths Propagation: A Preliminary Report on Dusty Infrared Test-I (DIRT-I)," ASL-TR-0021, January 1979.
93. Kennedy, Bruce W., Arthur Kinghorn, and B. R. Hixon, "Engineering Flight Tests of Range Meteorological Sounding System Radiosonde," ASL-TR-0022, February 1979.
94. Rubio, Roberto, and Don Hooek, "Microwave Effective Earth Radius Factor Variability at Wiesbaden and Balboa," ASL-TR-0023, February 1979.
95. Low, Richard D. H., "A Theoretical Investigation of Cloud/Fog Optical Properties and Their Spectral Correlations," ASL-TR-0024, February 1979.
96. Pinnick, R. G., and H. J. Auvermann, "Response Characteristics of Knollenberg Light-Scattering Aerosol Counters," ASL-TR-0025, February 1979.
97. Heaps, Melvin G., Robert O. Olsen, and Warren W. Berning, "Solar Eclipse 1979, Atmospheric Sciences Laboratory Program Overview," ASL-TR-0026, February 1979.
98. Blanco, Abel J., "Long-Range Artillery Sound Ranging: 'PASS' GR-8 Sound Ranging Data," ASL-TR-0027, March 1979.
99. Kennedy, Bruce W., and Jose M. Serna, "Meteorological Rocket Network System Reliability," ASL-TR-0028, March 1979.

100. Swingle, Donald M., "Effects of Arrival Time Errors in Weighted Range Equation Solutions for Linear Base Sound Ranging," ASL-TR-0029, April 1979.
101. Umstead, Robert K., Ricardo Pena, and Frank V. Hansen, "KWIK: An Algorithm for Calculating Munition Expenditures for Smoke Screening/Obscuration in Tactical Situations," ASL-TR-0030, April 1979.
102. D'Arcy, Edward M., "Accuracy Validation of the Modified Nike Hercules Radar," ASL-TR-0031, May 1979.
103. Rodriguez, Ruben, "Evaluation of the Passive Remote Crosswind Sensor," ASL-TR-0032, May 1979.
104. Barber, T. L., and R. Rodriguez, "Transit Time Lidar Measurement of Near-Surface Winds in the Atmosphere," ASL-TR-0033, May 1979.
105. Low, Richard D. H., Louis D. Duncan, and Y. Y. Roger R. Hsiao, "Micro-physical and Optical Properties of California Coastal Fogs at Fort Ord," ASL-TR-0034, June 1979.
106. Rodriguez, Ruben, and William J. Vechione, "Evaluation of the Saturation Resistant Crosswind Sensor," ASL-TR-0035, July 1979.
107. Ohmstede, William D., "The Dynamics of Material Layers," ASL-TR-0036, July 1979.
108. Pinnick, R. G., S. G. Jennings, Petr Chylek, and H. J. Auvermann, "Relationships between IR Extinction Absorption, and Liquid Water Content of Fogs," ASL-TR-0037, August 1979.
109. Rodriguez, Ruben, and William J. Vechione, "Performance Evaluation of the Optical Crosswind Profiler," ASL-TR-0038, August 1979.
110. Miers, Bruce T., "Precipitation Estimation Using Satellite Data," ASL-TR-0039, September 1979.
111. Dickson, David H., and Charles M. Sonnenschein, "Helicopter Remote Wind Sensor System Description," ASL-TR-0040, September 1979.
112. Heaps, Melvin G., and Joseph M. Heimerl, "Validation of the Dairchem Code, I: Quiet Midlatitude Conditions," ASL-TR-0041, September 1979.
113. Bonner, Robert S., and William J. Lentz, "The Visioceilometer: A Portable Cloud Height and Visibility Indicator," ASL-TR-0042, October 1979.
114. Cohn, Stephen L., "The Role of Atmospheric Sulfates in Battlefield Obscurations," ASL-TR-0043, October 1979.

115. Fawbush, E. J., et al, "Characterization of Atmospheric Conditions at the High Energy Laser System Test Facility (HELSTF), White Sands Missile Range, New Mexico, Part I, 24 March to 8 April 1977," ASL-TR-0044, November 1979.
116. Barber, Ted L., "Short-Time Mass Variation in Natural Atmospheric Dust," ASL-TR-0045, November 1979.
117. Low, Richard D. H., "Fog Evolution in the Visible and Infrared Spectral Regions and its Meaning in Optical Modeling," ASL-TR-0046, December 1979.
118. Duncan, Louis D., et al, "The Electro-Optical Systems Atmospheric Effects Library, Volume I: Technical Documentation," ASL-TR-0047, December 1979.
119. Shirkey, R. C., et al, "Interim E-O SAEL, Volume II, Users Manual," ASL-TR-0048, December 1979.
120. Kobayashi, H. K., "Atmospheric Effects on Millimeter Radio Waves," ASL-TR-0049, January 1980.
121. Seagraves, Mary Ann, and Louis D. Duncan, "An Analysis of Transmittances Measured Through Battlefield Dust Clouds," ASL-TR-0050, February 1980.
122. Dickson, David H., and Jon E. Ottesen, "Helicopter Remote Wind Sensor Flight Test," ASL-TR-0051, February 1980.
123. Pinnick, R. G., and S. G. Jennings, "Relationships Between Radiative Properties and Mass Content of Phosphoric Acid, HC, Petroleum Oil, and Sulfuric Acid Military Smokes," ASL-TR-0052, April 1980.
124. Hinds, B. D., and J. B. Gillespie, "Optical Characterization of Atmospheric Particulates on San Nicolas Island, California," ASL-TR-0053, April 1980.
125. Miers, Bruce T., "Precipitation Estimation for Military Hydrology," ASL-TR-0054, April 1980.
126. Stenmark, Ernest B., "Objective Quality Control of Artillery Computer Meteorological Messages," ASL-TR-0055, April 1980.
127. Duncan, Louis D., and Richard D. H. Low, "Bimodal Size Distribution Models for Fogs at Meppen, Germany," ASL-TR-0056, April 1980.
128. Olsen, Robert O., and Jagir S. Randhawa, "The Influence of Atmospheric Dynamics on Ozone and Temperature Structure," ASL-TR-0057, May 1980.

129. Kennedy, Bruce W., et al., "Early Infrared Test-II (DIRT-II) Program," ASL-TR-0060, May 1980.
130. Heaps, Melvin G., Robert O. Olsen, Warren Penning, John Cross, and Arthur Illersbach, "1979 Solar Eclipse, Part I - Atmospheric Sciences Laboratory Field Campaign Summary," ASL-TR-0061, May 1980.
131. Miller, Walter B., "User's Guide to the Particle Absorption and Extinction Two (PIAPE-2) Software," ASL-TR-0062, May 1980.
132. Holt, E. H., editor, "Atmospheric Data Requirements for Satellite Obscuration Applications," ASL-TR-0063, June 1980.
133. Shirkey, Richard C., August Miller, George W. Goedecke, and Yugal Behl, "Single Scattering Code AGA-80: Theory, Applications, Comments, and Listing," ASL-TR-0063, July 1980.
134. Sojka, Brian Z., and Kenneth J. White, "Evaluation of Specialized Photoacoustic Absorption Chambers for Near-Millimeter Wave (NMMW) Propagation Measurements," ASL-TR-0063, August 1980.
135. Bruce, Charles W., Young Paul Yee, and S. G. Jennings, "In Situ Measurement of the Ratio of Aerosol Absorption to Extinction Coefficient," ASL-TR-0064, August 1980.
136. Yee, Young Paul, Charles W. Bruce, and Ralph J. Brewer, "Gaseous/Particulate Absorption Studies at WSMR Using Laser Sourced Spectrophones," ASL-TR-0065, June 1980.
137. Lindberg, James D., Radon B. Loveland, Melvin Heaps, James B. Gillespie, and Andrew F. Lewis, "Battlefield Dust and Atmospheric Characterization Measurements During West German Summertime Conditions in Support of Grafenwohr Tests," ASL-TR-0066, September 1980.
138. Vechione, W. J., "Evaluation of the Environmental Instruments, Incorporated Series 200 Dual Component Wind Set," ASL-TR-0067, September 1980.
139. Bruce, C. W., Y. P. Yee, B. D. Hinds, R. G. Pinnick, R. J. Brewer, and J. Minjares, "Initial Field Measurements of Atmospheric Absorption at 9 μ m to 11 μ m Wavelengths," ASL-TR-0068, October 1980.
140. Heaps, M. G., R. O. Olsen, K. D. Baker, D. A. Burt, L. C. Howlett, L. L. Jensen, E. F. Pound, and G. D. Allred, "1979 Solar Eclipse: Part II Initial Results for Ionization Sources, Electron Density, and Minor Neutral Constituents," ASL-TR-0069, October 1980.
141. Low, Richard D. H., "One-Dimensional Cloud Microphysical Models for Central Europe and their Optical Properties," ASL-TR-0070, October 1980.

142. Duncan, Louis D., James D. Lindberg, and Radon B. Loveland, "An Empirical Model of the Vertical Structure of German Fogs," ASL-TR-0071, November 1980.
143. Duncan, Louis D., 1981, "EOSAEL 80, Volume I, Technical Documentation," ASL-TR-0072, January 1981.
144. Shirkey, R. C., and S. G. O'Brien, "EOSAEL 80, Volume II, Users Manual," ASL-TR-0073, January 1981.
145. Bruce, C. W., "Characterization of Aerosol Nonlinear Effects on a High-Power CO₂ Laser Beam," ASL-TR-0074, February 1981.
146. Duncan, Louis D., and James D. Lindberg, "Air Mass Considerations in Fog Optical Modeling," ASL-TR-0075, February 1981.
147. Kunkel, Kenneth E., "Evaluation of a Tethered Kite Anemometer," ASL-TR-0076, February 1981.
148. Kunkel, K. E., et al, "Characterization of Atmospheric Conditions at the High Energy Laser System Test Facility (HELSTF) White Sands Missile Range, New Mexico, August 1977 to October 1978, Part II, Optical Turbulence, Wind, Water Vapor Pressure, Temperature," ASL-TR-0077, February 1981.
149. Miers, Bruce T., "Weather Scenarios for Central Germany," ASL-TR-0078, February 1981.
150. Cogan, James L., "Sensitivity Analysis of a Mesoscale Moisture Model," ASL-TR-0079, March 1981.
151. Brewer, R. J., C. W. Bruce, and J. L. Mater, "Optoacoustic Spectroscopy of C₂H₄ at the 9μm and 10μm C¹²O₂¹⁶ Laser Wavelengths," ASL-TR-0080, March 1981.
152. Swingle, Donald M., "Reducible Errors in the Artillery Sound Ranging Solution, Part I: The Curvature Correction" (U), SECRET, ASL-TR-0081, April 1981.
153. Miller, Walter B., "The Existence and Implications of a Fundamental System of Linear Equations in Sound Ranging" (U), SECRET, ASL-TR-0082, April 1981.
154. Bruce, Dorothy, Charles W. Bruce, and Young Paul Yee, "Experimentally Determined Relationship Between Extinction and Liquid Water Content," ASL-TR-0083, April 1981.
155. Seagraves, Mary Ann, "Visible and Infrared Obscuration Effects of Ice Fog," ASL-TR-0084, May 1981.

156. Watkins, Wendell R., and Kenneth O. White. "Wedge Absorption Remote Sensor," ASL-TR-0085, May 1981.
157. Watkins, Wendell R., Kenneth O. White, and Laura J. Crow. "Turbulence Effects on Open Air Multipaths," ASL-TR-0086, May 1981.
158. Blanco, Abel J., "Extending Application of the Artillery Computer Meteorological Message," ASL-TR-0087, May 1981.
159. Heaps, M. G., D. W. Hock, R. O. Olsen, B. F. Engebos, and P. Rubio. "High Frequency Position Location: An Assessment of Limitations and Potential Improvements," ASL-TR-0088, May 1981.
160. Watkins, Wendell R., and Kenneth O. White. "Laboratory Facility for Measurement of Hot Gaseous Plume Radiative Transfer," ASL-TR-0089, June 1981.
161. Heaps, M. G., "Dust Cloud Models: Sensitivity of Calculated Transmittances to Variations in Input Parameters," ASL-TR-0090, June 1981.
162. Seagraves, Mary Ann, "Some Optical Properties of Blowing Snow," ASL-TR-0091, June 1981.
163. Kobayashi, Herbert K., "Effect of Hail, Snow, and Melting Hydrometeors on Millimeter Radio Waves," ASL-TR-0092, July 1981.
164. Cogan, James L., "Techniques for the Computation of Wind, Ceiling, and Extinction Coefficient Using Currently Acquired RPV Data," ASL-TR-0093, July 1981.
165. Miller, Walter B., and Bernard F. Engebos. "On the Possibility of Improved Estimates for Effective Wind and Temperature," (U), SECRET, ASL-TR-0094, August 1981.
166. Heaps, Melvin G., "The Effect of Ionospheric Variability on the Accuracy of High Frequency Position Location," ASL-TR-0095, August 1981.
167. Sutherland, Robert A., Donald W. Hock, and Richard B. Gomez, "An Objective Summary of US Army Electro-Optical Modeling and Field Testing in an Obscuring Environment," ASL-TR-0096, October 1981.
168. Pinnick, R. G., et al, "Backscatter and Extinction in Water Clouds," ASL-TR-0097, October 1981.
169. Cole, Henry P., and Melvin G. Heaps, "Properties of Dust as an Electron and Ion Attachment Site for Use in D Region Ion Chemistry," ASL-TR-0098, October 1981.

DATE
FILMED
4-8