

AD-A113 650

ARMY ELECTRONICS RESEARCH AND DEVELOPMENT COMMAND WS--ETC F/S 4/2
THE VISIOCEILOMETER: A PORTABLE VISIBILITY AND CLOUD CEILING ME--ETC(U)
JAN 82 W J LENTZ

UNCLASSIFIED ERADCOM/ASL-TR-0105

NL

1 of 1
AD-A113 650



9



END
DATE
FILMED
5-82
DTIC



TR-0105

(12)

AD

Reports Control Symbol
OSD - 1366

AD A113650

**THE VISIOCEILOMETER: A PORTABLE VISIBILITY
AND CLOUD CEILING HEIGHT LIDAR**

JANUARY 1982


By

W. J. Lentz

RTIC FILE COPY



Approved for public release; distribution unlimited.



A

US Army Electronics Research and Development Command

Atmospheric Sciences Laboratory

White Sands Missile Range, NM 88002

82 04 16 021

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER ASL-TR-0105	2. GOVT ACCESSION NO. AD-A11 3650	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) THE VISIOCEILOMETER: A PORTABLE VISIBILITY AND CLOUD CEILING HEIGHT LIDAR		5. TYPE OF REPORT & PERIOD COVERED Final Report
7. AUTHOR(s) W. J. Lentz		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Atmospheric Sciences Laboratory White Sands Missile Range, NM 88002		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Research and Development Command Adelphi, MD 20783		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS DA Task No. 11162111AH71-DO
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE January 1982
		13. NUMBER OF PAGES 46
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Visibility Extinction Ceiling Lidar Slant visual range		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A hand-held visibility and cloud ceiling height lidar based on the AN/GVS-5 laser rangefinder will be described. This militarized, battery-operated lidar automatically calculates visibility based on the Klett solution of the lidar equation. Visibilities from 10 to 199,999 m and cloud ceiling heights from 50 to 3000 m may be calculated. The measurements from this visioceilometer have been favorably compared to visibilities derived from larger lidars, balloon-borne particle counters, and transmissometers. The entire unit weighs less than 14 lb. ←		

ACKNOWLEDGMENTS

I would like to thank Don Foiani and Ed Measure for their helpful comments on this manuscript. I should also like to thank Jim Lindberg for allowing me to use figure 8, which he prepared for a comparison of the visioceilometer to extinction calculated from a balloon-borne particle counter.



Accession For	
DTIC	
Distribution	
Availability	
Dist	
A	

CONTENTS

LIST OF TABLES.....	6
LIST OF FIGURES.....	6
INTRODUCTION.....	7
VISIBILITY DEFINITION.....	7
VISIOCEILOMETER DESCRIPTION.....	8
TRANSIENT RECORDER.....	9
LIDAR ANALYSIS.....	10
LOW VISIBILITY CASE.....	12
HIGH VISIBILITY CASE.....	12
EXPERIMENTAL RESULTS.....	15
APPLICATIONS OF THE VISIOCEILOMETER.....	15
TABLE.....	17
FIGURES.....	18

LIST OF TABLES

1. Visioceilometer Characteristics.....	17
---	----

LIST OF FIGURES

1a. Visioceilometer photograph with battery.....	18
1b. Visioceilometer block diagram.....	18
2. Extinction vs range for various boundary value estimates.....	19
3. Theoretical lidar returns for various boundary value estimates.....	19
4. Normalized theoretical lidar returns.....	20
5. Experimental lidar returns for various boundary value estimates.....	20
6. Extinction vs range for various near field starting points.....	21
7. Single-shot visioceilometer extinction vs range for fog in Meppen, Germany.....	21
8. Visioceilometer extinction compared to extinction calculated by balloon-borne particle counter in Meppen, Germany.....	22

INTRODUCTION

In recent years lidar (Light Detection and Ranging) has made significant technical and theoretical advances. A lidar no longer need be the cumbersome and fragile set of lenses and electronics that it was at its inception. A lidar may now be small, light, rugged, battery-operated, simple to use, and completely self-contained. Tedious data processing and external inputs are no longer needed to reduce a lidar return to visibility. Such a lidar has been developed by Atmospheric Sciences Laboratory (ASL) to support aircraft landings, optically dependent weapon firings, and operations where the atmospheric extinction needs to be remotely measured. Since the lidar measures visibility and cloud ceiling height, it has been dubbed a visioceilometer. This paper describes the characteristics of the XE-2 visioceilometer shown in figure 1a and compares its measurements to more conventional visibility-measuring devices.

VISIBILITY DEFINITION

Visibility must be precisely defined before a measurement of visibility is made. Furthermore, the definition must be constructed in such a way that what a machine measures can be related to what the eye sees. Visibility observed by the human eye is a very complex parameter depending on many factors besides the obscuring medium. For example, a standard airport transmissometer is said to measure visibility, but it actually measures transmission between two points. Under the same conditions it will indicate the same visibility at day or night, even though the human eye might define the visibility quite differently. Middleton¹ has defined the meteorological range or visual range V_r to be

$$V_r = \frac{-\ln(0.02)}{\sigma} \quad (1)$$

where 0.02 is the minimum contrast threshold for standard target detection with the human eye, and σ is the volume extinction coefficient which may be measured by machine.

One of the problems with using equation (1) is that the visibility may be very different than that predicted by the equation. For example, suppose a transmissometer makes a measurement of extinction over a 3 km path with the receiver immersed in 100 m of a fog bank. The average extinction measured over the entire path may predict a lower visibility than the distance to the fog bank. Equation (1) will generally be in error if the turbid medium has

¹Middleton, W. E. K., 1963, Vision Through the Atmosphere, Toronto Press, Toronto, Canada.

significant variations in extinction along the path in which V_r is measured. A better definition of visibility as measured by an instrument over a path length having a variable σ is given by²

$$3.912 = \int_0^{V_{rm}} \sigma(r) dr \quad (2)$$

where V_{rm} is the range at which the total extinction is 3.912, corresponding to a contrast threshold of 0.02. If the extinction is so low that the measurement cannot be made over the full visual range V_r , then the best extrapolation of visibility would be given by equation (1).

Equations (1) and (2) can be related to observer-defined visibility if proper consideration is made of the ambient lighting conditions. The lidar can return the value of σ measured over the length of the lidar return, so visibility as measured by the lidar will be defined as in equation (1) or (2) as appropriate for the rest of this discussion.

VISIOCEILOMETER DESCRIPTION

The visioceilometer is a lidar consisting of two interconnected units which operate together to produce a measurement of visibility or cloud ceiling height. The modified rangefinder, called the optical unit (OU), was built under a joint development effort with Night Vision and Electro-Optics Laboratory³ by RCA Corporation. A separate transient recorder and microprocessor make up the signal processing unit (SPU), engineered and developed through contract with Lawrence Livermore Laboratory. The laser source and receiver are part of a modified AN/GVS-5 laser rangefinder currently in production for the US Armed Forces.

The functional diagram of the visioceilometer is shown in figure 1b. A laser emits a single 1.06 μ m pulse into a very narrow beam, and the atmosphere scatters the light back into the receiver optics according to the turbidity. The received flux is detected by a silicon photoavalanche detector, and the signal is compressed by a logarithmic amplifier. The output of the laser is monitored by a temperature-compensated PIN photodiode. Both the monitor pulse and the lidar return signal are sent by coaxial cable to the SPU, where they are digitized and analyzed. A CMOS microprocessor analyzes the return for visibility or cloud ceiling height, according to the switch setting on the

²Hermann, H., et al, 1974, "Lidar Measurements of Atmospheric Visibility," Alta Frequenza, vol 9, p 732.

³Bonner, Robert S., and William J. Lentz, 1979, The Visioceilometer: A Portable Cloud Height and Visibility Indicator, ASL-TR-0042, US Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM.

OU, and the result is displayed in the eyepiece of the OU under microprocessor control. The microprocessor turns itself off after each calculation to conserve power until the next laser monitor pulse starts the digitization and analysis process again. The detailed physical and optical characteristics of the visioceilometer are listed in table 1.

Visibility or cloud ceiling height is calculated automatically, and the result is displayed in the eyepiece in a 5-digit numerical display. The function is indicated by an LED with a C-shaped mask for ceiling or V-shaped mask for visibility. The visibility or ceiling result is displayed in the eyepiece for 5 s before the display is automatically turned off to conserve power. A refresh button may be pushed to redisplay the last ceiling or visibility value in the eyepiece at any time until the system power is turned off or the laser is fired again.

The OU has a two-position laser fire switch, a standard feature of the AN/GVS-5 laser rangefinder. When the switch is depressed halfway, the laser flash lamp capacitor charges to prepare for laser firing. The laser then fires instantly when the fire button is depressed completely. This feature is used to conserve power in the SPU by turning on the microprocessor only when the fire button is depressed at least halfway. When the fire button is completely depressed, the transient recorder starts clocking to get ready to digitize when a laser monitor pulse is received. Analysis of the lidar return only occurs when a laser monitor signal within the range $0.75 \text{ V} \pm 0.25 \text{ V}$ is received. This limit precludes the possibility of trying to analyze lidar returns produced by a laser operating outside of normal tolerance limits.

The OU and SPU run on separate BB-516 batteries housed in the SPU. These AN/GVS-5 24-V rechargeable NiCd cells (about the size of a C cell) will provide at least 100 visibility calculations between chargings. The LED display will indicate a low battery state in the OU eyepiece. Since it contains both batteries, the SPU weighs about 8 lb whereas the OU weighs only 5 lb.

TRANSIENT RECORDER

The innovation that allows an inexpensive, low power visioceilometer to be built is in the transient recorder. A charge-coupled device (CCD) was chosen to slow down the wide bandwidth lidar return so that a relatively high accuracy, low power, analog to digital converter (ADC) could digitize the return. The CCD-based transient recorder allows the $23 \mu\text{s}$ lidar return to be converted to a 46 ms pulse, which is easier to digitize. The CCD samples the lidar return at a 20-MHz rate, which corresponds to a sample every 7.5 m along the lidar beam path. A total of 455 samples thus corresponds to a total sampled return of 3.3 km.

The digitized lidar return is processed into cloud ceiling height or visibility by an RCA 1802 CMOS microprocessor and an arithmetic processing unit

(AMD 9511) using the Klett⁴ method of analysis. The microprocessor preprocesses data by removing baseline shift, nonlinearities, CCD errors, and laser output variations. The arithmetic processing unit does 32-bit floating point arithmetic and computes functions, such as the logarithm, in a mere fraction of the time that the CMOS microprocessor alone would take.

The laser energy monitor pulse is used to correct the lidar return or amplitude variations in the laser output and to start the digitization process. Since it is difficult to start a 20-MHz clock synchronously with the start pulse, a delay line is used to measure the fixed phase shift between the start pulse and the clock at each laser shot. The stored time delay is used in the algorithm to more accurately remove the attenuation due to range. An acceptable error of 0.75 m or 5 ns is produced in this manner in the first analyzed point at 100 m, but the error of 7.5 m or 50 ns produced without the stored delay would have been unacceptable.

In the SPU, an internally generated ramp pulse is fed to the CCD and digitized as soon as the laser charge button is pressed. The resultant digitized values allow one to correct the CCD nonlinearities and to check the transient recorder for proper operation. When the laser return has been digitized, the transient recorder is shut off to save power while the microprocessor calculates visibility or cloud ceiling height.

The SPU also has a programmable serial data output capability so that the raw digitized lidar return may be more extensively analyzed by a larger computer if more than the visibility is desired as output. When an external plug is connected to the serial output, RS232 standard format serial data are generated at 9600 Bd, so that they may be stored and analyzed for such information as extinction vs range. When the external plug is not connected, no serial output data are generated. The capability of providing serial data in a standard format allows a variety of types of information to be communicated to external devices, improving the versatility of the visioceilometer.

LIDAR ANALYSIS

A significant advance recently has been made which allows the conversion of lidar returns to extinction as a function of range. The Klett method is a new analytical solution to the lidar equation which lacks the instability that has plagued approximate methods. Klett's method allows the calculation of the extinction efficiency with distance no matter what the degree of inhomogeneity, as long as Klett's assumptions are valid. All that is required is an estimate of the extinction at the furthest point of the lidar return, and this can be determined from the lidar calibration or an independent device.

⁴Klett, James D., 1980, On the Analytical Inversion of Lidar Returns from an Inhomogeneous Atmosphere, ASL-CR-80-0008-3, US Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM.

The lidar equation representing the returned flux produced by a pulsed laser is given by:

$$P(r) = P_0 c \frac{AB(r)F(r)\tau}{2r^2} \exp \left[-2 \int_0^r \sigma(r') dr' \right] \quad (3)$$

where $P(r)$ is the flux received by the lidar as a function of time or range r , P_0 is the transmitted power in a pulse of width τ , A is the effective receiver area, $B(r)$ is the volume backscatter coefficient at r , F includes the system sensitivity and geometric crossover efficiency, and $\sigma(r)$ is the volume extinction coefficient. The pulse of energy from the laser transmitter is attenuated by the extinction, which varies with range until it reaches a point r . The volume backscatter coefficient then determines the fraction of energy which is scattered back into the receiver from the point r . The Klett⁴ solution is derived in the following manner.

Since there is no real information in the r^2 term, and since the exponent is an inconvenient complication, the term $S(r)$ will be defined:

$$S(r) = \ln[r^2 P(r)] \quad (4)$$

It has been shown that there is often a relationship between $\beta(r)$ and $\sigma(r)$ of the form:⁴

$$\beta(r) = C\sigma^k(r) \quad (5)$$

By taking the derivative of $S(r)$ and using the lidar equation and equation (5), one has:

$$\frac{dS}{dr} = \frac{k}{\sigma} \frac{d\sigma}{dr} - 2\sigma \quad (6)$$

The solution to an equation of this form is well-known, and a new stable formulation has been derived by Klett:

$$\sigma(r) = \frac{\left[\exp(S - S_m)/k \right]}{\sigma_m^{-1} + 2/k \int_r^{R_m} \exp \left[(S - S_m)/k \right] dr'} \quad (7)$$

⁴Klett, James D., 1980, On the Analytical Inversion of Lidar Returns from an Inhomogeneous Atmosphere, ASL-CR-80-0008-3, US Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM.

Where $r_m > r$ is the new calibration point, $S_m = S(r_m)$, and $\sigma_m = \sigma(r_m)$. This solution is easily computed from the known values of $P(r)$, with k deduced from theoretical calculations or experimental measurements and σ_m derived by other means.

LOW VISIBILITY CASE

One unexpected feature of the Klett solution is that for moderately low visibility the solution is not dependent on the estimate for σ_m .⁴ In fact it converges to the correct value in just a short distance from r_m . Previous solutions were either unstable or so approximate as to be unstable in many interesting cases. The convergence can be seen in figure 2, which shows the same lidar return analyzed by the Klett solution using different estimates of σ_m . In a relatively short distance, beginning at r_m and working back to r_0 , the true solution is deduced from nothing more than the shape of the lidar return. In the particular example chosen in figure 2, the extinction was constant with range, but the convergence to the correct answer occurs regardless of the shape of the true extinction as a function of range. This behavior is explained by the fact that as the difference between r and r_m grows, the integral in the denominator of equation (7) grows. The integral will eventually grow to the point that the value of σ_m is relatively unimportant and nearly any reasonable value can be used as a boundary value.

HIGH VISIBILITY CASE

The convergence of the Klett solution is very slow for high visibilities, so a new method of estimating the boundary value must be used. The simplest method is to relate the magnitude of $S(r)$ as well as its shape to the solution $\sigma(r)$. Let us consider the measured lidar return:

$$\ln[P(r)] = \ln(K) + \ln(C) + \ln[\sigma(r)] - 2 \ln(r) - 2\bar{\sigma} r \quad (8)$$

where $\beta(r) = C\sigma(r)$ and $k = 1$. K is, for simplicity, an aggregate of all of the system constants which can be measured or calculated. The last term is:

$$\bar{\sigma} r = \int_0^r \sigma(r') dr' \quad (9)$$

⁴Klett, James D., 1980, On the Analytical Inversion of Lidar Returns from an Inhomogeneous Atmosphere, ASL-CR-80-0008-3, US Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM.

Neglecting the constants in equation (8), one has a new equation:

$$Z(r) = \ln[\sigma(r)] - 2 \ln(r) - 2\bar{\sigma} r \quad (10)$$

For ranges beyond the crossover range of the receiver and transmitter fields of view, the system constant K is unchanging. The ratio β/σ may change as the atmosphere changes, producing a varying C . This variation does not produce a serious error, since a change in C is reduced in magnitude by the $\ln$ function. For example a factor change of 5 in C produces a factor change of only 1.61 in $\ln(C)$. Moreover, the $\ln(K)$ is usually larger than $\ln(C)$, further reducing the resultant error. In lieu of theoretical calculations, it will be assumed that C is constant for fogs. It should be remembered that the constant C is only used for high visibilities when the self-convergence of the Klett⁴ solution is not adequate.

The correct boundary value may be chosen to produce an accurate extinction curve by measuring the simultaneous lidar return and transmission at 1.06 μ m and applying the Klett method. The difference between equations (8) and (10) gives the unknown constants which allow measurements to be made independent of the transmissometer. Once the constants are known, all experimental returns may be reduced to equation (10) and compared to the form produced by the Klett solution. When the experimental curve matches the solution curve, the correct boundary value has been identified.

Let us consider the set of curves in figure 3. The three curves correspond to equation (4) for three boundary values used in the Klett solution. If the boundary value is too large, the curve will lie above the measured curve at every point, and if σ_m is too small, the theoretical curve produced by the Klett formula will lie below the measured curve at every point. Inasmuch as these values may be positive or negative, corresponding to the magnitude of $\ln[P(r)]$, it is convenient to normalize the curves to a common point, as in figures 4 and 5, to reduce the magnitude of the variation due to different boundary values. A simple Newton's method iteration may then be applied to allow rapid convergence to the correct boundary value.

A comparison between the curves at only one point would not be desirable because the lidar return contains noise as well as valid signals, and there is no easy way to know just how large the error is at only one point. A better approach is to sum the $S(r)$ values and the $Z(r)$ values over the same interval. The average thus produced is much more stable than just one point, and the average may be used in a Newton's method iteration to produce a very accurate boundary value estimate. The resulting $\sigma(r)$ produced by the Klett

⁴Klett, James D., 1980, On the Analytical Inversion of Lidar Returns from an Inhomogeneous Atmosphere, ASL-CR-80-0008-3, US Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM.

method may vary several orders of magnitude along r and still be accurate at every point. Specifically, the next boundary value iteration is given by:

$$\sigma_2 = \sigma_1 - f(\sigma_1)/f'(\sigma_1)$$

where

$$f(\sigma_1) = \Sigma(S_m - S_t)$$

and

$$f'(\sigma_1) = \frac{\Sigma S_t(\sigma_1) - \Sigma S_t(\sigma_0)}{\sigma_1 - \sigma_0}$$

and S_t is the theoretical $S(r)$,

and S_m is the measured $S(r)$.

For high visibilities, the magnitude of σ is much smaller than the magnitude of $\ln[\sigma(r)]$. Therefore, the boundary value estimates and the σ curves agree to a high degree of accuracy. For the case of low visibilities in which the last term in equation (8) cannot be neglected, the self-convergence of the Klett⁴ solution eliminates the need for the Newton's boundary value estimate.

Most real lidars do not see returns from the exit of the laser to the limit of detectable signal. There is a short region of optical crossover or defocus which prevents data from being used for about 100 m. If the neglected data cause significant error, the method will not be reliable for large changes in σ . Consider the two σ curves in figure 6, produced from measured lidar data using the previously described Klett solution and area method for a boundary value. The two curves are extinction vs range produced from two analyses of the same lidar return. Although one curve begins at point 15 and the other at point 20, the curves match, indicating a lack of sensitivity to the neglected points. This is both a necessary and fortunate result, because it is extremely difficult to design a lidar that is weatherproof and receives all of the light scattered in the near field without losing light in the far field.

It would not have been possible to calculate identical curves in figure 6 without the Klett method, because a large haze peak was virtually centered on the lidar. The air became clearer as the pulse moved away from the lidar. The slope method would have produced an effective visibility of much less than 1 km, but no visible obscurant could be seen. The average visibility during this period was about 26 km, as measured by a long-path transmissometer.

⁴Klett, James D., 1980, On the Analytical Inversion of Lidar Returns from an Inhomogeneous Atmosphere, ASL-CR-80-0008-3, US Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM.

We now have a general method of determining $\sigma(r)$ over the range of the lidar return in high and low visibilities. It makes use of the absolute value of the signal, which is not normally used in Klett's equation (7). By comparing the measured $\ln[P(r)]$ to the $Z(r)$ calculated from the $\sigma(r)$ produced by the Klett solution, the Klett method may be reapplied several times to produce $\sigma(r)$ as accurately as the system constants and lidar returns are known. C and k values may be measured independently or obtained from theoretical studies.

EXPERIMENTAL RESULTS

ASL recently conducted a field test in Meppen, Germany, where opportunities existed to test the lidar theory against extinction measurements made by balloon-borne particle counters. Figures 7 and 8 show the extinction obtained by firing the visioceilometer vertically into fogs or low clouds at the Meppen experiment, which ASL conducted from October to December of 1980. Balloon-borne particle counters were used to calculate the extinction at $1.06\mu\text{m}$, as a function of altitude. These values generally agreed to within a factor of two with the values produced by the visioceilometer. Furthermore, the visioceilometer extinction curves show much more structure than the balloon counters, because the lidar is virtually instantaneous. The agreement is rather good, especially when one considers that the lidar was not pointing exactly at the balloon because the balloon could not be seen.

The data shown in figures 7 and 8 were recorded with the lidar pointing vertically into fog or clouds of increasing density. In some cases the lidar penetrated one layer of obscurant and returned information about a second layer. Since the extinction values were extremely high, it was not possible to tell whether the lidar penetrated the second layer into clear air. It is more likely, however, that the lidar simply ran out of energy, and the last four sample points should therefore not be regarded very seriously.

APPLICATIONS OF THE VISIOCEILOMETER

The visioceilometer has immediate tactical use as a slant path visual range indicator at remote airfields where visibility and cloud ceiling height are required but where conventional instruments are too inconvenient. Indeed, the visioceilometer may be the only portable instrument which can directly measure slant visual range along the glide path of the aircraft. Since the visioceilometer is completely automatic and records visibility even when there are no reference objects in sight, a reliable, repeatable measurement may be made by an untrained observer. These measurements could be made at Army Division Artillery meteorological sections in lieu of visual observations and ceiling balloons, particularly at night when such measurements are difficult.

Naval shipboard uses include visibility, which is especially difficult to measure at sea because of the lack of reference visibility objects. The visioceilometer can be programmed to neglect the ship-generated effluent plume which makes shipboard transmissometers difficult to use. A vertical measurement of visibility may be made to determine whether the ship is visible from above by aircraft. Regular use of the visioceilometer would provide a general marine-visibility data base, which would be of tactical use in planning ship deployment.

Guided munitions such as Copperhead rely on optical sensors to locate and destroy a target. The visioceilometer could be used to measure the visibility in the target area so that rounds would not be expended uselessly. A related nontactical use would be to characterize the atmosphere when test firings are made of optically guided rounds, so that better performance assessments could be made.

The visioceilometer could also be used as a general research tool in lieu of more difficult and far more expensive balloon-borne particle counter measurements. With external RS232 devices, data for computation of extinction vs range can be stored and analyzed later for detailed characterization of the atmosphere.

The visioceilometer would allow measurement of smokestack plume opacity even though the laser might not penetrate the plume with sufficient energy to produce a return from the clear air on the distant side. The Klett⁴ method works especially well in high opacity cases because the boundary value selection is self-converging. It offers the advantage of measuring opacity at night, when there is a temptation to produce dense plumes because of the difficulty of making nighttime observations. Although the visioceilometer might not measure the transmission completely through the plume, it would set a lower bound on the opacity, which would encompass several decades of attenuation.

The visioceilometer could also be integrated into the meteorological sensor system of the Remote Automatic Weather Set (RAWS) or AN/TMQ-30 to provide visibility and cloud ceiling height information. In this application, sensors would be placed in forward areas of the battlefield by a ground sensor platoon. These unattended weather stations would transmit data automatically by a radio link to a master station, which would collect data from a number of RAWS units. The self-contained feature of the visioceilometer data analysis would lend itself readily to the incorporation of the visioceilometer in a variety of devices such as the RAWS.

⁴Klett, James D., 1980, On the Analytical Inversion of Lidar Returns from an Inhomogeneous Atmosphere, ASL-CR-80-0008-3, US Army Atmospheric Sciences Laboratory, White Sands Missile Range, NM.

TABLE 1. VISIOCEILOMETER CHARACTERISTICS

Beam divergence	1.0 mrad
Receiver field of view	3.0 mrad
Laser energy	13 mJ average at 1.06 m
Pulse half-width	6 ns
Receiver aperture	50 mm
Laser exit diameter	16 mm
Optics axis separation	50 mm
Full crossover range	80 m
Log A slope	10 mV/dB
Log A zero	80 μ V
Detector noise level	2×10^{-10} W
Laser monitor output	0.75 V $\pm$ 0.25 V
Sample rate	20 MHz
A/D converter	10 bits in 2 μ s
Sample device	455 sample Dual Channel CCD Fairchild #CCD 321
Weight	5 lb OU 8 lb SPU
Size	6 x 2 x 6 in. OU 6 x 4 x 6 in. SPU
Power	Two 24-V NiCd batteries
Number of shots	100 minimum
Operating temperature	-5° to 60°C (prototype)
Sample range	3.3 km





Figure 1b. Visioceiometer block diagram.

Extinction vs Range




Figure 2. Extinction vs range for various boundary value estimates.

Log Return vs Range




Figure 3. Theoretical lidar returns for various boundary value estimates.

Log Return vs Range




Figure 4. Normalized theoretical lidar returns.

Log Return vs. Range




Figure 5. Experimental lidar returns for various boundary value estimates.




Figure 6. Extinction vs range for various near field starting points.




Figure 7. Single-shot visioceilometer extinction vs range for fog in Meppen, Germany.




Figure 8. Visioceilometer extinction compared to extinction calculated by balloon-borne particle counter in Meppen, Germany.

ELECTRO-OPTICS DISTRIBUTION LIST

Commander
US Army Aviation School
Fort Rucker, AL 36362

Commander
US Army Aviation Center
ATTN: ATZQ-D-MA (Mr. Oliver N. Heath)
Fort Rucker, AL 36362

Commander
US Army Aviation Center
ATTN: ATZQ-D-MS (Mr. Donald Wagner)
Fort Rucker, AL 36362

NASA/Marshall Space Flight Center
ATTN: ES-83 (Otha H. Vaughan, Jr.)
Huntsville, AL 35812

NASA/Marshall Space Flight Center
Atmospheric Sciences Division
ATTN: Code ES-81 (Dr. William W. Vaughan)
Huntsville, AL 35812

Nichols Research Corporation
ATTN: Dr. Lary W. Pinkley
4040 South Memorial Parkway
Huntsville, AL 35802

John M. Hobbie
c/o Kentron International
2003 Byrd Spring Road
Huntsville, AL 35802

Mr. Ray Baker
Lockheed-Missile & Space Company
4800 Bradford Blvd
Huntsville, AL 35807

Commander
US Army Missile Command
ATTN: DRSMI-OG (Mr. Donald R. Peterson)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-OGA (Dr. Bruce W. Fowler)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REL (Dr. George Emmons)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REO (Huey F. Anderson)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REO (Mr. Maxwell W. Harper)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-REO (Mr. Gene Widenhofer)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RHC (Dr. Julius Q. Lilly)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
Redstone Scientific Information Center
ATTN: DRSMI-RPRD (Documents Section)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RRA (Dr. Oskar Essenwanger)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RRO (Mr. Charles Christensen)
Redstone Arsenal, AL 35809

Commander
US Army Missile Command
ATTN: DRSMI-RRO (Dr. George A. Tanton)
Redstone Arsenal, AL 35809

Commander
US Army Communications Command
ATTN: CC-OPS-PP
Fort Huachuca, AZ 85613

Commander
US Army Intelligence Center & School
ATTN: ATSI-CD-CS (Mr. Richard G. Cundy)
Fort Huachuca, AZ 85613

Commander
US Army Intelligence Center & School
ATTN: ATSI-CD-MD (Mr. Harry Wilder)
Fort Huachuca, AZ 85613

Commander
US Army Intelligence Center & School
ATTN: ATSI-CS-C (2LT Coffman)
Fort Huachuca, AZ 85613

Commander
US Army Yuma Proving Ground
ATTN: STEYP-MSA-TL
Bldg 2105
Yuma, AZ 85364

Northrop Corporation
Electro-Mechanical Division
ATTN: Dr. Richard D. Tooley
500 East Orangethorpe Avenue
Anaheim, CA 92801

Commander
Naval Weapons Center
ATTN: Code 3918 (Dr. Alexis Shlanta)
China Lake, CA 93555

Hughes Helicopters
Army Advanced Attack Helicopter Weapons
ATTN: Mr. Charles R. Hill
Centinela and Teale Streets
Bldg 305, MS T-73A
Culter City, CA 90230

Commander
US Army Combat Developments
Experimentation Command
ATTN: ATEC-PL-M (Mr. Gary G. Love)
Fort Ord, CA 93941

SRI International
ATTN: K2060/Dr. Edward E. Uthe
333 Ravenswood Avenue
Menlo Park, CA 94025

SRI International
ATTN: Mr. J. E. Van der Laan
333 Ravenswood Avenue
Menlo Park, CA 94025

Joane May
Naval Environmental Prediction
Research Facility (NEPRF)
ATTN: Library
Monterey, CA 93940

Sylvania Systems Group,
Western Division
GTE Products Corporation
ATTN: Technical Reports Library
P.O. Box 205
Mountain View, CA 94042

Sylvania Systems Group
Western Division
GTE Products Corporation
ATTN: Mr. Lee W. Carrier
P.O. Box 188
Mountain View, CA 94042

Pacific Missile Test Center
Geophysics Division
ATTN: Code 3250-3 (R. de Violini)
Point Mugu, CA 93042

Pacific Missile Test Center
Geophysics Division
ATTN: Code 3253 (Terry E. Battalino)
Point Mugu, CA 93042

Effects Technology Inc.
ATTN: Mr. John D. Carlyle
5383 Hollister Avenue
Santa Barbara, CA 93111

Commander
Naval Ocean Systems Center
ATTN: Code 532 (Dr. Juergen Richter)
San Diego, CA 92152

Commander
Naval Ocean Systems Center
ATTN: Code 5322 (Mr. Herbert G. Hughes)
San Diego, CA 92152

Commander
Naval Ocean Systems Center
ATTN: Code 4473 (Tech Library)
San Diego, CA 92152

The RAND Corporation
ATTN: Ralph Huschke
1700 Main Street
Santa Monica, CA 90406

Particle Measuring Systems, Inc.
ATTN: Dr. Robert G. Knollenberg
1855 South 57th Court
Boulder, CO 80301

US Department of Commerce
National Oceanic and Atmospheric Admin
Environmental Research Laboratories
ATTN: Library, R-51, Technical Reports
325 Broadway
Boulder, CO 80303

US Department of Commerce
National Oceanic and Atmospheric Admin
Environmental Research Laboratories
ATTN: R45X3 (Dr. Vernon E. Derr)
Boulder, CO 80303

US Department of Commerce
National Telecommunications and
Information Administration
Institute for Telecommunication Sciences
ATTN: Code 1-3426 (Dr. Hans J. Liebe)
Boulder, CO 80303

AFATL/DLODL
Technical Library
Eglin AFB, FL 32542

Commanding Officer
Naval Training Equipment Center
ATTN: Technical Information Center
Orlando, FL 32813

Georgia Institute of Technology
Engineering Experiment Station
ATTN: Dr. Robert W. McMillan
Atlanta, GA 30332

Georgia Institute of Technology
Engineering Experiment Station
ATTN: Dr. James C. Wiltse
Atlanta, GA 30332

Commandant
US Army Infantry Center
ATTN: ATSH-CD-MS-E (Mr. Robert McKenna)
Fort Benning, GA 31805

Commander
US Army Signal Center & Fort Gordon
ATTN: ATZHCD-CS
Fort Gordon, GA 30905

Commander
US Army Signal Center & Fort Gordon
ATTN: ATZHCD-O
Fort Gordon, GA 30905

USAFETAC/DNE
ATTN: Mr. Charles Glauber
Scott AFB, IL 62225

Commander
Air Weather Service
ATTN: AWS/DNOP (LTC Kit G. Cottrell)
Scott AFB, IL 62225

Commander
Air Weather Service
ATTN: AWS/DOOF (MAJ Robert Wright)
Scott AFB, IL 62225

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-CAA-Q (Mr. H. Kent Pickett)
Fort Leavenworth, KS 66027

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-SAN (Robert DeKinder, Jr.)
Fort Leavenworth, KS 66027

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-SAN (Mr. Kent I. Johnson)
Fort Leavenworth, KS 66027

Commander
US Army Combined Arms Center
& Ft. Leavenworth
ATTN: ATZLCA-WE (LTC Darrell Holland)
Fort Leavenworth, KS 66027

President
USAARENBD
ATTN: ATZK-AE-TA (Dr. Charles R. Leake)
Fort Knox, KY 40121

Commander
US Army Armor Center and Fort Knox
ATTN: ATZK-CD-MS
Fort Knox, KY 40121

Commander
US Army Armor Center and Fort Knox
ATTN: ATZK-CD-SD
Fort Knox, KY 40121

Aerodyne Research Inc.
ATTN: Dr. John F. Ebersole
Crosby Drive
Bedford, MA 01730

Commander
Air Force Geophysics Laboratory
ATTN: OPA (Dr. Robert W. Fenn)
Hanscom AFB, MA 01731

Commander
Air Force Geophysics Laboratory
ATTN: OPI (Dr. Robert A. McClatchey)
Hanscom AFB, MA 01731

Massachusetts Institute of Technology
Lincoln Laboratory
ATTN: Dr. T. J. Goblick, B-370
P.O. Box 73
Lexington, MA 02173

Massachusetts Institute of Technology
Lincoln Laboratory
ATTN: Dr. Michael Gruber
P.O. Box 73
Lexington, MA 02173

Raytheon Company
Equipment Division
ATTN: Dr. Charles M. Sonnenschein
430 Boston Post Road
Wayland, MA 01778

Commander
US Army Ballistic Research Laboratory/
ARRADCOM
ATTN: DRDAR-BLB (Mr. Richard McGee)
Aberdeen Proving Ground, MD 21005

Commander/Director
Chemical Systems Laboratory
US Army Armament Research
& Development Command
ATTN: DRDAR-CLB-PS (Dr. Edward Stuebing)
Aberdeen Proving Ground, MD 21010

Commander/Director
Chemical Systems Laboratory
US Army Armament Research
& Development Command
ATTN: DRDAR-CLB-PS (Mr. Joseph Vervier)
Aberdeen Proving Ground, MD 21010

Commander/Director
Chemical Systems Laboratory
US Army Armament Research
& Development Command
ATTN: DRDAR-CLY-A (Mr. Ronald Pennsyle)
Aberdeen Proving Ground, MD 21010

Commander
US Army Ballistic Research Laboratory/
ARRADCOM
ATTN: DRDAR-TSB-S (STINFO)
Aberdeen Proving Ground, MD 21005

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-CCM (W. H. Pepper)
Adelphi, MD 20783

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-CG/DRDEL-DC/DRDEL-CS
2800 Powder Mill Road
Adelphi, MD 20783

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-CT
2800 Powder Mill Road
Adelphi, MD 20783

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-PAO (M. Singleton)
2800 Powder Mill Road
Adelphi, MD 20783

Project Manager
Smoke/Obscurants
ATTN: DRDPM-SMK
(Dr. Anthony Van de Wal, Jr.)
Aberdeen Proving Ground, MD 21005

Project Manager
Smoke/Obscurants
ATTN: DRDPM-SMK-T (Mr. Sidney Gerard)
Aberdeen Proving Ground, MD 21005

Commander
US Army Test & Evaluation Command
ATTN: DRSTE-AD-M (Mr. Warren M. Baity)
Aberdeen Proving Ground, MD 21005

Commander
US Army Test & Evaluation Command
ATTN: DRSTE-AD-M (Dr. Norman E. Pentz)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-AAM (Mr. William Smith)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-CS (Mr. Philip H. Beavers)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-GB (Wilbur L. Warfield)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-GP (Mr. Fred Campbell)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-GP (H. Stamper)
Aberdeen Proving Grounds, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-GS
(Mr. Michael Starks/Mr. Julian Chernick)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-J (Mr. James F. O'Bryon)
Aberdeen Proving Ground, MD 21005

Director
US Army Materiel Systems Analysis Activity
ATTN: DRXSY-LM (Mr. Robert M. Marchetti)
Aberdeen Proving Ground, MD 21005

Commander
Harry Diamond Laboratories
ATTN: Dr. William W. Carter
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Harry Diamond Laboratories
ATTN: DELHD-R-CM (Mr. Robert McCoskey)
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Harry Diamond Laboratories
ATTN: DELHD-R-CM-NM (Dr. Robert Humphrey)
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Harry Diamond Laboratories
ATTN: DELHD-R-CM-NM (Dr. Z. G. Sztankay)
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Harry Diamond Laboratories
ATTN: DELHD-R-CM-NM (Dr. Joseph Nemerich)
2800 Powder Mill Road
Adelphi, MD 20783

Commander
Air Force Systems Command
ATTN: WER (Mr. Richard F. Picanso)
Andrews AFB, MD 20334

Martin Marietta Laboratories
ATTN: Jar Mo Chen
1450 South Rolling Road
Baltimore, MD 21227

Commander
US Army Concepts Analysis Agency
ATTN: CSCA-SMC (Mr. Hal E. Hock)
8120 Woodmont Avenue
Bethesda, MD 20014

Director
National Security Agency
ATTN: R52/Dr. Douglas Woods
Fort George G. Meade, MD 20755

Chief
Intelligence Materiel Development
& Support Office
US Army Electronic Warfare Laboratory
ATTN: DELEW-I (LTC Kenneth E. Thomas)
Fort George G. Meade, MD 20755

The Johns Hopkins University
Applied Physics Laboratory
ATTN: Dr. Michael J. Lun
John Hopkins Road
Laurell, MD 20810

Dr. Stephen T. Hanley
1720 Rhodesia Avenue
Oxon Hill, MD 20022

Science Applications Inc.
ATTN: Mr. G. D. Currie
15 Research Drive
Ann Arbor, MI 48103

Science Applications Inc.
ATTN: Dr. Robert E. Turner
15 Research Drive
Ann Arbor, MI 48103

Commander
US Army Tank-Automotive Research
& Development Command
ATTN: DRDTA-ZSC (Mr. Harry Young)
Warren, MI 48090

Commander
US Army Tank Automotive Research
& Development Command
ATTN: DRDTA-ZSC (Mr. Wallace Mick, Jr.)
Warren, MI 48090

Dr. A. D. Belmont
Research Division
Control Data Corporation
P.O. Box 1249
Minneapolis, MN 55440

Director
US Army Engr Waterways Experiment Station
ATTN: WESEN (Mr. James Mason)
P.O. Box 631
Vicksburg, MS 39180

Dr. Jerry Davis
Department of Marine, Earth
and Atmospheric Sciences
North Carolina State University
Raleigh, NC 27650

Commander
US Army Research Office
ATTN: DRXRO-GS (Dr. Leo Alpert)
P.O. Box 12211
Research Triangle Park, NC 27709

Commander
US Army Research Office
ATTN: DRXRG-PP (Brenda Mann)
P.O. Box 12211
Research Triangle Park, NC 27709

Commander
US Army Cold Regions Research
& Engineering Laboratory
ATTN: CRREL-RD (Dr. K. F. Sterrett)
Hanover, NH 03755

Commander/Director
US Army Cold Regions Research
& Engineering Laboratory
ATTN: CRREL-RG (Mr. George Aitken)
Hanover, NH 03755

Commander
US Army Cold Regions Research
& Engineering Laboratory
ATTN: CRREL-RG (Mr. Roger H. Berger)
Hanover, NH 03755

Commander
US Army Armament Research
& Development Command
ATTN: DRDAR-AC (Mr. James Greenfield)
Dover, NJ 07801

Commander
US Army Armament Research
& Development Command
ATTN: DRDAR-TSS (Bldg #59)
Dover, NJ 07801

Commander
US Army Armament Research
& Development Command
ATTN: DRCPM-CAWS-EI (Mr. Peteris Jansons)
Dover, NJ 07801

Commander
US Army Armament Research
& Development Command
ATTN: DRCPM-CAWS-EI (Mr. G. H. Waldron)
Dover, NJ 07801

Deputy Joint Project Manager
for Navy/USMC SAL GP
ATTN: DRCPM-CAWS-NV (CPT Joseph Miceli)
Dover, NJ 07801

Commander/Director
US Army Combat Surveillance & Target
Acquisition Laboratory
ATTN: DELCS-I (Mr. David Longinotti)
Fort Monmouth, NJ 07703

Commander/Director
US Army Combat Surveillance & Target
Acquisition Laboratory
ATTN: DELCS-PE (Mr. Ben A. Di Campli)
Fort Monmouth, NJ 07703

Commander/Director
US Army Combat Surveillance & Target
Acquisition Laboratory
ATTN: DELCS-R-S (Mr. Donald L. Foiani)
Fort Monmouth, NJ 07703

Director
US Army Electronics Technology &
Devices Laboratory
ATTN: DELET-DD (S. Danko)
Fort Monmouth, NJ 07703

Project Manager
FIREFINDER/REMBASS
ATTN: DRCPM-FFR-TM (Mr. John M. Bialo)
Fort Monmouth, NJ 07703

Commander
US Army Electronics Research
& Development Command
ATTN: DRDEL-SA (Dr. Walter S. McAfee)
Fort Monmouth, NJ 07703

OLA, 2WS (MAC)
Holloman AFB, NM 88330
Commander
Air Force Weapons Laboratory
ATTN: AFWL/WE (MAJ John R. Elrick)
Kirtland, AFB, NM 87117

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-SL
White Sands Missile Range, NM 88002

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-SL (Dolores Anguiano)
White Sands Missile Range, NM 88002

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-TDB (Mr. Louie Dominguez)
White Sands Missile Range, NM 88002

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-TDB (Mr. William J. Leach)
White Sands Missile Range, NM 88002

Director
USA TRADOC Systems Analysis Activity
ATTN: ATAA-TGP (Mr. Roger F. Willis)
White Sands Missile Range, NM 88002

Director
Office of Missile Electronic Warfare
ATTN: DELEW-M-STO (Dr. Steven Kovel)
White Sands Missile Range, NM 88002

Office of the Test Director
Joint Services EO GW CM Test Program
ATTN: DRXDE-TD (Mr. Weldon Findley)
White Sands Missile Range, NM 88002

Commander
US Army White Sands Missile Range
ATTN: STEWS-PT-AL (Laurel B. Saunders)
White Sands Missile Range, NM 88002

Commander
US Army R&D Coordinator
US Embassy - Bonn
Box 165
APO New York 09080

Grumman Aerospace Corporation
Research Department - MS A08-35
ATTN: John E. A. Selby
Bethpage, NY 11714

Rome Air Development Center
ATTN: Documents Library
TSLD (Bette Smith)
Griffiss AFB, NY 13441

Dr. Roberto Vaglio-Laurin
Faculty of Arts and Science
Dept. of Applied Science
26-36 Stuyvesant Street
New York, NY 10003

Air Force Wright Aeronautical Laboratories/
Avionics Laboratory
ATTN: AFWAL/AARI-3 (Mr. Harold Geltmacher)
Wright-Patterson AFB, OH 45433

Air Force Wright Aeronautical Laboratories/
Avionics Laboratory
ATTN: AFWAL/AARI-3 (CPT William C. Smith)
Wright-Patterson AFB, OH 45433

Commandant
US Army Field Artillery School
ATTN: ATSF-CF-R (CPT James M. Watson)
Fort Sill, OK 73503

Commandant
US Army Field Artillery School
ATTN: ATSF-CD-MS
Fort Sill, OK 73503

Commandant
US Army Field Artillery School
ATTN: ATSF-CF-R
Fort Sill, OK 73503

Commandant
US Army Field Artillery School
ATTN: NOAA Liaison Officer
(CDR Jeffrey G. Carlen)
Fort Sill, OK 73503

Commandant
US Army Field Artillery School
Morris Swett Library
ATTN: Reference Librarian
Fort Sill, OK 73503

Commander
Naval Air Development Center
ATTN: Code 301 (Mr. George F. Eck)
Warminster, PA 18974

The University of Texas at El Paso
Electrical Engineering Department
ATTN: Dr. Joseph H. Pierluissi
El Paso, TX 79968

Commandant
US Army Air Defense School
ATTN: ATSA-CD-SC-A (CPT Charles T. Thorn)
Fort Bliss, TX 79916

Commander
HQ, TRADOC Combined Arms Test Activity
ATTN: ATCAT-OP-Q (CPT Henry C. Cobb, Jr.)
Fort Hood, TX 76544

Commander
HQ, TRADOC Combined Arms Test Activity
ATTN: ATCAT-SCI (Dr. Darrell W. Collier)
Fort Hood, TX 76544

Commander
US Army Dugway Proving Ground
ATTN: STEDP-MT-DA-L
Dugway, UT 84022

Commander
US Army Dugway Proving Ground
ATTN: STEDP-MT-DA-M (Mr. Paul E. Carlson)
Dugway, UT 84022

Commander
US Army Dugway Proving Ground
ATTN: STEDP-MT-DA-T (Mr. John Trethewey)
Dugway, UT 84022

Commander
US Army Dugway Proving Ground
ATTN: STEDP-MT-DA-T (Mr. William Peterson)
Dugway, UT 84022

Defense Documentation Center

ATTN: DDC-TCA
Cameron Station Bldg 5
Alexandria, VA 22314
12

Ballistic Missile Defense Program Office
ATTN: DACS-BMT (Colonel Harry F. Ennis)
5001 Eisenhower Avenue
Alexandria, VA 22333

Defense Technical Information Center
ATTN: DDA-2 (Mr. James E. Shafer)
Cameron Station, Bldg 5
Alexandria, VA 22314

Commander
US Army Materiel Development
& Readiness Command
ATTN: DRCBSI-EE (Mr. Albert Giambalvo)
5001 Eisenhower Avenue
Alexandria, VA 22333

Commander
US Army Materiel Development
& Readiness Command
ATTN: DRCLDC (Mr. James Bender)
5001 Eisenhower Avenue
Alexandria, VA 22333

Defense Advanced Rsch Projects Agency
ATTN: Steve Zakanyez
1400 Wilson Blvd
Arlington, VA 22209

Defense Advanced Rsch Projects Agency
ATTN: Dr. James Tegnolia
1400 Wilson Blvd
Arlington, VA 22209

Institute for Defense Analyses
ATTN: Mr. Lucien M. Biberman
400 Army-Navy Drive
Arlington, VA 22202

Institute for Defense Analyses
ATTN: Dr. Ernest Bauer
400 Army-Navy Drive
Arlington, VA 22202

Institute for Defense Analyses
ATTN: Dr. Hans G. Wolfhard
400 Army-Navy Drive
Arlington, VA 22202

System Planning Corporation
ATTN: Mr. Daniel Friedman
1500 Wilson Boulevard
Arlington, VA 22209

System Planning Corporation
ATTN: COL Hank Shelton
1500 Wilson Boulevard
Arlington, VA 22209

US Army Intelligence & Security Command
ATTN: Edwin Speakman, Scientific Advisor
Arlington Hall Station
Arlington, VA 22212

Commander
US Army Operational Test
& Evaluation Agency
ATTN: CSTE-ED (Mr. Floyd I. Hill)
5600 Columbia Pike
Falls Church, VA 22041

Commander and Director
US Army Engineer Topographic Laboratories
ATTN: ETL-GS-A (Mr. Thomas Neidringhaus)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-L (Dr. Rudolf G. Buser)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-L (Dr. Robert S. Rodhe)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-VI (Mr. Joseph R. Moulton)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-VI (Luanne P. Obert)
Fort Belvoir, VA 22060

Director
US Army Night Vision
& Electro-Optics Laboratory
ATTN: DELNV-VI (Mr. Thomas W. Cassidy)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-VI (Mr. Richard J. Bergemann)
Fort Belvoir, VA 22060

Director
US Army Night Vision &
Electro-Optics Laboratory
ATTN: DELNV-VI (Dr. James A. Ratches)
Fort Belvoir, VA 22060

Commander
US Army Training & Doctrine Command
ATTN: ATCD-AN
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-AN-M
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-F-A (Mr. Chris O'Connor, Jr.)
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-IE-R (Mr. David M. Ingram)
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATCD-M-I/ATCD-M-A
Fort Monroe, VA 23651

Commander
US Army Training & Doctrine Command
ATTN: ATDOC-TA (Dr. Marvin P. Pastel)
Fort Monroe, VA 23651

Department of the Air Force
OL-I, AWS
Fort Monroe, VA 23651

Department of the Air Force
HQS 5 Weather Wing (MAC)
ATTN: 5 WW/DN
Langley Air Force Base, VA 23655

Commander
US Army INSCOM/Quest Research Corporation
ATTN: Mr. Donald Wilmot
6845 Elm Street, Suite 407
McLean, VA 22101

General Research Corporation
ATTN: Dr. Ralph Zirkind
7655 Old Springhouse Road
McLean, VA 22102

Science Applications, Inc.
8400 Westpark Drive
ATTN: Dr. John E. Cockayne
McLean, VA 22102

US Army Nuclear & Chemical Agency
ATTN: MONA-WE (Dr. John A. Berberet)
7500 Backlick Road, Bldg 2073
Springfield, VA 22150

Director
US Army Signals Warfare Laboratory
ATTN: DELSW-EA (Mr. Douglas Harkleroad)
Vint Hill Farms Station
Warrenton, VA 22186

Director
US Army Signals Warfare Laboratory
ATTN: DELSW-OS (Dr. Royal H. Burkhardt)
Vint Hill Farms Station
Warrenton, VA 22186

Commander
US Army Cold Regions Test Center
ATTN: STECR-TD (Mr. Jerold Barger)
APO Seattle, WA 98733

HQDA (SAUS-OR/Hunter M. Woodall, Jr./
Dr. Herbert K. Fallin)
Rm 2E 614, Pentagon
Washington, DC 20301

COL Elbert W. Friday, Jr.
OUSDRE
Rm 3D 129, Pentagon
Washington, DC 20301

Defense Communications Agency
Technical Library Center
Code 222
Washington, DC 20305

Director
Defense Nuclear Agency
ATTN: Technical Library (Mrs. Betty Fox)
Washington, DC 20305

Director
Defense Nuclear Agency
ATTN: RAAE (Dr. Carl Fitz)
Washington, DC 20305

Director
Defense Nuclear Agency
ATTN: SPAS (Mr. Donald J. Kohler)
Washington, DC 20305

Defense Intelligence Agency
ATTN: DT/AC (LTC Robert Poplawski)
Washington, DC 20301

HQDA (DAMA-ARZ-D/Dr. Verderame)
Washington, DC 20310

HQDA (DAMI-ISP/Mr. Beck)
Washington, DC 20310

Department of the Army
Deputy Chief of Staff for
Operations and Plans
ATTN: DAMO-RQ
Washington, DC 20310

Department of the Army
Director of Telecommunications and
Command and Control
ATTN: DAMO-TCZ
Washington, DC 20310

Department of the Army
Assistant Chief of Staff for Intelligence
ATTN: DAMI-TS
Washington, DC 20310

HQDA (DAEN-RDM/Dr. de Percin)
Casimir Pulaski Building
20 Massachusetts Avenue
Room 6203
Washington, DC 20314

National Science Foundation
Division of Atmospheric Sciences
ATTN: Dr. Eugene W. Bierly
1800 G. Street, N.W.
Washington, DC 20550

Director
Naval Research Laboratory
ATTN: Code 4320 (Dr. Lothar H. Ruhnke)
Washington, DC 20375

Commanding Officer
Naval Research Laboratory
ATTN: Code 6009 (Dr. John MacCallum, Jr.)
Washington, DC 20375

Commanding Officer
Naval Research Laboratory
ATTN: Code 6530 (Mr. Raymond A. Patten)
Washington, DC 20375

Commanding Officer
Naval Research Laboratory
ATTN: Code 6533 (Dr. James A. Dowling)
Washington, DC 20375

ATMOSPHERIC SCIENCES RESEARCH REPORTS

1. Lindberg, J. D. "An Improvement to a Method for Measuring the Absorption Coefficient of Atmospheric Dust and other Strongly Absorbing Powders," ECOM-5565, July 1975.
2. Avara, Elton P., "Mesoscale Wind Shears Derived from Thermal Winds," ECOM-5566, July 1975.
3. Gomez, Richard B., and Joseph H. Pierluissi, "Incomplete Gamma Function Approximation for King's Strong-Line Transmittance Model," ECOM-5567, July 1975.
4. Blanco, A. J., and B. F. Engebos, "Ballistic Wind Weighting Functions for Tank Projectiles," ECOM-5568, August 1975.
5. Taylor, Fredrick J., Jack Smith, and Thomas H. Pries, "Crosswind Measurements through Pattern Recognition Techniques," ECOM-5569, July 1975.
6. Walters, D. L., "Crosswind Weighting Functions for Direct-Fire Projectiles," ECOM-5570, August 1975.
7. Duncan, Louis D., "An Improved Algorithm for the Iterated Minimal Information Solution for Remote Sounding of Temperature," ECOM-5571, August 1975.
8. Robbiani, Raymond L., "Tactical Field Demonstration of Mobile Weather Radar Set AN/TPS-41 at Fort Rucker, Alabama," ECOM-5572, August 1975.
9. Miers, B., G. Blackman, D. Langer, and N. Lorimier, "Analysis of SMS/GOES Film Data," ECOM-5573, September 1975.
10. Manquero, Carlos, Louis Duncan, and Rufus Bruce, "An Indication from Satellite Measurements of Atmospheric CO₂ Variability," ECOM-5574, September 1975.
11. Petracca, Carmine, and James D. Lindberg, "Installation and Operation of an Atmospheric Particulate Collector," ECOM-5575, September 1975.
12. Avara, Elton P., and George Alexander, "Empirical Investigation of Three Iterative Methods for Inverting the Radiative Transfer Equation," ECOM-5576, October 1975.
13. Alexander, George D., "A Digital Data Acquisition Interface for the SMS Direct Readout Ground Station - Concept and Preliminary Design," ECOM-5577, October 1975.
14. Cantor, Israel, "Enhancement of Point Source Thermal Radiation Under Clouds in a Nonattenuating Medium," ECOM-5578, October 1975.

15. Norton, Colburn, and Glenn Hoidale, "The Diurnal Variation of Mixing Height by Month over White Sands Missile Range, NM," ECOM-5579, November 1975.
16. Avara, Elton P., "On the Spectrum Analysis of Binary Data," ECOM-5580, November 1975.
17. Taylor, Fredrick J., Thomas H. Pries, and Chao-Huan Huang, "Optimal Wind Velocity Estimation," ECOM-5581, December 1975.
18. Avara, Elton P., "Some Effects of Autocorrelated and Cross-Correlated Noise on the Analysis of Variance," ECOM-5582, December 1975.
19. Gillespie, Patti S., R. L. Armstrong, and Kenneth O. White, "The Spectral Characteristics and Atmospheric CO₂ Absorption of the Ho⁺³:YLF Laser at 2.05 μ m," ECOM-5583, December 1975.
20. Novlan, David J., "An Empirical Method of Forecasting Thunderstorms for the White Sands Missile Range," ECOM-5584, February 1976.
21. Avara, Elton P., "Randomization Effects in Hypothesis Testing with Autocorrelated Noise," ECOM-5585, February 1976.
22. Watkins, Wendell R., "Improvements in Long Path Absorption Cell Measurement," ECOM-5586, March 1976.
23. Thomas, Joe, George D. Alexander, and Marvin Dubbin, "SATTEL - An Army Dedicated Meteorological Telemetry System," ECOM-5587, March 1976.
24. Kennedy, Bruce W., and Delbert Bynum, "Army User Test Program for the RDT&E-XM-75 Meteorological Rocket," ECOM-5588, April 1976.
25. Barnett, Kenneth M., "A Description of the Artillery Meteorological Comparisons at White Sands Missile Range, October 1974 - December 1974 ('PASS' - Prototype Artillery [Meteorological] Subsystem)," ECOM-5589, April 1976.
26. Miller, Walter B., "Preliminary Analysis of Fall-of-Shot From Project 'PASS'," ECOM-5590, April 1976.
27. Avara, Elton P., "Error Analysis of Minimum Information and Smith's Direct Methods for Inverting the Radiative Transfer Equation," ECOM-5591, April 1976.
28. Yee, Young P., James D. Horn, and George Alexander, "Synoptic Thermal Wind Calculations from Radiosonde Observations Over the Southwestern United States," ECOM-5592, May 1976.

29. Duncan, Louis D., and Mary Ann Seagraves, "Applications of Empirical Corrections to NOAA-4 VTPR Observations," ECOM-5593, May 1976.
30. Miers, Bruce T., and Steve Weaver, "Applications of Meteorological Satellite Data to Weather Sensitive Army Operations," ECOM-5594, May 1976.
31. Sharenow, Moses, "Redesign and Improvement of Balloon ML-566," ECOM-5595, June 1976.
32. Hansen, Frank V., "The Depth of the Surface Boundary Layer," ECOM-5596, June 1976.
33. Pinnick, R. G., and E. B. Stenmark, "Response Calculations for a Commerical Light-Scattering Aerosol Counter," ECOM-5597, July 1976.
34. Mason, J., and G. B. Hoidale, "Visibility as an Estimator of Infrared Transmittance," ECOM-5598, July 1976.
35. Bruce, Rufus E., Louis D. Duncan, and Joseph H. Pierluissi, "Experimental Study of the Relationship Between Radiosonde Temperatures and Radiometric-Area Temperatures," ECOM-5599, August 1976.
36. Duncan, Louis D., "Stratospheric Wind Shear Computed from Satellite Thermal Sounder Measurements," ECOM-5800, September 1976.
37. Taylor, F., P. Mohan, P. Joseph, and T. Pries, "An All Digital Automated Wind Measurement System," ECOM-5801, September 1976.
38. Bruce, Charles, "Development of Spectrophones for CW and Pulsed Radiation Sources," ECOM-5802, September 1976.
39. Duncan, Louis D., and Mary Ann Seagraves, "Another Method for Estimating Clear Column Radiances," ECOM-5803, October 1976.
40. Blanco, Abel J., and Larry E. Taylor, "Artillery Meteorological Analysis of Project Pass," ECOM-5804, October 1976.
41. Miller, Walter, and Bernard Engebos, "A Mathematical Structure for Refinement of Sound Ranging Estimates," ECOM-5805, November 1976.
42. Gillespie, James B., and James D. Lindberg, "A Method to Obtain Diffuse Reflectance Measurements from 1.0 and 3.0 μ m Using a Cary 17I Spectrophotometer," ECOM-5806, November 1976.
43. Rubio, Roberto, and Robert O. Olsen, "A Study of the Effects of Temperature Variations on Radio Wave Absorption," ECOM-5807, November 1976.

44. Ballard, Harold N., "Temperature Measurements in the Stratosphere from Balloon-Borne Instrument Platforms, 1968-1975," ECOM-5808, December 1976.
45. Monahan, H. H., "An Approach to the Short-Range Prediction of Early Morning Radiation Fog," ECOM-5809, January 1977.
46. Engebos, Bernard Francis, "Introduction to Multiple State Multiple Action Decision Theory and Its Relation to Mixing Structures," ECOM-5810, January 1977.
47. Low, Richard D. H., "Effects of Cloud Particles on Remote Sensing from Space in the 10-Micrometer Infrared Region," ECOM-5811, January 1977.
48. Bonner, Robert S., and R. Newton, "Application of the AN/GVS-5 Laser Rangefinder to Cloud Base Height Measurements," ECOM-5812, February 1977.
49. Rubio, Roberto, "Lidar Detection of Subvisible Reentry Vehicle Erosive Atmospheric Material," ECOM-5813, March 1977.
50. Low, Richard D. H., and J. D. Horn, "Mesoscale Determination of Cloud-Top Height: Problems and Solutions," ECOM-5814, March 1977.
51. Duncan, Louis D., and Mary Ann Seagraves, "Evaluation of the NOAA-4 VTPR Thermal Winds for Nuclear Fallout Predictions," ECOM-5815, March 1977.
52. Randhawa, Jagir S., M. Izquierdo, Carlos McDonald, and Zvi Salpeter, "Stratospheric Ozone Density as Measured by a Chemiluminescent Sensor During the Stratcom VI-A Flight," ECOM-5816, April 1977.
53. Rubio, Roberto, and Mike Izquierdo, "Measurements of Net Atmospheric Irradiance in the 0.7- to 2.8-Micrometer Infrared Region," ECOM-5817, May 1977.
54. Ballard, Harold N., Jose M. Serna, and Frank P. Hudson, Consultant for Chemical Kinetics, "Calculation of Selected Atmospheric Composition Parameters for the Mid-Latitude, September Stratosphere," ECOM-5818, May 1977.
55. Mitchell, J. D., R. S. Sagar, and R. O. Olsen, "Positive Ions in the Middle Atmosphere During Sunrise Conditions," ECOM-5819, May 1977.
56. White, Kenneth O., Wendell R. Watkins, Stuart A. Schleusener, and Ronald L. Johnson, "Solid-State Laser Wavelength Identification Using a Reference Absorber," ECOM-5820, June 1977.
57. Watkins, Wendell R., and Richard G. Dixon, "Automation of Long-Path Absorption Cell Measurements," ECOM-5821, June 1977.

58. Taylor, S. E., J. M. Davis, and J. B. Mason, "Analysis of Observed Soil Skin Moisture Effects on Reflectance," ECOM-5822, June 1977.
59. Duncan, Louis D., and Mary Ann Seagraves, "Fallout Predictions Computed from Satellite Derived Winds," ECOM-5823, June 1977.
60. Snider, D. E., D. G. Murcray, F. H. Murcray, and W. J. Williams, "Investigation of High-Altitude Enhanced Infrared Background Emissions," (U), SECRET, ECOM-5824, June 1977.
61. Dubbin, Marvin H., and Dennis Hall, "Synchronous Meteorological Satellite Direct Readout Ground System Digital Video Electronics," ECOM-5825, June 1977.
62. Miller, W., and B. Engebos, "A Preliminary Analysis of Two Sound Ranging Algorithms," ECOM-5826, July 1977.
63. Kennedy, Bruce W., and James K. Luers, "Ballistic Sphere Techniques for Measuring Atmospheric Parameters," ECOM-5827, July 1977.
64. Duncan, Louis D., "Zenith Angle Variation of Satellite Thermal Sounder Measurements," ECOM-5828, August 1977.
65. Hansen, Frank V., "The Critical Richardson Number," ECOM-5829, September 1977.
66. Ballard, Harold N., and Frank P. Hudson (Compilers), "Stratospheric Composition Balloon-Borne Experiment," ECOM-5830, October 1977.
67. Barr, William C., and Arnold C. Peterson, "Wind Measuring Accuracy Test of Meteorological Systems," ECOM-5831, November 1977.
68. Ethridge, G. A., and F. V. Hansen, "Atmospheric Diffusion: Similarity Theory and Empirical Derivations for Use in Boundary Layer Diffusion Problems," ECOM-5832, November 1977.
69. Low, Richard D. H., "The Internal Cloud Radiation Field and a Technique for Determining Cloud Blackness," ECOM-5833, December 1977.
70. Watkins, Wendell R., Kenneth O. White, Charles W. Bruce, Donald L. Walters, and James D. Lindberg, "Measurements Required for Prediction of High Energy Laser Transmission," ECOM-5834, December 1977.
71. Rubio, Robert, "Investigation of Abrupt Decreases in Atmospherically Backscattered Laser Energy," ECOM-5835, December 1977.
72. Monahan, H. H., and R. M. Cionco, "An Interpretative Review of Existing Capabilities for Measuring and Forecasting Selected Weather Variables (Emphasizing Remote Means)," ASL-TR-0001, January 1978.

73. Heaps, Melvin G., "The 1979 Solar Eclipse and Validation of D-Region Models," ASL-TR-0002, March 1978.
74. Jennings, S. G., and J. B. Gillespie, "M.I.E. Theory Sensitivity Studies - The Effects of Aerosol Complex Refractive Index and Size Distribution Variations on Extinction and Absorption Coefficients, Part II: Analysis of the Computational Results," ASL-TR-0003, March 1978.
75. White, Kenneth O., et al, "Water Vapor Continuum Absorption in the 3.5 μ m to 4.0 μ m Region," ASL-TR-0004, March 1978.
76. Olsen, Robert O., and Bruce W. Kennedy, "ABRES Pretest Atmospheric Measurements," ASL-TR-0005, April 1978.
77. Ballard, Harold N., Jose M. Serna, and Frank P. Hudson, "Calculation of Atmospheric Composition in the High Latitude September Stratosphere," ASL-TR-0006, May 1978.
78. Watkins, Wendell R., et al, "Water Vapor Absorption Coefficients at HF Laser Wavelengths," ASL-TR-0007, May 1978.
79. Hansen, Frank V., "The Growth and Prediction of Nocturnal Inversions," ASL-TR-0008, May 1978.
80. Samuel, Christine, Charles Bruce, and Ralph Brewer, "Spectrophone Analysis of Gas Samples Obtained at Field Site," ASL-TR-0009, June 1978.
81. Pinnick, R. G., et al., "Vertical Structure in Atmospheric Fog and Haze and its Effects on IR Extinction," ASL-TR-0010, July 1978.
82. Low, Richard D. H., Louis D. Duncan, and Richard B. Gomez, "The Microphysical Basis of Fog Optical Characterization," ASL-TR-0011, August 1978.
83. Heaps, Melvin G., "The Effect of a Solar Protcn Event on the Minor Neutral Constituents of the Summer Polar Mesosphere," ASL-TR-0012, August 1978.
84. Mason, James B., "Light Attenuation in Falling Snow," ASL-TR-0013, August 1978.
85. Blanco, Abel J., "Long-Range Artillery Sound Ranging: 'PASS' Meteorological Application," ASL-TR-0014, September 1978.
86. Heaps, M. G., and F. E. Niles, "Modeling of Ion Chemistry of the D-Region: A Case Study Based Upon the 1966 Total Solar Eclipse," ASL-TR-0015, September 1978.

87. Jennings, S. G., and R. G. Pinnick, "Effects of Particulate Complex Refractive Index and Particle Size Distribution Variations on Atmospheric Extinction and Absorption for Visible Through Middle-Infrared Wavelengths," ASL-TR-0016, September 1978.
88. Watkins, Wendell R., Kenneth O. White, Lanny R. Bower, and Brian Z. Sojka, "Pressure Dependence of the Water Vapor Continuum Absorption in the 3.5- to 4.0-Micrometer Region," ASL-TR-0017, September 1978.
89. Miller, W. B., and B. F. Engebos, "Behavior of Four Sound Ranging Techniques in an Idealized Physical Environment," ASL-TR-0018, September 1978.
90. Gomez, Richard G., "Effectiveness Studies of the CBU-88/B Bomb, Cluster, Smoke Weapon," (U), CONFIDENTIAL ASL-TR-0019, September 1978.
91. Miller, August, Richard C. Shirkey, and Mary Ann Seagraves, "Calculation of Thermal Emission from Aerosols Using the Doubling Technique," ASL-TR-0020, November 1978.
92. Lindberg, James D., et al, "Measured Effects of Battlefield Dust and Smoke on Visible, Infrared, and Millimeter Wavelengths Propagation: A Preliminary Report on Dusty Infrared Test-I (DIRT-I)," ASL-TR-0021, January 1979.
93. Kennedy, Bruce W., Arthur Kinghorn, and B. R. Hixon, "Engineering Flight Tests of Range Meteorological Sounding System Radiosonde," ASL-TR-0022, February 1979.
94. Rubio, Roberto, and Don Hoock, "Microwave Effective Earth Radius Factor Variability at Wiesbaden and Balboa," ASL-TR-0023, February 1979.
95. Low, Richard D. H., "A Theoretical Investigation of Cloud/Fog Optical Properties and Their Spectral Correlations," ASL-TR-0024, February 1979.
96. Pinnick, R. G., and H. J. Auvermann, "Response Characteristics of Knollenberg Light-Scattering Aerosol Counters," ASL-TR-0025, February 1979.
97. Heaps, Melvin G., Robert O. Olsen, and Warren W. Berning, "Solar Eclipse 1979, Atmospheric Sciences Laboratory Program Overview," ASL-TR-0026, February 1979.
98. Blanco, Abel J., "Long-Range Artillery Sound Ranging: 'PASS' GR-8 Sound Ranging Data," ASL-TR-0027, March 1979.
99. Kennedy, Bruce W., and Jose M. Serna, "Meteorological Rocket Network System Reliability," ASL-TR-0028, March 1979.

100. Swingle, Donald M., "Effects of Arrival Time Errors in Weighted Range Equation Solutions for Linear Base Sound Ranging," ASL-TR-0029, April 1979.
101. Umstead, Robert K., Ricardo Pena, and Frank V. Hansen, "KWIK: An Algorithm for Calculating Munition Expenditures for Smoke Screening/Obscuration in Tactical Situations," ASL-TR-0030, April 1979.
102. D'Arcy, Edward M., "Accuracy Validation of the Modified Nike Hercules Radar," ASL-TR-0031, May 1979.
103. Rodriguez, Ruben, "Evaluation of the Passive Remote Crosswind Sensor," ASL-TR-0032, May 1979.
104. Barber, T. L., and R. Rodriguez, "Transit Time Lidar Measurement of Near-Surface Winds in the Atmosphere," ASL-TR-0033, May 1979.
105. Low, Richard D. H., Louis D. Duncan, and Y. Y. Roger R. Hsiao, "Micro-physical and Optical Properties of California Coastal Fogs at Fort Ord," ASL-TR-0034, June 1979.
106. Rodriguez, Ruben, and William J. Vechione, "Evaluation of the Saturation Resistant Crosswind Sensor," ASL-TR-0035, July 1979.
107. Ohmstede, William D., "The Dynamics of Material Layers," ASL-TR-0036, July 1979.
108. Pinnick, R. G., S. G. Jennings, Petr Chylek, and H. J. Auvermann, "Relationships between IR Extinction Absorption, and Liquid Water Content of Fogs," ASL-TR-0037, August 1979.
109. Rodriguez, Ruben, and William J. Vechione, "Performance Evaluation of the Optical Crosswind Profiler," ASL-TR-0038, August 1979.
110. Miers, Bruce T., "Precipitation Estimation Using Satellite Data," ASL-TR-0039, September 1979.
111. Dickson, David H., and Charles M. Sonnenschein, "Helicopter Remote Wind Sensor System Description," ASL-TR-0040, September 1979.
112. Heaps, Melvin G., and Joseph M. Heimerl, "Validation of the Dairchem Code, I: Quiet Midlatitude Conditions," ASL-TR-0041, September 1979.
113. Bonner, Robert S., and William J. Lentz, "The Visioceilometer: A Portable Cloud Height and Visibility Indicator," ASL-TR-0042, October 1979.
114. Cohn, Stephen L., "The Role of Atmospheric Sulfates in Battlefield Obscurations," ASL-TR-0043, October 1979.

115. Fawbush, E. J., et al, "Characterization of Atmospheric Conditions at the High Energy Laser System Test Facility (HELSTF), White Sands Missile Range, New Mexico, Part I, 24 March to 8 April 1977," ASL-TR-0044, November 1979.
116. Barber, Ted L., "Short-Time Mass Variation in Natural Atmospheric Dust," ASL-TR-0045, November 1979.
117. Low, Richard D. H., "Fog Evolution in the Visible and Infrared Spectral Regions and its Meaning in Optical Modeling," ASL-TR-0046, December 1979.
118. Duncan, Louis D., et al, "The Electro-Optical Systems Atmospheric Effects Library, Volume I: Technical Documentation," ASL-TR-0047, December 1979.
119. Shirkey, R. C., et al, "Interim E-O SAEL, Volume II, Users Manual," ASL-TR-0048, December 1979.
120. Kobayashi, H. K., "Atmospheric Effects on Millimeter Radio Waves," ASL-TR-0049, January 1980.
121. Seagraves, Mary Ann, and Louis D. Duncan, "An Analysis of Transmittances Measured Through Battlefield Dust Clouds," ASL-TR-0050, February 1980.
122. Dickson, David H., and Jon E. Ottesen, "Helicopter Remote Wind Sensor Flight Test," ASL-TR-0051, February 1980.
123. Pinnick, R. G., and S. G. Jennings, "Relationships Between Radiative Properties and Mass Content of Phosphoric Acid, HC, Petroleum Oil, and Sulfuric Acid Military Smokes," ASL-TR-0052, April 1980.
124. Hinds, B. D., and J. B. Gillespie, "Optical Characterization of Atmospheric Particulates on San Nicolas Island, California," ASL-TR-0053, April 1980.
125. Miers, Bruce T., "Precipitation Estimation for Military Hydrology," ASL-TR-0054, April 1980.
126. Stenmark, Ernest B., "Objective Quality Control of Artillery Computer Meteorological Messages," ASL-TR-0055, April 1980.
127. Duncan, Louis D., and Richard D. H. Low, "Bimodal Size Distribution Models for Fogs at Meppen, Germany," ASL-TR-0056, April 1980.
128. Olsen, Robert O., and Jagir S. Randhawa, "The Influence of Atmospheric Dynamics on Ozone and Temperature Structure," ASL-TR-0057, May 1980.

129. Kennedy, Bruce W., et al, "Dusty Infrared Test-II (DIRT-II) Program," ASL-TR-0058, May 1980.
130. Heaps, Melvin G., Robert O. Olsen, Warren Berning, John Cross, and Arthur Gilcrease, "1979 Solar Eclipse, Part I - Atmospheric Sciences Laboratory Field Program Summary," ASL-TR-0059, May 1980
131. Miller, Walter B., "User's Guide for Passive Target Acquisition Program Two (PTAP-2)," ASL-TR-0060, June 1980.
132. Holt, E. H., editor, "Atmospheric Data Requirements for Battlefield Obscuration Applications," ASL-TR-0061, June 1980.
133. Shirkey, Richard C., August Miller, George H. Goedecke, and Yugal Behl, "Single Scattering Code AGAUSX: Theory, Applications, Comparisons, and Listing," ASL-TR-0062, July 1980.
134. Sojka, Brian Z., and Kenneth O. White, "Evaluation of Specialized Photoacoustic Absorption Chambers for Near-Millimeter Wave (NMMW) Propagation Measurements," ASL-TR-0063, August 1980.
135. Bruce, Charles W., Young Paul Yee, and S. G. Jennings, "In Situ Measurement of the Ratio of Aerosol Absorption to Extinction Coefficient," ASL-TR-0064, August 1980.
136. Yee, Young Paul, Charles W. Bruce, and Ralph J. Brewer, "Gaseous/Particulate Absorption Studies at WSMR using Laser Sourced Spectrophones," ASL-TR-0065, June 1980.
137. Lindberg, James D., Radon B. Loveland, Melvin Heaps, James B. Gillespie, and Andrew F. Lewis, "Battlefield Dust and Atmospheric Characterization Measurements During West German Summertime Conditions in Support of Grafenwohr Tests," ASL-TR-0066, September 1980.
138. Vechione, W. J., "Evaluation of the Environmental Instruments, Incorporated Series 200 Dual Component Wind Set," ASL-TR-0067, September 1980.
139. Bruce, C. W., Y. P. Yee, B. D. Hinds, R. G. Pinnick, R. J. Brewer, and J. Minjares, "Initial Field Measurements of Atmospheric Absorption at $9\mu\text{m}$ to $11\mu\text{m}$ Wavelengths," ASL-TR-0068, October 1980.
140. Heaps, M. G., R. O. Olsen, K. D. Baker, D. A. Burt, L. C. Howlett, L. L. Jensen, E. F. Pound, and G. D. Allred, "1979 Solar Eclipse: Part II Initial Results for Ionization Sources, Electron Density, and Minor Neutral Constituents," ASL-TR-0069, October 1980.
141. Low, Richard D. H., "One-Dimensional Cloud Microphysical Models for Central Europe and their Optical Properties," ASL-TR-0070, October 1980.

142. Duncan, Louis D., James D. Lindberg, and Radon B. Loveland, "An Empirical Model of the Vertical Structure of German Fogs," ASL-TR-0071, November 1980.
143. Duncan, Louis D., "EOSAEL 80, Volume I, Technical Documentation," ASL-TR-0072, January 1981.
144. Shirkey, R. C., and S. G. O'Brien, "EOSAEL 80, Volume II, Users Manual," ASL-TR-0073, January 1981.
145. Bruce, C. W., "Characterization of Aerosol Nonlinear Effects on a High-Power CO₂ Laser Beam," ASL-TR-0074, February 1981.
146. Duncan, Louis D., and James D. Lindberg, "Air Mass Considerations in Fog Optical Modeling," ASL-TR-0075, February 1981.
147. Kunkel, Kenneth E., "Evaluation of a Tethered Kite Anemometer," ASL-TR-0076, February 1981.
148. Kunkel, K. E., et al, "Characterization of Atmospheric Conditions at the High Energy Laser System Test Facility (HELSTF) White Sands Missile Range, New Mexico, August 1977 to October 1978, Part II, Optical Turbulence, Wind, Water Vapor Pressure, Temperature," ASL-TR-0077, February 1981.
149. Miers, Bruce T., "Weather Scenarios for Central Germany," ASL-TR-0078, February 1981.
150. Cogan, James L., "Sensitivity Analysis of a Mesoscale Moisture Model," ASL-TR-0079, March 1981.
151. Brewer, R. J., C. W. Bruce, and J. L. Mater, "Optoacoustic Spectroscopy of C₂H₄ at the 9 μ m and 10 μ m C¹²O₂ Laser Wavelengths," ASL-TR-0080, March 1981.
152. Swingle, Donald M., "Reducible Errors in the Artillery Sound Ranging Solution, Part I: The Curvature Correction" (U), SECRET, ASL-TR-0081, April 1981.
153. Miller, Walter B., "The Existence and Implications of a Fundamental System of Linear Equations in Sound Ranging" (U), SECRET, ASL-TR-0082, April 1981.
154. Bruce, Dorothy, Charles W. Bruce, and Young Paul Yee, "Experimentally Determined Relationship Between Extinction and Liquid Water Content," ASL-TR-0083, April 1981.
155. Seagraves, Mary Ann, "Visible and Infrared Obscuration Effects of Ice Fog," ASL-TR-0084, May 1981.

156. Watkins, Wendell R., and Kenneth O. White, "Wedge Absorption Remote Sensor," ASL-TR-0085, May 1981.
157. Watkins, Wendell R., Kenneth O. White, and Laura J. Crow, "Turbulence Effects on Open Air Multipaths," ASL-TR-0086, May 1981.
158. Blanco, Abel J., "Extending Application of the Artillery Computer Meteorological Message," ASL-TR-0087, May 1981.
159. Heaps, M. G., D. W. Hooch, R. O. Olsen, B. F. Engebos, and R. Rubio, "High Frequency Position Location: An Assessment of Limitations and Potential Improvements," ASL-TR-0088, May 1981.
160. Watkins, Wendell R., and Kenneth O. White, "Laboratory Facility for Measurement of Hot Gaseous Plume Radiative Transfer," ASL-TR-0089, June 1981.
161. Heaps, M. G., "Dust Cloud Models: Sensitivity of Calculated Transmittances to Variations in Input Parameters," ASL-TR-0090, June 1981.
162. Seagraves, Mary Ann, "Some Optical Properties of Blowing Snow," ASL-TR-0091, June 1981.
163. Kobayashi, Herbert K., "Effect of Hail, Snow, and Melting Hydrometeors on Millimeter Radio Waves," ASL-TR-0092, July 1981.
164. Cogan, James L., "Techniques for the Computation of Wind, Ceiling, and Extinction Coefficient Using Currently Acquired RPV Data," ASL-TR-0093, July 1981.
165. Miller, Walter B., and Bernard F. Engebos, "On the Possibility of Improved Estimates for Effective Wind and Temperature," (U), SECRET, ASL-TR-0094, August 1981.
166. Heaps, Melvin G., "The Effect of Ionospheric Variability on the Accuracy of High Frequency Position Location," ASL-TR-0095, August 1981.
167. Sutherland, Robert A., Donald W. Hooch, and Richard B. Gomez, "An Objective Summary of US Army Electro-Optical Modeling and Field Testing in an Obscuring Environment," ASL-TR-0096, October 1981.
168. Pinnick, R. G., et al, "Backscatter and Extinction in Water Clouds," ASL-TR-0097, October 1981.
169. Cole, Henry P., and Melvin G. Heaps, "Properties of Dust as an Electron and Ion Attachment Site for Use in D Region Ion Chemistry," ASL-TR-0098, October 1981.

170. Spellicy, Robert L., Laura J. Crow, and Kenneth O. White, "Water Vapor Absorption Coefficients at HF Laser Wavelengths Part II: Development of the Measurement System and Measurements at Simulated Altitudes to 10 KM," ASL-TR-0099, November 1981.
171. Cohn, Stephen L., "Transport and Diffusion Solutions for Obscuration Using the XM-825 Smoke Munition," ASL-TR-0100, November 1981.
172. Pinnick, R. G., D. M. Garvey, and L. D. Duncan, "Calibration of Knollenberg FSSP Light-Scattering Counters for Measurement of Cloud Droplets," ASL-TR-0101, December 1981.
173. Cohn, Stephen L. and Ricardo Pena, "Munition Expenditure Model Verification: KWIK Phase I," ASL-TR-0102, December 1981.
174. Blackman, George R., "Cloud Geometry Analysis of the Smoke Week III Obscuration Trials," ASL-TR-0103, January 1982.
175. Sutherland, R. A., and D. W. Hooch, "An Improved Smoke Obscuration Model ACT II: Part 1 Theory," ASL-TR-0104, January 1982.
176. Lentz, W. J., "The Visioceilometer: A Portable Visibility and Cloud Ceiling Height Lidar," ASL-TR-0105, January 1982