

AD-A113 967

ARMY ELECTRONICS RESEARCH AND DEVELOPMENT COMMAND WS--ETC F/6 4/2
19304D MLRS, MISSILE NUMBERS V01-017, V01-020, BN-048, BN-037, --ETC(U)
FEB 82 D C KELLER
ERADCOM/ASL-OR-1222

UNCLASSIFIED

NL

1 of 1
AD-A
71 8827

END

DATE

FILED

5-82

DTIC

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

AD

DR 1222
Feb. 82

(12)

AD A113967

METEOROLOGICAL DATA REPORT

19304D MLRS

Missile Numbers V01-017, V01-020, BN-048,

BN-037, BN-035

Round Numbers V-225/MD-79, V-226/MD-80, V-227/MD-81

V-228/MD-82, V-229/MD-83.

19 Feb 1982

by

DONALD C. KELLER

Program Support Coordinator

Phone Number (505) 679-9568

ATMOSPHERIC SCIENCES LABORATORY
WHITE SANDS MISSILE RANGE, NEW MEXICO

.....
E COM

UNITED STATES ARMY ELECTRONICS COMMAND

DTIC
ELECTE
S D
APR 27 1982

E

DTIC FILE COPY

82 04 26 13 6

DISPOSITION INSTRUCTIONS

Destroy this report when it is no longer needed. Do not return to the originator.

DISCLAIMER

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER DR 1222	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) 19304 MLRS, Missile Numbers V01-017, V01-020, BN-048, BN-037, BN-035, Round Numbers V-225/MD-79, V-226/MD-80, V-227/MD-81, V-228/MD-82, V-229/MD-83		5. TYPE OF REPORT & PERIOD COVERED
7. AUTHOR(s) White Snads Meteorological Team		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS		8. CONTRACT OR GRANT NUMBER(s) DA TASK 1F665702D127-02
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Electronics Research & Development Cmd Atmospheric Sciences Laboratory White Sands Missile Range, New Mexico 88002		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) US Army Electronics Research & Development Cmd Adelphi, MD 20783		12. REPORT DATE Feb 82
		13. NUMBER OF PAGES 18
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) Approved for public release; distribution unlimited.		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Meteorological data gathered for the launching of the 19304 MLRS, Missile No. V01-017, V01-020, BN-048, BN-037, BN-035, Round Nos. V-225/MD-79 thru V-229/MD-83		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

CONTENTS

	PAGE
INTRODUCTION-----	1
DISCUSSION -----	1
GENERAL AREA MAP -----	2
LAUNCH AREA DIAGRAM -----	3
TABLES:	
1. Surface Observations taken at 1500 MST at LC 33 ----	4
2. Anemometer-Measured Wind Speed and Direction, LC-33 Fixed Pole, taken at 1505 MST -----	5
3. Anemometer-Measured Wind Speed and Direction, Tower Levels 1, 2, 3, and 4, taken at 1505 MST -----	5
4. Launch and Impact Pilot-Balloon Measured Wind Data -	6
5. Aiming Computer Met Messages -----	7
6. WSD Significant Level Data at 1200 MST -----	8
7. WSD Upper Air Data at 1200 MST -----	9
8. WSD Mandatory Levels at 1200 MST -----	10
9. WSD Significant Level Data at 1340 MST -----	11
10. WSD Upper Air Data at 1340 MST -----	12
11. WSD Mandatory Levels at 1340 MST -----	13



Accepted For	
By	
District	
Average	by Sales
	and/or
Date	
A	

INTRODUCTION

19304D MLRS, Missile Numbers V01-017, V01-020, BN-048, BN-037, and BN-035, Round Numbers V-225/MD-79 thru V-229/MD-83, were launched from LC-33, White Sands Missile Range (WSMR), New Mexico, at 1503:37, 1503:41 1510:00, 1510:05, and 1510:09 MST, 19 Feb 1982. The scheduled launch times were 1500:00, 1500:04.5, 1505:00 1505:04.5, and 1505:09 MST.

DISCUSSION

Meteorological data were recorded and reduced by the White Sands Meteorological Team, Atmospheric Sciences Laboratory (ASL), White Sands Missile Range, New Mexico. The data were obtained by the following methods:

1. Observations

a. Surface

(1) Standard surface observations to include pressure, temperature ($^{\circ}\text{C}$), relative humidity, dew point ($^{\circ}\text{C}$), density (gm/m^3), wind direction and speed, cloud cover were made at the LC-33 Met Site at T-0 minutes.

(2) Anemometer data were provided from existing pole-mounted and tower-mounted anemometers at LC-33. Monitor of wind speed and direction from one anemometer was also provided in the launch control room.

b. Upper Air

(1) Low level wind data were obtained from pilot-balloon observations at:

SITE AND ALTITUDE


LC-33	2 Km
NICK	2 Km

(2) Air structure data (rawinsonde) were collected at the following Met Sites.

SITE AND TIME

WSD	1200 MST
WSD	1340 MST

WSMR METEOROLOGICAL SITES






TABLE	1	
DATE	19 02	82
	DAY	MONTH YEAR
STATION LC-33 E + A		
X=	485,135.76	Y= 185,919.24 H= 3988.57

[illegible][illegible]

TIME:	1500	
DRY BULB TEMP.	18.2	
WET BULB TEMP.	10.2	
WET BULB DEPR.	8.0	
DEN POINT	3.6	
RELATIVE HUMID.	38	

TABLE 2 LC-33 FIXED POLE ANEMOMETER MEASURED WINDS

POLE #1 X485,874.29 Y185,958.90 H4018.74 38.7 ft. AGL			POLE #2 X485,874.93 Y186,012.00 H4033.57 53.0 ft. AGL			POLE #3 X485,877.29 Y186,116.06 H4063.92 83.6 ft. AGL		
T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS
T-30	022	09	T-30	035	13	T-30	003	10
T-20	028	09	T-20	031	16	T-20	011	10
T-10	025	10	T-10	027	16	T-10	007	11
T0.0	043	09	T0.0	039	15	T0.0	015	08
T+10	041	10	T+10	047	13	T+10	009	11

TABLE 3 LC-33 METEOROLOGICAL TOWER ANEMOMETER MEASURED WINDS (202 FT TOWER)

LEVEL #1, 12 FEET X484,982.64, Y185,057.73, H3983.00 (base)			LEVEL #2, 62 FEET X484,982.64, Y185,057.73, H3983.00 (base)		
T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS
T-30	001	08	T-30	014	13
T-20	005	11	T-20	017	12
T-10	009	10	T-10	017	13
T0.0	003	09	T0.0	010	11
T+10	004	08	T+10	011	14

LEVEL #3, 102 FEET X484,982.64, Y185,057.73, H3983.00 (base)			LEVEL #4, 202 FEET X484,982, Y185,057.73, H3983.00 (base)		
T-TIME SEC	DIR DEG	SPEED KTS	T-TIME SEC	DIR DEG	SPEED KTS
T-30	009	13	T-30	005	13
T-20	011	13	T-20	012	13
T-10	011	15	T-10	012	12
T0.0	010	15	T0.0	013	12
T+10	017	14	T+10	034	12

TABLE 4

T-TIME PILOT-BALLOON MEASURED WIND DATA

DATE 19 Feb 82

SITE: LC-33

TIME: 1500 MST

WSTM COORDINATES:

Y= 484,837.34

Y= 184,124.44

H= 3,975.57

SITE: NICK

TIME: 1510 MST

WSTM COORDINATES:

X= 470,734.56

Y= 255,744.64

H= 4,126.57

LAYER MIDPOINT METERS AGL	DIRECTION DEGREES	SPEED KNOTS
SURFACE	060	12
150	030	11
210	027	11
270	030	11
330	302	10
390	036	10
500	044	10
650	062	09
800	079	08
950	100	07
1150	127	09
1350	134	10
1550	142	11
1750	153	17
2000	158	19

LAYER MIDPOINT METERS AGL	DIRECTION DEGREES	SPEED KNOTS
SURFACE		CALM
150	360	05
210	001	06
270	002	06
330	003	05
390	009	05
500	022	05
650	036	03
800	068	01
950	143	03
1150	146	09
1350	155	12
1550	161	16
1750	159	17
2000	172	15

All data obtained from single-theodolite tracked pilot-balloon observations.

TABLE 5

AIMING COMPUTER MET MESSAGES

WSD 1200 MST	WSD 1340 MST
METCM1324064	MTCM1324064
191900122884	192070122882
00267010 29100884	00107004 29240882
01166018 28940874	01055011 29100872
02143010 28620848	02104007 28770846
03154013 28210808	03194009 28420807
04209010 27720760	04204010 27930759
05240021 27340715	05242010 27390714
06243027 27050631	06279021 27320671
07285021 27050631	07326020 27060630
08329024 26610592	08324027 26650591
09320027 26150555	09317021 26270555

STATION ALTITUDE 3989.00 FEET .SL
 19 FEB. 62 1200 HRS MST
 ASCENSION NO. 63

SIGNIFICANT LEVEL DATA
 0-500020000
 WHITE SANDS
 TABLE 6

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LONG DEG

PRESSURE MILLIBARS	GEOMETRIC ALTITUDE MSL FEET	TEMPERATURE		REL. HUM. PERCENT
		AIR DEGREES	DEWPOINT CENTIGRADE	
684.0	3089.0	16.6	3.0	40.0
875.0	4274.2	14.9	1.1	39.0
850.0	5076.2	12.4	.5	44.0
813.0	6127.1	9.1	-.5	51.0
789.6	7084.5	6.3	-1.1	59.0
716.0	9686.4	-1.4	-2.2	94.0
700.0	10230.4	-.2	-2.1	87.0
680.0	11043.6	-.4	-4.5	74.0
662.6	11725.3	-.6	-9.5	51.0
636.2	12790.0	-2.3	-18.3	28.0
610.4	13864.9	-5.0	-19.5	31.0
551.8	16436.3	-12.5	-23.0	41.0
543.6	16812.0	-12.9	-26.3	20.0
527.6	17559.9	-13.7	-34.0	16.0
500.0	18895.3	-16.6	-35.3	15.0

STATION ALTITUDE 3989.00 FEET SL
19 FEB. 52 1200 HRS MST
ASCENSION NO. 63

UPPER AIR DATA
050002000
WHITE SANDS
TABLE 7

GEODETIC COORDINATES
32.40043 LAT DEG
106.37033 LONG DEG

GEOMETRIC ALTITUDE MSL FEET	PRESSURE MILLIBARS	AIR TEMPERATURE DEGREES	TEMPERATURE DEWPOINT CENTIGRADE	HUMIDITY PERCENT	DENSITY GM/CUBIC METER	SPEED OF SOUND M/SEC	WIND DATA DIRECTION SPEED KNOTS	INDEX OF REFRACTION
3989.0	884.0	16.6	3.0	40.0	1059.4	664.2	10.0	1.000270
4000.0	883.7	16.5	2.9	40.0	1059.2	664.1	14.7	1.000270
4500.0	867.9	14.2	.9	40.4	1049.2	661.3	135.0	1.000264
5000.0	852.3	12.6	.6	43.5	1036.0	659.5	119.9	1.000260
5500.0	836.9	11.1	.1	46.8	1023.0	657.7	104.6	1.000257
6000.0	821.8	9.5	-.3	50.2	1010.1	655.9	91.0	1.000253
6500.0	806.8	8.0	-.7	54.1	997.0	654.1	90.7	1.000250
7000.0	792.1	6.5	-1.0	58.3	983.9	652.4	97.2	1.000247
7500.0	777.4	5.1	-1.0	64.6	970.7	650.7	103.7	1.000244
8000.0	762.9	3.6	-1.1	71.3	957.6	649.0	112.7	1.000241
8500.0	748.7	2.1	-1.3	78.0	944.8	647.3	121.0	1.000238
9000.0	734.7	.6	-1.6	84.8	932.3	645.5	128.0	1.000235
9500.0	721.0	-.8	-2.1	91.5	919.9	643.8	132.3	1.000232
10000.0	707.5	-.8	-2.2	90.3	902.3	643.9	134.0	1.000228
10500.0	694.2	-.3	-2.7	83.3	883.8	644.4	135.3	1.000222
11000.0	681.1	-.4	-4.3	74.7	867.8	644.2	130.4	1.000216
11500.0	668.3	-.5	-7.6	58.6	852.3	643.9	139.1	1.000207
12000.0	655.7	-1.0	-11.4	45.1	836.2	643.1	143.0	1.000200
12500.0	643.3	-1.8	-15.5	34.3	823.1	642.0	152.7	1.000193
13000.0	631.1	-2.8	-18.5	28.6	812.6	640.8	163.4	1.000188
13500.0	619.0	-4.1	-19.0	30.0	800.8	639.3	174.9	1.000185
14000.0	607.2	-5.4	-19.6	31.5	789.3	637.7	179.9	1.000183
14500.0	595.4	-6.9	-20.2	33.5	776.3	636.0	182.9	1.000180
15000.0	583.8	-8.3	-20.9	35.4	767.4	634.2	183.0	1.000177
15500.0	572.5	-9.8	-21.6	37.4	756.6	632.5	183.0	1.000174
16000.0	561.3	-11.2	-22.3	39.3	746.1	630.7	181.1	1.000172
16500.0	550.4	-12.6	-23.8	30.5	735.4	629.1	177.0	1.000169
17000.0	539.5	-13.1	-29.6	23.5	722.5	628.3	172.0	1.000164
17500.0	528.9	-13.6	-33.5	16.8	709.8	627.7	162.0	1.000160
18000.0	518.3	-14.7	-34.4	16.7	698.4	626.4		1.000157
18500.0	508.0	-15.7	-34.9	17.4	687.4	625.1		1.000155

STATION ALTITUDE 3989.00 FEET
 19 FEB. 52
 ASCENSION 140. 63

INDICATORY LEVELS
 0500000000
 WHITE SANDS

CLOUDS, COORDINATES
 32.40043 LAT DEG
 106.37033 LONG DEG

TABLE 8

PRESSURE EQUIPOTENTIAL		TEMPERATURE		REL. HUMID.	WIND DATA	
MILLIBARS	FEET	AIR	DEW POINT	PERCENT	DIRECTION	SPEED
		DEGREES	CENTIGRADE		(TN)	KNOTS
850.0	5072.	12.4	.5	44.	117.5	0.9
800.0	6726.	7.3	-0.8	50.	93.7	11.0
750.0	8454.	2.3	-1.3	77.	120.3	12.7
700.0	10270.	-0.2	-2.1	87.	135.2	23.8
650.0	12216.	-1.4	-13.2	40.	147.6	23.7
600.0	14291.	-6.3	-20.0	35.	161.8	22.3
550.0	16497.	-12.6	-24.0	30.	177.8	25.2
500.0	18869.	-16.6	-35.3	18.		

STATION ALTITUDE 3989.00 FEET MSL
 10 FEB. 62 1340 HRS MST
 ASCENSION, 110. 64

SIGNIFICANT LEVEL DATA
 0500020004
 WHITE SANDS

TABLE 9

PRESSURE GEOMETRIC ALTITUDE MILLIBARS MSL FEET	TEMPERATURE AIR DEWPOINT DEGREES CENTIGRADE	REL. HUM. PERCENT
881.6 3989.0	18.5 2.4	34.0
856.0 5014.3	13.9 .5	40.0
786.4 7147.6	8.5 -1.0	51.0
700.0 10253.3	-1.7 -2.4	95.0
686.4 10766.5	-2.4 -5.7	78.0
673.6 11261.2	1.1 -10.1	43.0
642.2 12516.2	-1.9 -14.0	39.0
633.6 12868.3	-2.5 -14.5	39.0
565.6 15788.7	-10.0 -16.7	49.0
549.0 16542.7	-11.0 -25.1	30.0
500.0 18879.9	-16.4 -30.2	29.0

CELESTIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

STATION ALTITUDE 3989.00 FEET
 19 FEB. 82
 ASCENSION NO. 64

MAINTENANCE LEVELS
 0500020064
 WHITE SANDS

GEODETIC COORDINATES
 32.40043 LAT DEG
 106.37033 LON DEG

TABLE 11

PRESSURE GEOPOTENTIAL		TEMPERATURE		REL. HUMIDITY PERCENT	WIND DATA	
MILLIBARS	FEET	AIR DEGREES	DEWPOINT CENTIGRADE		DIRECTION DEGREES (TN)	SPEED KNOTS
850.0	5011.	13.0	.5	40.	09.8.	5.4
800.0	6675.	9.7	-0.6	49.	110.7	9.0
750.0	8419.	4.3	-0.8	69.	121.0	12.9
700.0	10243.	-1.7	-2.4	95.	142.3	17.2
650.0	12187.	-1.1	-13.0	40.	171.7	19.1
600.0	14263.	-6.1	-16.4	44.	186.3	24.3
550.0	16476.	-10.9	-24.6	31.	175.4	20.6
500.0	18853.	-16.4	-30.2	29.		

**DAT
FILM**