

AD-A116 848

NAVAL RESEARCH LAB WASHINGTON DC F/G 8/14
ELECTRON VELOCITY SHEAR INSTABILITY IN THE AURORAL IONOSPHERE.(U)
JUN 88 M J KESKINEN, J D HUBA
NRL-NR-8859

UNCLASSIFIED


NL

[REDACTED]
[REDACTED]
[REDACTED]



END
DATE
FILMED
DTIC

AD A116848



SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NRL Memorandum Report 4839	2. GOVT ACCESSION NO. AD-A116848	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) ELECTRON VELOCITY SHEAR INSTABILITY IN THE AURORAL IONOSPHERE		5. TYPE OF REPORT & PERIOD COVERED Interim report on a continuing NRL problem.
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) M. J. Keskinen and J. D. Huba		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Research Laboratory Washington, DC 20375		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 66153N; 62715H; RR0330244; S99QAXHC; 47-0883-02; 47-0889-02
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Defense Nuclear Agency Arlington, VA 22217 Washington, DC 20305		12. REPORT DATE June 25, 1982
		13. NUMBER OF PAGES 37
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES This research was partially sponsored by the Defense Nuclear Agency under Subtask S99QAXHC, work unit 00032, and work unit title "Plasma Structure Evolution," and partially by the Office of Naval Research.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Kinetic instability Vortex Velocity shear Auroral arc Resistivity		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) A linear electrostatic kinetic theory of velocity sheared electron streams flowing parallel to the geomagnetic field is presented. Our development, which includes the effects of density gradients, background ions and electron collisions, is valid for arbitrary T_e/T_i , where T_e and T_i are the electron and ion temperatures, respectively. For applications to the auroral ionosphere, we find that the interface between downward flowing hot electrons and upward flowing return current cold electrons, commonly seen near auroral arcs, is unstable to a high frequency electron velocity shear driven instability. The mode is characterized by $\gamma < 10^{-2} \omega_{pe}$ and $r_{Li} > k^{-1} > r_{Le}$, where γ is the growth rate, ω_{pe} is the electron (Continues)		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

Final Report

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

20. ABSTRACT (Continued)

plasma frequency, k is the wavenumber, and $r_{L\alpha}$ is the mean Larmor radius of species α . In the non-linear regime, it is anticipated that this instability can evolve into a vortex configuration and as a result, can act as a block near the edges of the electron flow.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

CONTENTS

I. INTRODUCTION	1
II. THEORY	2
A. Physical Mechanism of the Instability	2
B. Dispersion Equation	4
C. Analytical Analysis	8
1. Cold electron ($T_e \ll T_i$)	8
a. Collisionless plasma ($\nu_e = 0$)	9
b. Collisional plasma ($\nu_e \neq 0$)	10
2. Hot electrons ($T_e \gg T_i$)	11
D. Numerical Results	13
III. SUMMARY AND DISCUSSION	19
ACKNOWLEDGMENTS	22
REFERENCES	23

Approved for		✓
Date		
By		
Distribution/		
Availability Codes		
Dist		
Special		

A



ELECTRON VELOCITY SHEAR INSTABILITY IN THE AURORAL IONOSPHERE

I. Introduction

Electron streams flowing in magnetic fields are a common occurrence in terrestrial and astrophysical plasmas, e.g., the earth's ionosphere and magnetosphere [Arnoldy, 1974; Anderson and Vondrak, 1975], and solar flares [Sturrock, 1974]. These streams have been observed flowing parallel or perpendicular to the magnetic field with the flow often spatially varying perpendicular to the magnetic field. It is well known that this flow configuration is unstable [Chandrasekhar, 1957] and subject to a Kelvin-Helmholtz-like velocity shear instability. For the ionosphere-magnetospheric plasma, Webster [1957] suggested the possible connection between small scale structures in auroral arcs and instabilities arising from electron $\mathbf{E} \times \mathbf{B}$ flows perpendicular to the magnetic field. However, there is considerable evidence [Arnoldy 1981, and references therein] that strong inhomogeneous electron flows parallel to the geomagnetic field also exist near auroral arcs. To our knowledge, the instabilities of transverse sheared electron streams flowing parallel to the magnetic field has not been fully discussed in a space plasma physics context.

In the following we present a linear kinetic theory of transverse velocity sheared electron flows parallel to the magnetic field (Harrison, 1963; Harrison and Stringer, 1963; Mikhailovskii and Rukhadze, 1966; Rome and Briggs, 1972). Our treatment, which includes density gradients, arbitrary T_e/T_i , background ions and electron collisions, is applicable to the low β (particle pressure/magnetic pressure) weakly ionized auroral ionospheric plasma. We show that the interface between downward flowing hot electrons and upward flowing return current cold electrons is unstable to a high frequency electron velocity shear driven instability. In Section II we derive a general

kinetic theory and present our principal results. In Section III we summarize our findings and discuss the nonlinear implications of this instability.

II. Theory

A. Physical Mechanism of the Instability

We first present a simple physical picture of the instability driven by a transversely sheared electron flow along a magnetic field (Rome and Briggs, 1972). The magnetic field $\underline{B} = B \hat{e}_z$ is taken to be constant in space and time. The ions are assumed to form an immobile, homogeneous background, while the electrons are assumed to have an inhomogeneous flow velocity $\underline{V}_{oe} = V_{oe}(x) \hat{e}_z$ such that $V_{oe}(x) = (x-x_0) \partial V_{oe} / \partial x$ with $\partial V_{oe} / \partial x < 0$. We impose upon this configuration a two-dimensional, perturbed electric field $\delta \underline{E} = \delta E_y \hat{e}_y + \delta E_z \hat{e}_z$ as shown in Fig. (1). The perturbation force in the z-direction acting on an electron fluid element at $x = x_0$, can be written

$$\delta F_{ez} = \delta F_{ez}^a + \delta F_{ez}^d$$

where

$$\delta F_{ez}^a = -e \delta E_z$$

$$\delta F_{ez}^d = -m_e \delta v_{ex} (\partial V_{oe} / \partial x)$$

and $\delta v_{ex} = -c \delta E_y / B$ is the perturbed $\delta \underline{E} \times \underline{B}$ drift due to δE_y . Here, δF_{ez}^a is the "acceleration" force due to δE_z which acts to neutralize the charge imbalance, while δF_{ez}^d is the "deceleration" force due to the convection term $(\delta \underline{V} \cdot \nabla) \underline{V}$ and opposes δF_{ez}^a when $\partial V_{oe} / \partial x < 0$. Thus, when $\delta F_{ez}^d > \delta F_{ez}^a$, the force imbalance on an electron fluid element leads to an enhancement of charge separation, and hence, instability. For electrostatic fluctuations,




Fig. 1 — Schematic drawing illustrating basic physical mechanism of electron velocity shear instability. The xz -plane lies in the plane of the paper with the y -axis directed out of the paper. The positive (+) signs represent excess positive charge while the negative (-) signs indicate negative charge.

$\delta E_z = -i k_z \delta \phi$ and $\delta E_y = -i k_y \delta \phi$, where $\delta \phi$ is the electrostatic potential; this gives the following instability criterion $|(1/\Omega_e) \partial V_{eo} / \partial x| > |k_z / k_y|$. We prove this criterion rigorously in the next sections.

B. Dispersion Equation

We consider a plasma configuration as shown in Figure 2. Note that the ions are assumed to have no flow in the z -direction and that the temperature is taken to be constant. We consider only electrostatic oscillations and assume perturbed quantities vary as $\exp[i(k_y y + k_z z - \omega t)]$ with $k_z^2 / k_y^2 \ll 1$. We assume a weakly inhomogeneous plasma ($r_{Li}^2 \ll L^2$ where r_{Li} is the mean ion Larmor radius and L is the scale length of the density and velocity gradients) and make use of the local approximation ($k_y^2 \gg \partial^2 / \partial x^2 \gg 1/L^2$). We assume that $\Omega_i^2 \ll \omega^2 \ll \Omega_e^2$ so that the ions can be considered unmagnetized and the electrons magnetized. Finally, we include electron collisions in the analysis, i.e., electron-ion collisions.

The unperturbed electron distribution function is given by

$$F_{oe}(v_{\perp}^2, v_{\parallel}, X) = n_{oe}(X) (\pi v_e^2)^{-3/2} \exp[-(v_{\perp}^2 + (v_{\parallel} - v_{oe}(X))^2) / v_e^2] \quad (1)$$

where $v_{\perp}^2 = v_x^2 + v_y^2$, $v_{\parallel} = v_z$ and $X = x - v_y / \Omega_e$ are constants of motion. Here, $v_e = (2T_e / m_e)^{1/2}$ and $\Omega_e = eB_0 / m_e c$ are the electron thermal velocity and cyclotron frequency, respectively. We expand (1) about $x = 0$ and obtain

$$F_{oe}(v_{\perp}^2, v_{\parallel}, X) \approx F_{oe}^m(v_{\perp}^2, v_{\parallel}) - \frac{v_y}{\Omega_e} \frac{\partial F_{oe}}{\partial x} \Big|_{x=0} \quad (2)$$




Fig. 2 — Basic cartesian geometry used to discuss electron velocity shear instability. The $\mathbf{k}$ -vector shown lies in the yz -plane. The electron velocity, magnetic field, and z -axis are collinear.

where

$$F_{oe}^m(v_{\perp}^2, v_{\parallel}) = n_{oe} (\pi v_e^2)^{-3/2} \exp[-(v_{\perp}^2 + (v_{\parallel} - v_{oe})^2)/v_e^2] \Big|_{x=0} \quad (3)$$

and

$$\frac{\partial F_{oe}}{\partial x} \Big|_{x=0} = F_{oe}^m \left[\frac{\partial \ln n_{oe}}{\partial x} + \frac{2(v_{\parallel} - v_{oe})v_{oe}}{v_e^2} \frac{\partial \ln v_{oe}}{\partial x} \right]_{x=0} \quad (4)$$

The equilibrium electron drifts associated with (2) are $v_{ox}^e = 0$,

$v_{oy}^e = - (v_e^2 / \partial \Omega_e) \partial \ln n_{oe} / \partial x$ and $v_{oz}^e = v_{oe}$ where $\tilde{v}_o^e = \int d^3v \, \tilde{v} F_{oe}$.

The electron equilibrium pressure tensor is defined as

$\underline{p}_{oe} = \int d^3v (\tilde{v} - \tilde{v}_o^e)(\tilde{v} - \tilde{v}_o^e) F_{oe}$ and is given by

$$\underline{p}_{oe} = n_{oe} T_e \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & A_e \\ 0 & A_e & 1 \end{pmatrix} \quad (5)$$

where $A_e = - (1/\Omega_e) \partial v_{oe} / \partial x$. It is the anisotropy in the pressure tensor that provides the free energy to drive the instability.

The unperturbed ion distribution function is assumed to be

$$F_{oi} = n_{oi} (\pi v_i^2)^{-3/2} \exp[-(v_x^2 + (v_y - v_{di})^2 + v_z^2)/v_i^2] \quad (6)$$

where $v_i = (2T_i/m_i)^{1/2}$ is the ion thermal velocity, $v_{di} = (v_i^2/2\Omega_i) \partial \ln n_{oi} / \partial x$ is the ion diamagnetic drift velocity and $\Omega_i = eB_0/m_i c$ is the ion cyclotron frequency.

The electrostatic dispersion equation is obtained from Poisson's equation

$$\nabla^2 \delta \phi = 4\pi(\delta n_e - \delta n_i) \quad (7)$$

where $\delta\phi$ is the perturbed potential, δn_α is the perturbed density of species α , i.e., $\delta n_\alpha = \int d^3v \delta f_\alpha$, and δf_α is the perturbed distribution function of species α . We define $\chi_\alpha \delta\phi = - (4\pi e_\alpha / k^2) \delta n_\alpha$ so that the dispersion equation is

$$D(\omega, k) = 1 + \chi_i + \chi_e = 0 \quad (8)$$

We obtain χ_e by making use of the BGK or Krook model to describe the effects of electron collisions (Kadomtsev, 1965). That is, we consider

$$\left(\frac{\partial}{\partial t} + \mathbf{v} \cdot \frac{\partial}{\partial \mathbf{x}} - \frac{e}{m_e} \frac{1}{c} \mathbf{v} \times \mathbf{B} \cdot \frac{\partial}{\partial \mathbf{v}} \right) \delta f_e = - \frac{e}{m_e} i k \cdot \frac{\partial F_{oe}}{\partial \mathbf{v}} \delta\phi - \nu_e \left(\delta f_e - \frac{\delta n_e}{n_o} F_{oe} \right). \quad (9)$$

where ν_e represents the electron collision frequency. Following standard techniques, i.e., the method of characteristics, we determine δf_e from Eqs. (2) and (9); then integrating over velocity space we finally obtain

$$\chi_e = - \frac{2\omega_{pe}^2}{k^2 v_e^2} \left[1 + \left(\zeta_e - \frac{k_y}{k_z} \frac{v_{de}}{v_e} \right) Z(\zeta_e) - \frac{1}{2} \frac{k_y}{k_z} \frac{1}{\Omega_e} \frac{dv_{oe}}{dx} Z'(\zeta_e) \right] \Gamma_o(b_e) \times \left[1 + \frac{i\nu_e}{k_z v_e} Z(\zeta_e) \Gamma_o(b_e) \right]^{-1} \quad (10)$$

where $\zeta_e = (\omega + i\nu_e - k_z v_{oe}) / k_z v_e$, $\omega_{pe}^2 = 4\pi n e^2 / m_e$, $\Gamma_o(b_e) = \exp(-b_e) I_0(b_e)$, $b_e = k^2 r_{Le}^2 / 2$, $r_{Le} = v_e / \Omega_e$, I_0 is the modified Bessel function of order 0, $v_{de} = - (v_e^2 / 2\Omega_e) \partial \ln n / \partial x$, Z is the plasma dispersion function and $Z'(\zeta) = dZ/d\zeta$. The ion response χ_i is simply given by

$$\chi_i = \frac{2\omega_{pi}^2}{k^2 v_i^2} [1 + \zeta_i Z(\zeta_i)] \quad (11)$$

where $\omega_{pi}^2 = 4\pi n e^2 / m_i$, $\zeta_i = (\omega - k_y V_{di}) / k v_i$ and $V_{di} = (v_i^2 / 2\Omega_i) \partial \ln n / \partial x$. Thus, Eqs. (8), (10) and (11) describe electrostatic waves in the presence of a sheared parallel electron velocity for the frequency regime $\Omega_i^2 \ll \omega^2 \ll \Omega_e^2$.

C. Analytical Analysis

In order to gain insight into the nature of the electron velocity shear instability, we analytically solve Eq. (8) in two limiting cases: "cold" electrons ($T_e \ll T_i$) and "hot" electron ($T_e \gg T_i$). For simplicity, we expand about $x = x_0$ and consider electron velocity profile such that

$$V_{oe} = (x - x_0) (\partial V_{oe} / \partial x)_{x=x_0} \quad \text{so that } V_{oe}(x=x_0) = 0.$$

1. Cold electrons ($T_e \ll T_i$)

In this limit, the contribution from the ions can be ignored since $\zeta_i \ll 1$ and the dispersion equation can be written

$$D(\omega, k) = 1 + \chi_e = 0 \quad (12)$$

In order to simplify Eq. (10) we make the following assumptions:

$(\omega + i \nu_e) / k_z v_e \ll 1$ and $k_y^2 r_{Le}^2 \ll 1$. For these conditions we note that $Z(\zeta_e) \approx -1/\zeta_e - 1/2\zeta_e^2$, $Z'(\zeta_e) = 1/\zeta_e^2$ and $\Gamma_0(b_e) \approx i - k_y^2 r_{Le}^2 / 2$. We find that

$$\chi_e = \left[\frac{\omega_{pe}^2}{\Omega_e^2} - \frac{\omega_{pe}^2}{(\omega + i \nu_e)^2} \frac{k_z}{k_y} \left(\frac{k_z}{k_y} + \frac{1}{\Omega_e} \frac{dV_{oe}}{dx} \right) - \frac{\omega_{pe}}{\omega + i \nu_e} \frac{\omega_{pe}}{\Omega_e} \frac{1}{k} \frac{\partial \ln n}{\partial x} \right] \left(1 - \frac{i \nu_e}{\omega + i \nu_e} \right)^{-1} \quad (13)$$

Making use of Eqs. (12) and (13) we arrive at the following equation

$$D(\omega, k) = (1 + \sigma^2) \tilde{\omega}^2 - (i \tilde{v}_e - \sigma/k_y L_n) \tilde{\omega} - \Lambda = 0 \quad (14)$$

where $\tilde{\omega} = (\omega + i\nu_e)/\omega_{pe}$, $\tilde{v}_e = \nu_e/\omega_{pe}$, $\sigma = \omega_{pe}/\Omega_e$, $L_n = (\partial \ln n / \partial x)^{-1}$, $\Lambda = (k_z/k_y)(k_z/k_y + v_{oe}/\Omega_e)$, and $v_{oe} = \partial V_{oe} / \partial x$. The solution of Eq. (14) is

$$\tilde{\omega} = \frac{1}{2} [(i \tilde{v}_e - \sigma/k_y L_n) \pm \{(i \tilde{v}_e - \sigma/k_y L_n)^2 + 4\Lambda(1 + \sigma^2)\}^{1/2}] (1 + \sigma^2)^{-1} \quad (15)$$

We further simplify Eq. (15) by examining the following limits.

a. Collisionless plasma ($\nu_e = 0$)

In the collisionless limit ($\nu_e = 0$), Eq. (15) reduces to

$$\omega = \frac{1}{2} \left[-\frac{\sigma}{k_y L_n} \pm \left\{ -\frac{\sigma^2}{k_y^2 L_n^2} + 4\Lambda(1 + \sigma^2) \right\}^{1/2} \right] (1 + \sigma^2)^{-1} \quad (16)$$

Instability can occur when

$$\Lambda = \frac{k_z}{k_y} \left(\frac{k_z}{k_y} + \frac{1}{\Omega_e} \frac{\partial V_{oe}}{\partial x} \right) < -\frac{1}{4} \frac{\sigma^2}{1 + \sigma^2} \frac{1}{k_y^2 L_n^2} \quad (17)$$

In the limit $L_n \rightarrow \infty$, this instability criterion is identical with that derived from the simple physical picture presented in Sec. IIA. The important aspect of Eq. (17) is that the density gradient is a stabilizing influence (Mikhailovskii and Rukhadze, 1966). Moreover, the density gradient is most effective in stabilizing the instability when $\sigma^2 \gg 1$ (i.e., $\omega_{pe}^2 \gg \Omega_e^2$) and $k_y L_n \ll 1$. The latter condition indicates that the density gradient acts to stabilize long wavelength modes before short wavelength modes, so that a "long wavelength cut off" should exist in inhomogeneous plasmas. We also note that the instability attains maximum growth for

$$\frac{k_z}{k_y} = -2 \frac{1}{\Omega_e} \frac{\partial v_{oe}}{\partial x} \quad (18)$$

b. Collisional plasma ($v_e \neq 0$)

We consider a collisional plasma ($v_e \neq 0$), but neglect the density gradient for simplicity ($L_n \rightarrow 0$). In this limit, Eq. (15) becomes

$$\tilde{\omega} = i \frac{\tilde{v}_e}{2} (1 + \sigma^2)^{-1} [1 \pm (1 - \frac{4\Lambda(1+\sigma^2)}{\tilde{v}_e^2})^{1/2}] \quad (19)$$

A necessary condition for instability is

$$\Lambda = \frac{k_z}{k_y} \left(\frac{k_z}{k_y} + \frac{1}{\Omega_e} \frac{\partial v_{oe}}{\partial x} \right) < 0 \quad (20)$$

which is the same condition as Eq (17) for $L_n \rightarrow \infty$. The growth rate is given by

$$\tilde{\gamma} = \left(\frac{|\Lambda|}{1+\sigma^2} \right)^{1/2} - \frac{\tilde{v}_e}{2} \frac{1+2\sigma^2}{1+\sigma^2} \quad \text{for } \tilde{v}_e^2 \ll 4\Lambda(1 + \sigma^2) \quad (21)$$

and

$$\tilde{\gamma} = \frac{|\Lambda|}{\tilde{v}_e} - \frac{\sigma^2}{1+\sigma^2} \tilde{v}_e \quad \text{for } \tilde{v}_e^2 \gg 4\Lambda(1 + \sigma^2) \quad (22)$$

Equation (21) is the weakly collisional limit and Eq. (22) is the strongly collisional limit. A key parameter in determining the strength of the instability in a collisional plasma is $\sigma = \omega_{pe}/\Omega_e$. In fact, for $\sigma^2 \gg 1$ it is found that collisions prevent the mode from becoming unstable. However, for $\sigma^2 \rightarrow 0$, instability persists, even for a large collision frequency.

2. Hot electrons ($T_e \gg T_i$)

In this limit the contribution from the ions cannot be ignored and the dispersion equation is

$$D(\omega, k) = 1 + \chi_i + \chi_e \quad (23)$$

Again, to simplify Eq. (23) and to focus on the role of the ions, we make the following simplifying assumptions: $v_e = 0$, $L_n \rightarrow \infty$, $\omega \gg k_z v_e$, $k_y^2 r_{Le}^2 \ll 1$ and $\omega \gg k_z v_i$. The susceptibilities χ_σ are now given by

$$\chi_e = \frac{\omega_{pe}^2}{\Omega_e^2} - \frac{\omega_{pe}^2}{\omega^2} \frac{k_z}{k_y} \left(\frac{k_z}{k_y} + \frac{1}{\Omega_e} \frac{\partial v_{oe}}{\partial x} \right) \quad (24)$$

and

$$\chi_i = - \frac{\omega_{pi}^2}{\omega^2} \quad (25)$$

so that the dispersion equation is

$$1 + \frac{\omega_{pe}^2}{\Omega_e^2} - \frac{\omega_{pe}^2}{\omega^2} \left(\frac{k_z^2}{k_y^2} + \frac{k_z}{k_y} \frac{1}{\Omega_e} \frac{\partial v_{oe}}{\partial x} + \frac{m_e}{m_i} \right) = 0 \quad (26)$$

or

$$(1 + \sigma^2) \tilde{\omega}^2 - \left(\Lambda + \frac{m_e}{m_i} \right) = 0 \quad (27)$$

Clearly, instability can occur when

$$\Lambda = \frac{k_z}{k_y} \left(\frac{k_z}{k_y} + \frac{1}{\Omega_e} \frac{\partial v_{oe}}{\partial x} \right) < - \frac{m_e}{m_i} \quad (28)$$

Increased stability is found when finite electron temperature is taken into account [Harrison, 1963]. The influence of the ions is to make the instability criterion more stringent than the cold electron case, i.e., $\Lambda < 0$. Physically, this is due to the fact that the ions are no longer immobile and are able to respond to the perturbation field δE_z (see Fig. 1). Also, Eq. (28) indicates that the instability is easier to excite in "heavy ion" plasmas.

However, we can show that an instability can be excited even when Eq. (28) is not satisfied, i.e., $\Lambda > -m_e/m_i$. In this case it is crucial that electron resonance terms be retained in Eq. (24), which have been neglected. We expand the electron Z function as $Z(\zeta_e) = -1/\zeta_e - 1/\zeta_e^2 + i\pi^{1/2} \exp(-\zeta_e^2)$ and $Z'(\zeta_e) = 1/\zeta_e^2 - i\pi^{1/2} 2\zeta_e \exp(-\zeta_e^2)$ so that dispersion equation becomes

$$D(\omega, k) = 1 + \alpha^2 - \frac{1}{\tilde{\omega}^2} \left(\Lambda + \frac{m_e}{m_i} \right) + i\pi^{1/2} \frac{2\omega_{pe}^2}{k_z^2 v_e^2} \zeta_e \exp(-\zeta_e^2) \Lambda = 0 \quad (30)$$

where $\zeta_e = \omega/k_z v_e$. We assume $\Lambda + m_e/m_i > 0$ so that

$$\omega_r = \omega_{lh} \left[1 + \frac{m_i}{m_e} \Lambda \right]^{1/2} \quad (31)$$

where $\omega_{lh} = \omega_{pi}/(1 + \alpha^2)^{1/2}$. Assuming $\gamma \ll \omega_r$, it is easily shown that

$$\gamma = -\pi^{1/2} \frac{\omega_{pe}^2}{k_z^2 v_e^2} \zeta_e \exp(-\zeta_e^2) \Lambda (1 + \alpha^2)^{-1} \omega_r \quad (32)$$

so that instability can occur when $\Lambda < 0$; the same instability criterion as in the cold electron case. An important aspect of this instability is that it has a real frequency associated with it (Eq. (31)), while the other instabilities discussed are purely growing (i.e., $\omega_r = 0$) in the absence of a

density gradient. We add that, as in the cold electron limit, both a density gradient and electron collisions have a stabilizing influence on this resonant electron velocity shear instability.

D. Numerical Results

To better illustrate the various limits presented in the previous subsection, we present a set of curves which solve Eq. (8) exactly for a broad range of parameters. The important parameters that are varied are T_e/T_i , $k_y r_{Le}$, r_{Le}/L_n , $V_o/\Omega_e L$, $(\partial V_{oe}/\partial x = V_o/L)$, v_e/Ω_e and ω_{pe}/Ω_e . We also consider an O^+ plasma for these cases, i.e., $m_i = 16 m_p$. For applications to the auroral ionosphere we use parameters typical of regions in and near discrete auroral arcs. The transverse velocity shear for electron flow parallel to the geomagnetic field can be approximated by $|\partial V_{oe}/\partial x| \approx |V_o/L|$ where L is a typical latitudinal arc width and $V_o = v_h - v_c$ is the difference in parallel streaming velocities between the hot downward flowing current carrying electrons (v_h) and the upward flowing cold return current electrons (v_c). Typical values for the latitudinal width of discrete arcs are in the range $L = 100 \text{ m} - 10 \text{ km}$ [Davis, 1978]. For v_c we take $j_{\parallel,c} \approx en_c v_c \approx 10^{-6} \text{ A/m}^2$ [Anderson and Vondrak, 1975 and references therein] with $n_c \approx 10^4 - 10^5 \text{ cm}^{-3}$ giving $v_c \approx 10^2 - 10^3 \text{ cm/sec}$. For v_h we consider the field-aligned downward flowing electrons with energies $E \approx 1 - 10 \text{ keV}$ [Arnoldy, 1981] giving $v_h \approx 10^9 \text{ cm/sec}$. As a result, an estimate for the transverse shear is $|\partial V_{oe}/\partial x| \approx |(v_h - v_c)/L| \approx 10^4 \text{ sec}^{-1}$ with $L = 1 \text{ km}$ giving for the parameter $|V_o/\Omega_e L| \approx 10^{-2}$ where $\Omega_e \approx 10^6 \text{ sec}^{-1}$.

In Fig. 3 we plot ω/ω_{pe} vs. T_e/T_i . The solid lines show the growth rate γ/ω_{pe} while the dashed lines show the real frequency ω_r/ω_{pe} . The parameters used are $k_y r_{Le} = 0.1$, $\omega_{pe}/\Omega_e = 0.5$, $v_e/\omega_{pe} = 0$,




Fig. 3 — Plot of ω/ω_{pe} vs. T_e/T_i for strong shear ($V_o/\Omega_e L = -0.02$) and weaker shear ($V_o/\Omega_e L = -0.01$). Note stabilization for $T_e/T_i \approx 1$ for weak shear case.

$r_{Le}/L_n = 1.0 \times 10^{-4}$ for $V_o/\Omega_e L = -0.01$ we choose $k_z/k_y = 0.005$, and for $V_o/\Omega_e L = -0.02$ we choose $k_z/k_y = 0.010$.

We first discuss the strong shear case, $V_o/\Omega_e L = -0.02$. We note that the instability criteria $\Lambda = (k_z/k_y) (k_z/k_y + V_o/\Omega_e L) < 0$ and $\Lambda = (k_z/k_y) (k_z/k_y + V_o/\Omega_e L) < -m_e/m_i$ are satisfied for the parameters chosen. As expected, a nonresonant instability occurs for the entire range of T_e/T_i considered. Note that the growth rate is slightly smaller for $T_e/T_i = 10^2$ than for $T_e/T_i = 10^{-2}$. This is due to the stabilizing influence of the nonresonant ion contribution (Eq. (25)). Also, there is a small real frequency associated with this mode, $\omega_r/\omega_{pe} \lesssim 2 \times 10^{-4}$, which is due to the density gradient.

The weak shear case, $V_o/\Omega_e L = -0.01$, is chosen such that $\Lambda = (k_z/k_y) (k_z/k_y + V_o/\Omega_e L) < 0$ but $\Lambda = (k_z/k_y) (k_z/k_y + V_o/\Omega_e L) > -m_e/m_i$. We anticipate a nonresonant instability in the "cold" electron regime ($T_e \ll T_i$) and a resonant instability in the "hot" electron regime ($T_e \gg T_i$). This is clearly illustrated in Fig. 3. In the limit $T_e \ll T_i$, a strong nonresonant instability occurs which asymptotes to a growth rate of $\gamma/\omega_{pe} = 4.6 \times 10^{-3}$ in the limit $T_e \rightarrow 0$. Also, there is a small real frequency associated with this mode due to the density gradient which, for the most part, has $\omega_r/\omega_{pe} < 1.0 \times 10^{-4}$ for $T_e < T_i$. As $T_e/T_i \rightarrow 1$, the ions become important and stabilize the mode because of ion Landau damping, i.e., $\omega \sim kv_i$. On the other hand, for $T_e \gg T_i$ the resonant instability described in Sec. II. B. 2 is shown. Associated with this mode is a large real frequency (Eq. (31)). The growth rate is comparable to, but smaller, than the nonresonant "cold" electron mode. Again, as $T_e/T_i \rightarrow 1$, the assumptions used to arrive at Eq. (32) break down and the mode is stabilized by ion Landau damping.

In Fig. 4 we plot γ_m/ω_{pe} vs. $k_y r_{Le}$ for $V_o/\Omega_e L = -0.01$, $\omega_{pe}/\Omega_e = 0.5$, $T_e/T_i = 10^{-3}$ and 10^3 , and $r_{Le}/L_n = 0$ and 1.0×10^{-4} . Here, γ_m denotes the growth rate maximized with respect to k_z/k_y ; typically, $k_z/k_y \lesssim 0.005$ for the curves shown. We first discuss the "cold" electron case ($T_e/T_i = 10^{-3}$). Instability extends over a very broad range in k_y space from $k_y r_{Le} \approx 10^{-3}$ to $k_y r_{Le} \approx 1$. The growth rate maximizes for $k_y r_{Le} \approx 0.1$. As $k_y r_{Le} \rightarrow 0$, the instability is stabilized because of ion Landau damping. The additional damping due to a density gradient is evident by contrasting the $r_{Le}/L_n = 0$ and $r_{Le}/L_n = 1.0 \times 10^{-4}$ curves in the long wavelength limit ($k_y r_{Le} \ll 1$). The mode is stabilized in the short wavelength limit ($k_y r_{Le} > 1$) because of finite electron Larmor radius effects.

The situation for the resonant instability in the "hot" electron regime ($T_e/T_i = 10^3$) is somewhat different. In this case the waves are much more localized in k_y space, with growth mostly occurring in the narrow region $k_y r_{Le} = 0.1 - 1.0$. The growth rate is sharply reduced as $k_y r_{Le}$ becomes small (i.e., $k_y r_{Le} < 0.1$) because the resonant electron contribution, proportional to $\exp(-\omega_r^2/k_z^2 v_e^2)$, becomes negligible in this limit. Again, for $k_y r_{Le} > 1$, the mode is stabilized because of finite electron Larmor radius effects.

In Fig. 5 we plot γ/ω_{pe} vs. v_e/ω_{pe} for $k_y r_{Le} = 0.1$, $k_z/k_y = 0.005$, $r_{Le}/L_n = 1.0 \times 10^{-4}$, $V_o/\Omega_e L = 0.01$, $T_e/T_i = 10^{-3}$ and 10^3 , and $\omega_{pe}/\Omega_e = 0.5$ and 2.0 . The important features of this figure are the following. First, electron collisions eventually stabilize the instability regardless of T_e/T_i . Second, electron collisions are much more effective at stabilizing the mode when ω_{pe}/Ω_e is large, which is consistent with the analytical analysis presented in Sec. II. B. 1. Finally, there appears to be a weak collisional instability for the "hot" electron case ($T_e/T_i = 10^3$) when $\omega_{pe}/\Omega_e > 1$.




Fig. 4 — Plot of γ_m/ω_{pe} vs. $k_y r_{Le}$ for $V_o/\Omega_e L = -0.01$, $\omega_{pe}/\Omega_e = 0.5$, $T_e/T_i = 10^{-3}$, 10^3 , and $r_{Le}/L_n = 0, 1 \times 10^{-4}$. Note narrowing of region of unstable waves for $T_e/T_i = 10^3$.




Fig. 5 — Graph of γ/ω_{pe} vs. ν_e/ω_{pe} for $k_y r_{Le} = 0.1$, $k_z/k_y = 0.005$, $r_{Le}/L_n = 10^{-4}$, $V_o/\Omega_e L = -0.01$, $T_e/T_i = 10^{-3}, 10^3$, $\omega_{pe}/\Omega_e = 0.5, 2$. Note reduction in growth rate for increasing collision frequency.

III. Summary and Discussion

We have presented a linear, electrostatic, kinetic theory of velocity sheared electron streams flowing parallel to a magnetic field. For simplicity we have treated the case where the electron velocity varies transverse to the direction of the flow. Since a Vlasov analysis has been used, finite Larmor radius effects and wave-particle resonances have been properly treated. These are important since (1) we find appreciable wave growth for $kr_{Le} \lesssim 1$, (2) electron-wave resonances can be a destabilizing influence, and (3) ion-wave resonances are a stabilizing influence. In addition, we have included an electron density gradient transverse to the flow direction, background ion response, and electron collisional effects. Moreover, through numerical solution of the fundamental dispersion relation, our theory is valid for arbitrary values of T_e/T_i . Our principal results can be summarized as follows:

1. For "cold" ($T_e \ll T_i$) velocity sheared electron streams, we find a nonresonant instability when

$$i \frac{k_z}{k_y} \left(\frac{k_z}{k_y} + \frac{1}{\Omega_e} \frac{\partial v_{oe}}{\partial x} \right) < 0 \quad (33)$$

We note that a density gradient is stabilizing and provides a long wavelength cutoff such that the unstable waves are preferentially excited locally ($k^2 L^2 > 1$).

2. For "hot" ($T_e \gg T_i$) velocity sheared electron streams, our results again indicate a nonresonant instability when

$$\frac{k_z}{k_y} \left(\frac{k_z}{k_y} + \frac{1}{\Omega_e} \frac{\partial V_{oe}}{\partial x} \right) < - \frac{m_e}{m_i} \quad (34)$$

As in the cold electron case, the density gradient exerts a stabilizing influence. However, we have also found a resonant (electron-wave) instability that has the same instability condition as the cold electron case (Eq. (33)).

3. For $T_e = T_i$, except for strong shears, (Eq. (34)), the modes are stabilized due to ion Landau damping. Ion Landau damping also stabilizes the long wavelength modes (i.e., $k_y r_{Le} \rightarrow 0$) for

$$T_e/T_i \neq 0.$$

4. Electron collisions exert a stabilizing influence independent of T_e/T_i . Collisions are more effective for stabilization when $\omega_{pe}/\Omega_e > 1$.

In the preceding theoretical development we have assumed that the unstable modes have high frequencies $\gamma > \Omega_i$ such that the background ions cannot execute a gyro oscillation on the instability time scale. Thus, the ions are assumed unmagnetized. For $\gamma \lesssim \Omega_i$, the ions must be considered magnetized and the previous analysis is invalid. In this case, other instabilities, e.g., cyclotron instabilities [Kindel and Kennel, 1972], are possible. We have shown a posteriori that the condition $\gamma > \Omega_i$ has been met for the parameter regimes studied.

Nonlinear numerical studies of velocity sheared ions flowing parallel to a magnetic field have recently been performed [Tajima and Leboeuf, 1980]. These simulations indicate classical vortex formation and the production of

anomalous viscosity resulting in a quasilinear flattening of the initially sheared velocity profile. We anticipate similar behavior for sheared electron streams and defer a detailed study of the nonlinear evolution of electron velocity shear instabilities in space plasmas to a later report.

For application of this theory to the auroral ionosphere, we consider the interface, usually seen near discrete arcs, between downward flowing high velocity hot electrons and upward streaming low velocity cold return current electrons. Many experimental studies of auroral arc structure and dynamics have been made, particularly rocket and satellite measurements. Kelley and Carlson [1977] have detected near the edge of an F-region auroral arc, electrostatic waves with spatial scale sizes less than the measured ambient velocity shear scale size. These results are not inconsistent with our findings of a local ($k^2 L^2 \gg 1$) electrostatic instability due to transverse sheared electron streams flowing parallel to the geomagnetic field. In addition, several other investigators [Whalen and McDiarmid, 1972; Bryant et al., 1973; Arnoldy et al., 1974] have found that high energy field-aligned electrons are generally localized near the edges of auroral arcs in regions separating different plasmas. These electrons have also been found to occur in bursts. Moreover, electron energy spectra near the edges of auroral arcs [Bryant et al., 1973 Bryant, 1981 Carlson and Kelley, 1977] often show structure, i.e., cold low energy electron are intermixed with hot high energy electrons and vice versa. These features, observed near the edges of auroral arcs, may be explained by the linear and nonlinear evolution of the parallel electron velocity shear instability. This can be seen by the following scenario. The parallel electron velocity shear instability can evolve, in the nonlinear regime, into vortices which can be described as a turbulent boundary layer near the edges of the electron flow. The vortices by their very

nature, will tend to mix and transport hot low density electrons with cold high density thermal electrons. These vortical structures will convert kinetic streaming energy into vortical rotational energy and thereby act as a block near the edges of the electron flow. This blockage can be described as a "resistivity" and lead to the formation of localized electric fields and subsequent acceleration. As the vortices grow and expand, the initial velocity profile will flatten in a quasilinear fashion due to anomalous viscosity effects [Tajima and Leboeuf, 1980; Miura and Sato, 1978]. As a results this "resistivity" will be sporadic and bursty in character as the velocity sheared profile alternately steepens and flattens. These hypotheses will be tested in detail in future work.

Since, for conditions typical of discrete F-region auroral arcs, i.e. $L = 1-10$ km, $k_z/k_y = 10^{-2}$, $v_{oe}/\Omega_e L = 10^{-2}$, we find unstable wavelengths ranging ranging from $\lambda = 1 - 100$ m, these irregularities could be observed using radar backscatter methods [Hanuise et al., 1981]. We note that since collisions are stabilizing, this electron velocity shear instability will be preferentially excited at high altitudes. In addition, throughout our theoretical treatment of this instability, we have ignored beam instabilities [Dungey and Strangeway 1976; Papadopoulos et al., 1974] and their interactions with velocity gradient driven modes. Finally, these results may be applicable to the more diffuse interface between region 1 and 2 current systems in the auroral ionosphere [Iijima and Potemra, 1976] and to electron current return current regions in solar flares [Knight and Sturrock, 1977].

Acknowledgments

We thank S.L. Ossakow, T. Potemra, and R.A. Greenwald for useful discussions. This work was supported by the Defense Nuclear Agency and the Office of Naval Research.

References

- Anderson, H.R. and R.R. Vondrak, Observations of Birkeland currents at auroral latitudes, Rev. Geophys. Space Phys., 13, 243, 1975.
- Arnoldy, R.L., Auroral particle precipitation and Birkeland currents, Rev. Geophys. Res., 12, 217, 1974.
- Arnoldy, R.L., P.E. Lewis, and P.O. Isaacson, Field-aligned auroral electron fluxes, J. Geophys. Res., 79, 4208, 1974.
- Arnoldy, R.L., Review of auroral particle precipitation, in Physics of Auroral Arc Formation, ed. S.-I. Akasofu and J.R. Kan, American Geophysical Union, Washington, D.C., 1981.
- Bryant, D.A., G.M. Courtier, and G. Bennett, Electron intensities over two auroral arcs, Planet. Space Sci., 21 165, 1973.
- Bryant, D.A., Rocket studies of particle structure associated with auroral arcs, in Physics of Auroral Arc Formation, ed/ S.-I. Akasofu and J.R. Kan, American Geophysical Union, Washington, D.C. 1981.
- Carlson, C.W. and M.C. Kelley, Observation and interpretation of particle and electric field measurements inside and adjacent to an active auroral arc, J. Geophys. Res. 82, 2349, 1977.
- Chandrasekhar, S., Hydrodynamic and Hydromagnetic Stability, Clarendon Press, Oxford, England, 1961.
- Davis, T.N., Observed characteristics of auroral forms, Space Sci. Rev., 12, 77, 1978.
- Dungey, J.W. and R.J. Strangeway, Instability of a thin field-aligned electron beam in a plasma, Planet. Space Sci., 24, 731, 1976.
- Hanuise, C. J.P. Villain, and M. Crochet, Spectral studies of F-region irregularities in auroral zone, Geophys. Res. Lett. 8, 1083, 1981.

- Harrison, E.R. Longitudinal electrostatic oscillations in velocity-gradient plasmas II. The slipping-stream model, Proc. Phys. Soc., 82, 689, 1963.
- Harrison, E.R. and T.E. Stringer, Longitudinal electrostatic oscillations in velocity-gradient plasmas II. The adjacent-stream method, Proc. Phys. Soc., 82, 700, 1963.
- Iijima, T. and T.A. Potemra, The amplitude distribution of field-aligned currents at northern high latitudes observed by Triad, J. Geophys. Res., 81, 2165, 1976.
- Kadomtsev, B.B., Plasma Turbulence (Academic Press, New York, 1965)
- Kaufmann, R.L. P.B. Dusenbery, B.J. Thomas, and R.L. Arnoldy, Auroral electron distribution function, J. Geophys. Res., 83, 586, 1978.
- Kelley, M.C. and C.W. Carlson, Observations of intense velocity shear and associated electrostatic waves near an auroral arc, J. Geophys. Res. 82 2343, 1977.
- Kindel, J.M. and C.F. Kennel, Topside current instabilities, J. Geophys. Res., 76, 3055, 1971.
- Knight, J.W. and P.A. Sturrock, Reverse current in solar flares, Ap. J., 218, 306, 1977.
- Mikhailovskii, A.B. and A.A. Rukhadze, Instabilities of electron waves in inhomogeneous plasma streams, Sov. Phys. Tech. Phys., 10, 1644, 1966.
- Miura, A. and T. Sato, Shear instability: auroral arc deformation and anomalous momentum transport, J. Geophys. Res., 83, 2109, 1978.
- Papadopoulos, K., M.L. Goldstein, and R.A. Smith, Stabilization of electron streams in type III solar radio bursts, Astrophys. J., 190, 175, 1974.
- Rome, J.R. and R.J. Briggs, Stability of sheared electron flow Phys. Fluids, 15, 796, 1972.
- Sturrock, P.A., Coronal Disturbances, ed. G. Newkirk, Dordrecht Reidel, 1974.

Tajima, T. and J.N. Leboeuf Kelvin-Helmholtz instability in supersonic and super-Alfvénic fluids, Physics. Fluids, 23, 884, 1980.

Webster, H.F., Structure in magnetically confined electron beams, J. Appl. Phys., 28, 1395, 1957.

Whalen, B.A. and J.B. McDiarmid, Observations of magnetic field-aligned auroral electron precipitation, J. Geophys. Res., 77, 191, 1972.

DISTRIBUTION LIST

DEPARTMENT OF DEFENSE

ASSISTANT SECRETARY OF DEFENSE
COMM, CMD, CONT 7 INTELL
WASHINGTON, D.C. 20301
O1CY ATTN J. BABCOCK
O1CY ATTN M. EPSTEIN

DIRECTOR
COMMAND CONTROL TECHNICAL CENTER
PENTAGON RM 3E 685
WASHINGTON, D.C. 20301
O1CY ATTN C-650
O1CY ATTN C-312 R. MASON

DIRECTOR
DEFENSE ADVANCED RSCH PROJ AGENCY
ARCHITECT BUILDING
1400 WILSON BLVD.
ARLINGTON, VA. 22209
O1CY ATTN NUCLEAR MONITORING RESEARCH
O1CY ATTN STRATEGIC TECH OFFICE

DEFENSE COMMUNICATION ENGINEER CENTER
1860 WIERLE AVENUE
RESTON, VA. 22090
O1CY ATTN CODE R820
O1CY ATTN CODE R410 JAMES W. MCLEAN
O1CY ATTN CODE R720 J. WORTHINGTON

DIRECTOR
DEFENSE COMMUNICATIONS AGENCY
WASHINGTON, D.C. 20305
(ADR CNWDI: ATTN CODE 240 FOR)
O1CY ATTN CODE 101B

DEFENSE TECHNICAL INFORMATION CENTER
CAMERON STATION
ALEXANDRIA, VA. 22314
(12 COPIES IF OPEN PUBLICATION,
OTHERWISE 2 COPIES)

DIRECTOR
DEFENSE NUCLEAR AGENCY
WASHINGTON, D.C. 20305
O1CY ATTN STVL
O4CY ATTN TITL
O1CY ATTN DDST
O3CY ATTN RAAE

COMMANDER
FIELD COMMAND
DEFENSE NUCLEAR AGENCY
KIRTLAND, AFB, NM 87115
O1CY ATTN FCPR

DIRECTOR
INTERSERVICE NUCLEAR WEAPONS SCHOOL
KIRTLAND AFB, NM 87115
O1CY ATTN DOCUMENT CONTROL

JOINT CHIEFS OF STAFF
WASHINGTON, D.C. 20301
O1CY ATTN J-3 WWMCCS EVALUATION OFFICE

DIRECTOR
JOINT STRAT TGT PLANNING STAFF
OFFUTT AFB
OMAHA, NB 68113
O1CY ATTN JLTW-2
O1CY ATTN JPST G. GOETZ

CHIEF
LIVERMORE DIVISION FLD COMMAND DNA
DEPARTMENT OF DEFENSE
LAWRENCE LIVERMORE LABORATORY
P.O. BOX 808
LIVERMORE, CA 94550
O1CY ATTN FCPRL

COMMANDANT
NATO SCHOOL (SHAPE)
APO NEW YORK 09172
O1CY ATTN U.S. DOCUMENTS OFFICER

UNDER SECY OF DEF FOR RSCH & ENGRG
DEPARTMENT OF DEFENSE
WASHINGTON, D.C. 20301
O1CY ATTN STRATEGIC & SPACE SYSTEMS (OS)

WWMCCS SYSTEM ENGINEERING ORG
WASHINGTON, D.C. 20305
O1CY ATTN R. CRAWFORD

COMMANDER/DIRECTOR
ATMOSPHERIC SCIENCES LABORATORY
U.S. ARMY ELECTRONICS COMMAND
WHITE SANDS MISSILE RANGE, NM 88002
O1CY ATTN DELAS-EO F. NILES

DIRECTOR
BMD ADVANCED TECH CTR
HUNTSVILLE OFFICE
P.O. BOX 1500
HUNTSVILLE, AL 35807
O1CY ATTN ATC-T MELVIN T. CAPPS
O1CY ATTN ATC-O W. DAVIES
O1CY ATTN ATC-R DON RUSS

PROGRAM MANAGER
BMD PROGRAM OFFICE
5001 EISENHOWER AVENUE
ALEXANDRIA, VA 22333
O1CY ATTN DACS-BMT J. SHEA

CHIEF C-E- SERVICES DIVISION
U.S. ARMY COMMUNICATIONS CMD
PENTAGON RM 1B269
WASHINGTON, D.C. 20310
O1CY ATTN C- E-SERVICES DIVISION

COMMANDER
FRADCOM TECHNICAL SUPPORT ACTIVITY
DEPARTMENT OF THE ARMY
FORT MONMOUTH, N.J. 07703
O1CY ATTN DRSEL-NL-RD H. BENNET
O1CY ATTN DRSEL-PL-ENV H. BOMKE
O1CY ATTN J.E. QUIGLEY

COMMANDER
HARRY DIAMOND LABORATORIES
DEPARTMENT OF THE ARMY
2800 POWDER MILL ROAD
ADELPHI, MD 20783
(CNWDI-INNER ENVELOPE: ATTN: DELHD-RBH)
O1CY ATTN DELHD-TI M. WEINER
O1CY ATTN DELHD-RB R. WILLIAMS
O1CY ATTN DELHD-NP F. WIMENITZ
O1CY ATTN DELHD-NP C. MOAZED

COMMANDER
U.S. ARMY COMM-ELEC ENGRG INSTAL AGY
FT. HUACHUCA, AZ 85613
O1CY ATTN CCC-EMEO GEORGE LANE

COMMANDER
U.S. ARMY FOREIGN SCIENCE & TECH CTR
220 7TH STREET, NE
CHARLOTTESVILLE, VA 22901
O1CY ATTN DRXST-SD
O1CY ATTN R. JONES

COMMANDER
U.S. ARMY MATERIAL DEV & READINESS CMD
5001 EISENHOWER AVENUE
ALEXANDRIA, VA 22333

O1CY ATTN DRCLDC J.A. BENDER
COMMANDER
U.S. ARMY NUCLEAR AND CHEMICAL AGENCY
7500 BACKLICK ROAD
BLDG 2073
SPRINGFIELD, VA 22150
O1CY ATTN LIBRARY

DIRECTOR
U.S. ARMY BALLISTIC RESEARCH LABORATORY
ABERDEEN PROVING GROUND, MD 21005
O1CY ATTN TECH LIBRARY EDWARD BAICY

COMMANDER
U.S. ARMY SATCOM AGENCY
FT. MONMOUTH, NJ 07703
O1CY ATTN DOCUMENT CONTROL

COMMANDER
U.S. ARMY MISSILE INTELLIGENCE AGENCY
REDSTONE ARSENAL, AL 35809
O1CY ATTN JIM GAMBLE

DIRECTOR
U.S. ARMY TRADOC SYSTEMS ANALYSIS ACTIVITY
WHITE SANDS MISSILE RANGE, NM 88002
O1CY ATTN ATAA-SA
O1CY ATTN TCC/F. PAYAN JR.
O1CY ATTN ATTA-TAC LTC J. HESSE

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
WASHINGTON, D.C. 20360
O1CY ATTN NAVALEX 034 T. HUGHES
O1CY ATTN PME 117
O1CY ATTN PME 117-T
O1CY ATTN CODE 5011

COMMANDING OFFICER
NAVAL INTELLIGENCE SUPPORT CTR
4301 SUITLAND ROAD, BLDG. 5
WASHINGTON, D.C. 20390
O1CY ATTN MR. DUBBIN STIC 12
O1CY ATTN NISC-50
O1CY ATTN CODE 5404 J. GALET

COMMANDER
NAVAL OCEAN SYSTEMS CENTER
SAN DIEGO, CA 92152
O3CY ATTN CODE 532 W. MOLER
O1CY ATTN CODE 0230 C. BAGGETT
O1CY ATTN CODE 81 R. EASTMAN

DIRECTOR
NAVAL RESEARCH LABORATORY
WASHINGTON, D.C. 20375
O1CY ATTN CODE 4700 S. L. Ossakow
26 CYS IF UNCLASS. 1 CY IF CLASS)
O1CY ATTN CODE 4701 JACK D. BROWN
O1CY ATTN CODE 4780 BRANCH HEAD (150
CYS IF UNCLASS. 1 CY IF CLASS)
O1CY ATTN CODE 7500
O1CY ATTN CODE 7550
O1CY ATTN CODE 7580
O1CY ATTN CODE 7551
O1CY ATTN CODE 7555
O1CY ATTN CODE 4730 E. MCLEAN
O1CY ATTN CODE 4187

COMMANDER
NAVAL SEA SYSTEMS COMMAND
WASHINGTON, D.C. 20362
O1CY ATTN CAPT R. PITKIN

COMMANDER
NAVAL SPACE SURVEILLANCE SYSTEM
DAHLGREN, VA 22448
O1CY ATTN CAPT J.H. BURTON

OFFICER-IN-CHARGE
NAVAL SURFACE WEAPONS CENTER
WHITE OAK, SILVER SPRING, MD 20910
O1CY ATTN CODE F31

DIRECTOR
STRATEGIC SYSTEMS PROJECT OFFICE
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20376
OICV ATTN NSP-2141
OICV ATTN NSSP-2722 FRED WIMBERLY

COMMANDER
NAVAL SURFACE WEAPONS CENTER
DAHLGREN LABORATORY
DAHLGREN, VA 22448
OICV ATTN CODE DF-14 R. BUTLER

OFFICER OF NAVAL RESEARCH
ARLINGTON, VA 22217
OICV ATTN CODE 465
OICV ATTN CODE 461
OICV ATTN CODE 402
OICV ATTN CODE 420
OICV ATTN CODE 421

COMMANDER
AEROSPACE DEFENSE COMMAND/DC
DEPARTMENT OF THE AIR FORCE
ENT AFB, CO 80912
OICV ATTN DC MR. LONG

COMMANDER
AEROSPACE DEFENSE COMMAND/XPB
DEPARTMENT OF THE AIR FORCE
ENT AFB, CO 80912
OICV ATTN XPBQ
OICV ATTN XP

AIR FORCE GEOPHYSICS LABORATORY
HANSCOM AFB, MA 01731
OICV ATTN OPR HAROLD GARDNER
OICV ATTN LKB KENNETH S.W. CHAMPION
OICV ATTN OPR ALVA T. STAIR
OICV ATTN PHP JULES AARONS
OICV ATTN PHD JURGEN BUCHAU
OICV ATTN PHD JOHN P. MULLEN

AF WEAPONS LABORATORY
KIRTLAND AFB, NM 87117
OICV ATTN SUL
OICV ATTN CA ARTHUR H. GUENTHER
OICV ATTN NTYCE 1LT. G. KRAJEI

AFTAC
PATRICK AFB, FL 32925
OICV ATTN TF/MAJ WILEY
OICV ATTN TN

AIR FORCE AVIONICS LABORATORY
WRIGHT-PATTERSON AFB, OH 45433
OICV ATTN AAD WADE HUNT
OICV ATTN AAD ALLEN JOHNSON

DEPUTY CHIEF OF STAFF
RESEARCH, DEVELOPMENT, & ACQ
DEPARTMENT OF THE AIR FORCE
WASHINGTON, D.C. 20330
OICV ATTN AFRDQ

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION/XR
DEPARTMENT OF THE AIR FORCE
HANSCOM AFB, MA 01731
OICV ATTN XR J. DEAS

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION/YSEA
DEPARTMENT OF THE AIR FORCE
HANSCOM AFB, MA 01732
OICV ATTN YSEA

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION/DC
DEPARTMENT OF THE AIR FORCE
HANSCOM AFB, MA 01731
OICV ATTN DCKC MAJ J.C. CLARK

COMMANDER
FOREIGN TECHNOLOGY DIVISION, AFSC
WRIGHT-PATTERSON AFB, OH 45433
OICV ATTN NICD LIBRARY
OICV ATTN ETDG B. BALLARD

COMMANDER
ROME AIR DEVELOPMENT CENTER, AFSC,
GRIFFISS AFB, NY 13441
OICV ATTN DOC LIBRARY/TSLO
OICV ATTN OCSE V. COYNE

SAMSO/SZ
POST OFFICE BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CA 90009
(SPACE DEFENSE SYSTEMS)
OICV ATTN SZJ

STRATEGIC AIR COMMAND/XPFS
OFFUTT AFB, NE 68113
OICV ATTN XPFS MAJ B. STEPHAN
OICV ATTN ADWATE MAJ BRUCE BAUER
OICV ATTN NRT
OICV ATTN DOK CHIEF SCIENTIST

SAMSO/SK
P.O. BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CA 90009
OICV ATTN SKA (SPACE COMM SYSTEMS)
M. CLAVIN

SAMSO/MN
NORTON AFB, CA 92409
(MINUTEMAN)
OICV ATTN MNML LTC KENNEDY

COMMANDER
ROME AIR DEVELOPMENT CENTER, AFSC
HANSCOM AFB, MA 01731
OICV ATTN EEP A. LORENTZEN

DEPARTMENT OF ENERGY
LIBRARY ROOM G-0-2
WASHINGTON, D.C. 20545
OICV ATTN DOC CON FOR A. LABOWITZ

DEPARTMENT OF ENERGY
ALBUQUERQUE OPERATIONS OFFICE
P.O. BOX 5400
ALBUQUERQUE, NM 87115
OICV ATTN DOC CON FOR D. SHERWOOD

EGSG, INC.
LOS ALAMOS DIVISION
P.O. BOX 809
LOS ALAMOS, NM 85544
01CY ATTN DOC CON FOR J. BREEDLOVE

UNIVERSITY OF CALIFORNIA
LAWRENCE LIVERMORE LABORATORY
P.O. BOX 808
LIVERMORE, CA 94550
01CY ATTN DOC CON FOR TECH INFO DEPT
01CY ATTN DOC CON FOR L-389 R. OTT
01CY ATTN DOC CON FOR L-31 R. HAGER
01CY ATTN DOC CON FOR L-46 F. SEWARD

LOS ALAMOS NATIONAL LABORATORY
P.O. BOX 1663
LOS ALAMOS, NM 87545
01CY ATTN DOC CON FOR J. WOLCOTT
01CY ATTN DOC CON FOR R.F. TASCHEK
01CY ATTN DOC CON FOR E. JONES
01CY ATTN DOC CON FOR J. MALIK
01CY ATTN DOC CON FOR R. JEFFRIES
01CY ATTN DOC CON FOR J. ZINN
01CY ATTN DOC CON FOR P. KEATON
01CY ATTN DOC CON FOR D. WESTERVELT

SANDIA LABORATORIES
P.O. BOX 5800
ALBUQUERQUE, NM 87115
01CY ATTN DOC CON FOR W. BROWN
01CY ATTN DOC CON FOR A. THORNBROUGH
01CY ATTN DOC CON FOR T. WRIGHT
01CY ATTN DOC CON FOR D. DAHLGREN
01CY ATTN DOC CON FOR 3141
01CY ATTN DOC CON FOR SPACE PROJECT DIV

SANDIA LABORATORIES
LIVERMORE LABORATORY
P.O. BOX 969
LIVERMORE, CA 94550
01CY ATTN DOC CON FOR B. MURPHEY
01CY ATTN DOC CON FOR T. COOK

OFFICE OF MILITARY APPLICATION
DEPARTMENT OF ENERGY
WASHINGTON, D.C. 20545
01CY ATTN DOC CON DR. YO SONG

OTHER GOVERNMENT

DEPARTMENT OF COMMERCE
NATIONAL BUREAU OF STANDARDS
WASHINGTON, D.C. 20234
(ALL CORRES: ATTN SEC OFFICER FOR)
01CY ATTN R. MOORE

INSTITUTE FOR TELECOM SCIENCES
NATIONAL TELECOMMUNICATIONS & INFO ADMIN
BOULDER, CO 80303
01CY ATTN A. JEAN (UNCLASS ONLY)
01CY ATTN W. UTLAUT
01CY ATTN D. CROMBIE
01CY ATTN L. BERRY

NATIONAL OCEANIC & ATMOSPHERIC ADMIN
ENVIRONMENTAL RESEARCH LABORATORIES
DEPARTMENT OF COMMERCE
BOULDER, CO 80302
01CY ATTN R. GRUBB
01CY ATTN AERONOMY LAB G. REID

DEPARTMENT OF DEFENSE CONTRACTORS

AEROSPACE CORPORATION
P.O. BOX 92957
LOS ANGELES, CA 90009
01CY ATTN I. GARFUNKEL
01CY ATTN T. SALMI
01CY ATTN V. JOSEPHSON
01CY ATTN S. BOWER
01CY ATTN N. STOCKWELL
01CY ATTN D. OLSEN

ANALYTICAL SYSTEMS ENGINEERING CORP
5 OLD CONCORD ROAD
BURLINGTON, MA 01803
01CY ATTN RADIO SCIENCES

BERKELEY RESEARCH ASSOCIATES, INC.
P.O. BOX 983
BERKELEY, CA 94701
01CY ATTN J. WORKMAN
01CY ATTN C. PRETTIE

BOEING COMPANY, THE
P.O. BOX 3707
SEATTLE, WA 98124
01CY ATTN G. KEISTER
01CY ATTN D. MURRAY
01CY ATTN G. HALL
01CY ATTN J. KENNEY

BROWN ENGINEERING COMPANY, INC.
CUMMINGS RESEARCH PARK
HUNTSVILLE, AL 35807
01CY ATTN ROMEO A. DELIBERIS

CALIFORNIA AT SAN DIEGO, UNIV OF
P.O. BOX 6049
SAN DIEGO, CA 92106

CHARLES STARK DRAPER LABORATORY, INC.
555 TECHNOLOGY SQUARE
CAMBRIDGE, MA 02139
01CY ATTN D.B. COX
01CY ATTN J.P. GILMORE

COMSAT LABORATORIES
LINTHICUM ROAD
CLARKSBURG, MD 20734
01CY ATTN G. HYDE

CORNELL UNIVERSITY
DEPARTMENT OF ELECTRICAL ENGINEERING
ITHACA, NY 14850
01CY ATTN D.T. FARLEY, JR.

ELECTROSPACE SYSTEMS, INC.
BOX 1359
RICHARDSON, TX 75080
01CY ATTN H. LOGSTON
01CY ATTN SECURITY (PAUL PHILLIPS)

ESL, INC.
495 JAVA DRIVE
SUNNYVALE, CA 94086
01CY ATTN J. ROBERTS
01CY ATTN JAMES MARSHALL

GENERAL ELECTRIC COMPANY
SPACE DIVISION
VALLEY FORGE SPACE CENTER
GODDARD BLVD KING OF PRUSSIA
P.O. BOX 8555
PHILADELPHIA, PA 19101
O1CY ATTN M.H. BORTNER SPACE SCI LAB

GENERAL ELECTRIC COMPANY
P.O. BOX 1122
SYRACUSE, NY 13201
O1CY ATTN F. REIBERT

GENERAL ELECTRIC TECH SERVICES CO., INC.
HMES
COURT STREET
SYRACUSE, NY 13201
O1CY ATTN G. MILLMAN

GENERAL RESEARCH CORPORATION
SANTA BARBARA DIVISION
P.O. BOX 6770
SANTA BARBARA, CA 93111
O1CY ATTN JOHN ISE, JR.
O1CY ATTN JOEL GARBARINO

GEOPHYSICAL INSTITUTE
UNIVERSITY OF ALASKA
FAIRBANKS, AK 99701
(ALL CLASS ATTN: SECURITY OFFICER)
O1CY ATTN T.N. DAVIS (UNCLASS ONLY)
O1CY ATTN TECHNICAL LIBRARY
O1CY ATTN NEAL BROWN (UNCLASS ONLY)

GTE SYLVANIA, INC.
ELECTRONICS SYSTEMS GRP-EASTERN DIV
77 A STREET
NEEDHAM, MA 02194
O1CY ATTN MARSHALL CROSS

HSS, INC.
2 ALFRED CIRCLE
BEDFORD, MA 01730
O1CY ATTN DONALD HANSEN

ILLINOIS, UNIVERSITY OF
107 COBLE HALL
150 DAVENPORT HOUSE
CHAMPAIGN, IL 61820
(ALL CORRES ATTN DAN MCCLELLAND)
O1CY ATTN K. YEH

INSTITUTE FOR DEFENSE ANALYSES
400 ARMY-NAVY DRIVE
ARLINGTON, VA 22202
O1CY ATTN J.M. AEIN
O1CY ATTN ERNEST BAUER
O1CY ATTN HANS WOLFARD
O1CY ATTN JOEL BENGSTON

INTL TEL & TELEGRAPH CORPORATION
500 WASHINGTON AVENUE
NUTLEY, NJ 07110
O1CY ATTN TECHNICAL LIBRARY

JAYCOR
11011 TORREYANA ROAD
P.O. BOX 85154
SAN DIEGO, CA 92138
O1CY ATTN J.L. SPERLING

JOHNS HOPKINS UNIVERSITY
APPLIED PHYSICS LABORATORY
JOHNS HOPKINS ROAD
LAURAL, MD 20810
O1CY ATTN DOCUMENT LIBRARIAN
O1CY ATTN THOMAS POTEMRA
O1CY ATTN JOHN DASSOULAS

KAMAN SCIENCES CORP
P.O. BOX 7463
COLORADO SPRINGS, CO 80933

O1CY ATTN T. MEAGHER
KAMAN TEMPO-CENTER FOR ADVANCED STUDIES
816 STATE STREET (P.O. DRAWER QQ)
SANTA BARBARA, CA 93102
O1CY ATTN DASIAC
O1CY ATTN TIM STEPHANS
O1CY ATTN WARREN S. KNAPP
O1CY ATTN WILLIAM MCNAMARA
O1CY ATTN B. GAMBILL

LINKABIT CORP
10453 ROSELLE
SAN DIEGO, CA 92121
O1CY ATTN IRWIN JACOBS

LOCKHEED MISSILES & SPACE CO., INC
P.O. BOX 504
SUNNYVALE, CA 94088
O1CY ATTN DEPT 60-12
O1CY ATTN D.R. CHURCHILL

LOCKHEED MISSILES & SPACE CO., INC.
3251 HANOVER STREET
PALO ALTO, CA 94304
O1CY ATTN MARTIN WALT DEPT 52-12
O1CY ATTN W.L. IMHOF DEPT 52-12
O1CY ATTN RICHARD G. JOHNSON DEPT 52-12
O1CY ATTN J.B. CLADIS DEPT 52-12

LOCKHEED MISSILE & SPACE CO., INC.
HUNTSVILLE RESEARCH & ENGR. CTR.
4800 BRADFORD DRIVE
HUNTSVILLE, AL 35807
ATTN DALE H. DIVIS

MARTIN MARIETTA CORP
ORLANDO DIVISION
P.O. BOX 5837
ORLANDO, FL 32805
O1CY ATTN R. HEFFNER

M.I.T. LINCOLN LABORATORY
P.O. BOX 73
LEXINGTON, MA 02173
O1CY ATTN DAVID M. TOWLE
O1CY ATTN P. WALDRON
O1CY ATTN L. LOUGHLIN
O1CY ATTN D. CLARK

MCDONNELL DOUGLAS CORPORATION
5301 BOLSA AVENUE
HUNTINGTON BEACH, CA 92647
O1CY ATTN N. HARRIS
O1CY ATTN J. MOULE
O1CY ATTN GEORGE MROZ
O1CY ATTN W. OLSON
O1CY ATTN R.W. HALPRIN

01CY ATTN TECHNICAL LIBRARY SERVICES
MISSION RESEARCH CORPORATION
735 STATE STREET
SANTA BARBARA, CA 93101

01CY ATTN P. FISCHER
01CY ATTN W.F. CREVIER
01CY ATTN STEVEN L. GUTSCHE
01CY ATTN D. SAPPENFIELD
01CY ATTN R. BOGUSCH
01CY ATTN R. HENDRICK
01CY ATTN RALPH KILB
01CY ATTN DAVE SOWLE
01CY ATTN F. FAJEN
01CY ATTN M. SCHREIBER
01CY ATTN CONRAD L. LONGMIRE
01CY ATTN WARREN A. SCHLUETER

MITRE CORPORATION, THE
P.O. BOX 208
BEDFORD, MA 01730
01CY ATTN JOHN MORGANSTERN
01CY ATTN G. HARDING
01CY ATTN C.E. CALLAHAN

MITRE CORP
WESTGATE RESEARCH PARK
1820 DOLLY MADISON BLVD
MCLEAN, VA 22101
01CY ATTN W. HALL
01CY ATTN W. FOSTER

PACIFIC-SIERRA RESEARCH CORP
1456 CLOVERFIELD BLVD.
SANTA MONICA, CA 90404
01CY ATTN E.C. FIELD, JR.

PENNSYLVANIA STATE UNIVERSITY
IONOSPHERE RESEARCH LAB
316 ELECTRICAL ENGINEERING EAST
UNIVERSITY PARK, PA 16802
(NO CLASS TO THIS ADDRESS)
01CY ATTN IONOSPHERIC RESEARCH LAB

PHOTOMETRICS, INC.
442 MARRETT ROAD
LEXINGTON, MA 02173
01CY ATTN IRVING L. KOFSKY

PHYSICAL DYNAMICS, INC.
P.O. BOX 3027
BELLEVUE, WA 98009
01CY ATTN E.J. FREMOW

PHYSICAL DYNAMICS, INC.
P.O. BOX 10367
OAKLAND, CA 94610
ATTN A. THOMSON

R & D ASSOCIATES
P.O. BOX 9695
MARINA DEL REY, CA 90291
01CY ATTN FORREST GILMORE
01CY ATTN BRYAN GABBARD
01CY ATTN WILLIAM B. WRIGHT, JR.
01CY ATTN ROBERT F. LELEVIER
01CY ATTN WILLIAM J. KARZAS
01CY ATTN H. ORY
01CY ATTN C. MACDONALD
01CY ATTN R. TURCO

RAND CORPORATION, THE
1700 MAIN STREET
SANTA MONICA, CA 90406
01CY ATTN CULLEN CRAIN
01CY ATTN ED BEDROZIAN

RAYTHEON CO.
528 BOSTON POST ROAD
SUDBURY MA 01776
01CY ATTN BARBARA ADAMS

RIVERSIDE RESEARCH INSTITUTE
80 WEST END AVENUE
NEW YORK, NY 10023
01CY ATTN VINCE TRAPANI

SCIENCE APPLICATIONS, INC.
P.O. BOX 2351
LA JOLLA, CA 92038
01CY ATTN LEWIS M. LINSON
01CY ATTN DANIEL A. HAMLIN
01CY ATTN E. FRIEMAN
01CY ATTN E.A. STRAKER
01CY ATTN CURTIS A. SMITH
01CY ATTN JACK MCDUGALL

SCIENCE APPLICATIONS, INC
1710 GOODRIDGE DR.
MCLEAN, VA 22102
ATTN: J. COCKAYNE

SRI INTERNATIONAL
333 RAVENSWOOD AVENUE
MENLO PARK, CA 94025
01CY ATTN DONALD NEILSON
01CY ATTN ALAN BURNS
01CY ATTN G. SMITH
01CY ATTN L.L. COBB
01CY ATTN DAVID A. JOHNSON
01CY ATTN WALTER G. CHESNUT
01CY ATTN CHARLES L. RING
01CY ATTN WALTER JAYE
01CY ATTN M. BARON
01CY ATTN RAY L. LEADABRAND
01CY ATTN G. CARPENTER
01CY ATTN G. PRICE
01CY ATTN J. PETERSON
01CY ATTN R. HAKE, JR.
01CY ATTN V. GONZALES
01CY ATTN D. MCDANIEL

STEWART RADIANCE LABORATORY
UTAH STATE UNIVERSITY
1 DE ANGELO DRIVE
BEDFORD, MA 01730
01CY ATTN J. ULWICK

TECHNOLOGY INTERNATIONAL CORP
75 WIGGINS AVENUE
BEDFORD, MA 01730
01CY ATTN W.P. BOQUIST

TRW DEFENSE & SPACE SYS GROUP
ONE SPACE PARK
REDONDO BEACH, CA 90278
01CY ATTN R. K. PLEBUCH
01CY ATTN S. ALTSCHULER
01CY ATTN D. DEE

VISIDYNE
SOUTH BEDFORD STREET
BURLINGTON, MASS 01803
01CY ATTN W. REIDY
01CY ATTN J. CARPENTER
01CY ATTN C. HUMPHREY

IONOSPHERIC MODELING DISTRIBUTION LIST
(UNCLASSIFIED ONLY)

PLEASE DISTRIBUTE ONE COPY TO EACH OF THE FOLLOWING PEOPLE:

NAVAL RESEARCH LABORATORY

WASHINGTON, D.C. 20375
DR. P. MANGE - CODE 4101
DR. R. MEIER - CODE 4141
DR. E. SZUSZCZEWICZ - CODE 4187
DR. J. GOODMAN - CODE 4180
DR. R. RODRIGUEZ - CODE 4187

A.F. GEOPHYSICS LABORATORY

L.G. HANSCOM FIELD
BEDFORD, MA 01730
DR. T. ELKINS
DR. W. SWIDER
MRS. R. SAGALYN
DR. J.M. FORBES
DR. T.J. KENESHEA
DR. J. AARONS
DR. H. CARLSON
DR. J. JASPERSE

CORNELL UNIVERSITY

ITHACA, NY 14850
DR. W.E. SWARTZ
DR. R. SUDAN
DR. D. FARLEY
DR. M. KELLEY

HARVARD UNIVERSITY

HARVARD SQUARE
CAMBRIDGE, MA 02138
DR. M.B. McELROY
DR. R. LINDZEN

INSTITUTE FOR DEFENSE ANALYSIS

400 ARMY/NAVY DRIVE
ARLINGTON, VA 22202
DR. E. BAUER

MASSACHUSETTS INSTITUTE OF TECHNOLOGY

PLASMA FUSION CENTER
LIBRARY, NW16-262
CAMBRIDGE, MA 02139

NASA

GODDARD SPACE FLIGHT CENTER
GREENBELT, MD 20771

DR. S. CHANDRA
DR. K. MAEDA
DR. R.F. BENSON

NATIONAL TECHNICAL INFORMATION CENTER

CAMERON STATION
ALEXANDRIA, VA 22314
12CY ATTN TC

COMMANDER

NAVAL AIR SYSTEMS COMMAND
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20360
DR. T. CZUBA

COMMANDER

NAVAL OCEAN SYSTEMS CENTER
SAN DIEGO, CA 92152
MR. R. ROSE - CODE 5321

NOAA

DIRECTOR OF SPACE AND ENVIRONMENTAL
LABORATORY

BOULDER, CO 80302
DR. A. GLENN JEAN
DR. G.W. ADAMS
DR. D.N. ANDERSON
DR. K. DAVIES
DR. R. F. DONNELLY

OFFICE OF NAVAL RESEARCH

800 NORTH QUINCY STREET
ARLINGTON, VA 22217
DR. G. JOINER

PENNSYLVANIA STATE UNIVERSITY

UNIVERSITY PARK, PA 16802
DR. J.S. NISBET
DR. P.R. ROHRBAUGH
DR. L.A. CARPENTER
DR. M. LEE
DR. R. DIVANY
DR. P. BENNETT
DR. F. KLEVANS

PRINCETON UNIVERSITY

PLASMA PHYSICS LABORATORY
PRINCETON, NJ 08540
DR. F. PERKINS

SCIENCE APPLICATIONS, INC.

1150 PROSPECT PLAZA
LA JOLLA, CA 92037
DR. D.A. HAMLIN
DR. L. LINSON
DR. E. FRIEMAN

STANFORD UNIVERSITY

STANFORD, CA 94305
DR. P.M. BANKS

U.S. ARMY ABERDEEN RESEARCH

AND DEVELOPMENT CENTER
BALLISTIC RESEARCH LABORATORY
ABERDEEN, MD
DR. J. HEIMERL

UNIVERSITY OF CALIFORNIA,

BERKELEY
BERKELEY, CA 94720
DR. M. HUDSON

UNIVERSITY OF CALIFORNIA

LOS ALAMOS SCIENTIFIC LABORATORY
J-10, MS-664
LOS ALAMOS, NM 87545
M. PONGRATZ
D. SIMONS
G. BARASCH
L. DUNCAN
P. BERNHARDT

UNIVERSITY OF CALIFORNIA,
LOS ANGELES
405 HILLGARD AVENUE
LOS ANGELES, CA 90024
DR. F.V. CORONITI
DR. C. KENNEL
DR. A.Y. WONG

UNIVERSITY OF MARYLAND
COLLEGE PARK, MD 20740
DR. K. PAPADOPOULOS
DR. E. OTT

UNIVERSITY OF PITTSBURGH
PITTSBURGH, PA 15213
DR. N. ZABUSKY
DR. M. BIONDI
DR. E. OVERMAN

UTAH STATE UNIVERSITY
4TH AND 8TH STREETS
LOGAN, UTAH 84322
DR. R. HARRIS
DR. K. BAKER
DR. R. SCHUNK

