

AD-A116 856

NAVAL AIR DEVELOPMENT CENTER WARMINSTER PA AIRCRAFT --ETC F/8 6/17
BLUE FLIGHT COVERALL PROGRAM.(U)
DEC 81 J Z LEWYCKYJ
NADC-82074-60

UNCLASSIFIED

NL

1 of 1
ADA
16 554



END

DATE

FILED

82

NTIC

12

AD A116856

REPORT NO. NADC-82074-60 ✓



BLUE FLIGHT COVERALL PROGRAM

Jules Z. Lewyckyj
Aircraft and Crew Systems Technology Directorate
NAVAL AIR DEVELOPMENT CENTER
Warminster, Pennsylvania 18974

DECEMBER 1981

Final Report

Approved for Public Release; Distribution Unlimited

Prepared for
NAVAL AIR SYSTEMS COMMAND
Department of the Navy
Washington, D. C. 20361

DTIC
ELECTE
JUL 12 1982
S D
E

DTIC FILE COPY

02 08 12 104

NOTICES

REPORT NUMBERING SYSTEM – The numbering of technical project reports issued by the Naval Air Development Center is arranged for specific identification purposes. Each number consists of the Center acronym, the calendar year in which the number was assigned, the sequence number of the report within the specific calendar year, and the official 2-digit correspondence code of the Command Office or the Functional Directorate responsible for the report. For example: Report No. NADC-78015-20 indicates the fifteenth Center report for the year 1978, and prepared by the Systems Directorate. The numerical codes are as follows:


CODE	OFFICE OR DIRECTORATE
00	Commander, Naval Air Development Center
01	Technical Director, Naval Air Development Center
02	Comptroller
10	Directorate Command Projects
20	Systems Directorate
30	Sensors & Avionics Technology Directorate
40	Communication & Navigation Technology Directorate
50	Software Computer Directorate
60	Aircraft & Crew Systems Technology Directorate
70	Planning Assessment Resources
80	Engineering Support Group

PRODUCT ENDORSEMENT – The discussion or instructions concerning commercial products herein do not constitute an endorsement by the Government nor do they convey or imply the license or right to use such products.

APPROVED BY:


J. R. WOODS
CDR USN

DATE:



UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NADC-82074-60	2. GOVT ACCESSION NO. AD-A116856	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Blue Flight Coverall Program		5. TYPE OF REPORT & PERIOD COVERED Final
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Jules Z. Lewyckyj		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Aircraft And Crew Systems Technology Directorate Naval Air Development Center Warminster, PA 18974		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Air Systems Command Department of the Navy Washington, DC 20360		12. REPORT DATE December 1981
		13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for Public Release; Distribution Unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Blue Flight Coverall CWU-27/P Coverall, Blue Coverall, Flight		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Presently used Flight Coveralls (CWU-27/P) are sage green. New Coveralls were manufactured from blue aramid to provide for a choice in color. These suits were given a special evaluation by operational squadrons. Although the suits were made from a heavy gabardine (the only fabric available in blue at the time of manufacture) which was somewhat uncomfortable in hot weather, the Coverall in general was satisfactory. A proposal is now being evaluated to manufacture and retest Coveralls using a lighter weight blue fabric.		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-LF-014-6601UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

TABLE OF CONTENTS

	<u>Page</u>
INTRODUCTION.....	1
RESULTS AND DISCUSSION.....	1
CONCLUSIONS.....	5
APPENDIX A.....	A-1
APPENDIX B.....	B-1

LIST OF FIGURES

<u>Figure</u>	<u>Page</u>
1 Blue Flight Coveralls.....	2
2 Blue Flight Coverall (Final Configuration)	3
3 Additions to Coverall	4

Accession For	
NTIS GRA&I	☒
DTIC TAB	☐
Unannounced	☐
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	



INTRODUCTION

BACKGROUND

The Blue Flight Coverall is to be provided to supplement the presently used sage green CWU-27/P coverall (MIL-C-83141) which is worn as an outer garment with various protective under-garments. The Blue Flight Coverall will be worn on certain missions, as desired by the Squadron Commanding Officers. It enhances military appearance and will be compatible with current flight and survival equipments.

DESCRIPTION

The first configurations of the Blue Flight Coverall are shown in figure 1. Type I was manufactured from Nomex Aramid III, while the Type II coverall was manufactured from Nomex I which was calendered to give it sheen. The final configuration is shown in figure 2, manufactured from 6½ oz. per yard Nomex Aramid III fabric. The Blue Flight coverall is designed with some improvements to the CWU-27/P. The aramid fabric in the Type I coverall was heavier than the CWU-27/P fabric because of availability problems with lightweight piece dyed fabrics. A flap was added to the pencil pocket on the left sleeve as shown in figure 2. Epaulets were added to be used with soft shoulder boards, which are shown in figure 3.

TEST PROCEDURE

Thirty suits were distributed to two A-7E squadrons: VA-82 and VA-146. These were to be worn by pilots during their regular flight and in-between flight duties. Questionnaires were forwarded to each squadron to be filled out by each pilot after a period of wear with intermediate launderings by each pilot. The questionnaire is shown in appendix A. The suits were to be machine washed and dried at home or laundered where possible.

RESULTS AND DISCUSSION

GENERAL

Fourteen completed questionnaires were received from the pilots in VA-146 who wore their suits in June and July. Sixteen completed questionnaires were received from the pilots in VA-82 who wore their suits in July and August. Results of the questionnaires are summarized in appendix B.

CONDITIONS OF WEAR

Both squadrons wore their suits in relatively hot weather and fairly humid conditions. Temperatures reached a maximum of 105°F with an average temperature of 80-81°F. Humidity reached a maximum of 92% with an average of between 66-73%. However, VA-82 pilots wore their suits for an average of 200 hours (50 hours minimum, 500-hour maximum) while VA-146 pilots wore their suits for an average of 51 hours (6-hour minimum, 200-hour maximum).



Figure 1. Blue Flight Coveralls

NADC-82074-60




Figure 2. Blue Flight Coverall (Final Configuration)




Figure 3. Additions to Coverall

LAUNDERING

The number of launderings varied from 1 to 60 for both groups of pilots with an average of 8½-10 hours of wear for each time a suit was laundered.

The greatest problem was with seam puckering which occurred in half of the garments. All other problems (shrinkage, pilling, staining, sagging or fabric or seam failures) were relatively minor. One group reported some instances of static electricity buildup while the other group reported none.

COMFORT

Dissipation of Perspiration

VA-82 pilots indicated that the suits were fair to very poor in this respect while VA-146 pilots indications were good to poor. These rather unfavorable results may have been due to the heavy fabric used (see "WEIGHT", below).

Mobility

VA-82 pilots indications that mobility, in general, was poor while VA-146 pilots said that mobility was very good.

Compatibility with Other Flight Gear

VA-82 pilots considered compatibility with other flight gear was fair while VA-146 pilots considered compatibility from good to very good.

Overall Design

The overall design, in the opinion of VA-82 pilots, was considered fair to very poor whereas VA-146 pilots considered the design good to very good.

Comparison with CWU-27/P

The VA-82 pilots considered the blue suit poor as compared with the CWU-27/P, while the VA-146 pilots, in general, considered the blue suit good as compared with the CWU/27P.

WEIGHT

A great majority of the pilots considered the suit too heavy. The suit was manufactured from 6.5 oz/yd² "Gabardine" fabric because it was the only fabric of this color commercially available.

COLOR CHOICE

Opinion was about evenly divided as to the choice of the blue color.

EPAULET AND SHOULDER BOARD

Almost all the pilots considered this design a desirable feature.

PENCIL POCKET AND FLAP

Although the majority of the pilots liked the pencil pocket, the greatest complaint was that the flap was too low, thus making it difficult to insert pens and pencils.

ZIPPER

In many cases, the flaps around the zippers puckered after wear and launderings.

DESIGN TO BE ADOPTED

The two groups split. The majority of VA-82 said "No" while VA-146 pilots said "Yes".

CONCLUSIONS

In general, it may be concluded that if the weight of the suit fabric was reduced, the blue suit would be quite suitable except for minor modifications. Zipper enclosure design could be improved and pencil pocket design can be changed. The overall weight of the suit probably contributed to the negative feelings about perspiration dissipation, mobility, overall design and comparison with the CWU-27/P. Opinion on color was split. The Blue Flight suit will be used as an option to the current sage green garment and will be chosen for flight use by Squadron Commanders.

An Engineering Change Proposal (ECP) was prepared by NAVAIRDEVCON (603312) to examine the use of lighter weight fabrics (4.3 oz/yd²) using both color sealed yarns and dyed fabric for this application. Pending approval and funding from NAVAIR for the ECP, this first phase of this program has been completed.

APPENDIX A

NAVAL AIR DEVELOPMENT CENTER
EXPERIMENTAL BLUE FLIGHT SUIT EVALUATION FORM

Name and Rank: _____ Date: _____

Organization/Squadron: _____

Aircraft Type: _____

Crew Position: _____

1. Size of experimental coverall issued for evaluation: _____

2. Type of coverall normally worn: _____

3. Size of coverall normally worn: _____

4. What underclothing was worn during the test period?

- a. Undershirt (sleeveless) _____
- b. T-Shirt _____
- c. Boxer Shorts _____
- d. Jockey Shorts _____
- e. Other _____

5. Approximate total hours worn, up until the time you filled out this evaluation form: _____

6. Number of times laundered during this evaluation period, if none mark 0: _____

7. After laundering, did you notice any of the following?

- | | | |
|-------------------------------------|---------|--------|
| a. Puckering of seams | Yes () | No () |
| b. Shrinkage | Yes () | No () |
| c. Pilling (small balls on surface) | Yes () | No () |
| d. Stains or spots | Yes () | No () |
| e. Stretching or sagging | Yes () | No () |

If yes, please identify the location(s): _____

8. Did any failures of the fabric or seams occur during the test?

Yes () No () If yes, briefly describe the failure (tear, hole, excessive abrasion, broken stitching, etc.) and the location. Also, state if accidental or due to normal use: _____

9. Was any static electricity noticed?

Yes () No () If yes, was it objectionable? Yes () No ()

10. What was the ambient temperatures during the evaluation?

a. Highest _____ Lowest _____ Average _____

What was the ambient humidity level during the evaluation?

b. Highest _____ Lowest _____ Average _____

11. Did you like the epaulets for the soft shoulder boards? Yes () No ()

Explain: _____

12. Did you like the pencil pocket flap? Yes () No ()

Explain: _____

INSTRUCTIONS

For the following questions, it is requested that only one response be marked. Circle the response that best expresses your opinion. Any additional comments or explanations would be appreciated in the space provided on the last page.

	<u>Very Good</u>				<u>Very Poor</u>
13. How well did the suit dissipate perspiration for the highest ambient humidity level to which you were exposed during the evaluation period?	1	2	3	4	5
14. Rate the overall design of the experimental coverall?	1	2	3	4	5
15. How compatible was the experimental flight coverall with other flight gear?	1	2	3	4	5
16. How would you rate your overall mobility while wearing the experimental coverall?	1	2	3	4	5
17. How would you rate the experimental coverall relative to other standard coveralls you currently use?	1	2	3	4	5
18. Do you recommend this experimental coverall be adopted? Yes () No () If not, why? _____ _____ _____					
19. List any additional comments or suggestions which may be beneficial to this evaluation. _____ _____ _____ _____ _____ _____					

NADC-82074-60

A-7E AIRCRAFT		VA-82		VA-146						
CONDITIONS UNDER WHICH WORN										
AMBIENT TEMP										
Average Max		105° F		101° F						
Average Low		60° F		55° F						
Average		81° F		80° F						
HUMIDITY										
Average Max		92%		89%						
Average Low		45%		24%						
Average		66%		73%						
LAUNDERING AND WEAR										
HOURS WORN		50-500 Average 200		6-200 Average 51						
NO. OF LAUNDERINGS		10-60 Average 21		1-14 Average 6						
Hours Worn/Laundering		10		8½						
Seam Puckering		50% Yes		50% Yes						
Shrinkage, Pilling, Stain, Sag		12% Yes		2% Yes						
Fabric, Seam Failures		None		8% Yes						
Static Electricity		None		17% Yes						
COMFORT ESTIMATE (in % of respondents)										
	Very Good	Good	Fair	Poor	Very Poor	Very Good	Good	Fair	Poor	Very Poor
Dissipate Perspiration			44	6	50		38	38	24	
Mobility		33	20	40	7	58	21	21		
Compatibility with Flight Gear	19	13	38	25	5	36	57		7	
Overall Design	6	13	25	25	31	36	50	14		
Comparison with CWU-27/P		25	19	6	50	21	42	16	21	
GENERAL OPINIONS										
WEIGHT		75%: Too Heavy		72%: Too Heavy						
COLOR CHOICE		60% Good; 40% Poor		40% Good; 60% Poor						
EPAULET		88% Satisfactory		79% Satisfactory						
PENCIL POCKET AND FLAP		56% OK; 44% Poor		79% OK; 21% Poor						
ZIPPER		38%: Zipper flaps puckered		79%: Zipper flaps puckered						
SHOULD THIS DESIGN BE ADOPTED?		33% Yes; 67% No		86% Yes; 14% No						
BLUE FLIGHT SUIT EVALUATION DATA										

NADC-82074-60

	<u>No. of Copies</u>
Payne Inc.....	1
Grumman Aerospace Corp.....	1
Lockheed Aircraft Corp.....	1
United Aircraft Corp.	1
General Dynamics Corp.	1
McDonnell Douglas Corp.....	1
Director, DTIC.....	12

No. of Copies

Commander, USAADC (ATSA-CD)	1
Commander, USAIC (ATSH-CD)	1
Commander, MP CMLSCH TNGCEN (ATZN-CM)	1
Commander, USASIG CTR (ATZH-CD)	1
Commander, USA Institute for Military Assistance (ATSU-CD)	3
Commander, USAARMC (ATZK-CD/ATZK-ADD)	1
Commander, USAEC (ATSE-CTD)	1
Commander, USAFAC (ATSF-CTD)	1
Commander, USAINCS (ATSI-CD)	1
Commander, U.S. Ordnance Ctr & Sch (DCD)	1
Commander, USAQMCS (ATSM-CD)	1
Commandant, USATSCH (ATSP-CD)	1
Commander, U.S. Marine Corps Dev. & Ed. Command, Dev. Ctr. (M&L Div.)	1
Commander, USAF SYS. COMMAND (SDNE)	1
Commander, USARIEM (SGRD-UE-ME)	1
Commander, USATARCOM (DRCPO-ALSE/DRSTS-T)	1
Manager, ARNGB OAC (MGB-AVN-L)	1
HQDA (DAMO-NCC/DAMA-ZC/DASG-PSP/DAMO-RQD)	3
Commander, USAARL (SGRD-UAC)	1
Commander, USASC	1
Commander, USAREUR & 7th Army (AEAGC-AV/AEAGC-NC)	2
Commander, USAFORSCOM (AFOP-AV/AFOP-TAS)	2
Commander, U.S. Eight Army (CJ-EA)	1
Commander, WESTCOM (AFOP-AV)	1
Commander, USAHEL (DRXHE-EA)	1
Commander, HQ TAC/DRPS (MAJ Grennard), Langley AFB	1
Commander, ERADCOM (DRDEL-CM)	1
Commander, Harry Diamond Lab (DELHD-N-P)	1
Commander, USA Environmental Hygiene Agency (HSE-RL)	1
Commander/Commandant, USCS (G-OSR-2/32 COMDR-SETTER)	2
Commander, USAAVRADA (DAVAA-d)	1
Commander, USATECOM (DRSTE-AV)	1
Commander, USAAMSAA (DRXSY-MR)	1
Commander, USALEA (DALO-LEI)	1
Commanding General, U.S. Army Aeromedical Research Lab, (ATZQ)	1
Commanding General, HQ, ASD, Wright-Patterson AFB	3
Commanding General, U.S. Army Aviation Systems Command	3
Commanding General, HQ, Fifth Army	1
Commanding General, U.S. Army Combat Developments Activity	1
Commanding Officer, David W. Taylor Naval Ship Research and Development Center (1 for Fire Fighting and Survivability Branch)	1
Commanding General, U.S. Army Agency for Aviation Safety	1
Commanding General, U.S. Army Research Institute of Environmental Medicine	1
Commanding General, U.S. Army Flight Facility	1
Commanding General, HQ, TRADOC, (ATCD)	3
Commanding General, HHC	1
David Clark Company, Inc.	1

No. of Copies

ILC Dover	1
(1 for R. Desrosier)	
U.S. Dept. of the Interior, Office of Aircraft Services	1
(1 for L. Langdon)	
W. L. Gore & Associates, Inc.	3
Dayton T. Brown, Inc.	1
(1 for Test Laboratory Division)	
Commanding Officer, VC-13.	2
Commanding Officer, VF-302.	2
Commanding Officer, Fighter Squadron THREE ZERO TWO	2
Commanding Officer, HELSUPPRON ONE	1
Commanding Officer, Naval Regional Medical Center, Portsmouth.	1
Commanding Officer, NAS North Island.	1
(1 for Code 582)	
Commanding General, 3rd MAW (FMFPAC Representative).	1
Commanding General, 1st MAW, FMFPAC.	1
Commanding General, MAG-24, 1st MAR BDE	1
Commander, COMFITAEEWWINGPAC	1
(1 for Code 81)	
Chief of Naval Air Training.	1
(1 for Code 5113)	
Commander, Naval Air Force U.S. Atlantic Fleet	1
(1 for Code 522E)	
Commanding Officer, HC-16.	1
Commanding Officer, HC-1.	1
Commanding Officer, Naval Air Engineering Center ESSD	1
(1 for Code 9312)	
Commanding Officer, MAG-31	1
Officer In Charge, Branch Clinic, NAS Brunswick.	2
Commanding Officer, Naval Weapons Station.	2
(2 for Code 3023)	
Commanding Officer, HS-84.	1
Commanding General, 2nd Marine Aircraft Wing	1
Commanding Officer, MAG-26, 2nd MAW, FMFLANT	1
Officer in Charge, Naval Sea Systems Command Detachment, Combatant Craft Engineering Department, Norfolk	3
Director, National Aeronautics and Space Administration	3
Commandant, U.S. Coast Guard Headquarters, Office of Research & Development	3
Officer In Charge, U.S. Navy Clothing and Textile Research Facility, Natick	3
Canadian Armed Forces, National Defense Headquarters	1
Commanding Officer, Naval Avionics Center.	1
(1 for Code D432)	
Commander, USANVL, (DELNV-D/DELNV-SI), Fort Belvoir, VA	1
Commander, CSL (DRDAR-CL/DRDAR-CLW), Aberdeen Proving Ground, MD	1
Commander, USADARCOM (DRCNC/DRCDE-DG/DRCDE-DH/DRCDE-BSI)	3
Commander, USACAC (ATZL-CAM-IM/ATZL-CAM-IC)	1
Commander, USALOGC (ATCL-MPP/ATCL-MS)	1

